

No. 840

BOOK 840

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

— OF —

Township 17 South, Range 29 East

Gila and Salt River Base and Meridian

ARIZONA.

No. 840

By *Theo. F. White* D. S.

under contract dated *Dec 6, 1881.*

Survey commenced *Feb 24, 1882.*

Survey completed *Feb 29, 1882.*

840

BOOK 840
INDEX DIAGRAM:

IA
Township 17 S.

Range 29 E.

6	67	5	44	4	29	3	19	2	15	1
65		64		43		27		18		13
7	63	8	41	9	26	10	16	11	11	12
61		60		40		25		8		9
18	58	17	38	16	23	15	7	14		13
	57		55		37		22			
19	54	20	36	21	21	22	5	23		24
	52		51		35		4			
30	50	29	34	28	3	27		26		25
48		47		33						
31	46	32	31	33	/	34		35		36

Gila and Salt River Meridian.

ARIZONA.

2001 4
B Preliminary Oaths of Assistants.

BOOK 840

We, J. H. McBlure
and J. O. Ford

do solemnly swear that we will well and faithfully execute the duties of Chain Carriers; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability and in accordance with the instructions given us in the survey

of the subdivision lines of Township No. 17 S. Range No.

29 E. Gila & Salt River

Meridian Territory of Arizona

J. H. McBlure

J. O. Ford

Sworn to and subscribed before me, this 10th day of
March, 1882

Paul Rice
Notary Public Pima
County, Arizona.

We, John Blake, Saml. H. Van
 Pelt, Geo. J. Wyatt & Jos Schwarz
 do solemnly swear that we will well and truly perform the
 duties of Assessor, Plagman, &
 Wmmdmen respectively,
 in the establishment of corners and other duties according to
 instructions given us, and to the best of our skill and ability.

in the survey of the subdivision
 lines of township No. 18 S. Range
 No 29. E. Gile & Salt River
 Meridian Territory of Arizona

John Blake
 Saml. H. Van Pelt
 Geo. J. Wyatt
 Jos. Schwarz

Sworn to and subscribed before me this 10th day of
 March, 1882

Paul Riccer
 Notary Public Pima
 County, Arizona

No. 840

Subdivisions T. 17 S. R. 29 E.

Gila & Salt River Meridian

Survey commenced March
24. 1882. with a Burto
improved Solar Compass.

The S. E. portion of this
township falls on the Chi-
ri-cahua Mountains,
is very precipitous, the
soil is worthless & not
surveyable, I therefore
commence at the Cor. to
Secs. 3, 4, 33 & 34 on the
South Boundary of the
township, which is a granite
stone, firmly set in the ground,
marked with 3 notches on E. W.
edges, and pits 18 + 18 + 12 ins.
in each sec. 5 1/2 ft. dist. with
mound of earth 2 ft. high 4 1/2 ft.

Subdivisions T. 17 S. R. 29 E. cont.

chains

base alongside, thence Iron
North bet. Secs. 33 & 34.

Var. $12^{\circ} 30' E$.

(As per observation with Solar Compass)

40.00 Set a Porphyry rock $12 \times 10 \times 8$ ins.

8 ins. in the ground, for $\frac{1}{4}$ sec.

cor. marked $\frac{1}{4}$ on W. face,

dug pits $18 \times 18 \times 12$ ins. N & S.

of cor. $5\frac{1}{2}$ ft. dist. and raised,

a mound of earth $1\frac{1}{2}$ ft. high

$3\frac{1}{2}$ ft. base alongside.

80.00 Set a Porphyry rock $13 \times 9 \times 7$ ins.

9 ins. in the ground, for cor. to

Secs. 27 & 28. 33 & 34 marked

with 1 notch on S and 3 notches

on E. edges, dug pits $18 \times 18 \times 12$

ins. in each sec. $5\frac{1}{2}$ ft. dist.

and raised a mound of

earth $2\frac{1}{2}$ ft. high $4\frac{1}{2}$ ft. base along-

side.

Subdivisions S. 17 S. R. 29 E. continued

Chains

Land Hilly & mountainous
Soil 3^d rate
Scattering trees.

East of here it is not surveyable

North bet. Secs. 27 & 28.

Var. $12^{\circ} 30' E.$

40.00 Set a limestone $13 + 9 + 7$ ins.
9 ins. in the ground, for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on W. face, dug
pits $18 + 18 + 12$ ins. N + S. of cor.
 $5\frac{1}{2}$ ft. dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
alongside.

80.00 Set a Porphyry $14 + 8 + 7$ ins.
10 ins. in the ground, for cor.
to Secs. 21, 22, 27 & 28. marked

Subdivision S. 17 S. R. 29 E. cont.

chains

with 2 notches on S. and 3 notches
on E. edges, dug pits $18 \times 18 \times 12$
ins. in each sec. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth 2 ft high $4\frac{1}{2}$ ft. base
alongside.

Land Hilly & mountainous
Soil 3^d rate
Scattering trees.

East, on a true line, bet.
Secs. 22 & 27.

Var. $12^{\circ} 32' E.$

4000 Set a Porphyry rock $14 \times 8 \times 7$
ins. 10 ins. in the ground,
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
on N. face, dug pits $18 \times 18 \times 12$
ins. E & W. of cor. $5\frac{1}{2}$ ft. dist.

Subdivisions N. 17 S. R. 29 E. continued

chain

80.00

and raised a mound of earth
 1 1/2 ft. high, 3 1/2 ft. base alongside,
 Set a granite stone 12 x 9 x 7
 ins. 8 ins. in the ground, for
 cor. to Secs. 22 & 23. 26 & 27. marked
 with 2 notches on S. & E. edges,
 dug pits 18 x 18 x 12 ins. in each
 sec. 5 1/2 ft. dist. and raised a
 mound of earth 2 ft. high, 4 1/2
 ft. base alongside.
 Land Hilly & mountainous
 Soil 3^d rate
 Scattering trees.
 E. of here it is not surveyable

North bet. Secs. 22 & 23.

Var. 12° 32' E.

40.00

Set a granite stone 14 x 10 x 5

Subdivisions N. 17 S. R. 29 E. continued

Chains

ins. 10 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W.
 face, dug pits $18 \times 18 \times 12$ ins.

N. & S. of cor. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, along
 side.

80.00 Set a Porphyry rock $13 \times 9 \times 6$
 ins. 9 ins. in the ground, for
 cor. to Secs. 14, 15, 22 & 23.
 marked with 3 notches on S.

1 and 2 notches on E edges, dug
 pits $18 \times 18 \times 12$ ins. in each sec.
 $5\frac{1}{2}$ ft. dist. and raised a
 mound of earth 2 ft. high, $4\frac{1}{2}$ ft.
 base alongside.

Land Hilly & mountainous
 Soil 3^d rate
 Scattering trees.

Subdivision N. 17 S. R. 29 E. continued

Chain

East of here it is not surveyable.

North bet. Secs. 14 & 15.

Var. $12^{\circ} 30' E.$

- 4.00 Set a granite $12 \times 10 \times 7$ ins.
8 ins. in the ground, for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on W. face, dug
pits $18 \times 18 \times 12$ ins. N & S. of cor.
 $5\frac{1}{2}$ ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft. high,
 $3\frac{1}{2}$ ft. base, alongside.
- 61.00 Wash 50 lbs wide cone top W.
- 80.00 Set a Porphyry rock $15 \times 9 \times 6$ ins.
16 ins. in the ground, for. cor. to
Secs. 10. 11. 14 & 15. marked
with 4 notches on S. and 2
notches on E. edges, dug pits
 $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft.

Subdivision N. 17 S. R. 29 E. cont.

chain

dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base, alongside.

Land Hilly & mountainous
Soil 3^d rate
Scattering trees.

East on a true line, bet.
Secs. 11 & 14.

Var. $12^{\circ} 30' E.$

40.00 Set a Porphyry rock $13 \times 9 \times 6$ ins. 9 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, dug pits $18 \times 18 \times 12$ ins. E & W. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base alongside,

Subdivision S. 17 T. R. 29 E. continued

Chains
80.00

Set a Porphyry rock $14 \times 10 \times 5$ ins. 10 ins. in the ground, for cor. to Secs. 11, 12, 13 & 14. marked with 4 notches on S. and 1 notch on E. edges, dug pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base alongside.

Land Hilly & unmountainous
Soil 3^d rate
Scattering trees.

East on a random line
bet. Secs. 12 & 13.

Var. $12^{\circ} 30' E$

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.17 Intersect E. Boundary of,

Subdivisions T. 17 S. R. 29 E. continued

chains

township. 19 lbs S. of cor. to
 Secs. 7. 12. 13. & 18. which is
 Porphyry rock, set firmly in
 the ground, marked with
 2 notches on N. & 4 notches
 on S. edges, with pits $18 \times 18 \times 12$
 ins. in each sec. $5\frac{1}{2}$ ft. dist.
 and mound of earth along
 side. Thence I run
 S. $89^{\circ} 52'$ W. on a true line,
 bet. Secs. 12 & 13. with same ca.

40.08 Set a granite stone $13 \times 9 \times 5$
 ins. 9 ins. in the ground,
 for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
 on N. face, dug pits $18 \times 18 \times 12$
 ins. E & W. of cor. $5\frac{1}{2}$ ft. dist.
 and raised a mound of
 earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
 alongside.

Subdivision N. 17 S. R. 29 E. continued

chains
80.17 The Cor. to Secs. 11, 12, 13 + 14
Land Hilly & Mountainous
Soil 3^d rate
Scattering trees.

North bet. Secs. 11 + 12.
Var. $12^{\circ} 30' E.$

10.00 Wash 50 lbs wide drains W.

40.00 Set a Post 3 ft. long, 3 ins. square
24 ins. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S. on W.
face, from which

An Oak 7 ins. dia. br. S. $81\frac{1}{2}^{\circ} E.$ 20 lbs dist.
marked $\frac{1}{4}$ S. B. N.

An Oak 10 ins. dia. br. N. $7\frac{1}{2}^{\circ} W.$ 63 lbs dist.
marked $\frac{1}{4}$ S. B. N.

57.90 Pinery Creek drains W.

58.27 Leave it.

Subdivisions S. 17 S. R. 29 E. continued

Chains

59.68 Road course S. of E.

63.60 Dry wash course S. W.

64.45 Leave it.

80.00 Set a post 4 ft. long, 4 ins. square
24 ins. in the ground, for cor
to Secs. 1, 2, 11 & 12, marked

S. 17 S. S. 1 on N. E.

R. 29 E. S. 12 on S. E.

S. 11 on S. W. and

S. 2 on N. W. faces, with 5
notches on S. & 1 notch onE. edges, and build mound
of stone around post, from whicha Pine 18 ins. dia. to S. $35\frac{1}{2}^{\circ}$ W. 256 lks. dist.

marked S. 17 S. R. 29 E. S. 11 B. S.

a Pine 6 ins. dia. to N. 45° W. 174 lks. dist.

marked S. 17 S. R. 29 E. S. 2 B. S.

Land Hilly & mountainous
Soil 3^d rate

Subdivisions T. 17 S. R. 29 E. continued

chains

Timber along washes.

East on a random line, bet.
Secs. 1 & 12.

Var. $12^{\circ}30' E.$

12.00 Wash drains N. W.

13.00 Leave it.

26.00 Gulch drains S. & ascend

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.15 Intersect E. Boundary of
township 16 lks S. of cor. to
Secs. 1, 6, 7 & 12, which is a
Post 3 ft. high, 3 ins. square, marked
T. 17 S. S. 6 on N. E.

R. 30 E. S. 7 on S. E.

R. 29 E. S. 12 on S. W. and
S. 1 on N. W. faces, with 1
notch on N & 5 notches on

Subdivisions S. 17 S. R. 29 E. continued

Chains

S. edges, with bearing trees
in each sec. properly marked.

Thence I run

S. $89^{\circ} 53'$ W. on a true line, bet.
Secs. 14 & 12. with same or.

40.07 Set a post 3 ft. long 3 ins. square
^{with unmarked stone}
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S. on N. face
and raised a rim of stone
around post. from which
An Oak 10 ins. dia. br N. $1\frac{1}{2}^{\circ}$ W. 125 lbs dist.
marked $\frac{1}{4}$ S. B. D.

No other tree within limit.

House where Downings Sawmill
formerly stood br S. 32° W.

about 25 chs dist.

50.15

The cor. to Secs 11, 2, 11 & 12
Land dully & unmountainous
Soil 3^d rate

Timber along washes.

Subdivisions T. 17 S. R. 29 E. continued

Chains

North on a random line; bet.
Secs. 1 & 2.Var. $12^{\circ} 30' E.$ 40.00 Set temporary $1/4$ sec. cor.80.19 Intersect N. Boundary of town-
ship 22 lks W. of cor. to secs.1, 2, 35 & 36. which is a
Porphyry rock, firmly set in the
ground, marked with 1 notch
on E. & 5 notches on W. edges.
with pits 18 + 18 + 12 ins. in
each sec. $5/8$ ft. dist. and raised
mound of earth 2 ft. high, $4/8$ ft.
base alongside, Thence Iron
 $S. 0^{\circ} 09' W.$ on a true line, bet.
Secs. 1 & 2, with same oa.40.13 Set a Porphyry rock 13 + 9 + 5 ins.
9 ins. in the ground, for $1/4$ sec.
cor. marked $1/4$ on W. face,

Subdivision N. 17 S. R. 29 E. continued

Chains

dug pits $18 \times 18 \times 12$ ins. N + S.
 of cor. $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft.
 high $3\frac{1}{2}$ ft. base alongside.
 80.13 The cor. to Secs. 1, 2, 11 & 12.
 Land Hilly & mountainous
 Soil 3^d rate
 Scattering trees.

North bet. Secs. 10 & 11.

Var. $12^{\circ} 30' E.$

40.00 Set a Porphyry rock $12 \times 9 \times 6$
 ins. 8 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on
 W. face, dug pits $18 \times 18 \times 12$
 ins. N + S. of cor. $5\frac{1}{2}$ ft. dist.
 and raised a mound of
 earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft.

Subdivision T. 17 S. R. 29 E. continued

Chains

base alongside.

- 8000 Set a Post 4 ft. long, 4 ins. square, 24 ins. in the ground for cor. to secs. 2, 3. 10x11 marked T. 17 S. S. 2 on N. E. R. 29 E. S. 11 on S. E. S. 10 on S. W. and S. 3 on N. W. faces, with 5 notches on S. and 2 notches on E. edges, and raised a mound of stone around post, from which a Pinon Pine 8 ins. dia. br. N. 59° E. 138 lks. dist. marked T. 17 S. R. 29 E. S. 2 B. T.
- A Juniper 12 ins. dia. br. S. 9° W. 148 lks. dist. marked T. 17 S. R. 29 E. S. 10 B. T.
- A Pinon 8 ins. dia. br. N. $35\frac{1}{2}^{\circ}$ W. 162 lks. dist. marked T. 17 S. R. 29 E. S. 3 B. T.
- no other trees within limit.

Subdivisions T. 17 S. R. 29 E. continued

Chains

Land Hilly & broken
Soil poor.
Scattering Oaks.

East, on a random line, bet.
Secs. 2 & 11.

Var. $12^{\circ} 30' E.$

- 5.00 Descend from steep hillside
19.00 Foot and enter Bottom N.W.
25.10 Pinery Creek drains N.W.
25.88 leave it.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
41.16 Fence extends N & S.
49.31 Road course S. E & N. W.
57.65 Wash looks wide drains S. W.
79.88 Intersect N & S. line 12 lbs
N. of cor. to Secs. 1, 2, 11 & 12
Fence I run

Subdivision T. 17 S. R. 29 E. continued

chains

N. $89^{\circ}55'$ W. on a true line,
bet. Secs. 2 & 11. with same var.

39.94 Set a Post 9ft. long, 3 in. square,
24 in. in the ground, for $\frac{1}{4}$ Sec.
cor. marked $\frac{1}{4}$ S. on N. face,
from which

An Oak 14 in. dia. br N. $71\frac{1}{2}^{\circ}$ E. 95 lbs dist.
marked $\frac{1}{4}$ S. B. T.

An Oak 14 in. dia. br S. $58\frac{1}{4}^{\circ}$ W. 143 lbs dist.
marked $\frac{1}{4}$ S. B. T.

79.88 The cor. to Secs. 2, 3, 10 & 11.

Land broken & hilly

Some good soil along Pinery Creek

Some scattering trees along Creek.

North on a random line bet.
Secs. 2 & 3.

Var. $12^{\circ}30'$ E.

Subdivisions T. 17 S. R. 29 E. continued

Chain	Descend
6.60	Foot of descent
9.46	Road corner E & N.
12.00	Pinery creek 30 lbs wide drains N.
24.20	Road down creek corner N. N.
40.00	Set temporary 1/4 sec. cor.
67.50	Gulch drains S. N.
79.89	Intersect N. Boundary of township 18 lbs N. of cor. to Secs. 2, 3, 34 & 35, which is a Porphyry rock firmly set in the ground, marked with 2 notches on E & 4 notches on N. edges, with iron rods of steel alongside. Thence I run S. $0^{\circ} 08' 11''$ on a true line bet. Secs. 2 & 3, with 0 or 100.
39.89	Set a limestone 12 x 10 x 6 ins. 8 ins. in the ground, for 1/4

Subdivisions S. 17 T. R. 29 E. continued

Chains

sec. cor. marked $\frac{1}{4}$ on W. face, and raised a mound of stone alongside, pits impracticable.

79.89 The cor. to Secs. 2, 3, 10 & 11.
Land Hilly & broken
Soil mostly 3^d rate
Some scattering trees.
March 25, 1882.

X
North bet. Secs. 21 & 22

Var. $12^{\circ} 30' E.$

40.00 Set a Porphyry rock $12 \times 9 \times 6$
ins. 8 ins. in the ground,
for $\frac{1}{4}$ sec. cor. ^{marked $\frac{1}{4}$ on W. face} dug pits $18 \times 18 \times 12$
ins. N. & S. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base

Subdivisions S. 17 S. R. 29 E. continued

chains

alongside.

800.00

Set a limestone $13 \times 9 \times 6$ ins.
 9 ins. in the ground, for cor.
 to Secs. 15, 16, 21 & 22, marked
 with 3 notches on S. & E. edges,
 dug pits $18 \times 18 \times 12$ ins. in each
 sec. $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base alongside.
 Land hilly & mountainous
 Soil rocky & 3^d rate
 Some scattering trees.

East on a random line,
 bet. Secs. 15 & 22,

Cor. $12^{\circ} 30' E!$

400.00

Set temporary $\frac{1}{4}$ sec. cor.

79.90

Intersect N & S. line, 20 lks

Subdivisions T. 17 S. R. 29 E. continued

chains

N. of cor. to Secs. 14. 15. 22 & 23.
Thence 9 mi.

N. $89^{\circ}57'$ W. on a true line,
bet. Secs. 15. & 22. with same ca.

39.95 Set a limestone $14 \times 8 \times 7$ ins.
10 ins. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on N. face,
dug pits $18 \times 18 \times 12$ ins. E & W.
of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, along
side.

79.90 The Cor. to Secs. 15. 16. 21 & 22.
Land Hilly & mountainous
Soil rocky & 3^d rate
Some scattering trees.

North bet. Secs. 15 & 16.

Subdivision S. 17 S. R. 29 E. cont.

chains

Var. $12^{\circ} 30' E.$

- 40.00 Set a granite stone $14 \times 9 \times 5$ ins. 10 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, dug pits $18 \times 18 \times 12$ ins. N & S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, alongside.
- 40.00 Wash 50 lbs wide drains N.
- 180.00 Set a Porphyry rock $13 \times 9 \times 5$ ins. 9 ins. in the ground, for Cor. to Secs. 9, 10, 15 & 16. marked with notches on S. and 3 notches on E. edges, dug pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base alongside.

Subdivisions N. 17 S. R. 29 E. continued

chains

Land Hilly & mountainous
Soil rocky & 39 rate
Some scattering trees.

East on a random line,
bet. Secs. 10 & 15.

Var. $12^{\circ} 30' E$.

40.00 Set temporary $\frac{1}{4}$ sec cor.

80.13 Intersect N & S. line 19 lbs
S. of cor. to Secs. 10, 11, 14 & 15.

Thence I run

$S 89^{\circ} 52' W$. on a true line,
bet. Secs. 10 & 15, with same va.

40.06 Set a Porphyry rock $14 \times 8 \times 5$
in. 10 in. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on
N. face, dug pits $18 \times 18 \times 12$
in. E & W. of cor. $5 \frac{1}{2}$ ft. dist.

Subdivisions T. 17 S. R. 29 E. continued

Chains.

and raised a mound of earth
 1 1/2 ft. high, 3 1/2 ft. base alongside.
 80.13 The Cor. to Secs. 9, 10, 15 & 16.
 Land hilly & mountainous
 Soil rocky & 3^d rate
 Scattering trees.

North bet. Secs. 9 & 10

Var. $12^{\circ} 30' E.$

40.00 Set a post 3 ft. long, 3 ins.
 square, 24 ins. in the ground
 for 1/4 sec. cor. marked 1/4 S.
 on W. face, from which
 an oak 10 ins. dia. br. S. $79\frac{1}{2}^{\circ} E.$ 168 lbs dist.
 marked 1/4 S. B. T.

An oak 8 ins. dia. br. S. $72\frac{1}{2}^{\circ} W.$ 77 lbs dist.
 marked 1/4 S. B. T.

45.00 Top of ridge extending N. W.

Subdivisions P. 17 S. R. 29 E. continued

chains
80.00

Set a post 4 ft. long, 4 ins. square
with marked stone 12 ins. in
the ground, for cor. to Secs.

3. 4. 9 x 10, marked—

P. 17 S. S. 3 on N. E.

R. 29 E. S. 10 on S. E.

S. 9 on S. W. and

S. 4 on N. W. faces. with
5 notches on S. and 3 notches
on E. edges, and raised a
mound of stone around
post.

Land hilly + mountainous
Soil rocky + 3.^d rate
Scattering trees.

East on random line bet.
Secs. 3 + 10.

Dec. 12. 30. E.

Subdivisions T. 17 S. R. 29 E. continued

Chains

- 23.00 Wash drains S. W.
- 40.00 Set temporary $\frac{1}{4}$ Sec. Cor.
- 46.00 Top of ridge extends N. E.
- 58.18 Wash drains N. E.
- 58.54 Leave Wash & ascend
- 67.00 Top of slope & pass along slope.
- 80.07 Intersect N & S. line 15 lks
S. of cor. to Secs. 2, 3, 10 & 11.
Thence from
S. $89^{\circ}54'$ W. on a true line,
bet. Secs. 3 & 10. with same va.
- 4403 Set a post 3 ft. long, 3 ins. square
24 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on
N face, from which
a Pine 6 ins. dia. br S. 4° W. 362 lks dist.
marked $\frac{1}{4}$ S. B. T.
an Oak 12 ins. dia. br N. 85° W. 186 lks. dist.
marked $\frac{1}{4}$ S. B. T.

Subdivision T. 17 S. R. 29 E. continued

Chains

80.07 The Cor. to Secs. 3, 4, 9, & 10.
Land hilly & mountainous
Soil 3^d rate
Some Scattering trees.

North on a random line
bet. Secs. 3 & 4.

Var. $12^{\circ} 30' E.$

13.00 Road course S. E.

28.50 Top of ridge

40.00 Set temporary 1/4 Sec. cor.

72.60 Enter Pinery Creek drains N. W.

74.30 Leave it.

79.93 Intersect N. Boundary of
township 10 lks N. of cor. to
Secs. 3, 4, 33, & 34, which is a
Post 4 in. square, marked -
S. 16 S. S. 34 on N. E.

Subdivisions N. 17 S. R. 29 E. cont.

chains

R. 29 E. S. 3 on S. E.

N. 17 S. S. 4 on S. W. and

S. 33 on N. W. faces, with 3
notches on E & W. edges, with
pits 18+18+12 ins. in each sec5 1/2 ft. dist. and mound of
earth around post from which
a juniper 24 ins dia. to N. 1 1/4° W. 616 lbs dist.
marked N. 16 S. R. 29 E. S. 33 B. S.

Thence I run

S. 0° 04' W. on a true line bet:

Secs. 3 & 4. with same va.

39.95 Set a Post 3 ft. long, 2 ins. square,
with marked stone 12 ins. in
the ground, for 1/4 sec. cor. marked
1/4 on W. face, dug pits 18+18+12
ins. N & S. of cor. 5 1/2 ft. dist.,
and raised a mound of earth
1 1/2 ft. high, 3 1/2 ft. base around post.

No. 840

Subdivision P. 17 S. R. 29 E. continued

chain
79.93

The Cor. to Secs 3, 4, 9+10.
Land partly Plain
Some good soil
Purber along Wash.

From the Cor. to Secs. 4, 5.
32 + 33. on S. Boundary of
township which is a Porphyry
rock, set firmly in the ground,
marked with 4 notches on
E & 2 notches on W. edges,
with pits 18+18+12 ins. in each
sec. 5/8 ft. dist. and mound
of earth 2 ft high 4/8 ft base
along side. Thence I run
North, bet. Secs. 32 + 33
Var. $12^{\circ} 30' E.$

Subdivisions N. 17 S. R. 29 E. cont.

chains

40.00 Set a Porphyry rock $12 \times 10 \times 5$ ins.
8 ins. in the ground, for $1/4$ sec.
cor. marked $1/4$ on W. face,
dug pits $18 \times 18 \times 12$ ins. N + S.
of cor. $5 \frac{1}{2}$ ft. dist. and raised
a mound of earth $1 \frac{1}{2}$ ft. high,
 $3 \frac{1}{2}$ ft. base alongside.

80.00 Set a Porphyry rock $13 \times 9 \times 5$
ins. 9 ins. in the ground, for
cor. to Secs. 28-29. 32 + 33,
marked with 1 notch on S.
and 4 notches on E. edges,
dug pits $18 \times 18 \times 12$ ins. in each
sec. $5 \frac{1}{2}$ ft. dist. and raised
a mound of earth 2 ft. high
 $4 \frac{1}{2}$ ft. base alongside
Land hilly & broken
Soil 3^d rate
Scattering trees.

Subdivision S. 17 T. R. 29 E. continued

Chain

East on a random line, bet.
Secs. 28 + 33.

Var. $12^{\circ} 30' E.$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.91 Intersect N + S. line 16 lks S.
of cor. to Secs. 27. 28. 33 + 34.

Thence I run

S. $89^{\circ} 53' W.$ on a true line
bet. secs. 28 + 33. with same va.

39.95 Set a limestone $14 \times 9 \times 5$ ins.
10 ins. in the ground for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on N face, dug

pits $18 \times 18 \times 12$ ins. E + W. of cor.

$5\frac{1}{2}$ ft. dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
alongside.

79.91 The cor. to Secs. 28. 29. 32 + 33.

Land hilly + broken
Soil 3^d rate

Subdivisions S. 17 S. R. 29 E. cont.

chains

Scattering trees.

North bet. Secs. 28 + 29
 Var. 12° 30' E.

4000 Set a Porphyry rock 13 + 8 + 6 ins.
 9 ins. in the ground, for $\frac{1}{4}$
 sec. cor. marked $\frac{1}{4}$ on N. face
 dug pits 18 + 18 + 12 ins. N + S. of
 cor. $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high,
 $3\frac{1}{2}$ ft. base alongside.

8000 Set a Porphyry rock 14 + 7 + 6
 ins. 10 ins. in the ground, for
 cor. to Secs. 20, 21, 28 + 29.
 marked with notches on S.
 and 4 notches on E. edges. dug
 pits 18 + 18 + 12 ins. in each
 sec. $5\frac{1}{2}$ ft. dist. and raised,

Subdivisions T. 17 S. R. 29 E. continued

chains

a mound of earth 2 ft. high
 4 1/2 ft. base alongside
 Land Hilly & broken
 Soil 3^d rate
 Scattering trees.

East on a random line, bet.
 Secs. 21 & 28.

Var. $12^{\circ} 30' E.$

40.00 Set temporary 1/4 sec. cor.

80.16 Intersect N & S. line 23 lks S.
 of cor. to Secs. 21, 22, 27 & 28

Thence down

S. $89^{\circ} 50' W.$ on a true line, bet.
 Secs. 21 & 28, with same va

40.08 Set a Porphyry rock $14 + 8 + 6$ ins.
 10 ins. in the ground, for 1/4
 sec. cor. marked 1/4 on N face.

Subdivision N. 17 S. R. 29. E. cont.

chain.

dug pits $18 \times 18 \times 12$ ins. E + W.
of cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base, along side.

80.16 The cor. to Secs. 20, 21, 28 + 29
Land Hilly + broken
Soil 3^d rate
Scattering trees.

North bet. Secs. 20 + 21.

Var. $12^{\circ} 30' E$.

4000 Set a limestone $15 \times 8 \times 5$ ins.
10 ins. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on N face,
dug pits $18 \times 18 \times 12$ ins. N + S.
of cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base along side.

Subdivisions T. 17 S. R. 29 E. continued

chains
8000

Set a Porphyry rock $14 \times 8 \times 5$ ins. 10 ins. in the ground, for cor. to Secs. 16, 17, 20 & 21. marked with 3 notches on S. and 4 notches on E. edges. dug pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base alongside.

Land Hilly & broken
Soil 3^d rate
Scattering trees.

March 27. 1882.

Cast on a random line bet. Secs. 16 & 21.

Var. $12^{\circ} 30' E.$

4000

Set temporary $1/4$ sec. cor.

Subdivisions S. 17 T. R 29 E. cont.

chains

80.21 Intersect N & S. line 28 lks S.
of cor. to Secs. 15. 16. 21 & 22.

Thence I run

S. $89^{\circ} 48'$ W. on a true line, bet.
Secs. 16 & 21. with same va.

40.10 Set a Porphyry rock 13 x 9 x 6 ins.
9 ins. in the ground, for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on N. face, dug
pits 18 x 18 x 12 ins. E & W. of cor.
 $5\frac{1}{2}$ ft. dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
alongside.

80.21 The cor. to Secs. 16. 17. 20 & 21
Land hilly & broken
Soil 3^d rate
Scattering trees.

North bet. Secs. 16 & 17.

Subdivisions T. 17 S. R. 29 E. cont.

chains

Var. $12^{\circ} 30' E.$

4000

Set a Porphyry rock $11 + 9 + 6$ ins.
 8 ins. in the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ on W. face, dug
 pits $18 + 18 + 12$ ins. N. & S. of cor.
 $5\frac{1}{2}$ ft. dist. and raised a mound
 of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
 alongside.

50.00

Wash 50 lbs wide course W.

80.00

Set a Post 4 ft. long 4 ins. square,
 24 ins. in the ground, for cor.
 to Secs. 8, 9, 16 & 17, marked -
 T. 17 S. S. 9 on N. E.

R 29 E. S. 16 on S. E.

S. 17 on S. W. and

S. 8 on N. W. faces, with 4
 notches on S. & E. edges. from which
 an oak 8 ins. dia. br. N. $74^{\circ} E.$ 150 lbs. dist.
 marked T. 17 S. R. 29 E. S. 9 B. T.

Subdivisions T. 17. S. R. 29 E. cont.

chain

An Juniper 16 ins. dia. to S. $1\frac{1}{2}^{\circ}$ E. 179 lks. dist.
marked T. 17 S. R. 29 E. S. 16 B. T.

An Oak 14 ins. dia. to S. $68\frac{1}{2}^{\circ}$ W. 52 lks. dist.
marked T. 17 S. R. 29 E. S. 17 B. T.

An Oak 4 ins. dia. to N. 61° W. 60 lks. dist.
marked T. 17 S. R. 29 E. S. 8 B. T.

Land hilly & broken

Soil 3^d rate

Timber along Wash.

East on a random line, bet.
Secs. 9 & 16.

Var. $120^{\circ} 30' E$

4000 Set temporary $\frac{1}{4}$ Sec. cor.

80.13 Intersect N. & S. line 18 lks N. of
cor. to Secs. 9, 10, 15 & 16.

Thence I run

N. $89^{\circ} 52' W$. on a true line,

Subdivisions S. 17 S. R. 29 E. continued

- chains
- 40.06 bet. Secs. 9 & 16. with same oa.
Set a Porphyry rock $14 \times 8 \times 5$ ins.
10 ins. in the ground, for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on N face, dug
pits $18 \times 18 \times 12$ ins. E & W. of cor.
 $5\frac{1}{2}$ ft. dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft.
base alongside.
- 80.13 The cor. to Secs. 8, 9, 16 & 17.
Land hilly & broken
Soil 3^d rate
Scattering trees.

North bet. Secs. 8 & 9.

Var. $12^{\circ} 30'$ E.

- 2.00 Descend from slope
- 18.00 Bottom
- 21.33 Road to Sawmill corner S. W.

Subdivisions T. 17 S. R. 29 E. cont.

- chains
- 35.33 Wash drains N. W.
- 39.50 Leave it.
- 40.00 Set a Post 2 ft. long, 3 ins. square
24 ins. in the ground, for $\frac{1}{4}$ Sec.
Cor. marked $\frac{1}{4}$ on N. face, from which
An oak 20 ins. dia. br. N. 15° E. 12 lbs dist.
marked $\frac{1}{4}$ S. B. J.
An oak 18 ins. dia. br. N. 50° W. 61 lbs dist.
marked $\frac{1}{4}$ S. B. J.
- 42.85 Wash drains N. W.
- 52.90 Road course N. W.
- 69.60 Road course N. W.
- 80.00 Set a Porphyry rock $13 \times 10 \times 8$ ins.
9 ins. in the ground for cor. to
Secs. 4, 5, 8 & 9, marked with
5 notches on S. & 4 notches
on E. edges. dug pits $18 \times 18 \times 12$
ins. in each sec. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth

Subdivision T. 17 S. R. 29 E. continued

Piers

2 ft. high $4\frac{1}{2}$ ft base along-side.Land hilly & broken
Soil 3^d rate

Scattering trees.

East on a random line bet.
Secs. 4 & 9.Var. $12^{\circ} 30' E.$ 40.00 Set temporary $\frac{1}{4}$ sec. cor.80.05 Intersect N & S. line 12 lbs
N. of cor. to Secs. 3, 4, 9 & 10.

Thence I run

N $89^{\circ} 55' W.$ on a true line,
bet. Secs. 4 & 9, with same ca.40.02 Set a post 3 ft. long, 3 ins. square
with marked stone piers in the
ground, for $\frac{1}{4}$ sec. cor. marked

Subdivision N. 17 S. R. 29 E. cont.

chains

$1/4$ S. on N. face, dug pits $18 \times 18 \times 12$ ins. Et W. of cor. $5 \frac{1}{2}$ ft. dist. and raised a mound of earth $1 \frac{1}{2}$ ft. high, $9 \frac{1}{2}$ ft. base around post.

80.05 The cor. to Secs. 4, 5, 8 + 9
Land partly in Plain
Soil 2^d rate
Scattering trees.

North on a random line
bet. Secs. 4 + 5.

Var. $120^{\circ} 30' E$

11.53 Road to sawmill course S. E.
40.00 Set temporary $1/4$ Sec. cor.
48.00 Ascend ridge
61.00 Top course N. W.
76.00 Leave ridge.

Subdivision S. 17 S. R. 29 E. continued

chain

80.00 Intersect N. Boundary of township. at Cor. to Secs. 4. 5. 32 x 33. which is a granite stone firmly set in the ground marked with 4 notches on E. & 2 notches on W. edges, and mound of stone alongside
 Thence 9 m
 South, on a true line bet. Secs 4 x 5. with same va.

40.00 Set a Porphyry rock 13 x 9 x 6 ins. 9 ins. in the ground, for 1/4 sec. cor. marked 1/4 on W. face, dug pits 18 x 18 x 12 ins. N x S. of cor. 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base alongside.

20.00 The cor. to Secs. 4. 5. 8 x 9. Land ascending N. E.

Subdivisions S. 17 S. R 29 E. continued

chains

Soil 2^d rate
Scattering trees.

end

From the Cor. to Secs. 5.6.
31 + 32. on S. Boundary of
township, which is a Porphyry
rock, set firmly in the ground
marked with 5 notches on E.
and 1 notch on N. edges, and
mound of stone alongside.
From North bet Secs. 31 + 32
Var. $12^{\circ} 38' E.$

40.00 Set a limestone $14 \times 9 \times 6$ ins.
10 ins. in the ground, for $1/4$
sec. cor. marked $1/4$ on N. face,
dug pits $18 \times 18 \times 12$ ins. N. & S. of
cor. $5\frac{1}{2}$ ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft. high

Subdivisions T. 17 S. R. 29 E. continued

4.000

3 1/2 ft. base alongside.

0.000

Set a Porphyry 13 x 8 x 6 ins.
 9 ins. in the ground, for cor.
 to Secs. 29, 30, 31 & 32. marked
 with 1 notch on S. & 5 notches
 on E. edges, dug pits 18 x 18 x 12
 ins. in each sec. 5 1/2 ft. dist.
 and raised a mound of earth
 2 ft. high 4 1/2 ft. base alongside
 Land hilly & unmountainous
 Soil 3^d rate
 Scattering trees.

East on a random line
 bet. Secs. 29 x 32

Var. 12° 30' E!

4.000 Set temporary 1/4 sec. cor.
 0.11 Intersect N x S. line 13 lbs

Subdivision N. 17 S. R. 29 E. cont.

chains

N. of cor. to Secs. 28. 29. 32 & 33.

Thence 9 mm

N. 89° 54' W. on a true line bet.
Secs. 29 & 32, with 2 ann. va.

40.05 Set a Porphyry rock 14 x 10 x 6 ins.

10 ins. in the ground, for $\frac{1}{4}$ sec.cor. marked $\frac{1}{4}$ on N. face,

dug pits 18 x 18 x 12 ins. E. W.

of cor. 5 $\frac{1}{2}$ ft. dist. and raiseda mound of earth 1 $\frac{1}{2}$ ft.high 3 $\frac{1}{2}$ ft. base, alongside.

80.11 The cor. to Secs. 29. 30. 31. 32

Land hilly & mountainous

Soil 9th rate

Scattering trees.

West on a random line bet.
Secs. 30 & 31

Subdivisions T. 17 S. R. 29 E. continued

chains

Var. $12^{\circ} 30' E!$ 40.00 Set temporary $1/4$ sec. cor.

78.60 Intersect W. Boundary of township. 20 lks N. of cor. to Secs. 25, 30, 31 & 36, which is a Porphyry rock, set firmly in the ground, marked with 5 notches on N. & 1 notch on S. edges, with pits $18 \times 18 \times 12$ ins. in each sec. 5 ft. dist. and mound of earth 4 ft. high, $4 \frac{1}{2}$ ft. base alongside,
Thence I run

N. $89^{\circ} 51' E!$ on a true line bet. Secs. 30. & 31. with same ca.

98.60 Set a limestone $15 \times 10 \times 5$ ins. 10 ins. in the ground, for $1/4$ sec. cor. marked $1/4$ on N. face, dug pits $18 \times 18 \times 12$ ins. E & W. of cor.

Subdivisions N. 17 S. R. 29 E. cont.

chains

5 1/2 ft. dist. and raised a mound
of earth 1 1/2 ft. high, 3 1/2 ft. base
alongside.

78.60 N.E. cor. to Secs. 29, 30, 31 & 36
Land hilly & broken
Soil 3^d rate
Scattering trees.

North bet. Secs. 29 & 30
Tan. 12° 30' E.

40.00 Set a Porphyry rock 14 x 9 x 5
ins. 10 ins. in the ground, for
1/4 sec. cor. marked 1/4 on N.
face, dug pits 18 x 18 x 12 ins.
N. & S. of cor. 5 1/2 ft. dist. and
raised a mound of earth 1 1/2
ft. high, 3 1/2 ft. base alongside.

80.00 Set a Porphyry rock 15 x 10 x 6

Subdivision S. 17 S. R. 29 E. continued

chains

ins. 10 ins. in the ground, for
 cor. to Secs. 19, 20, 29 & 30
 marked with notches on S. and
 5 notches on E. edges, dug pits
 18 x 18 x 12 ins. in each sec. 5 1/2
 ft. dist. and raised a mound
 of earth 2 ft. high, 4 1/2 ft. base
 alongside.

Land Shilleys & broken Soil
 3^d rate

Scattering trees.

March 28, 1882.

East on a random line bet.
 Secs. 20 & 29.

Var. 12° 30' E!

4000 Set temporary 1/4 sec. cor.
 79.83 Intersect N & S. line, 22 lbs

Subdivisions N. 17 S. R. 29 E. cont.

Chains

N. of cor. to Secs. 20. 21. 28 & 29

Thence I run

N 89° 51' W. on a true line,
bet Secs. 20 & 29, with same on

39.91' Set a limestone 14 + 10 + 5 ins.

10 ins. in the ground for 1/4

sec. cor. marked 1/4 on N. face,

dug pits 18 + 18 + 12 ins. E & W.

of cor. 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high

3 1/2 ft. base alongside

49.83 The Cor. to Secs. 19. 20. 29 & 30.

Land hilly & broken

Soil 3^d rate

Scattering trees.

West, on a random line
bet. Secs. 19 & 30.

Subdivision T. 17 S. R. 29 E. continued

Chains

Var. $12^{\circ}30' E.$

40.00 Set temporary $1/4$ sec. cor.
 78.55 Intersect W. Boundary of township 17 lks N. of cor. to Secs. 19, 24, 25, 30 which is a Post 4 ins square firmly set in the ground & marked T. 17 S. S. 19 on N. E. R. 29 E. S. 30 on S. E. R. 28 E. S. 25 on S. W. and S. 24 on N. W. faces, with 4 notches on N. & 2 notches on S. edges, and bearing trees properly marked in each sec.

Thence I run

N. $89^{\circ}53' E.$ on a true line, bet. Secs. 19 & 30. with same on

78.55 Set a Porphyry rock $13 \times 9 \times 7$ ins. 9 ins. in the ground, for.

Subdivisions T. 17 S. R. 29 E. cont.

Chains

1/4 sec. cor. marked 1/4 on
 N. face, dug pits 18 x 18 x 12
 ins. in each sec. 5 1/2 ft. dist.
 and raised a mound of earth
 1 1/2 ft. high, 3 1/2 ft. base alongside.
 78.55 The cor. to Secs. 19, 20, 29 & 30
 Land hilly & broken
 Soil 3^d rate
 Some scattering trees.

North bet. Secs. 19 & 20
 Var. 12° 30' E.

40.00 Set a limestone 12 x 10 x 5 ins.
 8 ins. in the ground, for 1/4
 sec. cor. marked 1/4 on N.
 face, dug pits 18 x 18 x 12 ins.
 N. & S. of cor. 5 1/2 ft. dist. and
 raised a mound of earth

Subdivisions S. 17 S. R. 29 E. continued

chairs 1 1/2 ft. high, 3 1/2 ft. base along-
side,

20.00 Set a Porphyry rock 13 x 9 x 6
ins. 9 ins. in the ground, for
cor. to Secs. 17, 18, 19, & 20.
marked with 3 notches on S.
and 5 notches on E. edges,
dug pits 18 x 18 x 12 ins. in
each sec. 5 1/2 ft. dist. and
raised a mound of earth
2 ft. high, 4 1/2 ft. base alongside
Land Lilly & broken
Soil 3^d rate
Scattering trees.

East on a random line bet.
Secs. 17 & 20.

Var. 12° 30' E.

Subdivisions T. 17 S. R. 29 E. cont.

- Chains
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.80 Intersect N & S. line 17 lks
S. of cor. to Secs. 16. 17. 20 & 21
Thence I run
S. $89^{\circ}53'$ W. on a true line, bet.
Secs. 17 & 20. with same va.
- 39.90 Set a Porphyry rock $14 \times 9 \times 5$
ins. 10 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N.
face, dug pits $18 \times 18 \times 12$ ins.
Ex N. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. low alongside
- 79.80 The cor. to Secs. 17. 18. 19 & 20
Land hilly & broken
Soil 3^d rate
Scattering trees.
-

Subdivisions T. 17 S. R. 29 E. continued

Chain

West on a random line bet.
Secs. 18 & 19.Var. $12^{\circ}30'E!$ 46.00 Set temporary $\frac{1}{4}$ Sec. cor.78.62 Intersect N. Boundary of
township 17 lks N. of cor. to
Secs. 13, 18, 19 & 24, which is a
Granite stone, set firmly in
the ground, marked with 3
notches on N & S. edges, and
mound of stone alongside -
with 2 Bearing trees properly
marked in S. E & S. W. secs.

Thence I run

N. $89^{\circ}53'E!$ on a true line,
bet Secs. 18 & 19. with same va.38.62 Set a Porphyry rock $14 \times 9 \times 5$
ins. 10 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N.

Subdivisions T. 17 S. R. 29 E. cont.

48.62
 10 ins face, dug pits $18 \times 18 \times 12$ ins.
 Ex W. of cor. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth $1\frac{1}{2}$
 ft. high $3\frac{1}{2}$ ft. base alongside.
 The cor. to Secs. 17, 18, 19, & 20
 Land hilly & broken
 Soil 3^d rate
 Scattering trees.

North bet. Secs. 17 & 18.

Var. $12^{\circ} 30' E$

40.00 Set a Porphyry rock $15 \times 8 \times 7$ ins.
 10 ins. in the ground, for $\frac{1}{4}$
 sec. cor. marked $\frac{1}{4}$ on W. face
 dug pits $18 \times 18 \times 12$ ins. N. & S. of
 cor. $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base alongside.

Divisions T. 17 S. R. 29 E. cont.

ined

Wash 50 lks wide drains W.
 Set a Post 4 ft. long, 4 ins. square with marked stone 12 ins. in the ground, for cor. to Secs. 7. 8. 17 & 18 marked T. 17 S. 1. 8 on N. E.

R. 29 E. S. 17 on S. E.

S. 18 on S. W. and

S. 7 on N. W. faces, with 4 notches on S. and 5 notches on E. edges. and raised a mound of stone around post from which an Oak 4 ins. dia. to

S. 28 1/2° W. 435 lks dist. marked T. 17 S. R. 29 E. S. 18 B. D.

Land hilly & broken

Soil 3^d rate

Scattering trees.

Timber along Wash

ches

Subdivisions T. 17 S. R. 29 E. cont.

Chains

face, dug pits $18 \times 18 \times 12$ ins.Ex W. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

78.62

The cor. to Secs. 17, 18, 19, & 20

Land hilly & broken

Soil 3^d rate

Scattering trees.

North bet. Secs. 17 & 18.

Var. $12^{\circ} 30' E$

40.00 Set a Porphyry rock $15 \times 8 \times 7$ ins. 10 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face dug pits $18 \times 18 \times 12$ ins. N & S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base alongside.

Subdivisions T. 17 S. R. 29 E. cont.

Chains

70.00

Wash 50 lks wide drains W.

80.00

Set a Post 4 ft. long, 4 ins. square with marked stone 12 ins. in the ground, for cor. to Secs. 7, 8, 17 & 18 marked T. 17 S. T. 8 on N. E.

R. 29 E. S. 17 on S. E.

S. 18 on S. W. and

S. 7 on N. W. face, with 4 notches on S. and 5 notches on E. edges. and raised a mound of stone around post from which an Oak 4 ins. dia. to

S. $28\frac{1}{2}^{\circ}$ W. 435 lks dist. marked T. 17 S. R. 29 E. S. 18 B. T.

Land hilly & broken
Soil 3^d rate

Scattering trees.

Timber along Wash

Subdivisions T. 17 S. R. 29 E. cont.

Chairs

East on a random line, bet.
Secs. 8 + 17.Var. $12^{\circ}30' E$

- 5.00 Sawmill road come E & N. E.
 19.00 Leave flat
 24.00 Top of low hill & descend
 29.00 Foot & ascend
 38.80 Top of rocky slope
 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 79.90 Intersect G. S. line, 9 lbs S.
 of cor. to Secs. 8, 9, 16, & 17.

Pence 9 mm

S. $89^{\circ}56' N$. on a true line,
bet. Secs. 8 + 17. with same va.

- 39.95 Set a granite stone $20 \times 12 \times 7$ in.
 15 in. in the ground, for $\frac{1}{4}$
 sec. cor. marked $\frac{1}{4}$ on N. face
 and raised a mound of stone
 alongside from which

Subdivisions T. 17 S. R. 29 E. continued

chains

An oak 20 in. dia. br. S. 37° W. 189 lks dist.
marked $\frac{1}{4}$ S. B. T.

79.90 The cor. to Secs. 7, 8, 17 & 18.
Land hilly & broken
Soil 3^d rate
Scattering trees.

West on a random line bet.
Secs. 7 & 18.

Cor. $12^{\circ} 30'$ E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

50.00 Sawmill road course N. E.

78.40 Intersect W. Boundary of
township 10 lks N. of cor. to Secs.
7, 12, 13 & 18. which is a

Limestone, set firmly in the
ground, marked with notches
on N. & 4 notches on S. edges.

Subdivisions N. 17 S. R. 29 E. continued

Chains

with mound of stone along side
 Hence Done

N. $89^{\circ}56'$ E. on a true line
 bet. Secs. 7 & 18, with same va.

38.40 Set a Post 3 ft. long, 3 ins. square
 24 ins. in the ground, for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ S. on N face, from
 which an Oak 10 ins. dia. br. N. $10^{\circ}27'$ 105 lbs dia.
 marked $\frac{1}{4}$ S. B. T.

✓ An Oak 28 ins. dia. br. S. $8\frac{1}{4}^{\circ}27'$ 78 lbs dia.
 marked $\frac{1}{4}$ S. B. T.

78.40 The cor. to Secs. 7, 8, 17 & 18
 Land hilly & broken
 Soil 3^d rate
 Scattering trees.

Subdivisions T. 17 S. R. 29 E. cont.

chains

North bet. Secs. 7 & 8.

Var. $12^{\circ} 30' E$

5.00 Ascend Hill

24.50 Top 300 ft. high

40.00 Set a Porphyry rock $17 \times 11 \times 8$ ins.12 ins. in the ground, for $\frac{1}{4}$ sec. cor.marked $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins. N & S. of cor. $5\frac{1}{2}$ ft.

dist. and raised a mound of

earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base along

side from which an Oak tree

16 ins. dia. to West 169 lks dist.

marked $\frac{1}{4}$ S. B. P.

48.00 Rocky Point and descend

80.00 Set a Porphyry rock $15 \times 10 \times 6$

ins. 10 ins. in the ground, for

cor. to Secs. 5, 6, 7 & 8. marked

with 5 notches on S. & E. edges,

dug pits $18 \times 18 \times 12$ ins. in each sec.

Subdivision T. 17 S. R. 29 E. cont.

Chain

5 1/2 ft. dist. and raised a mound
of earth 2 ft. high 4 1/2 ft. base
alongside.

Land hilly & broken

Soil 3^d rate

Scattering trees.

East. on a random line, bet
Secs. 5 & 8.

Var. $12^{\circ} 30' E.$

11.22 Road to Sawmill come S. E.

37.42 Wash drains N. W.

38.90 Leave it

40.00 Set temporary 1/4 sec. cor.

79.90 Intersect N. & S. line 10 lks S.
of cor. to Secs. 4, 5, 8 & 9.

Thence I run

S. $89^{\circ} 56' W.$ on a true line,

Subdivisions T. 17 S. R. 29 E. continued

Chains

39.95 bet. Secs. 5 & 8. with same oak
Set a Post 3 ft. long, 3 ins. square
24 ins. in the ground, for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ S. on N. face
from which

An Oak 13 ins. dia br. N. $17\frac{1}{2}^{\circ}$ W. 29 lbs dist
marked $\frac{1}{4}$ S. B. T.

An Oak 14 ins. dia. br. S. 49° W. 44 lbs dist.
marked $\frac{1}{4}$ S. B. T.

79.90 The cor. to Secs. 5, 6, 7 & 8.
Land partly plain
Some good soil
Timber along Wash.

West on a random line,
bet. Secs. 6 & 7.

Var. $12^{\circ} 30' E.$
11.63 Road to Mill curve S. E.

Subdivision N. 17 S. R. 29 E. cont.

chains

24.06 Same road course N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.41 Intersect W. boundary of township 9 lks S. of cor. to Secs. 1, 6, 7 & 12 which is a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base with pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. In S. E. pit is a stake 2 ins. square marked.

N. 17 S. S. 6 on N. E.

R. 29 E. S. 7 on S. E.

R. 28 E. S. 12 on S. W. and S. 1 on N. W. faces, with 1 notch on N. & 5 notches on S. edges.

Pence Iron

S. $89^{\circ}56'$ E. on a true line, bet.

Secs. 6 & 7. with same on.

38.41 Deposited a charred stake 12 ins. in the ground, for $\frac{1}{4}$ sec.

Subdivisions T. 17 S. R. 29 E. continued

Lains

cor. dug pits $18 \times 18 \times 12$ ins. E & W.
 of cor. $5\frac{1}{2}$ ft. dist. and raised a
 mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
 base over it. In E pit drove a
 stake $1\frac{1}{2}$ ft. long, 2 ins. square, 12
 ins. in the ground, marked $\frac{1}{4}$ S. on
 N. face.

78.41 The cor. to Secs. 5, 6, 7 & 8.

Land partly plain
 Some good soil
 No timber.

North on a random line bet.
 Secs. 5 & 6.

Var. $12^{\circ} 30'$ E.

19.35 Road course Dr. W.

29.76 another track of same road

33.10 Ascend

Subdivisions S. 17 S. R. 29 E. cont.

Chains

- 39.00 Top of ascent
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 70.00 Wash 50 lks wide course N. W.
- 80.15 Intersect N. Boundary of township 16 lks E. of cor. to Secs. 5, 6, 31 & 32, which is a Post 4 ins. square marked S. 16 S. S. 32 on N. E. R. 29 E. S. 5 on S. E. S. 17 S. S. 6 on S. W. and S. 31 on N. W. faces, with 5 notches on E & 1 notch on W. edges, and mound of stone around post with 2 Bearing trees properly marked in N. E. & S. E. secs.
- Thence I run S. $0^{\circ}07'$ E. on a true line, bet. Secs. 5 & 6. with same oa.
- 40.15 Set a Porphyry rock 18 x 9 x 6 ins.

Subdivisions D. 17 S. R. 29 E. continued

chains

12 ins. in the ground, for 1/4 sec
cor. marked 1/4 on W. face,
and raised a mound of stone
alongside, from which
Lindermaus house to N. 59 1/2° E.

Mrs Berry's house to N. 13 1/2° E.

80.15 The cor. to Secs. 5. 6. 7 & 8.

Land ascending E.

Soil 2^d rate

Scattering trees.

March 29th 1882.

Subdivision: Sp. 17 S. R. 29 E.

General Description:
This township is fractional. The S.E. portion lies on the precipitous slopes of the Chiricahua Mountains and is not surveyed. The Western and Northern portions contain much good grazing land. There is considerable oak timber along the wash.

Theodore J. White
U.S. Deputy Surveyor

Sub (5)
List of Names.

BOOK 840 72

A List of the Names of Individuals employed by
Theodore J. White U. S. deputy
surveyor, to assist in running, measuring, or marking the lines
and corners described in the foregoing Field Notes of the survey
of the subdivision lines of
Township No. 18 N. Range
No. 29 E. Gila & Salt River
Meridian Territory of
Arizona

Showing the respective capacities in which they acted.

J. H. McClure Chainman.

J. O. Ford Chainman.

John Blake Axeman.

Saul H. Van Pelt Tagman.

Joe Schwarz & Geo. J. Wyatt
Moundmen

Final Oath of Assistants.

BOOK 840

We hereby certify that we assisted Theodore A. White U. S. Deputy Surveyor, in surveying all those parts or portions of the subdivision lines of township No 17 S. R. 20. 29 E. Gila & Salt River Meridian Territory of Arizona.

as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor-General for Arizona.

J. H. Mccluskey Chairman.

J. O. Ford Chairman.

John Blake Axeman.

James W. ... Flagman.

Sworn to and subscribed before me, this 30th day of

May, 1887

Paul Riecker
Notary Public
Pima County Arizona

Final Oath of Deputy Surveyor.

74

BOOK 840

I, *Theodore F. White*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of instructions received from John Wasson, United States Surveyor-General for Arizona, bearing date the

day of _____ 188____, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of

the
subdivision lines of township
No. 17 T. R. No. 29, E. Gila
& Salt River Meridian
Territory of Arizona.

_____ as are represented
in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific manner described in the

7
75


field notes, and that the foregoing are the true Field Notes of such survey, and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846

Theodore J. White

U. S. Deputy Surveyor.

Sworn to and subscribed before me this 3rd day of

May, 1882



Paul Riecker
Notary Public, Pima
County, Arizona

BOOK 840

U. S. Surveyor General's Office,
Tucson, Arizona, July 5, 1882

The foregoing Field Notes of the survey of the

Subdivisions of Township

17 South Range 29 East

of the Gila and ~~Salt~~ River Base and Meridian, Arizona,
executed by Theo. A. White,

D. S. under his contract of the 6th day of
December, 1881, having been critically ex-

amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason

Surveyor General.