

No. 845

BOOK 845

845

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF- BOOK 845

Township *17 S.* Range *20 E*

La and Salt River Base and Meridian

ARIZONA.

By *Geo. F. White* D. S.

under contract dated *May 13* 1873.

Survey commenced *Nov. 26* 1873.

Survey completed *Dec. 1.* 1873.

No. 845

10

BOOK 845

4-674.

Township 17 S. R. 20 E. *J. J. R. B. M.*

BOOK 845

6	60	5	44	4	33	3	22	2	11	1
59	58	43	32	21	10					
7	57	8	42	9	31	10	20	11	9	12
56	55	41	30	19	8					
18	54	17	40	16	29	15	18	14	7	13
53	52	39	28	17	6					
19	51	20	38	21	27	22	16	23	5	24
50	49	37	26	15	4					
30	48	29	36	28	25	27	14	26	3	25
47	46	35	24	13	2					
31	45	32	34	33	23	34	12	35	1	36

Township 17 S. Range 20 E.

Gila and Salt River Meridian

Rs Beginning on the S. boundary at the cor-
to secs. 35 and 36. Run
North between secs. 35 & 36.
cor. $12^{\circ}46'$ East

As per East boundary.

40.00 Set a post, marked $1/4$ S, 4 ft long,
flattened 3 in. wide, 1 ft in the ground, drive
chained stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for $1/4$ sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long,
3 in. square, 1 ft in the ground, drive chained
stake, and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide, all as per in-
structions for cor. to secs. 25-26-35 &
36. No trees near.

Sand loam. Soil 1st rate. No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

No. East on random line bet. secs. 25 & 36
cor. $12^{\circ}46'$ East

40.00 Set post for temporary $1/4$ sec. cor.

74.00 San Pedro river 50 lbs. wide, approx. N. W.

80.21 Intersect E. boundary 12 lbs. N. of cor. to sec.
25 & 36. from which cor. down
N. $89^{\circ}55'$ W.

On true line between secs. 25 & 36.

cor. $12^{\circ}46'$ East.

40.10 Set a post, marked $1/4$ S, 4 ft
long, flattened 3 in. wide, 1 ft from the
ground, drive charred stake, and
build mound of earth, 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for $1/4$ sec. cor.

No trees near

80.21 The cor. to secs. 25, 26, 35 & 36.

Land level. Soil good.

Some mesquite along river.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

As North between sec. 25 & 26.
arr. 12° 46' East

40.00 Set a post, marked 1/4 S, 1 ft.
long, flattened 3 in. wide, 1 ft. in the ground,
drill chanced stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1/4 sec. cor.
No other trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in.
squared, 1 ft. in the ground, drill chanced
stake, and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, all as
per instructions for cor. to sec. 23, 24, 25 & 26.
from which

A mesquite 2 1/2 in. dia. bearing S. 65° E. 78 lbs. dist
do 6 " " " N. 80° W. 94 " "

No other trees near.

Land level then rolling. Soil good for
grass. Brush and few trees.

Township of S. Range 20 E.
Gda. and Salt River Meridian

hs East. on random line bet. sec. 24 & 25
var. 12° 46' East.

3.50 San Pedro river, 40 lbs. wide, runs N.W.

29.00 Rd road bet. N.W. & S.E.

40.00 Set post for temporary 1/4 sec. cor.

79.91 Intersect E. boundary 6 lbs. N. of cor. to
sec. 24 & 25. from which cor. Down
N. 89° 57' W.

On true line between sec. 24 & 25
var. 12° 46' East

39.96 Set a post, unmarked 1/4 S, 4 ft long,
flattened 3 in wide, 1 ft in the ground, drive
chained stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1/4 sec. cor.
No trees near.

79.91 The cor. to sec. 23, 24, 25 & 26.
Sand level. Soil 1st rate.
Good grass. No timber.

Township 17 Range 20 E.
Gila and Salt River Meridian

to North between secs. 23 & 24
var. 12°46' East

100.00 San Pedro corner 10 lbs. wide, runs N.W.
240.00 Set a post, marked $\frac{1}{4}$ S, 4 ft long, flattened
3 in. wide, 1 ft in the ground, driven charred
stake and build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, all as
per instructions for '4 sec cor.

No trees near.

80.00 Set a post, marked and notched, 4 ft long,
3 in. square, 1 ft in the ground, driven char-
red stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for the cor. to
secs. 13, 14, 23 and 24.

No trees near.

Land level. Soil 1st rate.

Good grass. No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

- East on random line bet. secs 13 & 24
var. 12° 46' East
- 5.00 Old road bet. N.W.
- 40.00 Set post for temporary 1/4 sec. cor.
- 80.09 Intersect E. boundary 12 ls. N. of cor.
to sec 13 & 24. from which cor. draw
N. 89° 55' W.
- Between line between secs 13 & 24.
var. 12° 46' East
- 40.04 Set a post, marked 1/4 E, 4 ft long, flattened
3 in wide, 1 ft in the ground, drive chanced stakes,
and build mound of earth 4 ft high, with
pits 4 ft deep, 2 ft long, 1 ft wide all as per
instruction for 1/4 sec. cor. from which
Annesquile 12 in. dia. den. N. 62° E. 390 ls. dist.
do 8. " " S. 13 1/2° W. 225. "
- 80.09 The cor. to secs 13. 14. 23 & 24.
Land according E. Soil good for
grass. A few trees.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

to North between sec. 13⁹ 14
var. 12°46' East

19.00 Old road cor. N.W.

40.00 Set a post, marked 1/4 S, 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, all as per instructions
for 4 sec. cor. No trees near.

50.00 Set a post, marked and notched, 4 ft long,
3 in. squared, 1 ft in the ground, drive char-
red stake, and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as
per instructions for the cor. to secs. 11, 12,
13 and 14, from which

A magnetic 4 in. dial has S. 73° E. 125
do 5 " " " N. 24 1/2° E. 191 " "

No other trees near.

Land flat. Soil good.

No timber of any consequence

Township 17 S. Range 20 E.
Gda and Salt River Meridian

- L East corner of land bet. sees. 12⁹/13.
 var. 12°46' East
- 40.00 Set post for temporary 1/4 sec. cor.
 79.94 Intersect E. boundary 8th Sec. N. of cor. to see.
 12⁹/13. from which cor. from
 N. 89°56' W.
 On true line between sees. 12⁹/13
 var. 12°46' East
- 39.97 Set a post, marked 1/4 S,
 4 ft long, flattened 3 in. wide,
 1 ft in the ground, drive charred stake,
 and build mound of earth 2 ft high, with
 pit 4 ft deep, 2 ft long, 1 ft wide, all as per in-
 structions for 1/4 sec. cor.
 No trees near
- 79.94 The cor. to sees 11, 12, 13 & 14.
 Sand lead. Soil 1st rate.
 Good grass. No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

North, between sec. 11 & 12, \times
cor. 12th 46' East.

5.00 Stage road from Tucson to New Mexico, bas. E. & W.

0.00 Leave valley and ascend hills:

0.00 Set a post, marked 1/4 S, 4 ft long, flattened
3 in wide, 1 ft in the ground, demi chanced stone
and built mound of earth 2 ft high, with pile 1 ft
deep, 2 ft long, 1 ft wide, all as per instructions
for 4 sec cor. from which

1 magnitude 3 in dia. bas. N. 8° W. 193 lbs. dist.

do 3 " " S. 28° E. 100 . . .

11.50 Leave hills and enter valley, bas. E & W.

20.00 Set a post, marked and notched, 4 ft long, 3 in square,
1 ft in the ground, demi chanced stone, and built
mound of earth 2 ft high, with pile 1 ft deep,
2 ft long, 1 ft wide, all as per instructions for cor
to sec. 1, 2, 11 & 12. No trees near.)

Land mostly level, except passing over point
of hills. Soil good for grass.

November .

10
 Township 17 S. Range 20 E
 Gila and Salt River Merits

Ln East on random line bet. sec. 1 & 2
 ans. $12^{\circ}46'$ East

40.00 Set post for temporary 1/4 sec cor.

80.00 Intersect E boundary 80 lbs. N. of cor. to
 sec. 1 & 2 from which cor. drawn
 N. $89^{\circ}56'$ W.

Actual line between sec. 1 & 2

ans. $12^{\circ}46'$ East

40.00 Set a post, marked 1/4 S, 4 ft.
 long, flattened 3 in. wide 1 ft. in
 the ground, driven chanced stakes,
 and build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide,
 all as per instructions for 1/4 sec cor.

Notes near.

80.00 The cor. to sec. 1, 2, 11 & 12.
 Sand level. Soil 1st rate for
 grass. No timber.

Township 17 S Range 20 E.
Gila and Salt River Meridian

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
79.90 Intersect N. boundary at the cor. to
secs. 1 & 2, from which cor. run
South

On true line between secs. 1 & 2.
ang. $12^{\circ}46'$ East.

39.90 Remove from stone or timber; so I drove
charred stake, 12 in. down, and build
mound of earth 2 ft high, with pit
1 ft deep 2 ft long, 1 ft wide, all as
per instructions for $\frac{1}{4}$ sec. cor.
79.90 The cor. to secs 1, 2, 11 and 12.

Land ascending a little to the N.
Soil $\frac{1}{2}$ rate for grass. No timber.

November 26. 1873.

Township 17 S. Range 20 E.
Gala and Salt River Meridian

	North between sec. 34 ^q 35 cor. 12°46' East
1.50	Leave valley and ascend hills, cor. E. $\frac{1}{2}$ W.
40.00	Set a post, marked 1/4 S, 4 ft long, flattened 3 in wide, 1 ft in the ground, drive chased stake, and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide all as per instructions for 4 sec. cor. No trees near.
41.00	Leave hills and descend into valley, cor. N.W. $\frac{1}{4}$ S.E.
50.00	Set a post, marked and notched, 4 ft long, 3 in. squared, 1 ft in the ground, drive chased stake, and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for cor. to sec. 26. 27. 34 ^q 35. from which Armesquite 11 in. dia. pos. S. 49° W. 24 lbs. dist do 10 " " " East 27 " " do 10 " " " S. 17° E. 49 " " 1 Decate 5 " " " N. 16° E. 90 " " Land over broken points of hills, then level. Soil 2 Crate. Scattering timber

Township 17 S. Range 20 E.
Ila and Salt River Meridian

East on random line bet sec. 26 & 35.
var. 12° 46' East

40.00 Set post for temporary 1/4 sec. cor.

80.00 Intersect N. and S. line 8 hrs. S. of cor. to sec.
25. 26. 35 and 36. from which cor. down
S. 89° 57' W.

On true line between secs 26 & 35.
var. 12° 46' East

40.00 Remote from stone or timber; so I
drive charr'd stake 12 in down, and
build mound a least 2 ft high, with
pits 1 ft deep 2 ft long, 1 ft wide, all
approximation for 1/4 sec. cor.

80.00 Loc. cor. to secs 26. 27. 34 & 35
Land ascending a little W.
Soil good. No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

Co North between sec 26 & 27.
var. 12° 46' East

40.00 Set a post marked 1/4 S, 4 ft long,
flattened 3 in wide, 1 ft in the ground,
drill charred stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide all as per
instructions for 1/4 sec. cor. from which
A magnetic 6 in diameter N. 51 1/2° E. 85 lbs. dist
do 20 " " " N. 73 1/2° W. 90 " "

80.00 Set a post, marked and colored, 4 ft long,
3 in squared, 1 ft in the ground, drill
charred stake, and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for the cor. to
sec. 22, 23, 26 & 27.

No trees near.

Land mostly level.

Soil sand 2nd rate.

A few trees.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

Sec. East on random line between 23rd & 26.
var. 12th 46' East

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

20.10 Intersect N. & S. line, 8 lvs. S. of cor. to sec.
23.24.25 & 26. from which cor. down
S. 89^o 57' W.

On true line between sec. 23rd & 26.

var. 12th 46' East

40.05 Set a post marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in wide, 1 ft in the ground, drive
chased stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 4 ft
wide all as per instructions for $\frac{1}{4}$ sec.
cor. from which
A mesquite 10 in diameter N. 56^o E. 44 lvs. dist.
No other marks.

80.10 The cor. to sec. 22.23.26 & 27.
Land descending slightly E. Soil good.
No timber.

Township 17 S. Range 20 E.
 Gila and Salt River Meridian

North between sec. 22 & 23
 and 12 & 16 East

40.00 Set a post marked 1/4 S, 4 ft long,
 flattened 3 in wide, 1 ft in the ground, drive
 charred stake, and build mound of earth
 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
 wide, all as per instructions for 1/4 sec. cor.
 Notices near

80.00 Set a post, marked and notched, 4 ft long,
 3 in squared, 1 foot in the ground, drive
 charred stake, and build mound of earth
 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
 all as per instructions for cor. to sec. 14, 15,
 22 and 23. Notices near.

Cor. on top of low hill.
 Land flat or slightly ascending W.
 Soil good for grass.
 No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

East on random line between secs 14 & 23.
var. $12^{\circ}46'$ East.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

68.20 Run Redwood 50 ls. wide, runs N. W.

79.30 Intersect N. and S. line 55 ls. S. of cor. to secs
13, 14, 23 & 24, from which cor. Run
 $89^{\circ}36'$ W.

On true line between secs 14 & 23
var. $12^{\circ}46'$ East

39.65 Set a post, marked $\frac{1}{4}$ S, 4 ft long,
flattened 3 in. wide, 1 ft in the ground, driven
chased stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for $\frac{1}{4}$ sec.
cor. No trees near.

79.30 The cor. to secs 14, 15, 22 & 23
Land level, soil good.
No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meriden

North between sec. 14 & 15
cor. 12° 46' East

40.00 Set a post, unmarked 1/2" S, 4ft
long, flattened 3in wide, 1ft in the
ground, drive charred stake, and
build mound of earth 2ft high,
with pits 1ft deep, 2ft long, 1ft
wide, all as per instructions for 1/4
sec. cor. No trees near.

80.00 Set a post, marked and notched,
4ft long, 3in squared, 1ft in the
ground, drive charred stake, and
build mound of earth 2ft high, with
pits 1ft deep, 2ft long, 1ft wide,
all as per instructions, for the cor.
to sec. 10, 11, 14 & 15.

No trees near.
Land mostly level. Soil good.
No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

- To East on random line bet. sec. 11 & 14
arr. 12° 46' East.
- 18.10 San Pedro crosses 50 lbs. wide, runs N.W.
- 40.00 Set post for temporary 1/4 sec. cor.
- 60.00 Old road bet. N.W.
- 79.60 Intersect N. & S. line. 15 lbs. N. of cor. to
secs. 11, 12, 13 & 14, from which cor. run
N. 89° 54' W.
- On line between sec. 11 & 14
arr. 12° 46' East
- 39.80 Set a post, marked 1/4 S, 4 ft long,
flattened 3 in. wide, 1 ft in the ground, driven
chained stake, and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for
1/4 sec. cor. No trees near.
- 79.60 The cor. to secs. 10, 11, 14 and 15.
Land ascending E. Soil good for
grass. No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

- For North between sec. 10 & 11
 par. 12th 46' East
- 40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3/4 in wide, 1/2 in thick, round, drain charred, stake, and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions, for 4 sec. cor. No trees near. Jaci Schaublin's house, stage station and post office, at the Upper Crossing of the San Pedro, bas. from this cor. N. 60° E, about 20 chs. dist. A small house bas. S. 58° E. about 20 chs. dist.
 - 61.00 Stage road bas. E. & W.
 - 80.00 Set a post, marked and notched, 4 ft long, 3 in. square, 1/2 in thick, round, drain charred stake, and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for cor. to sec. 2, 3, 10 & 11. No trees near. Sand level. Soil rich. No timber.

Township 17 S. Range 20 E.
Gda and Salt River Meridian

As East or random line bet. sees 2 & 11
var. $12^{\circ}46'$ East

5.75 San Pedro cross 40 lbs. wide runs N.
18.00 Road bet. N. and S.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

79.80 Intersect N. and S. line, 60 lbs. S. of cor.
to sees. 1. 2. 11 & 12 from which cor. from
 $88^{\circ}34'$ W.

On true line between sees 2 & 11

var. $12^{\circ}46'$ East

39.90 Set a post, marked $\frac{1}{4}$ S., 4 ft long,
flattened 3 in. wide, 1 ft in the ground, drove
chased stake, and built mound of earth
2 ft high, with pile 1 ft deep, 2 ft long. 1 ft wide,
all as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.80 The cor. to sees 2, 3, 10 & 11.

Land lead. Set 1st rate.

No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meriden.

hs North on random line bet. sec 2 & 3.

cor. 12° 46' East

28.50 San Pedro river, 30 hrs. wide runs N.W.

40.00 Set post for temporary 1/4 sec cor.

44.50 Road from Lower to Upper Settlement
on the San Pedro.

80.12 Intersect N. boundary 8 hrs. E. a cor. to
Sec. 2 & 3. from which cor. I run
80° 3' E.

Random line between sec 2 & 3

cor. 12° 46' East

40.12 Sda post, marked '1/4 S',
4 ft long, flattened 3 in. wide, 1 ft in the
ground, drive charred slate, and
build mound of earth ^{2 ft high, with pile} 2 ft deep & 2 ft long
1 ft wide, all as per instructions, for
1/4 sec. cor. No trees near.

80.12 The contours 2.3.10 & 11
Sand lead. Soil 1st rate.

No timber. November 27. 1873

Township 17 S. Range 20 E.
Gila and Salt River Meridian

Rs North between sees. 33 & 34
on $12^{\circ} 46'$ East

40.00 Set apart, marked $1/4$ S, $1/2$ ft long, flattened 3 in wide,
1 ft in the ground, driven charred stake and built mound of earth
2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide, all as per instructions
for use cor. from which

A mesquite 4 in. dia. bear S. 32° E. 176 lbs. dist.

do 14 " " " S. 15° W. 328 " "

80.00 Set apart, marked and notched, $1/2$ ft long, 3 in sq. d., 1 ft
in the ground, driven charred stake, and built
mound of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for cor. to sees. 27, 28.

33 and 34. from which

A mesquite 7 in. dia. bear N. 9° W. 34 lbs. dist.

do 8 " " " N. 25° E. 37 " "

do 6 " " " S. 57° E. 47 " "

do 6 " " " S. 66° W. 60 " "

Sand rolling. Soil good for grass
scattering trees.

Township 17 S Range 20 E.
Edo and Salt River Meridian.

To East on random line between sec. 27 & 34
cor. 12° 46' East

40.00 Set post for temporary 1/4 sec. cor.

80.13 Intersect N. 1/4 Blm, 142 cor. N. of cor. to
secs. 26, 27, 34 & 35, from which cor. in
N. 89° 42' W.

On true line between secs. 27 & 34.
cor. 12° 46' East

40.06 Set post, marked 1/4 S, 4 ft long,
flattened 3 in. wide, 1/2 in the ground above
charred base, and built mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instruction for 1/4 sec. cor. from which
Amesquite 8 in. dia. S. 54 1/2° W. 63 cor. dist.
do 12 " " " S. 54 1/2° W. 135 " "

80.13 The cor. to secs 27, 28, 33 & 34.
Sand broken. Soil 3° rate.
Some mesquite

Township 17 S. Range 20 E
Gda and Salt River Meridian

As North between sec. 27 & 28.
or. 12° 46' East

40.00 Set post, marked 1/4 S, 4 ft long,
flattened 3 in wide, 1 ft in the ground, drove
chanced stone and build mound of earth
2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1/4 sec. cor.
from which

Spanifer 30 in dia. - S. 76° W. 10 cor. dist.

do 12 " " " N. 84° E 32 " "

80.00 Set post, marked and notched, 4 ft long,
3 in squared, 1 ft in the ground,
dove chanced stone, and build
mound of stone 2 ft high, all as
per instructions for cor. to sec.
21, 22, 27 and 28:

No trees near.

Land mostly very broken. Soil 2° red.
Scattering trees.

Township 17 S. Range 20 E.
Sola and Sull River Mendocino

East in random line between 22 & 27.
var. 12° 46' East.

15.00 Descend into valley.

40.00 Set post for temporary 1/4 sec. cor.

80.12 Intersect N. & S. line at cor to sec.
22. 23. 26 & 27. from which cor. run
West.

On true line between sec. 22 & 27.
var. 12° 46' East.

40.06 Set a post marked 1/4 S. 1 ft long,
flattened 3 in wide, 1 ft from the ground, drive
chained stake, and build mound of earth
2 ft high, with pits 1 ft deep 2 ft long 1 ft wide,
all as per instruction for 1/4 sec. cor. from which
a mesquite 6 in dia. hrs. S 71° W. 350 lbs. dist.
No other trees near.

80.12 The cor to sec. 21. 22. 27 & 28.
Land mostly smooth, ascending W.
Soil good. Scattering trees.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

Co. North between sec. 21 & 22
var. 12° 46' East

40.00 Set a post, unmarked 1/4 S, 4 ft long,
flattened 3 in wide, 1 ft in the ground, two inch and
slate, and built mound of earth 2 ft high with pit 1 ft deep, 2 ft long.
1 ft wide, all as per instructions for 4 sec. cor. from which
Amesquite 10 miles N. S. 87° E. 269 hrs. dist.
Northwest trees near.

80.00 Set a post, marked and notched, 4 ft long,
3 in square, 1 ft in the ground, two inch and
slate, and built mound of earth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for cor. to sec. 15, 16, 21 & 22.
from which

Amesquite 9 miles N. 74° E. 150 hrs. dist.

do 24 " " S. 38° E. 141 " "

do 6 " " S. 24 1/2° W. 232. "

do 20 " " N. 13° E. 290 " "

Sand barren and rough. Soil 3" salt.
Scattering trees.

Township 17 S. Range 20 E
Gala and Salt River Meridian

40.00 Eastward line between 15⁹22
var. 12°46' East

Set post for temporary '43 sec. cor.

80.14 Intersect N. and S. line 8 Sec. N. of cor. sec.
14.15.22 & 23 from which cor. down
N. 89°05' of W.

On true line between sec. 15⁹22
var. 12°46' East

40.07 Set a post, marked '14 S. 4 ft.
long flattened 3 in. wide, 1 ft. in the
ground, down charred stake and
build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for '43 sec. cor.
Notes near.

80.14 Sec. cor. to sec. 15.16.21⁹22
Sand smother. Soil good
No timber.

Township 17 S. Range 20 E.
Ida and Salt River Meridian

To North between secs. 15 & 16.

var. $12^{\circ} 46'$ East

12.00 Leave valley and ascend hills.

40.00 Set a post, marked '14 S, 4 ft long, flattened
3 in. wide, 1 ft in the ground, brown charred slate,
and built mound of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, all as per instructions for
A. magnitude 8 in. dia. br. N. $32^{\circ} 5'$ W. 73 br. dist
do 36 " " " N. $30^{\circ} 5'$ E. 133 " "

70.00 Leave hills and descend into valley bet. E. & W.

80. To Set a post, marked and notched, 4 ft long,
3 in. square, 1 ft in the ground, brown charred slate, and
built mound of earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for cor. to secs 9, 10,
15 & 16. from which

A. magnitude 12 in. dia. br. S. 32° W. 80 br. dist

do 6 " " " N. $50^{\circ} 5'$ W. 67 " "

do 10 " " " N. 59° E. 141 " "

do 12 " " " S. 52° E. 192 " "

Land rolling and hilly. Soil good for grass. Some trees.

Township 17 S. Range 20 E.
Gila and Salt River Meridian.

To East on random line between secs. 10 & 15.
arr. 12° 46' East

40.00 Set post for temporary 1/4 sec. cor.

79.85 Intersect N. & S. line 10 hrs. S. of cor. to secs.
10. 11. 14 & 15. from which cor. run
N. 89° 56' W.

On true line between secs. 10 & 15.
arr. 12° 46' East

39.93 Set a post, marked 1/4 S, 4 ft long, flat-
tend 3 in wide, 1/2 in the ground, driven through
stake, and build mound of earth 2 ft high,
with pits 1 ft deep 2 ft long, 1 ft wide, all as per in-
structions for 1/4 sec. cor. from which.
A magnetic 3 in dia bar. S. 2 1/2° E. 40 lbs. dist.
do 4 " " " S. 41° W. 66 " "

79.85 The cor. to secs 9, 10, 15 & 16.

Sand mostly local.

Soil rich. Brush and some trees.

Township 17 S. Range 20 E.

Island Salt River Meridian

In North between sec. 9 & 10
 var. $12^{\circ} 46'$ East

40.00 Set a post, marked 74 S,
 4 ft long, flattened 3 in. wide, 1 ft in the
 ground, drive chanced stake, and build
 mound of earth 2 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, all as per instructions
 for these cor. No trees near.

54.80 Stage road bet. E. 9 & W.

80.00 Set a post marked and mached, 4 ft long
 3 in. square, 1 ft in the ground, drive chanced
 stake, and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long, 1 ft wide
 all as per instructions for cor. to sec.
 3, 4, 9 and 10.

No trees near.

Land lead. Soil good.

No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian.

- Sec. East or undomilia, sec. 3 & 10
cor. 12° 46' East
- 16.00 Road to Lower Settlement bet. N. W.
- 40.00 Set post for temporary '4 sec. cor.
- 42.00 Leave valley and pass over low hills.
- 60.00 Leave hills & enter valley.
- 80.00 Intersect N. & S. line. 8 ls. S. refers to sec.
2, 3, 10 & 11. from which cor. I run
S. 89° 57' W.
- On true line between sec. 3 & 10
cor. 12° 46' East.
- 40.00 Remove from stone and timber; see I drove
a charred stake 12 in down at point of cor.
and build mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide all as
per instruction for '4 sec. cor.
- 80.00 The cor. to sec. 3, 4, 9 & 10.
Land descending E. Soil good for grass.
No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian.

To North on random line bet sees. 3 & 4
var. $12^{\circ}46'$ East

24.70 Road bet. N.W.

40.00 Sub post for temporary '4 sec. cor.

79.65 Intersect N. boundary 10 lns. E. of cor.
to sees. 3 & 4, from which cor. I run
 $S. 0^{\circ}4'$ E.

On true line between sees 3 & 4
var. $12^{\circ}46'$ East

39.65 Remote from stone or timber; so I drove
cherry stake 12 in. down, and build
mound of earth 2 ft high, with pile 1 ft deep,
2 ft long, 1 ft wide, all as per instructions
for '4 sec. cor.

79.65 The cor to sees 3, 4, 9 & 10.
Land lead.
Soil 1st rate. No timber.

November 28, 1873

Township 17 S Range 20 E.
Gila and Salt River Meridian

As North between sec. 32 & 33
a cor. 12° 46' East.

40.00 Set a post, marked 1/4 S, 1/4 ft
long, flattened 3 in. wide, 1 ft in the ground,
drain charred stake, and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, all as per instructions
for 1/4 sec. cor.

No trees near.

80.00 Set a post, marked and notched, 1/4 ft long,
3 in. square, 1 ft in the ground, drain
charred stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for cor. to sec
28, 29, 32 & 33

No trees near.

Sand rilling. Soil good for grass.

No timber.

Township 17 S Range 20 E
 Island Salt River Meridian

40.00 East on random line bet. secs. 28¹/₂ 33
 cor. 12' 46" East

40.00 Set post for temporary 1/4 sec. cor.

80.09 Intersect N. and S. line 7 hrs. S. of cor. to secs.
 27, 28, 33¹/₂ 34, from which cor. down
 S. 89° 57' W.

On true line between 28¹/₂ 33.

cor. 12' 46" East

40.01 Set a post, marked ^{1/4 S.} 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drive charred
 stake and build mound of earth 2 ft
 high, with pits 1 ft deep, 2 ft long, 1 ft wide,
 all as per the instructions for 1/4 sec. cor.
 Notice near.

80.09 The cor. to secs. 28, 29, 32¹/₂ 33

Set according to W.

Soil good for grass.

No timber.

Township 17 S Range 20 E.
Gila and Salt River Meridian

As North between sec. 28 & 29
near 12° 46' East

40.00 Set a post, marked 1/4 S, 4 ft long,
flattened 3 in wide, 1 ft in the ground, drive
chained stake, and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for 1/4 sec. cor. from which
Armesquite 4 in dia. bet. South. 300 lbs. dist.
No other trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in
square, 1 ft in the ground, drive chained stake,
and build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, all as per
instructions for the cor. to secs. 20, 21, 28
and 29. from which.

Armesquite 10 in dia. bet. S. 84 1/2° W. 119 lbs. dist.

do 4 " " " S. 59° E. 43 " "

No other trees near.

Land rallies Soil good for grass

No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

E. East corner of line bet. sec. 21 & 28
var. $12^{\circ}46'$ East.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

80.22 Intersect N. and S. line 16 Cr. N. a few
ft. sec. 26. 27. 27 and 28. from which
cor. drawn

N. $89^{\circ}53'$ W.

Outline line between sec. 21 & 28.

var. $12^{\circ}46'$ East

40.11 Set a post, marked "1/4 S",
4 ft. long, flattened 3 in. wide, 1 ft. from
the ground, drive charred stake,
and build mound of earth 2 ft. high,
with pits 1 ft. deep, 2 ft. long, 1 ft. wide all
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

80.22 The cor. to sec. 20. 21. 28 & 29.
Land rolling & broken.
Soil 2nd rate. No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridians

- North between secs. 20 & 21,
var. $12^{\circ} 46'$ East
- 40.00 Set a post, marked $\frac{1}{4}$ S, $\frac{1}{4}$ flong, flattened
3 in wide, 1 fl in the ground, drive charred stake, and
build mound of stones 2 fl high, all as per in-
structions for $\frac{1}{4}$ sec. cor. from which
A mesquite 10 in dia. bears S. 58° E. 168 lbs. dist.
do 7 " " " S. $25^{\circ} \frac{1}{2}$ E. 84 " "
- 80.00 Set a post, marked and scratched, $\frac{1}{4}$ fl long, 3 in.
squared, 1 fl in the ground, drive charred stake,
and build mound of earth 2 fl high, with posts 1 fl deep,
 $\frac{1}{2}$ fl long, 1 fl wide, all as per instructions for cor. to sec.
16. 17. 20 & 21. from which.
A mesquite 10 in dia. bears S. 43° W. 82 lbs. dist.
do 8 " " " S. $57^{\circ} \frac{1}{2}$ E. 126 " "
do 9 " " " N. $12^{\circ} \frac{1}{2}$ W. 190 " "
do 6 " " " N. $33^{\circ} \frac{1}{2}$ W. 26 " "
- Sand broken and rolling. Soil mostly
poor. Some mesquite timber.

Township 17 S. Range 20 E.

Eda and Salt River Meridian

to East meridian line bet. secs. 16 & 21
var. $12^{\circ}46'$ East

40.00 Set post for temporary 4 sec. cor.

46.00 Descend.

60.00 Enter valley bet. N. E. & S.

79.90 Intersect A. and S. line 13 hrs. N. of cor.
to secs. 15, 16, 21 and 22 from which cor. drawn
N. $89^{\circ}54'$ W.

On true line between secs. 16 & 21
var. $12^{\circ}46'$ East.

39.95 Set a post, marked '1st S', 4 ft long, flat-
tend 3 in wide, 1 ft in the ground, drive a chisel stake,
and build mound of earth 2 ft high, with feet 1 ft
deep, 2 ft long, 1 ft wide, all as per instruction
for 4 sec. cor. from which
A. measuring 5 in. dia. by S. $87^{\circ}00'$ W. 64 hrs. dist.
do 8 " " " N. $31^{\circ}00'$ E. 31 " "

79.90 The cor. to secs. 16, 17, 20 & 21.

Land barren, then descending E. Soil mostly
poor. Scattering trees.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

to North between sec. 16⁹ & 17.
var. 12° 46' East

40.00 Set a post, marked 1/4 S, 4 ft long, flattened
3 in wide, 1 ft in the ground, driven in charred stake,
and build mound of earth 2 ft high, with pits 1 ft
deep, 2 ft long, 1 ft wide, all as per instructions for
1/4 sec. cor. from which

A Juniper 6 in dia. h. S. 33 1/2° W. 194 lbs. dist.
do 4 " " " S. 3 1/2° E. 306 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in sq.
1 ft in the ground, driven in charred stake, and build
mound of earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for cor. to sec.
8, 9, 16 & 17, from which

An acorn 8 in dia. h. N. 31° W. 250 lbs. dist.
do 8 " " " S. 38° E. 344 " "
do 7 " " " S. 77 1/2° E. 358 " "

No other trees

Land broken, soil poor. Scrubby trees

Township 17 S. Range 20 E.
Gila and Salt River Meridian

9. East on random line bet sec. 9th 16.
var. 12° 46' East.

9.00 Set post for temporary 1/4 sec cor.

9.85 Intersect N. 1/4 line 41 lbs. S. of cor. to sec.
9.10.15th 16, from which cor. down
S. 89° 42' W.

On true line between sec. 9th 16.

var. 12° 46' East

9.93 Set a post, marked 14 S, 4 ft
long, flattened 3 in. wide, 1 ft in the ground,
drain charred stake, and build mound of
earth 2 ft high, with pit 1 ft deep, 2 ft long,
1 ft wide, all as per instructions for 1/4 sec
cor. No trees near.

9.85 The cor. to sec 8. 9. 16 & 17.
Land level. Soil good.
Scattered timber.

Township 17 S. Range 20 E.
Eda and Salt River Meridian.

- North betweenees. S. 79. 9.
cor. 12' 46" East
- 20.00 Leave hills and enter valley bas. N. W. 1/4 E.
- 40.00 Set a post, marked 1/4 S, 1/4 ft long, flat-
tined 3 in wide, 1 ft in the ground, drive chanced
stake and build mound a foot 2 ft high
with pile 1 ft deep, 2 ft long, 1 ft wide, all as
per instruction for 1/4 sec. cor. No trees near.
- 56.00 Gulch 30 lvs. wide, runs E.
- 64.00 Stage road runs N. a ft W.
- 80.00 Set a post, marked and notched, 4 ft long,
3 in square, 1 ft in the ground, drive chanced
stake and build mound a foot 2 ft high,
with pile 1 ft deep 2 ft long, 1 ft wide, all as
per instructions for cor. to see 4, 5, 8 79.
from which
A tree quite 6 in dia. on N. 43° W. 29 ft lbs. dia.
No other trees near.
Sand broken thin level. Soil good for
grass. No timber.

Township 17 S. Range 20 E.

Gila and Salt River Meridian

As East meridian line bet sec. 4 & 9.
 cor. $12^{\circ}46'$ East.

40.00 Set post for temporary $1/4$ sec. cor.

80.00 Intersect N. and S. line 8th S. of cor. to
 sec. 3, 4, 9 & 10, from which cor. run
 $88^{\circ}05' 7''$ W.

Station line between sec. 4 & 9.
 cor. $12^{\circ}46'$ East.

40.00 Set a post, marked $1/4$ S,
 4 ft. long, flattened 3 in. wide, 1 ft.
 in the ground, driven charred
 stake and built mound of earth
 2 ft. high, with pile 1 ft. deep, 2 ft. long
 1 ft. wide, all as per instructions for
 $1/4$ sec. cor. No trees near.

80.00 The cor. to sec. 4, 5, 8 & 9.
 Land slightly descending E.
 Soil good for grass. No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

As North random line bet. sec. 4 & 5.

var. 12° 46' East

38.00

40.00

79.85

Leave valley and pass over point of hills.

Set post for temporary 1/4 sec. cor.

Entered N. boundary of Sec. E. after
to sec. 4 & 5, from which cor. down
80° 4' E.

Patent line between sec. 4 & 5.

var. 12° 46' East.

79.85

Set a post, marked 1st S, 14ft
long, flattened 3 in. wide, 1ft in the
ground, drive charred stake, and
build mound of earth 2ft high, with
pits 1ft deep, 2ft long, 1ft wide, all as
per instructions for 1/4 sec. cor.

Notices near.

79.85

Sec. to sec. 4, 5, 8 & 9.
Sand 1/2 half mile lead then over
point of hills. Soil good for grass.

Notices

November 29. 1873

Township 17 S. Range 20 E.
Gila and Salt River Meridian

Line North between sec 31 $\frac{1}{2}$ 32
var. 12° 46' East

40.00 Stake past, marked 1/4 S, 4 ft long
flattened 3 in. wide 1 ft in the ground, drove
charred stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, all as per instructions for 1/4 sec.
cor. No trees near.

66.00 Dry stream 10 W. wide, runs E.

80.00 Stake past, marked and notched, 11 ft long
3 in. square, 1 ft in the ground, drove char-
red stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, all as per instructions
for cor. to secs. 29, 30, 31 and 32.
No trees near.

Sand rolling Soil good for
grasses. No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian.

- to East on random line bet sec. 29 & 32
cor. $12^{\circ}46'$ East
- 40.00 Set post for temporary $\frac{1}{4}$ sec. cor.
- 80.17 Intersect N. and S. line 15 lvs before
to sec. 28, 29, 32 & 33, from which cor. Run
 $S. 89^{\circ}54' W.$
- On to line bet sec. 29 & 32
cor. $12^{\circ}46'$ East
- 40.08 Set a post, marked $\frac{1}{4}$ S, 4 ft. long
flattened 3 in. wide, 1 ft. in the ground,
drill charred stake and build mound
of earth 2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide all as per instructions
for $\frac{1}{4}$ sec. cor.
- No trees near.
- 80.17 The cor. to sec. 29, 30, 31, & 32.
Land rolling. Soil good for grass.
November.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

As W. corner line bet. sec. 30 & 31.
var. $12^{\circ}46'$ East.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

78.47 Intersect W. boundary 17 hrs. S. of ante
sec. 30 & 31 from which cor. Jan.
1890 $53^{\circ}E$.

On line between sec. 30 & 31
var. $12^{\circ}46'$ East.

38.47 Set a post, marked $\frac{1}{4}$ S, 14 ft
long, flattened 3 in. wide, 1 ft in the ground,
drill charred stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, all as per instructions for
 $\frac{1}{4}$ sec. cor.

No trees near.

78.47 The cor. to sec. 29, 30, 31 & 32
Sand rolling. Soil good for grass
No timber.

Township 17 S. Range 20 E.
 Gila and Salt River Meridian

Secs. North between secs. 29 & 30.

var. $12^{\circ}46'$ East

40.00

Set a post, marked '14 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, do not charred stake, and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for '4 sec cor. from which

A mesquite $2\frac{1}{2}$ in dia. br. S. $83\frac{1}{2}^{\circ}$ E. 339 ft. dist. Another tree near.

80.00

Set a post, marked and notched, 4 ft long, 3 in. square, 1 ft in the ground, do not charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, all as per instructions for the cor. to secs 19, 20, 29 and 30

No trees near.

Sand rolling. Soil good for grass. No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian.

As East. meridian line bet. secs. 20 & 29.
var. 12° 46' East

40.00 Set post for temporary 1/4 sec. cor.

79.81 Intersect N. & S. line 11 cas. N. of cor to
secs. 20, 21, 28 & 29, from which cor. down
N. 89° 05' 5" W.

On true line between secs. 20 & 29
var. 12° 46' East.

39.91 Set a post, marked 1/4 S., 4 ft long,
flattened 3 in wide, 1 ft in the ground, on a
cherted slate, and build mound of earth
2 ft high, with pile 1/2 ft deep, 2 ft long, 1 ft wide
all as per instructions for 1/4 sec. cor. from marked
A juniper 9 in. dia. cas. - S. 35° E. 120 cas. dist
do 20 " " N. 67° E. 117 " "

79.81 The cor. to secs. 19, 20, 29 & 30.
Sand very broken. Soil poor.
Scattering trees.

Township 17 S. Range 20 E.
Gila and Salt River Meridian.

To West on random line between sees. 19 & 30
var. 12° 46' East

40.00 Set post for temporary 1/4 sec. cor.

78.65 Intersect W. boundary 1/4 sec. S. of cor. to
sees 19 & 30, from which cor. runs
S. 89° 54' E.

On true line between sees 19 & 30
var. 12° 46' East

38.65 Set a post, marked 1/4 S, 1/4 ft long,
flattened 3 in wide, 1/4 ft in the ground,
drill chased stake, and built mound
of earth 2 ft high, with pits 1 ft deep 2 ft
long, 1 ft wide, all as per instructions
for 1/4 sec. cor. from which

A mesquite 2 1/4 in dia. bet. N. 84° W. 160 lbs. dia. &
No other trees near.

78.65 The cor. to sees. 19, 20, 29 and 30
Land rolling. Soil good.
Much grass. No timber

Township 17 S. Range 20 E.
Gila and Salt River Meridian

To North between sees 19 & 20
var. $12^{\circ}46'$ East.

40.00 Set apart, marked $1/4$ S, 4 ft long,
flattened 3 in wide, 1 ft in the ground, draca-
chased stake, and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for "see. cor. from which
A mesquite 3 in dia. has. S. $56^{\circ}4'$ E. 114 lbs. dist
No other trees near.

80.00 Set apart, marked and notched, 4 ft long,
3 in square, 1 ft in the ground, draca-
chased stake, and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft wide,
all as per instructions for the cor. to see.

17, 18, 19 and 20 from which
A mesquite 15 in dia. has. S. $61^{\circ}1/2'$ W. 28 lbs. dist
do 7 " " " S. 36° E. 138 " "
do 5 " " " South 19° " "
do 20 " " " N. $63^{\circ}2'$ E. 323 " "

Land rolling, Soil & rock Mesquite timber in ravines.

Township 17 S. Range 20 E
 Gila and Salt River Meridian

	<p>East on random line between 17th & 20th bearing 12°46' East</p>
40.00	<p>Set post for temporary 1/4 sec. cor.</p>
79.86	<p>Intersect N. 1/4 E. line, 11 hrs. N. of cor. to sec. 16.17. 20 & 21, from which cor. down N. 89°55' W.</p>
	<p>On true line between secs. 17 & 20 bearing 12°46' East</p>
39.93	<p>Set a post marked 1/4 S, 1/4 flong, flattened 3 in. wide, 1 ft in the ground, drive charr'd stake and build mound of earth 2 ft high, with pits 1 ft deep, 3 ft long, 1 ft wide, all as per instructions for 1/4 sec. cor. from which A mesquite 3 inches db. S. 38° W. 56 hrs. dist. do 4 " " " N. 44° E. 135 " "</p>
79.86	<p>Secs. to secs 17, 18, 19 & 20 Sand rolling. Soil good for grass. Some mesquite timber</p>

Township 17 S. Range 20 E.
Gla and Salt River Meridian

As West meridian line betwees. 18th 19th

var. 12°46' East

40.00 Set post for temporary 1/4 sec. cor.

78.70 Intersect W. boundary 40 hrs. N. of cor to
secs. 18th 19th from which cor draw
N. 89°43' E.

On true line between secs. 18th 19th

var 12°46' East

38.70 Set a post marked 1/4 S.

4 ft long, flattened 3 in. wide, 1 ft in
the ground, drive charred stake
and build round a fence 2 ft high,
with pits 1 ft deep, 2 ft long 1 ft wide
all as per instructions for 1/4 sec. cor.
No trees near.

48.70 The cor. to secs 17, 18, 19 & 20
Sand rolling. Soil good for
grasses. No timber.

Township 17 S. Range 20 E.
Gila and Salt River Meridian.

To North between sec 17 1/2 18,
var. 12° 46' East.

40.00 Set a post, marked 1/4 S, 4 ft long, flattened 3 in.
wide, 1 ft in the ground, drive charred stakes, and
build mound of stones 2 ft high, all as per in-
structions for 1/4 sec. cor. from which to
A magnetic 6 in. dia. bar, S. 62° W. 255 lbs. dist.
do 5 " " " N. 30° W. 279 " "

79.50 Dredged a stream, 1 Ch. wide, runs N. E.

80.00 Cor. fall in bed of stream, so I establish witness
var. 150 lbs. E., by setting a post marked and notched,
4 ft long, 3 in. square, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, all as per instructions
for cor. to sec. 7, 8, 17 1/2 18, from which,
A Juniper 36 in. dia. bar, S. 72 1/2° W. 81 lbs. dist
do 12 " " " N. 86° W. 87 " "
do 12 " " " N. 76 1/2° E. 140 " "
A magnetic 6 " " " N. 56 1/2° E. 145 " "

Land rolling. Soil good for grass scrubby trees.

Township 17 S Range 20 E.
Edwards Salt River Meridian.

To East. on random line bet sec 8 & 17
cor. 12° 46' East

21.00 Canton Crs. N. E.

40.00 Set post for temporary 1/4 sec cor.

41.00 Pass over broken hills.

70.00 Descend into valley bet. N. W. & E.

79.87 Intersect N. and S. line 7 lvs. N. of cor. to
sec. 8, 9, 16 & 17, from which cor. down
N. 89° 57' W. on true line bet sec. 8 & 17
cor. 12° 46' East.

39.94 Set a post, marked 1/4 S, 4 ft long,
flattened 3 in. and 1 ft in the ground, on a
charred stake, and build mound beneath
2 ft high, with pile 1 ft deep 2 ft long, 1 ft wide,
all as per instructions for 1/4 sec cor. from which
a stump 6 in. dia. bet. S 10° E. 17 1/2 lvs. dist
to other tree near.

79.87 The cor. to sec. 7, 8, 17 & 18.
Sand very broken. Soil poor. Scattering trees

Township 17 S Range 20 E.
Sida and Salt River Meridian

- Cor. West on random line bet. secs 7 & 18.
 cor. 12° 46' East
- 40.00 Set post for temporary 1/4 sec. cor.
- 41.00 Dry stream 5 yds. wide, runs N. E.
- 78.32 Intersect W. boundary at the cor. to secs
 7 and 18. from which cor. from
 East on true line bet. secs. 7 & 18
 cor. 12° 46' East
- 38.32 Set post, marked '1' 14 S, 4 ft long,
 flattened 3 in wide, 1 ft in the ground, dome
 charred stake, and build mound of earth,
 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
 all as per instructions for 1/4 sec. cor. from which
 A mesquite 14 in dia. has. N. 85° W. 133 ls. dist.
 do 12 " " " N. 10° W. 125 . .
- 78.32 The cor. to secs. 7, 8, 17 & 18.
 Sand broken, then ascending W.
 Soil good for grass.
 Scattering trees.

Township 17 S. Range 20 E.

Eda and Salt River Meridian

Is North between secs. 7 & 8.

var. $12^{\circ}46'$ East

16.00 Stage road runs E. and W.

46.00 Set a post marked '14 S, 4 ft long, flattened
3 in wide, 1 ft in the ground, driven charr'd stave,
and build mound a foot 2 ft high, with piles
1 ft deep, 2 ft long, 1 ft wide, all as per instructions
for 4 sec. cor. from which

A mesquite 6 in. dia. ber. N. $40\frac{1}{2}^{\circ}$ E. 19 lbs. dist.

do 6 " " " S. $14\frac{1}{2}^{\circ}$ E. 31 lbs. dist.

80.00 Set a post, marked and notched, 4 ft long, 3 in.

squared, 1 ft in the ground, driven charr'd
stave, and build mound a foot 2 ft high, with
piles 1 ft deep, 2 ft long, 1 ft wide, all as per instruc-
tions for cont. secs. 5, 6, 7 & 8, from which

A mesquite 12 in. dia. ber. S. $75\frac{1}{2}^{\circ}$ E. 192 lbs. dist.

do 10 " " " N. $58\frac{1}{2}^{\circ}$ E. 63 " "

A mesquite 4 " " " S. 17° W. 43 " "

A mesquite 12 " " " S. 80° W. 98 " "

Land Meridian & rolling. Soil good for grain. Scattering trees.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

Co East on random line between 5 & 8
var. 12°46' East

35.00 Dry stream in cañon, 10 lbs. wide, runs N. E.

40.00 Set post for temporary 1/4 sec. cor.

45.00 Descend

50.00 Enter valley.

79.91 Intersect N. 4 S. line, 6 lbs. S. of cor. to sec.
4.5.8 & 9. from which cor. I run
S. 89°57' W.

On true line between sec. 5 & 8
var. 12°46' East

39.96 Set post, marked 1/4 S., 1/4 fl. long, flattened
3 in. wide, 1 ft. in the ground, driven chanced stake, and build
mound of earth 1 ft. high, with pile 1 ft. deep, 2 ft. long,
1 ft. wide, all as per instructions for 1/4 sec. cor. from which
Agnaves 6 in. dia. S. 37° W. 62 lbs. dist.

do 6 " " S. 71° E. 67 " "

91 The cor. to sec. 5, 6, 7 & 8.

Land broken then smooth. Soil good for grass.
Scrubby Juniper trees.

Township 17 S. Range 20 E.
Gila and Salt River Meridian

Go West on random line bet sees 6 & 7
cor. 12° 46' East

18.00 Dry stream, 20 ls. wide, runs N. E.

40.00 Set post for temporary 1/4 sec. cor.

78.20 Intersect W. boundary 16 ls. N. of cor. to
sees 6 & 7. from which cor. down
N. 89° 53' E. on true line bet sees 6 & 7.
cor. 12° 46' East

38.20 Set a post, marked 1/4 S,
4 ft long, flattened 3 in. wide, 1 ft. in
the ground, drive charred stake,
and build mound a least 2 ft
high, with pits 1 ft deep 2 ft long 1 ft
wide all as per instructions for 1/4 sec
cor. from which

A mesquite 7 in. dia. has S. 34° W. 50 ls. dist
do 8 " " " N. 41 1/2° E. 110 " "

78.20 The cor. to sees. 5, 6, 7 & 8.
Land rolling. Soil good for grass. Some
Mesquite trees

60

Township 17 S. Range 20 E.
Gila and Salt River Meridian

Line North on random line between 5 & 6
a or. 12° 46' East

40.00 Set post for temporary 1/4 sec. cor.

80.11 Intersect N. boundary 8 Sec. E. of cor. to sees
5 & 6. from which cor. from
S. 0° 3' E.

Same line between sees 5 & 6.
a or. 12° 46' East

40.11 Set a post marked 1/4 S,
4 ft long, flattened 3 in wide, 1 ft in the
ground, driven chanced stake, and build
mound of earth, 2 ft high, with pit 1 ft deep
2 ft long, 1 ft wide, all as per instructions
for 1/4 sec. cor. No trees near

80.11 The cor. to sees 5, 6, 7 and 8.

Land rolling. Soil good for grass
No timber.

December 1, 1873

General Description

The eastern portion of this township
crosses the valley along the San Pedro.

The stage Station and Post office for the
San Pedro settlement, is in sec. 11.

There are no settlers along the river to the
S. of this. - In the Western portion
of the township the lands are excellent
for grazing, - in fact the whole town-
ship is better adapted to grazing than
to agriculture.

Theo. F. White
U.S. Dep. Surveyor

U. S. Surveyor General's Office

Tuesm. 5. Dec. 26. 1873.

The foregoing field notes of the survey of the Subdivision lines of Township 14 S. R. 20 E. of the Gila and Salt River Meridian, Arizona, executed by Theo. F. White, D.S., under his contract of May 13. 1873, having been critically examined, and the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

John Passon
Surveyor General.

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of *the Subdivision lines of Township 17 S. R. 20 E. of the Gila and Salt River Meridian*

Showing the respective capacities in which they acted.

J. M. Elliott Chairman.

J. B. Stephenson Chainman.

F. C. Jones Axeman.

R. A. Vasquez Flagman.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theodore
F. White U. S. Deputy Surveyor, in
 surveying the Subdivision line of
Township 17 S. R. 20 E.
of the Gila and Salt River
Meridian, Arizona.

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor-General.

J. G. Little Chairman.

M. B. Stephens Chairman.

F. C. Jones Axeman.

R. A. Vasquez Flagman.

Sworn to and subscribed before me, this 19
 day of December, 1873

William B. Brown
 Notary Public

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 13 day of May 187³ I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The Subdivision lines of
Township 17 S. R. 20 E.
of the Gila and Salt River
Meridian, Arizona.

as are refer

sented in the foregoing Field Notes as ha

FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White

U. S. Deputy Surveyor do solemnly swear that,
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the 13 day of May

1879 I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-Gener-
al, the Surveying Manual, and the laws of the
United States, surveyed all those portions of

The Subdivision lines of
Township 17 S. R. 20 E.
of the Gila and Salt River
Meridian, Arizona.

as are re-
sented in the foregoing Field Notes as ha

64

been surveyed under my directions; and further solemnly swear that all the corner said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Survey General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries on public surveys, and that the foregoing are true and original Field Notes of such surveys.

Theodore F. White
Deputy Surveyor

Sworn to and subscribed before me, this 1 day of December, 1873

William J. Osborn
Notary Public

