

No. 4

BOOK 849

Subdivisions.

Sp. 17 S. R 25 E.

849

4-978

BOOK 849

FIELD NOTES
GENERAL LAND OFFICE.

No. 849

118 Indexed, Book 845.

Township 17S R. 25E

6	15	35	1234	3	2	1
151	150	123				
7	148	8	1209	10	11	12
146	144	119				
18	143	17	16	15	14	13
140	139					
19	137	20	21	22	23	24
135	134					
30	131	29	28	27	26	25
130	127					
31	125	32	33	34	35	36

Subdivisions of ¹¹⁹
T. 17 S. R. 25 E. - Continued

chains

- Thence, Iron No. 849
West, on a true line,
bet. secs. 9 and 16
Over level land, through
mesquite undergrowth
- 17.83 Road, from Pearce
to Wilcox, bears N. E.
and S. W.
- 39.97½ Set a malpais stone
18 x 12 x 3 ins., 12 ins., in
the ground, for $\frac{1}{4}$ sec.
cor., marked $\frac{1}{4}$ on
N. face; dig pits 18 x 18 x 12
ins. E. and W. of stone,
3 ft. dist.; and raise
a mound of earth 3½ ft.
base, 1½ ft. high, N. of cor.
- 65.40 Old road, bears N. and S.
- 79.95 The cor. of secs. 8, 9, 16 $\frac{2}{3}$ of 17

Subdivision of

Chains

Land, level
 Soil, loam; 2nd rate
 No timber; under growth
 mesquite.
 Land covered with dense
 under growth 79.95 chs.

N^o 10' E, bet. secs. 8 and 9
 Over level land, through
 under growth

40.00 Set a redwood post,
 3 ft. long, 4 ins. sq.,
 with marked stone,
 24 ins., in the ground,
 for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on N. face; dig
 pits 18 x 18 x 12 ins., N. and S.
 of post, 3 ft. dist., and
 raise a mound of earth

T. 17 S. R. 25 E. - Continued

Chains

3½ ft. base, 1½ ft. high
W. of cor.

42.00 Clear mesquite under
growth, bears Eastern and
Western

80.00 Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone,
24 ins. in the ground
for cor. of secs. 4, 5, 8^{3/4}, 9,
marked

T. 17 S. T. 4 on N.E.,
R. 25 E. T. 9 on S.E.,
T. 8 on S.W., and
T. 5 on N.W. faces;
with 5 notches on S.
and 4 notches on E.,
edges, dig pits 18 x 18 x 12
ins., in each sec. 5½ ft

Subdivisions of

Chains

dist. and raise a mound
of earth 4 ft. base, 2 ft.
high, W. of cor.

Land, level

Soil loam; 2nd rate

No timber; undergrowth
scattering mesquite

East, on a random
line, bet. secs. 4 and 9

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.02 Intersect N. and S.
line 12 lks. S. of cor. of
secs. 3, 4, 9 and 10.

Thence, I run

$S 89^{\circ} 55' W.$ on a true
line, bet. secs. 4 and 9

Over level land

1.17 Road from Pearce to

T. 17 S. R. 25 E. - Continued

Chains

- Willcox, bears N. E. and S. W.
- 40.01 Set a malpais stone
18x8x6 ins., 12 ins. in
the ground for $\frac{1}{4}$ sec.
cor., marked $\frac{1}{4}$ on
N. face, dig pits 18x18x12
ins. E. and W. of stone
3 ft. dist., and raise
a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,
N. of cor.
- 80.02 The cor. of secs. 4, 5, 8 and 9
Land, level
Soil, loam; 2nd rate
No timber
- N 0° 10' E, on a random
line, bet secs. 4 and 5
- 40.00 Set temp. $\frac{1}{4}$ sec. cor.

Subdivisions of

Chains

79.90

Intersect N. bdy
of Tp. 20 lks. E. of
cor. of secs. 4, 5, 32^{and} 33,
as heretofore described.

Thence, I run

S⁰° 1' W. on a true line
bet. secs. 4 and 5

Over level land

39.90

Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone 27
ins., in the ground for
 $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on W. face; dig
pits 18 x 18 x 12 ins. N.^{and}
S. of post, 3 ft. dist;
and raise a mound of
earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft
high, W. of cor.

T. 17 S. R. 25 E. - Continued

chains

79.90

The cor. of secs. 4, 5, 8 ²/₃ / 9
 Land, level
 Soil, gravelly loam; 2nd rate
 No timber

October 22. 1897

October 23: At 8^h. 10^m.
 a. m., l. m. t., I set
 off 31° 55' N. on lat. arc,
 and 11° 38' S. on decl. arc,
 and determine a true
 meridian with the
 solar, at the cor. of ^{secs.}
 5, 6, 31 and 32 on the
 S. bdy of the township,
 as heretofore described.
 Thence I run
 N 0° 9' E., bet. secs. 31 ²/₃ / 32
 Over level land

Subdivisions of

Chains

12.78 Road leading to
Pearce, bears E. and W.

24.90 Road, leading to
Pearce, bears N. Westerly
and S. Easterly.

26.00 Dry wash, 8 lks. wide, course N.E.

40.00 Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone,
24 ins., in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on W. face; dig
pits 18 x 18 x 12 ins. N.
and S. of post, 3 ft.
dist; and raise a mound
of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high W. of cor.

80.00 Set a redwood post,
3 ft. long, 4 ins. sq.,

T. 17 S. R. 25 E. - Continued

chains

with marked stone,
24 ins. in the ground,
for cor. of secs 29, 30, 31, 32,
marked

T. 17 S. S. 29 on N. E.,
R. 25 E., S. 32 on S. E.,
S. 31 on S. W., and

S. 30 on N. W. faces.
with 1 notch on S. and 5 notches E. edges,
dig pits 18 x 18 x 12 ins.,
in each sec. 5 1/2 ft.

dist., and raise a
mound of earth, 4 ft.
base, 2 ft. high, W. of cor.

Land level

Soil, loam; 2nd rate
No timber

N 89° 49' E., on a random
line, bet. secs. 29 and 32

Subdivisions of

Chains

40.00 Set temp. $\frac{1}{4}$ sec. cor.80.02 Intersect N. and S. line
7 lks. N. of cor. of secs.
28, 29, 32 and 33.

Thence, I run

S $89^{\circ}52'$ W., on a true line
bet. secs. 29 and 32

Over level land

22.60 Old road, bears N. and S.

40.01 Set a redwood post,
3 ft. long, 4 ins. sq., with
marked stone, 24 ins.
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on N. face; dig pits
18 x 18 x 12 ins., E. and W.
of post, 3 ft. dist. and
raise a mound of
earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$

T. 17 S. R. 25 E. - Continued

Chains

- ft. high, N. of cor.
- 45.47 Road from Pearce
to Cachise Station, bears
N. W. and S. E.
- 56.00 Junction of 2 roads,
3 chs. S. of line
- 57.42 Road, from Pearce to
Cachise Station, bears
N. W. and S. E.
- 70.65 Telephone line, from
Pearce to Cachise Station,
bears N. W. and S. E.
- 70.75 Road, from Pearce
to Cachise Station, bears
N. W. and S. E.
- 80.02 The cor. of secs. 29, 30
31 and 32
Land, level
Soil, loam; 2nd rate

Subdivisions of

Chains

Cachise Station, bears
N. Westerly and S. Easterly

40.00

Set a redwood post,
3 ft. long, 4 ins. ^{square} with
marked stone 24 ins.,
in the ground for $\frac{1}{4}$

sec. cor., marked $\frac{1}{4}$ S.

on W. face; dig pits
18x18x12 ins. N. and S.

of post 3 ft. dist; and
raise a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft
high, W. of cor.

55.00

Road from Pearce
to Cachise Station,
bears N.W. and S.E.

80.00

Set a redwood
post, 3 ft. long, 4 ins
sq., with marked

T. 17 S. R. 25 E. - Continued

chains

stone, 24 ins. in the
ground for cor. of
secs. 19, 20, 29 and 30,
marked

T. 17 S. S. 20 on N. E.,
R. 25 E. S. 29 on S. E.,
S. 30 on S. W., and

S. 19 on N. W. faces;
with 2 notches on S.
and 45 notches on E.
edges; dig pits 18x18x12
ins. in each sec.,
5½ ft. dist.; and raise
a mound of earth,
4 ft. base, 2 ft. high
W. of cor.

Land, level

Soil, gravelly loam; 2nd rate

No timber

Subdivisions of

Chains

$N 89^{\circ} 52' E$, on a random
line, bet. secs. 20 and 29

40.00 Set temp $\frac{1}{4}$ sec. cor.

80.03 Intersect N. and S. line

18 lks. N. of cor. of secs.

20, 21, 28 and 29

Thence I run

West, on a true line,
bet. secs. 20 and 29

10.71 Old road, bears N. and S.

40.01 $\frac{1}{2}$ Set a redwood post,
3 ft. long, 4 ins. sq. with
marked stone, 24 ins.
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S
on N. face; dig pits
18 x 18 x 12 ins. E and W.
of post, 3 ft. dist., and
raise a mound of

T. 17 S. R. 25 E. - Continued

chains

earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft high, N. of cor.

79.13 Road, from Pearce to Cachise Station, bears N. W. and S. E.

79.28 Road, from Pearce to Cachise Station, bears N. W. and S. E.

80.03 The cor. of secs.

19, 20, 29 and 30

Sand level

Soil, loam, 2nd rate

No timber

S $89^{\circ}45'$ W., on a random line, bet. secs. 19 and 30

40.00 Set temp $\frac{1}{4}$ sec. cor.

77.29 Intersect W. bdy of T_p. 4 lks. S. of cor.

Subdivisions of
Chains

of secs. 19, 24, 25^{and} 30
as heretofore described

Thence I run

N 89° 47' E, on a true line
bet. secs. 19 and 30

Over level land

37.29 Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone
24 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on N. face, dig
pits 18 x 18 x 12 ins. E
and W. of post, 3 ft
dist., and raise a
mound of earth, 3 $\frac{1}{2}$
ft. base, 1 $\frac{1}{2}$ ft. N. of cor.

53.82 Road from Pearce
to Cachee Station, bears

T. 17. S. R. 25 E. - Continued

chains

N. W. and S. E.

53.94 Telephone line, from
Pearce to Cachise
Station, bears N. W. ³/₄ S. E.

62.30 Road from Pearce
to Cachise Station,
bears N. W. and S. E.

77.29 The cor. of secs. 19, 20, 29 ³/₄ 30
Land, level
Soil, loam; 2nd rate
No timber

N 0° 9' E., bet. secs. 19 and 20
Over level land

2.20 Road from Pearce to
Cachise Station, bears
N. W. and S. E.

40.00 Set a red wood post,
3 ft. long, 4 ins. sq., with

Subdivisions of
Chains
marked stone, 24 ins;
in the ground for
 $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on W. face; dig
pits 18x18x12 ins., N. and S.
of post, 3 ft. dist.; and
raise a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high.
W. of cor.

80.00 Set a redwood post,
3 ft. long, 4 ins. sq., with
marked stone 24 ins. in
the ground for cor. of
secs. 17, 18, 19 and 20,
marked
T. 17 S. S. 17 on N.E.,
R. 25 E. S. 20 on S.E.,
S. 19 on S.W., and
S. 18 on N.W. faces; with

T. 17 S. R. 25 E. - Continued
chains

3 notches on S. and 5
notches on E. edges;
dig pits 18x18x12 ins.,
in each sec. 5½ ft.
dist.; and raise a
mound of earth 4 ft.
base, 2 ft. high, W. of cor.
Land, level
Soil, loam; 2nd rate
No timber

October 23. 1897

East, on a random
line, bet. secs. 17 and 20

40.00 Set temp. ¼ sec. cor

80.10 Intersect N. and S. line
at cor. of secs. 16, 17, 20^{2nd} & 21

Thence, Run

West, ^{on a true line} bet. secs. 17 and 20

Over level land

Subdivisions of

Chains

40.05

Set a redwood post
3 ft. long, 4 ins. sq.,
with marked stone
24 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S on N. face; dig
pits 18x18x12 ins. E. and
W. of post, 3 ft. dist.;
and raise a mound
of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$
ft. high. N of cor.

80.10

The cor. of secs. 17, 18, 19 ^{2nd}/₂₀
Land, level
Soil, loam; 2nd rate
No timber; undergrowth
scattering mesquite

S89°47'W., on a random
line, bet. secs. 18 and 19

T. 17 S. R. 25 E. - Continued

Chains

- 40.00 Set temp. $\frac{1}{4}$ sec. cor
- 77.52 Intersect W. bdy. of
Tp. 5 lks. N. of cor. of
secs. 13, 18, 19 and 24,
as heretofore described
Thence, I run
 $N 89^{\circ} 45' E.$, on a true
line, bet. secs. 18 and 19
Over level land
- 29.42 Road, from Pearce
to Cachise station, bears
N. W. and S. E.
- 30.82 Telephone line, from
Pearce to Cachise station
bears N. Westerly $\frac{2}{3}$ of S. Easterly
- 31.00 Road, from Pearce to
Cachise station, bears
N. Westerly $\frac{2}{3}$ of S. Easterly
- 37.52 Set a redwood post

Subdivisions of
chains

3 ft. long, 4 ins. sq,
with marked stone
24 ins., in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on N. face; dig
pits 18x18x12 ins., E and
W. of post, 3 ft. dist,
and raise a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft
high, N. of cor.

56.22 Road, from Pearce to
Cachise Station, bears
N. W. and S. E.

56.50 Road, from Pearce to
Cachise Station, bears
N. Westerly and S. Easterly

77.52 The cor. of secs. 17, 18, 19 ²⁰/₂₀
Land, level
Soil, loam; 2nd rate

T. 17 S. R. 25 E. - Continued

Chains

No timber

N^o 9' E., bet. secs. 17^{2d} & 18
Over level land

40.00 Set a redwood post
3 ft. long, 4 ins. sq.,
with marked stone,
24 ins., in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on W. face; dig
pits 18x18x12 ins., N. and
S. of post, 3 ft. dist.,
and raise a mound
of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high. W. of cor.

80.00 Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone,
24 ins., in the ground

Chains

Subdivisions of
for cor. of sees. 7, 8, 17^{and 18},
marked

T. 17 S. S. 8 on N. E.,
R. 25 E. S. 17 on S. E.,
S. 18 on S. W., and
S. 7 on N. W. faces; with
4 notches on S. and
5 notches on E. edges;
dig pits 18x18x12 ins.
in each sec., 5 1/2 ft.
dist., and raise a mound
of earth 4 ft. base, 2 ft. high
W. of cor.

Land, level

Soil, loam; 2nd rate

No timber

East, on a random
line, bet. sees. 8 and 17

T. 17 S. R. 25 E. - Continued

chains

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
- 80.06 Intersect N. and S. line, at cor. of secs. 8, 9, 16 and 17.
Thence I run West, on a true line, bet. secs. 8 and 17 Over level land, through dense undergrowth
- 3.00 Leave dense undergrowth and enter scattering undergrowth
- 40.03 Set a malpais stone $18 \times 10 \times 4$ ins., 12 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dig pits $18 \times 18 \times 12$ ins.

Subdivisions of
chains

E and W. of stone,
3 ft. dist; and raise
a mound of earth
3½ ft. base, 1½ ft.
high, N. of cor.

80.06 The cor. of secs. 7, 8, 17^{2nd}/18

Land, level

Soil, loam; 2nd rate

No timber; under-
growth mesquite.

Land, covered with
dense undergrowth, 3 chs.

S 89° 45' W., on a random
line, bet. secs. 7^{2nd}/18

40.00 Set temp. ¼ sec. cor.

77.67 Intersect W. bdy of
Tps. 3 lks. S. of cor.
of secs. 7, 12, 13 and 18

T. 17 N. R. 25 E. - Continued
chains

Thence, I run
 $N 89^{\circ} 46' E$, on a true
 line, bet. secs. 7² of 18
 Over level land

35.12 Road, from Pearce
 to Cachise Station,
 bears N.W. and S.E.

35.32 Road, from Pearce
 to Cachise Station,
 bears N.W. and S.E.

37.67 Set a malpais
 stone, $18 \times 18 \times 6$ ins.,
 12 ins., in the ground,
 for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on N. face; dig
 pits $18 \times 18 \times 12$ ins.,
 E. and W. of stone
 3 ft. dist.; and raise
 a mound of earth,

Subdivisions of

Chains

3½ ft. base, 1½ ft. high
N. of cor.

68.00 Enter mesquite under-
growth, bears northerly ²/₃ of southerly

77.67 The cor. of secs. 7, 8
17 and 18

Land, level

Soil, loam, 2nd rate

No timber, undergrowth
mesquite

No 9' E., bet. secs. 7^{and} 8

Over level land

40.00 Set a redwood post,
3 ft. long, 4 ins. sq., with
marked stone, 24 ins.
in the ground for
¹/₄ sec. cor., marked
¹/₄ S. on W. face; dig

T. 17 S. R. 25 E. - Continued
chains

pits 18x18x12 ins., N.
and S. of post, 3ft
dist.; and raise a
mound of earth 3½ ft.,
base, 1½ ft high, W. of cor.

80.00 Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone
24 ins., in the ground,
for cor. of secs. 5, 6, 7^{and} 8,
marked

T. 17 S. S. 5 on N. E.,
R. 25 E. S. 8 on S. E.,
S. 7 on S. W., and
S. 6 on N. W., faces;
with 5 notches on
S. and E. edges; and
raise a mound of
earth, 4 ft. base, 2 ft.

Subdivisions of
Chains

high, W. of cor.
Land, level
Soil, loam; 2nd rate
No timber

East, on a random
line, bet. secs. 5th & 8th
40.00 Set temp. $\frac{1}{4}$ sec. cor.
80.14 Intersect N. and S. line
at cor. of secs. 4, 5, 8th & 9th
Thence, I run
West, on a true line,
bet. secs. 5 and 8
Over level land
40.07 Set a malpais stone
18x16x7 ins., 12 ins. in the
ground for $\frac{1}{4}$ sec. cor.,
marked $\frac{1}{4}$ on N. face,
dig pits 18x18x12 ins. E.

T. 17 S. R. 25 E. - Continued

rains

and W. of stone, 3 ft.
dist.; and raise a
mound of earth $3\frac{1}{2}$ ft
base, $1\frac{1}{2}$ ft. high

80.14 The cor. of secs. 5, 6, 7 $\frac{3}{4}$
Land, level
Soil, loam; 2nd rate
No timber.

S $89^{\circ}46'$ W., on a random
line bet. secs. 6 and 7

40.00 Set temp. $\frac{1}{4}$ sec. cor.

77.76 Intersect W. bdy. of
Tp. 3 lks. N. of cor. of
secs. 1, 6, 7 and 12

Thence, I run

N $89^{\circ}45'$ E., on a true
line bet. secs. 6 and 7

Over level land

Subdivisions of

Chains

- 4.90 Road, from Pearce to Cachise Station, bears N.W. and S.E.
- 13.70 Road, from Pearce to Cachise Station, bears N.W. and S.E.
- 14.00 Road, from Pearce to Cachise Station, bears N.W. and S.E.
- 37.76 Set a malpais stone $17 \times 10 \times 3$ ins., 11 ins., in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on N. face; dig pits $18 \times 18 \times 12$ ins., E. and W. of stone 3 ft. dist.; and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high N. of cor.

T. 17 S. R. 25 E. - Continued

77.76 The cor. of secs. 5, 6, 7 and 8
 Land, level
 Soil, loam; 2nd rate
 No timber

N^o 9' E., on a random
 line, bet. secs. 5th & 6

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.70 Intersect N. bdy. of
 Twp. 10 lks. E. of cor. of
 secs. 5, 6, 31 and 32
 Thence, I run

S^o 5' W. on a true line
 bet. secs. 5 and 6
 Over level land

39.70 Set a redwood post,
 3 ft. long, 4 ins. sq.,
 with marked stone
 24 ins. in the ground

Subdivisions of
 Chains for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S., on W. face; dig
 pits $18 \times 18 \times 12$ ins., N.
 and S. of post, 3 ft
 dist., and raise a
 mound of earth $3\frac{1}{2}$ ft
 base, $1\frac{1}{2}$ ft. high, W.
 of cor.

79.70 The cor. of secs. 5, 6, 7^{and} 8
 Land, level
 Soil, loam; 2nd rate
 No timber

October 25. 1897

General Description
 This township is level,
 its land is of a good quality,
 with 2nd rate soil,
 covered with an abundance

T. 17 S. R. 25 E. - Concluded

growth of rich and nutritious grasses, and thousands of heads of cattle are seen at times, grazing all over the township.

There is no timber in this tp., excepting some mesquite undergrowth which is found in the eastern portion of the tp. — Pearce is a new town, situated partly in the S. $\frac{1}{2}$ of Sec. 32 of this tp., which was started a few years ago, since the discovery of the famous Pearce Mines, which

Subdivisions of
are situated in the
N¹/₂ of Sec. 5, T. 18 S. R. 25 E.,
this town is building
up very rapidly; the
same is connected with
a telephone line, with
Cachise Station of
the Southern Pacific
Railroad and is about
11 miles distant. —

There is no running
water in this Tps., but
water can be had at
the depth of 8 to 10 ft
in the northern portion
of the Tps.; there is a
well with good water
in the N. E. ¹/₄ of the N. E. ¹/₄
of Sec. 9, close to the

T. 17 S. R. 25 E.

road, leading from Pearce, via Sulphur Springs to Willcox, and another in the S.E. $\frac{1}{4}$ of the S.E. $\frac{1}{4}$ of sec. 32, with a pumping plant, with which the Pearce Mill and town is supplied with water.

The hills in secs. 33, 34 and 36 are of a mineral character. - There are a few settlers living in secs. 32 and 34

Philip Contzen
U. S. Dep. Sur.

October 25, 1897

Note For Preliminary notes see Book 1.
(I. & H. bdy's T. 17 S. R. 25 E.)

List of Names.

A List of the Names of the Individuals employed by *Philip Conzsen* U. S. Deputy Surveyor, to assist in running, measuring and marking the lines and corners described in the foregoing Field Notes of the survey of the *Ex Terior and Subdivisive Lines of T. 15 N. R. 5 W., T. 9 N. R. 6 W., Tps. 14 S. Rs. 15 and 16 E. and T. 17 S. R. 25 E. and 2nd Standard Parcelled North through range to East* of the Gila and Salt River Base and Meridian, in the Territory of Arizona, showing the respective capacities in which they acted.

Casimiro Barthelmy Chairman.

Frank Alvorez Chairman.

Heasuse Flares Chairman.

Antonio Leaba Chairman.

..... Axeman.

..... Axeman.

Pictorian Amado Flagman.

159

Final Oath of Assistants.

We hereby certify that we assisted Philip
Coutzen U. S. Deputy Surveyor, in
 surveying all those parts or portions of the Exterior
and subdivision lines of
T. 15 N. R. 5 W., 5. 9 N. R. 6 W.
T. 14 S. R. 15 and 16 E.
and T. 17 S. R. 25 E. and
2nd Standard parallel North through Range
6 East
 of the Gila and Salt River Base and Meridian, in
 the Territory of Arizona, as are represented in the
 foregoing field notes as having been surveyed by him
 and under his direction; and that said Survey has
 been in all respects, to the best of our knowledge
 and belief, well and faithfully surveyed, and the
 corner monuments established according to the
 instructions furnished by the United States Surveyor
 General for Arizona.

- Casimiri Barthelme Chairman.
- Frank Alvord Chainman.
- Neasus Flores Chainman.
- Antonio Leala Chainman.
- Axeman.
- Axeman.

Victoriano Amado Flagman.

Sworn to and subscribed before me, this 1st

day of October, 1897
Thomas A. Barton

Notary Public.

Final Oath of U. S. Deputy Surveyor.

I, *Philip Contzen*

U. S. Deputy Surveyor, do solemnly swear that in
pursuance of a contract received from ^{Judge} *Royal A.*
Johnson, United States Surveyor-General for Ari-
zona, bearing date of the *11th* day of

February 189*7*, I have well, faith-
fully, and truly, in my own proper person, and in
strict conformity with the instructions furnished by
the United States Surveyor-General for Arizona,
the Manual of Surveying Instructions, and the
laws of the United States, surveyed all those parts

or portions of the *Exterior and*

Subdivision lines of
T. 15 N. R. 5 W., T. 9 N. R. 6 W.

Tps. 14 S. Rs 15 and 16 E.

and T. 17 S. R. 25 E. and
2nd Standard Parallel North through
Range 6 East

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, as are represented in the
foregoing Field Notes as having been surveyed by
me and under my direction; and I do further
solemnly swear that all the corners of said surveys
have been established and perpetuated in strict
accordance with the Manual of printed instructions,
the special instructions of the United States Sur-
veyor-General for Arizona, and in the specific

161

BOOK 849

manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

Philip Contzen
U. S. Deputy Surveyor.

Sworn to and subscribed before me this 3rd

day of January, 1898

George White
U. S. Surveyor General.


U.S. Surveyors General

U.S. Surveyors Generals Office

Tucson, A. T. Oct., 18, 1898.

The foregoing fieldnotes of the survey of N.

W. bdy. of Tp. 9 N. R. 6 W., Exteriors of Tp. 15 N. R. 5 W., subdivisions of Tp. 14 S. R. 16 E., W. & S. Bdy. of Tp. 17 S. R. 25 E., Resurvey of 2nd Guide Meridian E. through Tp. 17 S. and N. Bdy. and subdivisions of 17 S. R. 25 E., Sec. 19 Tp. 15 N. R. 4 W., Subdivisions of Tp. 15 N. R. 5 W., resurvey of E. Bdy. Tp. 9 N. R. 6 W. with subdivisions, 2nd standard Parallel through R. 6 W., W. Bdy. Tp. 14 S. R. 15 E. and subdivision and meander lines of T. 14 S. R. 15 E., resurvey of S. Bdy. and a portion of E. Bdy. of Camp Lowell Military reservatio and E. Bdy. Tp. 14 S. R. 15 E. of the Gila and Salt River Base and Meridian, Arizona, executed by Philip Contzen D.S., under his contract of the 11th day of Feb. 1897, Cont. No. 43, having been critically examined and the necessary corrections and explanations made, the said field notes and the surveys they describe, are hereby approved.

U.S. surveyor General
Dist. of Arizona