

3

53

BOOK 850

Subdivisions.

Sp 17. S. R. 25 E.

BOOK 850

4-978

850

FIELD NOTES
GENERAL LAND OFFICE.

No. 850

Indexed, Book 848.

54

Township 17 S. R. 25 E. , 54

| | | | | | | | | |
|----|----|-----|-----|-----|----|----|----|----|
| 6 | 5 | 4 | 104 | 3 | 82 | 2 | 62 | 1 |
| | | | | 102 | | 81 | | 60 |
| 7 | 8 | 9 | 100 | 10 | 79 | 11 | 58 | 12 |
| | | | 118 | 97 | | 77 | | 56 |
| 18 | 17 | 116 | 16 | 95 | 15 | 75 | 11 | 13 |
| | | | 115 | 94 | | 73 | | |
| 19 | 20 | 113 | 21 | 92 | 22 | 71 | 23 | 24 |
| | | | 111 | 90 | | 70 | | |
| 30 | 29 | 110 | 28 | 88 | 27 | 68 | 26 | 25 |
| | | | 109 | 87 | | 66 | | |
| 31 | 32 | 105 | 33 | 84 | 34 | 64 | 35 | 36 |

No. 850

Subdivisions of
T. 17 S. R. 25 E. - Continued

chains.

sec. cor., marked $\frac{1}{4}$ S.
on N. face; dig pits
 $18 \times 18 \times 12$ ins, N. and S.
of post, 3 ft. dist.,
and raise a mound
of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high, N. of cor.

80.00

Set a redwood wood
post, 3 ft. long, 4 ins,
sq., with marked stone
24 ins., in the ground
for cor. of secs. 11, 12, 13, ³/₄ 14,
marked,

T. 17 S. S. 12 on N.E.,
R. 25 E., S. 13 on S.E.,
S. 14 on S.W., and
S. 11 on N.W. faces,
dig pits $18 \times 18 \times 12$ ins.
in each sec. $5\frac{1}{2}$ ft. dist.,

Subdivisions of

Chains

and raise a mound
of earth 4 ft. base, 2 ft
high, W. of cor.

Land, level

Soil, loam; 2nd rate

No timber; under growth
mesquite

Land covered with dense
undergrowth 80 chs.

$N 89^{\circ} 45' E$, on a random
line bet. secs. 12 and 13.

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.88 Intersect E. bdy of the
Twp. 12 lks. S. of cor.

of secs. 7, 12, 13 and 18,
as heretofore described,

Thence, I run

$S 89^{\circ} 40' W$, on a true

T. 17 S. R. 25 E. - Continued

chains

- line, bet. secs. 12 and 13
Over mountainous land
Descend to
- .50 Ravine, 10 lks. wide, course S.
ascend
- 5.00 Top, bears N. and S.
- 6.00 Descend W. slope of
ridge
- 39.94 Set a malpais
stone $18 \times 8 \times 4$ ins., 12 ins.
in the ground for $\frac{1}{4}$
sec. cor., marked
 $\frac{1}{4}$ on N. face, and
raise a mound of
stone $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$
ft. high N. of cor.
Pits impracticable
- 41.00 Foot of ridge and
enter level land

Subdivisions of

chains

- 43.00 Enter mesquite undergrowth
bears N. and S.
- 79.88 The cor. of secs. 11, 12, 13 ^{and} 14
Land, mountainous ^{and} level
Soil, gravelly and stony,
2nd and 4th rate
No timber; undergrowth
mesquite.
Mountainous land and
land covered with dense
undergrowth 79.88 chs.
- N^o 11' E., bet. secs. 11 ^{and} 12
Over level land, through
mesquite undergrowth
- 20.00 Leave mesquite undergrowth
bears Easterly ^{and} Westerly
- 30.75 Old road, bears N.W. ^{and} S.E.
- 40.00 Set a malpais stone

T. 17 S. R. 25 E. - Continued

chains

16x8x6 ins., 11 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on W. face; dig pits 18x18x12 ins., N. and S. of stone, 3ft dist.; and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high W. of cor.

80.00 Set a malpais stone 18x9x6 ins., 12 ins. in the ground for cor. of secs. 1, 2, 11 and 12 marked with 5' notches on S. and 1 notch on E. edges; dig pits 18x18x12 ins. in each sec. 5 $\frac{1}{2}$ ft.

chains

Subdivisions of

dist; and raise a
a mound of earth
4 ft. base, 2 ft. high,
N. of cor.

Land, level

Soil, loam; 2nd rate

No timber; undergrowth
mesquite

Land covered with
dense undergrowth rocks

N 89° 40' E, on a random
line, bet. secs 1 and 12

40.00 Set temp. 1/4 sec. cor

79.78 Intersect E. bdy of
Twp. 46 lks. N. of cor.

of secs 1, 6, 7 and 12,
as heretofore described
Thence, I run

T. 17 S. R. 25 E. - Continued

chains

- West, on a true line
bet. secs. 1 and 12
- 20.00 Enter mesquite under-
growth, bears N. and S.
- 39.89 Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone
24 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on N. face;
dig pits 18 x 18 x 12 ins.,
E. and W. of post
3 ft. dist., and raise
a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high
N. of cor.
- 45.00 Leave mesquite under-
growth, bears N. and S.
- 79.78 The cor. of secs. 1, 2, 11 $\frac{2}{3}$ of 12

Subdivisions of

Chains

Land, level

Soil, loam, 2nd rateNo timber; undergrowth
mesquite.Land covered with dense
undergrowth 25 chs.N 0° 11' E. on a random
line, bet. secs. 1st and 2nd40.00 Set temp. $\frac{1}{4}$ sec. cor.79.56 Intersect N. bdy of
Twp. 25 lbs. E. of cor.
of secs. 1, 2, 35 and 36,
as heretofore described

Thence, I run

S. on a true line,

bet secs. 1 and 2

Over level land, through
mesquite undergrowth.

T. 17 S. R. 25 E. - Continued

39.56 Set a malpais
stone, $18 \times 12 \times 4$ ins.,
12 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on W. face; dig
pits $18 \times 18 \times 12$ ins., N.
and S. of stone, 3 ft.
dist., and raise a
mound of earth
 $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high, W. of cor.

50.00 Leave mesquite
undergrowth, bears
Easterly and Westerly

79.56 The cor. of secs. 1, 2,
11 and 12

Land, level
Soil, loam; 2nd rate
No timber; undergrowth

Subdivisions of
Chains

mesquite.

Land covered with
dense undergrowth.

October 18: At 7^h 55^m A.M.
l. m. t., I set off 31° 55' N
on the lat. arc; 9° 51' S.
on the decl. arc; and
determine a true meridian
with the solar, at the
cor. of secs. 2, 3, 34 and 35
on the south boundary
of the tp., as heretofore
described.

Thence, I run
N 0° 11' E, bet. secs. 34nd & 35th
Over level land

- 1.23 Road, bears E. and W.
32.60 Road to Wind Mill

T. 17 S. R. 25 E. - Continued

Chains

- bears N. E. and S. W.
- 40.00 Set a granite stone
 $18 \times 10 \times 5$ ins., 12 ins. in
 the ground for $\frac{1}{4}$ sec.
 cor., marked $\frac{1}{4}$ on
 W. face; dig pits
 $18 \times 18 \times 12$ ins. N. and S.
 of stone 3 ft. dist,
 and raise a mound
 of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high, W. of cor.
- 79.96 Road to Windmill
 bears Easterly ^{2nd} and Westerly
- 80.00 Set a granite stone
 $18 \times 10 \times 4$ ins., 12 ins.
 in the ground, for
 cor. of secs. 26, 27, 34 ^{2nd} / 35,
 marked with 1 notch
 on S. and 2 notches

Subdivisions of
 Chains
 on E. faces, dig pits
 24 x 24 x 12 ins. in sec's
 26 and 27, 5½ ft. dist.,
 and raise a mound
 of earth 4 ft. base,
 2 ft. high, W. of cor.

Note: Owing to road
 S. of cor. did not dig
 pits in sec's 34th & 35

Land level

Soil, gravelly loam; 2nd rate
 No timber

N 89° 49' E, on a random
 line bet. sec's 26 and 35
 40.00 Set Temp. ¼ sec. cor.
 80.02 Intersect N and S. line
 14 lks. N. of cor. of
 sec's 25, 26, 35 and 36

T. 17 S. R. 25 E. - Continued

Chains

Thence, I run

S $89^{\circ}55'$ W. on a true line
bet. secs. 26 and 35Over level land and
scattering mesquite
undergrowth21.80 Road from Soldiers
Hole to Sulphur Springs
bears N. W. and S. E.40.01 Set a granite stone
17x10x3 ins., 11 ins. in
the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$
on N. face; dig pits
18x18x12 ins., E and W.
of stone 3 ft. dist. and
raise a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high, N. of cor.

Subdivisions of

Chains

- 77.00 Road to Wind mill
bears $N 88^{\circ} E$ and $S 88^{\circ} W$
- 80.02 The cor. of secs. 26, 27, $34^{\frac{2}{3}}$ / 35
Land, level
Soil, gravelly loam; 2nd rate
No timber; undergrowth
mesquite

$N 0^{\circ} 11' E$, bet. secs. 26 $^{\frac{2}{3}}$ / 27
Over level land

- 40.00 Set a granite stone,
 $17 \times 12 \times 4$ ins., 11 ins
in the ground for
 $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on W. face; dig pits
 $18 \times 18 \times 12$ ins., N. and S.
of stone, 3 ft. dist; and
raise a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft

T. 17 S. R. 25 E., Continued

Chains

high, W. of cor.

60.00 Enter mesquite
undergrowth, bears E. and W.80.00 Set a granite stone
18 x 10 x 8 ins., 12 ins. in
the ground for cor.
of secs. 22, 23, 26 and 27,
marked with 2 notches
on S. and E. edges;
dig pits 18 x 10 x 8 ins.,
in each sec. 5½ ft.
dist., and raise a
mound of earth
4 ft. base, 2 ft high,
W. of cor.

Land, level

Soil, loam; 2nd rate
No timber; under-
growth mesquite

Subdivisions of

Chains

$N 89^{\circ} 55' E$, on a random line, bet. secs. 23 and 26

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect N. and S. line 11 lbs. S. of cor. of secs. 23, 24, 25 and 26

Thence I run

$S 89^{\circ} 50' W$, on a true line, bet. secs. 23rd and 26

Over level land, through mesquite undergrowth

40.00 Set a granite stone $18 \times 8 \times 4$ ins., 12 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ on

N. face; dig pits $18 \times 18 \times 12$ ins., E. and W. of stone 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$

T. 17 S. R. 25 E. - Continued

chains

ft. base, $1\frac{1}{2}$ ft. high
N. of cor.

45.80 Road, from Soldiers
Hole to Sulphur Spring,
bears N. W. and S. E.

80.00 The cor. of secs. 22, 23,
26 and 27

Land, level

Soil, loam; 2nd rate
No timber, undergrowth
mesquite;

Land covered with
dense undergrowth rocks

No^o 11' E, bet. secs. 22nd & 23

Over level land

40.00 Set a granite stone
16 x 8 x 6 ins., 10 ins. in
the ground, for $\frac{1}{4}$ sec.

Subdivisions of
Chains

cor., marked $\frac{1}{4}$ on
W. face; dig pits $18 \times 18 \times 12$
ins., N. and S. of stone,
3 ft. dist.; and raise
a mound of earth,
 $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high, W. of cor.

45.00 Enter dense mesquite
undergrowth

80.00 Set a granite stone
 $18 \times 8 \times 6$ ins., 12 ins. in
the ground for cor.
of secs. 14, 15, 22^{and} 23,
marked with 3 notches
on S. and 2 notches
on E. edges; dig pits
 $18 \times 18 \times 12$ ins., in
each sec. $5\frac{1}{2}$ ft.
dist.; and raise a

T. 17 S. R. 25 E. - Continued

mound of earth
4 ft. base, 2 ft high,
W. of cor.

Land, level

Soil, loam, 2nd rate

No timber, undergrowth
mesquite.

Land covered with
dense undergrowth 35 chs.

October 18. 1897

October 19: At 7 h 40^{am} ^{am}

l. m. t., I set off
31° 58' N., on the lat. arc,
10° 12' N. on decl. arc;
and determine a
true meridian, with
the solar, at the cor.
of secs. 14, 15, 22 and 23.
Thence, I run

Subdivisions of

Chains

$N 89^{\circ} 50' E$, on a random
line bet. secs. 14th and 23

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.95 Intersect N. and S. line
7 lbs. N. of cor. of secs.
13, 14, 23 and 24.

Thence I run

$S 89^{\circ} 53' W$, on a true line
bet. secs. 14 and 23

Over level land through
dense mesquite undergrowth

39.97 $\frac{1}{2}$ Set a granite stone
 $18 \times 8 \times 4$ ins., 12 ins. in
the ground, for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$
on N. face; dig pits
 $18 \times 18 \times 12$ ins., E. and W.
of stone, 3 ft. dist. and
raise a mound of earth

T. 17 S. R. 25 E. - Continued

chains

3½ ft. base, 1½ ft. high
N. of cor.

74.05 Road, from Soldiers
Hole to Sulphur

Springs, bears N.W. ^¼ of S.E.

79.95 The cor. of secs. 14, 15, 22 ^¼ of 23

Land, level

Soil, loam; 2nd rate

No timber; undergrowth
mesquite

Land, covered with
dense mesquite undergrowth

79.95 chs.

N^o 11'E, bet. secs. 14 ^{and} 15

Over level land, through
mesquite undergrowth

10.80 Road from Soldiers
Hole to Sulphur Spring,

Subdivisions of

Chains

- bears $N 30^{\circ} W.$ and $S 30^{\circ} E.$
- 12.50 Dry wash, 10 lks. wide, course
 $N. W.$
- 40.00 Set a granite stone
 $17 \times 8 \times 4$ ins., 11 ins. in
the ground for $\frac{1}{4}$ sec.
cor., marked $\frac{1}{4}$ on
 $W.$ face; dig pits $18 \times 18 \times 12$
ins., $N.$ and $S.$ of stone
3 ft. dist.; and raise
a mound of earth
 $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high
 $W.$ of cor.
- 68.00 Slough 40 lks. wide,
3 chs $E.$
- 71.40 Old road, bears $N. W. \frac{2}{3} S. E.$
- 80.00 Set a granite stone
 $16 \times 8 \times 8$ ins., 11 ins. in
the ground for cor.

T. 17 S. R. 25 E. - Continued

chains

of secs. 10, 11, 14 and 15,
 marked with 4 notches
 on S. and 2 notches
 on E. edges; dig pits
 18 x 18 x 12 ins., in each
 sec. 5½ ft. dist; and
 raise a mound of
 earth 4 ft. base, 2 ft
 high, W. of cor.

Land, level

Soil, loam; 2nd rate

No timber; undergrowth
 mesquite;

Land covered with
 dense undergrowth, sochs.

N 89° 53' E, on a random
 line, bet. secs. 11 and 14

40.00 Set temp. ¼ sec. cor.

Subdivisions of

Chains

79.90

Intersect N. and S. line
3 lks. S. of cor. of
secs. 11, 12, 13 and 14

Thence, I run

$S 89^{\circ} 52' W$, on a true
line, bet. secs. 11^{2d} & 14

Over level land, through
mesquite undergrowth

39.95

Set a redwood post
3 ft. long, 4 ins. sq.,
with marked stone

24 ins., in the ground
for $\frac{1}{4}$ sec. cor., marked

$\frac{1}{4}$ S., on N. face, dig
pits $18 \times 18 \times 12$ ins., $S. \frac{3}{4} W$.
of post, 3 ft. dist., and

raise a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high, N. of cor.

T. 17 S. R. 25 E. - Continued

05.00 Enter dense mesquite
undergrowth, bears N. and S.

09.90 The cor. of secs. 10, 11, 14^{2d} & 15
Land level

Soil, loam; 2nd rate
No timber; undergrowth
mesquite.

Land covered with dense
undergrowth 14.90 chs.

N^o 11 E., bet. secs. 10^{2d} & 11
Over level land,
through dense mesquite
undergrowth

10.00 Leave dense mesquite
undergrowth, bears E. and W.
and enter scattering
undergrowth

40.00 Set a redwood post 3 ft. long, 4 ins. sq.
with marked stone 2 1/2 ins. in the ground
for 1/4 sec. cor. marked 1/4 S. on N. face.
dig pits 18 x 18 x 12 ins. N and S of post. 3 ft.
distant and raise a mound of earth 3 1/2 ft. base
1 1/2 ft. high, W. of cor.

Subdivisions of

Chains
79.00
80.00

Lease scattering under growth.
Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone
24 ins. in the ground
for cor. of sec. 2, 3, 10²/₄ 11,
marked

T. 17 S. S. 2 on N.E.,
R. 25 E. S. 11 on S.E.,
S. 10 on S.W., and
S. 3 on N.W. faces;
with 5 notches on
S. and 2 notches on
E. edges; dig pits
18 x 18 x 12 ins. in each
sec. 5¹/₂ ft. dist.;
and raise a mound
of earth 4 ft. base,
2 ft. high, W. of cor.
Land, level

T. 17 S. R. 25 E. - Continued

chains

Soil, loam; 2nd rate
 No timber; undergrowth
 mesquite.

Land covered with
 dense undergrowth 10chs.

N 89° 52' E, on a random
 line, bet. secs. 2 and 11

40.00 Set temp. 1/4 sec. cor.

79.91 Intersect N. and S.
 line 2 1/2 lks S. of cor.
 of secs. 1, 2, 11 and 12

Thence, I run

S 89° 51' W. on a true
 line, bet. secs. 2nd of 11

Over level land

39.95 1/2 Set a redwood
 post, 3 ft. long, 4 ins.
 sq., with marked

Subdivisions of

Chains

stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on N. face; dig pits 18x18x12 ins. E. and W. of post 3 ft. dist; and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft high, N of cor.

79.91 The cor. of sees. 2, 3, 10 and 11

Land level

Soil, loam; 2nd rate
No timber

No^o 11 'E., on a random line, bet. sees. 2 and 3

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.72 Intersect N. body of

T. 17 S. R. 25 E. - Continued

Chains

the Sp., 25 lks. E. of
cor. of secs. 2, 3, 34²/₃ & 35,
as heretofore described.

Thence, I run
South on a true line
bet. secs. 2 and 3

Over level land,
through undergrowth.

39.72

Set a redwood
post, 3 ft. long, 4 in.
sq., with marked
stone, 24 ins., in the
ground for $\frac{1}{4}$ sec.
cor., marked $\frac{1}{4}$ S.,
on W. face; dig pits
18 x 18 x 12 ins., N. and
S. of post, 3 ft. dist,
and raise a mound
of earth 3 $\frac{1}{2}$ ft. base,

Subdivisions of

Chains

- $1\frac{1}{2}$ ft. high, W. of cor.
 65.00 Large mesquite under-
 growth, bears E. ^{2nd} & W.
 79.72 The cor. of secs. 2, 3, 10 ^{2nd} & 11
 Land, level
 Soil, loam; 2nd rate
 No timber; undergrowth
 mesquite

October 19. 1897

October 20: At 7^h 5^m
 a. m., l. m. t., I set
 off $31^{\circ}55'$ N. on the lat.
 arc., and $10^{\circ}34'$ S. on
 the decl. arc., and de-
 termine a true meridian
 with the solar, at
 the cor. of secs. 3, 4, 33
 and 34 on the S. body
 of the townships, as

T. 17 S. R. 25 E. - Continued

chains

heretofore described

Thence I run

N 0° 10' E., bet. secs.

33 and 34

Over mountainous land,
ascending

40.00

Set a granite stone

18 x 12 x 6 ins., 12 ins. in

the ground for $\frac{1}{4}$ sec.cor., marked $\frac{1}{4}$ on

W. face; and raise

a mound of stone

2½ ft. base, 1½ ft. high,

W. of cor. Pits impracticable.

42.00

Top of ridge bears E. $\frac{2}{3}$ of W.
and descended

55.00

Shaft, 5 chs. W.

41.00

Foot of ridge and

enter level land

72.80

Road to Windmill

Subdivisions of
 chains bears N.E. and S.W.
 80.00 Set a redwood post
 3 ft. long, 4 ins. sq.,
 with marked stone
 24 ins. in the ground
 for cor. of secs. 27, 28, 33^{3/4}/₃₄,
 marked
 T. 17 S. S. 27 on N.E.,
 R. 25 E. S. 34 on S.E.,
 S. 33 on S.W., and
 S 28 and N.W. faces,
 with 1 notch on S.
 and 3 notches on E.
 edges; dig pits 18x18x12
 ins., in each sec. 5 1/2
 ft. dist.; and raise
 a mound of earth
 4 ft. base, 2 ft. high,
 W. of cor.

T. 17 S. R. 25 E. - Contiguous
chains

Land mountainous ^{2nd} level
Soil gravelly ^{3rd} and stony;
^{2nd} and ^{4th} rate

No timber.

Mountainous land 71 chs.

$1189^{\circ}49' E$, on a random
line, bet. sees. 27 ^{2nd} and 34

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect N. and S. line

18 lbs. S. of cor. of
sees. 26, 27, 35 and 36

Thence, I run

$S 89^{\circ}41' W$, on a true
line, bet. sees. 27 ^{2nd} and 34

Over level land

40.00 Set a redwood post
3 ft. long, 4 ins. sq.,
with marked stone

Subdivisions of

Chains

24 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on N. face; dig
pits $18 \times 18 \times 12$ ins., E.
and W. of post 3 ft.
dist.; and raise a
mound of earth $3\frac{1}{2}$
ft. base, $1\frac{1}{2}$ ft. high
N. of cor.

80.00 The cor. of secs. 27, 28, 33^{2/3}/₃₄
Land, level
Soil loan; 2nd rate
No timber

N $0^{\circ}10'$ E, bet. secs. 27^{2/3}/₂₈
Over level land

13.60 Road, bears North Westerly
and South Easterly

40.00 Set a redwood post

T. 17 S. R. 25 E. - Continued

Nails

3 ft. long, 4 ins. sq.,
with marked stone
24 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on W. face;
dig pits 18x18x12 ins.,
N. and S. of post,
3 ft. dist., and raise
a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high
W. of cor.

80.00 Set a redwood
post, 3 ft long, 4
ins. sq., with marked
stone 24 ins. in the
the ground for cor.
of secs. 21, 22, 27²/₂ & 28,
marked
T. 17 S. S. 22 on N.E.,

Subdivisions of
 chains R. 25 E., S. 27 on S. E.,
 S. 28 on S. W., and
 S. 21 on N. W. faces;
 with 2 notches on S.
 and 3 notches on E.
 edges; dig pits 18x18x12
 ins., in each sec.
 5½ ft. dist.; and raise
 a mound of earth
 4 ft. base, 2 ft. high,
 W. of cor.
 Land, level
 Soil, gravelly loam; 2nd rate
 No timber

N 89° 41' E, on a random
 line, bet. secs. 22nd and 27
 40.00 Set temp. ¼ sec. cor.
 80.06 Intersect N. and S.

T. 17 S. R. 25 E. - Continued

Chains

line, 9 lks. N. of cor.
 of secs. 22, 23, 26^{and} 27
 Thence, I run
 S 89° 45' W., on a true
 line, bet. secs. 22^{and} 27
 Over level land

40.03

Set a redwood
 post, 3 ft. long, 4 ins
 sq., with marked
 stone, 24 ins. in
 the ground for $\frac{1}{4}$
 sec. cor., marked
 $\frac{1}{4}$ S. on N. face;
 dig pits 18 x 18 x 12 ins
 E. and W. of post,
 3 ft. dist., and raise
 a mound of earth
 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high
 N. of cor.

Subdivisions of

Prains

80.00 The cor. of secs. 21, 22, 27^{and} 28
 Land, level
 Soil, loam; 2nd rate
 No timber

N 0° 10' E, bet. secs. 21^{and} 22

Over level land

40.00 Set a redwood post,
 3 ft. long, 4 ins. sq.,
 with marked stone,
 24 ins., in the ground
 for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on W. face; dig
 pits 18 x 18 x 12 ins. N and
 S. of post, 3 ft. dist.;
 and raise a mound
 of earth 3 $\frac{1}{2}$ ft. base,
 1 $\frac{1}{2}$ ft. high, W. of cor.

46.00 Enter mesquite under-

T. 17 S. R. 25 E. - Continued

Chains

80.00 growth, bears N.W. $\frac{3}{4}$ of S.E.

Set a malpais stone

18 x 10 x 6 ins., 12 ins.

in the ground for

cor. of secs. 15, 16, 21 $\frac{3}{4}$ of 22,

marked with 3 notches,

on S. and E. edges;

dig pits 18 x 18 x 12 ins.

in each sec., 5 $\frac{1}{2}$ ft.

dist; and raise a

mound of earth

4 ft. base, 2 ft. high

W. of cor.

Land, level

Soil, loam; 2nd rate

No timber; under-

growth mesquite

N 89° 45' E, on a random

Chains

Subdivisions of

line, bet. secs. 15^{and} 2240.00 Set temp. $\frac{1}{4}$ sec. cor.79.96 Intersect N. and S.
line 34 lks. N. of cor.
of secs. 14, 15, 22 and 23.

Thence, I run

West on a true line
bet. secs. 15 and 22Over level land, through
mesquite undergrowth39.98 Set a redwood post
3 ft. long, 4 ins. sq.,
with marked stone
24 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on N. face; dig
pits 18 x 18 x 12 ins. E. and
W. of post, 3 ft. dist.,
and raise a mound

T. 17 S. R. 25 E. - Continued

Chains

of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high W. of cor.

79.96 The cor. of secs. 15, 16, 21nd & 22

Land, level

Soil, loam; 2nd rate

No timber; undergrowth
 mesquite.

Land, covered with
 dense undergrowth 79.96 chs.

N^o 10' E., bet. secs. 15th & 16

Through mesquite
 undergrowth

40.00 Set a redwood
 post, 3 ft. long, 4 ins.
 sq., with marked
 stone, 24 ins. in the
 ground, for $\frac{1}{4}$ sec.
 cor., marked $\frac{1}{4}$ S.

Chains

Subdivisions of

on W. face; dig pits
 $18 \times 18 \times 12$ ins., N. and S.
 of post, 3 ft. dist. and
 raise a mound of
 earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
 high W. of cor.

80.00 Set a redwood
 post, 3 ft. long, 4 ins.,
 sq., with marked
 stone 24 ins. in the
 ground for cor. of
 secs. 9, 10, 15 and 16;
 marked

T. 17 S. S. 10 on N.E.,
 R. 25 E. S. 15 on S.E.,
 S. 16 on S.W., and
 S. 9 on N.W. faces; with
 4 notches on S. and
 3 notches on E. edges;

T. 17 S. R. 25 E. - Continued

chains

dig pits $18 \times 18 \times 12$ ins
in each sec. $5\frac{1}{2}$ ft.
dist, and raise a mound
of earth 4 ft. base,
2 ft. high W. of cor.

Land, level

Soil, loam; 2nd rate

No timber; under-
growth mesquite.

Land covered with

dense undergrowth sochs.

October 20. 1897

October 21: At 8^h 50^m.

a. m., l. m. t., I set

off $31^{\circ}59'N.$ on the

lat. arc.; $10^{\circ}55'S.$ on

the decl. arc., and de-

termine a true meridian

with the solar, at the

Subdivisions of
chains

cor. of secs. 9, 10, 15 and 16.

Thence, I run

East, on a random
line bet. secs. 10 and 15

40.00 Set temp. $\frac{1}{4}$ sec. cor.

79.96 Intersect N. and S.

line 33 lks. S. of cor.
of secs. 10, 11, 14 and 15

Thence, I run

$S 89^{\circ} 46' W.$, on a true line
bet. secs. 10 and 15

Over level land, through
mesquite undergrowth

7.10 Old road, bears N. W. and S. E.

21.00 Road, from Soldiers
Hole to Sulphur Springs,
bears N. W. and S. E.

30.00 Enter dense mesquite
undergrowth, bears N. $\frac{3}{4}$ of S.

T. 17 S. R. 25 E. - Continued

Chains
39.98

Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone,
24 ins. in the ground,
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on N. face; dig
pits 18x18x12 ins., E. $\frac{3}{4}$ W.
of post, 3 ft. dist. and
raise a mound of
earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high, N. of cor.

79.96 The cor. of secs. 9, 10, 15 $\frac{3}{4}$ $\frac{1}{16}$

Land, level

Soil, loam; 2nd rate
No timber, under-
growth, mesquite.

Land, covered with dense
undergrowth 49.96 chs

Chains

Subdivisions of

- $N0^{\circ}10'E$, bet. secs. 9 and 10
 Over level land, through
 mesquite undergrowth
 40.00 Set a redwood post
 3 ft. long, 4 ins. sq. with
 marked stone 24 ins.
 in the ground for $\frac{1}{4}$ sec.
 cor., marked $\frac{1}{4}$ S. on
 W. face; dig pits 18x18x12
 ins., N. and S. of post
 3 ft. dist.; and raise
 a mound of earth $3\frac{1}{2}$
 ft. base, $1\frac{1}{2}$ ft. high
 W. of cor.
 70.00 Leave mesquite under-
 growth, bears E. and W.
 71.00 Brush fence, bears N.E. $\frac{3}{4}$ of S.W.
 78.77 Brush fence, bears N.E. $\frac{3}{4}$ of S.W.
 80.00 Set a redwood post

T. 17 S. R. 25 E. - Continued

Chains

3 ft. long, 4 ins. sq.,
with marked stone
24 ins. in the ground,
for cor. of secs. 3, 4, 9th & 10,
marked

T. 17 S. S. 3 on N.E.,
R. 25 E. S. 10 on S.E.,
S. 9 on S.W., and
S. 4 on N.W. faces;
with 5 notches on S.
and 3 notches on E. edges,
dig pits 18 x 18 x 12 ins.,
in each sec. 5 1/2 ft.
dist., and raise a
mound of earth
4 ft. base, 2 ft high
W. of cor.

A small cabin bears
S 39 1/4° W. 4. 19 chs.

Subdivisions of
Chains

A well 12 ft. deep, with
good water, bears $S37\frac{3}{4}^{\circ}W$
2.70 chs.

Land, level

Soil, loam; 2nd rate

No timber; underground
mesquite

$N89^{\circ}46'E$, on a random
line, bet. secs. 3 and 10
40.00 Set temp $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S.
line 10 lks. N. of cor.
of secs. 2, 3, 10 and 11

Thence, I run

$S89^{\circ}50'N$, on a true line
bet. secs. 3 and 10

Over level land

39.95 Set a redwood post

T. 17 S. R. 25 E. - Continued

3 ft. long, 4 ins. sq.,
with marked stone
24 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on N. face; dig
pits 18 x 18 x 12 ins., E. and W.
of post, 3 ft. dist.;
and raise a mound
of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high, N. of cor.

54.75 Road, from Soldiers
Hole to Sulphur Spring,
bears N.W. and S.E.

78.80 Enter small enclosure

79.40 Leave small enclosure

79.90 The cor. of secs. 3, 4, 9 $\frac{2}{4}$ / 10

Land, level

Soil, loam; 2nd rate

No timber; undergrowth

Subdivisions of
chains mesquite

- No° 10' E., on a random line, bet. secs. 3 and 4
- 40.00 Set temp. 1/4 sec. cor.
- 80.05 Intersect N. body of Sp. 6 lks. E. of cor. of secs. 3, 4, 33 and 34, as heretofore described
- Thence I run
- No° 7' W., on a true line bet. secs. 3 and 4
- Over level land
- 23.60 Road, leading to Sulphur Springs and Willcox, bears N. Westerly and S. Easterly
- 40.05 Set a redwood post 3 ft. long, 4 ins. sq., with

T. 17 S. R. 25 E. - Continued

chains

marked stone, 24 ins.,
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ s.
on N. face; dig pits
18x18x12 ins., N. and S.
of post. 3 ft. dist.;
and raise a mound
of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high, W. of cor.

28.00

Road, from Pearce
to Willcox, bears

N. Easterly ^{and} S. Westerly

80.05

The cor. of secs. 3, 4, 9 ^{and} 10

Land, level

Soil, loam; 2nd rate

No timber.

Oct. 22: At 7^h 55^m,
A. M., l. m. t., I set off

Subdivisions of

Chains

31° 55' N. on the lat. arc,
 11° 7' S. on the decl. arc,
 and determine a true
 meridian with the
 solar, at the cor. of
 secs. 4, 5, 32 and 33
 on the South boundary,
 as heretofore described

Thence, I run

N 0° 10' E, bet secs. 32nd / 33

Over level land

- 3.00 Fence, bears E. and W.
 3.50 Pump and well, bears
 150 lks. W.
 4.05 Fence, bears E. and W.
 6.50 Privy, 5 lks. W.; Stable
 2 chs. W.
 11.00 House, bears 6 chs. W.
 18.35 Road, bears N.E. ^{2nd} / S.W.

T. 17 S. R. 25 E. - Continued

Chains

40.00

Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone,
24 ins., in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on W. face;
dig pits 18 x 18 x 12 ins.,
N. and S., 3 ft. dist; and
raise a mound of
earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft.
high, W. of cor.

Slaughter house ^{and} pan
bears N 63° W., 18 chs.,

45.97

Road, bears N. W. $\frac{3}{4}$ of S. E

74.90

Road, from Pearce
to Willcox, bears N. N. E. $\frac{3}{4}$ of S. W.

82.00

Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone

Subdivisions of

Chains

24 ins. in the ground
for cor. of secs. 28, 29, 32²/₄ / 33,
marked

T. 17 S. S. 28 on N. E.,
R. 25 E., S. 33 on S. E.,
S. 32 on S. W., and
S. 29 on N. W. faces;
with 1 notch on S.
and 4 notches on E.
edges; dig pits 18x18x12
ins. in each sec. 5¹/₂ ft
dist; and raise a mound
of earth 4 ft. base, 2 ft.
high, W. of cor.

Sand, level

Soil, loam; 2nd rate

No timber

N 89° 49' E, on a random

T. 17 S. R. 25 E. - Continued

Chains line, bet. secs. 28 and 33
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.00 Intersect N. and S.
 line, 2 lks. N. of cor.
 of secs. 27, 28, 33 and 34
 Thence, Run
 S $90^{\circ} 50'$ W., on a true
 line, bet. secs. 28nd and 33
 Over level land
 40.00 Set a redwood post
 3 ft. long, 4 ins. sq.,
 with marked stone,
 24 ins., in the ground
 for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on N. face; dig
 pits 18 x 18 x 12 ins., E. and
 W. of post, 3 ft. dist.,
 and raise a mound
 of earth 3 $\frac{1}{2}$ ft. base,

Subdivisions of Chains

- $1\frac{1}{2}$ ft. high, N. of cor.
 78.40 Road, from Pearce
 to Willcox, bears N.N.E $\frac{2}{3}$ of S.S.W. $\frac{1}{4}$
 80.00 The cor. of secs. 28, 29, 32 $\frac{2}{3}$ of 33
 Land, level
 Soil, loam, 2nd rate
 No timber

N 0° 10' E, bet secs. 28 $\frac{2}{3}$ of 29
 Over level land

- 40.00 Set a redwood post,
 3 ft. long, 4 ins. sq.,
 with marked stone
 24 ins. in the ground
 dig pits 18 x 18 x 12 ins., N. and S. of post 3 ft. dia.
 for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on W. face
 80.00 Set a redwood post
 3 ft. long, 4 ins. sq.,
 with marked stone

T. 17 S. R. 25 E. - Continued

chains

24 ins. in the ground
for cor. of secs. 20, 21
28 and 29, marked
T. 17 S. 21 on N. E.,
R. 25 E. S. 28 on S. E.,
S. 29 on S. W., and
S. 20 on N. W. faces, with
2 notches on S., and
4 notches on E., edges;
dig pits 18x18x12 ins
in each sec., 5½ ft
dist; and raise a
mound of earth 4 ft.
base, 2 ft. high, W. of cor.
Land, level
Soil, loam; 2nd rate
No timber

N 89° 50' E, on a random

112

Subdivisions of

Chains

line, bet. secs. 21nd & 2840.00 Set temp. $\frac{1}{4}$ sec. cor.80.03 Intersect N. and S.
line 23 lks. N. of cor.
of secs. 21, 22, 27th & 28,

Thence, I run

West, on a true line,
bet. secs. 21 and 28

Over level land

40.01 $\frac{1}{2}$ Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone,
24 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on N. face; dig
pits 18 x 18 x 12 ins., E. nd of
N. of post, 3 ft. dist.,
and raise a mound
of earth, 3 $\frac{1}{2}$ ft. base,

T. 17 S. R. 25 E. - Continued

Chains

$1\frac{1}{2}$ ft. high, N. of cor.
 47.00 Road from Pearce to Willcox
 bears N. 4. E. and S. 4. W.
 80.03 The cor. of secs. 20, 21, 28 and 29
 Land level
 Soil, loam; 2nd rate
 No timber; undergrowth
 scattering yucca

N^o 20 E., bet. secs. 20nd & 21
 Over level land

17.00 Well, 12 ft. deep, 80 lks. W.
 37.60 Old road, bears N. E. ^{3rd} & S. W.
 40.00 Set a redwood post,
 3 ft. long, 4 ins., sq.,
 with marked stone,
 24 ins., in the ground
 for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on W. face; dig
 pits 18 x 18 x 12 ins., N.
 and S. of post, 3 ft.
 dist.; and raise a mound

Chains

Subdivisions of

of earth $3\frac{1}{2}$ ft. base,
 $1\frac{1}{2}$ ft. high, W. of cor.

80.00 Set a redwood post,
 3 ft. long, 4 ins., sq.,
 with marked stone
 24 ins. in the ground
 for cor. of sec. 16, 17, 20, $\frac{3}{4}$ 21,
 marked

T. 17 S. S. 16 on N.E.,
 R. 25 E., S. 21 on S.E.,
 S. 20 on S.W., and
 S. 17 on N.W., faces;
 with 3 notches on S.
 and 4 notches on E. edge.
 Dig pits $18 \times 18 \times 12$ ins.
 in each sec. $5\frac{1}{2}$ ft.
 dist., and raise a
 mound of earth 4 ft.
 base, 2 ft. high, W. of cor.

T. 17 S. R. 25 E. - Continued

chains Land, level

Sail, loam; 2nd rate

No timber

East, on a random
line, bet. secs. 16 and 21

40.00 Set temp. $\frac{1}{4}$ sec. cor

79.94 Intersect N. and S.
line at cor. of secs.
15, 16, 21 and 22.

Thence, I run

West, on a true line
bet. secs. 16 and 21

Over level land,
through mesquite
undergrowth

28.80 Road, from Pearce
to Wilcox, bears N. $\frac{1}{2}$ S.

39.97 Set a redwood post

Chains

Subdivisions of

3 ft. long, 4 ins., sq.,
with marked stone
24 ins., in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on N. face; dig
pits 18x18x12 ins. Sand.
N. of post, 3 ft. dist.,
and raise a mound
of earth 3 $\frac{1}{2}$ ft. ^{low}, 1 $\frac{1}{2}$ ft.
high, N. of cor.

79.94 The cor. of secs. 16, 17, 20^{2d} & 21
Land, level
Soil, loam; 2nd rate
No timber; underground
mesquite.

No^o 10' E., bet. secs. 16^{2d} & 17
Over level land

10.00 Enter mesquite under-

T. 17 S. R. 25 E. - Continued

chains

- growth, bears E. and W.
- 40.00 Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone,
24 ins., in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on W. face; dig
pits 18 x 18 x 12 ins., N.
and S. of post, 3 ft.
dist.; and raise a
mound of earth $3\frac{1}{2}$ ft.
base, $1\frac{1}{2}$ ft. high, W. of cor.
- 80.00 Set a redwood post,
3 ft. long, 4 ins. sq.,
with marked stone
24 ins., in the ground
for cor. of secs. 8, 9, 16
and 17, marked
T. 17 S. S. 9 on N.E.,

Subdivisions of
T. 17 S. R. 25 E. - Continued

Chains

R. 25 E. S. 16. on S. E.,
S. 17 on S. W., and
S. 8, on N. W. faces;
dig pits 18 x 18 x 12 ins.
in each sec., 5½ ft.
dist.; and raise a
mound of earth 4 ft
base, 2 ft, high. W. of cor.
Land, level

Soil, gravelly loam; 2nd rate
No timber; undergrowth
scattering mesquite

East, on a random
line, bet. secs. 9 and 16
40.00 Set temp. ¼ sec. cor.
79.95 Intersect N. and S.
line, at cor. of secs.
9, 10, 15 and 16.

Concluded, Book 849.