

Book No 2.

Sub's. of T. 12 S. R. 24 E

Rockfellow Con't 82.

855

No. 855

4-671

BOOK 855

---

FIELD NOTES  
GENERAL LAND OFFICE.

Indexed, Book 854

Township 17 S R. 24 E

60

6	94	5	67	4	3	2	1
93		91		65			
7	90	8	64	9	10	11	12
88		87		63			
18	86	17	62	16	15	14	13
84		83		61			
19	81	20		21	22	23	24
78		76					
30	74	29		28	27	26	25
73		71					
31	68	32		33	34	35	36

## Subdivisions Tr 17 S. R 24 E Cont'd

- 40.00 Set temp  $\frac{1}{4}$  sec. cor.
- 79.93 Intersect N. + S. line  
2 lks N. of cor secs 13, 16,  
21 and 22.  
Thence I run  
N.  $89^{\circ}59'$  W on a true  
line bet secs 16 + 21  
Over level land.
- 39.96  $\frac{1}{2}$  Set a granite rock  
16x8x5-ins, 11 ins in the  
ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face.  
dig pits 18x18x12 ins  
E and W, of stone <sup>3 ft dist</sup>  
and raise a mound  
of earth  $3\frac{1}{2}$  ft base  
 $1\frac{1}{2}$  ft high N. of cor.
- 5-4-20 Road Cochise to  
Middlemarch brs N. + S.
- 79.93 Cor of secs 16, 17, 20 + 21

Survey of Subdivisions  
che

Land level

Soil 2<sup>nd</sup> rate

No timber

N.  $0^{\circ}07'$  W bet secs 16 and 17.

Over level land

40.00

Set a granite rock  $17 \times 6 \times 5$  ins, 12 ins in ground for  $1/4$  sec cor, marked  $1/4$  on N. face; dig pits  $18 \times 18 \times 12$  ins N. + S. of line 3 ft dist, and raise a mound of earth  $3\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high N. of cor.

65; 75.

Road Cochise to Middlemarch, br N. N. W + S. S. E.

80.00

Set a quartzite rock  $20 \times 12 \times 5$  ins, 13 ins in ground for cor of

Tfr. 17 S. R 24 E.  
chs

secs 8, 9, 16 and 17,  
marked with 4 notches  
on S. and 4 on E. edges.  
dig pits 18x18x12 ins  
in each sec 5-1/2 ft dist  
and raise a mound  
of earth 4 ft base 2 ft high  
N. of cor.

Land level.

Soil 2<sup>nd</sup> rate

No timber

---

S. 89° 5' 9" E on a random  
line bet secs 9 + 16.

40.00 Set temp 1/4 sec. cor.

79.90 Intersect N. + S. line  
5-lks N. of Cor of sec  
9, 10, 15 and 16.

Thence I run

N. 89° 5' 7" W. on true line

Survey of Subdivisions  
the

bet secs 9 and 16.

39.95 Set a granite rock 18x13x3  
ins, 12 ins in ground  
for  $\frac{1}{4}$  sec. cor, marked  
 $\frac{1}{4}$  on N. face; dig pits  
18x18x12 ins E. and W. of stone  
3 ft dist, and raise a  
mound of earth  $3\frac{1}{2}$  ft.  
base  $1\frac{1}{2}$  ft high N. of cor.

79.90 Cor of secs 8, 9, 16 and 17.  
Land level.  
Soil 2<sup>nd</sup> rate  
No timber

---

N  $0^{\circ}07'$  W. bet secs 8 & 9.

1.80 Road A. Y. Ranch to Cochise  
Stronghold bet S. W. & N. E.

40.00 Set a limestone 14x10x8  
ins, 10 ins in the ground  
for  $\frac{1}{4}$  sec cor, marked

The 17 S. R. 24 E.

chs

1/4 on N. face; dig pits  
 18X18X12 ins N. & S. of stone  
 3ft dist, and raise a  
 mound of earth  
 3 1/2 ft base, 1 1/2 ft high N. of cor  
 80.00 Set a limestone 18X10X9  
 ins, 12 ins in the ground  
 for cor of secs 4, 5, 8 & 9.  
 marked with 3 notches  
 on S. and 4 on E. edges,  
 and raise a mound  
 of earth 4 ft base,  
 2 ft high, N. of cor  
 Land level  
 Soil 2<sup>nd</sup> rate  
 No timber

Feb. 4<sup>th</sup>

Feb 5, 1902

S. 89° 5' 7" E on a random  
 line bet secs 4 and 9

Survey of Subdivisions  
chs

40.00 Set temp 1/4 sec. cor.

79.88 Intersect N. and S. line  
5 lks S. of cor secs 3, 4, 9 & 10

Thence I run

N.  $89^{\circ} 59'$  W on a true  
line bet secs 4 and 9.

Over level land.

2.70 Road N. G. Ranch to Cochise  
Stronghold brs S. W + N. E.39.94 Set a limestone  $14 \times 8 \times 6$  ins  
11 ins in the groundfor 1/4 sec. cor. marked  
1/4 on N. face, dig pits $18 \times 18 \times 12$  ins E + W. of stone3 ft dist, and raise  
a mound of earth $3\frac{1}{2}$  ft base  $1\frac{1}{2}$  ft high  
N. of cor.79.88 Cor of secs, 4, 5, 8 and 9.  
Land level.



Tfr 17 S. R. 24 E.

the

Soil 2<sup>nd</sup> rate  
No timber

---

N.  $0^{\circ} 7'$  W. on a random  
line bet secs 4 and 5.

40.00

Set temp  $\frac{1}{4}$  sec cor.

79.97

Intersect N. Bdy of Tfr  
42 lks E of cor secs 4, 5, 32  
and 33.

Thence I run

S.  $0^{\circ} 25'$  E on true line  
bet secs 4 and 5.

Over level land.

39.97

Set a limestone  $14 \times 8 \times 5$  ins  
10 ins in the ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N. face; dig pits  
 $18 \times 18 \times 12$  ins N. & S. of stone  
3 ft dist; and raise  
a mound of earth

Survey of subdivisions  
chs

- 3 1/2 ft base, 1 1/2 ft high  
W. of cor.
- 179.97 Cor of secs. 4, 5, 8 and 9.  
Sand level.  
Soil 2<sup>d</sup> rate  
No timber

---

From the cor of secs  
5, 6, 31 and 32 on S. Bdy  
of Tfr, which is a  
porphyry rock  
firmly in place  
marked and witnessed  
as described by the  
Surveyor General  
I run,

N. 0° 08' W. bet secs 31 + 32  
over mountainous land.

- 2.50 Wash of Pidwell canyon  
13 lks wide, course S.E.

Thurs. 17 3. R 24 E

cls

thence ascend high  
steep slope

31.20

Summit of high ridge  
bet Pidwell & Grapevine  
canyons brs W. + E.

40.00

Set a granite rock  
18x10x8 ins, 12 ins in the  
ground for 1/4 sec. cor.  
marked 1/4 on W. face,  
raise a mound of stone  
3 ft base, 2 ft high.  
W. of cor. Pile impracticable

45.10

Wash of S. Fork of Grapevine  
Canyon, 2 1/2-lks wide  
course E.

56.65

Summit of ridge bet  
two forks of Grapevine  
brs W. and E.

63.00

Group of tents of  
Mexican wood-choppers

Survey of Subdivisions  
chs

- about one half mile E.
- 72.80 Wash of Grapevine Canyon  
45-ths wide, course S. E.
- 80.00 Set a granite stone 18 X 10  
X 6 ins, 12 ins in ground  
for cor of sec 29, 30, 31 + 32  
marked with 1 notch on  
the S. and 5 notches on  
E. edges; raise a md  
of stone 3 ft base, 2 ft-  
high H. of cor.  
Pits impracticable  
Soil 3<sup>rd</sup> rate  
stumps but no timber  
standing.  
much oak brush and  
some stunted trees  
Land mountainous 80 chs.
-

Twp. 17 S. R. 24 E.

che

East on a random line  
bet. secs 29 and 32

Over mountainous ground.

40.00 Set temp 1/4 sec. cor

80.00 Intersect N. and S. line  
at cor. secs 28, 29, 32 + 33.

Thence I run

N. on true line bet  
secs. 29 and 32.

Over level ground.

3.80 Road bet. Moran Ranch  
+ Cochise stronghold, br S. + N.

4.50 Leave flat for broken  
mountainous ground

12.20 Wash of Grapevine Canyon  
30 kls. wide, course N. E.

Thence along S. slope  
of high ridge

40.00 Set granite rock

Survey of subdivisions  
che

24x24x12 ins, 12 ins in  
ground to bed rock  
for 1/4 sec. cor marked  
1/4 on N. face; raise a  
mound of stone 3 ft base  
3 ft high N. of cor.

Pits in predictable  
thence Mexican work.  
choppers tent br S. 3°40'E  
about 15 che dist.

A second tent br S. 6°30'E  
about 19 che,

48.20 Summit of lateral  
ridge b/w N. and S.  
Thence descend and  
along S. slope of  
main ridge.

80.00 Cor secs 29, 30, 31 + 32.  
Land mountainous  
soil 2d + 3d rate

Tp. 17 S. R. 24 E.

chs

No timber - a few  
scattering scrub oaks,  
Mountainous land 75-50 chs  
Feb. 3<sup>th</sup>

Feb 6<sup>th</sup>

West bet secs 30 and 31.

4.90 Wash of Grapevine Canyon  
45 lks wide course S.S.E.

Thence ascend and  
along S. side of canyon

20.00 Ascend very steep over  
precipitous rocks + cliffs

40.00 Falls on face of granite  
bluff 50 ft high, course  
N.N.W. + S.S.E. about 10 ft  
from base. Chisel for  
1/4 sec. cor. Cross (x) and  
1/4 N.W. of cross.

Pits and mound  
impracticable

Survey of subdivisions  
 chs

Hence an oak 12 ins  
 diam blazed & scribed  
 S. 31 B.T. brs S. 75 E. 65 ft.  
 dist. No other trees near  
 Not practicable to con-  
 tinue line owing  
 to successive high  
 cliffs.

Some scattering oaks.  
 Soil 2<sup>d</sup> 3<sup>d</sup> + 4<sup>th</sup> rate  
 Mountainous land 40.000 lbs

From the cor sec 29,  
 30, 31 and 32, I run  
 N. 0° 08' W. bet. sec 29 + 30.

Over mountainous land.  
 Ascend steep slope.

25-60 Summit of high divide  
 North boundary of Grapevine  
 Canyon, brs N. and E.



Tfr. 17 S. R. 24 E.

chs

Thence follow general course of a lateral ridge descending quite rapidly.

40.00

Set a granite rock 16x8x5 ins, 11 ins in ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face, raise a mound of stone 3 ft base, 2 ft high N. of cor; whence an Oak 9 in diam blazed and scribed S. 29 B. Y. br N  $64^{\circ} 30' E$ , 45 ft dist

61.65

A divide slopes East.

72.75

Large trail br, N. and E.  
Low saddle about 2 chs N.

Ascend last of

Survey of subdivisions  
chs

mountain ridges.

80.00

Set a quartzite rock  
24x16x12 ins 18 ins in  
ground for cor secs  
19, 20, 29 and 30, marked  
with 2 notches on S.  
and 5 notches on E  
edges, raise a mound  
of rock 4 ft base, 2 1/2 ft  
high, at cor.

Pits impracticable

Var. 12.45-E

Soil 3<sup>rd</sup> rateA few scattering  
scrub oaks

Land mountainous 80 chs.

---

 East on a random  
line bet secs. 20 + 29

40.00

Set temp 1/4 sec. cor.

Tp. 17 S. R. 24 E

dis

79.99 Intersect N. + S. line

2 lks S. of cor secs.

20, 21, 28 and 29.

Thence I run

S. 89.59 W, on a true  
line bet secs 20 + 29.

Over rolling, level +  
mountainous land

16.80 Road along mountains  
bre N. W. and S. E.

39.99 1/2 Set a limestone 16x8x8  
ins, 11 ins in ground  
for 1/4 sec. cor, marked  
1/4 on N. face; dig  
pits 18x18x12 ins E + W  
of stone, 3 ft dist.  
raise a mound of  
earth 3 1/2 ft base,  
1 1/2 ft high N. of cor.

49.00 ascend mountains.

Survey of Subdivisions  
che

55.15 Low summit brs N. + S.

59.85 Gulch 15-lks wide, course N.

77.10 Summit main ridge  
brs N. W + S. E.

79.99 Cor secs, 19, 20, 29 and 30.

Land, level, rolling  
and mountainous.

Soil 2<sup>d</sup> + 3<sup>d</sup> rate.

Mountainous land

31.00chs.

Feb 6-

Feb 7<sup>th</sup>

West on a random line

bet secs 19 and 30

40.00

<sup>over mountainous ground</sup>  
Set temp 1/4 sec cor.

78.23

Intersect West bdy of  
Tfr at cor secs 19, 24, 25 + 30

Thence I run

E. on true line bet

secs 19 and 30

Twp. 17 S. R. 24 E.

dis

15.05

Over mountainous ground.

15.00 Gulch 30 lks wide course  
S.E.

16.25 Gulch 10 lks wide, course N.

32.38 Point whence

Windmill of C. C. Co.  
in Cochise Canyonbrs N.  $43^{\circ}40'W$ .

House of Worthington

brs N.  $21^{\circ}45'W$  about  
 $\frac{3}{8}$  mile dist.House of "Chaffo" brs  
N.  $11^{\circ}15'W$  about  $\frac{1}{4}$  mile  
dist.Tent occupied by Mex-  
ican brs N.  $2^{\circ}45'W$   
about  $\frac{1}{4}$  mile dist.

38.23

Set a granite rock  
 $14 \times 14 \times 10$  ins 10 ins in  
ground for  $\frac{1}{4}$  sec. cor.

Survey of Subdivisions  
etc

- marked  $\frac{1}{4}$  on N. face.  
raise a mound of  
stone 3 ft base, 2 ft high  
N. of cor.  
Pits infracticable
- 5-3.40 Road b/c S. W. and N. E.
- 5-6.40 Gulch 30 lks wide course  
N. E.
- 5-8.15 Gulch 30 lks wide course N. E.
- 60.95 Upper hole Richard's  
Cierra 6 lks left.
- 63.70 Gulch 15 lks wide course N. E.  
Also trail b/c S. E. + N. W.
- 78.23 Cor sees. 19, 20, 29 + 30  
Land mountainous  
Soil 2<sup>d</sup> + 3<sup>d</sup> val  
A few scattering  
scrub oaks.  
Mountainous land 78.23 etc
-

Tfr. 17 S. R. 24 E.

chs

N 0° 08' W, bet. sec 19 + 20

Over level and mountainous land.

22.40 Old road bet W. and E. whence summit of limestone hill on which is situated Monmouth silver mine bet E. about 18 chs. Leave Mts + enter flat.

35.50 Gulch 60 lks wide course W. and E.

40.00 Set a granite rock 18x12x8 ins, 12 ins in ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on W. face. dig pits 18x18x12 ins N. and S. of line 3 ft. dist. And raise a mound of earth

Survey of subdivisions  
chs

- 3 1/2 ft base 1 1/2 ft high  
W. of cor.
- 3-2.10 Road to Cochise  
stronghold brs N. + E.
- 3-7.10 Road brs N. and E.
- 79.5-0 Road from U. G. Ranch  
to stronghold brs S.W. + N.E.
- 80.00 Set a granite rock  
18x8x6 ins, 12 ins in  
the ground for cor  
secs 17, 18, 19 + 20  
marked with 3 notches  
on the S. and 5 notches  
on E. edges; dig pits  
18x18x12 ins in each  
sec. 5 1/2 ft dist, and  
raise a mound  
of earth 4 ft base  
2 ft high W. of cor.  
Land level + mountains



Twp. 17 S. R. 24 E.  
chs

soil 2<sup>d</sup> + 3<sup>d</sup> rate

No timber

mountainous land 22 chs

N. 89° 5' 9" E on a random  
line bet secs 17 and 20.

40.00 set temp 1/4 sec. cor.

80.05- Intersect N. + S. line 3 lks

N. of course 16, 17, 20 + 21.

Thence I run

West on true line

bet secs 17 and 20

Overline land.

26.55- ~~Gulch to the north corner N. E.~~

40.02 1/2 set a granite rock

16x6x6 ins 11 ins in the  
ground for 1/4 sec. cor.  
marked 1/4 on N. face.

dig pits 18x18x12 ins

E. and W. of cor. 3 ft dist.

and raise a mound

84

BOOK 855

Survey of Subdivisions  
cls

58.00  
79.30 of earth  $3\frac{1}{2}$  ft base  
 $1\frac{1}{2}$  ft high N. of cor.  
Road N. G. Ranch to  
stronghold brs S.W. + N.E.  
80.05 Cor secs 17, 18, 19 and 20.  
Land level  
Soil 2<sup>d</sup> rate  
No timber

---

West on a random  
line bet secs 18 and 19.  
40.00 Set temp  $\frac{1}{4}$  sec. cor.  
78.06 Intersect N. Bdy of Tfr  
2 lks N. of cor secs 13, 18,  
19 and 24. Thence I run  
N.  $89^{\circ} 59' E$  on a true  
line bet secs 18 and 19  
Over mountainous ground.  
13.60 Summit line ridge  
brs N. and S.

Tfr. 17 S. R. 24 E.

chs

22.15 Location monument  
Josephine mine 20 ft N.31.00 Leave mountainous  
land for level, sloping E.38.06 Set a limestone  $17 \times 6 \times 5$  ins  
12 ins in the ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N. face; dig pits  
 $18 \times 18 \times 12$  ins E + N. of stone  
3 ft dist, and raise  
a mound of earth  
 $3\frac{1}{2}$  ft base  $\frac{1}{2}$  ft high  
N. of cor.60.85 Road along mountain <sup>along sec</sup>78.06 Cor secs 17, 18, 19 and 20  
Land mountainous  
and level. Soil 2<sup>d</sup> + 3<sup>d</sup> rate  
No timberMountainous land 31 chs  
Feb 7 tr

Survey of subdivisions  
 chs

Feb. 8, 1902

From cor secs 17, 18, 19 + 20

Run  $N. 0^{\circ} 08' W$  bet secs 17 + 18

Over level ground

21.20 Road to Goodhope  
 brs  $N. N. W.$  +  $E. S. E.$

40.00 Set a granite rock  
 $16 \times 10 \times 6$  ins, 11 ins in ground  
 for  $\frac{1}{4}$  sec. cor, marked  
 $\frac{1}{4}$  on  $N.$  face; dig pits  
 $18 \times 18 \times 12$  ins  $N.$  and  $S.$  of  
 stone 3 ft dist.

raise a mound of earth  
 $3\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high  
 $N.$  of cor;

80.00 Set a granite rock  
 $16 \times 8 \times 5$  ins 11 ins in ground  
 for cor of secs 7, 8 17 + 18.  
 marked with 4 notches  
 on  $S.$  and  $E.$  edges  
 dig pits  $18 \times 18 \times 12$  ins

Tfr. 17 S. R 24 E.  
 chs

in each sec  $3\frac{1}{2}$  ft dist.  
 raise a mound of earth  
 4 ft base 2 ft high

W. of cor.

Land level & rolling  
 soil 2<sup>d</sup> rate

No timber

East on a random line  
 bet. secs 8 and 17.

40.00 Set temp  $\frac{1}{4}$  sec cor.

80.12 Intersect N. + S. line at  
 cor secs 8, 9, 16 and 17.

Thence I run

West on true line bet.  
 secs 8 and 17.

1.80 Road N. G. Ranch to  
 Stronghold brs NE and SW

3.15- Middlemarch road  
 brs N. and S.

Survey of Subdivisions  
chs

40.06 Set a granite rock  
18X10X10 ins, 12 ins in ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N. face; dig pits  
18X18X12 ins E. and W. of  
stone 3 ft dist. raise  
a mound of earth  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft high  
N. of cor.

80.12 Cor. secs 7, 8, 17 and 18.  
Land level  
Soil 2<sup>d</sup> rate  
No timber

---

S.  $89^{\circ}39'$  W. on a random  
line bet secs 7 and 18.

40.00 Set temp  $\frac{1}{4}$  sec. cor.

77.76 Intersect W. bdy of Tfr  
5-cls S. of cor. secs  
7, 12, 13 and 18.

Tr. 17 S. R. 24 E

ch's

Thence I run  
S.  $89^{\circ}59'E$  on a true  
line bet sees 7 and 18.

Over level & sloping land

22.00  
37.76

Set a granite rock  
16x8x5 ins, 11 ins in the  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N. face; dig pits  
18x18x12 ins E. and W. of  
stone 3 ft dist; raise  
a mound of earth  
 $3\frac{1}{2}$  ft base  $1\frac{1}{2}$  ft high  
N. of cor.

42.90 Gulch 15 lks wide  
course N. E.

65.10 Gulch 30 lks wide, course N.

77.76 Cor. sees. 7, 8, 17 and 18.

Land level sloping E.  
soil 2<sup>d</sup> rate  
no timber

Survey of Subdivisions  
chs

- N.  $0^{\circ}08'$  W. bet secs 7 & 8.
- 5.30 Gulch 15-lks wide  
course E.
- 23.50 Gulch 15-lks wide  
course E.
- 40.00 Set a granite rock  
18X10X8 ins, 12 ins in  
ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on W. face.  
dig pits 18X18X12 ins  
N. and S. of stone, 3 ft  
dist, and raise  
a mound of earth  
 $3\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high  
W. of cor.
- 80.00 Set a granite rock  
18X10X8 ins, 12 ins in  
the ground for cor.  
secs, 5, 6, 7 and 8.  
marked with 5 notches



Tfr. 17 S. R. 24 E.

lbs

on S. and 5 on E. edges  
dig pits 18 X 18 X 12 ins  
in each sec. 5-1/2 ft dist,  
raise a mound of  
earth 4 ft base 2 ft  
high W. of cor.

Land level sloping E  
Soil. 2<sup>d</sup> rate  
No timber

East on a random  
line bet secs 5 and 8.

40.00 Sit temp 1/4 sec. cor.

80.12 Intersect N. and S. line  
2 lks N. of cor secs  
4, 5, 8 and 9.

Thence I run  
N. 89° 59' W on a true  
line bet secs 5 and 8.  
Overland sloping land

Survey of subdivisions  
etc

13.75 Road to Middlemarch  
brs S. and N.

40.06 Set a quartzite rock  
17x10x5 ins, 12 ins in the  
ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face.  
dig pits 18x18x12 ins  
E. and W. of stone  
3 ft dist; raise a mound  
of earth  $3\frac{1}{2}$  ft base  
 $1\frac{1}{2}$  ft high N. of cor.

41.95 Deep gulch, 45 ft wide  
course N.

80.12 Cor secs 5, 6, 7 and 8.  
Land level, sloping  
East.  
soil 2<sup>d</sup> rate,  
No timber

---

Twp. 17 S. R. 24 E

Chs

N.  $89^{\circ} 59' W$  on a random  
line bet secs 6 and 7.

40.00 Set temp  $\frac{1}{4}$  sec. cor.

77.40 Intersect W. Bdy of Twp  
Take N. of cor, secs 1, 6, 7 + 12.  
Thence I run

N.  $89^{\circ} 58' E$  on true line  
bet. secs 6 and 7.

Over sloping land.

37.40 Set a limestone  $17 \times 8 \times 6$  in  
12 ins in the ground

for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N. face; dig pits  
 $18 \times 18 \times 12$  ins. E. + W. of stone  
3 ft dist; raise a  
mound of earth  
 $3\frac{1}{2}$  ft base  $1\frac{1}{2}$  ft high  
N. of cor.

77.40 Col secs 5, 6, 7 and 8.  
Land sloping E.

94

BOOK 855

Survey of subdivisions  
theSoil 2<sup>d</sup> rate

no timber,

Mesquite brush.

---

 N.  $0^{\circ} 8' W.$  on a random  
line bet secs 5 and 6.
40.00 bet temp  $\frac{1}{4}$  sec. cor.79.82 In tract N. body of Tr  
39.82 ke  $\frac{1}{4}$  of cor. secs  
5, 6, 31 and 32.

Thence I run

S.  $0^{\circ} 20' E.$  on true line  
bet secs 5 and 6

Over sloping land

39.82 Set a granite rock  
16 x 8 x 6 ins 11 ins in the  
ground for  $\frac{1}{4}$  sec cor.  
marked  $\frac{1}{4}$  on N. face.  
dig pits 18 x 18 x 12 ins  
N. and S. of line, 3 ft-

Twp. 17 S. R. 24 E.

Chs

dist; and raise a mound of earth  $3\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high W. of cor.

79.82

Cor secs 5, 6, 7 and 8

Land sloping East.

Soil ed rate.

No timber

Mesquit + Sage brush

### General Description

This township includes a portion of the Dagon Mts. in the southwestern part, exceedingly rough and difficult to survey. The eastern and

Survey of subdivisions  
cls

Northern portions consist of a great level mesa or prairie sloping gently eastward. The washes of the gulches and canyons from the mountains disappear soon after reaching this plain. There is no permanent running water.

The soil of the great plain is good and would be productive if water could be obtained for irrigation.

The mountains were at one time fairly well covered

Tfr. 17 S. R. 24 E

with oak + juniper  
but strip has been cut  
off and marketed.  
Some ores of gold  
silver and copper  
are found in the  
mountains but no  
mineral claims have  
yet been developed  
to any considerable  
depth.

There are two settlers  
in sec. 19.

The magnetic declina-  
tion is generally  
 $12^{\circ} 35' E$ , but there is  
local attraction at a  
few points in  
the mountains.

Tombstone Ariz  
Feb. 18, 1902.

John A. Rossfellow  
U.S. Dep. Surveyor

A list of the names of  
the individuals em-  
ployed by John A  
Rockfellow U. S. Dep.  
Surveyor, to assist in  
running measuring and  
marking the lines  
and corners described  
in the foregoing field notes  
of the Survey of the Sub-  
divisions of T<sup>h</sup> 17 S. R  
24 E. G. & S. R. B. & M.  
of the Ter. of Arizona  
F. E. Simpson Chairman  
G. E. Austin "  
Wm. McKay Flagman  
James Hardin Measurer  
Wm. Sweeney Axeman

98

BOOK 855



I hereby certify that we <sup>99</sup>  
assisted John A. Rockfellow  
U. S. Dep. Surveyor in  
surveying all those parts  
or portions of the  
Subdivisions of T<sup>1</sup> 17  
S. R 24 E. T<sup>1</sup> 13 N. W.  
in the Territory of Arizona  
which are represented in  
the foregoing field notes  
as having been surveyed  
by him and under  
his direction; and that  
said survey has been  
in all respects to the  
best of our knowledge  
and belief well and faith-  
fully surveyed and the  
corner monuments es-  
tablished according to the  
instructions of the Surveyor  
General for Arizona

F. E. Simpson Chairman  
S. E. Austin Chairman  
William McKay Flayman  
James Hardin Moderator  
William Sweng Assessor

Sworn and subscribed to before  
me this 8<sup>th</sup> day of Feb 1907  
John A. Rockfellow  
Notary Public

I, John A. Rockefeller, U. S.

BOOK 855

Deputy Surveyor, do solemnly swear that in pursuance of a contract received from Geo. Christ, U. S. Surveyor General for Arizona, bearing date of the twenty-third day of May, 1901, I have willfully, and truly, in my own proper person, and in strict conformity with the instructions furnished by the U. S. Surveyor-General for Arizona, the Manual of Surveying Instructions, and the Laws of the United States, surveyed all those parts or portions of the boundaries and subdivisions of T. P. No. 17 S., Range No. 24 E., S. and S. R. B. and M., in the Territory of Arizona, also of Sec. 21 and 28 of T. P. 18 S., Range 24 E., S. and S. R. B. and M., in the Territory of Arizona, which are represented in the foregoing field-notes as having been surveyed by me and under my direction; and I do further solemnly

swear that all the corners of said survey have been established and perpetuated in strict accordance with the Manual of Surveying Instructions, and the special written instructions of the U. S. Surveyor general for Arizona, and in the specific manner described in the field-notes, and that the foregoing are the original field-notes of such survey; and should any fraud be detected, I will suffer the penalty of perjury under the provisions of an act of Congress approved August 8, 1846.

John A. Rockfelle

Subscribed by said John A. Rockfelle  
and sworn to before me this 20<sup>th</sup> day  
of February, 1902

A. H. Emanuel

Clerk

101

BOOK 855