

856

No. 856

BOOK 856

4-671

FIELD NOTES
GENERAL LAND OFFICE.

Subdivision
— of —

T.16S.R.24E.

Indexed, Book 864

Township 16 S R. 24 E 60

6	5	4	111	3	87	2	65	1
				107		84		64
7	8	9	105	10	82	11	62	12
				104		80		61
18	17	16	101	15	78	14		13
19	20	115	21	91	22	68	23	24
			118		94		70	
30	29	120	28	96	27	72	26	25
			122		98		74	
31	32	124	33	99	34	76	35	36

Subdivision of T. 16 S. R. 24 E. - Continued

Chains

bet. secs. 12 and 13

Over level land.

- 40.01 Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on N. face; dig pits 18x18x12 ins. E. and W. of post, 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 44.83 Trail, bears N.W. and S.E.
- 68.39 Trail, bears N.W. and S.E.
- 76.82 Trail, bears N.W. and S.E.
- 80.02 The cor. of secs. 11, 12, 13 $\frac{3}{4}$ 14
 Sand, level
 Soil, loam and alkali; 3rd rate
 No timber

Chains	Subdivisions of
	No. 1 W., bet. secs. 11 and 12 Over level land.
9.67	Trail, bears N. W. and S. E.
35.39	Trail, bears N. W. and S. E.
37.80	Enter alkali flat, bears Easterly and N. Westerly
40.00	Set a pine post, 3 ft. long, 4 ins. sq. with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face; dig pits 18x18x12 ins. N. and S. of post, 3 ft. dist. and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.
54.04	Trail, bears Easterly and Westerly
62.00	Leave alkali flat, bears N. E. and S. W.

T. 16 S. R. 24 E. - Continued

Chains

- 65.00 Reenter alkali flat, bears
N. E. and S. W.
- 70.80 Old road, bears Easterly and
Westerly
- 80.00 Set a pine post, 3 ft.
long, 4 ins. sq. with
marked stone, 24 ins.
in the ground for cor.
of secs. 1, 2, 11 and 12,
marked

T. 16 S. S. 1 on N. E.,
R. 24 E. S. 12 on S. E.,
S. 11 on S. W., and
S. 2 on N. W. faces, with
5 notches on S. and
dig pits 18x18x12 ins. in each sec. 5 1/2 ft. dist;
1 notch on E. edges, and
raise a mound of
earth 4 ft. base, 2 feet
high, W. of cor.

Subdivision of
 Chains Land, level
 Soil, loam and alkali; 4th rate
 No timber

S 89° 48' E, on a random
 line, bet. secs. 1 and 12

40.00 Set temp. $\frac{1}{4}$ sec. cor.,

80.00 Intersect E. bdy of Twp.
 3 lks. N. of cor. of secs.
 1, 6, 7 and 12

Thence I run

N 89° 47' W. on a true line
 bet. secs. 1 and 12

Over level land

40.00 Set a pine post, 3 ft.

long, 4 ins. sq., with
 marked stone, 24 ins.
 in the ground, for $\frac{1}{4}$
 sec. cor., marked $\frac{1}{4}$ S

T. 16 S. R. 24 E. - Continued

chains

on N. face; dig pits 18x18x12
ins. E. and W., 3 ft. dist;
and raise a mound of
earth, 3½ ft. base, 1½ ft.
high, N. of cor.

80.00 The cor. of secs. 1, 2, 11 and 12
Land, level

Soil, clay and alkali; 4th rate
No timber

N 0° 1' W., bet. secs. 1 and 2
Over level land

20.00 Leave alkali flat bears
N. Easterly and S. Westerly

27.00 Enter alkali flat, bears
Easterly and Westerly

40.00 Set a pine post, 3 ft.
long, 4 ins. sq, with
marked stone, 24 ins

Chains

Subdivisions of

in the ground, for
 $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on W. face; dig
 pits $18 \times 18 \times 12$ ins. N. and
 S. of post, 3 ft. dist;
 and raise a mound of
 earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
 high, W. of cor.

79.31 Intersect the "Third
 Standard Parallel South"
 at a point 26.40 chs.
 West. of the standard
 cor. of secs. 35 and 36.
 T. 15 S. R. 24 E. at
 which point, I set
 a pine post, 3 ft. long,
 4 ins. sq. with marked
 stone, 24 ins. in the ground,
 for closing cor. of sec. $1\frac{3}{4}$,
 marked,

T. 16 S. R. 24 E. - Continued

Chains

C.C., T. 16 S. R. 24 E. on S.,
 S. 1 on E., and
 S. 2 on W. faces, with
 1 groove on E., and 5
 grooves on W. faces, dig
 pits, 24 x 18 x 12 ins., cross-
 wise on each line, E. and
 W., 3 ft. ^{and S. 7 ft.} dist., and raise
 a mound of earth, 4 ft.
 base, 2 ft. high, S. of cor.

Land level

Soil, clay and alkali, 4th rate

No timber

January 18. 1896

At cor. of secs. 14, 15, 22 ^{2/23},
 as heretofore described,

January 19. 1896: At
 9^h 5^m, A. M., l. m. t.,
 I set off 32° 3' on the lat.

Subdivision of

Chains

are, and $20^{\circ}19'$ \angle on the decl. arc, and determine a true meridian

Thence I run

$50^{\circ}1'$ \angle bet. secs. 22 and 23

Over level land

- 1.02 Trail bears N.E. and S.W.
- 11.24 Trail, bears Easterly and Westerly
- 12.63 Trail, bears Easterly and Westerly
- 27.83 Trail, bears N.E. and S.W.
- 29.05 Trail bears N.E. and S.W.
- 33.00 Enter scattering mesquite under growth.
- 40.00 Set a pine post, 3 ft. long, 4 ins. sq. with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ \angle on W. face; dig pits $18 \times 18 \times 12$ ins. N. and S. of post, 3 ft. dist.; and raise a mound of earth

T. 16 S. R. 24 E. - Continued

Chains

3½ ft. base, 1½ ft. high,
W. of cor.

50.34 Trail, bears N 60° W. $\frac{2}{3}$ of S. 60° E

65.73 Trail, bears N. E. and S. W.

67.84 Trail, bears N. E. and S. W.

68.34 Trail, bears E. and W.

72.25 Trail, bears E. and W.

80.00 Set a pine post, 3 ft.
long, 4 ins. sq, with
marked stone, 24 ins.
in the ground for cor.
of secs. 22, 23, 26 and 27,
marked

T. 16 S. S. 23 on N. E.,

R. 24 E., S. 26 on S. E.,

S. 27 on S. W. and

S. 22 on N. W. faces;
with 2 notches on S and E. edges;
dig pits 18 x 18 x 12 ins. in
each sec., 5½ ft. dist;

Subdivision of
 Chains and raise a mound
 of earth, 4 ft. base, 2 ft
 high, W. of cor.
 Land level
 Soil, loam; 2nd rate
 No timbers; scattering mesquite
 undergrowth

S $9^{\circ} 50' E$, on a random
 line, bet. secs. 23 and 26
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 79.88 Intersect N. and S. line
 3 lks. S. of cor. of secs.
 23, 24, 25 and 26
 Thence Run
 N $9^{\circ} 51' W$, on a true line
 bet. secs. 23 and 26
 Over level land
 7.80 Trail, bears N. E. and S. W.
 11.80 Trail, bears N. E. and S. W.

T. 16 S. R. 24 E. - Continued

Chains	
12.67	Trail, bears N.E. and S.W.
34.90	Trail, bears N.E. and S.W.
37.08	Trail, bears N.E. and S.W.
39.94	Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on N. face; dig pits 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist.; and raise a mound of earth 3 ft. base, 1 1/2 ft. high, N. of cor.
55.00	Enter scattering mesquite undergrowth, bears N. and S.
79.88	The cor. of secs. 22, 23, 26 and 27
	Land, level

Subdivisions of
Chains

Soil, loam, 2nd rate
No timber

S. 1/2 E., bet. secs. 26 and 27
Over level land

- 14.48 Trail, bears N.E. and S.W.
14.64 Trail, bears N.E. and S.W.
17.32 Trail, bears N.E. and S.W.
17.61 Trail, bears E. and W.
17.98 Road from Drazoon
Summit to Rockfellow's
ranch and Sulphur
Spring Valley, bears E. and W.
18.96 Trail, bears N.E. and S.W.
19.28 Trail, bears Easterly ²/₃ of Westerly
23.73 Trail, bears N.E. and S.W.
40.00 Set a pine post, 3 ft
long, 4 ins. sq., with
marked stone, 24 ins.

T. 16 S. R. 24 E. - Continued

chains

in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on W. face, dig pits 18 x 18 x 12 ins. N. and S. of post, 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor. - Leave scattering mesquite undergrowth, bears E. and W.

- 53.32 Trail, bears E. and W.
 54.72 Trail, bears N.E. and S.W.
 70.44 Trail, bears N.E. and S.W.
 80.00 Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for cor. of secs. 26, 27, 34 and 35, marked

T. 16 S. S. 26 on N.E.,
 R. 24 E. S. 35 on S.E.,

Subdivision of Chains

S. 34 on S.W. and
S. 27 on N.W. faces; with
1 notch on S. and 2
notches on E. edges; dig
pits 18x18x12 ins. in each
sec., 5½ ft. dist. and raise
a mound of earth, 4 ft.
base, 2 ft. high, W. of cor.
Land level

Soil, loam; 2nd rate
No timber

S 90° 51' E, on a random
line, bet. secs. 26 and 35

40.00 Set temp ¼ sec. cor.

80.00 Intersect N. and S. line
8 lks. N. of cor. of secs.

25, 26, 35 and 36

Thence, S run

T. 16 S. R. 24 E. - Continued

chains

N 89° 48' W., on a true line
bet. secs. 26 and 35

Over level land

40.00 Set a pine post, 3 ft.
long, 4 ins. sq. with
marked stone, 24 ins.,
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$
S. on N. face; dig pits
18 x 18 x 12 ins. E. and W.
of post, 3 ft. dist. and
raise a mound of
earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high, N. of cor.

66.23 Old road, bears N. E.
and S. W.

78.80 Trail, bears N. E. and S. W.

80.00 The cor. of secs. 26, 27, 34
and 35

Land, level

Subdivision of

Chains

Soil loam; 2nd rate
No timber

So^o1'E, on a random
line, bet. secs. 34 and 35
40.00 Set. temp. $\frac{1}{4}$ sec. cor.

88.12 Intersect S. bdy. of
Tp. at cor. of secs. 2, 3,
34 and 35, as heretofore
described

Thence, I run

No^o1'W, on a true line,
bet. secs. 34 and 35

Over level and gently rolling
land.

4.50 Trail, bears N.N.E. and S.S.W.

6.83 Trail, bears N.N.E. and S.S.W.

6.89 Trail, bears N.N.E. and S.S.W.

15.32 Trail, bears N.E. and S.W.

T. 16 S. R. 24 E. - Continued

Chains

- 40.12 Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on W. face; dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, $\frac{1}{2}$ ft. high, W. of cor.
- 53.96 Trail, bears N. E. and S. W.
- 69.82 Old road, bears N. E. and S. W.
- 75.29 Trail, bears N. N. E. and S. S. W.
- 80.12 The cor. of secs. 26, 27, 34² & 35
 Land level and gently rolling
 Soil, loam; 2nd rate
 No timber

Subdivision of Chains

From cor. of secs. 14, 15,
22 and 23, as heretofore
described, I run
N^o 1' W., bet. secs. 14 and 15
Over level land

- 0.03 Trail, bears N.E. and S.W.
0.42 Trail, bears E. and W.
5.71 Trail, bears E. and W.
13.00 Trail, bears E. and W.
20.52 Trail, bears E. and W.
30.57 Trail, bears E. and W.
35.52 Trail, bears E. and W.
40.00 Set a pine post, 3 ft.
long, 4 ins. sq., with
marked stone, 24 ins.
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
dig pit, 18 x 18 x 12 ins N. & S. of post 3 ft. deep,
on W. face, and raise
a mound of earth, 3 $\frac{1}{2}$

T. 16 S. R. 24 E. - Continued

- Chains
- ft. base, $1\frac{1}{2}$ ft high, N. of cor.
- 43.64 Trail, bears N. E. and S. W.
- 53.66 Road, from Sulphur Spring Valley to Wilcox, bears $N 30^{\circ} W.$ and $S 30^{\circ} E.$
- 57.54 Trail, bears N. E. and S. W.
- 70.41 Trail, bears Easterly $\frac{2}{3}$ Westerty
- 74.51 Trail, bears Easterly $\frac{2}{3}$ Westerty
- 80.00 Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for cor. of secs. 10, 11, 14 and 15, marked

T. 16 S. S. 11 on N. E.
 R. 24 E. S. 14 on S. E.
 S. 15 on S. W., and
 S. 10 on N. W. faces; with
 4 notches on S. and 2

Subdivision of Chains

notches on E. edges;
dig pits $18 \times 18 \times 12$ ins,
in each sec. $5\frac{1}{2}$ ft. dist.,
and raise a mound of
earth 4 ft. base, 2 ft
high, W. of cor.

Land level

Soil, loam; 2nd rate

No timber

$S 89^{\circ} 50' E$, on a random
line, bet secs. 11 and 14

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect N. and S. line
5 lbs. S. of cor. of secs.
11, 12, 13, and 14.

Thence, I run

$N 89^{\circ} 52' W$, on a true line,
bet. secs. 11 and 14

T. 16 S. R. 24 E. - Continued

- Chain* Over level land
- 33.05 Trail, bears N. N. E. and S. S. W.
- 35.60 Dry wash, 15 lks. wide, course
N 80° E.
- 36.40 Dry wash, 6 lks. wide, course
N. E.
- 40.00 Set a pine post, 3 ft.
long, 4 ins. sq. with
marked stone, 24 ins.
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on N. face; dig pits
18 x 18 x 12 ins., E. and W.
of post, 3 ft. dist; and
raise a mound of earth
3 $\frac{1}{2}$ ft. base, $\frac{1}{2}$ ft. high
N. of cor.
- 42.50 Trail, bears N. E. and S. W.
- 44.36 Trail, bears N. W. and S. E.

Subdivision of

Chains

- 45.67 Trail, bears N.W. and S.E.
 49.79 Trail, bears N. and S.
 52.68 Trail, bears N.N.W. and S.S.E.
 53.22 Trail, bears N.E. and S.W.
 66.35 Trail, bears N.E. and S.W.
 80.00 The cor. of secs. 10, 11, 14 ²/₄ 15
 Land, level
 Soil, loam; 2nd rate
 No timber

No. 1' N. bet. secs. 10 and 11

Over level land

- 7.18 Trail, bears Easterly ²/₄ Westerly
 40.00 Set a pine post, 3 ft. long,
 4 ins. sq., with marked
 stone, 24 ins. in the
 ground, for ¹/₄ sec. cor.
 marked ¹/₄ S. on W.
 face, dig pits 18x18x12 ins.

T. 16 S. R. 24 E. - Continued

Chains

- N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3½ ft. base, 1½ ft. high, W. of cor.
- 50.80 Trail, bears N. N. E. and S. S. W.
- 58.65 Trail, bears N. N. E. and S. S. W.
- 59.05 Trail, bears N. N. E. and S. S. W.
- 60.25 Trail, bears N. N. E. and S. S. W.
- 64.76 Trail, bears N. E. and S. W.
- 71.50 Trail, bears N. N. E. and S. S. W.
- 80.00 Set a pine post, 3 ft. long, 4 ins. ^{sq} with marked stone, 24 ins. in the ground for cor. of secs. 2, 3, 10²/₄ 11, marked
- T. 16 S. S. 2 on N. E.,
R. 24 E. S. 11 on S. E.,
S. 10 on S. W., and
S. 3 on N. W. faces, with

Subdivision of

Chains

5 notches on S and
 2 notches on E. edges.
 dig pits 18x18x12 ins. in each sec. 5/4 ft. dist.,
 and raise a mound of
 earth 4 ft. base, 2 ft.
 high, W. of cor.
 Land, level
 Soil, loam; 2nd rate
 No timber

S 89° 52' E, on a random
 line bet. secs. 2 and 11

40.00 Set temp. 1/4 sec. cor.

79.92 Intersect N. and S.
 line, 3 lks. S. of cor. of
 secs. 1, 2, 11 and 12

Thence, I run
 N 89° 53' W., on a true line,
 bet. secs. 2 and 11
 Over level land

T. 16 S. R. 24 E. - Continued

Chains

- 14.06 Old road, bears N.W. and S.E.
- 21.00 Leave alkali flat, bears N.W. and S.E.
- 39.96 Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on N. face; dig pits 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 52.75 Trail, bears N.W. westerly ^{2nd} S. Easterly
- 52.80 Trail, bears N. Westerly ^{2nd} S. Easterly
- 59.32 Trail, bears N.W. and S.E.

Subdivision of

Chains

- 62.33 Trail, bears N.W. and S.E.
- 62.80 Trail, bears N. and S.
- 65.55 Trail, bears N.N.W. and S.S.E.
- 68.00 Dry wash, 8 lks. wide, course N.
- 69.40 Dry wash, 15 lks. wide, course N.E.
- 70.00 Dry wash, 8 lks. wide, course N.E.
- 71.21 Trail, bears N.N.W. ^{2nd} S.S.E.
- 73.49 Trail, bears N.N.W. ^{2nd} S.S.E.
- 74.30 Trail, bears N.N.W. ^{2nd} S.S.E.
- 74.33 Trail, bears N.N.W. ^{2nd} S.S.E.
- 76.06 Trail, bears N.N.W. ^{2nd} S.S.E.
- 76.59 Trail, bears N.N.W. ^{2nd} S.S.E.
- 77.43 Trail, bears N.N.E. and S.S.W.
- 79.08 Trail, bears N.N.E. and S.S.W.
- 79.92 The cor. of secs. 2, 3, 10 and 11
 Sand, level
 Soil, loam; 2nd rate
 No timber

T. 16 S. R. 24 E. - Continued

Chains

No. 1 W., bet. secs. 2 and 3
Over level land

- 6.65 Trail, bears N.W. and S.E.
 6.95 Trail, bears N.W. and S.E.
 8.15 Trail, bears N.W. and S.E.
 9.90 Trail, bears N.W. and S.E.
 9.98 Trail, bears N.W. and S.E.
 10.57 Trail, bears N.W. and S.E.
 11.15 Trail, bears E. and W.
 11.19 Trail, bears E. and W.
 11.80 Trail, bears E. and W.
 12.74 Trail, bears E. and W.
 13.13 Trail, bears E. and W.
 13.63 Wire fence, bears Easterly
and Westerly
 17.15 Wire fence, bears Easterly
and Westerly
 18.53 Enter reservoir, bears E. and W.
 18.68 Leave reservoir, bears E. and W.

Subdivisions of

Chains

- 19.10 Wire fence, bears Easterly and Westerly
- 19.32 Trail, bears E. and W.
- 20.80 Trail, bears N.N.W. and S.S.E.
- 21.61 Trail, bears N.N.W. and S.S.E.
- 26.69 Trail, bears N.N.W. and S.S.E.
- 34.35 Trail, bears N.E. and S.W.
- 40.00 Set a pine post, 3 ft. long, 4 ins. sq; with marked stone 24 ins. in the ground for $\frac{1}{4}$ sec. cor, marked $\frac{1}{4}$ S. on W. face; dig pits 18x18x12 ins. N. and S. of post, 3 ft. dist; and and raise a mound of earth 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
- 44.40 Trail, bears N.N.W. and

T. 16 S. R. 24 E. — Continued

Chains

S. S. E.

45.35 Trail, bears N. N. W. and S. S. E.

48.26 Trail, bears N. N. W. and S. S. E.

50.76 Trail, bears N. N. W. and S. S. E.

54.15 Trail bears N. N. W. and S. S. E.

56.00 Enter Alkali flat, bears N. W. & S. Easterly

60.00 Small enclosure, bears
about 8 chs. W.

76.88 Road, bears N. E. and S. W.

79.15 Intersect the "Third
Standard Parallel South"
at a point 26.39 chs.

West of the standard
cor. of secs. 34 and 35
T. 15 S. R. 24 E., at
which point, I set
a pine post, 3 ft. long,
4 ins. sq., with marked
stone, 24 ins. in the
ground, for closing

Chains

Subdivision of
cor. of secs. 2 and 3,
marked

C.C. T. 16 S. R. 24 E. on S.,
S. 2 on E., and

S. 3 on W. faces; with
2 grooves on E., and
4 grooves on W. faces;

Dig pits 24 x 18 x 12 ins;
cross wise on each

line, E. and W., 3 ft. and
S. of post, 7 ft. dist.

and raise a mound
of earth 4 ft. base, 2 ft.
high S. of cor.

Land level

Soil, loam and alkali; 4th rate

No timber

January 19. 1896

T. 16 S. R. 24 E. - Continued

Chains

January 21, 1896: At
 8 h 47^m. a. m., l. m. t.,
 I set off $32^{\circ}3'$ on the
 lat. arc, $19^{\circ}53'$ S, on the
 decl. arc, and determine
 a true meridian with
 the solar, at the cor. of
 secs. 15, 16, 21 and 22; as
 heretofore described.

Thence, I run

$50^{\circ}2'$ E. bet. secs. 21 ²/₃ & 22

Over level land, through
 scattering mesquite
 undergrowth

- 4.93 Trail, bears N. N. E. ²/₃ of S. S. W.
- 5.77 Trail, bears N. N. E. ²/₃ of S. S. W.
- 23.96 Trail, bears N. E. and S. W.
- 40.00 Set a pine post, 3 ft.
 long, 4 ins. sq, with

- Subdivision of
Chains
- marked stone, 24 ins.
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on W. face; dig pits
18x18x12 ins., N. and S.
of post, 3 ft. dist., and
raise a mound of earth,
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.
- 60.00 Enter scattering sage
undergrowth, bears E. and W.
- 64.24 Trail, bears E. and W.
- 65.10 Road from Dragoon
Summit to Rockfellow's
ranch and Sulphur-
Spring Valley, bears
N. Westerly and S. Easterly
- 80.00 Set a pine post, 3 ft.
long, 4 ins. sq., with

T. 16 S. R. 24 E. - Continued

Rains

marked stone, 24 ins.
in the ground, for
cor. of secs. 21, 22, 27^{and} 28,
marked

T. 16 S. S. 22 on N.E.,
R. 24 E. S. 27 on S.E.,
S. 28. on S.W. and
S. 21 on N.W. faces;
with 2 notches on S,
and 3 notches on E. edges,
dig pits 18x18x12 ins.
in each sec., 5½ ft.
dist. and raise a mound
of earth 4 ft. base,
2 ft. high, W. of cor.
Land gently rolling
Soil, loam, 2nd rate
No timber; undergrowth
scattering mesquite^{and} sage.

Subdivision of

Chains

- 40.00 $S 89^{\circ} 50' E$ on a random
 line, bet. secs. 22 and 27
 80.00 Set temp. $\frac{1}{4}$ sec. cor.
 Intersect N. and S.
 line, $2\frac{1}{2}$ lks. S. of cor.
 of secs. 22, 23, 26 and 27.
 Thence I run
 $N 89^{\circ} 51' W$, on a true line
 bet. secs. ~~22~~ and 27
 Over level land, through
 scattering mesquite
 undergrowth
 4.14 Trail, bears N. E. ^{and} S. W.
 40.00 Set a pine post, 3 ft
 long, 4 ins. sq., with
 marked stone 24 ins.
 in the ground, ^{for $\frac{1}{4}$ sec. cor} marked
 $\frac{1}{4}$ S., on N. face; dig
 pits 18 x 18 x 12 ins. E. and W.

T. 16 S. R. 24 E. - Continued

Chains

of post, 3 ft. dist; and
raise a mound of earth
3½ ft. base, 1½ ft. high,
N. of cor.

- 40.78 Trail, bears N. E. ^{2nd} and S. W.
41.25 Trail, bears N. E. ^{2nd} and S. W.
51.00 Road, from Dragoon
Summit to Rockfellow's
ranch and Sulphur
Spring Valley, bears
N. Westerly and S. Easterly
20.00 The cor. of secs. 21, 22, 27
and 28.

Land, level

Soil, loam; 2nd rate
No timber; undergrowth
scattering mesquite
and some sage.

Subdivision of

Chains

- So^o 2' E, bet. secs. 27nd & 28th
 Over gently rolling land
 3.10 Leave scattering sage
 and mesquite under growth,
 bears E. and W.
- 4.40 Trail, bears N. E. and S. W.
- 35.30 Trail, bears N. E. and S. W.
- 40.00 Set a pine post, 3 ft.
 long, 4 ins. sq., with
 marked stone, 24 ins. in
 the ground for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ S. and
 W. face; dig pits 18x18x12
 ins., N. and S. of post,
 3 ft. dist., and raise a
 mound of earth, 3 $\frac{1}{2}$ ft.
 base, 1 $\frac{1}{2}$ ft. high, W. of cor.
- 45.60 Trail, bears N. E. and S. W.
- 70.90 Trail, bears N. N. E. and S. S. W.

T. 16 S. R. 24 E. - Continued

Chains

80.00.

Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for cor. of secs. 27, 28, 33 and 34, marked

T. 16 S. S. 27 on N.E., R. 24 E. S. 34 on S.E., S. 33 on S.W., and S. 28 on N.W. faces, with 1 notch on S. and 3 notches on E. edges, dig pits 18x18x12 ins. in each sec., 5½ ft. dist., and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, gently rolling
Soil, loam, 2nd rate

Subdivision of

Chains

No timber, undergrowth
mesquite and sage.

S $89^{\circ}51'E$, on a random
line, bet. secs. 27 and 34

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect N. and S. line
5 lks. S. of cor. of secs.
26, 27, 34 and 35

Thence, run

N $89^{\circ}53'W$, on a true line,
bet. secs. 27 and 34

Over level land

21.39 Trail bears N.E. and S.W.

40.02 Set a pine post, 3 ft.
long, 4 ins. sq. with
marked stone, 24 ins.
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4} S$

T. 16 S. R. 24 E. - Continued

Chains

on N. face, dig pits
 18x18x12 ins. E. and W.
 of post, 3 ft. dist, and
 raise a mound of earth
 3½ ft. base, 1½ ft. high,
 N. of cor.

71.10 Trail, bears N. E. 2nd of S. W.80.04 The cor. of secs, 27, 28,
 33 and 34

Land, level

Soil, loam; 2nd rateNo timber; unclerground,
 scattering mesquite

S 0° 2' E., on a random
 line, bet. secs. 33 and 34

40.00 Set temp. ¼ sec. cor.

80.05 Intersect S. bdy. of
 Sp. at cor. of secs. 3, 4

Subdivisions of
Chains

- 33 and 34
Thence, I run
No^o 2' W., on a true line
bet. sees. 33 and 34
- 25.70 Trail, bears N.E. and S.W.
- 26.00 Trail, bears N.E. and S.W.
- 40.05 Set a pine post, 3 ft.
long, 4 ins. sq., with
marked stone, 24 ins.
in the ground, for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$
S. on W. face, dig pits
18x18x12 ins., N. and S.
of post, 3 ft. dist., and
raise a mound of earth,
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high
W. of cor.
- 59.10 Trail, bears N.N.E. ^{and} S.S.W.
- 71.20 Trail, bears N. Easterly ^{and} S. Westerly

T. 16 S. R. 24 E. - Continued

Chains

80.05

The cor. of secs. 27, 28, 33
and 34

Land gently rolling

Soil, loam; 2nd rate

No timber

From cor. of secs. 15, 16,
21 and 22, as heretofore
described, I run

N^o 2' W., bet. secs. 15th & 16th

Over level land, through
scattering mesquite
undergrowth

5.67 Trail, bears N. E. and S. W.

13.00 Leave scattering under-
growth, bears N. W. and S. E.

20.06 Trail, bears N. N. E. and S. S. W.

33.35 Trail bears N. N. E. and S. S. W.

40.00 Set a pine post, 3 ft

Subdivision of

Chains

long, 4 ins. sq. with
 marked stone, 24 ins.
 in the ground, for $\frac{1}{4}$ Sec
 cor., marked $\frac{1}{4}$ S. on
 W. face; dig pits 18x18x12
 ins. N. and S. of post,
 3 ft. dist.; and raise a
 mound of earth, $3\frac{1}{2}$
 ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

49.04 Trail, bears N.E. and S.W.

53.90 Trail, bears N.N.E. and S.S.W.

72.83 Trail, bears N.E. and S.W.

73.24 Trail, bears N.E. and S.W.

73.56 Trail, bears N.E. and S.W.

80.00 Set a pine post, 3 ft.
 long, 4 ins. sq. with marked
 stone 24 ins. in the
 ground, for cor. of

T. 16 S. R. 24 E. - Continued
Chains

secs. 9, 10, 15 and 16,
marked

T. 16 S. S. 10. on N. E.,
R. 24 E. S. 15. on S. E.,
S. 16 on S. W., and
S. 9 on N. W. faces;
with 4 notches on S.,
and 3 notches on E.
edges; dig pits 18x18x12
ins., in each sec. $5\frac{1}{2}$
feet dist; and raise
a mound of earth
4 ft. base, 2 ft. high,
W. of cor.

Land, level

Soil, loam; 2nd rate
No timber; undergrowth,
scattering mesquite

Subdivision of
Chains

- 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.16 Intersect N. and S. line
 3 lks. S. of cor. of secs
 10, 11, 14 and 15.
 Thence I run
 $N 89^{\circ} 51' W$, on a true line
 bet. secs. 10 and 15
 Over level and gently rolling
 land
 12.10 Trail, bears N. N. E. $\frac{2}{3}$ of S. S. W.
 19.00 Road from Wilcox
 to Rockfellow's ranch,
 and Sulphur Spring
 Valley, bears N. W. and S. E.
 25.60 Trail, bears N. N. E. $\frac{2}{3}$ of S. S. W.
 40.08 Set a pine post, 3 ft.
 long, 4 ins., with marked

T. 16 S. R. 24 E. - Continued

Chains

stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on N face; dig pits 18x18x12 ins. E. and W. of post 3 ft. dist.; and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.

- 46.93 Trail, bears N. N. E. 2^{nd} of S. S. W.
 62.80 Trail, bears N. N. E. 2^{nd} of S. S. W.
 70.18 Trail, bears N. N. E. 2^{nd} of S. S. W.
 71.64 Trail, bears N. N. E. 2^{nd} of S. S. W.
 72.15 Trail, bears N. N. E. 2^{nd} of S. S. W.
 80.16 The cor. of secs. 9, 10, 15 2^{nd} of

Land level and gently rolling
 Soil, $\frac{1}{2}$ gran; 2nd rd rille
 No timber

No^o 2' W., bet. secs. 9 and 10
 Over level land

Subdivision of

Chains

14.68

Trail, bears N.E. and S.W.

40.00

Set a pine post, 3 ft. long, 4 ins. sq. with marked stone, 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on W. face, dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist. and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.

51.63

Trail, bears N.E. and S.W.

56.95

Trail, bears N.E. and S.W.

69.03

Trail, bears N.E. and S.W.

80.00

Set a pine post, 3 ft. long, 4 ins. sq. with marked stone, 24 ins. in the ground, for cor. of secs. 3, 4, 9 and 10,

T. 16 S. R. 24 E. - Continued

Chains

marked

T. 16 S. S. 3, on N. E.,
R. 24 E. S. 10, on S. E.,
S. 9 on S. W., and
S. 4 on N. W. faces; with
5 notches on S., and
3 notches on E. edges;
dig pits 18x18x12 ins., in
each sec., 5½ ft. dist.,
and raise a mound
of earth 4 ft. base, 2 ft.
high, W. of cor.

Land, level

Soil, loam; 2nd rate

No timber

January 22. 1896

January 23. 1896; At 8^h 00^m
a. m., l. m. t., I set off
32° 4' on the lat. arc,

Subdivision of

Chains

- $19^{\circ}25'$ S. on the decl. arc,
 and determine a true
 meridian with the solar,
 at the cor. of secs. 3, 4,
 9 and 10; thence, I run
 $S 89^{\circ}51' E.$ on a random
 line, bet. secs. 3 and 10
 40.00 Set temp. $\frac{1}{4}$ sec. cor.
 80.28 Intersect N. and S. line
 5 lks. N. of cor. of secs.
 2, 3, 10 and 11.
 Thence, I run
 $N 89^{\circ}49' W.$ on a true line
 bet. secs. 3 and 10
 Over level land, through
 scattering mesquite
 undergrowth
 3.00 Trail, bears N. and S.
 5.38 Trail, bears N. and S.

T. 16 S. R. 24 E. - Continued

Chains

- 5.88 Trail, bears N. and S.
 6.70 Trail, bears N. and S.
 6.97 Trail, bears N. and S.
 7.11 Trail, bears N. and S.
 7.96 Trail, bears N. and S.
 8.14 Trail, bears N. and S.
 8.30 Trail, bears N. and S.
 8.60 Trail, bears N. and S.
 8.76 Trail, bears N. and S.
 9.01 Trail, bears N. and S.
 10.05 Trail, bears N. and S.
 10.68 Trail, bears N. and S.
 11.85 Trail, bears N. and S.
 13.37 Trail, bears N. and S.
 14.35 Trail, bears N.N.E. ²/₃ of S. S.W.
 15.81 Trail, bears N.N.E. ²/₃ of S. S.W.
 18.31 Trail, bears N.N.E. ²/₃ of S. S.W.
 18.44 Trail, bears N.E. and S.W.
 19.04 Trail, bears N.E. and S.W.

Subdivision of

Chains

- 19.68 Trail, bears N.E. and S.W.
- 21.79 Trail, bears N.E. and S.W.
- 26.90 Trail, bears N.E. and S.W.
- 28.61 Trail, bears N.E. and S.W.
- 29.04 Trail, bears N.E. and S.W.
- 29.83 Trail, bears N.E. and S.W.
- 40.14 Set a pine post, 3 ft. long, $\frac{4}{8}$ ins. sq. with marked stone 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on N. face; dig pits 18x18x12 ins. E. and W. of post, 3 ft. dist.; and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor.
- 43.12 Trail, bears N.E. and S.W.
- 48.00 Dred wash 10 lks. wide course S.E., and road from Wilcox to Sulphur Spring Valley, bears N.W. $\frac{2}{3}$ of N.E.

T. 16 S. R. 24 E. - Continued

- 61.68 Trail, bears N. E. and S. W.
 62.20 Trail, bears N. E. and S. W.
 80.28 The cor. of secs. 3, 4, 9 and 10
 Land, level
 Soil loam, 2nd rate
 No timber; undergrowth
 scattering mesquite & cactus

No 2' N. bet. secs. 3 and 4
 Over level land

- 18.17 Trail, bears Easterly ²/₃ of Westerly
 19.04 Trail, bears Easterly ²/₃ of Westerly
 30.92 Trail, bears N. E. and S. W.
 33.54 Trail bears N. E. and S. W.
 33.57 Old road, bears N. E. and S. W.
 40.00 Set a pine post, 3 ft.
 long, 4 ins. sq. with
 marked stone, 24 ins. in
 the ground for ¹/₄ sec. cor,
 marked ¹/₄ S. and W.

- Subdivision of
Chains
- face; dig pits $18 \times 18 \times 12$
ins. N. and S. of post,
3 ft. dist. and raise a
mound of earth $3\frac{1}{2}$ ft.
base, $1\frac{1}{2}$ ft. high, W. of cor.
- 46.19 Trail, bears Easterly
and Westerly
- 49.11 Trail, bears Easterly and
Westerly
- 49.89 Trail, bears E. and W.
- 49.97 Trail, bears Easterly ^{and} Westerly
- 51.96 Trail, bears East and West
- 53.21 Trail, bears E. and W.
- 53.89 Trail, bears E. and W.
- 56.55 Trail, bears E. and W.
- 58.03 Trail, bears E. and W.
- 59.64 Trail, bears E. and W.
- 61.38 Trail, bears E. and W.
- 61.99 Trail, bears E. and W.

T. 16 S. R. 24 E. - Continued

Chains

- 63.24 Trail, bears E. and W.
- 64.50 Trail, bears Easterly $\frac{2}{3}$ of Westerly.
- 64.94 Trail, bears E. and W.
- 65.60 Trail, bears E. and W.
- 67.00 Trail, bears E. and W.
- 67.61 Trail, bears N. E. and S. W.
- 67.83 Trail, bears E. and W.
- 70.48 Trail, bears E. and W.
- 70.54 Trail, bears E. and W.
- 72.00 Trail, bears E. and W.
- 73.90 Trail, bears E. and W.
- 75.18 Trail, bears E. and W.
- 77.05 Trail, bears E. and W.
- 77.88 Trail, bears E. and W.
- 79.00 Intersect the "Third Standard Parallel South," at a point 26.61 chs. West of the standard cor. of secs

Subdivision of Chains

33 and 34 T. 15 S.
R. 24 E., at which
point, I set a pine
post, 3 ft. long, 4 ins.
sq., with marked
stone, 24 ins. in the
ground for closing
cor. of secs. 3 and 4,
marked

C.C. T. 16 S. R. 24 E., on S.,
S. 3 on E., and
S. 4 on W. faces, with
3 grooves on E. and W.
faces; dig pits 24 x 18 x 12
ins., crosswise on each
line, E. and W., 3 ft.
and S. of post 7 ft.
dist., and ^{raise a mound of} earth, 4 ft.
base, 2 ft. high, S. of cor.

T. 16 S. R. 24 E. - Continued

chains

Land, level
Soil, loam; 2nd rate
No timbers

From the cor. of secs. 16, 17
20 and 21, as heretofore
described, I run
S^o 2' E., bet. secs. 20 and 21
Over level and gently rolling land
through scattering cactus
undergrowth

- 23.81 Trail, bears N. E. and S. W.
37.70 Trail, bears N. E. and S. W.
40.00 Set a pine post, 3 ft.
long, 4 ins. sq.; with
marked stone, 24 ins.,
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on W. face; dig pits 18x18x12

Chains	Subdivisions of
	ins. N. and S. of post, 3 ft. dist. and raise a mound of earth, 3½ ft base, 1½ ft. high, W. of cor.
41.00	Enter scattering mesquite undergrowth, bears N.W. ² / ₃ of S.E.
41.45	Road from Dagoon Summit to Rockfellow's ranch and Sulphur Spring Valley, bears N. 75° W ² / ₃ of S 75° E
51.00	Leave scattering cactus bears E. and W.
61.00	Enter dense sage undergrowth, bears E. and W.
66.20	Trail, bears N.E. and S.W.
70.21	Trail, bears N.E. and S.W.
72.91	Trail, bears N.E. and S.W.
74.42	Trail, bears Easterly ² / ₃ of Westerly
75.46	Trail, bears N.E. and S.W.

T. 16 S. R. 24 E. - Continued

Chains

75.58 Trail, bears Easterly $\frac{2}{3}$ of Westerly76.58 Trail, bears Easterly $\frac{2}{3}$ of Westerly76.95 Trail, bears Easterly $\frac{2}{3}$ of Westerly

79.51 Trail, bears N.E. and S.W.

80.00 Set a pine post, 3 ft.

long, 4 ins. sq., with

marked stone, 24 ins.,

in the ground for cor.

of secs. 20, 21, 28 and 29,

marked.

T. 16 S., S. 21 on N.E.,

R. 24 E., S. 28 on S.E.,

S. 29 on S.W., and

S. 20 on N.W. faces, with

2 notches on S., and 4

notches on E. edges; dig

pits 18 x 18 x 12 ins. in each

sec., 5 $\frac{1}{2}$ ft. dist., and raise

a mound of earth 4 ft

Chains

Subdivision of

base, 2 ft. high, W. of cor.
 Land level and gently rolling
 Soil, loam; 2nd rate
 No timber, under growth
 mesquite, sage and cactus.
 Land covered with dense
 undergrowth 19.00 chs

S 89° 50' E, on a random
 line, bet. secs. 21 and 28
 40.00 Set temp. 1/4 sec. cor.
 80.00 Intersect N. and S. line
 3 lbs. N. of cor. of secs.
 21, 22, 27 and 28.

Thence I run
 N 89° 49' W., on a true line,
 bet. secs. 21 and 28
 Over level land through
 scattering mesquite undergrowth.

T. 16 S. R. 24 E. - Continued

Chains

- 37.41 Trail, bears N.E. and S.W.
- 40.00 Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground, for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on N. face; dig pits 18x18x12 ins. E. and W. of post, 3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N. of cor. and enter dense sage undergrowth, bears N. and S.
- 41.78 Trail, bears N.E. and S.W.
- 42.00 Trail, bears N.E. and S.W.
- 45.80 Trail, bears N.E. and S.W.
- 80.00 The cor. of secs. 20, 21, 28 $\frac{3}{4}$ 29
 Sand, level
 Soil, loam; 2nd rate

Subdivision of

Chains

No timber; undergrowth
mesquite and sage
Land covered with dense
undergrowth 40.00 chs.

S. 0° 2' E. bet. sec. 28th & 29

Over level land, through
scattering mesquite, and
dense sage undergrowth

3.00 Leave dense sage under-
growth, bears E. and W.

4.00 Enter scattering caetous

24.20 Trail, bears N.E. and S.W.

40.00 Set a pine post, 3 ft.
long, 4 ins. sq., with
marked stone, 24 ins.,
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on W. face; dig pits

T. 16 S. R. 24 E. - Continued

Chains

18x18x12 ins. N. and S.
of post, 3 ft. dist; and
raise a mound of earth
3½ ft. base, 1½ ft. high,
W. of cor.

63.85 Trail, bears N. E. and S. W.

76.08 Trail, bears N. Easterly and
S. Westerly

80.00 Set a pine post, 3 ft.
long, 4 ins. sq., with
marked stone, 24 ins.
in the ground for cor. of
secs. 28, 29, 32 and 33,
marked,

T. 16 S. S. 28 on N. E.,
R. 24 E. S. 33 on S. E.,
S. 32 on S. W., and
S. 29 on N. W. faces;
with 1 notch on S. and

Subdivisions of

Chains

4 notches on E. edges;
dig pits 18x18x12 ins. in
each sec., 5½ ft. dist,
and raise a mound of
earth, 4 ft. base, 2 ft.
high, W. of cor.

Land level and gently rolling
Soil, loam; 2nd rate
No timber; undergrowth
mesquite, sage and
cactus.

Land covered with
dense undergrowth 3.00 cks.

S 89° 49' E. on a random
line, bet. secs. 28 and 33

40.00 Set temp. ¼ sec. cor.

80.00 Intersect N. and S. line
3 lks. N. of cor. of secs.

T. 16 S. R. 24 E. - Continued

Chains

27, 28, 33 and 34

Thence, I run

N 89° 48' W., on a true
line, bet. sees. 28 and 33

Over level land

8.37 Trail, bears N. E. and S. W.

37.58 Trail, bears N. E. and S. W.

40.00 Set a pine post, 3 ft.
long, 4 ins. sq., with
marked stone, 24 ins.
in the ground, for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on N. face; dig pits
18 x 18 x 12 ins. E. and W. of
post, 3 ft. dist. and raise
a mound of earth, $3\frac{1}{2}$
ft. base, $1\frac{1}{2}$ ft. high,
N. of cor.

43.67 Trail, bears N. E. and S. W.

Subdivisions of T. 16 S. R. 24 E - *Continued*

- 48.69 Trail, bears Easterly and Westerly
 63.44 Trail, bears N.E. and S.W.
 79.23 Trail, bears N.E. and S.W.
 80.00 The cor. of sees. 28, 29, 32nd & 33
 Land, level and gently rolling
 Soil, loam; 2nd rate
 No timber; undergrowth
 scattering cactus

S 0° 2' E. on a random
 line, bet. sees. 32 and 33

40.00 Set temp. 1/4 sec. cor.

80.06 Intersect S. bdy. of Twp.
 8 lks. W. of cor. of sees.
 4, 5, 32 and 33, as hereto-
 fore described.

Thence, I run
 N 0° 5' W., on a true line
 bet. sees. 32 and 33

Concluded, Book 865.