

SUBDIVISION

T17 S. R. 11 E

CONTRACT 65

#  
PH. CONTZEN

U. S. D. SUR.

3.

No. 859

BOOK 859

4-671

FIELD NOTES  
GENERAL LAND OFFICE.

859

Compared  
 Indexed Book 857.

Township 175 R. 11E 120

6	148	5	4	3	2	1
145	144					
7	141	8	9	10	11	12
139	136					
18	134	17	16	15	14	13
131	129					
19	127	20	21	22	23	24
125	122					
30	121	29	28	27	26	25
31	32	33	34	35	36	

Subdivision of N 17 S, R 11 E - Continued  
 Chains

- 1/4 sec cor, marked 1/4 30 on Wand  
 29 on E faces, from which a mesquite  
 14 ins diam, bears S 82<sup>3</sup>/<sub>4</sub>° W, 217 lbs  
 dist, marked 1/4 sec 30, B.T. and  
 raise a mound of stone 2 ft base,  
 1 1/2 ft high, W of cor. Dibs in-  
 practically, and enter dense  
 brush and grass undergrowth
- 58.10 Enter wash
- 62.00 Leave wash, course N. N. westerly
- 69.75 Enter wash, course N westerly
- 79.00 Leave wash, course N westerly
- 80.00 Set a granite stone 18 x 8 x 6 ins,  
 10 ins in the ground, for cor of secs  
 19, 20, 29 and 30, marked with 2 notches  
 on S and 5 notches on E edges, from  
 which a mesquite 6 ins diam,  
 bears N 40° E, 97 lbs dist, marked  
 S 17 S, R 11 E, S 20, B.T.

Subdivision of Township 17 S,  
Chains

A mesquite 7 ins diam, bears  
N 45° W, 170 lks dist, marked P 17  
S, R 11 E, S 19 B. 7. no other trees  
within limits, and raise a mound  
of stone 2 ft base, 1 1/2 ft high, W of  
cor. Site impracticable.

Land, Mountainous

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rate  
Timber, a few mesquite; under-  
growth, tobacco, mesquite and  
yucca.

Mountainous land or land covered  
with dense undergrowth 8,000 Chs

S 89° 44' E, on a random line bet  
secs 20 and 29

4,000

Set back 1/4 sec cor.

8,006

Intersect N and S line 31 lks  
S of the cor of secs 20, 21, 28 and

Range 11 E - continued  
Chains

29.

Shnee Brm.

West on a true line bet secs 20  
and 29.

Overrolling and mountainous land

4.50 Rush 10 lks wide, course N westerly

7.20 Rush 10 lks wide, course N westerly

16.40 Rush 5 lks wide, course N westerly

17.00 Enter dense undergrowth

27.00 Rush 25 lks wide, course N westerly

37.20 Leave dense undergrowth, descend  
gradually to Snows canon41.13 Set a granite stone 18x12x6 ins,  
12 ins in the ground, for  $\frac{1}{4}$  sec 20,  
marked  $\frac{1}{4}$  20 NW  $\frac{1}{4}$  and 29 on S face,  
from which a mesquite 4 ins diam,  
bears S 81 $\frac{1}{2}$ ° E, 34 lks dist, marked  
 $\frac{1}{4}$  S 29, B. 7.A tree 4 ins diam, bears N  
64 $\frac{1}{2}$ ° W, 12 lks dist, marked  $\frac{1}{4}$  S

# Subdivision of Township 17 S chains

- 20, B.T. and raise a mound of stone  
2 ft base, 1 1/2 ft high, N of cor.
- 41.50 Wash in cañon, 20 lbs wide, course  
N westerly; ascend
- 43.50 Top of ascent, bears N W and S E.
- 61.00 Wash 20 lbs wide, course N westerly
- 63.50 Wash 40 lbs wide, course N westerly
- 67.00 Top of ridge, bears N W and S E;  
Ascend
- 72.00 Enter dense undergrowth
- 73.00 Wash 30 lbs wide, course N westerly  
enter draw
- 78.30 Leave draw
- 79.10 Top of spur, bears N W and S E, <sup>ascend</sup>
- 81.06 The cor of secs 19, 20, 29, and 30  
Land rolling and mountainous  
Soil, gravelly, 2<sup>d</sup> and 3<sup>d</sup> rate  
Timber, a few mesquite  
Mountainous land or land covered

## Range 11 E - Continued

Chanis

with dense undergrowth 8006 chs

West on a true line but size 19 and  
31.

Overrolling land

- 1.00 Wash 10 lbs wide, course N westerly;  
ascend
- 5.50 Top of ridge, bears N W and S E.
- 11.00 Wash 5 lbs wide, course N westerly
- 16.00 Wash 20 lbs wide, course N westerly
- 40.00 Set a porphyry stone 18x10x8 ins, 12  
ins in the ground, for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  19.7m N and 30m S of cor.  
and raise a mound of stone 2 ft  
base,  $1\frac{1}{2}$  ft high, N of cor. Hills  
impracticable
- 42.20 Wash 15 lbs wide, course N westerly
- 51.30 Wash 15 lbs wide, course N westerly
- 54.30 Wash 5 lbs wide, course N westerly

# Subdivision of Township 17 S

Chains

57.00 Sup of ridge, bears N W and S E

69.32 Intersect Second Guide Meridian

10.30 chs S of the cor of secs 24 and 25  
as heretofore described

Set a granite stone 18 x 14 x 8 ins  
12 ins in the ground for closing cor.  
of secs 19 and 30, marked C.C. on E  
with 2 grooves on S and 4 grooves on  
N faces, and raise a mound of stone  
2 ft base 1 1/2 ft high, E of cor. Pits  
impracticable

Land, rolling and mountainous

Soil, gravelly; 3<sup>d</sup> rate

No timber, undergrowth, mesquite  
and trouts.

February 9, 1901

February 10, 1901. At 8<sup>h</sup> 30<sup>m</sup> a.m., l.m.t.  
I set off 35° 55' on the lat arc, 14° 25' S



## Rangel // E - Continued

Chains

on the declarc, and determine a  
true meridian with the solar at  
the ear of secs 19, 20, 29 and 30.

Shiner Point

No. 03' W, bet secs 19 and 20

Overrolling and broken land

- .50 Enter wash, course northerly
- 7.50 Brav wash, course N westerly
- 20.50 Top of ridge, bears NW and SE.
- 26.50 Wash 50 lbs wide, course N westerly
- 29.50 Top ridge, bears NW and S. E.
- 30.50 Descend
- 34.50 Fresno canon, 50 lbs wide, course  
N westerly.
- 39.00 Top
- 40.00 Set a granite stone 18x10x7 ins, 12  
ins in the ground for  $\frac{1}{4}$  sec 20.  
marked  $\frac{1}{4}$  19 NW and 20 on E  
face, from which a megnite 6

# Subdivision of Township 17 S Chains

ins diam, bears  $N 59^{\circ} W$ , 150 lks  
dist, marked  $\frac{1}{4}$  S 19, B. 7.

A mesquite 6 ins diam, bears  
 $N 88^{\circ} E$ , 215 lks dist, marked  $\frac{1}{4}$   
S 20 B. 7.

46.30 Wash 30 lks wide, course  $N$ , westerly

70.20 Road, bears  $E$  and  $W$

73.90 Entry draw, bears  $N W$

79.90 Wash 50 lks wide, course  $N$  westerly

80.00 Point for sec cor falls in wash

80.50 Set a granite stone  $18 \times 10 \times 8$  ins, 12  
ins in the ground for witness cor  
to cor of Secs 17, 18, 19 and 20, marked  
 $W. C.$ , with 4 notches on  $S$  and 5  
notches on  $E$  edges, from which  
a mesquite 7 ins diam, bears  $N$   
 $39^{\circ} E$ , 235 lks dist, marked  
 $W. C.$ , S 17 S, B. 11 E, S 17 B. 7.

A mesquite 12 ins diam, bears

## Range 11 E - Continued

- Chains S 84° E, 267 lks. dist, marked W.C.  
 S 17 S, R 11 E, S 20 B. 7.  
 A tree 5 ins diam, bears S 69 1/2°  
 N, 113 lks. dist, marked W.C. S 17 S,  
 R 11 E, S 19 B. 7.  
 ✓ A mesquite, <sup>9</sup> ins diam, bears  
 N 22 3/4° W, 72 lks. dist, marked  
 W.C. S 17 S, R 11 E, S 18, B. 7.  
 Land, rolling and broken  
 Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rate  
 Timber, scattering mesquites.

East and a random line bet secs  
 17 and 20.

4000 Set bump 1/4 sec cor.

8008 Intersect N and S line 12  
 lks S of cor of secs 14, 17, 20 and  
 21

Plumer Point

- Subdivision of Township 17 S  
 Chains S89°55' W, on a true line bet sec  
 17 and 20,  
 Over mountainous land  
 Ascending  
 2.00 Top of ridge, bears N and S,  
 of ascent  
 4.50 Head of gulch, bears 5 chs S,  
 descending  
 12.60 Top of ascent  
 14.40 Gulch 10 lbs wide, course, south<sup>ly</sup>  
 ascent  
 25.70 Top of high ridge, bears N W and  
 S. E.  
 36.50 Foot of descent  
 40.04 Set a granite stone 18 x 12 x 10 in,  
 12 in in the ground, for  $\frac{1}{4}$  sec  
 cor, marked  $\frac{1}{4}$  17 on N and 20  
 on S faces, and raise a mound  
 of stones 2 ft base,  $1\frac{1}{2}$  ft high, N

## Range 11 E - Continued

- Chains  
 of ev. Pits impracticable
- 42.00 Descend
- 54.50 Gully, wash 5 lbs wide, course  
 N westerly.
- 59.00 Top of ridge, bears N W and S E
- 78.00 Descend and enter draw
- 80.08 The ev of secs 17, 18, 19 and 20  
 Land, mountainous  
 Soil gravelly, 3<sup>d</sup> rate  
 Timber, scattering mesquite.  
 Mountainous land 80.08 Chs
- 
- <sup>unq. true line</sup>  
 West, bet secs 18 and 19  
 Over rolling land
- 2.50 Wash in draw, 50 lbs wide, course  
 N westerly
- 3.00 Cross draw
- 11.00 Top of ridge, bears N W and S E.
- 14.60 Road, bears N W and S E.

Subdivision of Township 19 S  
to S. W.'s Ranch

Chains

- 16.50 Road, bears N W and S E
- 27.00 Wash 10 lks wide, course N westerly
- 36.71 Wash 20 lks wide, course N westerly
- 38.00 Top of spur, bears N W.
- 39.00 Wash 20 lks wide, course N westerly
- 40.00 Set a granite stone 18 x 12 x 6 ins.  
12 ins in the ground for  $\frac{1}{4}$  sec  
One marked  $\frac{1}{4}$  18 on N and 19 on W  
S faces, from which a mesquite  
5 ins diam, bears S 29° W, 8 lks dist,  
marked  $\frac{1}{4}$  S 19, B. 7.
- A mesquite 15 ins diam, bears  
N 29° E, 13 4 lks dist, marked  $\frac{1}{4}$  S 18  
B. 7.
- 45.00 Top
- 50.00 Wash 10 lks wide, course N westerly
- 54.00 Top of ridge, bears N W and S E
- 65.00 Enter draw, bears N. W., and enter  
Sassa tesota mangrove

## Range 11 E - Continued

Chanis

67.00 Wash 50 lbs wide, course westerly

67.39 Old brush fence, bears N and S.

69.12 Intrus set S of Sec of Guide Marician  
10.25 lbs S of cor of secs 13 and 24

Set a granite stone 18 x 6 x 6 ins,  
12 ins in the ground, for closing  
cor of secs 18 and 19, marked C on  
E, with 3 grooves on S and 3  
grooves on N face, from which  
a trestle 8 ins in diam, bears N  
 $78\frac{1}{2}^{\circ}$  E, 98 lbs dist, marked P 17 S,  
B 11 E, S 18, B 57.

A trestle 10 ins diam bears S  
 $55\frac{1}{2}^{\circ}$  E, 183 lbs dist, marked N  
17 S, B 11 E, S 19, B 57.

Land, rolling

Soil, gravelly; 2 and 3<sup>d</sup> rate  
Pinus, scattering mesquites;  
undergrowth, Acacia

Subdivision of Township 17 S  
Chain

Mountains land or land covered  
with dense undergrowth 26.00 chs

February 10, 1901.

February 11, 1901. At 7<sup>h</sup> 20<sup>m</sup>, a.m., lmt.  
Set off 21° 56' on the lat. arc,  
14° 06' S on the decl. arc, and deter-  
mine a true meridian with the  
solar at the cor. of secs 17, 18, 19 and 20.

Thence from

From cor. point, cor. secs 17, 18, 19 and  
20, N 0° 03' W, bet. secs 17 and 18

3.80

Cross draw and enter dense forest  
and (also under undergrowth

14.00

Top of divide, bears N W, and S. E.  
ascend

27.00

Wash 10 lbs wide, course N mostly  
ascend

38.00

Top of ridge, bears N W and S E.



## Range 11 E - Continued

- Chain  
 40.00 Set a granite stone 18x16x8 ins,  
 12 ins in the ground for  $\frac{1}{4}$  sec cor.  
 marked 14 18 on W and 17 on E  
 faces, and raise a mound of stone 2  
 ft base, 1 1/2 ft high, W of cor. Pits  
 impracticable.
- 41.80 Enter drain, bars N W and SE
- 43.80 Wash 20 lbs wide, course N westerly,  
 as end
- 46.00 Grad draw
- 53.50 Enter level land
- 58.50 Wash 50 lbs wide, course N westerly
- 72.00 Old road, bars N W.
- 80.00 Set a granite stone 18x12x8 ins, 12  
 ins in the ground for cor of sec 7,  
 8, 17 and 18, marked with 4 notches  
 on S and 5 notches on E edges,  
 from which a mesquite 6 ins diam,  
 bars N 42 $\frac{1}{2}$ ° E, 80 $\frac{1}{2}$  lbs dist, marked

Subdivision of Township 17 S  
Chains

S 17 S, R 11 E, S 8 B. 7.

A mesquite 10 ins diam, bears  
S  $27\frac{1}{4}^{\circ}$  E, 117 lks dist, marked S  
17 S, R 11 E, S 17, B. 7.

A mesquite 10 ins diam, bears S  
 $51^{\circ}$  W, 147 lks dist, marked S 17 S,  
R 11 E, S 18, B. 7.

A mesquite 10 ins diam,  
bears N  $22^{\circ}$  W, 162 lks dist, marked  
S 17 S, R 11 E, S 4 B. 7.

Land, rolling  
Soil, gravelly, 3<sup>d</sup> rate  
Timber, scattering mesquites,  
undergrowth, trees and pale woods  
Land covered with grass un-  
dergrowth, 76.20 Chs

N  $89^{\circ} 55'$  E, on a random line bet  
Sec 8 and 17.

## Range 11 E - Continued

Chains

- 40.00 Set camp  $\frac{1}{4}$  sec cor
- 81.16 Intersect N and S line 22 chs N  
of cor of secs 8, 9, 16 and 17.
- Shnee Run
- From cor point, N  $89^{\circ}56'$  W, on a  
true line bet secs 8 and 17.
- Over level and unimproved land
- .60 Gravel wash, course S westerly
- 4.00 Ascend
- 6.00 Top of S. slope
- 16.00 Point; ascend
- 30.00 Top of spur, bears N and S; descend
- 35.00 Point.
- 38.00 Wash 10 chs wide, course S westerly
- 38.70 Set a granite stone  $18 \times 12 \times 6$  ins,  
12 ins in the ground for witness  
cor to  $\frac{1}{4}$  sec cor, marked W.C.;  
 $\frac{1}{4}$  8 on N and 17 on S faces, from  
which a mesquite 5 ins diam,

Subdivision of Township 17 S  
Chains

N 25° E, 79 lks dist, marked W.C.  
1/4 S 8, B. 7.

A mesquite 12 ins diam, bears  
S 28<sup>3</sup>/<sub>4</sub>° W, 134 lks dist, marked W.C.  
1/4 S. 17 B. 7.

40.03 Point for 1/4 sec cor falls in Wash 30  
lks wide, course S westerly; ascend

42.50 Top, bears S W and N E

44.00 Wash 10 lks wide, course S westerly

46.00 Top of spur bears N and S.  
Ascend

49.00 Foot

53.00 Wash 50 lks wide, course N westerly

66.00 Wash 100 lks wide course N westerly

69.50 Ascend

70.30 Top; descend

74.00 Foot

78.00 Wash 100 lks wide, course N westerly

80.06 The cor of secs 7, 8, 17 and 18.

## Range 11 E - Continued

Chains

Land, rolling and mountainous  
 Soil, gravelly; 3<sup>rd</sup> rate  
 Timber, scattering mesquite and  
 Palo verde  
 Mountainous or land covered with  
 dense undergrowth 80.06 chs.

Dist on a true line bet sec 7  
 and 18

Overrolling land

- 5.00 Old road, bears N W and S E  
 26.50 Wash 100 lbs wide, course N westerly  
 40.00 Set a granite stone 18x10x6 ins,  
 12 ins in the ground for  $\frac{1}{4}$  sec  
 cor, marked  $\frac{1}{4}$  7 on N and 18 on  
 S faces, from which a true  
 line drain, bears N 24° W, 138  
 lbs dist, marked  $\frac{1}{4}$  S 7, B. T.  
 A mesquite 18 ins drain, bear

Subdivision of Township 17 S  
Chains

- S  $2\frac{1}{2}^{\circ}$  E, 209 chs dist, marked  $\frac{1}{4}$   
S 18, B. T.
- 43.00 Wash 100 chs wide, course N mostly
- 6.000 Draw dense undergrowth
- 64.50 Old road, bears N W and S E
- 68.60 Old road bears N W and S E
- 68, 9  $\frac{1}{2}$  Intersect Second Guide Meridian
- 10.07 <sup>10.07</sup>  
~~14.77~~ chs S of cor of secs 12 and 13
- Set a granite stone 18 x 12 x 12 ins  
12 ins in the ground for closing cor.  
of secs 7 and 18, marked C. C. on E,  
with 4 grooves on S and 2 grooves on  
N face, dig pits, 311 x 24 x 12 ins,  
N and S, 4 ft, and E of stone 8 ft  
dist, and raise a mound of earth  
5 ft base,  $2\frac{1}{2}$  ft high, E of cor.  
Land, rolling  
Soil, gravelly; 3<sup>d</sup> rate  
Timber, scattering mesquites.

## Range 11 E - Continued

Chain

undergrowth, mesquite and  
palo verdeLand covered with dense under-  
growth, 6400 chs.

February 11, 1901

February 12, 1901. At 6<sup>h</sup> a.m.,  
l.m.t., I set off  $31^{\circ}57'$  on the lat  
arc,  $13^{\circ}44'$  S on the decl arc, and  
determine a true meridian with  
the polar at the cor of secs 7, 8, 17  
and 18.

Shaner Brun

No<sup>o</sup> 03' W, bet secs 7 and 8.

Over level and mountainous land

4:20 Wash 100 lbs wide, down N westerly

22:30 Wash 20 lbs wide, down N westerly

26:00 Ascend S W slope of rocky spur

4:00 The point for  $\frac{1}{4}$  sec cor fall on

Subdivision of Township 17 S  
Chains

- granite rock in place,  $4 \times 12 \times 20$   
ft above ground, on which  
cut a cross (x) at the exact cor-  
ner point for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  7 on  
W and 8 on E side of cross, and  
raise a mound of stone 2 ft base  $1\frac{1}{2}$   
ft high at ft of cliff, 30 ft below  
cor point; pits impracticable;  
Continue ascending
- 7000 Top of rocky ridge, bears E and  
W, descend
- 77000 End of ridge.
- 8000 Set a granite stone  $18 \times 8 \times 8$  ins,  
12 ins in the ground, for cor of sec  
5, 6, 7 and 8, marked with 5 notches  
on S and 5 notches on E edges, from  
which a pale over 10 ins diam,  
bears N  $17^\circ$  E, 161 lbs dist, marked  
B 17 S, B 11 E, S 5, B 7.



## Range 11 E continued

Chavis

A mesquite 8 ins diam, bears  
 $S 2 \frac{1}{2}^{\circ} E$ , 115 lbs dist, marked P  
 17 S, R 11 E, S 8, B. 7.

A mesquite 14 ins diam,  
 bears  $S 69^{\circ} W$ , 131 lbs dist, marked  
 P 17 S, R 11 E, S 7, B. 7.

A palo verde 8 ins diam, bears  
 $N 32 \frac{1}{4}^{\circ} W$ , 125 lbs dist, marked P  
 17 S, R 11 E, S 6, B. 7, and raised a  
 mound of stone 2 ft base  $1 \frac{1}{2}$  ft  
 high, W of cor.

Land level and mountainous  
 soil, gravelly and rocky 4" rats  
 timber, scattering mesquite,  
 palo verde and tesota; under-  
 growth, palo verde, tesota  
 and giant cactus

Mountainous land or land covered  
 with dense undergrowth, 8,000 lbs.

Subdivision of Township 17 S  
Chains

$S 89^{\circ} 56' E.$

~~At~~ a random line bet  
secs 5 and 8.

40.00 Set temp  $\frac{1}{4}$  sec cor

80.20 Put in set N and S line ~~at~~

~~at~~ <sup>at</sup> ~~at~~ ~~at~~ ~~at~~ ~~at~~  
of secs 4, 5, 8 and 9  
Shiner Run

$N 89^{\circ} 56' W$ , a true line bet  
secs 5 and 8.

Over rolling and mountainous  
land

12.00 Wash 15 lbs wide, course N  
westly; ascend

40.10 Set a granite stone  $20 \times 14 \times 7$  ins,  
14 ins in the ground, for  $\frac{1}{4}$  sec  
cor, marked  $\frac{1}{4}$  5 on N and 8 on  
S faces, from which a mesquite  
12 ins diam, bears  $N 52^{\circ} W$ , 209  
lbs dist, marked  $\frac{1}{4}$  S-5, 13.77,  
no other trees within, and raise

## Range 11 E - Continued

Chains

a round stone 2 ft base, 1 1/2 ft high, N of cor. Pits impracticable

49.00 Top of S slope of Mt; descend.

68.00 Wash 10 lbs wide, course N westerly

78.00 Wash 10 lbs wide, course N westerly

80.20 The cor of secs 5, 6, 7 and 8  
Land, rolling and mountainous  
Soil, gravelly; 3d rate  
Timber, a few scattering mas-  
quits; undergrowth, scattering  
hale vander, vesota and ocotilla  
Mountainous land @ 87.20 chsRest on a tree line bet secs  
6 and 7

Over rolling land

Descending

Subdivision of Township 17 S  
Chains

- 13.111 NW limit of high ridge  
 18.00 Road from Ineson to Stevens' ranch, bears N and S.  
 32.70 Wash 20 lbs wide, course N westerly; ascend  
 40.00 Top of low ridge, bears N W and S. E.  
 Set a granite stone 18 x 12 x 6 ins, 12 ins in the ground for  $\frac{1}{4}$  see cor, marked 146 on N and 7 on S faces, and raise a mound of stone 2 ft base  $\frac{1}{2}$  ft high N of cor. Pits impracticable.  
 45.10 Wash 20 lbs wide, course N westerly ascend  
 47.80 Top of mesa  
 65.80 Wash 10 lbs wide, course N westerly

## Range 11 E Continued

- Chain  
67.20 Top of Cambridge bears  $NW$   
and  $S.E.$
- 68.50 Set a granite stone  $18 \times 12 \times 6$  ins  
12 ins in the ground for witness  
cor to closing cor of sres 6 and  
7, marked  $W.C.$ ,  $CC$  on  $E$ , with  
5 grooves on  $S$  and 1 groove on  
 $N$  face, from which a mes-  
quite 6 ins diam, bears  $N.3^{\circ}W$ ,  
148 lbs dist, marked  $W.C.$   
 $S 17 S$ ,  $R 11 E$ ,  $S 1 B.7.$
- A mesquite 3 ins diam,  
bears  $S 59^{\circ} E$ , 180 lbs dist,  
marked  $W.C.$ ,  $S 17 S$ ,  $R 11 E$ ,  $S$   
 $7 B.7.$ , and raise a mound  
of stone 2 ft base,  $1\frac{1}{2}$  ft high  
 $E$  of cor.
- 68.82 Intersect Second Guide  
Meridian 10.20 lbs,  $N. N.$   
South of the cor of

Subdivision of Township 17 S  
 Chanis

~~Partly of the cor of secs 1  
 and 2, T 17 S R. 10 E.~~

Point facing cor of secs 6  
 and 7 falls in wash.

Land rolling

Soil, gravelly; 3 rats

Silber, a few mesquite and  
 palo verde; undergrowth, palo  
 verde, teasal and mesquite.

No. 03' Run a random line bet  
 secs 5 and 6

40.00 Set temp  $\frac{1}{4}$  sec cor

79.90

Intersect N bdy of the Pp 25-  
 lbs W of the cor of secs 5, 6, 31  
 and 32, as heretofore described.

Run a

So. 08' W on a true line bet  
 secs 5 and 6

## Range 11 E - Continued

Chain

Overrolling land

- 13.50 Wash 20 lbs wide, course N  
westerly
- 37.50 Wash 5 lbs wide, course N  
westerly
- 39.00 Wash 10 lbs wide, course N  
westerly
- 39.90 Put a granite stone 18x8x8  
ins, 12 ins in the ground for  
1/4 sec cor, marked 1/4 C on W  
and S on E faces, from which  
a pale vrod 7 ins diam, bears  
N 90° W, 118 lbs dist, marked  
1/4 S 6, B. 7.
- A pale vrod 8 ins diam,  
bears S 7 3/4° E, 178 lbs dist,  
marked 1/4 S 5 B. 7.
- 45.911 Enter scattering undergrowth
- 46.30 Wash 30 lbs wide, course N

Subdivision of Township 17 S  
Chains

- westerly
- 48.85 Wash 10 lks wide, course N  
westerly
- 58.10 Wash 20 lks wide, course N westerly
- 60.20 Road, bears N E and S W
- 72.00 Wash 5 lks wide, course N <sup>ascend</sup> westerly
- 77.00 Top of low ridge, bears E and W
- 79.00 Wash 40 lks wide, course N westerly
- 79.90 The cor of sec 5, 6, 7 and 8.  
Land rolling and level  
Soil, gravelly; 2<sup>nd</sup> rate  
Timber scattering mesquite and  
palo verde; undergrowth, palo  
verde, mesquite and trisota.

February 12, 1901.

General Description

This Township comprises nearly  
every variety of land from plains



## Range 11 E - Concho

Chains

to mountains. The soil is mostly gravelly loam. The mountainous land is covered with an abundant growth of rich and nutritious grasses. Sycamore and ash timber are found along the gulches and in the canons, while the tops in general are covered with oak. On the southeast and northwest portions there is some mesquite and palo verde timber. Water is found in many of the canons and gulches. There is one settler in Sec 20 who has some substantial improvements. There are a number of sheep camps in the east tier along the east slope of the Sierritas. There

Chains

are minimal indications along  
the south boundary. This  
township is principally valuable  
for grazing purposes.

Philip Couzner  
U. S. Deputy Surveyor