

8

3.

865

No. 865

4-671

FIELD NOTES
GENERAL LAND OFFICE.

Subdivision
—v— of —v—
T. 16 S. R. 24 E.

Indexed, Book 864

Township 16S R. 24E 124

6	162	5	134	4	3	2	1
161		159		132			
7	156	8	130	9	10	11	12
155			128				
18	153	17	126	16	15	14	13
19	136	20		21	22	23	24
141		139					
30	143	29		28	27	26	25
147		145					
31	149	32		33	34	35	36

Subdivision of T16 S. R. 24 E. - Continued

Over level land

- 15.10 Trail, bears N.E. and S.W.
- 40.06 Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on W. face; dig pits 18 x 18 x 12 ins. N. and S. of post, 3 ft. dist., and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
- 59.98 Trail, bears E. and W.
- 65.98 Trail, bears N.N.E. and S.S.W.
- 70.80 Trail, bears E. and W.
- 79.18 Trail, bears N.E. and S.W.
- 80.06 The cor. of secs. 28, 29, 32 ^{24/33}
Land, level

Subdivisions of

chains

edges; dig pits $18 \times 18 \times 12$ ins. in each sec., $5\frac{1}{2}$ ft. dist. and raise a mound of earth, 4 ft. base, 2 ft. high, W. of cor.

Land, level and gently rolling
Soil, loam; 2nd rate
No timber; undergrowth scattering mesquite and cactus.

$S 89^{\circ} 50' E$. on a random line, bet secs. 9 and 16

40.00 Set temp. 4 sec. cor.

80.12 Intersect N. and S. line at cor. of secs. 9, 10, 15th and 16.

Thence, I run

$N 89^{\circ} 50' W$., on a true line bet. secs. 9 and 16

Over level and gently rolling land

T. 16 S. R. 24 E. - Continued

Chains

- 3.05 Trail, bears N. and S.
- 9.07 Trail, bears N. and S.
- 13.52 Trail, bears N. N. E. and S. S. W.
- 36.55 Trail, bears N. N. E. and S. S. W.
- 40.06 Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on N. face; dig pits 18 x 18 x 12 ins., E. and W. of post, 3 ft. dist., and raise a mound of earth 4 ft. base, 2 ft. high, N. of cor.
- 51.98 Trail, bears N. E. and S. W.
- 52.15 Trail, bears N. E. and S. W.
- 54.39 Trail, bears N. E. and S. W.
- 60.00 Enter scattering mesquite undergrowth, bears N. and S.

Subdivision of

Chains

80.12 The cor. of secs. 8, 9, 16 and 17

Land, level and gently rolling
 Soil, loam; 2nd rate
 No timber, undergrowth
 scattering mesquite

No. 2' W., bet. secs. 8 and 9
 Over level and gently rolling
 land, through scattering
 mesquite and cactus
 undergrowth

20.00 Leave scattering mesquite
 undergrowth, bears N.E. ²/₃ and S.W.

21.06 Trail, bears N.E. and S.W.

26.40 Trail, bears N.E. and S.W.

27.28 Trail, bears N.E. and S.W.

28.07 Trail, bears N.E. and S.W.

35.97 Old road, bears N. Easterly
 and S. Westerly

T. 16 S. R. 24 E. - Continued

chains

40.00

Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face; dig pits 18 x 18 x 12 ins. N. and S. of post, 3 ft. dist.; and raise a mound of earth $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high W. of cor.

80.00

Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for cor. of secs. 4, 5, 8 and 9, marked

T. 16 S. S. 4 on N. E.,
R. 24 E. S. 9 on S. E.,
S. 8, on S. W., and

Subdivision of Chains

S. 5 on N. W. faces; with
5 notches on S. and
4 notches on E. edges;
dig pits 18x18x12 ins. in
each sec. 5½ ft. dist. and
raise a mound of earth
4 ft. base, 2 ft. high, W. of cor.
Land, level and gently rolling
Soil, loam; 2nd rate
No timber; undergrowth
mesquite and cactus

S 90° 50' E. on a random
line bet. secs. 4 and 9
40.00 Set temp. ¼ sec. cor.
79.90 Intersect N. and S. line
5 lks. S. of cor. of secs.
3, 4, 9 and 10.
Thence I run

T. 16 N. R. 24 E. - Continued

Chains

789052' W., on a true line,
bet. secs. 4 and 9

Over level and gently rolling land

27.93 Trail, bears N. N. E. and S. S. W.

30.41 Trail, bears N. E. and S. W.

31.74 Trail, bears N. E. and S. W.

36.89 Trail, bears N. E. and S. W.

38.52 Road, bears N. E. and S. W.

39.95 Set a pine post, 3 ft.
long, 4 ins. sq., with
marked stone, 24 ins.
in the ground, for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on N. face; dig pits 18x18x12
ins. E. and W. of post,
3 ft. dist. and raise a
mound of earth, 3 $\frac{1}{2}$ ft.
base, 1 $\frac{1}{2}$ ft. high, N. of cor.

40.00 Enter scattering cactus

Subdivision of Chains

79.90 The cor. of secs. 4, 5, 8 and 9
Land, level and gently rolling
Soil, loam; 2nd rate
No timber, scattering cactus

N 0° 2' W., bet. secs. 4 and 5
Over level, and gently rolling land
through scattering cactus

17.35 Trail, bears N. E. and S. W.

31.96 Trail, bears Easterly $\frac{2}{3}$ Westerly

40.00 Set a pine post, 3 ft. long,
4 ins. sq. with marked
stone, 24 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ S. on W. face; dig
pits 18 x 18 x 12 ins. N. and S.
of post, 3 ft. dist; and
raise a mound of earth,
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high

T. 16 S. R. 24 E. - Continued

Chains

W. of cor.

42.63 Trail, bears E. and W.

61.84 Trail, bears E. and W.

78.78 Intersect the "Third
Standard of Parallel South,"
at a point 26.61 chs,
West of the standard
cor. of secs. 32 and 33,
T. 15 S. R. 24 E., at which
point, I set a pine
post, 3 ft. long. 4 ins.
sq., with marked stone
24 ins. in the ground
for closing cor. of secs.
4 and 5,

marked

C.C. T. 16 S. R. 24 E., on S.
S. 4 on E. and
S. 5 on W. faces; with

Subdivision of
Chains

4 grooves on E. and
2 grooves on W. faces;
Dig pits 24 x 18 x 12 ins.,
crosswise on each line
E. and W., 3 ft. and S.
of post, 7 ft. dist., and
raise a mound of earth
4 ft. base, 2 ft. high, S. of cor.
Land, level and gently rolling
Soil loam, 2nd rate.
No timber; under growth
scattering mesquite & cactus

From cor. of secs. 17, 18,
19 and 20, as heretofore described
I run
S 0° 3' E. bet. secs. 19th & 20th
Over level land, through
scattering cactus.

T. 16. S. R. 24 E. - Continued

Chains

- 13.00 Trail, bears N. E. and S. W.
- 21.84 Road from Dragoon Summit to Rockfellow's ranch and Sulphur Spring Valley, bears $N. 75^{\circ} W.$ and $S. 75^{\circ} E.$
- 38.00 Leave scattering cactus, and enter dense sage and scattering mesquite undergrowth, bears E. and W.
- 40.00 Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on W. face; dig pits $18 \times 18 \times 12$ ins. N. and S. of post, 3 ft. dist. and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.

Subdivision of

Chains high, W. of cor.

75.94 Trail, bears N.E. and S.W.

80.00 Set a pine post, 3 ft long, 4 ins., sq. with marked stone, 24 ins. in the ground for cor. of secs. 19, 20, 29 and 30, marked

T. 16 S. S. 20 on N.E.;
 R. 24 E. S. 29 on S.E.
 S. 30 on S.W.; and
 S. 19 on N.W. faces;
 with 2 notches on S.
 and 4 notches on E. edges;
 dig pits 18 x 18 x 12 ins.
 in each sec., 5½ ft. dist.
 and raise a mound of
 earth, 4 ft. base, 2 ft.
 high, W. of cor.

T. 16 S. R. 24 E. - Continued

chains

Land, level

Soil, loam, 2nd rateNo timber, undergrowth,
sage, mesquite and cactusLand covered with dense
undergrowth 42.00 chs.S 89° 50' E, on a random
line, bet. secs. 20 and 29

40.00 Set temp. 1/4 sec. cor.

80.03 Intersect N. and S. line
8 lks. S. of cor. of secs.

20, 21, 28 and 29

Thence I run

N 89° 53' W. on a true

line, bet. secs. 20 and 29

Over level land, through
sage, and scattering
mesquite undergrowth

Subdivision of

Chains

- | | |
|--------|--|
| 7.57 | Trail, bears N.E. and S.W. |
| 8.20 | Trail, bears N.E. and S.W. |
| 10.16 | Trail, bears N.E. and S.W. |
| 13.00 | Trail, bears N.E. and S.W. |
| 19.76 | Trail, bears N.E. and S.W. |
| 19.90 | Trail, bears N.E. and S.W. |
| 23.09 | Trail, bears N.E. and S.W. |
| 24.61 | Trail, bears N.E. and S.W. |
| 30.95 | Trail, bears N.E. and S.W. |
| 31.13 | Trail, bears N.E. and S.W. |
| 31.50 | Trail, bears N.E. and S.W. |
| 31.69 | Trail, bears N.N.E. and S.S.W. |
| 35.42 | Trail, bears N.N.E. and S.S.W. |
| 38.83 | Trail, bears N. and S. |
| 40.01½ | Set a pine post, 3 ft. long, 4 ins. sq. with marked stone 24 ins. in the ground for ¼ sec. cor., marked ¼ S. |

T. 16 S. R. 24 E. - Continued

Chains

on N. face; dig pits
18x18x12 ins. E. and W. of
post, 3 ft. dist.; and raise
a mound of earth, 3½ ft.
base, 1½ ft. high, N. of cor.

68.10 Trail, bears N.E. and S.W.

80.03 The cor. of secs. 19, 20, 29³/₃₀

Land, level

Soil, loam; 2nd rateNo timber; undergrowth
mesquite and sage.Land covered with
dense undergrowth, 80.03⁴/₄

N 89° 50' W, on a random
line, bet. secs. 19 and 30

40.00 Set temp ¼ sec. cor.

59.97 Intersect West bdy.
of Twp. 2 lks. N. of cor. of

Subdivision of
 Chains $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S.
 on W. face; dig pits
 $18 \times 18 \times 12$ ins., N. and S.
 of post, 3 ft. dist.; and
 raise a mound of earth,
 $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,
 W. of cor.

80.00 Set a pine post, 3 ft.
 long, 4 ins. ¹⁰ with marked
 stone, 24 ins., in the
 ground for cor. of sees.
 29, 30, 31 and 32, marked,
 T. 16 S. S. 29 on N.E.,
 R. 24 E. S. 32 on S.E.,
 S. 31 on S.W. and
 S. 30 on N.W. faces;
 with 1 notch on S.
 and 5 notches on E.
 edges; dig pits $18 \times 18 \times 12$

T. 16 S. R. 24 E. - Continued
Chains

ins. in each sec., $5\frac{1}{2}$
ft. dist. and raise a
mound of earth, 4
ft. base, 2 ft. high
N. of cor.

Land, level and gently rolling
Soil, loam; 2nd rate
No timber; under growth
sage and mesquite
Land covered with dense
undergrowth 80.00 chs.

$S 89^{\circ} 53' E$, on a random
line, bet. secs. 29 and 32

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect N. and S.

line 7 lks. N. of cor. of
secs. 28, 29, 32 and 33.

Thence I run

Subdivision of
Chains

- N 89° 50' W., on a true
line, bet. secs. 29 and 32
Over level land through
scattering cactus
- 8.02 Trail, bears N.E. and S.W
12.95 Trail, bears Easterly and Westerly
18.14 Trail, bears Easterly and Westerly
37.00 Enter dense sage under-
growth, bears N. and S.
40.02 Set a pine post
3 ft. long, 4 ins. sq. with
marked stone, 24 ins.
in the ground, for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on N. face, dig pits
18 x 18 x 12 ins. E. and W.
of post, 3 ft. dist., and
raise a mound of
earth, 3 $\frac{1}{2}$ ft. base; 1 $\frac{1}{2}$ ft.

T. 16 S. R. 24 E. - Continued

Chains

high, N. of cor.

58.00 Trail, bears N.E. and S.W.

80.04 The cor. of secs. 29, 30, 31²/₄ & 32

Land, level

Soil, loam; 2nd rateNo timber; undergrowth
sage and cactus.Land covered with dense
undergrowth; 43.00 chs.N 89° 51' W, on a random
line, bet. secs. 30 and 3140.00 Set temp. ¹/₄ sec. cor.59.98 Intersect W. bdy of
Tp. 3¹/₂ lks. S. of cor.
of secs. 25, 30, 31 and 36

Thence I run

S 89° 49' E, on a true line
bet. secs. 30 and 31

Subdivision of
Chains

Over gently rolling land,
through dense sage and
scattering mesquite
undergrowth

19.98 Set a pine post, 3 ft
long, 4 ins. sq, with
marked stone, 24 ins.
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on N. face; dig pits
18 x 18 x 12 ins., E. and W.
of post, 3 ft. dist. and
raise a mound of
earth, 3 $\frac{1}{2}$ ft. base $\frac{1}{2}$
ft. high, N. of cor.

59.98 The cor. of secs. 29, 30, 31 $\frac{2}{3}$ / 32
Land, gently rolling
Soil, gravelly loam; 3rd rate
No timber; undergrowth

T. 16 S. R. 24 E. - Continued

Chains

sage and mesquite
 Land covered with dense
 undergrowth 59.98 chs.

S^o 3' E., on a random
 line, bet. secs. 31 and 32

40.00 Set temp. ¹/₄ sec. cor.

80.04 Intersect S. half ^{of 5th} 3rd ¹/₄ sec.
 W. of cor. of secs. 5, 6, 31
 and 32

Thence, I run

N^o 4' W., on a true line,
 bet. secs. 31 and 32

Over gently rolling land

1.29 Trail, bears N. E. and S. W.

23.15 Trail, bears N. E. and S. W.

29.00 Enter dense sage under-
 growth, bears N. E. and S. W.

40.04 Set a pine post, 3 ft.

Chains

Subdivisions of

long, 4 ins. sq., with
 marked stone, 24 ins.
 in the ground for $\frac{1}{4}$
 sec. cor., marked $\frac{1}{4}$ S.
 on W. face; dig pits
 18 x 18 x 12 ins., N. and S.
 of post, 3 ft. dist. and
 raise a mound of earth
 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. ^{high} W. of cor.

73.40 Trail, bears N.E. and S.W.

80.04 The cor. of secs. 29, 30, 31 $\frac{2}{4}$ of 32
 Land, level and gently rolling
 Soil, gravelly loam; 3rd rate
 for timber; undergrowth
 sage and some mesquite;
 Land covered with dense
 undergrowth 51.04 chs.

From cor. of secs. 17, 18, 19 $\frac{2}{4}$ of 20

T. 16 S. R. 24 E. - Continued

Chains

as heretofore described,
I run

$N 0^{\circ} 3' W$, bet. secs. 17th of 18
Over gently rolling land

9.92 Trail, bears N.E. and S.W.

10.03 Trail, bears N.E. and S.W.

40.00 Set a pine post, 3 ft.
long, 4 ins. sq., with
marked stone, 24 ins.
in the ground, for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on W. face; dig pits
18x18x12 ins., N. and S.
of post, 3 ft. dist. and
raise a mound of earth
3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,
W. of cor.

73.00 Descend

78.50 Enter bottom of draw, course

Chains

Subdivision of
N. E.

80.00 Set a pine post, 3 ft.
long, 4 ins., with marked
stone, 24 ins., in the ground
for cor. of secs. 7, 8, 17 and 18,
marked

T. 16 S. S. 8 on N. E.

R. 24 E. S. 17 on S. E.,

S. 18 on S. W., and

S. 7 on N. W. faces; with
4 notches on S. and 5
notches on E. edges; dig

pits 18 x 18 x 12 ins. in
each sec., 5 1/2 ft. dist. and
raise a mound of earth,
4 ft. base, 2 ft. high, W. of cor.

Land, gently rolling

Soil, loam; 2nd rate

No timber; scattering cactus.

January 25, 1896

No. 865

BOOK 865 153

T. 16 S. R. 24 E. - Continued

Chains

January 26, 1896: At
 8^h 40^m, a. m. l. m. t.,
 I set off $32^{\circ}3'$ on the
 lat. arc, $18^{\circ}41'$ S. on the
 decl. arc, and determine
 a true meridian with
 the solar, at the cor. of
 secs. 7, 8, 17 and 18.

Thence I run

$N89^{\circ}50'E$, on a random
 line, bet. secs. 8 and 17

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.00 Intersect N. and S. line
 8 blks. S. of cor. of secs.
 8, 9, 16 and 17.

Thence I run

$N89^{\circ}53'W$, on a true line
 bet. secs. 8 and 17

Over level and gently rolling land

Subdivision of

Chains

- 21.25 Trail, bears N.E. and S.W.
- 30.38 Trail, bears N.E. and S.W.
- 40.00 Set a pine post, 3 ft. long, 4 ins. sq, with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on N. face. Dig pits 18x18x12 ins., E. and W. of post, 3 ft. dist; and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, N. of cor.
- 45.00 Descend
- 50.00 Bottom, and enter draw, course North, Easterly
- 80.00 The cor. of secs. 7, 8, 17 and 18
Land, level and gently rolling
Soil, loam; 2nd rate
No timber; scattering cactus.

T. 16 S. R. 24 E. - Continued

chains

$N 89^{\circ} 50' W$. on a random
line, bet. secs. 7 and 18

40.00 Set temp. $\frac{1}{4}$ sec. cor.

59.93 Intersect W. bdy. of
Twp. $3\frac{1}{2}$ bks. N. of cor.
of secs. 7, 12, 13 and 18,
as heretofore described

Thence I run

$S 89^{\circ} 52' E$. on a true
line, bet. secs. 7 and 18

Over level and gently rolling
land

19.93 Set a pine post, 3 ft.
long, 4 ins. sq., with
marked stone, 24 ins.
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on N. face; dig pits
 $18 \times 18 \times 12$ ins., E. and W.

- Subdivision of
Chains
- of post, 3 ft. dist., and
raise a mound of earth,
3½ ft. base, 1½ ft. high,
N. of cor.
- 22.76 Trail, bears N. Easterly $\frac{3}{4}$ of S. Westing
- 42.00 Descend
- 47.00 Bottom, and enter draw,
course N. E.
- 51.46 Trail, bears N. E. and S. W.
- 51.53 Old road, bears N. E. $\frac{3}{4}$ of S. W.
- 59.30 Trail, bears N. Easterly $\frac{3}{4}$ of S. Westing
- 59.93 The cor. of secs. 7, 8, 17 and 18
Land, level and gently rolling
Soil, loam; 2nd rate
No timber, scattering cactus
-
- No 3' W. bet. secs. 7 and 8
Over rolling land
- .12 Trail, bears E. and W.

T. 16 S. R. 24 E. - Continued

Chains	
3.00	Trail, bears E. and W.
6.00	Ascend
9.00	Top, bears N. E. and S. W.
14.76	Trail, bears E. and W.
19.85	Old road, bears E. and W.
40.00	Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for $\frac{1}{4}$ sec. cor., marked $\frac{1}{4}$ S. on W. face; dig pits 18x18x12 ins., N. and S. of post, 3 ft. dist.; and raise a mound of earth, 3 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high, W. of cor.
42.00	Trail, bears Easterly $\frac{2}{3}$ and Westery
42.21	Old road, bears N. Easterly and S. Westery

Subdivision of

Chains

67.00 Trail, bears Easterly $\frac{2}{3}$ of Westerly

71.39 Trail, bears N.E. and S.W.

80.00 Set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins. in the ground for cor. of secs. 5, 6, 7 and 8, marked

T. 16 S. S. 5 on N.E.,
 R. 24 E. S. 8. on S.E.,
 S. 7. on S.W. and
 S. 6. on N.W. faces;
 with 5 notches on S.
 and E. edges; dig pits
 18 x 18 x 12 ins. in each
 sec. $5\frac{1}{2}$ ft. dist.; and raise
 a mound of earth, 4
 ft. base, 2 ft. high, W.
 of cor.

T. 16 S. R. 24 E. - Continued
 Chains

Land, gently rolling
 Soil, loam; 2nd rate
 No timber; scattering cactus

S 89° 53' E, on a random
 line, bet. sees. 5 and 8

40.00 Set temp. $\frac{1}{4}$ sec. cor.

80.20 Intersect N. and S.

line 10 lks. N. of cor. of sec.

4, 5, 8 and 9.

Thence I run

N 89° 49' W., on a true
 line bet. sees. 5 and 8

Over level land

17.73 Trail, bears Easterly $\frac{2}{3}$ Western

21.31 Trail, bears N. E. and S. W.

40.10 Set a pine post, 3 ft
 long, 4 ins. sq., with
 marked stone, 24 ins.

Chains

Subdivision of
 in the ground for $\frac{1}{4}$
 sec. cor., marked $\frac{1}{4}$ S.
 on N. face; dig pits 18x18x12
 ins. E. and W. of post,
 3 ft. dist. and raise a
 mound of earth, $3\frac{1}{2}$
 ft. base, $1\frac{1}{2}$ ft. high,
 N. of cor.

49.16 Old road, bears N. Easterly
 and S. Westerly

59.23 Trail, bears N.E. and S.W.

59.78 Trail, bears N.E. and S.W.

64.95 Trail, bears N.E. and S.W.

80.20 The cor. of secs. 5, 6, 7 & 8
 Land level and gently rolling
 Soil, loam; 2nd rate
 No timber; Scattering cactus

N 89° 52' W. on a random

T. 16 S. R. 24 E. - Continued

Mains

line, bet. secs. 6 and 7

40.00 Set temp. $\frac{1}{4}$ sec. cor.59.98 Intersect W. bdy. of Twp.
at cor. of secs 1, 6, 7 and 12,
as heretofore described

Thence I run

Sog^o 52' E, on a true line,
bet. secs. 6 and 7

Over rolling land

19.98 Set a lime stone, 16x7x5
ins. 11 ins. in the ground
for $\frac{1}{4}$ sec. cor., marked
 $\frac{1}{4}$ on N. face; dig pits
18x18x12 ins., E. and W.
of stone, 3 ft. dist.;
and raise a mound
of earth, 3 $\frac{1}{2}$ ft. base,
1 $\frac{1}{2}$ ft. high, N. of cor.23.29 Trail, bears N. Westerly $\frac{3}{4}$ S. Easterly

Subdivision of

Chains

47.65 Trail, bears N.E. and S.W

59.98 The cor. of secs. 5, 6, 7 and 8

Land, gently rolling
Soil, loam; 2nd rate
No timber; Scattering cactus

No. 3' W., bet. secs. 5 and 6
Over level and gently rolling
land.

10.54 Trail, bears E. and W.

14.77 Trail, bears E. and W.

21.90 Road, bears N.E. and S.W

40.00 Set a pine post, 3 ft.
long, 4 ins. sq., with
marked stone 24 ins.,
in the ground for $\frac{1}{4}$
sec. cor., marked $\frac{1}{4}$ S.
on W. face; dig pits 18x18x12
ins., N. and S. of post,

T. 16 S. R. 24 E. - Continued

Chains

3 ft. dist., and raise a mound of earth, $3\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, W. of cor.

48.98 Trail, bears E. and W.

78.46 Intersect the "Third Standard Parallel South" at a point 26.65 chs., West of cor. of sees. 31 and 32, T. 15 S. R. 24 E., at which point, I set a pine post, 3 ft. long, 4 ins. sq., with marked stone, 24 ins., in the ground for closing cor. of sees. 5 and 6, marked. CC T. 16 S. R. 24 E., on S. S. 5 on E., and S. 6 on W. faces; with 5 grooves on E. and

Subdivision of

1 groove on W. faces;
 dig pits $24 \times 18 \times 12$ ins.,
 crosswise on each line,
 E. and W., 3 ft. and S. of
 post, 7 ft. dist., and
 raise a mound of earth,
 4 ft. base, 2 ft. high,
 S. of Cor.

Land level and gently rolling
 Soil, loam, 2nd rate
 No timber, scattering cacti.

January 26. 1896

Note: In the execution
 of the survey of this
 township, I destroyed
 all corners previously
 set by U. S. Deputy Surveyor
 A. L. Trippel, in com-
 pliance with my

T. 16 S. R. 24 E. - Concluded

Special Instructions,
dated September 23, 1895

General Description

This township is level and rolling, the soil is mostly loam, capable of producing crops with an artificial irrigation.

The soil is mostly 2nd rate, excepting portions of secs. 2, 3, 11 and 12, embraced by an alkali flat. There is an abundant growth of rich and nutritious grasses in township.

There is no timber.

Mesquite and sage under

is found in the S. Western portion of this townships; besides there is some cacti scattered all over the township. Water is found in the N¹/₂ of sec. 25; the S.W.¹/₄ of sec. 14; the S.W.¹/₄ of sec. 2 and of the N.E. ¹/₄ of sec. 3. — The only settler in the Township is J. G. Roek, fellow who has a stock ranch in the N¹/₂ of sec. 25.

Philip Contzen
Compassman.

U. S. Surveyor-General's Office. 167

Tucson, A. T. January 22nd, 1894

The foregoing field notes of the Re-survey of the Third Standard Parallel S. thro. R. 24 East; and the E. Bdy. of T. 16 S., R. 24 E.; and the survey of the Subdivision lines of Tp. 16 S., R. 24 E., Gila and Salt River Meridian in Arizona, executed by Philip Contzen, Compassman, and U. S. Deputy Surveyor, under ~~his~~ Contract No. 29, with A. L. Trippel, dated June 17, 1895, having been critically examined, the necessary corrections and explanations made, the said field notes and the surveys they describe are hereby approved.

George J. Roskrige
U. S. Surveyor-General.

For the Territory of Arizona.