

No 19.

866

BOOK 866

No. 866

Subdivisions

Book 1
4-671

FIELD NOTES

GENERAL LAND OFFICE.

T15 South Range 7 East.

Index for { BOOK 866
BOOK 871

INDEX

Township 15 South R. 7 East


6	104	5	80	4	60	3	41	2	22	1
103		101		78		59		40		20
7	99	8	77	9	57	10	38	11	18	12
98		96		75		55		36		17
18	94	17	73	16	54	15	35	14	15	13
93		92		72		52		33		13
19	90	20	70	21	50	22	31	23	11	24
89		87		68		49		29		10
30	86	29	66	28	47	27	28	26	8	25
84		83		65		46		26		6
31	81	32	62	33	43	34	24	35	4	36

For preliminary oaths see
book No. 1

Township No. 15 S., Range No. 7 E. G. F. S. R. Meridian

Settle 10/1
Cattle pasture

2



Third Standard Parallel South

- Township Plot.
- Meridian Line,
- Base Line,
- Standard Line,
- Township Lines,
- Section Lines,
- Meander Lines,

BOOK 866

2A

Field Notes
of the Survey of the
Subdivision Lines
of
Township No. 15 South, Range 7 East
of the
Gila and Salt River Meridian
of
Arizona Territory
as surveyed by
George J. Koskrug
U. S. Dep. Surv^r

Under his Contract No 2
Dated June 16th 1886

Survey commenced Feb 1st 1887.
Survey completed Feb 7th 1887.

Subdivision P. 17 S. R. 7 E No. 866

Before commencing the survey of the Subdivision lines of this Township I take an observation, using a Young & Sons Solar Transit and find the magnetic Variation to be $13^{\circ} E$. I ran N. on a blank line on the East boundary of Sec 36 and at 40 chs found the $\frac{1}{4}$ Sec. cor. and at 80 chs found the Sec cor. I then ran West on a blank line on the South boundary of Sec 36 and at 40 chs found the $\frac{1}{4}$ Sec cor. and at 80 chs found the Sec cor; my compass will therefore run the same line as the Exterior boundaries and the chaining agrees.

Survey commenced Feb 1st 1887.

I begin at the Standard cor. to Secs 35 & 36 on the South boundary of the Township which is a post firmly set

Subdivision T. 15 S. R. 7 E. Continued
 Chaw

in the ground marked
 S. 36 on E and

S. 36 on E and

S. 35 on W. with 1 notch on E and

5 notches on W edges, with pits 18 x 18 x 12
 ins. N. E and W. of post 5 1/2 ft dia
 and with a mound of earth 2 ft high
 4 1/2 ft base around post

(Note. Post and tree remarked by me on
 account of error in original marking)

From which

A mesquite 10 ins diam bears S. 71° 6' 53"

W. marked T. 15 S. R. 7 E. S. 36 1/3 F.

No other trees within limits

Thence I run

North bet Secs 35 & 36

Var 13° E.

Over level land

25.00 Enter wash 150 W. wide, course N.

Subdivision T. 15 S. R. 7 E. Continued

32.50 Leave wash 150 lbs wide course N. 40° E.
 40.00 Set a granite stone 12 x 12 x 10 ins. 8 ins
 in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$
 on W. face, dug pits 18 x 18 x 12 ins N & S.
 of stone 5 $\frac{1}{2}$ ft dist and raised a mound
 of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base along side.
 From which

A mesquite 6 ins diam bears N. 15° W. 35 lbs
 dist. marked $\frac{1}{4}$ S B S.

A mesquite 8 ins. diam bears N. 12° E 77 lbs
 dist. marked $\frac{1}{4}$ S B S.

52.00 Same Wash 2 cho wide, course N. 15° W.

80.00 Set a granite stone 18 x 12 x 12 ins 12 ins
 in the ground for cor to secs 25. 26. 35
 & 36 marked with 1 notch on S and E
 edges. dug pits 18 x 18 x 12 ins in each
 Sec 5 $\frac{1}{2}$ ft dist. and raised a mound
 of earth 2 ft high 4 $\frac{1}{2}$ ft base alongside
 From which

Subdivision T. 15 S. R. 7 E. - Continued

A mesquite 6 ins diam bears N. 2° E 62 lbs
dist marked T. 15 S. R. 7 E. S. 25 B. T.

A mesquite 12 ins. diam bears N. 45° E 251
lbs dist marked T. 15 S. R. 7 E. - S. 25 B. T.

A mesquite 8 ins. diam bears N. 46° E
256 lbs dist. marked T. 15 S. R. 7 E. S. 25 B. T.

A palo verde 5 ins. diam bears N. 66° E 56 lbs
dist marked T. 15 S. R. 7 E. S. 25 B. T.

Land, level

Soil 2^d rate good grass

Timber, scattering mesquite & palo verde.

East on a random hit Secs 25 & 36

Var 13° E

Over level land.

4.00 Arroyo 50 lbs wide course N. 40° W.

40.00 Set temp $\frac{1}{4}$ Sec cor.

55.00 Arroyo 30 lbs wide course N.

Subdivision T. 15. S. R. 7 E - continued

- 77.00 Arroyo 20 lks wide course N.
 80.11 Intersect E boundary of Township 9 lks
 N. of the cor. to secs 25. 30. 31. & 36.
 previously established and described
 by me.

Thence I run

N. $89^{\circ}56'$ W. on a true line bet Secs 25
 & 36 with same Var.

- 70.06 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground
 for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on N. face
 dug pits 18 X 18 X 12 ins E & W. of post,
 $5\frac{1}{2}$ ft dia and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.

- 80.11 Thence cor. to secs 25. 26. 35 & 36

Land level

Soil 2nd rate, good grass

Timber, scattering mesquite.

Subdivision P. 15 S. R. 7 E. - Continued
 Chain

North hit Secs 25 & 26

Var. $13^{\circ} E$.

Over level land.

- 3.00 Arroyo 50 lks wide course $N 30^{\circ} W$.
 10.00 Same Arroyo 30 lks course $N. 30^{\circ} E$.
 30.00 Same Arroyo 30 lks course $N 45^{\circ} W$.
 40.00 Set a granite stone $14 \times 6 \times 5$ ins 10 ins in
 the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{2}$ on
 W. face. dug pits $18 \times 18 \times 12$ ins $N 8$
 S of stone $5 \frac{1}{2}$ ft dist and raised a
 mound of earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft base
 alongside.

From which

- A mesquite 6 ins. diam bears $S. 10^{\circ} W$
 104 lks dist. marked $\frac{1}{2}$ S B T.
 A mesquite 6 ins. diam bears $S. 75^{\circ} E$
 100 lks dist. marked $\frac{1}{2}$ S B T.
 50.00 Arroyo 40 lks wide course $N. 35^{\circ} W$.
 79.60 Arroyo 30 lks wide course $N. 40^{\circ} W$

Subdivision T. 15 S. R. 7 E. Continued

80.00 Set a volcanic stone 18 X 14 X 12 ins 12 ins
in the ground for cor to sec 23. 24. 25
& 26. marked with 2 notches on S and
1 notch on E edges, dug pits 18 X 18 X 12
ins in each sec $5\frac{1}{2}$ ft dist and raised
a mound of earth 2 ft high $4\frac{1}{2}$ ft
base along side.

From which

A mesquite 6 ins. diam. bears N. 32° W.

13 lks dist. marked T. 15 S. R. 7 E. S. 23. 13 T.

A palo verde 8 ins. diam bears N. 18° W.

32 lks dist marked T. 15 S. R. 7 E. S. 23. 13 T.

A mesquite 6 ins diam bears S 9° E 53 lks

dist marked T. 15 S R 7 E. S. 25. 13 T.

A mesquite 12 ins. diam bears S. 42° W.

61 lks dist. marked T. 15 S. R. 7 E. S. 26. 13 T.

Land level

Soil 2^d rate good grass

Timber, scattering mesquite & palo verde.

Subdivision T. 15 S. R. 9 E - Continued

thence

East on a random line bet Secs 24 & 25
Var. $13^{\circ} E$.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

50.50 Arroyo 15 lks wide course N. $10^{\circ} E$.

64.00 Arroyo 20 lks wide course N. $7^{\circ} E$

79.94 Intersect E boundary of Township 17 lks
S. of the cor to secs 19.24.25 & 30 previous-
ly established and described by me.

Thence I run.

S. $89^{\circ} 53' W$ on a true line bet Secs 24 &
25 with same Var.

39.97 Set a post 3 ft long 3 ins. square with
marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec cor marked from N. face dug
pits 18 x 18 x 12 ins E & W. of post $3\frac{1}{2}$ ft
dist. and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side.
From which

11

BOOK 866

Subdivision T. 15 S. R. 9 E. Continued

A mesquite 6 ins diam bears N. 60° E 75 lbs
 dist. marked $\frac{1}{4}$ S. T.

A mesquite 6 ins diam bears S. 45° E 65 lbs
 dist. marked $\frac{1}{4}$ S. T.

79.94 The cor to secs 23, 24, 25 & 26

Level land

Soil 2^d rate, good grass.

Timber scattering mesquite & palo verde.

North bet Secs 23 & 24

Var 13° E.

Over level land.

28.00 Arroyo 20 lbs wide, course N 40° W.

40.00 Set a granite stone 12 x 7 x 6 ins 8 ins in
 the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$
 on W. face, dug pits 18 x 18 x 12 ins N
 & S. of stone $5\frac{1}{2}$ ft dist. and raised
 a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft

Subdivision T. 15 S. R. 7 E continued
 Chain

base along side.

From which

A mesquite 6 ins diam bears $N 45^{\circ} W$
 45 lks dist marked $\frac{1}{4}$ S.B.T.

A mesquite 6 ins. diam bears $S. 55^{\circ} W$
 168 lks dist. marked $\frac{1}{4}$ S.B.T.

61.00 Arroyo 10 lks course $N 30^{\circ} E$.

80.00 Set a granite stone $16 \times 10 \times 8$ ins 11 ins
 in the ground for cor to secs 13-14-23
 & 24 marked with 3 notches on S and
 1 notch on E edge, dry pits $18 \times 18 \times 12$
 ins. in each sec $5 \frac{1}{2}$ ft dist and raised
 a mound of earth 2 ft high $4 \frac{1}{2}$ ft
 base along side

From which

A mesquite 6 ins. diam. bears $S. 10^{\circ} W$ 83 lks
 dist. marked T. 15 S. R. 7 E Sec 23 B.T.

A mesquite 8 ins. diam bears $S. 25^{\circ} E$.
 194 lks dist marked T. 15 S. R. 7 E. Sec 24 B.T.

Subdivision T. 15 S. R. 7 E. Continued

A mesquite 6 ins. diam bears N 6° E 110 lks
 dist marked T. 15 S. R. 7 E S. 13 B T.

A mesquite 4 ins. diam bears N. 45° E 73 lks
 dist. marked T. 15 S. R. 7 E S. 13 B T.

Land level

Soil 2^d rate, good grass

Timber, scattering mesquite and
 palo verde.

East on a random line bet Secs 13 & 24
 Var. 13° E.

Over level land.

7.00 Arroyo 20 lks wide, course N. 40° W.

40.00 Set temp $\frac{1}{4}$ Sec cor.

67.00 Arroyo 20 lks wide, course N.

70.50 Arroyo 20 lks wide course N

80.00 Intersect E boundary of Township

$\frac{1}{4}$ lks N. of the cor to secs. 13. 18. 19 & 24
 previously established and described by me

Subdivisions T. 15 S. R. 7 E. Continued

Thema I run

N 89° 58' W. on a true line bet Secs
13 & 24 with same bar.

40.00 Set a post 3 ft long 3 ins square with
marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S. on N. face, dig
pits 18 x 18 x 12 ins E & W. of post and
raised a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.

From which

A mesquite 4 ins. diam bears N. 43° E 65 lbs
dist marked $\frac{1}{4}$ S B T.

A mesquite 10 ins. diam bears South 27 lbs
dist. marked $\frac{1}{4}$ S B T.

80.00 In cor. to secs 13. 14. 23 & 24

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite & palo verde

Subdivision T. 15 S. R. 7 E. Continued

North bet Secs 13 & 14

Var 13° E.

One level land

7.00 Dry wash 30 lks wide course N. 45° W.

40.00 Set a volcanic stone 12 x 7 x 6 ins 8 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on W. face, dug pits 18 x 18 x 12 ins N & S of stone 5 $\frac{1}{2}$ ft dist and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base along side.

From which

A palo verde 6 ins. diam bears S. 16° W 56 lks dist. marked $\frac{1}{4}$ S.B.T.

A mesquite 8 ins. diam bears N. 73° E 187 lks dist. marked $\frac{1}{4}$ S.B.T.

77.00 Arroyo 30 lks wide - course N. 70° W.

80.00 Set a volcanic stone 14 x 10 x 8 ins 10 ins in the ground for cor to secs 11-12-13 & 14 marked with 4 notches on S and 1 notch on E edge, dug pits 18 x 18 x 12 ins

Subdivisions T. 15 S. R. 7 E. Continued

Chains

in each sec $5\frac{1}{2}$ ft dist. and raised a mound of earth 2 ft high $4\frac{1}{2}$ ft base along side.

From which

A palo verde 6 ins. diam bears $S. 16^{\circ} W$
56 lks dist marked T. 15 S. R. 7 E. S. 14 BT.

A palo verde 8 ins. diam bears $S. 55^{\circ} E$ 118
lks dist. marked T. 15 S. R. 7 E. S. 13 BT.

A palo verde 4 ins. diam bears $N. 25^{\circ} E$ 164
lks dist marked T. 15 S. R. 7 E. S. 12 BT.

A palo verde 6 ins. diam bears $N. 62^{\circ} W$ 145
lks dist marked T. 15 S. R. 7 E. S. 11 BT.

Land level

Soil 2^d rate, good grass

Timber scattering mesquite & palo verde.

Subdivisions P. 15 S. R. 7 E - Continued

East on a random line bet Secs 12 & 13.

Var. $13^{\circ} E$.

Over level land.

39.50 Arroyo 15 lks wide, course $N. 75^{\circ} W.$

40.00 Set temp $\frac{1}{4}$ Sec cor.

46.50 Arroyo 50 lks wide course $N 80^{\circ} W.$

49.80 Intersect E boundary of Township
16 lks N. of the cor to secs 7. 12. 13 & 18
previously established and described
by me.

Thence I run

$N. 89^{\circ} 53' W.$ on a true line bet Secs 12
& 13 with same Var.

49.90 Set a post 3 ft long 3 ins square with
marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S on N. face
dug pits 18 x 18 x 12 ins E & W. of post
 $5\frac{1}{2}$ ft dist and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around

Subdivisions T. 15 S. R. 7 E. Continued

Chambers

post.

From which

A mesquite 8 ins diam bears S. 89° E
45 lks ^{dist} marked $\frac{1}{4}$ S B T.

A mesquite 10 ins diam bears S. 44° W
68 lks dist marked $\frac{1}{4}$ S B T.

79.80 The cor to secs 11, 12, 13 & 14.

Land level

Soil 2^d rate

Timber, scattering mesquite & palo verde

North bet Secs 11 & 12

Var 13° E.

Over level land

14.00 Arroyo 50 lks wide, course N 70° W.

40.00 Set a granite atom 14 x 12 x 10 ins 10 ins
in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on W. face, dug pit 18 x 18 x 12 ins
N & S. of atom 5 $\frac{1}{2}$ ft dist and

Subdivision T. 15 S. R. 7 E. continued
 Chains

raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side.

From which

A mesquite 8 ins. diam bears $N. 49^{\circ} W$
 100 lks dist marked $\frac{1}{4}$ S B T.

A mesquite 4 ins. diam bears $S. 58^{\circ} E$.
 56 lks dist marked $\frac{1}{4}$ S B T.

56.00 Arroyo 10 lks wide course $N. 50^{\circ} E$.

80.00 Set a granite stone $12 \times 8 \times 8$ ins 8 ins
 in the ground for cor to secs 1, 2, 11 &
 12 marked with 5 notches on S and
 1 notch on E edges, dug pits $18 \times 18 \times 12$
 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth 2 ft high $4\frac{1}{2}$ ft
 base along side.

From which

A palo verde 4 ins. diam bears $S. 5^{\circ} E 36$
 lks dist. marked T. 15 S. R. 7 E S. 12 B T.

A palo verde 6 ins. diam bears $N. 32^{\circ} W$

Subdivisions T. 15 S. R. 7 E. Continued
 Mans

34 lks dist. marked T. 15 S. R. 7 E. S. 2 B T.

A mesquite 6 vis drain bears S. 50° E 121 lks
 dist marked T. 15 S. R. 7 E S. 12 B T.

A mesquite 12 vis drain bears S. 65° E.

130 lks dist marked T. 15 S. R. 7 E S. 12 B T.

Land level

Soil 2^d rate good grass

Timber, scattering mesquite & palo verde.

East on a random line bet Secs 1 & 12

Apr 13° E

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

65.00 Arroyo 30 lks wide course N.

79.00 Arroyo 20 lks wide course N. 10° W.

79.60 Intersect E boundary of Township
 10 lks S. of the cor to secs 1-6-7 & 12 pre-
 viously established and described

Subdivisions T. 15 S. R. 7 E. Contained
^{trans}

by me.

Thence I run

S. $89^{\circ}56'$ W. on a true line bet Secs 18, 12
 with same $\frac{1}{4}$ in.

39.80 Set a post 3 ft long 3 ins. square with
 marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on N. face
 dug pits 18 x 18 x 12 ins. E & W. of post
 and raised a mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base around post.

From which

A mesquite 6 ins. diam bears $N20^{\circ}W$

192 lbs dist marked $\frac{1}{4}$ S.B.T.

A mesquite 4 ins. diam bears South

100 lbs dist. marked $\frac{1}{4}$ S.B.T.

79.60. The cor. to secs 1. 2. 11. 12

Land level

Soil 2^d rate

Timber scattering mesquite & palo verde

1st Feb 1887

Subdivisions T. 15 S. R. 7 E. continued
 chain

North on a random line bet Secs 18 & 2
 Var. $13^{\circ} E$.

Over level land.

40.00 Set lemp $\frac{1}{4}$ Sec cor.

80.09 Intersect N. boundary of Township 40th
 E. of the cor to secs 1, 2, 35 & 36. previously
 established and described by me. Thence from
 $S. 0^{\circ} 17' E$. on a true line bet Secs 18 & 2
 with same Var.

40.09 Set a granite stone 16 x 10 x 8 ins 11 ins in
 the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on
 W. face, dug pits 18 x 18 x 12 ins. N & S.
 of stone $5\frac{1}{2}$ ft dist and raised a
 mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 along sides.

From which

A mesquite 8 ins diam bears $S. 18^{\circ} W$
 100 lks dist. marked $\frac{1}{4}$ & B.T.
 No other trees within limits.

Subdivisions T. 15 S. R. 7 E. Continued
 chains

Land, level

Soil 2^d rate, good grass.

Timber scattering mesquite & palo verde

From the Standard cor to seco 34 &
 35. on the S. boundary of the Township
 which is a post firmly set in the ground
 marked S. 6 T. 15 S. R. 7 E. on N

S. 35 on E and

S. 34 on W. faces

with 2 notches on E and 4 notches on
 W. edges, with pits 18 X 18 X 12 in N.
 E & W. of atom 5 1/2 ft dist and
 mound of earth 2 ft high 4 1/2 ft
 base alongside

From which

A mesquite 8000 diam bears N 15° E
 116 lks dist. marked T. 15 S. R. 7 E. S. 35 B.

Subdivision T. 15 S. R. 7 E. Continues
 Cham

A mesquite 7 ins. diam bears N. 30° W.
 132 lbs dist marked T. 15 S. R. 7 E. S. 34 BT.

A mesquite 10 ins. diam bears N. 80° W.
 79 lbs dist marked T. 15 S. R. 7 E. S. 34 BT.

No other trees within limits.

(Note Post and trees remarked by me
 on account of error in original marking)

Trunce I run

North bet Secs 34 & 35

Var 13° E

Over level land.

40.00 Set a post 3 ft long 3 ins square
 with marked stem 12 ins in the
 ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S
 on W. face, dug pits 18 x 18 x 12 ins
 N & S of post 5 $\frac{1}{2}$ ft dist and
 raised a mound of earth 1 $\frac{1}{2}$ ft
 high 3 $\frac{1}{2}$ ft base around post

Subdivision T. 15 S. R. 7 E continued
 names

From which

A mesquite 4 ins diam bears N 34° E 63 1/2
 dist. marked 1/4 S B T.

A mesquite 6 ins. diam bears N 75° E. 71 1/2
 dist marked 1/4 S B T.

40.08 Arroyo 30 lks wide course N 40° W.

80.00 Set a granite stone 14 x 12 x 10 ins.
 10 ins. in the ground for cor to sec
 26. 27. 34 & 35 marked with notch
 on S and 2 notches on E edges, dug
 pits 18 x 18 x 12 ins in each sec 5 1/2 ft
 dist. and raised a mound of earth
 2 ft high 4 1/2 ft base alongside

From which

A palo verde 10 ins. diam bears S. 13° E
 64 lks dist marked T. 15 S. R. 7 E. S. 35 B T.

A palo verde 6 ins. diam bears N 6° W. 140
 lks dist marked T. 15 S. R. 7 E. S. 27 B T.

A mesquite 6 ins. diam bears N. 50° E

Subdivision T. 15 S. R. 7 E - continued
 Chain

80 lks dist marked T. 15 S. R. 7 E S. 26 N. 5.

A mesquite 12 ins diam bears N. 20° E.

203 lks dist marked T. 15 S. R. 7 E S. 26 N. 5.

Land level

Soil 2^d rate, good grass

Timber, scattering mesquite and
 palo verde

East on a random line bet Secs 26 & 35

Var 13° E.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

42.00 Arroyo 15 lks wide course N. 45° W.

68.00 Arroyo 100 lks wide course N. 15° W.

80.03 Intersect N & S line 39 lks S. of the
 cor to sec 25-26-35 & 36.

Thence I run

S. 89° 43' W. on a true line bet Secs

Subdivisions T. 15 S. R. 4 E continued

Chambers

26 & 35 with same var.

40.02 Site post 3 ft long 3 ins square with
 marked stone 12 ins in the ground for
 $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S on N. face, dug
 pits 18 x 18 x 12 ins. E & W. of post $3\frac{1}{2}$
 ft dist. and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post
 from which

A palo verde 8 ins. diam bears S. 45° W.
 98 lbs dist. marked $\frac{1}{4}$ S.B.T.

A palo verde 6 ins. diam bears S. 70° W. 110
 lbs dist. marked $\frac{1}{4}$ S.B.T.

80.03 The cor to secs 26. 27. 34 & 35

Land level

Soil 2^d rate, good grass

Timber, scattering mesquite and
 palo verde.

Subdivisions T. 15 S. R. 7 E Continued
 Chans.

North bet Secs 26 & 27

Var. $13^{\circ}E$.

Over level land

70.00 Set a granite stone $14 \times 6 \times 6$ ins 10 ins
 in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins
 N. & S. of stone $5\frac{1}{2}$ ft dist and raised
 a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 along side.

From which

A mesquite 6 ins. diam bears $S 88^{\circ}E$
 125 lks dist marked $\frac{1}{4}$ S B T.

A mesquite 6 ins. diam bears $N 75^{\circ}W$
 148 lks dist. marked $\frac{1}{4}$ S B T.

80.00 Set a granite stone $15 \times 10 \times 8$ ins 10 ins
 in the ground for cor to secs 22-23-26
 & 27. marked with 2 notches on W
 and E edges, dug pits $18 \times 18 \times 12$ ins
 in each sec. $5\frac{1}{2}$ ft dist. and raised

Chasmo
 Subdivisions T. 15 S. R. 7 E Continued

a mound of earth 2 ft high $4\frac{1}{2}$ ft base
 alongside.

From which

A mesquite 6 ins. diam bears S. 22° W.
 54 lbs dist. marked T. 15 S. R. 7 E S. 27 1/2 T.

A mesquite 4 ins. diam bears S. 27° W.
 120 lbs dist. marked T. 15 S. R. 7 E S. 27 1/2 T.

A mesquite 6 ins. diam. bears N. 86° E. 32 lbs
 dist. marked T. 15 S. R. 7 E S. 23 1/2 T.

A mesquite 6 ins. diam bears N. 83° E 78 lbs
 dist. marked T. 15 S. R. 7 E. S. 23 1/2 T.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite & palo verde.

East on a random line bet Secs 23 & 26

Var. 13° E.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec. cor.

Subdivisions T. 15 S. R. 7 E Continued
Chains

- 41.50 Arroyo 30 lks wide course $N 50^{\circ} W$.
 79.30 Arroyo 50 lks wide course $N 50^{\circ} W$.
 79.88. Intersect N & S line 42 lks S. of the
 cor to secs 23. 24. 25 & 26.

Thence I run

S. $89^{\circ} 42' W$. on a true line bet Secs.
 23 & 26 with same Var.

- 39.94 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground
 for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on N. face,
 dug pits $18 \times 18 \times 12$ ins E & W. of post
 $5\frac{1}{2}$ ft dist. and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
 post.

From which

- A palo verde 12 ins. diam. bears $N 80^{\circ} E$
 14 lks dist. marked $\frac{1}{4}$ S. B. T.
 A palo verde 6 ins. diam bears East 14 lks
 dist. marked $\frac{1}{4}$ S. B. T.

Subdivisions T. 15 S. R. 7 E Continued

79.98 The cor. to secs 22, 23, 26 & 27.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite and palo verde.

North bet Secs 22 & 23

Var. 13° E

Over level land.

22-00 Arroyo 30 lks wide, course N 45° W.

40-00 Set a granite stone 12 x 10 x 8 ins. 8 ins
in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on W. face, dug pits 18 x 18 x 12 ins
N. & S. of stone 5 $\frac{1}{2}$ ft dist. and
raised a mound of earth 1 $\frac{1}{2}$ ft
high 3 $\frac{1}{2}$ ft base alongside.

From which

A mesquite 6 ins diam. bears S 35° W

Subdivisions T. 15 S. R. 7 E. Continued
 Main

57 lks dist. marked $\frac{1}{4}$ S B T.

A mesquite 6 ins. diam bears N. 16° E.

69 lks dist. marked $\frac{1}{4}$ S B T.

75.00 Arroyo 30 lks wide, course N. 40° W.

80.00 Set a granite stone 14 x 10 x 8 ins 10
 ins. in the ground for cor to sec 14

15. 22 & 23. marked with 3 notches
 on S and 2 notches on E edges,

dug pits 18 x 18 x 12 ins in each sec.

5 $\frac{1}{2}$ ft dist. and raised a mound
 of earth 2 ft high 4 $\frac{1}{2}$ ft base alongside

From which

A palo verde 8 ins. diam bears N. 66° W

60 lks dist. marked T. 15 S. R. 7 E. S. 15 B T.

A palo verde 6 ins. diam bears S 82° E.

175 lks dist marked T. 15 S R 7 E S 23 B T.

A mesquite 12 ins diam bears S. 35° W.

250 lks dist. marked T. 15 S. R 7 E S 22 B T

A mesquite 6 ins. diam bears N 72° W

Subdivisions T. 15 S. R. 7 E. - Continued
 Thence

175 lbs dist. marked T. 15 S. R. 7 E. S. 15 BT.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite & palo verde.

East on a random line bet Sec 14 & 23

Var. $13^{\circ}E$.

Over level land.

40.00 Set bump $\frac{1}{4}$ Sec cor.

53.00 Arroyo 15 lbs wide, course N.

75.00 Arroyo 20 lbs wide, course $N10^{\circ}W$.

80.04 Intersect N & S line 36 lbs S. of the
 cor to secs 13, 14, 23 & 24

Thence I run

S. $89^{\circ}44'$ W. on a true line bet Secs
 14 & 23 with same Var.

40.02 Set a post 3ft long 3 ins. square
 with marked stone 12 ins. in the

Subdivision T. 15 S. R. 4 E - Continued
 Chans.

ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N
 face, dug pits 18 x 18 x 12 ins E & W.
 of post 5 $\frac{1}{2}$ ft dist. and raised a
 mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
 around post.

From which

A palo verde 4 ins. diam bears N. 40° W.
 52 lks dist. marked $\frac{1}{4}$ S B T.

A mesquite 6 ins. diam bears S. 48° W.
 60 lks dist. marked $\frac{1}{4}$ S B T.

80-04 The cor to secs 14, 15, 22 & 23.

Land, level

Soil 2^d rate, good grass

Timber, scattering mesquite and
 palo verde.

Subdivision P. 15. R. 4 E Continued
 Course

North bet Secs 14 & 15

N. 13° E.

Over level land

40.00 Set a granite stone $14 \times 8 \times 4$ ins. 10 ins
 in the ground for $\frac{1}{2}$ Sec. cor. marked
 $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins
 N & S. of stone $5 \frac{1}{2}$ ft dist and raised
 a mound of earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft
 base along side.

From which

A mesquite 6 ins. diam bears N. 15° E
 144 lbs dist. marked $\frac{1}{4}$ S. B. T.

A mesquite 6 ins. diam bears N. 5° E. 205
 lbs dist. marked $\frac{1}{4}$ S. B. T.

70.00 Arroyo 20 lbs wide, course N. 20° W.

80.00 Set a granite stone $14 \times 10 \times 6$ ins
 10 ins. in the ground for cor to sec
 10. 11. 14 & 15. marked with 4 notches
 on S and 2 notches on E edges

Subdivision T. 15 S. R. 7 E. Continued
Chains.

dry pits 18 X 18 X 12 ins. in each cc. 5 1/2
ft dist. and raised a mound of earth
2 ft high 4 1/2 ft base along side.

From which

A palo verde 6 ins. diam bears S. 26° W.

114 lks dist marked T. 15 S. R. 7 E. S. 15° BT.

No other trees within limits.

Land, level

Soil 2^d rate, good grass

Timber, scattering mesquite & palo verde.

East on a random line bet Secs 11 & 14

Var. 13° E.

Over level land.

40.00 Set temp 1/4 Sec cor.

43.00 Arroyo 20 lks wide, course N. 10° E.

57.00 Arroyo 1 ch wide course N.

80.00 Intersect N. & S line 47 lks S. of the

Subdivision T-15 S. R7E Continued
 Chain

cor to secs 11, 12, 13 & 14.

Thence I run

S. $89^{\circ}40'W$. on a true line bet Secs
 11 & 14 with same bar.

40.00 Set a post 3 ft long 3 ins. square with
 marked stone 12 ins. in the ground
 for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S. on N spec
 dug pits 18 x 18 x 12 ins E & W. of post
 $5\frac{1}{2}$ ft dist. and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post.

From which

An ironwood 10 ins. diam bears $N83^{\circ}$
 W . 26 lbs dist. marked $\frac{1}{4}$ S B T.

An ironwood 6 ins. diam bears $S40^{\circ}W$
 140 lbs dist marked $\frac{1}{4}$ S B T.

80.00 The cor to secs 10, 11, 14 & 15.

Land level

Soil 2^d rate, good grass.

Subdivisions T. 15 S. R. 7 E. Continued
 Chain

Timber, scattering mesquite and
 palo verde.

North bet Secs 10 & 11

Var. $13^{\circ} E$.

Over level land.

40.00 Set a volcanic stone $12 \times 8 \times 6$ ins NW
 in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins
 NS S of stone $5 \frac{1}{2}$ ft dist and
 raised a mound of earth $1 \frac{1}{2}$ ft
 high $3 \frac{1}{2}$ ft base along side.

From which

A mesquite 6 ins diam bears $S. 70^{\circ} E$
 159 lks dist. marked $\frac{1}{4}$ S. B. T.

An ironwood 6 ins diam bears $N 22^{\circ} E$
 122 lks dist marked $\frac{1}{4}$ S. B. T.

80.00 Set a granite stone $14 \times 10 \times 6$ ins

Subdivision T. 15 S. R. 7 E. Continued
chains.

16 ins. in the ground for cor to sec 2. 3
10 & 11 marked with 5 notches on S.
and 2 notches on E edges, dug pits 18x18
x 12 ins in each sec 5 1/2 ft dist and
raised a mound of earth 2 ft high
4 1/2 ft base along side.

From which

A mesquite 10 ins diam bears S 47° W
36 lks dist. marked T. 15 S. R. 7 E. S. 15 BT.

An ironwood 6 ins diam bears S 89° W 202 lks
dist marked T. 15 S. R. 7 E. S. 15 BT.

An ironwood 12 ins. diam bears N. 19° W.
97 lks dist marked T. 15 S. R. 7 E. Sec 10 BT.

A mesquite 6 ins. diam bears N 83 W. 164
lks dist. marked T. 15 S. R. 7 E. S. 10 BT.

Land level.

Soil 2^d rate, good grass

Timber, scattering mesquite, ironwood
and palo verde.

2^d Feb-1887

Subdivision T15S. R7E. Continued
 Chain

East on a random line bet Secs 2 & 11

Var. $13^{\circ} E$.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

79.90 Intersect N & S line 31 Mts S. of the
 cor to secs 1, 2, 11 & 12.

Thence I run

S. $89^{\circ} 47'$ W. on a true line bet Secs 2 &
 11 with same Var.

39.95 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground
 for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S on N. face
 dug pits 18 x 18 x 12 ins E & W. of post
 $5\frac{1}{2}$ ft dist and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post

From which

An iron rod 10 ins. diam bears N 40° W
 30 Mts dist. marked $\frac{1}{4}$ S B S.

No other trees within limits.

Subdivisions T. 15 S. R. 9 E. Continued

Chains.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite, ironwood
and palo verde.

North on a random line bet Secs 2 & 3
Var $13^{\circ} E$.

Over level land

36.00 Arroyo 70 fms wide, course $N. 60^{\circ} E$.

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.31 Intersect N. boundary of Township
21 fms E. of the cor. to secs 2, 3, 34 &
35. previously established and described
by me.

Thence I run

$S. 0^{\circ} 09' E$ on a true line bet Secs 2 &
3 with same Var.

40.31 Set a granite stone $14 \times 6 \times 6$ ins 10 ins

Subdivision F. 15 S. R. 76. Continued
 Thars

in the ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ on N. face, dug pits 18 X 18 X 12 ins N &
 S of stone $5\frac{1}{2}$ ft dist. and raised a
 mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 alongside.

From which

A mesquite 8 ins diam bears S. 23° E 189
 lbs dist marked $\frac{1}{2}$ S B F.

A palo verde 8 ins. diam bears N. 62° E.
 107 lbs dist marked $\frac{1}{2}$ S B F.

80.31 The cor to secs 2. 3. 10 & 11.

Land level.

Soil 2^d rate, good grass.

Timber, scattering mesquite, ironwood
 and palo verde.

By observation taken this day I find the
 magnetic Var. to be 13° E.

Subdivisions T. 15 S. R. 7 E - Continued

Chain

From the Standard cor. to secs 33
& 34 on the South boundary of the
Township, which is a post firmly
set in the ground marked S. C
T. 15 S. R. 7 E on N.

S. 34 on E. and

S. 33 on W. sides with 3
notches on E and W. edges, with pits
18 x 18 x 12 ins N. E & W. of post 5 $\frac{1}{2}$
ft dist and mound of earth 2 ft
high 4 $\frac{1}{2}$ ft base around post

From which

A mesquite 5 ins. diam bears N. 24° W
53 lbs dist. marked T. 15 S. R. 7 E. S. 33 BT

(Note. Post & tree remarked by me on
account of error in original marking)

No other trees within limits

Thence I run
North bet Secs 33 & 34.

Subdivision T. 15 S. R. 7 E. continued
Chans.

Nov 13^o E.

Over level land.

2.00 Arroyo 40 lks wide, course N. 10^o E.

7.00 Same arroyo 30 lks wide, course N 15^o W.

39.50 Arroyo 30 lks wide course N. 40^o W.

40.00 Set a post 3 ft long 3 ins. square with
marked stone 12 ins in the ground
for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on W. face
dug pits 18 X 18 X 12 ins N & S. of post
5 $\frac{1}{2}$ ft dist. and raised a mound of
earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around post.

From which

A mesquite 5 ins. diam. bears N 25^o E.

20 lks dist. marked $\frac{1}{4}$ S. B. T.

A mesquite 4 ins. diam bears N. 62^o E.

132 lks dist. marked $\frac{1}{4}$ S B T.

43.00 Wash 20 chs wide course N. 30^o W.

80.00 Set a granite stone 18 X 14 X 10 ins 12 ins
in the ground for cor to secs 27. 28. 33

Sub-division T. 15 S. R. 7 E - continued

hams

434 marked with 1 notch on S and 3 notches on E edges, dug pits 18 X 18 X 12 ins in each sec 5 1/2 ft dist. and raised a mound of earth 2 ft high 4 1/2 ft base alongside.

From which

A mesquite 5 ins. diam bears S. 30° W.
35 lks dist. marked T. 15 S. R. 7 E S. 33 BT.

A mesquite 6 ins. diam bears S. 89° W.
228 lks dist. marked T. 15 S. R. 7 E S. 33 BT.

A mesquite 8 ins. diam bears N. 26° W.
47 lks dist. marked T. 15 S. R. 7 E S. 28 BT.

A mesquite 4 ins. diam bears S. 62° E 183
lks dist. marked T. 15 S. R. 7 E S. 34 BT.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquites & palo verde

Section 15 S. R. 7 E. - continued
 shows.

East on a random line bet Secs 27 & 34

Var $13^{\circ} E$.

Over level land.

- 40.00 Set temp $\frac{1}{4}$ sec cor.
 52.50 Arroyo 20 lks wide course N.
 58.00 Arroyo 25 lks wide course $N10^{\circ} W$.
 79.88 Intersect N & S line 19 lks N of the cor to
 secs 26, 27, 34 & 35.

Thence S. run

$N 89^{\circ} 52' W$. on a true line bet Secs 27 &
 34 with same Var.

- 39.94 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground for
 $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S. on N. face
 dug pits 18 x 18 x 12 ins E & W. of post
 $5\frac{1}{2}$ ft dist and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft here around
 post.

From which

Subdivision F. 15 S. R. 7 E. Contiguous
 Tracts

A palo verde 6 ins. diam bears N. 85° E 88 lks
 dist marked F. 15 S. R. 7 E. S. B. F.

A mesquite 4 ins. diam bears S 88° W.
 42 lks dist. marked 4 S B F.

79.88. The cor to secs 27, 28, 33 & 34.

Land level.

Soil 2^d rate, good grass.

Timber scattering mesquite & palo verde.

North bet Secs 27 & 28

Var. 13° E.

Over level land.

40.00 Set a granite stone 12 x 10 x 10 ins 8 ins
 in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on W. face, dug pits 18 x 18 x 12 ins
 N. & S. of stone 5 $\frac{1}{2}$ ft dist and
 raised a mound of earth 1 $\frac{1}{2}$ ft high
 3 $\frac{1}{2}$ ft base along side.

Subdivisions F. 15 S. R 7 E. continued
Chains

From which

A mesquite 8 ins. diam bears S. 25° E 88 lbs
diat marked $\frac{1}{4}$ S. B. T.

A mesquite 8 ins diam bears N 25° W. 70 lbs
diat. marked $\frac{1}{4}$ S. B. T.

80. 60 Set a granite stone 20 x 12 x 10 ins 15 ins
in the ground for cor to sec 21. 22. 27 &
28. marked with 2 notches on S and
3 notches on E edges, dug pits 18 x 18 x 12
ins in each sec 5 $\frac{1}{2}$ ft diat and raised
a mound of earth 2 ft high 4 $\frac{1}{2}$ ft base
alongside.

From which

A mesquite 8 ins. diam bears N. 84° W.
164 lbs diat marked F. 15 S. R 7 E S. 21 B. T.

A mesquite 5 ins. diam bears N. 13° E. 173
lbs diat. marked. F. 15 S. R 7 E S. 22 B. T.

A mesquite 5 ins diam. bears N. 58° E 190 lbs
diat. marked F. 15 S. R 7 E. S. 22 B. T.

Subdivision T. 15 S. R. 7 E. Continued

Main

A mesquite 6 ins. diam bears N. 80° E 142 lks
 dist. marked T. 15 S. R. 7 E S. 22 B 5.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite & palo verde

East on a random line bet Secs 22 & 27.

Var. 13° E.

Over level land.

40.00 Set temp $\frac{1}{2}$ sec cor.

42.00 Arroyo 60 lks wide, course N. 60° W.

43.50 Arroyo 15 lks wide, course N. 10° W.

30.01 Intersect N & S line 8 lks S. of the cor.
 to secs 22. 23. 26. 27.

Theme Line

S. 89° 56' W. on a true line bet Secs 22 &
 27 with same Var.

40.01 Set a post 3 ft long 3 ins square with

Subdivision P. 15 S. R. & E. - Continued

Chain

marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S. on N. face dug
 pits 18 X 18 X 12 ins E & W. of post $5\frac{1}{2}$ ft
 dist and raised a mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base around post

From which

A mesquite 4 ins. diam bears N. 60° E.

110 lbs dist marked $\frac{1}{4}$ S B T.

No other trees within limits.

80.01 The cor to secs 21. 22. 27 & 28

Land level

Soil 2^d rate, good grass

Timber scattering mesquite & palo verde.

North bet Secs 21 & 22

Var. 13° E.

Over level land.

21.00 Arroyo 1 ch wide course N. 15° W.

Subdivisions T. 15 S. R. 7 E. Continued

40.00 Set a granite stone 13 x 12 x 8 ins. 9 ins in
the ground for $\frac{1}{4}$ Sec. marked $\frac{1}{4}$ on W.
face, dug pits 18 x 18 x 12 ins N. & S of
stone $5\frac{1}{2}$ ft dist and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side

From which

A mesquite 6 ins. diam bears N. 18° E 218
lks dist. marked $\frac{1}{4}$ S B F.

No other trees within limits

7.00 Arroyo 30 lks wide, course N. 40° W.

8.00 Arroyo 30 lks wide course N. 40° W.

9.00 Set a granite stone 15 x 10 x 8 ins 10 ins
in the ground for cor to secs 15. 16. 21. &
22 marked with 3 notches on S & E
edges, dug pits 18 x 18 x 12 ins in each
 ^{$5\frac{1}{2}$ ft dist}
sec, and raised a mound of earth
2 ft high $4\frac{1}{2}$ ft base along side.

From which

A mesquite 6 ins diam bears S 9° E. 66 lks

Subdivision F. 15 S. R 7 E. Continued
 Chain

dist marked F. 15 S. R 7 E S. 22 BT.

A mesquite 8 ins diam bears S. $43^{\circ}E$ 225 lks

dist. marked F. 15 S. R 7 E S. 22 BT.

A mesquite 6 ins diam bears S. $46^{\circ}E$ 200

lks dist marked F. 15 S. R 7 E S. 22 BT.

A mesquite 7 ins diam bears N. $74^{\circ}E$

200 lks dist. marked F. 15 S. R 7 E S. 15 BT.

Land level

Soil 2^d rate, good grass

Timber, scattering mesquite & palo verde.

East on a random line bet Secs 15 & 22.

Var $13^{\circ}E$

Over level land

40.00 Set temp $\frac{1}{4}$ Sec cor.

46.00 Arroyo 15 lks wide course N $10^{\circ}E$.

60.00 Arroyo 20 lks wide course N $20^{\circ}W$

76.00 Arroyo 30 lks wide course N $30^{\circ}W$

Subdivision T. 15 S. R. 4 E - continued

Chains

79.92 Intersect N & S line 21 lks S of the cor
to secs 14. 15. 22 & 23

Thence S run

S $89^{\circ} 51' W.$ on a true line bet Secs 15 &
22 with same bar.

39.96 Set a post 3 ft long 3 ins. square with
marked stone 12 ins in the ground
for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S on N. face, dug
pits 18 x 18 x 12 ins E & W of post $5\frac{1}{2}$ ft
dist and raised a mound of earth $1\frac{1}{2}$
ft high $3\frac{1}{2}$ ft base around post

From which

A mesquite 6 ins. diam bears S. $43^{\circ} W.$
76 lks dist marked $\frac{1}{4}$ S. B. T.

No other trees within limits.

79.92. The cor to secs 15. 16. 21 & 22.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite & palo verde,

Subdivisions T. 15 S. R. 7 E. continued

Chains

North bet Secs 15 & 16

Bear 13° E.

Over level land.

40.00 Set a granite stone 14 x 6 x 6 ins 10 ins
in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on W. face, dug pits 18 x 18 x 12 ins
N & S of stone 5 $\frac{1}{2}$ ft diam. and raised
a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
base alongside

From which

A mesquite 12 ins. diam bears S. 32° W
227 lks dist. marked $\frac{1}{4}$ S B F.

A mesquite 5 ins. diam bears S. 27° E
178 lks dist. marked $\frac{1}{4}$ S B F.

54.00 Arroyo 40 lks wide, course N. 20° E.

58.00 Same arroyo 100 lks wide course N 20°
W.

78.00 Same arroyo 100 lks wide course N. 20° E.

80.00 Set a granite stone 14 x 10 x 6 ins 10 ins

Subdivision T. 15 S. R. 7 E - continued

in the ground for cor to secs 9, 10, 15 & 16
 marked with 4 notches on S and 3 notches
 on E edges, dug pits 18 X 18 X 12 ins in each
 sec. 5 1/2 ft dist and raised a mound
 of earth 2 ft high 4 1/2 ft base along side.
 From which

A mesquite 8 ins diam bears S 88° W. 69 1/2
 dist. marked T. 15 S. R. 7 E. S. 16 B F.

A mesquite 12 ins diam bears N. 10° W 207
 dist. marked T. 15 S. R. 7 E S. 9 B F.

No other trees within limits.

Land, level

Soil 2^d rate, good grass.

Timber, scattering mesquite, palo verde
 and some brush.

East on a random line bet Secs 10 & 15

Var 13° E.

BOOK 866

Subdivisions T. 15 S. R. 7 E. - continue

Chains

Over level land.

- 3.00 Arroyo 100 lks wide course $N 20^{\circ} W$.
 40.00 Set temp $\frac{1}{4}$ sec cor.
 42.00 Arroyo 30 lks wide course N .
 52.00 Arroyo 50 lks wide course N .
 76.00 Arroyo 40 lks wide course $N. 20^{\circ} W$.
 80.10 Intersect $N \& S$ line 9 lks S. of the cor
 to secs 10. 11. 14 & 15.

Thence I run
 $S. 89^{\circ} 56' W$. on a true line bet secs
 10 & 15 with same var.

- 40.05 Set a post 3 ft long 3 ins. square
 with marked atom 12 ins in the ground
 for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S. on it face,
 dug pits 18 X 18 X 12 ins E & W. of post
 $5 \frac{1}{2}$ ft dist and raised a mound
 of earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft base around
 post.

From which

Subdivisions T. 15 S. R. 7 E. - continued

80.00 A mesquite 10 ins. diam bears N. 60° E 100
 lks dist. marked $\frac{1}{4}$ S B.F.

A mesquite 8 ins. diam bears N. 65 lks
 dist marked $\frac{1}{4}$ S B.F.

80.10 The cor to secs 9, 10, 15 & 16.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite, palo verde
 and some brush W. end of line.

North bet Secs 9 & 10

Var. 13° E

Over level land

40.00 Set a granite stone 15 x 12 x 6 ins 10 ins
 in the ground for $\frac{1}{4}$ Sec cor marked
 $\frac{1}{4}$ on W. face, dug pits 18 x 18 x 12 ins
 N & S of stone 5 $\frac{1}{2}$ ft dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft

Subdivisions T. 15 S. R. 7 E - continued
 Chains.

base along side

From which

A mesquite 8 ins diam bears West 67
 lks dist marked $\frac{1}{4}$ S B T.

A mesquite 6 ins diam bears S. 55° W
 257 lks dist marked $\frac{1}{4}$ S B T.

80.00 Set a granite stone 13 X 12 X 10 ins 9 ins
 in the ground for cor to secs 3, 4, 9 & 10
 marked with 5 notches on S and
 3 notches on E edges, dug pits 18 X 18 X 12
 7 ins. in each sec ^{5 ft dia dist} and raised a mound
 of earth 2 ft high 4 $\frac{1}{2}$ ft base along side

From which

A mesquite 8 ins. diam bears N 36° E
 142 lks dist. marked T. 15 S. R. 7 E S. 3 B T.

A mesquite 6 ins. diam bears N 49° E 120
 lks dist marked T. 15 S. R. 7 E. S. 3 B T.

A mesquite 6 ins diam bears S 21° W.
 208 lks dist. marked T. 15 S. R. 7 E S. 9 B T.

Subdivisions T. 15 S. R. 7 E - Continued.

A mesquite 8 ins. diam bears S. 67° W. 930 k.
dist marked T. 15 S. R. 7 E. S. 9 B. T.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite, palo verde
and some brush at South end of line

East on a random line bet Secs 3 & 10
N. 13° E.

Over level land.

10.00 Set temp $\frac{1}{4}$ Sec cor.

13.50 Arroyo 50 kts wide course N.

10.20 Intersect N. & S line 11 kts N. of the cor.
to secs 2, 3, 10 & 11

Thence S. rim

N. 89° 55' W. on a true line bet Secs 3 & 10
with same Ver.

10.10 Set a post 3 ft long 3 ins square with

Subdivision T. 15 S. R. 7 E. Continued
 Chains

marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S on N. face dug
 pits 18 x 18 x 12 ins E & W. of post 5 $\frac{1}{2}$
 ft dist and raised a mound of
 earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around post
 From which

A mesquite 6 ins diam bears N 20° E 4 $\frac{1}{4}$ lks
 dist. marked $\frac{1}{4}$ S B T.

A mesquite 6 ins. diam bears S. 40° W.
 122 lks dist marked $\frac{1}{4}$ S B T.

80.20 The cor. to secs 3, 4, 9, & 10.

Land level

Soil 2^d rate good grass.

Timber, scattering mesquite & palo verde.

North on a random line bet Secs 3 & 4
 Var. 13° E.

Over level land.

Subdivisions T. 15 S. R. 7 E. - continued

Chains

- 40.60 Set temp $\frac{1}{4}$ sec cor.
- 80.61 Intersect N. boundary of Township
11 lks E of the cor to secs 3, 4, 33 & 34
previously established and described by
me. Thence I run
S. $0^{\circ}05'6''$ on a true line bet Secs 3
& 4 with same Ver.
- 40.61. Set a granite stone 14 X 11 X 6 ins 10 ins
in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on W. side, dug pits 18 X 18 X 12 ins
N & S of stone $5\frac{1}{2}$ ft dist. and raised
a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base alongside.
- From which
A mesquite 8 ins. diam bears N. 32° W.
79 lks dist marked $\frac{1}{4}$ S B F.
A mesquite 8 ins diam bears S. 31° W
60 lks dist marked $\frac{1}{4}$ S B F.
- 80.61 The cor to secs 3, 4, 9 & 10

Subdivisions T. 15 S. R. 10 E. - Continued
Chain

Land level

Soil 2^d rate, good grass

Timber, scattering mesquite.

3rd Feb. 1887

From the Standard cor to Secs 32 & 33 on the South boundary of the Township where I found a wormeaten post with marks very indistinct in place whereof I set a post 4 ft long 4 in square with marked stone 12 in in the ground marked.

S. 6. 15 S. R. 7 E on N.

S 33 on E and

S 32 on W. face with 4 notches on E and 2 notches on W. edges and removed pits and mound of earth

Thence I run

North bet Secs 32 & 33

Subdivisions T. 15 S. R. 7 E. - Continued
 Champs

Var 13° E.

Over level land.

46.00 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground
 for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ S. on W. face
 dry pits 18 x 18 x 12 ins N & S. of post
 5 $\frac{1}{2}$ ft dist. and raised a mound of
 earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around post

From which

A mesquite 6 ins diam bears N 61° W 53
 lks dist. marked $\frac{1}{4}$ S. B. T.

A mesquite 4 ins diam bears N 9° W. 80 lks
 dist. marked $\frac{1}{4}$ S. B. T.

80.00 Set a post 4 ft long 4 ins square with
 marked stone 12 ins in the ground
 for cor to secs 28, 29, 32 & 33 marked
 with 1 notch on S and 4 notches on E
 edges and

T. 15 S. S. 28 on NE

Subdivision T. 15 S. R. 7 E. Continued
 Chaus

R 7 E. S. 33 on SE

S 32 on SW. end

S. 29 on NW. face, dry pits
 18 x 18 x 12 ins in each sec. 5½ ft dist
 and raised a mound of earth 2 ft
 high 4½ ft base around post.

From which

A mesquite 8 ins. diam bears S. 88° W.

144 lks dist marked T. 15 S. R. 7 E. S. 32 B.T.

A mesquite 4 ins. diam bears N. 9° W. 80

lks dist marked T. 15 S. R. 7 E. S. 29 B.T.

A mesquite 6 ins diam bears N. 74° E

305 lks dist marked T. 15 S. R. 7 E. S. 28 B.T.

A mesquite 4 ins diam bears N 81° E 227 lks

dist marked T. 15 S. R. 7 E. S. 28 B.T.

Land level

Soil 2^d rate, good grass

Timber scattering mesquite & palo verde.

Concluded, Book 571.