

No 20.

BOOK 871

No. 871

871

Subdivision
Book II
4-671

FIELD NOTES

GENERAL LAND OFFICE.

T15 South R 7 E

Indexed, Book 866.

Township 155 R. 7E

64

6	104	5	80	4	3	2	1
102		101		78			
7	99	8	77	9	10	11	12
98		96		75			
18	94	17	73	16	15	14	13
93		92		72			
19	90	20	70	21	22	23	24
89		87		68			
30	86	29	66	28	27	26	25
84		83		65			
31	81	32		33	34	35	36

Subdivisions F. 15 S. R. 7 E. continued

East on a random line bet Secs 28 & 33

Var. $13^{\circ} E$.

Over level land.

- 40.00 Set temp $\frac{1}{4}$ Sec cor.
- 42.50 Arroyo 30 lks wide, course $N 15^{\circ} E$.
- 65.00 Arroyo 50 lks wide course $N 30^{\circ} W$.
- 79.96 Intersect N & S line 27 lks N. of the
cor to secs 27. 28. 33 & 34

Then I run

$N. 89^{\circ} 49' W$ on a true line bet Secs
28 & 33 with same Var.

- 39.98 Set a post 3 ft long 3 ins square with
marked stone 12 ins in the ground
for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on N. face
dug pits 18 x 18 x 12 ins E & W. of post
 $5\frac{1}{2}$ ft dist and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post. From which
A meagrite 12 ins diam bears $N 82^{\circ} W$.

Subdivisions T. 15 S. R. 7 E - Continued
 chains

115 lks dist. marked $\frac{1}{4}$ S.B.T.
 No other trees within limits
 79.96. The cor to secs 28, 29, 32 & 33
 Land level
 Soil 2^d rate, good grass.
 Timber, scattering mesquite and
 palo verde.

North bet Secs 28 & 29
 Var 13° E.

Over level land.
 40.00 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground
 for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S on W.
 face, dug pits 18 x 18 x 12 ins N & S
 of post $5\frac{1}{2}$ ft dist and raised
 a mound of earth $1\frac{1}{2}$ ft high.
 $3\frac{1}{2}$ ft base around post

Subdivision T. 15 S. R. 7 E. continued

On axis

From which

A mesquite 6 ins diam bears $S 80^{\circ} W$
121 lks dist. marked $\frac{1}{4}$ S. B. T.

A mesquite 8 ins diam bears $N 88^{\circ} W$
227 lks dist. marked $\frac{1}{4}$ S. B. T.

80.00 Set a post 4 ft long 4 ins square
with marked stone 12 ins in the
ground for cor to secs 20, 21, 28 &
29 marked

T. 15 S. S. 21 on NE

R. 7 E. S. 28 on SE.

S. 29 on SW. and

S. 20 on NW. faces, with
2 notches on S and 4 notches on E
edges, dig pits 18 x 18 x 12 ins in each
sec. 5 $\frac{1}{2}$ ft dist. and raised a
mound of earth 2 ft high 4 $\frac{1}{2}$ ft
base around post.

From which

Subdivision T-15 S. R7E - continued

Chains

A mesquite 8 ins diam bears S. 30° E.

176 lks dist marked T-15 S. R7E S. 28 BT.

A mesquite 8 ins diam bears N. 87° E.

232 lks dist marked T-15 S. R7E S. 21 BT.

A palo verde 12 ins. diam bears N 72° E

328 lks dist. marked T-15 S. R7E S. 21 BT.

A mesquite 12 ins diam bears N 18° W.

121 lks dist marked T-15 S. R7E S. 20 BT.

Land level

Soil 2^d rate, good grass.

Timber scattering mesquite & palo verde

By observation taken this day I find
the magnetic Var to be 13° E.

East on a random line bet Secs 21 & 28

Var 13° E.

Over level land.

Subdivisions T. 15 S. R. 7 E - continued

- 40.00 Set temp $\frac{1}{4}$ Sec cor.
- 73.50. Arroyo 50 lks wide course N.
- 80.09 Intersect N & S line 32 lks N. of the cor to secs 21. 22. 27 & 28
- Fence Run
- N. $89^{\circ}46'$ W. on a true line bet Secs 21 & 28 with same bar.
- 40.05 Set a post 3 ft long 3 ins square with marked stone 12 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S. on N face dug pits 18 x 18 x 12 ins E & W. of post $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.
- From which
- A mesquite 10 ins. diam bears S. 45° E. 33 lks dist marked $\frac{1}{4}$ S B T.
- A mesquite 12 ins diam bears S. 10° E 65 lks dist marked $\frac{1}{4}$ S B T.

Subdivision F. 15 S. R. 7 E. continued
 chains.

80.09

The cor to sec 20. 21. 28 & 29.

Land level

Soil 2^d rate, good grass.

Timber scattering mesquite & palo verde.

North bet Secs 20 & 21

• Mar 13^oE

Over level land.

40.00

Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S on W. face dug
 pits 18 x 18 x 12 ins N & S of stone $5\frac{1}{2}$
 ft dist and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side

From which

A mesquite 6 ins diam bears S. 17^oE
 261 lbs dist marked $\frac{1}{4}$ S. B. F.

Subdivision T. 15 S. R. 7 E - Continued

Chains

No other trees within limits.

80.00 Set a post 4 ft long 4 ins square with marked stone 12 ins in the ground for cor to secs 16. 17. 20 & 21. marked

T. 15 S. S. 16 on NE

R. 7 E S. 21 on SE.

S. 20 on SW and

S. 17 on N.W. faces, with 3 notches on S and 4 notches on E edges, dug pits 18 x 18 x 12 ins in each sec; ^{5 1/2 ft dist.} and raised a mound of earth 2 ft high 4 1/2 ft base around post.

From which

A mesquite 8 ins diam bears N. 80° W.

170 lks dist marked T. 15 S. R. 7 E S. 17 B. 5.

A mesquite 4 ins. diam bears N 28° W. 174

lks dist. marked T. 15 S. R. 7 E S. 17 B. 5.

A mesquite 4 ins diam bears N 24° W. 205 lks

dist marked T. 15 S. R. 7 E S. 7 B. 5.

Subdivision T. 15 S. R. 7 E. continued.

Chains

No other trees within limits

Land level.

Soil 2^d rate, good grass

Timber scattering mesquite & palo verde

East on a random line bet Secs 16 & 21.

Var. $13^{\circ}E$.

Over level land.

40.00. Set temp $\frac{1}{2}$ Sec cor.

63.50 Arroyo 60 lks wide course N.

71.00 Arroyo 150 lks wide course $N15^{\circ}E$.79.97 Intersect N & S line 18 lks N. of the
cor to secs 15. 16. 21 & 22.

Thence I run

 $N. 89^{\circ} 52' W.$ on a true line bet
secs 16 & 21. with same Var.39.98. Set a post 3 ft long 3 ins square
with marked stone 12 ins in the

Subdivisions T. 15 S. R. 7 E - continued

ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S on N. face, dug pits 18 X 18 X 12 ins. E & W. of post 5 $\frac{1}{2}$ ft dist and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around post.

From which

A mesquite 8 ins. diam bears E. 10 lbs dist marked $\frac{1}{4}$ S. B. T.

A mesquite 7 ins diam bears N⁵⁰ W. 46 lbs dist marked $\frac{1}{4}$ S. B. T.

79.97 The cor to secs 16, 17, 20 & 21

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite & palo verde

North bet Secs 16 & 17

Var 13° E.

Over level land.

BOOK 871

Subdivision T. 15 S. R. 7 E. Continued
 Chains

40.00 Set a post 3 ft long 3 ins square
 with marked stone 12 ins in the
 ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S.
 on W. face, dug pits 18 x 18 x 12 ins
 N & S of post 5 $\frac{1}{2}$ ft dist. and raised
 a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
 base around post.

From which

A mesquite 8 ins. diam bears N 46° W
 305 lks dist. marked $\frac{1}{4}$ S.B.F.
 No other trees within limits.

80.00 Set a post 4 ft long 4 ins square
 with marked stone 12 ins in the
 ground for cor to sec 8, 9, 16 & 17
 marked

T. 15 S. S. 9 on NE

R 7 E S. 16 on SE

S. 17 on SW and

S 8 on NW faces with

Subdivision T. 15 S. R. 7 E. continued
 name

4 notches on S and E edges, dug pit
 18 x 18 x 12 ins in each sec 5 1/2 ft dist
 and raised a mound of earth 2 ft
 high 4 1/2 ft base around post.

From which

A mesquite 6 ins diam bears N. 27° E
 97 lks dist marked T. 15 S. R. 7 E S. 9 BT

A mesquite 6 ins diam bears N. 45° E
 218 lks dist marked T. 15 S. R. 7 E S. 9 BT.

No other trees within limits

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite.

East on a random line bet Secs 9 & 16

Var 13° E.

Over level land.

40.00 Set temp 1/4 Sec cor.

Subdivisions T. 15 S. R. 7 E. - continued
 Chams.

79.89 Intersect N & S line 21 lks N. of the
 cor to secs 9, 10, 15 & 16.

Thence I run
 N. $89^{\circ} 51' W.$ on a true line bet secs
 9 & 16 with same bar.

39.95. Set a post 3 ft long 3 ins. square
 with marked stone 12 ins in the
 ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S.
 on N. face, dug pits 18 x 18 x 12 ins
 E & W. of post $5\frac{1}{2}$ ft dist. and
 raised a mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base around post

From which

a mesquite 8 ins. diam bears S. $40^{\circ} E$
 100 lks dist. marked $\frac{1}{4}$ S B.T.

No other trees within limits.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite.

Subdivisions T. 15 S. R. 7 E - Continued
 Chans

North bet Sec 8 & 9

Var. $13^{\circ} E$.

Over level land.

40.00 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground
 for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S. on W.
 face, dig pits 18 x 18 x 12 ins N & S.
 of post $5\frac{1}{2}$ ft dia and raised a
 mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base around post

From which

A mesquite 4 ins. diam bears S. 18°

W. 140 lbs dia. marked $\frac{1}{4}$ S. B. T.

A mesquite 6 ins. diam bears S. 23°

W. 169 lbs dia. marked $\frac{1}{4}$ S. B. T.

80.00 Set a volcanic stone 15 x 10 x 8 ins
 10 ins in the ground for cor to secs.
 4, 5, 8 & 9. marked with 5 notches
 on S and 4 notches on E edges

Subdivisions T. 15 S. R. 7 E. continued
Chains

dry pits 18 x 18 x 12 ins in each sec 5½
ft dist and raised a mound of
earth 2 ft high 4½ ft base around
post.

From which

a mesquite 8 ins diam bears S 9° W.
181 lks dist. marked T. 15 S. R. 7 E. S. 8 BT.

No other trees within limits

Land level

Soil 2^d rate, good grass.

Timber scattering mesquite.

4th Feb 1887

East on a random line bet Secs 4 & 9

Var 13° E.

Over level land.

40.00 Set temp ¼ Sec cor.

80.06 Intersect N & S line 19 lks N of
the cor. to secs 3, 4, 9 & 10.

Subdivisions T. 15 S. R. 7 E - Continued
 Chams

Thence I run

N. $89^{\circ}52'$ W. on a true line bet
 Secs 4 & 9 with same Var.

40.03 Set a post 3 ft long 3 ins. square
 with marked stone 12 ins in the
 ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S
 on N. face, dug pits 18 X 18 X 12 ins
 E & W. of post $5\frac{1}{2}$ ft diam and
 raised a mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base around post

From which

A mesquite 6 ins. diam bears S. 42° W
 130 lks dist marked $\frac{1}{4}$ S B T.

No other trees within limits

80.06 The cor to secs 4, 5, 8 & 9.

Land level

Soil 2^d rate, good grass.

Timber scattering mesquite

Subdivisions P. 15 S. R 7 E - continued
 Chains

North on a random line bet Secs 4 & 5
 Var. $13^{\circ} E$

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.38 Intersect the N. boundary of the Township 18 lks W. of the cor to Secs 4.5. 32 & 33. previously established and described by me
 Thence I run

S. $0^{\circ} 08' W.$ on a true line bet Secs 4 & 5 with same Var.

40.38 Set a post 3 ft long 3 ins square with marked stone 12 ins in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on W. face dug pits $18 \times 18 \times 12$ ins. N & S. of post $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.

Subdivisions T. 15 S. R. 7 E. Continued
chains

From which

A mesquite 4 ins. diam bears N. 3° E
78 lks dist marked $\frac{1}{4}$ S B T.

A mesquite 6 ins. diam bears N. 84° E
221 lks dist marked $\frac{1}{4}$ S B T.

80.38. The cor to secs 4, 5, 8 & 9.

Land level

Soil 2^d rate good grass.

Timber scattering mesquite.

From the Standard cor to secs 31 & 32
on the South boundary of the Township
which is a volcanic stone 15 x 12 x 8
ins previously set by me on account
of there being no post. From

North bet Secs 31 & 32

Var 13° E.

Over level land

Subdivisions T. 15 S. R. 7 E. Continued

Chains

40.00 Set a volcanic stone $14 \times 8 \times 8$ ins
 10 ins in the ground per $\frac{1}{4}$ sec cor.
 marked $\frac{1}{4}$ on W. face, dug pits
 $18 \times 18 \times 12$ ins N & S. of stone
 $5\frac{1}{2}$ ft dist and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 alongside.

From which

A mesquite 6 ins diam. bears $S 62^\circ$
 W. 177 lks dist. marked $\frac{1}{4}$ S B T.
 No other trees within limits.

80.00 Set a volcanic stone $15 \times 14 \times 12$ ins
 10 ins in the ground per cor to
 sec 29. 30. 31. & 32 marked with
 1 notch on S and 5 notches on
 E edges, dug pits $18 \times 18 \times 12$ ins in
 each sec $5\frac{1}{2}$ ft dist and raised
 a mound of earth 2 ft high
 $4\frac{1}{2}$ ft base alongside.

Subdivisions T. 15 S. R. 7 E - Continued
 Chams

Land level

Soil 2^d rate, good grass

Timber scattering mesquite.

East on a random line bet Secs 29 & 32
 Var. 13° E

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.04 Intersect N & S line 19 lks N of
 the cor to secs 28, 29, 32 & 33

Thence I run

N 89° 52' W. on a true line bet Secs
 29 & 32 with same Var.

40.02 Set a post 3 ft long 3 ins. square
 with marked stone 12 ins in the
 ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ S. on N. face, dug pit 18 x 18 x 12
 ins. E & W. of post. 5 $\frac{1}{2}$ ft dist.

Subdivision T15 S. R. 7 E. Continued
 Chains

and raised a mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base around post.

From which

A mesquite 8 ins. diam bears $N. 39^{\circ} W$

152 lks dist marked $\frac{1}{4}$ S/B P.

No other trees within limits.

80.04 The cor to secs 29, 30, 31 & 32.

Land level

Soil 2^d rate, good grass.

Timber scattering mesquite.

West on a random line bet Secs 30 & 31

Var $13^{\circ} E$

40.00 Set temp $\frac{1}{4}$ Sec cor.

79.95 Intersect W. boundary of Township

28 lks N. of the cor to secs 25, 30,

31 & 36 previously established and
 described by me.

Subdivision T. 15 S. R. 7 E - Continued

Thence I run
 N. $89^{\circ}48'6''$ on a true line bet
 Secs 30 & 31 with same Var.
 29. 95. Set a post 3 ft long 3 ins square
 with marked stone 12 ins in the
 ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ S. on N. face, dug pits 18 X 18
 X 12 ins E & W. of post $5\frac{1}{2}$ ft
 dist and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
 post.

29. 95 The cor to secs 29. 30. 31 & 32.

Land level

Soil 2^d rate, good grass

Timber scattering mesquite.

By observation taken this day I find
 the magnetic Var. to be $13^{\circ}E$

Subdivisions T. 15 S. R. 7 E - Continued
 Chains

North bet Secs 29 & 30

Var 13° E

Over level land.

40.00 Set a volcanic stone $18 \times 10 \times 6$ ins
 12 ins in the ground for $\frac{1}{4}$ sec cor
 marked $\frac{1}{4}$ on W. face, dug pits
 $18 \times 18 \times 12$ ins N & S. of stone
 $5\frac{1}{2}$ ft dist and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 alongside.

80.00 Set a volcanic stone $20 \times 10 \times 6$ ins
 15 ins in the ground for cor to
 secs 19. 20. 29. & 30 marked with
 2 notches on S and 5 notches on
 E edges, dug pits $18 \times 18 \times 12$ ins in
 each sec $5\frac{1}{2}$ ft dist. and raised
 a mound of earth 2 ft high $4\frac{1}{2}$ ft
 base alongside.

From which

Subdivisions T.15 S. R.7 E. - Continued
 Name

A mesquite 8 ins. diam bears N. $76\frac{1}{2}^{\circ}$ W
 104 lks dist marked T.15 S. R.7 E S. 19 B. S.

A mesquite 8 ins. diam bears N. 30° E 58
 lks dist marked T.15 S. R.7 E S. 20 B. S.

No other trees within limits.

Land level.

Soil 2^d rate, good grass

Trunks scattering mesquite.

East on a random line bet Secs 20 & 29
 Var 13° E.

Over level land.

40.00 Set temp $\frac{1}{4}$ sec cor.

79.92 Intersect N. & S line 11 lks N. of
 the cor to secs 20, 21, 28 & 29

Thence S run
 N. $89^{\circ} 55'$ W. on a true line bet
 Secs 20 & 29 with same Var.

Subdivision P. 15 S. R. 7 E - Continued

Chains

39.96 Set a post 3 ft long 3 ins square with marked stone 12 ins in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S. on N. face, dug pits 18 X 18 X 12 ins. E & W. of post 5 $\frac{1}{2}$ ft dist and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around post.

From which
 A mesquite 6 ins diam bears S 46°
 W. 194 lbs dist marked $\frac{1}{4}$ S. B. T.
 No other trees within limits.

79.92 The cor to secs 19. 20. 29 & 30.
 Land level.
 Soil 2^d rate, good grass.
 Timber scattering mesquite.

Subdivision T. 15 S. R. 7 E - Continued
Chain

West on a random line bet Secs 19 & 30
Var. $13^{\circ}E$.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.06 Intersect W. boundary line of
Township 23 Tks N. of the cor to secs
19.24.25. & 30 previously established
and described by me.

Thence I run
N. $89^{\circ}50'E$ on a true line bet Secs
19 & 30 with same Var

40.06 Set a post 3 ft long 3 ins. square
with marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S
on N. face, dug pits 18 x 18 x 12 ins
E & W. of post $5\frac{1}{2}$ ft dist and
raised a mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around post
From which

Subdivision T15 S. R7 E - Continued
 Chans

- A mesquite 6 ins diam bears $S40^{\circ}W$.
 115 lbs diet marked $\frac{1}{4}$ S B F.
 80.16 The cor to sec 19. 20. 29 & 30
 Land level
 Soil 2^d rate, good grass.
 Timber scattering mesquite.

North bet Secs 19 & 20
 Var $13^{\circ}E$.

Over level land.

- 40.00 Set a volcanic stone $20 \times 12 \times 8$ ins
 15 ins in the ground for $\frac{1}{4}$ sec cor.
 marked $\frac{1}{4}$ on W. face, dug pits
 $18 \times 18 \times 12$ ins N. & S of stone $5\frac{1}{2}$ ft
 dist and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft here alongside.
 From which
 A palo verde 4 ins diam bears $N30^{\circ}W$

Subdivision T. 15 S. R. 7 E - Continued
 Thoms

107 lks dist marked $\frac{1}{4}$ S B F.

A mesquite 8 ins diam bears N. 47° E.

144 lks dist marked $\frac{1}{4}$ S B F.

80.00

Set a volcanic stone 20 x 12 x 10 ins
 15 ins in the ground for cor to sec

17, 18, 19 & 20 marked with 3 notches
 on S and 5 notches on E edges dug

pits 18 x 18 x 12 ins in each sec 5 $\frac{1}{2}$ ft
 dist and raised a mound of
 earth 2 ft high 4 $\frac{1}{2}$ ft base along side.

From which

A mesquite 8 ins. diam bears S. 50°

N. 169 lks dist marked T. 15 S. R. 7
 E S. 19 B F.

A mesquite 6 ins diam bears S 44°

N. 175 lks dist. marked T. 15 S. R.
 7 E. S. 19 B F.

No other trees within limits

Land, level

Subdivisions T. 15 S. R. 7 E - continued
 chains

Soil 2^d rate, good grass.

Timber, scattering mesquite.

5th Feb 1887

East on a random line bet Secs 17 & 20
 Var 13° E.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

64.50 Wash 20 lbs wide course N. 45° W

80.02. Intersect N & S line & links N
 of the cor to secs 16, 17, 20 & 21.

Thence I run

N. 89° 56' W. on a true line bet Secs
 17 & 20 with same Var.

40.01 Set a post 3 ft long 3 ins. square
 with marked stone 12 ins in the
 ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S
 on N. face, dug pits 18 x 18 x 12 ins
 E & W. of post 5 $\frac{1}{2}$ ft dist and

Subdivision P. 15 S. R. 7 E - Continued
chain

raised a mound of earth 1 1/2 ft high
3 ft high around post.

80.92 The cor to secs 17. 18. 19 & 20.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite and
palo verde.

West on a random line bet Secs 18 & 19
Var 13° E.

Over level land.

40.00 Set temp 1/2 Sec cor.

79.96 Intersect W. boundary of the Township
30 yds N. of the cor. to secs 13. 18. 19 & 24
previously established and described
by me.

Thence I run
N 89° 47' E on a true line bet secs

Subdivisions T. 15 S. R. 7 E. Continued
Chains

18819 with same Ver.

39.96. Set a post 3ft long 3 ins square
with marked stone 12 ins in the
ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S
on N face, dug pits 18 x 18 x 12 ins
E & W of post and raised a
mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

79.96 The cor to secs 17, 18, 19 & 20

Land level

Soil 2^d rate, good grass.

Timber a few mesquite

North bet Secs 17 & 18

W. 13° E.

Over level land.

40.00 Set a volcanic stone 12 x 8 x 6 ins
8 ins in the ground for $\frac{1}{4}$ Sec cor.

Subdivisions T. 15 S. R. 7 East Continued
 names

marked $\frac{1}{4}$ on W. face, dug pits 18
 x 18 x 12 ins. N & S of stone 5 $\frac{1}{2}$ ft
 dist and raised a mound of earth
 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base along side

From which

A mesquite 4 ins. diam bears S 48°
 E 72 lbs dist marked $\frac{1}{4}$ S B T.

A mesquite 6 ins. diam bears S. 70° E
 130 lbs dist marked $\frac{1}{4}$ S B T.

80.00 Set a volcanic stone 18 x 12 x 12 ins
 12 ins in the ground for cor to sec
 7. 8. 17. & 18. marked with 4 notches
 on S. and 5 notches on E edges,
 dug pits 18 x 18 x 12 ins in each
 sec. 5 $\frac{1}{2}$ ft dist and raised a
 mound of earth 2 ft high 4 $\frac{1}{2}$ ft
 base along side

From which

A mesquite 8 ins diam bears N 62°

Subdivisions T. 15 S. R. 7 E - Continued
 Chams

E. 86 lks dist marked T. 15 S. R. 7 E

S. 8 B F.

A mesquite 8 ins diam bears N. 70^o E

267 lks dist marked T. 15 S. R. 7 E

S. 8 B F.

A mesquite 8 ins diam bears S. 17^o E

239 lks dist marked T. 15 S. R. 7 E

S. 17 B F.

A mesquite 6 ins diam bears S.

69^o W. 143 lks dist marked T. 15 S. R. 7 E

S. 18 B F.

Land level

Soil 2^d rate good grass

Timber scattering mesquite.

East on a random line bet Secs 8 & 17

Var 13^o E.

Over level land.

Subdivisions P. 15 S. R. 7 E - Continued

- 40.00 Set temp $\frac{1}{4}$ Sec cor.
- 79.93 Intersect N & S line 23 lks N of
the cor to secs 8, 9, 16, & 17.
Then a S run
N. $89^{\circ}50'$ W. on a true line bet Secs
8 & 17 with same Var.
- 39.96 Set a post 3 ft long 3 in square
with marked stone 12 in in the
ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$
on N. face, dug pits 18 x 18 x 12 in
E & W. of post 5 $\frac{1}{2}$ ft dist and
raised a mound of earth 1 $\frac{1}{2}$ ft
high 3 $\frac{1}{2}$ ft base around post.
From which
A mesquite 6 in diam. bears S. 26° W
97 lks dist marked $\frac{1}{4}$ S. B. F.
A mesquite 5 in diam bears N 60°
W. 146 lks dist marked $\frac{1}{4}$ S. B. F.
- 79.93 The cor to secs 7, 8, 17 & 18

Subdivision T. 15 S. R. 7 E. continued
 Chaus.

Land level

Soil 2^d rate, good grass.

Timber scattering mesquite.

West on a random line bet Secs 7 & 18
 Var. $13^{\circ} E$.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.03 Intersect N. boundary of Township
 27 lks N. of the cor to secs 7, 12, 13 & 18
 previously established and described
 by me

Hence I run

N. $89^{\circ} 49' E$ on a true line bet
 Secs 7 & 18 with same Var.

40.03 Set a post 3 ft long 3 ins square
 with marked stone 12 ins in the
 ground for $\frac{1}{4}$ Sec cor. marked

Subdivisions T. 15 S. R. 7 E - continued

Chains

$\frac{1}{4}$ S on N. face, dug pit 18 x 18 x 12
 ins E. & W. of post 5 $\frac{1}{2}$ ft dist
 and raised a mound of earth
 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around post.

80.03. The cor to secs 7, 8, 17 & 18.

Land level

Soil 2^d rate, good grass.

Timber scattering mesquite.

North bet Secs 7 & 8

Var 13° E.

Over level land.

40.00

Set a volcanic stone 12 x 10 x 6 ins
 8 ins. in the ground for $\frac{1}{4}$ sec
 cor. marked $\frac{1}{4}$ on W. face, dug
 pits 18 x 18 x 12 ins N. & S of stone
 and raised a mound of earth
 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base along side

Subdivision F. 15 S. R. 7 E Continued
 chains

From which

A mesquite 6 in diam bears $N 79^{\circ} W$
 18 lks dist marked $\frac{1}{4}$ S. B. T.

A mesquite 8 in diam bears $N. 49^{\circ} W$
 82 lks dist marked $\frac{1}{4}$ S. B. T.

80.00 Set a volcanic stone $24 \times 10 \times 10$
 ins. 18 in in the ground for cor to
 secs 5, 6, 7 & 8 marked with 5 notches
 on S and E. edges, dug pits $18 \times$
 18×12 ins in each sec $5 \frac{1}{2}$ ft dist
 and raised a mound of earth
 2 ft high $4 \frac{1}{2}$ ft base along a d.

From which

A mesquite 6 in diam bears $S 54^{\circ} E$
 154 lks dist marked F. 15 S. R. 7 E
 S. 8 B. T.

A mesquite 6 in diam bears $S 14^{\circ} W$
 220 lks dist marked F. 15 S. R. 7 E
 S. 7 B. T.

Subdivisions T. 15 S. R. 7 E. Continued

Chains

A mesquite 8 ins diam bears S 50° W.
120 lbs dist marked T. 15 S. R. 7 E.
S. 7 B S.

No other trees within limits.

Land level

Soil 2^d rate, good grass

Timber, scattering mesquite.

East on a random line bet Sec 5 & 8
Nor 13° E.

Ord level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.21 Intersect N & S line 16 lbs N of
the cor to sec 4, 5, 8 & 9.

Thence from

N. 89° 53' W. on a true line bet
Sec 5 & 8 with same Nor.

40.11 Set a post 3 ft long 3 ins square

Subdivision T. 15 S. R. 7 E. Continued
 Chorus

with marked stone 12 ins in
 the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on N. face, dug pits 18 x 18 x 12
 ins E & W. of post $5\frac{1}{2}$ ft dist.
 and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft lane around post

80.21. The cor. to secs 5. 6. 7 & 8.

Land level

Soil 2^d rate, good grass

Timber, scattering mesquite.

West on a random line bet Secs 6 & 7
 Var 13° E.

Over level land

40.00 Set temp $\frac{1}{4}$ sec cor.

78.50 Arroyo 30 lks wide course $N15^{\circ}$ E.

80.10 Intersect W. boundary of Township
 19 lks N. of the cor. to secs 1. 6. 7 & 12

Subdivision T. 15 S. R. 7 E Continued
 chains

previously established and described
 by me.

Thence I run

N. $89^{\circ} 52' E$. on a true line bet Secs
 6 & 7 with same Var.

40.10. Set a post 3 ft long 3 ins square
 with marked stone 12 ins in the
 ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ S. on N. face, dug pits 18 x 18
 x 12 ins E & W. of post $5\frac{1}{2}$ ft dist
 and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
 post.

From which

A mesquite 8 ins diam bears S.
 25 lks dist. marked $\frac{1}{4}$ S B T.

A mesquite 6 ins diam bears N 70°
 E 75 lks dist marked $\frac{1}{4}$ S B T.

80.10 The cor to secs 5-6-7 & 8.

Subdivision T. 15 S. R. 7 E. Continued
Chains

Land level.

Soil 2^d rate, good grass.

Timber scattering mesquite.

North on a random line bet Secs 5 & 6
Var 13° E.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

77.00 Enter volcanic hills (line runs
along S & E slope)

80.31. Intersect the North boundary of
Township 33 N. of the cor to
secs 5, 6, 31 & 32. previously
established and described by me

Thence from
S 0° 14' W. on a true line bet
Secs 5 & 6 with same Var.

40.31 Set a volcanic stone 12x6x8

Subdivision T. 15 S. R. 7 E - continued
 Chains

ins. 8 ins in the ground for $\frac{1}{4}$ Sec
 cor. marked $\frac{1}{4}$ on W. face dug
 pits 18 x 18 x 12 ins N & S. of
 stone and raised a mound
 of earth 12 ft high 32 ft base
 alongside.

From which

A mesquite 8 ins diam bears S 18°
 E. 202 lks dist marked $\frac{1}{4}$ S B D.
 No other trees within limits.
 In cor. to secs 5, 6, 7 & 8.

80.31.

Land level all but 3 cks rocky.

Soil 2^d rate good grass.

Timber scattering mesquite
 and palo verde.

7th Feb 1887

General Description

This township contains a

Subdivisions T. 15 S. R. 7 E Continued

large quantity of good farming and fruit land and with water for irrigating could be made to produce abundant crops.

It is covered with nutritious grasses, white and black grammae on which herds of horses and cattle are pastured. There are no settlers in the Township.

The timber consists of a scattering growth of mesquite and palo verde, fit only for fencing & firewood.

George Proskruge

U. S. Deputy Sur^r

For final oaths see book No. 27

U. S. Surveyor-General's Office,

TUCSON, A. T., June 11th 1888

The foregoing Field Notes of the Surveys of
the subdivision lines of
Township 15 South
Range 7 East.

Gila and Salt River Meridian
in Arizona executed by

George J. Roskrug

U. S. Deputy Surveyor, under his contract dated

June 16th 1886

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Hise

U. S. Surveyor-General
for the Territory of Arizona.