

No. 21

BOOK 872

No. 872

872

Subdivisions
Book I
4-671

FIELD NOTES

GENERAL LAND OFFICE.

Tp 15 South Range 8 East


Index for (BOOK 872
BOOK 873

INDEX

Township 15 South R. & East

6	98	5	72	4	58	3	38	2	21	1
97		96		71		52		36		19
7	94	8	69	9	57	10	35	11	17	12
92		91		68		50		33		16
18	89	17	66	16	48	15	32	14	14	13
88		86		65		47		30		12
19	84	20	63	21	45	22	29	23	11	24
83		81		62		44		28		9
30	80	29	59	28	42	27	26	26	8	25
78		77		58		41		25		6
31	74	32	56	33	40	34	23	35	4	36

For preliminary oaths see book
no. 1.



3rd Standard South

Township Plot.

Meridian Line,

Base Line,

Standard Line,

Township Lines,

Section Lines,

Meander Lines,

No. 872

Field Notes
of the Survey of the
Subdivision Lines
of
Township No 15 South Range 8 East
of the
Gila and Salt River Meridian
of
Arizona Territory
as surveyed by
George J. Postkrug
U. S. Dep. Surv^r

Under his Contract No 2
Dated June 16th, 1886

Survey Commenced Feb 8th 1887.

Survey Completed Feb 14th 1887.

Subdivision T. 15 S. R. 8 E

On the night of Feb 7th 1887
I took an observation on the Star polaris
in accordance with instructions contained
in the manual of surveys, and drove
pickets on the line thus established.

Survey commenced Feb 8th 1887.
with a Young & Sons Solar Transit.

Before commencing this Survey I test my
compass on the line established last night
and find it correct and the Variation
to be $13^{\circ}00'$ East.

I then ran North on a blank line on the
E bdy of Sec 36 and at 40 chs found
the $\frac{1}{4}$ sec. cor. and at 80 chs found the
sec. cor. I then ran West on a blank
line along the South boundary of Sec
36, and at 40 chs found the $\frac{1}{4}$ sec. cor.
and at 80 chs found the Sec. cor. my
compass will therefore run the same

Subdivision T. 15 S. R. 8 E. continued
 chains

line as the Exterior and the adjoining
 acres.

I begin at the Standard cor to secs
 35 & 36 on the S. boundary of the
 Township which is a volcanic stone
 14x10x8 ins firmly set in the ground
 with mound of stone alongside,
 marked S.C. on the N. with 1 notch
 on the E and 5 notches on W. edges
 From which

A pale verde 3 ins. diam bear S. 71° E
 47 pds dist marked T. 16 S R 8 E S 1 B T.

No other trees within limits

Thence I run

North bet Secs 35 & 36

Var. 13° 00' East

Descending from cor. over North slope of
 little volcanic hill

12.00 Foot of hill and enter level land

Subdivision T. 15 S. R. 8 E - continued

- Thames
- 32.50 Arroyo 30 lks wide course S. 40° W.
- 40.00 Set a volcanic stone 12x10x8 ins 8 ins
in the ground for $\frac{1}{2}$ Sec cor. marked $\frac{1}{4}$
on W. face, dug pits 18x18x12 ins. N & S.
of stone 5 $\frac{1}{2}$ ft diam and raised a mound
of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base alongside
- 60.00 Enter Indian corn field bearing E & W.
- 62.00 Arroyo 30 lks wide course E. Indian
hut 1.50 lks East on right bank of Arroyo.
- 65.00 Leave Indian cornfield bearing E & W.
- 72.00 Arroyo 30 lks wide course E.
- 80.00 Set a granite stone 14x10x8 ins 10 ins
in the ground for cor to sec 25. 26. 35 &
36. marked with 1 notch on S and E
edges, dug pits 18x18x12 ins in each
etc 5 $\frac{1}{2}$ ft diam. and raised a mound
of earth 2 ft high 4 $\frac{1}{2}$ ft base alongside
From which
A mesquite 6 ins diam bears N 32° E 165 ft.

Subdivisions T. 15 S. R. 8 E. - continued

Chains

dist. marked T. 15 S. R. 8 E. S. 25 N. T.

A mesquite 4 ins. diam bears S. 57° W

117 lks dist marked T. 15 S. R. 8 E. S. 35 N. T.

No other trees within limits.

Land first 12 chs rocky and hilly, balance level.

Soil 2^d rate, good grass.

Timber, scattering mesquite and palo verde.

East on a random line bet Secs 25 & 26
 Var 13° E.

Over level land.

1.00 Arroyo 20 lks wide course N.

40.00 Set temp $\frac{1}{4}$ sec. cor.

50.00 Enter volcanic hills

80.27 Intersect E boundary of Township 27 lks
 S of the cor. to Secs 25. 30. 31 & 36. pre

Subdivisions T. 15 S. R. 8 E. continued
 main

viously established and described by me

Thence I run

S. $89^{\circ}49'W$. on a true line bet Sec 25 & 36 with same Var.

40.13 Set a Volcanic stone $14 \times 8 \times 6$ ins 10 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on N face, dug pits $18 \times 18 \times 12$ ins E & W. of stone $5\frac{1}{2}$ ft dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside.

From which

An ironwood tree 4 ins diam bears S. $45^{\circ}E$ 96 lks dist marked $\frac{1}{4}$ S 13 T.

No other trees within limits

80.27 The cor. to secs 25. 26. 35 & 36

Land for 50chs level balance rocky volcanic hills. good grass.

Soil 2^d rate on level land, balance worthless
 Timber, scattering mesquite, ironwood and palo verde

Subdivision T. 15 S. R. 8 E - Continued

Chains:

North bet Secs 25 & 26

Var 13° E.

Over level land.

15.00 Hay road (dim) course NE & SW.

40.00 Set a granite stone $12 \times 8 \times 6$ ins 8 ins
in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on W. face and raised a mound
of stone along side. Pits impracticable
From which

A mesquite 6 ins. diam bears N 110° W.54 lbs dist marked $\frac{1}{4}$ S.B.F.A palo verde 6 ins. diam. bears S 25° W.45 lbs dist marked $\frac{1}{4}$ S.B.F.

80.00 Set a granite stone $14 \times 10 \times 8$ ins. 10 ins
in the ground for cor to secs 23, 24, 25 &
26. marked with 2 notches on S and
1 notch on E edge, dug pits $18 \times 18 \times 12$
ins. in each sec. $5\frac{1}{2}$ ft dist and
raised a mound of earth 2 ft high

Subdivisions P. 15 S. R. 8 E. - continued
Chain

4½ ft base alongside.

Land level

Soil 1st and 2^d rate, good grass.

Timber, scattering mesquite, ironwood
and palo-verde, some brush.

East on a random line bet Secs 24 & 25

Var. 13° E.

Over level land.

14.00 Arroyo 30 lks wide, course N 20° W

40.00 Sit temp ¼ sec cor.

52.00 Arroyo 18 lks wide, course N 50° W

58.00 Same arroyo 20 lks wide, course S 70° W.

80.14 Intersect E boundary of Township 14 lks
N. of the cor to secs 19, 24, 25 & 30 previ-
ously established and described by me

Thence I run

N. 89° 54 W. on a new line bet secs 24

Subdivisions T. 15 S. R. 8 E - Continued
Chains

and 25 with same W. r.

40.07. Set a volcanic stone 20x10x6 ins 15 ins
in the ground for $\frac{1}{4}$ Sec cor marked $\frac{1}{4}$ on
N. face, dug pits 18x18x12 ins E & W
of stone 5 $\frac{1}{2}$ ft dist and raised a mound
of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft here along side.

From which

A mesquite 8 ins diam bears N-20° W.

211 lbs dist marked $\frac{1}{4}$ S.B.F.

A palo verde 4 ins. diam bears N. 76° W.

140 lbs dist marked $\frac{1}{4}$ S.B.F.

80.14 The cor. to also 23.24.25 & 26.

Land level.

Soil 1st and 2^d rate, good grass.

Timber, scattering mesquite, ironwood
and palo verde.

Subdivision T. 15 S. R. 8 E - continued
 chains

North bet Secs 23 & 24

Var $13^{\circ} E$.

Over level land.

18.00 Arroyo 30 lks wide, course $N50^{\circ} E$.

40.00 Set a volcanic stone $14 \times 12 \times 8$ ins 10 ins
 in the ground for $\frac{1}{4}$ Sec cor marked $\frac{1}{4}$ on
 W. face dug pits $18 \times 18 \times 12$ ins N. & S of
 stone $5\frac{1}{2}$ ft dist. and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side.

From which

A mesquite 24 ins diam bears $N6^{\circ} W$ 6 lks
 dist. marked $\frac{1}{4}$ S.B.T.

A mesquite 18 ins. diam bears $N4^{\circ} E$ 8 lks
 dist marked $\frac{1}{4}$ S.B.T.

41.00 Line now runs up Arroyo 50 lks wide course
 due north

77.00 Leave arroyo 50 lks wide bearing $N20^{\circ} E$.

80.00 Set a granite stone $12 \times 11 \times 8$ ins 8 ins in
 the ground for cor to secs 13, 14, 23 & 24

Subdivision T. 15 S. R. 8 E - continued

Chains

marked with 3 notches on S and 1 notch
on E edges dug pits 18 x 18 x 12 ins in
each sec 5 $\frac{1}{2}$ ft dist and raised a
mound of earth 2 ft high 4 $\frac{1}{2}$ ft base
alongside

Land, level

Soil 1st and 2^d rate, good grass.

Timber, mesquite, iron wood and palo-
verde.

E on a random line bet Secs 13 & 24

Var. 13° E.

Over level land.

- 2.00 Arroyo 1 ch wide, course N. 10° E
40.00 Set temp. $\frac{1}{4}$ Sec Corr.
49.50 Arroyo 20 lks wide, course N.
80.10 Intersect E boundary of Township
10 lks S. of the cor to secs 13, 18, 19 & 24

Subdivision T-15 S. R. & E. Continued
 Name

previously established and described by me

Thence I run

S. $89^{\circ}56'$ W on a true line bet Secs 13 &
 24 with same var.

40.05 Set a post 3 ft. long 3 ins. square with
 marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on N. face, dug
 pits 18 x 18 x 12 ins E & W. of stone $5\frac{1}{2}$ ft
 dist. and raised a mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base around post.

From which

A mesquite 8 ins diam bears S. 84° W.

173 lbs dist marked $\frac{1}{4}$ S. B. T.

A mesquite 8 ins. diam bears N. 47° W. 152 lbs

dist marked $\frac{1}{4}$ S. B. T.

80.10 The cor. to secs 13. 14. 23 & 24

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite around

Subdivision T. 15 S. R. 8 E. continued

Name

palo verde and some brush.

North bet Secs 13 & 14

W¹³ E.

Over level land.

40.00 Set a granite stone 13 x 10 x 6 ins 9 ins
in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$
on W. face, dug pits 18 x 18 x 12 ins N
& S. of stone $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
alongside.

From which

A mesquite 4 ins. diam bears N 84° W 80 lks
dist marked $\frac{1}{4}$ S. B. T.

A mesquite 4 ins. diam bears N 10° W 41 lks
dist. marked $\frac{1}{4}$ S. B. T.

80.00 Set a volcanic stone 18 x 12 x 10 ins 12 ins
in the ground for cor to secs 11, 12, 13 & 14

Subdivision T. 15 S. R. 8 E. Continued

marked with 4 notches on S and 1 notch on E edge, dry pits 18x18x12 ins in each sec 5 1/2 ft dist. and raised a mound of earth 2 ft high 4 1/2 ft base alongside.

From which

A mesquite 8 ins diam bears N 23° E 66 lbs dist marked T. 15 S. R. 8 E S. 12 BT.

A mesquite 4 ins diam bears S. 65 E 154 lbs dist marked T. 15 S. R. 8 E S. 13 BT.

A mesquite 6 ins diam bears S. 54 E 193 lbs dist marked T. 15 S. R. 8 E S. 13 BT.

No other trees within limits

Land level

Soil, 1st and 2^d rate, good grass.

Timber scattering mesquite, palo verde and some brush.

Subdivision T. 15 S. R. 8 E. Continued
 Chaus.

East on a random line bet Secs 12 & 13
 Var $13^{\circ} E$.

Over level land.

- 9.50. Wash 30 lks wide course $N 10^{\circ} E$.
 40.00 Set temp $\frac{1}{4}$ Sec cor.
 56.00 Arroyo 2 chs wide course $N 30^{\circ} W$.
 66.00 Arroyo 30 lks wide course $N. 10^{\circ} W$.
 80.10 Intersect E boundary of Township
 8 lks N. of the cor to secs 7, 12, 13 & 18.
 previously established and described
 by me

Thoma Iron

$N 89^{\circ} 56' W$. on a true line bet Secs
 12 & 13 with same Var.

- 40.05. Set a volcanic stone $15 \times 10 \times 8$ ins 10 ins
 in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on N. face, dug pits $18 \times 18 \times 12$ ins
 E & W. of stone $5 \frac{1}{2}$ ft diet. and raised
 a mound of earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft

Subdivision T. 15 S. R. 8 E. Continued
 Maus

base alongside.

From which

A mesquite 6 ins diam bears S. 38° W.
 115 lks dist marked $\frac{1}{4}$ S. B. T.

A mesquite 8 ins. diam bears S. 78° W
 172 lks dist. marked $\frac{1}{4}$ S. B. T.

80.10. The cor to secs 11, 12, 13 & 14.

Land level.

Soil 2^d and 3^d rate, good grass.

Timber, scattering mesquite ironwood
 palo verde and some brush.

North bet Secs 11 & 12.

Var 13° E.

Over level land.

40.00 Set a volcanic stone 14 X 11 X 10 ins 10 ins
 in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on W. face, dry pits 18 X 18 X 12 ins

Subdivision T. 15 S. R. 8 E. Contained
Chain

N. & S. of stone $5\frac{1}{2}$ ft dist. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside.

From which

A mesquite 6 ins diam bears S. 60° W
108 lks dist marked $\frac{1}{4}$ S B F.

A mesquite 6 ins. diam bears N. 70° W
51 lks dist. marked $\frac{1}{4}$ S B F.

80.00 Set a volcanic stone $22 \times 22 \times 12$ ins
16 ins in the ground for cor to secs
1-2, 11 & 12. marked with 5 notches on
S and 1 notch on E edges, dug pits 18
 $\times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft dist
and raised a mound of earth 2 ft
high $4\frac{1}{2}$ ft base alongside.

From which

A mesquite 10 ins diam bears S. 40° E.
27 lks dist. marked T. 15 S. R. 8 E. S. 12 B F.

A mesquite 18 ins. diam bears S 45° W.

Subdivision T. 15 S. R. 8 E. Continued
chain

115 lks dist marked T. 15 S. R. 8 E. S. 11 B. T.

No other trees within limits

Land level.

Soil 2^d and 3^d rate, good grass.

Timber scattering mesquite, ironwood
palo verde and some brush.

East on a random line bet Secs 1 & 12

Var $13^{\circ} E$.

Over level land.

10.00 Arroyo 30 lks wide, course $N 10^{\circ} W$.

40.00 Set temp $\frac{1}{4}$ Sec. cor.

80.16 Intersect E boundary of Township 16 lks
S. of the cor. to secs 1. 6. 7. & 12 previously
established and described by me.

Fence I run

S. $89^{\circ} 53' W$ on a true line bet Secs
1 & 2 with same Var.

Subdivision 9.15 S. R & E Contained
 Chain

40.08 Sit a volcanic atom 16x6x5 ins 11 ins
 in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on N. face dug pits 18x18x2 ins
 E & W. of atom 5 $\frac{1}{2}$ ft dist. and raised
 a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
 base alongside.

From which

A mesquite 6 ins diam bears S 23° W
 42 lbs dist marked $\frac{1}{4}$ S.B.T.

A mesquite 8 ins diam bears South
 139 lbs dist. marked $\frac{1}{4}$ S.B.T.

80.16 The cor to sec 1, 2, 11 & 12.

Land level.

Soil 2^d & 3^d rate good grass.

Timber, scattering mesquite cottonwood
 palo verde and some brush.

Subdivisions T. 15 S. R. 8 E. Continued
 Hours

North on a random line bet secs 1 & 2.

Var 13° E.

Over level land.

39.60 Arroyo 20 lks wide, course $N. 10^{\circ} W$

40.00 Set temp $\frac{1}{4}$ Sec. cor.

65.00 Same arroyo 20 lks wide, course $N 20^{\circ} E$

80.25 Intersect N. boundary of Township 11 lks
 W. of the cor to secs 1.2. 35. 36 previously
 established and described by me.

Fence line run

$S. 0^{\circ} 04' W.$ on a true line bet secs 1 & 2
 with same Var.

40.25 Set a volcanic stone $15 \times 14 \times 10$ ins 10 ins
 in the ground for $\frac{1}{4}$ Sec. cor. marked
 $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins N
 & S of stone $5\frac{1}{2}$ ft dist and raised a
 mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 alongside.

From which

Subdivision T. 15 S. R. 8 E Continued
Chain.

A mesquite 8 ins. diam bears S 8° W. 115 lks
dist marked $\frac{1}{4}$ S B T.

A mesquite 8 ins. diam bears N. 20° E 181 lks
dist marked $\frac{1}{4}$ S B T.

80.25 The cor to secs 1, 2, 11 & 12.

Land level

Soil 2^d and 3^d rate; good grass.

Timber, scattering mesquite, ironwood and
palo verde and some brush.

8th Feb 1887.

From the Standard Corner to Secs 34 &
35 on the South boundary of the Township
which is a granite stone 20 x 15 x 10 ins
firmly set in the ground, with pits and
mound of earth as required

From which

An ironwood 6 ins. diam bears S 28° W. 22 lks
dist marked T. 16 S. R. 8 E. S. 3 B T.

Subdivision T. 15 S. R. 8 E. Continued
 Chain

A mesquite 6 ins. diam bears $N 81^{\circ} W 156$
 lks dist marked T. 15 S. R. 8 E S. 34 B S.

A mesquite 8 ins. diam bears $N. 78^{\circ} E 260$
 lks dist. marked T. 15 S. R. 8 E S. 35 B S.

A mesquite 8 ins diam bears $N. 49^{\circ} E 174$
 lks dist. marked T. 15 S. R. 8 E. S. 35 B S.

(This corner was renewed by me when
 running North bet Secs 2 & 3 T. 16 R. 8 E.
 closing on the 3^d Standard and is
 described in my field notes Contract No. 1)

From

North bet Secs. 34 & 35

Var. $13^{\circ} E$.

Over level land

7.50 Hay road course $NE \& SW$.

40.00 Set a volcanic stone $15 \times 8 \times 6$ ins 10 ins
 in the ground for $\frac{1}{4}$ Sec. cor. marked
 $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins N
 $\& S$. of stone $5\frac{1}{2}$ ft dist and revid

Subdivision T. 15 S. R. 10 E. Continued
Chain

a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
along side.

From which

A mesquite 6 ins diam bears S. 74° E 80 lks
dist marked $\frac{1}{4}$ S B T.

A mesquite 6 ins diam bears S. 24° W 22 lks
dist. marked $\frac{1}{4}$ S B T.

48.50 Arroyo 15 lks wide course N. 40° E.

80.00 Set a volcanic stone $20 \times 10 \times 8$ ins 15 ins
in the ground for cor to secs 26. 27. 34
& 35 marked with 1 notch on S and
2 notches on E edges, dug pits $18 \times 18 \times$
 12 ins. in each sec. $5\frac{1}{2}$ ft dist and
raised a mound of earth 2 ft high
 $4\frac{1}{2}$ ft base along side.

From which

A mesquite 4 ins diam bears N. 31° E
96 lks dist marked T. 15 S. R. 8 E S. 26 B T.
No other trees within limits.

Subdivision P. 15 S. R. 10 E. Continued
 Main

Land level

Soil 2^d and 3^d rate, good grass

Timber scattering ironwood and mesquite

East on a random line bet Secs 26 & 35
 Var. 13° E.

Over level land.

24.00 Wash 50 lks wide course North

40.00 Set temp $\frac{1}{4}$ Sec cor.

60.00 Hayroad course N E & S W.

79.91. Intersect N & S line 13 lks N. of the cor-
 to secs 25-26-35 & 36. Thence I run
 N. 89° 55' W on a true line bet Secs
 26 & 35 with same var.

39.96 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground
 for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N. face
 dug pits 18 X 18 X 12 ins E & W. of

BOOK 872

Subdivision T. 15 S R. 8 E continued
 Chain

post $5\frac{1}{2}$ ft diet and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
 post. From which

An ironwood 6 ins diam bears $N6^{\circ}E$
 120 lbs marked $\frac{1}{4}$ S. B. T.

No other trees within limits.

79.91 The cor to secs 26, 27, 34 & 35

Land, level

Soil 2^d rate, good grass.

Timber, scattering mesquite and ironwood

North bet Secs 26 & 27

Var. $13^{\circ}E$

Over level land

40.00 Set a volcanic stone $14 \times 8 \times 4$ ins 10 ins
 in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins N
 & S of stone $5\frac{1}{2}$ ft diet and raised

Syldivisorius P. 15 S. R 8 E Continued
Chains

a mound of earth 1½ ft high 3½ ft base along side.

65.00 Arroyo 15 lks wide, course N 60° E.

80.00 Set a volcanic stone 20 x 14 x 4 in
 15 in in the ground for cor to sec
 22. 23. 26 & 27 marked with 2 notches
 on S and E edges dry pits 18 x 18 x 12
 ins. in each sec 5½ ft dist and raised
 a mound of earth 2 ft high 4½ ft base
 along side.

From which

A palo verde 6 ins. diam bears S 34° W
 91 lks dist. marked T. 15 S. R 8 E S. 27 B T.

A mesquite 10 ins diam bears S. 75° W

240 lks dist. marked T. 15 S. R 8 E S 27 B T

No other trees within limits.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite and palo verde

Subdivision T. 15 S. R. 8 E. Continued
 Chaus

East on a random line bet Secs 23 & 26

Var $13^{\circ} E$

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

53.00 Arroyo 30 lks wide, course $N 50^{\circ} E$.

79.96 Intersect N & S. line 11 lks S. of the cor
 to secs 23, 24, 25 & 26.

Thence I run

S. $89^{\circ} 55' W$. on a true line bet Secs 23
 & 26 with same Var.

39.98 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on N. face, dug
 pits 18 x 18 x 12 ins. E & W. of post $5\frac{1}{2}$ ft
 dist. and raised a mound of earth
 12 ft high $3\frac{1}{2}$ ft base around post.

From which

A mesquite 8 ins. diam bears N. 37 lks
 dist marked $\frac{1}{4}$ S B T.

Subdivisions P. 15 S. R. 8 E - Continued
 Chaus

No other trees within limits.

79.96 The cor to secs 22.23.26 & 27.

Land level.

Soil 2^d rate, good grass.

Timber, scattering mesquite & palo verde.

North bit Secs 22 & 23

Var 13° E.

Over level land.

40.00 Set a volcanic stone 14 x 8 x 6 ins 10 ins
 in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$
 on W. face, dug pits 18 x 18 x 12 ins N
 & S. of stone 5 $\frac{1}{2}$ ft dist, and raised
 a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
 base along side.

From which

A mesquite 6 ins diam bears N 9° E 75 lbs
 dist. marked $\frac{1}{4}$ S. B. T.

Subdivision T. 15 S. R. 8 E. Contained
Plains

A mesquite 4 ins. diam bears N. 80° W 184 lks
 dist. marked $\frac{1}{4}$ S B T.

80.60 Set a volcanic stone 18 x 8 x 6 ins. 12 ins in
 the ground for cor to secs 14, 15, 22 & 23
 marked with 3 notches on S and 2 notches
 on E edges, dug pits 18 x 18 x 12 ins in each
 sec. $5\frac{1}{2}$ ft dist and raised a mound of
 earth 2 ft high $4\frac{1}{2}$ ft base, along side.

From which

A mesquite 6 ins diam bears N. 10° E 196 lks
 dist marked T. 15 S. R. 8 E S. 14 B. T.

No other trees within limits.

Land level

Soil 2^d rate, good grass.

Timber a few mesquites

East on a random line bet Secs 14 & 23.

Var. 13° E.

Subdivisions T. 150 R. 8 E. Continued
Main

Over level land

40.00 Set temp $\frac{1}{4}$ Sec cor.

79.90 Intersect N & S line 16 lks N. of the cor
to secs 13. 14. 23 & 24.

Thence I run

N. $89^{\circ}53'$ W. on a true line bet Secs 14 &
23 with same Var.

39.95 Set a post 3 ft long, 3 ins. square with
marked stone 12 ins in the ground for
 $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on N. face dug pits
18 x 18 x 12 ins. E & W. of post $5\frac{1}{2}$ ft diam
and raised a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft high around post

79.90 The cor to secs 14. 15. 22 & 23

Land level

Soil 2^d rate good grass.

Timber a few mesquite and some brush

Subdivision T₁₅ R₈ E₆ continued
Cham.

North bet Secs 14 & 15

Var. 13° E.

Over level land.

40.00 Set a volcanic stone 18 x 10 x 5 ins 12 ins
in the ground for $\frac{1}{4}$ Sec marked $\frac{1}{4}$ on
W. face dug pits 18 x 18 x 12 ins N & S
of stone 5 $\frac{1}{2}$ ft dist and raised a mound
of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base along side
From which

A mesquite 4 ins diam bears S 5° E 167 lks
dist marked $\frac{1}{4}$ S. B. T.

A mesquite 4 ins diam bears N. 85° E 240 lks
dist. marked $\frac{1}{4}$ S. B. T.

80.00. Set a volcanic stone 18 x 12 x 4 ins 12 ins
in the ground for cor to sec 10. 11. 14 &
15 marked with 4 notches on the S
and 2 notches on the E edges, dug pits
18 x 18 x 12 ins in each sec 5 $\frac{1}{2}$ ft dist.
and raised a mound of earth 2 ft

Subdivision T. 15 S. R. 8 E. Continued

Chains

high $4\frac{1}{2}$ ft base alongside.

From which

A mesquite 4 ins diam bears N. 87° W.

125 lks dist marked T 15 S. R 8 E S 10/35

No other trees within limits.

Land level

Soil 2^d rate good grass

Timber scattering mesquite & some brush

East on a random line bet secs 11 & 14

Var 13° E.

Over level land

17.00 Aery 30 lks wide course N. 10° W.

40.00 Set temp $\frac{1}{4}$ Sec cor.

72.98 Intersect N & S line 9 lks N. of the cor to

also 11. 12. 13 & 14

Thence I run

N $89^{\circ} 56'$ W. on a true line bet Secs 11 & 14

with same Var.

Subdivision T. 15 S. R. 8 E - continued
Chains

39.99 Set a post 3 ft long 3 ins. square with marked
at one 12 ins in the ground for $\frac{1}{4}$ Sec cor.
marked $\frac{1}{4}$ S. on N. face, dig pits 18 x 18 x
12 ins. E & W. of post $5\frac{1}{2}$ ft dist. and
raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
ft base around post.

From which

A mesquite 6 ins diam bears S. 45° W. 58 Uts
dist marked $\frac{1}{4}$ S. B. T.

A mesquite 6 ins diam bears N 16° E 76 Uts
dist marked $\frac{1}{4}$ S. B. T.

79.98 The cor to secs 10. 11. 14 & 15

Land, level.

Soil 2^d rate, good grass.

Timber scattering mesquite and some brush.

By observation taken this day I find the
magnetic var. to be $13^{\circ} 00'$ E.

Subdivision P. 15 S. R. 8 E - Continued

North bet Secs 10 & 11

Var 13° E.

Over level land

40.00 Set a volcanic stone $14 \times 8 \times 4$ ins 10 ins in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ on W face, dug pits $18 \times 18 \times 12$ ins N & S of stone $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base, along side.

From which

A mesquite 16 ins diam. bears $N 75^{\circ} E 124$ lks dist. marked $\frac{1}{4}$ S B F.

A mesquite 10 ins diam. bears $S 60^{\circ} E 136$ lks dist. marked $\frac{1}{4}$ S B F.

73.00 Arroyo 30 lks wide, course $N 45^{\circ} W$

80.00 Set a granite stone $14 \times 10 \times 8$ ins. 10 ins in the ground for cor to secs 2, 3, 10 & 11 marked with 5 notches on S and 2 notches on E edges, dug pits $18 \times 18 \times 12$ ins in each sec. $5\frac{1}{2}$ ft dist. and raised a mound of

Subdivision T. 15 S. R. 8 E. Continued
Chains.

earth 2 ft high $4\frac{1}{2}$ ft base along side.

From which

A mesquite 6 ins. diam bears S. 3° E. 15 lks
dist marked T. 15 S. R. 8 E. S. 11 BT.

A mesquite 8 ins. diam bears S. 26° W. 77 lks
dist. marked T. 15 S. R. 8 E. S. 10 BT.

A mesquite 8 ins diam bears S. 37° W. 86 lks
dist. marked T. 15 S. R. 8 E. S. 10 BT.

No other trees within limits.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite, palo verde
and some bucks.

East on a random line bet Secs 28 & 11

Var 13° E.

Over level land

40.00 Set temp $\frac{1}{4}$ Sec cor.

Subdivision P. 15 S. R. 10 E. Continued

79.94 Intersect N & S line 18 lks S of the cor to
secs 1. 2. 11 & 12.

Thence I run

S. $89^{\circ} 52'$ W. on a true line bet Secs 2 & 11
with same Var.

79.97 Set a post 3 ft long 3 ins. square with
marked about 12 ins in the ground for $\frac{1}{4}$
Sec cor. marked $\frac{1}{4}$ S. on N. face dug
pits 18 x 18 x 12 ins E & W. of stone $5\frac{1}{2}$ ft
dist and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.

From which

A mesquite 8 ins diam bears N 30° E 31 lks
dist marked $\frac{1}{4}$ S. B. T.

A mesquite 6 ins diam bears N 40° W. 86 lks
dist marked $\frac{1}{4}$ S. B. T.

79.94 The cor to secs 2. 3. 10 & 11

Land, level

Soil 2^d rate, good grass.

Subdivisions T. 15 S. R. 8 E. Continued
Chains.

Timber, scattering mesquite and Brush.

North on a random line bet Secs 2 & 3.

Var $13^{\circ} E$.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.40 Intersect. N. boundary of Township 35
lks E. of the cor to secs 2, 3, 34 & 35.

previously established and described by
me. Thence I run

$S 0^{\circ} 15' E$ on a true line bet Secs 2 & 3
with same Var.

40.40 Set a granite stone $15 \times 8 \times 4$ ins 10 ins
in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$
on W face, dug pits $18 \times 18 \times 12$ ins. N
& S of stone $5 \frac{1}{2}$ ft dist and raised
a mound of earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft
base, along side.

Subdivisions T. 15 S. R. 8 E. Continued

name

From which

A mesquite 6 ins. diam bears N. 62° E 142

Its dist. marked $\frac{1}{4}$ S B T.

A mesquite 7 ins. diam bears N. 68° E 145

Its dist. marked $\frac{1}{4}$ S B T

80.40 The cor to secs 2, 3, 10 & 11

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite and some
Brush.

From the Standard cor to secs 33 & 34 on
the S. boundary of the Township which is
a post 4 x 4 ins. firmly set in the ground
marked

S. 6. T. 15 S. R. 8 E on N.

S 34 on E and

S. 33 on W. faces with 3 notches

Subdivision T. 15 S R. 8 E. Continued
Chains.

on E & W. wedges, with pits 18 x 18 x 12 ins
N. - E & W. of post 5 1/2 ft dist and mound
of earth 2 ft high 4 1/2 ft base around post

From which

A mesquite 8 ins diam bears N 48° E 163 lbs
dist marked T. 15 S R. 8 E. S 34 B T.

No other trees within limits

From

North bet Sec 33 & 34

Var. 13° E

Over level land

40.00 Set a lime stone 14 x 10 x 4 ins. 10 ins in
the ground for 1/4 Sec cor. marked 1/4 on
W. face, dug pits 18 x 18 x 12 ins N & S of
stone 5 1/2 ft dist. and raised a mound
of earth 1 1/2 ft high 3 1/2 ft base along side.

From which

A mesquite 6 ins. diam bears N 83° E 150
lbs dist marked 1/4 S B T.

Subdivision T. 15 S R 8 E - Continued
 Chains

- A mesquite 10 ins diam bears N. 22° W. 310
 lks dist marked $\frac{1}{4}$ S B S.
- 80.00 Set a limestone 16 x 12 x 4 ins 12 ins in
 the ground for cor to secs 27, 28, 33 & 34
 marked with 1 notch on S and 3 notches
 on E edges, dug pits 18 x 18 x 12 ins in
 each sec 5 $\frac{1}{2}$ ft dist and raised a mound
 of earth 2 ft high 4 $\frac{1}{2}$ ft base along side
 Land level
 Soil 2^d rate good grass
 Timber a few mesquite

East on a random line bet Secs 27 & 34

Var 13° E.

Over level land.

- 40.00 Set temp $\frac{1}{4}$ Sec cor
- 80.15 Intersect N & S line 20 lks S. of the
 cor to secs 26, 27, 34 & 35.

Subdivision T. 15 S. R. 8 E. Containing a
chain.

Thence I run

S. $89^{\circ}51'$ W. on a true line bet Secs
27 & 34 with show bar.

40.08 Set a post 3 ft long 3 ins square with
marked stone 12 ins in the ground for
 $\frac{1}{2}$ Sec cor. marked $\frac{1}{2}$ on N. face, dug
pits 18 X 18 X 12 ins E & W. of post
 $5\frac{1}{2}$ ft dist and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft here
around post

80.15 The cor to secs 27. 28. 33 & 34

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite

9th Feb 1857

North bet Secs 27 & 28

Var. 13° E.

Over level land

Subdivision T-15 S. R8E - Continued

Chains

70.00 Set a limestone $20 \times 6 \times 5$ ins. 15 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins N & S of stone $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside.

80.00 Set a limestone $18 \times 12 \times 6$ ins 12 ins in the ground for cor to secs 21. 22. 27 & 28 marked with 2 notches on S and 3 notches on E edges, dug pits $18 \times 18 \times 12$ ins. in each sec $5\frac{1}{2}$ ft dist and raised a mound of earth 2 ft high $4\frac{1}{2}$ ft base alongside

From which

A mesquite 4 ins diam bears S 19° E
75 lks dist marked T-15 S. R8E S. 27 1/2
No other trees within limits.

Land level

Soil 2^d rate, good grass.

Subdivision T. 15 S. R. 8 E. Continued
Main.

Timber, very few mesquite

East on a random line bet Secs 22 & 27

Var $13^{\circ}E$.

Over level land

40.00 Set temp $\frac{1}{4}$ Sec cor.

79.89. Intersect N & S line at 16 lks N. of the
cor to secs 22. 23. 26 & 27.

Thence from

$N 89^{\circ} 53' W$. on a true line bet Secs 22
& 27 with same Var.

39.95. Set a post 3 ft long 3 ins square with
marked stone 12 ins in the ground
for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S on N. face
dig pits 18 x 18 x 12 ins. E & W. of
post. $5\frac{1}{2}$ ft dia and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post

Subdivision T. 15 S. R. 8 E. Continued

79-89

The cor to secs 21-22, 27, & 28

Land level.

Soil 2^d rate, good grass.

Timber a few mesquite.

North bet Secs 21 & 22.

Var. 13° E.

Over level land.

40.00

Set a limestone 15 x 10 x 4 ins. 10 ins
in the ground for $\frac{1}{4}$ Sec. cor. marked
 $\frac{1}{4}$ on W. face, dug pits 18 x 18 x 12 ins N
& S. of stone 5 $\frac{1}{2}$ ft dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
base along side

From which

A mesquite 6 ins diam bears N 72° W.
103 lks dist. marked $\frac{1}{4}$ S B T.

A mesquite 4 ins diam bears S 83° E

Subdivision T. 15 S. R. 8 E. Continued
Chains.

118 lks dist; marked $\frac{1}{2}$ SBT.

80.00 Set a limestone $20 \times 12 \times 4$ ins 15 ins in
 the ground for cor to sec 15. 16. 21 &
 22 marked with 3 notches on S and
 E edges, dug pits $18 \times 18 \times 12$ ins in each
 sec $5\frac{1}{2}$ ft dist and raised a mound
 of earth 2 ft high $4\frac{1}{2}$ ft here alongside.
 From which

A mesquite 8 ins diam bears $N54^{\circ}W$
 73 lks dist marked T. 15 S. R. 8 E. S. 16 B.T.

A mesquite 4 ins diam bears $N. 7^{\circ} W. 185$
 lks dist. marked T. 15 S. R. 8 E. S. 16 B.T.

A mesquite 6 ins diam bears $N. 72^{\circ} W. 103$
 lks dist. marked T. 15 S. R. 8 E. S. 16 B.T.

A mesquite 4 ins diam bears $S 83^{\circ} E 118$
 lks dist marked T. 15 S. R. 8 E. S. 22 B.T.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite and

Subdivision 15 S. R & E Continued
 chains

palo-verde.

East on a random line bet Secs 15 & 22

Var. $13^{\circ} E$

Over level land.

40.00 Set temp to Sec cor.

80.09 I intersect N & S line 11 lks S. of the cor
 to secs 14. 15. 22 & 23

Thence I run

S. $89^{\circ} 55' W.$ on a true line bet Secs
 15 & 22 with same Var.

40.05 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground
 for $\frac{1}{4}$ Sec cor marked $\frac{1}{4}$ S. on N. face
 dry pits 18 x 18 x 12 ins E & W. of post
 $5\frac{1}{2}$ ft-dist. and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post.

BOOK 872

Subdivision T. 15 S. R. 8 E. Continued
 Plans

From which

A mesquite 4 ins. diam bears $S 80^{\circ} W$
 90 lks dist marked $\frac{1}{4}$ S.B.T.

A mesquite 6 ins. diam bears $N 82^{\circ} E 93$
 lks dist marked $\frac{1}{4}$ S.B.T.

80.09 The cor to secs 15-16-21 & 22.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite

North bet Secs 15 & 16

Var $13^{\circ} E$

Over level land.

70.00 Set a line stone $14 \times 12 \times 4$ ins 10 ins
 in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins
 N & S of stone $5 \frac{1}{2}$ ft dist and
 raised a mound of earth $1 \frac{1}{2}$ ft

Subdivision 15 S. R8E - Continued
 chains

high $3\frac{1}{2}$ ft base along side.

From which

A mesquite 6 ins diam bears $N55^\circ W$
 21 lks dist marked $\frac{1}{4}$ S B T.

A mesquite 3 ins. diam bears $S8^\circ E$
 149 lks dist. marked $\frac{1}{4}$ S B T.

80.00 Set a limestone $20 \times 10 \times 5$ ins 15 ins
 in the ground for cor to secs 9, 10, 15
 & 16 marked with 4 notches on S and
 3 notches on E edges, dug pits 18×18
 $\times 12$ ins in each sec $5\frac{1}{2}$ ft dist and
 raised a mound of earth 2 ft high
 $4\frac{1}{2}$ ft base along side.

Land level

Soil 2^d rate, good grass.

Timber scattering mesquite.

By observation taken this day I find

Subdivision T. 15 S. R. 8 E. Continued
 Chaus

the magnetic Var. to be 13° E.

East on a random line bet Secs 10 & 15

Var 13° E.

Over level land.

18.00 Arroyo 20 fms wide, course $N10^{\circ}$ W.

40.00 Set temp to Sec cor.

79.88 Intersect N & S line 21 fms S. of the
 cor to secs 10, 11, 14, & 15.

Thence I run

$S. 89^{\circ} 51'$ W. on a true line bet Secs
 10 & 15 with same Var.

39.94 Set a post 3 ft long 3 ins square
 with marked stone 12 ins in the ground
 for $\frac{1}{4}$ Sec cor. marked ~~to~~ on N. face
 dug pits 18 x 18 x 12 ins E & W. of
 stone $5\frac{1}{2}$ ft dist. and raised a
 mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post.

Subdivision P. 15 S. R. 8 E. Continued
 Chas

79.88. The cor to secs 9. 10. 15 & 16.

Land level

Soil 2^a rate, good grass.

Timber scattering mesquite.

North bet Secs 9 & 10

Var 13° E

Over level land

40.00 Set a limestone 12 x 8 x 6 ins 8 ins. in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on W face, dug pits 18 x 18 x 12 ins N & S of stone 5 $\frac{1}{2}$ ft dist and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base along side
 From which

A mesquite 6 ins. diam bears N 81° E
 45 lks dist. marked $\frac{1}{4}$ S B F.

A mesquite 10 ins diam bears N 9° E
 87 lks dist marked $\frac{1}{4}$ S B F.

BOOK 872

Subdivisions T. 15 S. R. 8 E. Continued
Chairs.

80.00 Set a limestone $12 \times 8 \times 8$ ins. 8 ins in the ground for cor to secs. 3, 4, 9 & 10 marked with 5 notches on S and 3 notches on E edges, dug pits $18 \times 18 \times 12$ ins in each sec $5 \frac{1}{2}$ ft dist and raised a mound of earth 2 ft high $4 \frac{1}{2}$ ft base, alongside.

Land level

Soil 2^d rate, good grass.

Timber, a few mesquites.

East on a random line bet Secs 3 & 10

Var 13° E.

Over level land.

13.50 Arroyo 20 lks wide, course $N 10^\circ W$

33.00 Arroyo 30 lks wide, course $N 45^\circ W$.

40.00 Set temp $\frac{1}{4}$ Sec cor.

73.00 Arroyo 20 lks wide course $N 45^\circ W$.

80.10 Intersect N & S line 14 lks N. of the

Subdivision T-15 S. R. 8 E. Continued
 these

cor to secs 2, 3, 10 & 11.

Thence I run

N. $89^{\circ}54'W$ on a true line bet Secs 3
& 10 with same Var.

40.05 Set a volcanic stone $16 \times 6 \times 5$ ins 11 ins
in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$
on N. face, dug pits $18 \times 18 \times 12$ ins E &
W. of stone $5\frac{1}{2}$ ft dia and raised a
mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
along side.

80.10 Thence cor to secs 3, 4, 9 & 10

Land level

Soil 2^d rate, good grass.

Timber a few mesquites

North on a random line bet Secs 3 & 4

Var $13^{\circ}E$.

Over level land.

Subdivision T. 15 S. R. 8 E. Continued
Chains

36.00 Arroyo 20 lks wide, course $N50^{\circ}W$.

40.00 Set temp $\frac{1}{4}$ Sec cor.

74.00 Arroyo 10 lks wide course $N70^{\circ}W$

80.70. Intersect N. boundary of Township 15 lks
 E of the cor. to secs 3. 4. 33. & 34 previous
 by established and described by me

Thence I run

$S. 0^{\circ}06'E$ on a true line bet Secs 3 & 4
 with same Var.

40.70 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground
 for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S. on W. face
 dug pits 18 x 18 x 12 ins N & S of post.
 $5\frac{1}{2}$ ft dist. and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
 post

From which

A mesquite 4 ins diam bears $N85^{\circ}E$
 118 lks dist. marked $\frac{1}{4}$ S B F.

Subdivisions T. 15 S. R. 8 E. Continued
 Chain

A mesquite 6 ins. diam bears S. 72° W
 121 lks dist. marked $\frac{1}{4}$ S.B.T.

80.70 The cor. to secs 3, 4, 9 & 10

Land level,

Soil 2^d rate, good grass.

Timber a few mesquites.

From the Standard Cor. to Secs 32 &
 33 on the S. boundary of the Township
 where I found a post (badly rotted) and
 which I replace by a granite stone 15 x
 6 x 6 ins 10 ins. set in the ground marked
 S.E. on N. face with 4 notches on E and
 2 notches on W. edges and removed pits
 and mound of earth

From which

A post reads 4 ins. diam bears N 34° W
 lks dist. marked T. 15 S. R. 8 E S. 32 B.T.

Sydney's in T. 15 S. R. 8 E. Continued
 Chas.

No other trees within limits

From

North bet Secs 32 & 33

Var 13° E.

Over level land

40.00 Set a limestone 12 x 8 x 8 ins. 8 ins in the ground for $\frac{1}{2}$ Sec cor marked $\frac{1}{4}$ on W. face, dug pits 18 x 18 x 12 ins N. & S of stone $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside
 From which

A mesquite 6 ins. diam bears N. 15° E 120
 lks dist. marked $\frac{1}{2}$ S 135.

No other trees within limits.

80.00 Set a post $\frac{1}{2}$ ft long 4 ins square with marked stone 12 ins in the ground for cor to secs 28, 29, 32, 33. marked
 9.15 S S. 28 on NE
 R 8 E S. 33 on SE

Subdivisions T. 15 S. R. 8 E. Continued

S. 32 on S W. and

S. 29 on N W. face with 1 notch
on S and 4 notches on E edge, dry pits
18 x 18 x 12 ins in each sec $5\frac{1}{2}$ ft dist and
raised a mound of earth 2 ft high $4\frac{1}{2}$ ft
base around post

From which

A palo verde 10 ins. diam bears S. 45° E 203
lks dist marked T. 15 S. R. 8 E. S. 33 B T.

A palo verde 6 ins. diam bears N 83° E. 75 lks
dist marked T. 15 S. R. 8 E. S. 28 B T.

A palo verde 6 ins. diam bears N 80° E 75 lks
dist. marked T. 15 S. R. 8 E. S. 28 B T.

A palo verde 12 ins diam bears N. 46° E 157 lks
dist marked T. 15 S. R. 8 E. S. 28 B T.

Land level.

Soil 2^d rate, good grass

Timber scattering mesquite & palo verde.

10th Feby 1887.

Subdivision P. 15 S. R. 8 E Continued
Chain

East on a random line bet Secs 28 & 33.

Var $13^{\circ} E$

Over level land.

- 0-75 Arroyo 50 lks wide course $N. 40^{\circ} W.$
 40-00. Set temp $\frac{1}{4}$ Sec cor.
 41-00 Arroyo 40 lks wide course $N.$
 80-21. Intersect $N \& S$ line 114 lks $N.$ of the
 cor to secs 27, 28, 33 & 34.

Thence I run

$N 89^{\circ} 11' W.$ on a true line bet Secs 28 &
 33 with same Var.

{Note. The error in closing is caused by
 an error in Standard line run by Dep.
 Surv^r J. B. McLaughlin - the cor at secs
 32 & 33 being 130 lks $N.$ of the cor. to secs
 33 & 34 and this same error will run
 through the tier of secs North to the
 Township line.

- 40.11 Set a post 3 ft long 3 in square with

Subdivision T. 15 S. R. 8 E Continued
 Name

marked stone 12 ins. in the ground for
 $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on N. face, dug
 pits 18 x 18 x 12 ins E & W. of post 5 $\frac{1}{2}$ ft. dist.
 and raised a mound of earth 1 $\frac{1}{2}$ ft high
 3 $\frac{1}{2}$ ft base, around post.

From which

A mesquite 6 ins diam bears N 88° E 190
 1/4 sec dist. marked $\frac{1}{4}$ S B T.

A mesquite 6 ins. diam bears N 82° E 215
 1/4 sec dist marked $\frac{1}{4}$ S B T.

80-21. The cor. to secs 28, 29, 32 & 33

Land level.

Soil 2^d rate, good grass.

Timber, scattering mesquite & palo verde.

North bet Secs 28 & 29

Var. 13° E

Over level land

Subdivision T. 15 S. R. 8 E. Continued
Trans.

- 0.50 Line crosses West bend of arroyo.
 11.50 Same arroyo 30 lks wide, course $N 30^{\circ} W$
 16.00 Same arroyo 30 lks wide course $N 30^{\circ} E$
 35.00 Same arroyo 30 lks wide course $N 40^{\circ} W$
 40.00 Set a granite stone $13 \times 12 \times 12$ ins 9 ins
 in the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on
 W. face, dug pits $18 \times 18 \times 12$ ins N. & S of
 stone $5\frac{1}{2}$ ft dist and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side.

From which

A mesquite 8 ins diam bears $N 30^{\circ} E 106$
 lks dist marked $\frac{1}{4}$ S B T.

A mesquite 3 ins diam. bears $S. 77^{\circ} E$
 9 lks dist marked $\frac{1}{4}$ S B T.

- 80.00 Set a post 4 ft long 4 ins. square
 with marked stone 12 ins in the ground
 for cor to secs 20, 21, 28 & 29 marked
 T. 15 S. 21 on NE
 R 8 E. S 28 on SE

Concluded, Book 873