

No. 22

BOOK 873

No. 873

873

Subdivisions

Book II

4-671

FIELD NOTES

GENERAL LAND OFFICE.

Tp 15 South Range 8 East

60.

Indexed Book 872

Township 155 R. 8E

| | | | | | | | |
|----|----|----|----|----|----|----|----|
| 6 | 98 | 5 | 72 | 4 | 3 | 2 | 1 |
| 97 | 96 | 71 | | | | | |
| 7 | 94 | 8 | 69 | 9 | 10 | 11 | 12 |
| 92 | 91 | 68 | | | | | |
| 18 | 89 | 17 | 66 | 16 | 15 | 14 | 13 |
| 88 | 86 | 65 | | | | | |
| 19 | 84 | 20 | 63 | 21 | 22 | 23 | 24 |
| 83 | 81 | 62 | | | | | |
| 30 | 80 | 29 | 61 | 28 | 27 | 26 | 25 |
| 78 | 77 | | | | | | |
| 31 | 74 | 32 | 33 | 34 | 35 | 36 | |

Subdivision T. 15 S. R. 8 E. Continued

S. 29 on SW and

S. 20 on N. W. face, with 2 notches on S and 4 notches on E edges, dug pits $18 \times 15 \times 12$ ins. in each sec $5\frac{1}{2}$ ft dist and raised a mound of earth 2 ft high $4\frac{1}{2}$ ft base around post

From which

A mesquite 6 ins diam bears $S 86^\circ E 114$ lks
dist marked T. 15 S R 8 E. S. 28 B T.

A mesquite 7 ins diam bears $N 80^\circ E 257$ lks
dist marked T. 15 S R 8 E S. 21 B T.

A mesquite 6 ins. diam bears $N 18^\circ E 249$ lks
dist marked T. 15 S R 8 E S. 21 B T.

A mesquite 8 ins diam bears $N 41^\circ W. 64$ lks
dist marked T. 15 S. R 8 E. S. 20 B T.

Land level

Soil 2^d rate good grass.

Timber scattering mesquite & palo verde.

Subdivision T. 15 S. R. 5 E - Continued

Chains

East on a random line bet Secs 21 & 28
Var $13^{\circ}E$.

Over level land.

40.60 Set temp $\frac{1}{4}$ Sec cor.

80.03 Intersect N & S line 121 lks N. of
the cor to secs 21, 22, 27 & 28

Thence I run

N. $89^{\circ}08'W$. on a true line bet Secs 21
& 28 with same Var.

40.02 Set a limestone $18 \times 12 \times 5$ ins 12 ins in
the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$
on N. face, dug pits $18 \times 18 \times 12$ ins E &
W. of stone $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base alongside.

From which

A mesquite 4 ins. diam bears $S 19^{\circ}E$
 75 lks dist marked $\frac{1}{4}$ S. B. F.

No other trees within limits

Subdivisions T. 15 S. R. 8 E - Continued.
Main

80.03 The cor to secs 20, 21, 28 & 29

Land level

Soil 2^d rate good grass

Timber, scattering mesquite and palo verde.

North bet Secs 20 & 21

Var. $13^{\circ} E$

Over level land.

40.00 Set a post 3 ft long 3 ins square with
marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ on W. face, dug pit
18 x 18 x 12 ins N & S of post $5\frac{1}{2}$ ft dist.
and raised a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.

From which

A mesquite 6 ins. diam bears $N 78^{\circ} E$. 233 lks
dist. marked $\frac{1}{4}$ S B T.

No other trees within limits

Subdivisions T. 15 S. R. 8 E - Continued

chains

80.00

Set a post 4 ft long 4 ins. square with marked stone 12 ins in the ground for cor to secs 16, 17, 20 & 21 marked T. 15 S. S. 16 on N E.

R. 8 E S. 21 on S E

S. 20 on S W and

S. 17 on N W faces with 3 notches on N and 4 notches on E edge dug pits 18 x 18 x 12 ins in each etc 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base around post

From which

A mesquite 3 ins. diam bears N. 78° E 77 yds dist marked T. 15 S. R. 8 E. S. 16 BT.

A mesquite 6 ins. diam bears N. 57° E 189 yds dist. marked T. 15 S. R. 8 E. S. 16 BT.

A mesquite 8 ins diam bears N. 48° E 252 yds dist. marked T. 15 S. R. 8 E. S. 16 BT.

A mesquite 6 ins diam bears N. 3° W. 226 yds

Subdivisions T. 15 S. R. 8 E. - Continued

Thams

dist. marked T. 15 S. R. 8 E. S. 17 BT.

Land level

Soil 2^d rate, good grass.

Timber scattering mesquite and palo verde

East on a random line bet Secs 16 & 21

Var. $13^{\circ}E$.

Over level land.

22.00 Arroyo 20 lks wide, course $N45^{\circ}W$.

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.06 Intersect N & S line 10³ lks N. of the
cor to secs 15. 16. 21 & 22.

Thence I run

$N. 89^{\circ} 16' W.$ on a true line bet Secs 16 & 21

with same Var.

40.03 Set a granite stone $12 \times 10 \times 6$ ins 8 ins in
the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ on
N. face, dug pits $18 \times 18 \times 12$ ins. E. & W.

Subdivisions T. 15 S. R. 8 E. Continued

Chanis

of stone $5\frac{1}{2}$ ft diet and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft. base alongside
From which

A mesquite 4 ins diam bears S. 40° E. 40 lks
dist. marked $\frac{1}{4}$ S. B. T.

A mesquite 6 ins diam bears S. 45° E.
 120 lks dist marked $\frac{1}{4}$ S. B. T.

80.06 The cor. to secs 16. 17. 20 & 21

Land level

Soil 2^d rate, good grass.

Timber scattering mesquite and palo verde.

North bet Secs 16 & 17.

Var 13° E.

Over level land.

40.00 Set a post 3 ft long 3 ins. square with
marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on W. face, dry

Subdivision T. 15 S. R. 8 E. Continued

^{Chains}
pits 18 x 18 x 12 ins N & S. of post 5 1/2 ft dia
and raised a mound of earth 1 1/2 ft high
3 1/2 ft base around post.

49.15 Arroyo 20 lks wide, course N 30° W.

80.00 Set a post 4 ft long 4 ins square with
marked stone 12 ins in the ground for
cov. to secs 8, 9, 16 & 17. marked

T. 15 S. S. 9 on NE

R 8 E S. 16 on SE

S. 17 on SW and

S. 8 on NW. faces with 4 notches

on S and E edges, dug pits 18 x 18 x 12 ins
in each sec 5 1/2 ft dia and raised a
mound of earth 2 ft high 4 1/2 ft base
around post.

Land level

Soil 2^d rate good grass

Timber a few mesquites

Subdivisions T. 15 S. R. 8 E - Continued

Chains

East on a random line bet Secs 9 & 16

Var. 13° E

Once level land.

9.50. Arroyo 15 lks wide course N. 40° W.40.00 Set temp $\frac{1}{4}$ Sec. cor.79.92. Intersect N & S line 109 lks N. of the
cor to secs 9. 10. 15 & 16.

Thence I run

N. $89^{\circ} 13'$ W. on a tree line bet Secs 9
& 15 with same Var.39.96. Set a post 3 ft long 3 ins square with
marked stone 12 ins in the ground
for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S. on N face,
dug pits 18 x 18 x 12 ins E & W of post
 $5\frac{1}{2}$ ft dist and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
post.

79.92 The cor to secs 8. 9. 16 & 17

Land level

Subdivisions T. 15 S. R. 8 E. - Continued

Thoms

Soil 2^d rate, good grass

Timber, scattering mesquite & palo verde.

North bet Secs 8 & 9.

Var. 13° E.

Over level land.

18-00 Arroyo 20 fms wide, course N 30° E.

40-10 Set a post 3 ft long 3 ins. square with
marked stone 12 ins in the ground
for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on W. face
dug pits 18 x 18 x 12 ins N & S of post 5 $\frac{1}{2}$ ft
dirt and raised a mound of earth 1 $\frac{1}{2}$ ft
high 3 $\frac{1}{2}$ ft base around post.

From which

A mesquite 6 ins. diam bears S. 60° W.

105 fms dist. marked $\frac{1}{4}$ S. B. T.

A mesquite 6 ins. diam bears N. 82° E 117

fms dist. marked $\frac{1}{4}$ S. B. T.

Subdivisions T. 15 S. R. 8 E. - Continued

Chains

80.00

Set a post 4 ft long 4 ins square with
marked stone 12 ins in the ground
for cor to secs 4. 5. 8 & 9. marked with
5 notches on S end & 4 notches on E edge &

T. 15 S. S. 4 on NE

R 8 E S. 9 on SE.

S. 8 on SW and

S. 5 on NW faces, dug

pits 18 x 18 x 12 ins in each sec. 5 1/2 ft
dist and raised a mound of earth
2 ft high 4 1/2 ft base around post

From which

A mesquite 6 ins diam bears N 75° W
180 lbs dist. marked T. 15 S. R. 8 E S. 5 BT

A mesquite 6 ins diam bears N 84° W
281 lbs dist. marked T. 15 S. R. 8 E S. 5 BT

A mesquite 6 ins diam bears N 88° W. 291
lbs dist. marked T. 15 S. R. 8 E S. 5 BT.

A mesquite 4 ins diam bears S 27° E

Subdivisions T. 15 S. R. 8 E. continued

chain

150 lks dist marked T. 15 S. R. 8 E. S. 9 B T
 Land level
 Soil 2^d rate, good grass.
 Timber scattering mesquite

East on a random line bet Secs 4 & 9
 Var. 13° E.

Over level land

37.00 Arroyo 50 lks wide, course N 40° W.

40.00 Set temp $\frac{1}{4}$ Sec cor.

49.96 Intersect N & S line 126 lks N. of the cor
 to sec 3, 4, 9 & 10.

Thence I run

N. 89° 06' W. on a true line bet Secs 4 & 9
 with same Var.

39.98 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground for to Sec
 cor. marked to S. on N. face, dug pits

Subdivision P. 15 S. R. 8 E. Continued

Name

18x18x12 ins E & W. of post $5\frac{1}{2}$ ft
 dist and raised a mound of earth $1\frac{1}{2}$ ft
 high $3\frac{1}{2}$ ft base around post.

From which

A mesquite 6 ins. diam bears N. 40° E.
 42 lks dist marked $\frac{1}{4}$ S. S.

A mesquite 6 ins. diam bears S. 20° E
 35 lks dist marked $\frac{1}{4}$ S. B. S.

79.96 The cor to Secs 4, 5, 8 & 9.

Land, level

Soil 2^d rate, good grass.

Timber scattering mesquite

North on a random line bet Secs 4 & 5

Var. 13° E.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

78.00 Arroyo 20 lks wide, course N. 40° W.

Subdivision T. 15 S. R. 8 E. Continued

name

78-80 Intersect North boundary of Township 31
 1/4 W. of the cor to secs 4, 5, 8 & 9 pre-
 viously established and described by me
 Thence I run

S 0° 13' W. on a true line bet Secs 4 & 5
 with same Var.

38-80 Set a post 3 ft long 3 ins. square with
 marked stone 12 ins in the ground for 1/4
 Sec cor. marked 1/4 S. on W. face, clay pits
 18 x 18 x 12 ins N. & S of post 5 1/2 ft dist
 and raised a mound of earth 1 1/2 ft high
 3 1/2 ft base around post.

From which

A mesquite 10 ins. diam bears S. 43° W. 36
 1/4 dist marked 1/4 S. B. T.

A mesquite 4 ins. diam bears S. 65° E 15
 1/4 dist. marked 1/4 S B. T.

78-80 The cor to secs 4, 5, 8 & 9
 Land level

Subdivision T. 15 S. R. 8 E. Continued
 Chaus

Soil 2^d rate, good grass.

Timber, scattering mesquite.

11th Feb 1887.

From the Standard corner to secs 31 & 32
 on the S. boundary of the Township where
 I found a post badly rotten. I set
 now a granite stone 8 x 10 x 10 in 12 in
 in the ground marked S.E. with 4 notches
 on E and 1 notch on W. edges and
 renew pits and mound of earth

From which

a mesquite 4 in diam bears N. 35° W 09 kts
 dist marked T 15 S R 8 E S. 31 B.T.

No other trees within limits

Thence I run

North bet Secs 31 & 32

Var 13° E.

Over level land.

Subdivision T. 15 S. R. 8 E. - Continued

- 8.30 Arroyo 20 lbs wide course N. 30° W.
 +0.00 Set a post 3 ft long 3 ins. square with
 marked stone 12 ins in the ground for $\frac{1}{4}$
 Sec cor. marked $\frac{1}{4}$ on W. face dug pits
 18 x 18 x 12 ins N & S of post 5 $\frac{1}{2}$ ft dist.
 and raised a mound of earth 1 $\frac{1}{2}$ ft high
 3 $\frac{1}{2}$ ft base around post

From which

- A mesquite 6 ins. diam bears N. 87° W. 84 lbs
 dist marked $\frac{1}{4}$ S B T.
 A mesquite 6 ins. diam bears S. 88° E 160 lbs
 dist. marked $\frac{1}{4}$ S B T.
 80.00 Set a post 4 ft long 4 ins square with
 marked stone 12 ins in the ground
 for cor to secs 29. 30. 31 & 32 marked
 T. 15 S. S. 29 on NE
 R 8 E S. 32 on SE.
 S. 31 on SW. and
 S. 30 on NW. faces, with 1 notch

Subdivision T. 15 S. R. 8 E. - continued

Chains

on S and 5 notches on E edges, dug pits 18 X 18 X 12 ins in each sec 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base, around post.

From which

A mesquite 6 ins diam bears N 53° E 224
lks dist marked T. 15 S. R. 8 E S. 29 BT.

A mesquite 6 ins. diam bears S. 48 E 275
lks dist. marked T. 15 S. R. 8 E S. 32 BT.

A mesquite 6 ins. diam bears N 36° W 215
lks dist marked T. 15 S. R. 8 E S. 30 BT

No other trees within limits

Land level

Soil 2^d rate, good grass.

Timber scattering mesquite

By observation taken this day I find the
magnetic Var to be 13° E.

Subdivisions T. 15 S. R. 8 E. - Continued

East on a random line bet Secs 29 & 32.
Var $13^{\circ} E$.

Over level land.

- 23.00 Arroyo 100 lks wide course N.
35.50 Arroyo 50 lks wide course $N 30^{\circ} W$.
40.00 Set temp $\frac{1}{4}$ Sec. cor
34.50 Arroyo 30 lks wide course N.
30.21 Intersect N & S line 11 lks N. of the
cor. to Secs 28. 29. 32 & 33.

Thence I run

$N. 89^{\circ} 55' W$. on a true line bet secs 29 &
38 with same Var.

- 40.11 Set a post 3 ft long 3 ins square with
marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on N. face
dug pits $18 \times 18 \times 12$ ins E & W. of post
and raised a mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around post.

From which

Subdivisions T. 15 S. R. 8 E. Continued

Chains

A mesquite 6 ins. diam bears North 190 lks.
dist marked $\frac{1}{4}$ S B T.

A mesquite 6 ins. diam bears N 86° W.
115 lks dist marked $\frac{1}{4}$ S B T.

80.21 The cor to secs 29. 30. 31 & 32.

Land level

Soil 2^d rate good grass.

Timber scattering mesquite

West on a random line bet Secs 30 & 31
Var 13° E.

Over level land

5.00 Arroyo 15 lks wide course N.

21.00 Arroyo 10 lks wide course N. 10° E

29.50 Arroyo 20 lks wide course N 20° E

38.00 Arroyo 15 lks wide course N 15° E.

40.00 Set temp $\frac{1}{4}$ sec cor.

80.03 Intersect W. boundary of Township

Subdivision T. 15 S. R. 8 E. Continued

name

41 hrs S. of the cor. 25. 30. 31 & 36
previously established and described by
me.

Thence I run
S. $89^{\circ}43'E$ on a true line bet Sics 30
& 31 with same Ver.

0.03 Set a granite stone $12 \times 8 \times 6$ ins 8 ins in
the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on
N. face, dug pits $18 \times 18 \times 12$ ins E & W.
of stone $5\frac{1}{2}$ ft dist and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside.

From which

A mesquite 8 ins diam bears $N. 16^{\circ} W.$

54 hrs dist marked $\frac{1}{4}$ S B.T.

A mesquite 6 ins diam bears $N 80^{\circ} W.$

124 hrs dist. marked $\frac{1}{4}$ S B.T.

0.03 The cor to secs 29. 30. 31 & 32.

Land level

Soil 2^d rate good grass

Timber, scattering mesquite.

Subdivisions 9.15 of R & E - Continued

Chains

North bet Secs 29 & 30

Var. 13° E.

Over level land.

36.00 Arroyo 10 lks wide, course $N40^{\circ}$ E.

40.00 Set a granite stone $14 \times 10 \times 4$ ins 10 ins
in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins
N & S of stone $5\frac{1}{2}$ ft dist, and raised
a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base along side

From which

A mesquite 6 ins. diam bears $N15^{\circ}$ E 73 lks
dist. marked $\frac{1}{4}$ S B T.

A mesquite 4 ins. diam bears $S.77^{\circ}$ W
60 lks dist marked $\frac{1}{4}$ S B T.

60.50 Arroyo 15 lks wide, course $N50^{\circ}$ E.

80.00 Set a granite stone $20 \times 8 \times 6$ ins 15 ins
in the ground for cor to seco 19-20-29
& 30 marked with 2 notches on S and

Subdivisions T. 15 S. R. 8 E. - Continued

am

and 5 notches on E edges, dug pits 18 X 18 X 12 ins in each sec 5 1/2 ft diam and raised a mound of earth 2 ft high 4 1/2 ft base alongside.

From which

A mesquite 6 ins. diam bears S. 76° W 263
 Uks dist marked T. 15 S. R. 8 E. S. 30 BT.

A palo verde 3 ins. diam bears S. 10° W. 114
 Uks dist marked T. 15 S. R. 8 E. S. 30 BT.

A palo verde 3 ins diam bears N 32° W
 148 Uks dist. marked T. 15 S. R. 8 E. S. 19 BT

No other trees within distance.

Land level

Soil 2^d rate, good grass.

Timber scattering mesquite & palo verde.

East on a random line bet Secs 20 & 29.

N 13° E

Subdivisions T. 15 S. R. 8 E - Continued

chains

Over level land.

- 10.50 Arroyo 30 lks wide, course N
 40.00 Set bump $\frac{1}{4}$ Sec cor.
 53.00 Arroyo 30 lks wide course N 50° W.
 79.94 Intersect N & S line 6 lks S. of the
 cor to Secs 20, 21, 28 & 29.

Thence I run

S. 89° 57' W. on a true line bet Secs 20
 & 29 with same Var.

- 39.97 Set a post 3 ft long 3 ins square with
 marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on N. face,
 dug pits 18 x 18 x 12 ins E & W. of stone 5 1/2
 ft dist. and raised a mound of earth
 1 1/2 ft high 3 1/2 ft base, around post.

From which

A mesquite 6 ins. diam bears S. 43° W.
 16 lks dist. marked $\frac{1}{4}$ S B.T.

No other trees within distance

Subdivisions T. 15 S. R. 8 E - Continued

Chains

79.94 The cor to secs 19. 20. 29 & 30
 Level land
 Soil 2^d rate, good grass.
 Timber, scattering mesquite and palo verde

West on a random line bet Secs 19 & 30
 $\text{Var } 13^{\circ} \text{E.}$

Over level land:

- 21.00 Arroyo 18 lks wide, course N.
 36.00 Arroyo 15 lks wide course N.
 40.00 Set temp $\frac{1}{2}$ Sec cor
 79.86 Intersect W. boundary of Township 19 lks
 S. of the cor. to Secs 19. 24. 25 & 30. pre-
 viously established and described by me
 Thence I run
 S. $89^{\circ} 52' \text{E}$ on a true line bet Secs 19
 & 30 with same Var.
 39.86 Set a granite stone 12 x 8 x 6 ins 8 ins

Subdivisions F. 15 S. R & E. continued

Chains

in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$
on N. face, dug pits 18 X 18 X 12 ins E & W
of stone $5\frac{1}{2}$ ft dist and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side

From which

A palo verde $\frac{1}{4}$ ins diam bears $N 84^{\circ} W$.

85 lbs dist. marked $\frac{1}{4}$ S.B.F.

A mesquite $\frac{1}{4}$ ins. diam bears $S 21^{\circ} E$.

15 lbs dist. marked $\frac{1}{4}$ S.B.F.

79.86 The cor to secs 19.20.29 & 30

Land level

Soil 2^d rate, good grass

Timber, scattering mesquite & palo verde.

North bet Secs 19 & 20

$N 13^{\circ} E$.

Over level land

31.00 Arroyo 15 lbs wide course $N 40^{\circ} W$.

Subdivisions T. 15 S. R. 8 E. continued

Chains

40.00 Set a granite stone $14 \times 8 \times 5$ ins 10 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins N & S of stone $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side
From which

A mesquite 6 ins. diam bears N. 44° W. 112 lks dist marked $\frac{1}{4}$ S. B. T.

A mesquite 4 ins. diam bears N. 10° E 110 lks dist. marked $\frac{1}{4}$ S. B. T.

42.00 Arroyo 1 ch. wide course N. 30° W.

80.00 Set a granite stone $15 \times 10 \times 8$ ins. 10 ins in the ground for cor to secs 17. 18. 19 & 20. marked with 3 notches on S and 5 notches on E edges, dug pits $18 \times 18 \times 12$ ins. in each sec $5\frac{1}{2}$ ft dist and raised a mound of earth 2 ft high $4\frac{1}{2}$ ft base along side.

From which

Subdivisions T. 15 S. R. 8 E - Continued
 Chais

A mesquite 8 ins diam bears $N 86^{\circ} W$.

228 lks dist. marked T. 15 S. R 8 E S. 18 BT.

A palo verde 8 ins diam bears $N. 3^{\circ} W$. 151

lks dist marked T. 15 S. R 8 E S. 18 BT.

A palo verde 6 ins diam bears $S. 20^{\circ} E$ 176

lks dist. marked T. 15 S. R 8 E S. 20 BT.

A palo verde 6 ins diam bears $N 59^{\circ} E$ 177

lks dist marked T. 15 S. R 8 E. S. 17 BT.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite & palo verde

East on a random line bet Secs 17 & 20

Var $13^{\circ} E$.

Over level land

4.00 Arroyo 1 ch. wide course $N. 40^{\circ} W$.

40.00 Set trap $\frac{1}{2}$ Sec cor.

44.00 Arroyo 30 lks wide course $N. 50^{\circ} E$

Subdivisions T. 15 S. R. 8 E - Continued

Chains

79.91 Intersect N & S line 21 Wks N. of the cor.
to secs 16. 17. 20 & 21.

Thence from

N $89^{\circ} 51' W$. on a true line bet Secs 17 &
20 with a true bar.

39.96 Set a granite stone 15 x 8 x 6 ins 10 ins
in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on N. face, dug pits 18 x 18 x 12 ins E &
W of stone 5 $\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
alongside.

From which

A pale verde 6 ins diam bears S. $45^{\circ} E$.
153 Wks dist marked $\frac{1}{4}$ S.B.F.

A pale verde 10 ins diam bears N. $40^{\circ} E$
200 Wks dist. marked $\frac{1}{4}$ S.B.F.

79.91 The cor to secs 17. 18. 19 & 20.

Land level

Soil 2^d rate good grass.

Subdivisions T. 15 S. R. 8 E. Continued

Chains

Timber scattering mesquite & palo verde
12th Feb 1887

West on a random line bet Secs 18 & 19
Var. 13° E.

Over level land.

7.00 Arroyo 70 fms wide, course N.

28.00 Arroyo 20 fms wide, course N.

38.50 Arroyo 30 fms wide course N.

40.00 Set temp $\frac{1}{4}$ Sec cor.

40.70 Arroyo 20 fms wide, course N.

79.92 Intersect W. boundary of Township 32 fms
S. of the cor. to secs 13, 18, 19 & 24. previously
established and described by me.

Thence I run

S. 89° 46' E. on a true line bet Secs 18 &
19 with same Var.

39.92 Set a granite stone 15 x 12 x 6 ins 10 ins on
the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ on

Subdivisions T. 15 S. R. 8 E. Continued.

chains

N. face dug pits 18 X 18 X 12 ins E & W.
of stone 5 1/2 ft dist. and raised a
mound of earth 1 1/2 ft high 3 1/2 ft base
alongside.

79.92. The cor to secs 17. 18. 19 & 20.

Land level.

Soil 2^d rate, good grass.

Timber, scattering mesquite & palo verde

North bet Secs 17 & 18.

Var 13° E.

Over level land.

6.50. Arroyo 50 yds wide, course N. 40° W.

40.00 Set a granite stone 14 X 8 X 6 ins 10 ins
in the ground for 1/4 sec cor. marked
1/4 on W. face, dug pits 18 X 18 X 12 ins
N & S of stone 5 1/2 ft dist and raised
a mound of earth 1 1/2 ft high 3 1/2 ft

Subdivision T. 15 S. R. 8 E. Continued
 Crane

base alongside

From which

A mesquite 6 ins diam bears S. 56° W.

59 lks dist. marked $\frac{1}{4}$ S. B. T.

A mesquite 6 ins. diam bears S. 86° E.

106 lks dist. marked $\frac{1}{4}$ S. B. T.

80.00 Set a granite stone $18 \times 18 \times 6$ ins 12 ins
 in th ground for cor to secs 7. 8. 17×18
 marked with 4 notches on S and 5 notches
 on E edges dug pits $18 \times 18 \times 12$ ins in
 each sec $5 \frac{1}{2}$ ft dist and raised a
 mound of earth 2 ft high $4 \frac{1}{2}$ ft base
 alongside.

From which

A mesquite 8 ins diam bears S 53° W.

223 lks dist marked T. 15 S. R. 8 E. S. 18 BT.

A mesquite 4 ins. diam bears S. 50° W. 160

lks dist. marked T. 15 S. R. 8 E. S. 18 BT

A mesquite 6 ins. diam bears N. 47° E.

Subdivisions T. 15 S. R. 8 E. - Continued

Chains

277 lks dist marked T. 15 S. R. 8 E. S. 8 BT
A mesquite 4 ins. diam bears N. 65° E.

262 lks dist marked T. 15 S. R. 8 E. S. 8 BT.

Land level

Soil 2^d rate, good grass.

Timber, scattering mesquite & palo verde.

East on a random line bet Secs 8 & 17.

Var 13° E.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.11 Intersect N & S line 18 lks N. of the
cor. to secs 8, 9, 16 & 17

Thence I run

N. 89° 52' W. on a true line bet Secs
8 & 17 with same Var.

40.06 Set a post 3 ft long 3 ins square with
marked stone 12 ins in the ground

Subdivision T. 15 S. R. 8 E - Continued

for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S. on N. face
dry pits 18 X 18 X 12 ins E & W. of post $5\frac{1}{2}$
ft dist and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.

From which

A mesquite 6 ins diam bears S. 46° E 58
ths dist marked $\frac{1}{4}$ S B T.

A mesquite 6 ins diam bears N 40° E
128 ths dist marked $\frac{1}{4}$ S B T.

80.11 The cor to secs 7, 8, 17 & 18

Land level

Soil 2^d rate good grass.

Timber scattering mesquite & palo verde.

Went on a random line bet Secs 7 & 18.

Var. 13° E.

Over level land.

12.00 Arroyo 30 ths wide, course N 40° W

Subdivision T. 15 S. R. 8 E - Continued

- 27.00 Arroyo 10 lks wide, course $N10^{\circ}W$.
 40.00 Set temp $\frac{1}{4}$ Sec cor.
 80.03 Intersect W. boundary of Township
 21 lks S. of the cor to secs 7-12, 13 & 18
 previously established and described
 by me.

Thence I run

S. $89^{\circ}51'E$ on a true line bet Secs
 7 & 18 with same bar.

- 40.03 Set a granite stone $12 \times 8 \times 7$ ins 8 ins
 in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on N. face, dug pit $18 \times 18 \times 12$ ins
 E & W. of stone $5\frac{1}{2}$ ft diam and
 raised a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base alongside.

From which

A mesquite 12 ins. diam bears $S87^{\circ}E$.
 45 lks dist. marked $\frac{1}{4}$ S. B. F.

A mesquite 4 ins. diam bears $N40^{\circ}W$

Subdivision F. 15 S. R. 8 E. Continued

48 lbs dist marked $\frac{1}{4}$ S. 13 T.

80.03 Pln. cor to Secs 7, 8, 17 & 18

Land level

Soil 2^d rate, good grass

Timber, scattering mesquite

North bet Secs 7 & 8

Var. 13° E.

Overlevel land.

40.00 Set a post 3 ft long 3 ins square
with marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S.
on W face, dug pits 18 X 18 X 12 ins N
& S of post $5\frac{1}{2}$ ft dist and raised
a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base around post.

From which

A mesquite 6 ins. diam bears S. 27° E

Subdivision 9-15 S. R8E Continued

127 lks dist. marked $\frac{1}{4}$ S.B.T.

A mesquite 4 ins. diam bears $N26^{\circ}W.155$

lks dist. marked $\frac{1}{4}$ S.B.T.

80.00 Set a granite stone $12 \times 10 \times 10$ ins 8 ins
in the ground for cor to secs 5, 6, 7 & 8
marked with 5 notches on S and E.
edges, dug pits $18 \times 18 \times 12$ ins in each
sec $5\frac{1}{2}$ ft dist. and raised a mound
of earth 2 ft high $4\frac{1}{2}$ ft base along side
from which

A mesquite 4 ins. diam bears $N9^{\circ}E.$

294 lks dist marked 9-15 S. R8E S. 5 B.T.

No other trees within limits.

Land level

Soil 2^d rate, good grass

Timber scattering mesquite

Subdivision T. 15 S. R. 8 E. Continues
Chains

East on a random line bet Secs 5 & 8
Var. $13^{\circ} E$.

Over level land

40.00 Set temp $\frac{1}{2}$ Sec cor.

79.92 Intersect N & S line 7 lks N. of the
cor to secs 4, 5, 8 & 9.

Thence I run

N. $89^{\circ} 57'$ W. on a true line bet Secs
5 & 8 with same Var.

39.96 Set a post 3 ft long 3 ins square with
marked stone 12 ins in the ground
for $\frac{1}{2}$ Sec. cor. marked $\frac{1}{4}$ S. on
N. face, dug pits 18 x 18 x 12 ins E &
W. of post $5\frac{1}{2}$ ft dist and raised
a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
ft base around post.

79.92 The cor to Secs 5, 6, 7, & 8.

Land level

Soil 2^d rate

Subdivision T. 15 S. R. 8 E. Continued
 Chaus

Timber, scattering mesquite.

West on a random line bet Secs 6 & 7
 Var. $13^{\circ} E$.

Over level land

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.10 Intersect W. boundary of Township
 38 lks S. of the cor to secs 1, 6, 7 & 12.
 previously established and described
 by me.

Thence I run

S. $89^{\circ} 44' E$. on a true line bet
 Secs 6 & 7 with same Var.

40.05 Set a granite stone $12 \times 10 \times 4$ ins
 8 ins in the ground for $\frac{1}{4}$ sec cor
 marked $\frac{1}{4}$ on N. face dug pits
 $18 \times 18 \times 12$ ins E & W. of stone
 $5\frac{1}{2}$ ft dist, and raised a mound

Subdivision P. 15 S. R8E - Continued
 Chain

of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side
 80.10 The cor to Secs 5-6-7 & 8

Land level

Soil 2^a rate, good grass

Timber scattering mesquite

North on a random line bet Secs 5 & 6
 Var 13° E.

Over level land

40.00 Set temp $\frac{1}{4}$ Sec Cor.

79.50 Intersect N. boundary of Township
 19 tks E of the cor. to sec 5-6-31 & 32
 previously established and described
 by me

Thence I run

S. $0^{\circ}08'$ E on a true line bet Secs
 5 & 6 with same Var.

39.50 Set a post 3 ft long 3 ins square

Subdivision T. 15 S. R. 8 E - Continued
 Chaus

with marked stone 12 ins in the ground
 for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ Sec W. face
 dry pits 18 X 18 X 12 ins N & S of
 post 5 $\frac{1}{2}$ ft dist. and raised a
 mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
 here around post.

From which

A mesquite 6 ins. diam bears N. 42° W
 203 lks dist. marked $\frac{1}{4}$ S B T.

No other trees or other limits.

79.50

The cor to secs 5. 6. 7 & 8

Land, level

Soil 2^d rate, good grass.

Timber, scattering mesquite.

14th Feb 1887.

General Description

Nearly all of this Township is level
 and the soil can be classed as
 2^d rate, and is covered with

Subdivision F. 15 S. R & E. Continued

an abundant growth of rich and nutritious grasses but will not produce crops with any degree of certainty without irrigation. In Sec 35 & 36 there is a field cultivated by the Papago Indians where in wet seasons corn and vegetables can be successfully cultivated. With water the land can be made productive abundantly. There is no living water in the Township, nor are any settlers in it, but numerous cattle and horses from the neighboring ranches were feeding on the nutritious grasses. The timber in the Township consists of scrub mesquite & palo verde with some iron wood along the banks of the Arroyo

George Roskrige

U. S. Deputy Sur^r

For final oaths see Book No 27.

U. S. Surveyor-General's Office,

TUCSON, A. T. June 11 1888

The foregoing Field Notes of the Surveys of
the subdivision lines of
Township 15 South
Range 8 East

Gila and Salt River Meridian

in Arizona executed by

Geo J. Roskrige,

U. S. Deputy Surveyor, under his contract dated

June 16th 1886,

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Hise

U. S. Surveyor-General
for the Territory of Arizona.