

No. 23

No. 874

BOOK 874

Subdivisions

4-671

FIELD NOTES
GENERAL LAND OFFICE.

To the South Range, West

874

Index for

BOOK 875
BOOK 874

INDEX

Township 15 South R. 10 East

6	91	5	66	4	49	3	33	2	17	1
90		88		64		48		32		16
7	87	8	62	9	46	10	31	11	14	12
86		84		61		45		30		13
18	82	17	59	16	43	15	28	14	11	13
81		79		58		42		27		10
19	77	20	57	21	40	22	25	23	9	24
76		74		56		39		24		8
30	73	29	54	28	38	27	22	26	7	25
72		70		53		37		21		5
31	68	32	51	33	35	34	19	35	3	36

3

For preliminary oaths see
book No. 1.

Field Notes
of the Survey of the
Subdivision Lines of
Tp. 15 South Range 10 East
of the
Gila & Salt River Meridian
of
Arizona Territory.

as surveyed by
George J. Roskrug
U. S. Dep. Sur^r

Under his Contract No 2
Dated 16 June 1886

Survey commenced Feb 15th 1887.
Survey completed Feb 21st 1887.

Subdivision T. 15 S. R. 10 E.

Before commencing the Survey of the Subdivision Lines of this Township I take an observation, using a Young & Sons Solar Transit and find the magnetic Variation to be $13^{\circ}05'$ East I ran North on a blank line on the East boundary of Sec 36 and at 40 chs. found the $\frac{1}{4}$ Sec. cor. and at 80 chs found the Sec. cor. I then ran $S. 88^{\circ}15' W$ on a blank line on the South boundary of Sec 36 and at 40 chs found the $\frac{1}{4}$ Sec. cor. and at 80 chs found the Sec. Cor.

My compass will therefore run the same as the Exterior boundaries and the chaining agrees

Survey commenced Feb- 15th 1887
Having retraced the Southern boundary of this Township along the 4th Standard Parallel South and found the course

Subdivision T. 15 S. R. 10 E. Continued

Chains

to be $N 88^{\circ} 15' E$. I will run all of my random lines on that course. I begin at the Standard cor to Secs 35 & 36 where I found a mound of earth and pits but no post. I therefore set a volcanic stone $20 \times 10 \times 6$ ins 15 ins in the ground marked S & C on N. face with 1 notch on E and 5 notches on W. edges and renewed pits.

Thence I run

North bet Secs 35 & 36

Var $13^{\circ} 05' E$.

Over level land.

- 9.50 Old road from Altar to Tucson course
 $N 80^{\circ} E$. & $S. 80^{\circ} W$.
- 37.00 Road from Robles' ranch in Sec.
34 to the Altar & Tucson road
course E & W.
- 40.00 Set a volcanic stone $15 \times 8 \times 6$ ins.

Subdivision T. 15 S. R. 10 E - continued

10 ins in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ on W. face dug pits 18 x 18 x 12 ins N & S of stone $5\frac{1}{2}$ ft dist and raised a mound of earth 1 $\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside.

20.00 Set a volcanic stone 18 x 10 x 8 ins 12 ins in the ground for cor to secs 25, 26, 35 & 36 marked with 1 notch on S and 1 notch on E edges, dug pits 18 x 18 x 12 ins. in each sec $5\frac{1}{2}$ ft dist and raised a mound of earth 2 ft high $4\frac{1}{2}$ ft base alongside.

Land, level

Soil 2^d rate. Good grass.

No timber

N 88° 15' E on a random line bet Sec 25 & 36

Var. 13° 05' E

Subdivision T. 15 S. R. 10 E - Continued

Over level land.

- 40.00 Set temp $\frac{1}{4}$ Sec cor.
- 79.94 Intersect E. ldy of Tp. at 18 lks N. of the cor. to secs 25. 30. 31 & 36 previously established and described by me. Hence I run S. $88^{\circ}23'W.$ on a true line bet Secs 25 & 36 with same Var.
- 39.97 Set a post 3ft long 3 ins square with marked stone 12 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S. on N. face, dug pits $18 \times 18 \times 12$ ins E. & W. of post $5\frac{1}{2}$ ft diam. and raised a mound of earth $\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.
- 79.94 The cor. to secs 25. 26. 35 & 36.
Land level.
Soil 2^d rate Good grass.
No timber

Subdivision T. 15 S. R. 10 E. - Continued

North bet Secs 25 & 26

Var. $13^{\circ} 05' E$.

Over level land

7.00 Road from Altar & Quijotoa to Tucson
course $N. 65^{\circ} E$ & $S. 65^{\circ} W$.

40.00 Set a volcanic stone $16 \times 10 \times 5$ ins
12 ins in the ground for $\frac{1}{4}$ Sec cor.
marked $\frac{1}{4}$ on W. face dug pits $18 \times 18 \times 12$
ins. N & S. of stone $5\frac{1}{2}$ ft dist and
raised a mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base alongside.

74.10 Telegraph line from Quijotoa to Tucson
course $N. 65^{\circ} E$ & $S. 65^{\circ} W$.

80.00 Set a volcanic stone $17 \times 12 \times 10$ ins
12 ins in the ground for cor to secs
23, 24, 25 & 26 marked with 2 notches
on S and 1 notch on E edges
dug pits $18 \times 18 \times 12$ ins in each Sec
 $5\frac{1}{2}$ ft dist and raised a mound

Subdivisions T. 15 S. R. 10 E - Continued
 Chains

of earth 2 ft high $4\frac{1}{2}$ ft base alongside
 Land, level.

Soil 2^d rate. Good grass.

No timber

N. $88^{\circ}15'E$ on a random line bet Secs 24 & 25

Var. $13^{\circ}05'E$.

Over level land.

13.00. Telegraph line from Quijota to Tucson
 course N. $65^{\circ}E$ & S. $65^{\circ}W$.

40.00 Set temp $\frac{1}{4}$ Sec. cor.

80.11 Intersect E. bdy of Tp. 11 lks S. of
 the cor to secs 19 & 24. 25 & 30 previously
 established & described by me. Hence
 I run S. $88^{\circ}10'W$ on a true line
 bet Secs 24 & 25 with same Var.

40.06. Set a post 3 ft long 3 ins square
 with marked stone 12 ins in

Subdivision T. 15 S. R. 10 E. - Continued

the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S
 on N. face, dug pits 18 x 18 x 12 ins E &
 W. of post 5 $\frac{1}{2}$ ft dist. and raised a
 mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
 around post.

0.11 The cor to secs 23. 24. 25 & 26.

Land, level.

Soil 2^d rate. Good grass.

No timber.

North bet Secs 23 & 24

Var. 13° 05' E

Over level land

0.00 Set a volcanic stone 16 x 7 x 5 ins
 12 ins in the ground for $\frac{1}{4}$ Sec cor
 marked $\frac{1}{4}$ on W. face, dug pits 18 x 18
 x 12 ins N & S. of stone 5 $\frac{1}{2}$ ft dist
 and raised a mound of earth

Subdivision T. 15 S. R. 10 E - continued

Chain

$1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side.

80.00

Set a volcanic stone $18 \times 12 \times 12$ ins
 12 ins in the ground for cor to secs 13
 14. 23 & 24 marked with 3 notches
 on S and 1 notch on E edges dug
 pits $18 \times 18 \times 12$ ins in each sec $5\frac{1}{2}$ ft
 dist and raised a mound of
 earth 2 ft high $4\frac{1}{2}$ ft base along side.
 Land, level

Soil 2^d rate. Good grass.

No timber

N. $88^{\circ}15'$ E on a random line bet Secs 13 & 24

Var. $13^{\circ}05'$ E.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

79.89. Intersect E. by. of Tp. 9 lks S of the
 cor to Secs 13. 18. 19 & 24 previously

Subdivisions T. 15 S. R. 10 E. Continued
chains

established and described by me. Thence
From S. $88^{\circ} 11' W$ on a true line
bet secs 13 & 24 with same Var:

39.95 Set a post 3 ft long 3 ins. square with
marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S. on N. face dug
pits 18 x 18 x 12 ins E & W. of post and
raised a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base around post.

79.89. The cor to secs 13, 14, 23 & 24.

Land level.

Soil 2^d rate. Good grass.

No timber.

North bet Secs 13 & 14

Var. $13^{\circ} 05' E$.

Over level land.

4.00 Hay road course E & W.

Subdivision T. 15 S. R. 10 E. - Continued

- Chains.
40.00 Set a volcanic stone 14 x 12 x 10 ins 10 ins
in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$
on W. face, dug pits 18 x 18 x 12 ins N
& S. of stone 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
base along side. From which
A mesquite 4 ins diam bears N. 56° W
311 lks dist marked $\frac{1}{4}$ S. B. T.
A mesquite 6 ins diam bears N 75°
W. 294 lks dist marked $\frac{1}{4}$ S. B. T.
- 80.00 Set a volcanic stone 16 x 14 x 12 ins
19 ins in the ground for cor to sec
11. 12. 13 & 14 marked with 4 notches
on S. and 1 notch on E edges dug
pits 18 x 18 x 12 ins in each sec.
5 $\frac{1}{2}$ ft dist. and raised a
mound of earth 2 ft high 1 $\frac{1}{2}$
ft base along side.
From which

Subdivisions T. 15 S. R. 10 E. - continued
 Chain

A mesquite 6 ins. diam bears $N 63\frac{1}{2}^{\circ} W$
 207 lks dist. marked T. 15 S. R. 10 E
 S. 11 B T.

No other trees within limits.

Land level.

Soil 2nd rate. Good grass.

Some scattering mesquite & brush.

$N. 88^{\circ} 15' E$ on a random line bet Secs 12 & 13.

Var. $13^{\circ} 05' E$.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.04 Intersect E. boundary of Tp. at 21 lks
 N. of cor. to secs 7, 12, 13 & 18 previously
 established and described by me.

Thence I run $S 88^{\circ} 24' W$ on a
 true line bet Secs 12 & 13 with same
 Var.

Subdivisions T. 15 S. R. 10 E - continued
 Chas chains

80. 40.02. Set a post 3 ft long 3 ins square with marked stone 12 ins in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S on N. face, dug pits 18 x 18 x 12 ins E & W of post 5 $\frac{1}{2}$ ft dist. and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around post.

80.04. The cor to secs 11, 12, 13 & 14.

Land, level

Soil 2nd rate. Good grass.

Timber, a few mesquite and some brush

North bet Secs 11 & 12.

Var. 13° 05' E.

Over level land.

7. 12.00 A dry well 60 ft deep bears West 60 lbs 50 lbs dist.

Subdivision T. 15 S. R. 10 E. — continued

- 40.00 ^{chains} Set a volcanic stone 18 X 12 X 5 ins 12 ins
in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$
on W. face, dug pits 18 X 18 X 12 ins N &
S of stone 5 $\frac{1}{2}$ ft dist. and raised a
mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
alongside. From which
A mesquite 6 ins diam bears S. 32° W.
49 lbs dist marked $\frac{1}{4}$ S B T.
No other trees within limits
- 80.00 Set a volcanic stone 17 X 16 X 10 ins 12 ins
in the ground for cor to sec. 1. 2. 11 & 12
marked with 5 notches on S and 1 notch
on E edge, dug pits 18 X 18 X 12 ins
in each sec. 5 $\frac{1}{2}$ ft dist and raised
a mound of earth 2 ft high 4 $\frac{1}{2}$ ft
base alongside. From which
A mesquite 4 ins diam. bears N. 46° E.
108 lbs dist marked T. 15 S. R. 10 E
S. 1 B T.

Subdivision T. 15 S. R. 10 E - Continued

Chain.

80.

A mesquite 6 in diam bears S. 75° E.
176 lks dist marked T. 15 S. R. 10 E.
S. 12 B T.

No other trees within limits.

Land level.

Soil 2^d rate Good Grass.

Timber, scattering mesquite and some
brush

N. $88^{\circ} 15'$ E. on a random line bet Secs 1 & 12
Var. $13^{\circ} 05'$ E.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

79.94 Intersect E. bdy of Tp. 18 lks S. of
the cor to Secs 1, 6, 7 & 12 previously
established and described by me.

Thence I run

S. $88^{\circ} 07'$ W. on a true line bet Secs

Subdivision T. 15 S. R. 10 E. - continued
 chain

18 & 12 with same Var.

39.97 Set a post 3ft long 3 ins square with
 marked stone 12 ins in the ground for
 $\frac{1}{4}$ Sec cor. marked $\frac{1}{2}$ on N. face, dig
 pits 18 X 18 X 12 in E & W. of post $5\frac{1}{2}$
 ft dist and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around
 post.

79.94 The cor to secs 1. 2. 11 & 12.

Land level.

Soil 2^d rate. Good grass.

Timber, a few mesquite and brush

West end of line.

North on a random line bet Secs 1 & 2.

Var. $13^{\circ}05'E$.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec. cor.

Subdivisions T. 15 S. R. 10 E - Continued

- Chain
80. 30. Intersect N. boundary of Township
at 19 lks E of the cor to Secs 1. 2. 3. 5. 8
36 previously established and
described by me. Thence I run
S. $0^{\circ} 08' 08''$ E on a true line bet
Secs. 1 & 2. with a small var.
40. 30 Set a volcanic stone $14 \times 10 \times 8$ ins
10 ins in the ground for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on W. face, dug
pits $18 \times 18 \times 12$ ins N & S. of
stone $5\frac{1}{2}$ ft dist and raised
a mound of earth $1\frac{1}{2}$ ft $3\frac{1}{2}$ ft base
alongside
80. 30 The cor to Secs 1. 2. 11 & 12.
Land level.
Soil 2^d rate. Good grass.
Timber, some scattering mesquite
and brush.

15th Feb 1887.

Subdivision T. 15 S. R. 10 E. - continued

Chains

I begin at the Standard Cor. to secs 34 & 35 on the South boundary of the Township where I found a mound of earth and pits but no post. I now set a volcanic stone 20x10x10 ins 15 ins in the ground marked S. E. on N. face with 4 notches on E and 2 notches on W edges, and renewed pits and mound of earth.

From which

A mesquite 8 ins diam bears N. 25° E. 100 lks
dist marked T. 15 S. R. 10 E. S. 35 to T.

A mesquite 6 ins diam bears N. 47° E
248 lks dist marked T. 15 S. R. 10 E
S 35 to F.

No other trees within limits

Hence I run

North bet Secs 34 & 35

Var. 13° 05' E.

Subdivisions T. 15 S. R. 10 E. Continued

Chains.	Chains.	
		Over level land
80.	37.50	Old road from Robles' ranch in Sec 34 to the old road from Altar to Tucson course E & N.
	40.00	Set a volcanic stone 16 x 10 x 10 ins 11 ins in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ on N. face dug pits 18 x 18 x 12 ins N & S of stone 5 $\frac{1}{2}$ ft dist and raised a mound of earth 1 $\frac{1}{2}$ ft high, 3 $\frac{1}{2}$ ft base alongside. From which Robles' ranch house outbuildings and corral bears S 88° W. 32 chs dist all buildings substantially built of adobe.
	54.50	Road from Altar and Quijotea to Tucson course N 65° E and S. 65° W
4	80.00	Set a volcanic stone 24 x 14 x 4 ins 18 ins in the ground for cor to sec. 26. 27. 34 & 35 marked with 1 notch
7.		

Subdivision T. 15 S. R. 10 E - continued

Chains

on S. and 2 notches on E edges, dug pits
18 x 18 x 12 ins in each sec. 5 1/2 ft dist and
raised a mound of earth 2 ft high 4 1/2 ft
base alongside.

Land level.

Soil rate. Good grass.

Timber, a few mesquite

N 88° 15' E on a random line bet Secs 26 & 35

Var. 13° 05' E.

Over level land.

40.00 Set temp 1/4 Sec. cor.

65.00 Road from Altar and Quijotoa to
Tucson course N. 65° E & S. 65° W.

80.05 Intersect N & S line 15 lks S. of the cor
to Secs 25, 26, 35 & 36. Thence run

S. 88° 09' W. on a true line bet
Secs 26 & 35 with same var.

Subdivisions T. 15 S. R. 10 E - Continued

- Chains
40.03 Set a post 3 ft long 3 in square with marked stone 12 in in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12 in E & W. of post $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base around post.
- 80.05. The cor to secs 26, 27, 34 & 35.
Land, level
Soil 2^d rate. Good grass.
No timber.

North bet Secs 26 & 27

Var. $13^{\circ}05'E$.

Over level land

38.50. Telegraph line from Quijotoa to Tucum
course N. $65^{\circ}E$ & S. $65^{\circ}W$.

40.00 Set a volcanic stone 15 x 10 x 8 in

Subdivision T. 15 S. R. 10 E. Continued

Chains

10 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on W. face, dug pits 18 x 18 x 12 ins N. & S. of stone 5 $\frac{1}{2}$ ft dist and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base alongside.

80.00 Set a volcanic stone 23 x 15 x 4 ins 18 ins in the ground for cor to Secs 22. 23. 26 & 27. marked with 2 notches on S and E. edges, dug pits 18 x 18 x 12 ins. in each sec. 5 $\frac{1}{2}$ ft dist and raised a mound of earth 2 ft high 4 $\frac{1}{2}$ ft base alongside.

From which

A mesquite 5 ins. diam bears N. 41° E. 100 lks dist marked T. 15 S. R. 10 E. S. 23 B. T.

A mesquite 4 ins. diam bears N. 60° E. 277 lks dist marked T. 15 S. R. 10 E. S. 23 B. T.

Subdividing T. 15 S. R. 10 E. Continued
 Chain. No other trees within limits.

Land level

Soil, 2^d rate. Good grass.

Timber, a few scattering mesquite and
 some brush.

N. 88° 15' E. on a random line bet Secs 23 & 26

Var. 13° 05' E.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec. cor.

79.92 Intersect N & S line 21 lks S. of the
 cor. to secs 23, 24, 25 & 26. Thence run

S. 88° 06' W on a true line bet Secs
 23 & 26 with same Var.

39.96 Set a post 3 ft long 3 ins ^{square} ~~long~~ with
 marked stone 12 ins in the ground
 for $\frac{1}{4}$ Sec cor marked $\frac{1}{4}$ S. on N
 face, dug pits 18 X 18 X 12 ins E & W
 of post 5 $\frac{1}{2}$ ft dist and raised

Subdivision T. 15 S. R. 10 E. continued
 Chains

a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 around post.

79.92 The cor to secs 22, 23, 26 & 27

Land level

Soil 2^d rate. Good grass.

No timber.

North bet Secs 22 & 23

Var $13^{\circ}05'E$.

Over level land

40.00 Set a volcanic stone $14 \times 12 \times 10$ ins

10 ins in the ground for $\frac{1}{4}$ Sec Cor.

marked $\frac{1}{4}$ on W. face, dug pits $18 \times$

18×12 ins. N. & S. of stone $5\frac{1}{2}$ ft

dist. and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base, along side

From which

A mesquite $\frac{1}{4}$ ins diam bears $N. 80^{\circ} W$

Subdivisions T. 15 S. R. 10 E. - continued

Chains

123 lks dist. marked $\frac{1}{4}$ S. B. T.

A mesquite 4 ins diam bears N. 81° E.

280 lks dist. marked $\frac{1}{4}$ S. B. T.

80.00

Set a volcanic stone $23 \times 10 \times 5$ ins 18 ins
in the ground for cor to secs 14. 15. 22
& 23 marked with 3 notches on S.
and 2 notches on E edges, dug pits
 $18 \times 18 \times 12$ ins in each sec $5 \frac{1}{2}$ ft
dist. and raised a mound of
earth 2 ft high $4 \frac{1}{2}$ ft base all around.
From which

A mesquite 4 ins diam bears N.
 65° W. 260 lks dist marked T. 15 S.

R. 10 E. S. 15 B. T.

A mesquite 6 ins diam bears N.
 14° E. 288 lks dist. marked T. 15 S. R.
10 E. S. 14 B. T.

A mesquite 6 ins diam bears N 40° E
235 lks dist. marked T. 15 S. R. 10 E

Subdivisions T. 15 S. R. 10 E. - ~~Continued~~
 Chams

S. 14 B.F.

No other trees within limits.

Land, level

Soil 2^d rate. Good grass

Timber, scattering mesquite and brush

N. $88^{\circ}15'E$ on a random line bet Secs 14 & 23.

Var. $13^{\circ}05'E$.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

80.03 Intersect N & S line 11 lks S of the
 cor to secs 13, 14, 23 & 24. Thence I run
 $S. 88^{\circ}10' W.$ on a true line bet Secs
 14 & 23 with same Var.

40.02 Set a post 3 ft long 3 ins. square
 with marked stone 12 ins in the
 ground for $\frac{1}{4}$ Sec cor marked $\frac{1}{2}$ on
 N. face, dig pits 18 X 18 X 12 ins

Subdivisions T. 15 S. R. 10 E continued

Chains

Chas

80.

E & W. of post $5\frac{1}{2}$ ft dist. and raised
a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base alongside.

80.03

The cor to secs 14, 15, 22 & 23.

Land level

Soil, 2^d rate. Good grass.

Timber, a few mesquite and some brush

By observation taken this day I find
the magnetic Var. to be $13^{\circ}05'E$.

North bet Secs 14 & 15

Var. $13^{\circ}05'E$.

Over level land.

6.00

Chasco or Waterhole 10 lks wide, course
N. $30^{\circ}E$ & S. $30^{\circ}W$.

23.50

Hay road course N $80^{\circ}W$ & S. $70^{\circ}E$.

40.00

Set a volcanic stone $15 \times 10 \times 8$ ins

Subdivisions T. 15 S. R. 10 E Continued

Chains

10 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on W. face, dug pits 18 X 18 X 12 ins N & S of stone 5 $\frac{1}{2}$ ft diam. and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base alongside. From which

A mesquite 8 ins. diam bears N 53° E 140 lks dist. marked $\frac{1}{4}$ S.B.P.

No other trees within limits

43.50. Old road course E & W.

80.00 Set a volcanic stone 18 X 14 X 12 ins 12 ins in the ground for cor to secs 10. 11. 14 & 15 marked with 4 notches on S and 2 notches on E edges, dug pits 18 X 18 X 12 ins in each sec 5 $\frac{1}{2}$ ft diam. and raised a mound of earth 2 ft high 4 $\frac{1}{2}$ ft base alongside

Land level.

Soil 2^d and 3^d rate. Good grass

Subdivisions T. 15 S. R. 10 E - continued

Chains

Chai

Timber, scattering mesquite & some brush

80.

N. $88^{\circ}15'E$. on a random line bet Secs 11 & 14
Var $13^{\circ}05'E$.

Over rough and rolling land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

79.96 Intersect N & S line 13 lks N. of the cor
to secs 11, 12, 13 & 14. Thence, I run

S. $88^{\circ}20'W$. on a true line bet
secs 11 & 14 with same Var.

39.98 Set a volcanic stone $24 \times 14 \times 10$ ins
18 ins. in the ground for $\frac{1}{4}$ Sec cor.
marked $\frac{1}{4}$ on N. face, and raised
a mound of stone alongside.

Pits impracticable

79.96 The cor to secs 10, 11, 14 & 15.

Land rough and hilly

Soil 4th rate.

Subdivision T. 15 S. R. 10 E. - Continued

Main

Timber, a few mesquite and some brush

North bet Secs 10 & 11

Var. $13^{\circ} 05' E$.

Over rough rolling hills

9.00 Arroyo 40 lks wide course E.

38.40 Arroyo 50 lks wide course E

40.00 Set a volcanic atom $14 \times 12 \times 6$ ins
10 ins. in the ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ on W. face, and raised
a mound of atom along side.

Pits impracticable. From which

A palo verde 4 ins. diam bears
S. $41^{\circ} E$ 15 lks dist marked $\frac{1}{4}$ S.B.T.A palo verde 4 ins. diam bears
N. $25^{\circ} W$. 38 lks dist. marked $\frac{1}{4}$ S.B.T.76.00 Arroyo 20 lks wide, course S $45^{\circ} E$.80.00 Set a volcanic atom $20 \times 12 \times 6$ ins

Subdivisions T. 15 S. R. 10 E. continued

chains

15 vis in the ground for cor to sec
 2, 3, 10 & 11 marked with 5 notches on
 S and 2 notches on E edges, dug pits
 18 x 18 x 12 vis in each sec 5½ ft dist
 and raised a mound of earth 2 ft
 high 4½ ft base along side.

Land, rough and hilly

Soil, worthless

Timber a few palo verde and mesquite
 and some brush.

N 88° 15' E. on a random line bet Sec 2 & 11

Var. 13° 05' E.

Over rough hilly land.

30.00 Commence ascent of volcanic hill

40.00 Summit; Set temp & Sec cor.

and commence descent.

66.00 Foot of hill and enter level country

Subdivisions T. 15 S. R. 10 E - continued

Chambers

80.06 Intersect N & S line 19 lks S. of the
cor to secs 1. 2. 11. & 12. Thence I run
S. $88^{\circ} 07' W$ on a true line bet
Secs 2 & 11 with same Var.

40.03. Set a volcanic stone 18 X 10 X 8 ins
12 ins in the ground for $\frac{1}{4}$ Sec cor.
marked $\frac{1}{4}$ on N. face and raised
a mound of stone alongside.
Pits impracticable

80.06 The cor to secs 2. 3. 10 & 11
Land rough and hilly
Soil, worthless
Timber, a few mesquite, palo verde
and some brush.

16th Feb 1887.

North on a random line bet Secs 2 & 3

Var. $13^{\circ} 05' E$

Over rough rocky volcanic hills, and

Subdivision P. 15 S. R. 10 E - continued

Chains

Chain

80.

- commence ascent from Cor.
- 34.00 Summit of volcanic hill 300 ft high bearing E & W. and commence descent.
- 40.00 Set temp $\frac{1}{4}$ Sec cor.
- 45.00 Foot of hill and line runs over broken ground to corner
- 60.50 Gulch 4 ft deep Course E.
- 71.00 Gulch 6 ft deep. Course E.
- 80.31 Intersect N. boundary of Township at 14 lks E. of the cor. to Secs 2, 3, 34 & 35 previously established and described by me. Thence I run S. $0^{\circ} 06' E$. on a true line bet Secs 2 & 3 with same W. R.
- 40.31 Set a volcanic stone 20 X 14 X 8 ins 15 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on W. face and raised a mound of stone alongside. Pits impracticable
- 80.31 The cor to Secs 2, 3, 10 & 11

Subdivisions T. 15 S. R. 10 E. - continued

chain

Land rough & hilly

Soil worthless

Timber, scattering mesquite, palo verde
and some brush.

I begin at the Standard cor to secs 33 &
34 on the S. bdy of Township where I
found a mound of earth and pits
but no peat. I therefore set a volcanic
stone $22 \times 12 \times 8$ ins 16 ins in the ground
marked S. C. on N. face with 3 notches
on E & wedges, and renewed pits.

From which

A mesquite 6 ins diam bears $N 18 \frac{1}{2}^{\circ} E$.
215 lbs dirt marked T. 15 S. R. 10 E. S. 34/30.

Thence I run

North bet Secs 33 & 34

Var $13^{\circ} 05' E$

Subdivision P. 15 S. R. 10 E. continued

Chains

- Over level land.
- 3.00 Arroyo 15 lks wide, course E.
- 15.50 Road, course S. 30° W and N 45° E.
- 40.00 Set a volcanic stone 15 X 12 X 7 ins 10 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on W. face, dug pits 18 X 18 X 12 ins N & S of stone 5 $\frac{1}{2}$ ft dia and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base along side.
- 79.50 Hay road course N W & S E.
- 80.00 Set a volcanic stone 16 X 12 X 8 ins 11 ins in the ground for cor to secs 27. 28. 33 & 34 marked with 1 notch on S and 3 notches on E edges, dug pits 18 X 18 X 12 ins in each sec 5 $\frac{1}{2}$ ft dia and raised a mound of earth 2 ft high 4 $\frac{1}{2}$ ft base alongside.

Land, level

Soil, 2nd rate Good grass.

Timber, a few mesquite

Subdivision T. 15 S. R. 10 E. continued

Chain

N. $88^{\circ} 15' E$. on a random line bet Secs 27 & 34

Var. $13^{\circ} 05' E$.

Over level land.

40.00 Set temp $\frac{1}{4}$ Sec Cor.

79.90 Intersect N & S line 14 Mts S. of the cor.
to secs 26, 27, 34 & 35. Thence I run
S. $88^{\circ} 09' W$. on a true line bet Secs
27 & 34 with same Var.

39.95. Set a post 3 ft long 3 ins. square with
marked stone 12 ins in the ground
for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S. on N. face
dig pits 18 x 18 x 12 ins E & W. of post
 $5\frac{1}{2}$ ft dist and raised a mound of
earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft low around
post.

79.90 The cor to secs 27, 28, 33 & 34.

Land, level

Soil 2^d rate. Good grass.

Timber a few mesquite

Subdivision T. 15 S. R. 10 E - Continued

Chains.

North bet Secs 27 & 28

Var. $13^{\circ} 05' E$.

Over level land.

3.50 Teletograph line from Quijotoa to Tucuman
course $N. 65^{\circ} E$ and $S 65^{\circ} W$.

40.00 Set a volcanic stone $15 \times 12 \times 6$ ins 10 ins
in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$
on W. face, dug pits $18 \times 18 \times 12$ ins 18 ins
S. of stone $5\frac{1}{2}$ ft dia and raised a
mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
alongside

41.00 Old hay road, course $N W$ & $S E$.

80.00 Set a volcanic stone $16 \times 14 \times 4$ ins 11 ins
in the ground for cor to Secs 21. 22. 27
& 28 marked with 2 notches on S and
3 notches on E. edges, dug pits $18 \times 18 \times 12$
ins in each sec $5\frac{1}{2}$ ft dia and raised
a mound of earth 2 ft high $4\frac{1}{2}$ ft base
alongside.

Subdivision T. 15 S. R. 10 E - Continued

Chains

Land, level.

Soil, 2^d rate. Good grass.

Timber, scattering mesquite & some brush.

N 88° 15' E on a random line bet Secs 22 & 27

Var 13° 05' E.

40.00 Set temp $\frac{1}{4}$ Sec Cor.

80.04. Intersect N & S line 8 lks N. of the cor to secs 22, 23, 26 & 27. Thence I run S. 88° 19' W. on a true line bet Secs 22 & 27 with same Var.

40.02 Set a post 3 ft long 3 ins square with marked stone 12 ins in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S on N face, dug pits 18 x 18 x 12 ins E & W. of post 5 $\frac{1}{2}$ ft dia, and raised a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base around post.

Subdivision T. 15 S. R. 10 E - continued

Chaus

80.04 The cor to secs 21. 22. 27 & 28.

Land level.

Soil, 2^d rate. Good grass.

Timber, scattering mesquite and
some brush

North bet Seco 21 & 22

Var 13° 05' E

Over level land.

40.00 Set a volcanic stone 18 X 10 X 10 ins 1/2 ins
in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$
on W. face, dug pits 18 X 18 X 12 ins N & S
of stone 5 $\frac{1}{2}$ ft dist. and raised a
mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
along side.

80.00 Set a volcanic stone 18 X 8 X 8 ins 1/2 ins
in the ground for cor to Seco 15. 16. 21
& 22. marked with 3 notches on S and

Subdivisions T. 15 S. R. 10 E. - Continued

Chambers

E edges, dug pits 18 X 18 X 12 ins in each sec 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base along side.
From which

A mesquite 4 ins. diam bears N 5° E.
98 lbs diet marked T. 15 S. R. 10 E S. 15 B F.

A mesquite 4 ins. diam bears N 83° E 90 lbs
diet marked T. 15 S. R. 10 E. S. 15 B F.

A mesquite 4 ins. diam bears S 62° E.
68 lbs diet. marked T. 15 S. R. 10 E. S. 22 B F.

A mesquite 4 ins diam bears S. 39° E 100
lbs diet. marked T. 15 S. R. 10 E S. 22 B F.

Land, level.

Soil 2^d rate, Good grass.

Timber, scattering mesquite and
some brush.

Subdivision T. 15 S. R. 10 E - continued

Chaco
Chaco

N. $88^{\circ}15' E$ on a random line bet Secs 15 & 22.

Var $13^{\circ}05' E$.

80. Over level land.
- 40.00 Set temp $\frac{1}{4}$ Sec Cor.
- 76.00 Charco or water hole 10 lks wide, courses
N. $30^{\circ} E$ & S. $30^{\circ} W$.
- 79.88 Intersect N & S line 19 lks S. of the cor.
to secs 14. 15. 22 & 23. Thence I run
S. $88^{\circ}07' W$. on a true line, bet Secs
15 & 22 with same Var.
- 39.94. Set a volcanic stone $12 \times 10 \times 8$ ins 8 ins
in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on N. face, dug pits $18 \times 18 \times 12$ ins
E & W. of atom $5\frac{1}{2}$ ft dist and raised
a mound of earth $1\frac{1}{2}$ ft high $23\frac{1}{2}$ ft
base alongside.
- 79.88 The cor to secs 15. 16. 21 & 22.
Land, level.
Soil 2^d and 3^d rate.

Subdivision T. 15 S. R. 10 E. continued

Chains

Timber, scattering mesquite & brush

North bet Secs 15 & 16.

Var. $13^{\circ}05'E$.

Over rolling land.

35.75 Wood road, course E & W.

40.00 Set a volcanic stone $15 \times 12 \times 10$ ins in
 ins in the ground for $\frac{1}{4}$ Sec Cor. marked
 $\frac{1}{4}$ on W face, dug pits $18 \times 18 \times 12$ ins
 N & S. of stone $5\frac{1}{2}$ ft dist and
 raised a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base alongside

From which

A mesquite 6 ins. diam bears
 $N56^{\circ}E$ 187 lks dist marked $\frac{1}{4}$ S B F.

A mesquite 3 ins. diam bears $N61^{\circ}E$
 190 lks dist. marked $\frac{1}{4}$ S B F.

54.00 Arroyo 40 lks wide, course E.

Subdivision T. 15 S. R. 10 E. - continued

Chain

78.90 Arroyo 10 lks wide, course E.

80.00 Set a volcanic stone 20 X 10 X 8 in

15 in in the ground for ever to also

9.10.15 & 16, ^{marked} with 4 notches on S and
3 notches on E edges, dug pits 18 X 18

X 12 in in each sec. 5 1/2 ft dist and

raised a mound of earth 2 ft high

4 1/2 ft base alongside. From which

A mesquite 6 in.

diam. bears N 84° W. 150 lks dist.

marked T. 15 S. R. 10 E. S. 9 1/3 T.

A palo verde 8 in diam bears N
64° E. 150 lks dist marked T. 15 S.

R. 10 E. S. 10 1/3 T.

No other trees within limits

Land rolling

Soil 3^d rate. Good grass.

Timber, scattering mesquite and
palo verde

17th Feb 1887

Subdivision E. 15 S. R. 10 E. Continued

Chain

N. $88^{\circ}15'E$ on a random line bet Secs 10 & 15

Var $13^{\circ}05'E$.

Over rolling land.

40.00 Set temp $\frac{1}{4}$ Sec Cor.

79.90 Intersect N & S line 16 lks N. of the cor to secs 10, 11, 14 & 15. Then I run S. $88^{\circ}22'W$. on a true line bet secs 10 & 15 with same Var.

39.95 Set a volcanic stone $15 \times 12 \times 4$ ins 10 ins. in the ground for $\frac{1}{4}$ Sec cor. mark $\frac{1}{4}$ on N. face, dig pits $18 \times 18 \times 12$ ins E & W. of stone $5\frac{1}{2}$ ft diam. and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside.

79.90 The cor to secs 9, 10, 15 & 16.

Land rolling

Soil 3^d rate. Good grass.

Timber, scattering mesquite & palo verde.

Subdivision T. 15 S. R. 10 E - continued
 Chain

North bet Secs 9 & 10

Var $13^{\circ} 05' E$.

80.

Over rolling land.

3.50. Old road bears E & W.

35.00 Arroyo 30 lks wide, course E.

40.00 Set a volcanic stone $18 \times 12 \times 4$ ins
 12 ins in the ground for $\frac{1}{4}$ Sec cor.
 marked $\frac{1}{4}$ on W. face, dug pits 18×18
 $\times 12$ ins N & S. of stone $5\frac{1}{2}$ ft dist and
 raised a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base alongside.

From which

A palo verde 5 ins diam bears $N36^{\circ} E$.
 66 lks dist marked $\frac{1}{4}$ S. B. T.

A palo verde 5 ins. diam bears $N10^{\circ} E$
 105 lks dist marked $\frac{1}{4}$ S. B. T.

80.00 Set a volcanic stone $15 \times 7 \times 7$ ins 10 ins
 in the ground for cor to secs 3. 4. 9 &
 10 marked with 5 notches on S and

Subdivision T. 15 S. R. 10 E - continued

3 notches on edges, and raised a mound of stone along side pits in practicable.

From which

An Ironwood 10 ins diam bears S 79° W
67 lbs dist marked T. 15 S. R. 10 E. S.
9 B F.

An Ironwood 8 ins diam bears N 41° W
160 lbs dist marked T. 15 S. R. 10 E
S. 4 B F.

An Ironwood 5 ins. diam bears N 75° E
75 lbs dist. marked T. 15 S. R. 10 E
Sec 3 B F.

An Ironwood 5 ins. diam bears N 75° E
107 lbs dist. marked T. 15 S. R. 10 E.
Sec. 3 B F.

Land rolling

Soil 4th rate.

Timber, scattering mesquite iron

Subdivision T. 15 S. R. 10 E - continued

Chain

Cha

wood & palo verde

80.

N. $88^{\circ}15'$ E on a random line bet Secs 3 & 10Var $13^{\circ}05'$ E,

Over rough rocky hills.

24.00 Arroyo 20 lks wide, course S. 40° E.27.00 Arroyo 10 lks wide, course S. 40° E.35.00 Arroyo 25 lks wide, course S. 30° E.40.00 Set temp $\frac{1}{4}$ Sec Cor.79.00. Arroyo 15 lks wide, course S. 45° E.

80.19. Intersect N & S line 11 lks S. of the cor.

to secs 2, 3, 10 & 11. Thence I run

S. $88^{\circ}10'$ W. on a true line bet Secs

3 & 10 with same Var.

40.10 Set a volcanic stone 15 X 10 X 8 ins

10 ins in the ground for $\frac{1}{4}$ Sec cor.marked $\frac{1}{4}$ on N. face, dug pits 18 X 18X 12 ins. E & W. of stone $5\frac{1}{2}$ ft dist.

Subdivision T. 15 S. R. 10 E. continued

Chains

and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base, along side.

From which

A palo verde 8 ins diam bears $N 40^{\circ} E$.

75 lks dist marked $\frac{1}{4}$ S B F.

A palo verde 6 ins diam bears $S. 8^{\circ} E$.

76 lks dist marked $\frac{1}{4}$ S B F.

80.19. The cor to secs 3, 4, 9 & 10.

Land, rolling

Soil 4th rate

Timber, scattering mesquite & palo verde.

North on a random line bet Secs 3 & 4

Var. $13^{\circ} 05 E$.

Over rough volcanic hills.

12.50 Arroyo 15 lks wide course $S. 50^{\circ} E$.

28.00 Arroyo 20 lks wide course $S. 40^{\circ} E$.

40.00 Set temp $\frac{1}{4}$ Sec cor. and line runs

Subdivisions T. 15 S. R. 10 E. continued

Chaus

Cha

80.

along East slope of rocky volcanic hill.
76.50. Summit and commence descent
to Cor.

80.19 Intersect N. boundary of Tp. 6 lks W.
of cor to secs 3. 4. 33 & 34. previously
established and described by me.
Thence I run

S. $0^{\circ}03'$ W on a true
line bet Secs 3 & 4 with same bar.

40.19 Set a volcanic stone 18 X 8 X 6 in 12 in
in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on W. face, and raised a mound
of stone alongside. Pits impracticable.

80.19 The cor to secs 3. 4. 9 & 10

Land rough and hilly

Soil worthless.

Timber a few ironwood and palo
verde.

Subdivisions T. 15 S. R. 10 E - continued

Chains

I begin at the Standard. cor
to secs 32 & 33 on the South boundary
of Township where I found an old
rotten stake, (marks illegible) with
pits and mound of earth.

I therefore set a volcanic stone 24
x 10 x 5 ins 18 ins in the ground
marked S.C. on N with 4 notches on
E and 2 notches on W. edges and
reversed pits.

Thence I run

North bet Secs 32 & 33.

Var. $13^{\circ}05' E$.

Over level land

40.00 Set a volcanic stone 15 x 8 x 6 ins
10 ins. in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on W. face dry pits 18
x 18 x 12 ins N. & S. of stone $5\frac{1}{2}$ ft
dist and raised a mound of

Subdivision T 15 S. R 10 E - Continued
 Main

earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side
 From which

A mesquite 4 ins. diam bears
 S. 15° W. 95 lks dist marked $\frac{1}{4}$ S.B.T.

A mesquite 3 ins. diam bears S 60°
 E. 165 lks dist. marked $\frac{1}{4}$ S.B.T.

48.50. Telegraph line from Quijotoa to Tucan
 course N 50° E & S. 50° W.

80.00 Set a volcanic stone 23 x 12 x 8 ins
 18 ins. in the ground for cor to secs
 28. 29. 32 & 33. marked with 1 notch
 on S. and 4 notches on E edges, dig
 pits 18 x 18 x 12 ins ~~in~~ each sec $5\frac{1}{2}$
 ft dist. and raised a mound
 of earth 2 ft high $4\frac{1}{2}$ ft base along side
 Land level
 Soil 2^d rate. Good grass

Timber, some few mesquite and brush.

Subdivisions T. 15 S. R. 10 E. - Continued.

Chains

N $88^{\circ}15'E$. on a random line bet Secs 28 & 33
Var. $13^{\circ}05'E$.

Over level land

- 40.00 Set temp $\frac{1}{4}$ Sec cor.
- 72.50. Telegraph line from Quijotoa to Tucan
course N $65^{\circ}E$ and S $65^{\circ}W$.
- 79.10 Hay road course N W & S. E .
- 80.06. Intersect N & S line 19 lks N. of the
cor to secs 27. 28. 33 & 34. Thence I
run S. $88^{\circ}24'W$. on a true line bet
Secs 28 & 33 with same Var.
- 40.03. Set a post 3 ft long 3 in square
with marked stone 12 in in the
ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ S.
on N. face, dug pits 18 X 18 X 12 in
E & W. of post $5\frac{1}{2}$ ft dist and
raised a mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base around post
- 80.06 The cor to secs 28. 29. 32 & 33

Subdivision T15 S. R. 106 continued
 Chamo.

Land level.

Soil 2^d rate. Good grass.

No timber, scattering brush.

North bet Secs 28 & 29.

Var. 13° 05' E.

Over level ground

40.00 Set a volcanic stone 22 x 8 x 4 ins
 16 ins in the ground for $\frac{1}{4}$ Sec Cor.
 marked $\frac{1}{4}$ on N. face, dug pits 18 x
 18 x 12 ins. N & S. of stone 5 $\frac{1}{2}$ ft
 dist. and raised a mound of
 earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base alongside
 from which

A mesquite 5 ins. diam bears S. 63° E
 140 lbs dist. marked $\frac{1}{4}$ S B F.

A mesquite 6 ins diam bears S. 24° E
 50 lbs dist marked $\frac{1}{4}$ S B F.

Subdivisions T. 15 S. R. 10 E. Continued

Chains

- 66.00 Hayroad course N W & S E.
- 68.00 Line runs over S E. slope of little volcanic hill about 250 ft high.
- 80.00 In saddle bet tops of 2 little volcanic buttes I set a volcanic stone 20 x 20 x 15 ins 15 ins in the ground for cor to secs 20, 21, 28 & 29 marked with 2 notches on S and 4 notches on E edges and raised a mound of stone alongside. Pits impracticable
- Land for 68 chs level, balance volcanic hills
- Soil, for 68 chs 2^d rate balance worthless
- Good grass
- Timber, a few mesquites and some brush.

18th Feb 1887.

Subdivision T₁₅S. R. 10E Continued
 Chans

N. $88^{\circ}15'E$ on a random line bet Secs 21 & 28

Var. $13^{\circ}05'E$.

Over rocky butte descending from saddle

7.00 Foot of hill and enter level land

40.00 Set temp $\frac{1}{4}$ sec cor.

56.00 Hayroad course N $30^{\circ}W$ & S. $30^{\circ}E$.

79.97 Intersect N & S line 15 lks N. of the
 cor to secs 21, 22, 27 & 28. Thence I
 run S. $88^{\circ}22'W$ on a true line bet
 secs 21 & 28 with same Var.

39.99. Set a volcanic stone 12 x 9 x 6 ins 8 ins
 in the ground for $\frac{1}{4}$ Sec cor., marked
 $\frac{1}{4}$ on N. face dug pits 18 x 18 x 12 ins
 E & W. of stone $5\frac{1}{2}$ ft dist, and raised
 a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
 base alongside.

79.97 The cor to secs 20, 21, 28 & 29
 Land, 73chs level balance volcanic
 hills.

Concluded Book 875