

Book-2-

No. 878

BOOK 878

*Subdivisions*

T. 14 S. R. 16 E.

4-978

FIELD NOTES  
GENERAL LAND OFFICE.

878

Indexed, Book 877.

Courtzen

Township 145 R. 16E 56

6	5	4	3	2	1	
7	8	9	10	11	12	
18	67	17	16	15	14	13
64	62					
19	59	20	21	22	23	24
57						
30	29	28	27	26	25	
31	32	33	34	35	36	

## Subdivisions of T. 14 S. R. 16 E. - Continued

Rains

No timber, undergrowth  
palo verde and mesquite.  
Giant and cholla cacti

$N 89^{\circ} 57' W.$ , on a random  
line bet. secs. 19 and 30

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

82.64 Intersect W. bdy of the  
Tp. 15 lks. N. of the cor.  
point of secs. 19, 24, 25 and 30,  
or 25 lks. S. of witness cor.,  
as heretofore described.

Thence I run, from cor. point  
of secs. 19, 24, 25 and 30

$N 89^{\circ} 57' E.$ , on a true line  
bet. secs. 19 and 30

Over rolling land and  
through undergrowth and  
enter dry wash, course westerly

# Subdivision of

Chains

- 2.50 Leave dry wash, course Westerly
- 4.00 Dry wash, 20 lks. wide, course  $N 85^{\circ} W$
- 10.04 Dry wash, 3 lks. wide, course  $N. W.$
- 21.82 Wood road, bears  $N. W.$  and  $S. E.$
- 23.50 Dry wash, 20 lks. wide, course  $N. W.$
- 33.85 Dry wash, 5 lks. wide, course  $N. W.$
- 41.60 Dry wash, 3 lks. wide, course  $N. W.$
- 42.64 Set a granite stone  $16 \times 10 \times 4$  ins., 11 ins. in the ground for  $\frac{1}{4}$  sec. cor., marked  $\frac{1}{4}$  on N. face, from which  
 A palo verde, 8 ins. diam., bears  $S 21 \frac{1}{4}^{\circ} E.$ , 125 lks. dist., marked  $\frac{1}{4}$  S. B. T.  
 A palo verde, 8 ins. diam., bears  $N 7^{\circ} W.$ , 31 lks. dist., marked  $\frac{1}{4}$  S. B. T.
- 44.90 Dry wash, 7 lks. wide, course  $N. W.$ , thence  $W.$ , thence  $N. E.$

## T. 14 S. R. 16 E. - Continued

Chains

- 50.70 Dry wash, 5 lks. wide, course N.W.
- 57.50 Dry wash, 11 lks. wide, course N.E.
- 67.10 Dry wash, 5 lks. wide, course N.E.
- 77.74 Wood road, bears N.E. and S.W.
- 79.00 Dry wash, 10 lks. wide, course N.W.,  
thence N.E.
- 82.00 Dry wash, 4 lks. wide, course N.W.
- 82.64 The cor. of secs. 19, 20, 29 and 30

## Land rolling

Soil, gravelly loam, 2<sup>nd</sup> rate  
No timber, undergrowth  
palo verde and cats claw.

Giant and cholla cacti

Sept. 27. 1897

From the cor. of secs. 19, 20,  
29 and 30, as heretofore  
described, I run

No. 3' W. bet. secs. 19 and 20  
Over rolling land.

## Subdivision of

Chains	
.60	Wood road, bears N.W. and S.E.
4.00	Dry wash, 4 lks. wide, course N.W.
10.70	Dry wash, 18 lks. wide, course N.E.
14.10	Dry wash, 10 lks. wide, course E.
25.63	Dry wash, 4 lks. wide, course N.W.
40.00	Set a quartz stone 16x8x6 ins., 11 ins. in the ground for 1/4 sec. cor., marked 1/4 on W. face, dig pits 18x18x12 ins. N. and S. of stone, 3 ft. dist., and raise a mound of earth 3 1/2 ft. base, 1 1/2 ft. high, W. of cor.
40.20	Wood road, leading to Tueson, bears N.W. and S.E.
45.40	Wood road, leading to Tueson, bears N.W. and S.E.
56.40	* Dry wash, 35 lks. wide, course N.W.
58.00	* Dry wash, 35 lks. wide, course E.

## T. 14 S. R. 16 E. - Continued

Chains

60.20 Dry wash, 40 lks. wide, course N.W.

67.30 Dry wash, 6 lks. wide, course N.W.

74.20 Dry wash, 10 lks. wide, course N.W.

80.00 Set a granite stone  
15 x 10 x 8 ins., 10 ins. in the  
ground for cor. of secs.17, 18, 19 and 20, marked  
with 3 notches on S. and  
5 notches on E. edges;  
from whichA mesquite, 4 ins. diam.,  
bears N  $32\frac{3}{4}^{\circ}$  E., 84 lks. dist.,  
marked T. 14 S. R. 16 E. S. 17 B. 5A palo verde, 8 ins. diam.,  
bears S  $82\frac{1}{4}^{\circ}$  E., 196 lks. dist.,  
marked T. 14 S. R. 16 E. S. 20 B. 5No other trees within limits.  
Dig pits, 18 x 18 x 12 ins., in  
each sec.,  $5\frac{1}{2}$  ft. dist., and

## Subdivision of

Chains

raise a mound of earth,  
4 ft. base, 2 ft. high, N. of cor.  
Land rolling

Soil, gravelly loam, 2<sup>nd</sup> and 3<sup>rd</sup> rates  
No timber, under growth,  
palo verde and catsclaw.  
Giant and cholla cacti.

$N 89^{\circ} 56' E$ , on a random  
line, bet. secs. 17 and 20

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. and S. line  
9 lks. N. of cor. of secs.  
16, 17, 20 and 21; thence  
I run

West, on a true line bet.  
secs. 17 and 20

Over rolling land, through  
scattering under growth

## T. 14 S. R. 16 E. - Continued

Chains	
3.73	Dry wash, 6 lks. wide, course N. E.
10.60	Wood road, bears N. W. and S. E.
11.45	Dry wash, 3 lks. wide, course N. E.
13.40	Dry wash, 55 lks. wide, course N. E.
17.55	Dry wash, 25 lks. wide, course N. E.
28.50	Dry wash, 7 lks. wide, course N. E.; thence N. W.
33.15	Dry wash, 15 lks. wide, course N. W.
36.70	Old wood road, bears N. E. and N. W.
39.50	Dry wash, 3 lks. wide, course N. N. W.
40.00	Set a lime stone 18 x 10 x 8 ins, 12 ins, in the ground, for 1/4 sec. cor., marked 1/4 on N. face; from which A mesquite, 7 ins. diam., bears $289^{\circ}E$ , 16 lks. dist, marked 1/4 S. B. T. A mesquite, 6 ins. diam., bears $S 30^{\circ}E$ , 37 lks. dist,

## Subdivision of

Chains

marked  $\frac{1}{4}$  S. B. T.

- 49.10 Dry wash, 5 lks. wide, course N.N.W.  
 51.30 Dry wash, 5 lks. wide, course E.  
 58.08 Dry wash, 5 lks. wide, course N.N.W.  
 64.96 Dry wash, 10 lks. wide, course N.W.  
 76.00 Road from Tanque Verde  
 to Rincon, bears N.N.W. and S.S.E.  
 80.00 The cor. of secs. 17, 18, 19 and 20

Land rolling

Soil gravelly loam, 2<sup>nd</sup> and 3<sup>rd</sup> rate  
 No timber; undergrowth,  
 palo verde, greasewood,  
 and scattering mesquite  
 Giant and cholla cacti

S 89° 57' W, on a random  
 line bet. secs. 18 and 19

- 40.00 Set temp.  $\frac{1}{4}$  sec. cor.  
 82.60 Intersect W. bdy. of Tps.;

## T. 14 S. R. 16 E. - Continued

- Chains 8  
 9 lks. S. of cor. of secs.  
 13, 18, 19 and 24, as heretofore described.  
 Thence Run  
 East on a true line bet.  
 secs. 18 and 19  
 Over rolling land, through  
 scattering under growth
- 13.70 \* Dry wash, 10 lks. wide, course N.E.  
 14.80 \* Dry wash, 15 lks. wide, course S.E.  
 17.00 Dry wash, 10 lks. wide, course N.  
 18.70 Ascend along N. slope of  
 Capadero knolls
- 29.70 Top of slope; begin descent  
 34.70 Gulch, 4 lks. wide, course Easterly  
 35.70 Foot of descent  
 37.70 Gulch, 5 lks. wide, course N.E.  
 38.65 Gulch, 5 lks. wide, course N.E.;  
 ascend <sup>slope of</sup> small knoll

## Subdivision of

Chains

- 40.00 Top, summit of knoll  
4 chs. S.
- 42.20 Gulch, 5 lks. wide, course N.E
- 42.60 Set a malpais stone,  
18 x 8 x 6 ins., 12 ins. in  
the ground for  $\frac{1}{4}$  sec. cor.,  
marked  $\frac{1}{4}$  on N. face;  
and raise a mound of  
stone 2 ft. base,  $1\frac{1}{2}$  ft.  
high, N. of cor.; thence  
begin descent along  
N. slope of knoll
- 52.70 Foot of descent and  
enter dry wash, 40 lks. wide,  
course N.N.W.
- 58.00 Dry wash, 30 lks. wide, course N.W.
- 79.50 Dry wash, 30 lks. wide, course N.W.
- 81.90 Dry wash, 8 lks. wide, course N.W.
- 82.60 The cor. of secs. 17, 18, 19 and 20

## T. 14 S. R. 16 E. - Continued

Chains

Land rolling and mountainous.  
 Soil gravelly and stony;  
 3<sup>rd</sup> and 4<sup>th</sup> rate  
 No timber, undergrowth  
 scattering palo verde, catclaw  
 and cholla.  
 Some giant cactus

N. 0° 3' W., bet. secs. 17 and 18  
 Over rolling land, through  
 undergrowth and giant  
 cacti.

9.10 Road from Tanque Verde  
 to Rincon, bears N. W. and N. E.

37.30 Dry wash, 3 lks. wide, course N. E.

40.00 Set a lime stone 14 x 8 x 8  
 ins., 9 ins. in the ground  
 for  $\frac{1}{4}$  sec. cor., marked  
 $\frac{1}{4}$  on W. face; from which

## Subdivision of

Chains

A palo verde, 6 ins. diam.,  
bears  $S70^{\circ}W$ , 78 lks. dist.,  
marked 4 S. B. T.

A palo verde, 6 ins. diam.,  
bears  $S63^{\circ}E$ , 31 lks. dist.,  
marked 4 S. B. T.

47.40 Dry wash, 3 lks. wide,  
course N. E

59.16 Intersect S. boundary  
of Camp Lowell Military  
Reservation, 52 lks. E.

of Monument XIII, as  
heretofore described

Set a granite stone  
17x8x5 ins., 11 ins. in  
the ground, for closing  
cor. to fractl. secs. 17<sup>2nd</sup>/<sub>8</sub>,  
marked

M. R. on N.,

## T. 14 S. R. 16 E. - Continued

chains

C. C. on S.

17 on E. and 18 on W. faces;  
from whichA palo verde, 5 ins. diam.,  
bears  $S 21\frac{1}{2}^{\circ} E$ , 50 lks. dist.,  
marked T. 14 S. R. 16 E. S. 17 B. T.A palo verde, 6 ins. diam.,  
bears  $S 57\frac{3}{4}^{\circ} W$ , 60 lks. dist.,  
marked T. 14 S. R. 16 E. S. 18 B. T.

Land rolling

Soil gravelly loam; 2<sup>nd</sup>  
and 3<sup>rd</sup> rate.No timber; undergrowth  
palo verde.

Giant cactus

Sept 29. 1897

General Description  
The surveyed portion of

Subdivision of  
of this tp. is mostly rolling  
and its soil, can nearly  
all be classed as 3<sup>rd</sup> rate,  
the unsurveyed portion  
lying outside of Camp  
Powell Military Reservation  
is mountainous and  
unfit for agricultural  
purposes. There are some  
good strips of mesquite  
timber, the tp. however  
is covered mostly with  
palo verde undergrowth  
and giant cactus. —  
Water is found in sec. 2,  
throughout the year, and  
during the rainy season,  
water is found in most  
of the gulches and cañons.

T. 14 S. R. 16 E. - Concluded

Emilio Carrillo is the only settler in the surveyed portion of this tp., he has a ranch with valuable improvements, and also some land under cultivation in the W<sup>1</sup>/<sub>2</sub> of sec. 2, adjoining the Camp Lowell Military Reservation. There is some good land along the Sangre Verde wash in this tp. within the Camp Lowell Military Reservation which should be surveyed as there are a number of settlers, who are anxious to perfect their titles.

Philip Contzen  
U. S. Deputy Surveyor

72

BOOK 878

Preliminary oaths Book 1,  
S. + W. bdys T. 17 S., R. 25 E.

Final oaths, Book 4, Sub-  
divisions, T. 17 S., R. 25 E.

For Surveyor General's  
Certificate of approval of  
field notes see close of  
subdivisions of  
T 17 S. R. 25 E.