

No 2

SUBDIVISIONS

Township No 14 S - Range No 20 E.

No. 880

4-671

BOOK 880

880

FIELD NOTES
GENERAL LAND OFFICE.

60

Indexed, Book 879

Township 14S R. 20E

6	112	5	87	4	64	3	2	1
110		109		85		63		
7	107	8	83	9	61	10	11	12
106		104		81				
18	103	17	79	16	15	14	13	
101		100		77				
19	98	20	75	21	22	23	24	
97		95		73				
30	94	29	71	28	27	26	25	
92		91		69				
31	89	32	66	33	34	35	36	

Subdivision T₁₄S.R.20.E. Continuedch₁

N. 0° 2' W. bet secs. 9 and 10.

Descend

1.50 Gulch, course S. W. ✓

2.50 Ridge bet. N.E. and S.W.

4.60 Gulch 30 fts wide course S W

6.00 Ridge bet N.E. and S W.

7.90 Gulch 40 fts wide course S. 60° W.

12.60 Ridge bet N.E. and S.W.

17.90 Gulch 30 fts wide course S. 60° W.

24.00 Ridge bet N. 60° E.

31.80 Gulch 30 fts wide course W

34.50 Ridge slopes west

36.40 Enter wash, course S 70° W

39.90 Leave wash, ascend bluff

40.00 Sit sandstone 18x8x6 ins

12 ins in ground for 1/4

sec cor. marked 1/4 on

W. face; raise mound of

stone 2 ft base, 1 1/2 ft high

top cor. Pits impracticable

Subdivisions

fts	
41.00	Top of bluff.
45.50	Gulch 20 lks wide course S.W.
53.00	Ridge brs N. 60° E.
68.00	Gulch 20 lks wide course S. 75° W.
72.00	Ridge brs N.E. and S.W.
75.80	Gulch course S.W.
76.50	Top of bank Desclnd
80.00	Set sandstone $18 \times 12 \times 6$ ins 12 ins in ground for cov. secs ³ 4 ⁴ ⁹ 8 and ¹⁰ 9. mark ed 5 notches on S. and 3 on E. edges; raise mound of stone 2 ft base, $1\frac{1}{2}$ ft high N. of cor. Pits impracticable No bearing trees available Land mountainous Soil 3 $\frac{1}{2}$ rate Mountainous land 80.00 cks

T. 14 S. R. 20 E

chis

N. 89.5-3 E. on random line
bet secs 3 and 10.

40.00 Set temp $\frac{1}{4}$ sec cor

79.56 Intersect N. and S. line 30 lbs

2 N. of cor secs 2, 3, 10 and 11

Thence I run

N 89.5-4 W. on true line bet
secs 3 and 10. Descend
along S. slope ridge.

8.56 Gulch, course S. W. ✓

17.56 Ridge bet N. E. and S. W.

23.56 Gulch, course S. 60° W. ✓

28.56 Ridge bet N. E. and S. W.

33.56 Gulch, course S. W. ✓

37.06 Ridge bet N. E. and S. W.

39.78 Set granite rock 18x14x8 ins
12 ins in ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ on N. face; dig pits
18x18x12 ins E. and W. of stone
3 ft dist; raise a mound of

Subdivisions.

cls

- earth and stones $3\frac{1}{2}$ ft
base, $1\frac{1}{2}$ ft high N. of cor.
Descend
- 50.06 Ridge brs N.E. and S.W.
- 51.66 Gulch 30 lks wide course N.E. + S.W.
- 54.56 Ridge brs, N.E. and S.W.
- 58.41 Gulch, course N. 60° W.
- 74.56 Ridge slopes N. Descend
- 77.56 Bottom
- 78.96 Ascend
- 79.56 Courses 3, 4, 9, and 10
Land mountainous
Soil 2^l + 3^l rate
Mountainous land 79.56 cls
-
- N. $0^{\circ} 2'$ W. bet sees 3 and 4
Descend
- 1.00 Gulch 40 lks wide course S. 60° W.
- 4.75 Ridge brs N.E. and S.W.
- 9.75 Gulch 30 lks wide course S. 60° W.

T. 14 S. R 20 E.

dis

- 15.75 Ridge brs N.E. and S. W.
 20.00 Gulch 50 lks wide, course S.W.
 21.25 Ridge brs N.E. and S.W.
 24.00 Enter gulch course N. 60° W.
 30.00 Leave gulch - Ascend
 40.00 Set malpais 16x12x8 ins, 10 ins
 in ground for 1/4 sec. cor. mark
 1/4 on W. face - raise end of
 stone 2 ft base 1 1/2 ft high W of cor
 Pits impracticable
 42.50 Ridge brs N. E and S W.
 46.10 Gulch 35 lks wide course S + N.
 49.00 Ridge brs N.E. and S.W.
 53.00 Gulch 40 lks wide course S. 75° W.
 57.20 Ridge brs N.E. and S.W.
 67.10 Gulch 20 lks wide course S, W.
 Ascend
 80.00 Ridge brs N.E. + S.W. - Decend
 82.30 Intersect N. Bdy of Tps 31. 13 chs
 E. of cor sec ~~32~~, 33 and 34

Subdivisions

also

Set sandstone 20x10x6 ins
 14 ins in ground for C.C.
 mark CC on S. face, ^{3 nolets E & W} fedges
 secs 3 and 4 in dig pits
 18x18x12 ins E and W. of stone
 3 1/2 ft dist, and S. 7 ft dist
 raise mid of earth and stone
 5 ft base, 2 ft high S. of cor
 Land mountainous
 Soil 2^d and 3^d rate
 Mountainous land 82.30 also
 January 28th 1902

From corners 4, 5, 32 and 33
 on S. Bdy, I run
 N0°2'W. bet secs 32 and 33
 Over gulches + ridges
 5.00 Ascend,
 11.10 High ridge 200 ft above vally
 Descend,
 17.50 Gulch, course E - Ascend
 23.00 Yellow bluff 150 ft high

T. 14 S. R. 20 E.

- ch₂
23.75 Top of bluff + descend
very abruptly.
- 28.00 Gulch 20 lks wide, course N.E.
Ascend
- 31.00 Ridge brs N.E. + S.W. Descend
- 34.00 Gulch 25 lks wide, course N. 60° E
Ascend
- 36.25 Ridge br E and W.
- 37.50 Gulch 40 lks wide, course E.
Ascend
- 40.00 Set limestone 20 X 15 X 8 ins
14 ins in ground for 1/4
sec cor, marked 1/4 on W. face
dig pits 18 X 18 X 12 ins N. and S.
of stone 3 ft dist, raise
mound of earth 3 1/2 ft base
1 1/2 ft high W. of cor.
- 41.00 Ridge brs E. and W.
- 42.00 Gulch 10 lks wide, course S. 60° E.
- 47.50 Ridge brs S. E. and N. W.

Subdivisions

chs	
49.00	Gulch 20 lks wide, course E.
60.25	Wash 30 lks wide course S. 75° E
65.00	Wash 75 lks wide, course E.
70.00	Wash 30 lks wide course S. 60° E
75.50	Wash 30 lks wide course N. 75° E
78.50	Ridge brs N. E. and S W.
80.00	Set boulder 16x8x6 ins, 10 ins in ground for corsecs 28, 29, 32 and 33, marked 1 notch on S. and 4 on E. edges. A mesquite 10 ins diam brs N. 2° E, 252 lks dist marked T. 14 S. R. 20 E. S. 28 B. T. A mesquite 12 ins diam brs S. 60° 30' E, 95 lks dist marked T. 14 S. R. 20 E. S. 33 B. T. A mesquite 10 ins diam brs S. 82° 45' N. 224 lks dist, marked T. 14 S. R. 20 E. S. 32 B. T. A mesquite 5 ins diam brs

T. 14 S. R. 20 E

als

N. 20° W. 175 rods marked
 T. 14 S. R. 20 E. S. 29. B. J.
 Land broken + rough
 soil 2^d and 3^d rate
 Mountainous land 8000 chs

S. 89° 5' 4" E on random line
 hit sec 28 and 33

40.00 Set temp 1/4 sec cor.

80.04 Intersect N. and S. line
 at cor sec 27, 28, 33 and 34
 Thence I run

D. 89° 5' 4" W on true line
 hit sec 28 and 33.

Through dense undergrowth

5.04 Top San Pedro River bank

6.24 Edge river 8000 wide
 flows N. 135° W.

7.84 Bank San Pedro River 15 ft high

25.04 Enter valley San Pedro River

Subdivisions

chs

- 40.02 Set boulder 18x10x8 ins
12 ins in ground for $\frac{1}{4}$ sec
cov. marked $\frac{1}{4}$ on N. face
A mesquite 10 ins diam brs
N. $61^{\circ}30'E$, 137 lks dist marked
 $\frac{1}{4}$ S. 28 B. J.
A mesquite 10 ins diam
brs S $12^{\circ}45'N$, 234 lks
dist marked $\frac{1}{4}$ S. 33 B. J.
- 59.69 Wash 25 lks wide course N. $75^{\circ}E$.
- 65.04 Wash 30 lks wide course N. $60^{\circ}E$.
- 75.04 Wash 40 lks wide course N. $75^{\circ}E$
- 80.04 Corsees 28, 29, 32 and 33
Land broken & mountainous
Soil 2^d and 3^d rate
Mountainous and dense
undergrowth and timber
- 80.04 chains
January 29th 1907

T. 14 S. R. 20 E

clus

N. 0° 2' W. bet secs 28 + 29

1.35 Wash 25 lks wide course N. 60° E.

6.00 Wash 40 lks wide course N. E.

7.25 Ridge brs N. E. and S. W.

13.50 Wash 30 lks wide, course N. E.

23.50 Ridge brs N. E. and S. W.

25.25 Wash 20 lks wide course N. 60° E.

29.70 Ridge brs N. E. and S. W.

40.00 Set sandstone 18x12x8 ins

12 ins in ground for 1/4
sec. cor. marked 1/4 on
W. face.A mesquite 4 ins diam brs
S 78° 30' E, 34 lks dist marked 1/4 S. B. Y.A mesquite 10 ins diam brs
S 47° W 41 lks dist, marked 1/4 S. B. Y.

43.00 Wash 30 lks wide course N. 60° E.

65.00 Ridge brs N. E. and S. W. - Descend

69.00 Entire San Pedro Valley brs S E + N. W.

70.50 Int. R. R. survey line at

che Subdivisions

station 5-890, brs S. 15° E.
 80.00 Set granite rock 18N4X10 in
 12 in in ground for cor
 secs 20, 21, 28 + 29, marked
 2 notches on S. and 4 on E. edges
 A mesquite 3 in diam brs
 N. 75°-15' E. 68 lks dist, marked
 T. 14 S. R. 20 E. S. 21 B. T.
 A mesquite 4 in diam brs
 S. 7°-30' E. 30 lks dist, marked
 T. 14 S. R. 20 E. S. 28 B. T.
 A mesquite 4 in diam
 brs S 58°30' W. 9 lks dist, marked
 T. 14 S. R. 20 E. S. 29 B. T.
 A mesquite 5 in diam brs
 N. 73°-45' W. 3-4 lks dist, marked
 T. 14 S. R. 20 E. S. 20 B. T.
 Land broken soil 2^d rate
 Dense undergrowth 80.00 che

T. 14 S. R 20 E

chs

S. $89^{\circ}5'4''$ E on random
line bet secs 21 and 2840.00 Set temp $1/4$ sec cor.80.12 Intersect N. and S.
line 28 lks N. of cor sec
21, 22, 27 and 28.

Thence I run

N. $89^{\circ}42'$ W. on true line
bet secs 21 and 28Through Mesquite timber
and undergrowth, catsclaw &c27.90 Benson main road
bet N. and S.28.00 The Apudic's residence
bet South 10 chs dist40.06 Set limestone $18 \times$
 12×6 ins, 12 ins in
ground for $1/4$ sec
cor. marked $1/4$ on N. face
An Ironwood 5 ins

Subdivisions

chs

- diam brs N. 30° - 45° E, 14
 lks dist marked
 1/4 S. B. Y.
- a Mesquite 18 in diam
 brs S. 5-8 lks dist,
 marked 1/4 S. B. Y.
- 64.15 Irrigating ditch, Cook Dun
 can + Ridus course N.
- 67.10 Bank San Pedro river, 14 ft
 high. Descend
- 67.35 Edge of River 120 lks wide
 flows north.
- 70.60 Top of W. bank.
- 80.12 Cov. secs. 20, 21, 28 + 29.
 Land level and rolling
 soil 2% rate
 some timber
 Dense undergrowth
 80.12 Charino

T. 14 S. R 20 E

chs

N. $0^{\circ} 2' W$ bet secs 20 and 21
Through timber and
dense undergrowth

6.60 Bank of San Pedro River
3 ft high, descend.

7.90 Edge of River 120 lks wide
flows N. $10^{\circ} W$.

13.10 Bank 6 ft high, ascend

25.30 Gulch 10 lks wide, 15 ft deep
course N. W.

39.60 Road bcs S. E. and N. W.

40.00 Set stone 16 x 10 x 8 ins, 10 ins
in ground for $\frac{1}{4}$ sec. cor
marked $\frac{1}{4}$ on W. face.

A mesquite 3 ins diam bcs
S. $68^{\circ} 30' E$, 47 lks dist
marked $\frac{1}{4}$ S. B. T.

A mesquite 3 ins diam
bcs S. $64^{\circ} W$, 89 lks dist
marked $\frac{1}{4}$ S. B. T.

Subdivisions

chs

- 60.00 Irrigating ditch course N. W.
- 70.00 Adobe house (vacant) br.
W. 2 chs dist
- 77.00 Lean San Pedro Valley
Ascend
- 79.00 Ridge br. N. E. + S. W. Descend
- 80.00 Set granite rock 18x12x6
ins, 12 ins in ground
for cor sees 16, 17, 20 + 21
marked 3 notches on S,
and 4 on E. edges
A Mesquite 18 ins diam, br
N. 36° E, 9 lks dist, marked
T. 14 S. R. 20 E. S. 16 B. Y.
- A Mesquite 14 ins diam
br S. 32 E, 5.9 lks dist, marked
T. 14 S. R. 20 E. S. 21 B. Y.
- A Ironwood 8 ins diam br
S. 82° W, 5.2 lks dist, marked
T. 14 S. R. 20 E. S. 20 B. Y.

T. 14 S. R. 20 E
ch e

A mesquite & iron drain
brs N. 27° W. 68 lks dist marked
T. 14 S. R. 20 E. S 17. B 7.
Land level and broken
Soil 2^d and 3^d rate,
Dense undergrowth 80.00 chs

S. 89° 42' E on random
line bet secs 16 and 21

40.00 Set temp 1/4 sec cor.

80.00 Intersect N. and S line
21 lks S. of cor secs
15, 16, 21 and 22.

Thence I run

N. 89° 51' W on true line
bet secs 16 and 21 Through
^{dense undergrowth}

8.10 Wash 20 lks wide, course S 60° W.

35.00 Ridge brs N. E. and S. W.
Descend

39.50 Wash 1 ch wide, course S. W.

Subdivisions

chs	
40.00	Set granite rock 18x12x10 ins 12 ins in ground for 1/4 sec cor. marked 1/4 on N. face. A mesquite 8 ins diam brs N. 36° W, 24 lks dist marked 1/4 S. B. Y. An Ironwood 5 ins diam brs S 38° E, 5-3 lks dist marked 1/4 S. B. Y.
41.00	Ridge - Descend
52.00	Wash 40 lks wide course W.
68.00	Wash 30 lks wide course S. W.
70.00	Ridge brs N. E. and S. W.
75.65	Mammoth - Benson Road brs S. E.
77.50	Bottom, Ascend
79.00	Ridge brs N. E. and S. W. Descend
80.00	Corners 16, 17, 20 and 21. Soil broken & rough

T. 14 S. R 20 E

chs

Dense undergrowth and
mountainous land 80.00 chs
January 30th 1902

N 0° 2' W. bet secs 16 and 17
Over mountainous land

1.25 Benson-Mammoth Road br. S. E. & N. W.

4.50 Ascend

6.00 Ridge br N. E. and S. W.

20.00 Ridge br N. E. & S. W. Descend

21.20 Gulch, course West.

23.70 Wash 20 lks wide course W.

36.00 Ridge br E, and W.

38.75 Wash 50 lks wide course W.

40.00 Set granite rock 18x12x6 ins
12 ins in ground for 1/4 sec.
cor. marked 1/4 on W. face.

An Ironwood 6 ins diam br
N. 85 1/2° E, 67 lks dist marked
1/4 S. B. Y.

An Ironwood 12 ins diam

Subdivisions

chs

- brs S. 40° W. 6 lks dist, marked
ed. 1/4 S. B. Y.
- 47.00 Wash 30 lks wide course W.
- 52.00 Wash 15 lks wide course W.
- 57.50 Wash 25 lks wide course W. Ascend
- 62.50 Ridge brs N.E. and S.W.
- 69.25 Descend
- 71.00 Gulch 15 lks wide course W.
- 73.00 Ridge brs E. and W.
- 75.60 Enter wash course W. ✓
- 80.00 Set granite boulder 18x12x8 ins
2 ins in ground for cor
secs. 8, 9, 16 and 17,
marked 4 notches on S. and
4 on E. edges.
A mesquite 12 ins diam, brs
N. 68° 30' E, 368 lks dist, marked
T. 14 S. R. 20 E. S. 9 B. Y.
An Ironwood 8 ins diam
brs S. 60° 3' E, 122 lks dist

T. 14 S. R. 20 E

ch

marked T. 14 S. R. 20 E. S. 16 B. 7.

An Ironwood 10 in diameter brs

S. 18° 15' W, 267 lks dist marked

T. 14 S. R. 20 E. S. 17 B. 7.

Ironwood 8 in diameter brs

N. W. 340 lks dist marked

T. 14 S. R. 20 E. S. 8 B. 7.

Land broken & rough

Soil 2^d and 3^d rate

Some timber

Mountainous land 80.00 chs

random line

S. 89° 31' E, but sec 9 and 16

40.00 Set temp 1/4 sec cor

80.00 Intersect N and S line 12 lks

S. of cor sec. 9, 10, 15 & 16

Thence I run

N. 89° 36' W, on true line

but sec 9 and 16

Through Mesquite and

Subdivisions

dis	
	Ironwood undergrowth
8.00	Gulch 35 lks wide course S. 70° W.
12.75	Ridge slopes SW
13.25	Gulch 25 lks wide course S. 60° W.
20.00	Ridge brs N.E. and S.W.
21.40	Gulch 35 lks wide, course S.W.
32.00	Ridge brs N.E. and S.W.
40.00	Set granite boulder 18x10x6 ins 12 ins in ground for 1/4 sec corner marked 1/4 on N. face raise mound of stone 2 ft base 1 1/2 ft high N. of cor. Pits impracticable
40.60	Gulch 10 lks wide, course N. 75° W.
44.00	Gulch 25 lks wide course S. 60° W
46.00	Top of bluff brs N.E. and S.W.
51.00	Descend into wash.
80.00	Cov secs 8, 9, 16 and 17 Land broken and rough Sail 2 [¢] and 3 [¢] rate

T. 14 S. R 20 E

chs

Dense undergrowth
and mountainous 80.00 chs

N. 0° 2' W. bet secs 8 and 9.

2.00 Leave wash, ascend.

9.00 Ridge brs E and W.

16.00 Gulch 40 lks wide course S 60° W

21.00 Ridge brs N. E. and S. W.

24.75 Gulch 50 lks wide course S. 75° W

29.00 Ridge brs N. E. and S. W.

33.10 Gulch 1 ch wide course S. 75° W.

38.60 Ridge brs N. E. and S. W.

40.00 Set granite rock 18x12x6 ins

12 ins in ground for 1/4 sec

cor. marked 1/4 on N. face

A mesquite 5 ins diam brs

S 26° 15' E, 124 lks dist marked

1/4 S. B. J.

A mesquite 8 ins diam brs

S. 11° 45' W, 98 lks dist.

Subdivisions

cls	
	marked 1/4 S B. G.
47.75	Enter wash, course S. 60° W.
48.00	Lean wash, ascend
52.00	Ridge bre N. 70° E.
58.00	Gulch 30 lks wide course S. 60° W.
59.50	Ridge bre N. 60° E.
62.50	Gulch 25 lks wide course West
70.00	Gulch 130 lks wide course S. 70° W.
70.50	Ascend.
71.00	Ridge bre N. E. and S. W.
78.00	Enter lateral valley bre N. E. + S. W.
80.00	Set granite rock 18x10x6 ins, 12 in in ground for cor sees 4, 5, 8 and 9. marked 5 notches on S. and 4 on E. edges. dig pits 18x18x12 in in each see 5 1/2 ft - dist and raise end of earth 4 ft - base 2 ft high N. of cor. A mesquite 16 ins diam

T. 14 S. R 20 E

chs.

brs S. $45^{\circ}30'W$, 160 lks dist mark

T. 14 S. R 20 E. S. 8 B. Y.

No other bearing trees
available.

Land ridges + gulches

Soil 3rd rate

Some Mesquite timber

Mountainous land 80.00 chs
January 31st 1902S $89^{\circ}36'E$ on random line
bet secs 4 and 9

40.00 Set temp 1/4 sec cor.

80.16 Intersect N. and S. line
at courses, 3, 4, 9 and 10
Thence IronN. $89^{\circ}36'W$ on true line
bet secs 4 and 9.

Over rough ground

11.16 Descend

2.91 Gulch 40 lks wide course S. $60^{\circ}W$

Subdivisions

chs	
20.41	Gulch 50 lks wide course S. 60° W.
23.66	Ridge brs N.E. and S.W. Descend
26.66	Gulch 75 lks wide course S.W.
35.16	Ascend
38.96	Gulch 13 lks wide course S.
40.08	Set limestone 18N 2X6 ins, 12 ins in ground for 1/4 sec. cor. marked 1/4 on N. face; raise mound of stone 2 ft base, 1 1/2 ft high N. of cor. Pits impracticable Ascend
45.66	Ridge brs N. and S.
52.16	Descend
59.16	Ascend steep hill
67.16	Top of ridge brs N.E. + S.W.
75.66	Descend steep hill
80.16	Cor secs 4, 5, 8 and 9 Land broken + rough Sail 2 [¢] and 3 [¢] rate

T. 14 S. R 20 E

cls

Mountainous land 80.16 cls

- 11.60 Leave wash, ascend
- 15.00 Gulch, course W. Ascend
- 26.00 Ridge brs N.E. and S.W.
- 28.00 Gulch 20 lks wide, course S. 60° W
- 30.00 Ridge brs N.E. and S.W.
- 32.00 Gulch 30 lks course S. 60 W.
- 38.60 Top flat ridge brs N.E. and S.W.
- 40.00 Set granite 18x10x6 ins 12 ins
in ground for 1/4 sec cor.
marked 1/4 on W. face
dig pits 18x18x12 ins N. and S.
of stone 3 ft dist and raise
mound of earth 3 1/2 ft base
1 1/2 ft high W. of cor.
- 42.50 Descend
- 50.60 Descend into gulch.
- 57.70 Gulch 23 lks wide, course S. 75° W

Subdivisions

chs

54.70 Ridge bres N.E. and S.W.

58.75 Gulch 30 lks wide course S.W.

71.00 Ridge bres N.E. and S.W.

84.02 Intersect N. Bdy of Twp. 31 miles

E of cor recs ~~4~~, 32 and 33

Set limestone 24x12x8 ins

18 ins in ground for C.C.
mark C.C. on s. face, 4 notches on E. edge of ~~4~~ on W. edge
secs 4 and 5; dig pit ^{18x18x12 ins.}

E and W of stone 3 1/2 ft. dist,

and S. 7 ft. dist, raise

mound of earth and

stone 6 ft. base, 2 ft. high

S. of cor.

Land succession of

ridges and gulches

Soil 3rd rate

Mountainous land

84.02 chains

T. 14 S. R. 20 E

chs

From cor secs, 5, 6, 31 + 32
on S. Bdy, I run
N. 0° 3' W. bet secs 31 + 32

.50 Descend

4.50 Gulch 25 lks wide course E. Ascend

15.00 Ridge bre E and W. Descend

23.25- Gulch 50 lks wide, course N. 70° E

Ascend high ridge

39.60 High ridge bre N. 75° E

Descend very abruptly

40.00 Set granite 18x16x10 3/4 ins in
ground for 1/4 sec. cor. marked
1/4 on W. face; dig pits 18x18x12.
N. + S. of stone 3 ft dist and raise
mid of earth 3 1/2 ft base, 1 1/2 ft
high W. of cor.

42.50 Gulch 35 lks wide, 100 ft below cor, course E
Ascend.

43.60 Ridge bre E and W.

45.00 Gulch 50 lks wide course N. 60° E

Subdivisions

chs	
47.40	Ridge brs N + S. Descend
52.25	Gulch 30 lks wide, course N. 70° E.
53.60	Ridge brs N. 60° E.
58.00	Gulch 30 lks wide course E
60.00	Gulch 40 " wide course E. ascend
61.45	Ridge brs E and W. Descend
63.00	Gulch 25 lks wide course N. 75° E.
64.40	Ridge brs N. E. and S. W.
69.60	Gulch 30 lks wide course E.
77.40	Ridge brs N. E. and S. W.
78.25	Gulch 30 lks wide course N. 60° E.
79.50	Ridge brs N. E. and S. W.
80.00	Set limestone 18x10x6 ins, 12 ins in ground for cor secs 29, 30, 31 and 32, marked 1 notch on S. and 5 on E. edges; dig pits 18x18x12 ins in each sec. 3-1/2 ft dist, raise mid of earth 4 ft base 2 ft high 1/2 of cor. Land broken & rough

T. 14 S. R 20 E

chs

Soil 3^d rate

Mountainous land 80.00 chs
 February 1st 1902

S. $89^{\circ}54'E$ on random line
 bet secs 29 and 32

40.00 Sit temp $\frac{1}{4}$ sec. cor

80.00 Intersect N. and S line at
 cor, secs. 28, 29, 32 + 33. Thence
 N. $89^{\circ}54'W$. on true line bet
 secs 29 and 32

Own mountainous land
 Ascend

2.00 Wash 50 lks wide course N. $60^{\circ}E$.9.75 Wash 40 lks wide course N $60^{\circ}E$ 26.20 Wash 50 lks wide course N $60^{\circ}E$.

38.25 Wash 30 lks wide course N. E.

40.00 Sit granite 18x10x6 ins, 12 ins
 in ground for $\frac{1}{4}$ sec cor
 marked $\frac{1}{4}$ on N. face; dig
 pits 18x18x2 ins E and W

Subdivisions

chs

of stone 3ft dist, raise mid
of earth $3\frac{1}{2}$ ft base $1\frac{1}{2}$ ft high
N. of cor

A mesquite 16 ins diam brs

N. $65^{\circ} 30' W$, 62 lks dist marked $\frac{1}{4}$ S. B. Y.

49.00 Wash 30 lks wide course N.E.

22.10 Gulch 25 lks wide course N.E.

74.50 Ridge brs N.E. + S.W. Descend

78.10 Gulch 35 lks wide course N.E.

79.00 Ridge brs N.E. + S.W.

80.00 Cor sees 29, 30, 31 and 32

Land ridges + gulches

Soil 2^d + 3^d rate

Mountainous land 80.00 chs

N. $89^{\circ} 5-4 W$ on random line
hit sees 30 + 31

40.00 Sit temp $\frac{1}{4}$ sec cor

82.16 Intersect N. Bdy at cor sees
25, 30, 31 and 36, Thence

T. 14 S. R 20 E

chs

S. 89° 3' 4" E on true line but
secs 30 and 31 over broken land
Descend

17. 9 6 Gulch 40 lks wide course N. E.
19. 5 6 Ridge brs N. E. + S. W.
22. 0 6 Gulch 50 lks wide course N. E.
26. 6 6 Ridge brs N. E. and S. W.
35. 0 6 Gulch course N. 30° E. ✓
42. 1 6 Set limestone 24x12x8 ins
18 ins in ground for 1/4 cor
marked 1/4 on N. face - dig pits
18x18x12 ins E. + W. 3 ft dist raise
3 1/2 ft base, 1 1/2 ft high
mound of earth, N. of cor.
43. 1 6 Ridge brs N. and S. descend
47. 1 6 Gulch 50 lks wide, course N. E.
62. 4 6 Ridge brs N. E. + S. W. Descend
66. 7 6 Gulch 40 lks wide, course N. E.
77. 3 6 Ridge brs N. E. + S. W. Descend
80. 2 6 Gulch 30 lks course N 60° E.
81. 3 6 Gulch 20 lks wide course N. E.

Subdivisions

chs

82.16 Cov. secs. 29, 30, 31 and 32
 Land broken & mountainous
 Soil 2^d + 3^d rate
 Mountainous land 82.16 chs

N. 0° 3' W. bet secs 29 + 30

2.01 Gulch 20 lks wide course N.E.

3.75 Ridge brs N.E. + S.W.

6.25 Gulch 25 lks wide course N. 60° E

12.00 Ridge brs N.E. and S.W.

16.50 Gulch 40 lks wide course N. 60° E.

21.76 Ridge brs N.E. and S.W.

40.00 Set granite 16x10x6 ins, 10 ins
 in ground for 1/4 sec. cor.
 marked 1/4 on N. face.

A mesquite 5 ins diam brs
 S 75-3/4° E, 83 lks dist marked 1/4 S B.Y.

A mesquite 8 ins diam, brs S 42 3/4° W.
 55 lks dist marked 1/4 S. B.Y.

40.25 Wash, 60 lks wide course E

T. 14 S. R 20 E

chrs

- 47.00 Ridge brs E and W.
- 53.40 Gulch 25 fks wide course N. 60° E
- 61.15 Ridge brs N. 60° E
- 66.20 Gulch 40 fks wide, course N. 60° E
- 69.00 Ridge brs E. and W.
- 72.15 Gulch 50 fks wide course E.
- 79.50 Top of flat ridge brs E and W
- 80.00 Set granite 18 X 10 X 6 ins, 12 ins
in ground for cor secs 19, 20
29 and 30 marked 2 notches
on S. and 5 on E. edges.
Raise mid of stones 2 ft base
1 1/2 ft high, W of cor.
Pits impracticable
Land very broken
Soil 3^d rate
Mountainous land 80.00 chrs

S. 89° 34' E on random line
bet secs 20 and 29

Subdivisions

cls	
40.00	Set temp $\frac{1}{4}$ sec cor.
79.90	Intersect N. + S. line at cor secs 20, 21, 28 & 29, thence N. $89^{\circ}5'4''$ on true line bet secs 20 and 29: over broken ground
18.90	Wash 25 lks wide course N. $60^{\circ}E$.
21.30	Wash 30 lks wide course N. $60^{\circ}E$.
38.10	Wash 20 lks wide course N. $60^{\circ}E$.
39.95	Set granite $16 \times 8 \times 6$ ins, 10 ins in ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$ on N. face A mesquite 6 ins diam, brs N. $44^{\circ}E$ 37 lks dist marked $\frac{1}{4}$ S. B. J. A mesquite 8 ins diam, brs S. $14^{\circ}\frac{3}{4}W$ 53 lks dist marked $\frac{1}{4}$ S. B. J.
47.60	Wash 40 lks wide course N. $75^{\circ}E$.
54.60	Wash 23 lks wide course N. $60^{\circ}E$.
61.90	Wash 30 lks wide course N. $60^{\circ}E$.
64.90	Enter Flat slopes E. to San Pedro River
68.90	Wash 30 lks wide course N. $75^{\circ}E$

T. 14 S. R 20 E

cls

Ascend

79.90 Cor sec. 19, 20, 29 and 30
 Land broken. Soil 2^d + 3^d rate
 Mountainous land 79.90
February 3^d 1902

N 89° 5' 4" W on random line bet
 sec 19 and 30

40.00 Sit temp 1/4 sec cor

84.07 Intersect W. Body of 1/4 at cor
 sec 19, 24, 25 and 30. Thence
 S 89° 5' 4" E on true line bet 19 + 30

1.07 ^{Descend} Gulch course S. 60 E

11.37 Same gulch ^{30 lks wide} course N. 70° E

23.57 Gulch 20 lks wide, course S. 60 E

31.07 Ridge bet N. E. and S. W.

34.37 Gulch 50 lks wide course N. E.

41.57 Ridge bet N. E. + S. W.

144.07 Sit granite 18 x 14 x 8 ins, 12 ins in
 ground for 1/4 sec. cor. marked by on N. pr
 raise end of stone 2 ft base

Subdivisions

chs	
	1 1/2 ft high N. of cor. Pit's impracticable
47.72	Gulch 20 kts wide course N. 75° E.
61.67	Gulch 25 kts wide course N. 60° E.
68.07	Gulch 30 kts wide course N. E.
69.57	Top of bank - Descend
70.87	Bottom of cañon 100 ft deep course N. E.
71.77	Ascend from cañon
78.07	Gulch course N. E.
84.07	Cor. secs 19, 20, 29, and 30
	Land very broken
	Sail 3 ^d rate
	<u>Mountainous land 84.07 chs</u>

	N. 0° 3' W bit secs 19 and 20
.60	Head of gulch course N. E.
1.50	Descend over steep bank
113.00	Bottom 200 ft below cor
	Enter arm San Pedro valley.
29.00	Ascend very steep hill
35.30	Top of flat ridge b/w E. and N.

Tr. 14 S. R 20 E

- chs
 40.00 Sit granite 18X10X6 ins for $\frac{1}{4}$ sec cor.
 marked $\frac{1}{4}$ on W face, raise end of stone
 2 ft base $\frac{1}{2}$ ft high, W. of cor
 40.50 Descend bluff
 46.60 Enter valley 200 ft below $\frac{1}{4}$ cor.
 52.00 Ascend very steep ridge
 56.50 Top of ridge brs NE and SW.
 60.50 Descend bluff brs E and W.
 64.00 Bottom
 67.00 Ascend
 70.50 Ridge brs E and W
 74.50 Gulch 20 ft, course N 75° E. Ascend
 77.00 Ridge brs S.E. + N.W. Descend
 80.00 Sit granite 24X12X8 ins, 12 ins
 in ground, surrounded by
 md of stone for cor sec
 17, 18, 19, + 20; ^{Pite, if practicable} This cor is at base of
 concrete bluff 100 ft high, faces E.
 Land rough & mountainous
 Soil 2^d and 3^d + 4th rate

Subdivisions

chs

Mountainous land 80.00 chs.

S. 89° 3' 4" E our random line
between 17 and 20

40.00 Set temp 1/4 sec. cor.

80.00 Intersect N and S. line at
corner 16, 17, 20 + 21. Thence
N. 89° 3' 4" W on true line bet 17 + 20.

57.70 New Cook, Duncan + Redus Irrig-
ating ditch course N.

8.50 Gulch 15 ft deep, 10 lks wide course N.

10.00 Bank San Pedro River 15-ft high

12.00 River 75 lks wide flows N. 15° W.

13.50 Bank of River 15-ft high

37.00 Gulch 10 lks wide, 3 ft deep, course N. E.

38.75 Gulch 8 lks wide, 4 ft deep, course N. 60° E.

40.00 Set granite boulder 18" x 10" x 6 ins, 12 ins
in ground for 1/4 sec cor marked
1/4 on N. face.

@ Mesquite 12 ins diam bro S. 80 1/2° W

T. 14 S. R 20 E.

- chs
- 90 lks dist marked, $\frac{1}{4}$ S. B. Y.
- A mesquite 18 ins diam brs N. $30\frac{1}{2}$ W.
- 23 lks dist, marked $\frac{1}{4}$ S. B. Y.
- 43.00 Gulch, course S. E.
- 58.50 Leave San Pedro valley. Ascend
- 60.85 Top of knoll on ridge, br N. E. + S. W.
- 63.50 Enter wash, course N. E.
- 67.00 Leave wash, Ascend
- 80.00 Cor. secs. 17, 18, 19 and 20.
- Land level broken + mountainous
- Soil 2^d + 3^d rate
- Mountainous land, and
- dense undergrowth 80.00 chs

N. $89^{\circ} 54'$ W. on random line
bet secs 18 and 19.

40.00 Sit temp $\frac{1}{4}$ sec. cor.

86.06 Intersect N. Bdy. 24 lks N. of cor
secs 13, 18, 19 + 24. Thence run,

N. $89^{\circ} 36'$ E on true line bet 18 + 19

run on true line 16 X 10 X 6 lks, 11 sec

Subdivisions

- | | |
|-------|---|
| cho | Ascend. |
| 15.56 | Ridge brs N. + S. Descend |
| 20.31 | Gulch 15 lks wide, course S. 60° E. Ascend |
| 25.06 | Ridge brs S.E. + N.W. Descend |
| 37.06 | Gulch course S. E. ✓ |
| 46.06 | Set granite 20x12x8 ins / 2 ins in ground for 1/4 cor, marked 1/4 on N. face. Raise mid of stone 2 ft base, 1 1/2 ft high N. of cor Pits impracticable. Descend |
| 50.56 | Cañon 200 ft below ridge, crs N. 30° E. |
| 51.56 | Ascend bank of Cañon + steep hills |
| 59.06 | Ridge brs N.E. and S.W.
Descend S. slope of ridge |
| 77.06 | Top of ridge brs W. Ascend |
| 85.26 | Top of bluff 100 ft high. |
| 86.06 | Cov. secs, 17, 18, 19 and 20.
Land mountainous
Soil 2 ^d and 3 ^d rate.
Mountainous land 86.06 cho |

T. 14 S. R. 206

chs

N $0^{\circ}3'$ W bet secs 17 and 18

Descend

3.00 Ascend

6.50 Descend into deep gulch

7.00 Bottom gulch 50 ft deep course E. Ascend

7.50 Top of bank

13.00 Descend very steep bank

15.50 Gulch 1 ch wide, 100 ft deep, course E

17.20 Ascend

18.00 Top of bank

20.75 Descend steep bank

22.50 Gulch 75 ft wide, 100 ft deep, course S. 60° E.

26.00 Top of bank. Descend

31.50 Gulch 1 ch wide, 100 ft deep, course N. 75° E.

39.80 Top of bank.

40.00 Set limestone 16X10X5 ins, 11 ins in ground

for $\frac{1}{4}$ sec cor. mark $\frac{1}{4}$ on N. face, raise
mid of stone, 2 ft base, 1 $\frac{1}{2}$ ft high, W of cor.
Pits impracticable.

43.00 Descend

104

BOOK 880

Subdivisions

chs	
45.00	Gulch 60 lks wide, 100 ft deep, course E.
49.50	Gulch 40 lks wide course S. 75° E.
53.00	Ridge brs E + W. Descend
57.75	Gulch 75 lks wide, 100 ft deep, course E.
61.30	Top of white knoll, 100 ft high, Descend
63.00	Descend rim into gulch
63.00	Gulch 1 ch wide, 100 ft deep, course N. 75° E.
70.80	Top of rim. Descend
74.00	Enter arm of San Pedro Vally.
80.00	Set limestone 18 X 10 X 5 ins, 12 ins in ground for cor sees 7, 8, 17 + 18 marked 4 notches on S. + 5 on E edge. raise end of stone 2 ft base, 1 1/2 ft high W. of cor. Pits impracticable. Land mountainous Soil 2 ^d 3 ^d + 4 th rate Mountainous land 80.00 chs February 3 ^d 1902

S. 89° 3' 4" E on random line bet
secs 8 and 17

T. 14 S, R 20 E

- elev
 40.00 Set temp 1/4 sec, cor.
 80.00 Intersect N+S line, 28 lks N of cor
 sec 8, 9, 16 + 17. Thence run
 N. 89° 42' W on true line, bet 80 + 17
 Descend through dense undergrowth
 21.45 Benson-Mammoth road, brs N. + S.
 23.20 Fence brs N. and S.
 25.30 Ditch, Cook, Duncan + Ridw, course N. 20° W.
 36.50 Fence brs N. and S.
 39.50 Branch of River 40 lks wide, 12 ft deep
 40.00 Set granite 18X12X6 ins, 12 ins in
 ground for 1/4 sec cor, marked 1/4 on N. face
 A mesquite 8 ins diam, brs N. 54 1/4° E
 105 lks dist, marked 1/4 S. B. J.
 A mesquite 8 ins diam brs S. 16 1/4° W
 67 lks dist, marked 1/4 S. B. J.
 42.53- Bk of San Pedro River, 15 ft high. Descend
 43.00 Edge of river flows north, 1 ch wide
 44.10 Left bank of river, 15 ft high. Ascend
 49.00 Ridge brs N. and S. Descend
 10X10X6 lks, 11 ins

Subdivisions

chs

- 52.00 Enter lateral valley
 80.00 Cor secs 7, 8, 17 and 18.
 Land level and rolling
 Soil 2^d and 1st rate
 Dense undergrowth + timber 80.00chs
-

S. 89° 36' from random line
 bet secs 7 and 18

- 40.00 Sit temp 1/4 sec. cor.
 87.5-7 Intersect N. bdy of T. 9 lks S. of
 cor secs, 7, 12, 13 and 18. Thence drive
 East on true line bet 7 + 18.

Descend Mountain

- 47.57 Sit limestone 18x12x8, 12 ins in
 ground for 1/4 cor, marked 1/4 of N face
 raise mid of stone 2 ft base, 1 1/2 ft high, N of cor.
 Pits - impracticable. Descend
 59.87 Gulch 20 lks wide course N.E.
 65.17 Ridge b/c N.E. and S.W. Descend
 72.97 Gulch course N. 60° E. Ascend

T. 14 S. R. 20 E.

107

chs

- 74.07 Point of ridge slopes N.
- 75.57 Gulch 100 ft deep, course S. 30° E. Ascend
- 87.07 Ridge brs S and N. Descend
Top of rim 125 ft above cor + descend
steep bank
- 87.57 Cor. secs. 7, 8, 17 + 18.
Land mountainous - Soil 3^d rate
Mountainous land 87.5-7 chs
-
- N. 0° 3' W bet secs 7 and 8
Ascend through timber + underground
- 60 Ridge brs E and W. Descend
- 3.00 Enter San Pedro valley brs SE + NW.
- 12.95 Wire fence brs E + W.
- 20.00 Bank San Pedro River, Descend
- 20.65 Edge of river 1 ch wide flows N.
3 chains thence N. 15° W.
- 22.60 Right bank 20 ft high. Ascend
- 36.85 Wire fence brs S, E, and N. W.
- 40.00 Set white boulder 16 X 10 X 6 ins, 11 ins

Subdivisions

els

in ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N face.

Amesquite 14 in diam br N. $88 \frac{1}{4}^{\circ}$ E
70 lks dist marked $\frac{1}{4}$ S B. Y.

Amesquite 12 in diam br N. $34 \frac{1}{2}^{\circ}$ W
208 lks dist marked $\frac{1}{4}$ S. B. Y.

5-7.85 Wire fence Lopez br E. and W.

5-9.00 House Blas Sanchez Jr. br E. 2 chs.

80.00 Sit white boulder 18 X 12 X 8 in, 12 in
in ground for cor sec 5, 6, 7 + 8
marked 5 notches on S. + 5 on E. edges

Amesquite 14 in diam br N. $71 \frac{1}{2}^{\circ}$ E
15-2 lks dist marked

T. 14 S. R. 20 E. S 5 - B. Y.

Amesquite 14 in diam br
S. 32° E. 25-7 lks dist marked

T. 14 S. R. 20 E. S. 8 B. Y.

Amesquite 12 in diam br
S. 4° W. 219 lks dist, marked

T. 14 S. R. 20 E. S 7 B. Y.

T. 14 S. R. 20 E

cls

Land level + rolling. Soil 2nd rate
Timber + dense undergrowth 80.00 cls

S. 89° 42' E on random line bet
secs 5 and 8

40.00 Sit trip 1/4 sec. cor.

79.88 Intersect N. and S. line 7 lks S. of cor
secs 4, 5, 8 and 9. Thence
N. 89° 45' W on true line bet 5 + 8
Over broken ground

17.00 Lean wash - ascend

20.50 Ridge bet N.E. and S.W.

32.15 Gulch 15 lks wide course S.W.

37.50 Ridge bet N.E. + S.W. Descend

39.94 Sit sandstone 18x14x6 ins, 12 ins in
ground for 1/4 cor, marked 1/4 on N. face
A mesquite 10 ins diam bet N. 27° W
122 lks dist. marked 1/4 S. B.Y.
A mesquite 11 ins diam bet S 33 3/4° E
88 lks dist marked 1/4 S. B.Y.

Subdivisions

chs	
40.75	Gulch course S.W. ascend
42.50	Ridge br N.E. and S.W. 3 chs
50.00	Wash course S.W.
53.50	Ridge br N.E. and S.W.
57.50	Gulch 30 lks mid course S 60° W.
61.00	Ridge br N.E. and S.W.
	Enter San Pedro Valley
67.30	Fence br N+S. 1 ch to north
71.46	Fence br N+S. 3 lks to north
72.30	Benson-Mammoth road br N+S.
72.90	Fence br N. and S.
74.00	Irrigating ditch Rude's course N 20° W
79.88	Cor secs 5, 6, 7 and 8

Land mountainous

Soil 2^d + 3^d rate, some timber

Mountainous land, 79.88 chs

February 4th 1902

West on random line bet 657

40.00 Sit temp 1/4 sec cor.

89.40 Intersect W. Bdy of Twp. at

T. 14 S. R. 20 E

- cor. secs 1, 6, 7 + 12. Thence run
 East on true line bet 6 and 7
 Descend mountains
 37.90 Gulch 400ks wide course N.E. Ascend,
 47.40 Ridge brs N.E. and S.W.
 49.40 Set granite rock 20X8X5 ins, 14 ins
 in ground for $\frac{1}{4}$ cor. marked $\frac{1}{4}$
 on N. face. raise mid of stone 2 ft
 base $\frac{1}{2}$ ft high N of cor. Pits impracticable
 Descend - bend of deep cañon 2 chs
 South, brs S.E. and S.W.
 52.90 Gulch course S.
 55.00 Ascend
 58.40 Top of rim of steep bluff ^{descend}
 60.40 Descend into San Pedro Valley
 71.90 West bank of River flows N.W.
 74.75 Irrigation ditch 52. wide course N
 76.40 East bank of river
 5-6
 89.40 Cor secs ~~4, 5,~~ 7 and 8

Subdivisions

chs

Land mountainous & level.
Soil 3rd Land 2^d rate
Mountainous land and
dense undergrowth & timber
89.40 chains

- N. 0° 3' W bet secs 5 and 6.
Through dense undergrowth
- 7.50 Irrigating ditch Rude's, course N. 20° W
- 11.00 Fence
- 11.30 Benson-Mammoth Road br N 15° W
- 19.00 Wash course S. 75° W.
- 22.10 Wash 70 lks wide course S. 75° W
- 24.00 Leave San Pedro Valley Ascend.
- 33.00 Top of W. slope of ridge over-
looking San Pedro Valley
- 38.00 Descend
- 40.00 Sit granite boulder 18 X 12 X 5 mis
12 ins in ground for 1/4 sec cor
marked 1/4 on W. face

T. 14 S. R. 20 E

chs

- A mesquite 5 ins diam, brs S 86 $\frac{1}{2}$ ° E
49 lks dist, marked 1/4 S. B. Y.
- A mesquite 8 ins diam, brs S 60° W
27 lks dist, marked 1/4 S. B. Y.
- 47.00 Gulch course West
- 66.70 Ridge slopes West
- 68.00 Entire lateral valley brs E and W
- 82.00 Ascend
- 83.20 Ridge slopes E + W. Descend
- 84.30 Bottom
- 85.75 Intersect N. Body of T_r 31.27 chs
E. of secs, ~~5~~ 6, 31, + 32.
Set granite rock 18 X 10 X 6 ins, 12 ins
in ground for C. C. secs 5 + 6,
marked C. C. on S. face ^{+ 1 on W edge} & notch E.
A mesquite 12 ins diam brs
S. 79 $\frac{1}{2}$ ° E. 95 lks dist marked
T. 14 S. R. 20 E S. 5 - B. Y.
A mesquite 12 ins diam brs
S. 50 $\frac{1}{2}$ ° W. 89 lks dist marked

114

POOK 880

Subdivisions

chs

T. 14 S. R. 20 E. S. 6 B. 4.

Land level + rolling

Soil 2^d + 3^d rate

Mesquite timber

Dense undergrowth

85.75 chs

February 5th 1902

General Description

The N. E. portion, and all West of San Pedro River is very rough, being cut with many deep gulches and Cañons with steep sides.

The River ^{Valley} is covered with dense Mesquite so thick that one

T. 14 S. R 20 E

cannot walk through
 it. The South East
 part slopes, from a high
 divide on the East,
 to the river, and is
 covered with various
 thorn bushes and cacti.
 The ^{settlers} are, Geo Etz on Sec 33
 The Appadico family on
 secs 27 and 28
 Cook on Sec 17
 Geo Duncan, 8 + 17
 Blass Sanchez Sec 8
 Blass Sanchez Jr. secs 7 + 8
 Lopez secs 8 and 9
 Redus sec 6.

There is considerable
 evidence of mineral
 bearing rock in the
 N E. portion of the tp.

and some development
work has been done on
Secs 12 and 13-

The San Pedro River
flows through the Sp
from S. to N. at the
time of the Survey there
was about 1500 inches
of water running in the
River and the farms
along the valley are
irrigated there from.

Francis Jacobs
U.S. Deputy Surveyor

See Sp. 1 S, R. 13 E. & T. 20 S, R. 7 E.
for caths

OFFICE OF THE U.S. SURVEYOR GENERAL.

Phoenix, Arizona.

Dec. 10 - 1902.

The foregoing field notes of the survey of Subdivisions of
Sp. 14 South Range 20 East
 executed by J. B. Jacobs, D.S.
 under his contract No. 81. dated May 23
1901, having critically
 examined and the necessary corrections
 and explanations made, the said field
 notes, and the surveys they describe,
 are hereby approved.

Hugh H. Price

U.S. Sur. Gen. for Arizona.