

No. 881

BOOK 881

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF- BOOK 881

Township *18 S.* Range *17 E.*

Gila and Salt River Base and Meridian

ARIZONA.

No. 881

By *Geo. F. White* D. S.

under contract dated *Aug. 21, 1874.*

Survey commenced *Nov. 7* 1874.

Survey completed *Nov. 14* 1874.

881

1A

4-674.

Township 18 S., R. 17 E. *S. & S. R. B. M.*

BOOK 881

6	5	44	4	33	3	22	2	11	1
		43		32		21		10	
7	8	42	9	31	10	20	11	9	12
56	55	41		30		19		8	
18	54	17	40	16	29	15	18	14	7
53	52	39		28		17		6	
19	51	20	38	21	27	22	16	23	5
50	49	37		26		15		4	
30	48	29	36	28	25	27	14	26	3
47	46	35		24		13		2	
31	45	32	34	33	23	34	12	35	1

986b5m9-01



13

PRELIMINARY OATHS OF ASSISTANTS.

W.E. R. A. Vasquez.


and L. D. Burton

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

R. A. Vasquez
L. D. Burton

Sworn to and subscribed before me, this ^{3^o}
day of October, 1874

William J. Osborn
Notary Public



WE, W. H. Aubury, H. G. Morse
C. S. Leon.

do solemnly swear that we will well and truly per-
form the duties of flagman, axeman
and mould builder, respectively
according to instructions given us, and to the best
of our skill and ability.

W. H. Aubury.
H. G. Morse
C. S. Leon

Sworn to and subscribed before me this 3rd
day of October 187 4

William B. Bon
Notary Public



Township 18 S. Range 17 E
Gila and Salt River Meridian

Chs. Beginning on S. boundary at 4. b. sec. 35 & 36. Run
North between sec. 35 & 36
var. 13° 52' East

As per East boundary
40.00 Set a limestone 20 x 8 x 6 inches
3/4 in the ground, marked 1/4,
and on inside build mound
of stones 2 ft high, as per instruc-
tions, for 1/4 sec. cor.
No trees near.

45.00 Run 140 lbs. wide, bet. S. W.

80.00 Set a post, marked and notched, 4 ft
long, 3 in. sq. d. 1 ft in the ground, drive
charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions.
For cor. to sec. 25, 26, 35 & 36. No trees near.
Land rolling. Good pasturage.
No timber.

No. 881

BOOK 881 2

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Chs. An random line bet. sec. 25 & 36
var. $13^{\circ}57'$ East

30.00 Top of hill and descend into lateral valley.

33.00 Enter valley bear N. W.

40.00 Set temporary 1/4 sec. cor.

48.00 Leave valley.

80.35 Intersect E. boundary 1/4 C. cor. N. of
cor. to sec. 25 & 36. from which cor. Run
N. $89^{\circ}40'$ N.

Continue line between sec. 25 & 36.
var. $13^{\circ}57'$ East.

40.17 In little grassy valley, running N. W. Set a
post, marked W.S. 1/4 fl. long, flattened 3 in wide,
1/4 in the ground, drive charred stake and build
mound of earth 2 ft high, with pit 1 ft deep, 2 ft
long, 1/4 wide, as per instructions for these cor.
No trees near.

80.35 Cor. to sec. 25. 26. 35 & 36.

Sand, little valley and hilly and stony.

Grass. No timber. November 7, 1894

Township 18 S Range 17 E.
Gila and Salt River Meridian

Chs. North between sec. 25 & 26.

var. $13^{\circ}57'$ East

11.00 Enter valley bet. S.W.

40.00 Set a granite stone $10 \times 10 \times 5$ inches
 $\frac{2}{3}$ in the ground, marked N.W. and
on N. side, build mound of stones
2 ft high, as per instruction for 74
sec. cor. No trees near.

42.00 Leave valley.

80.00 Set a granite stone $20 \times 6 \times 5$ inches
 $\frac{2}{3}$ in the ground, notched S.W.E.
and on N. build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long
1 ft wide, as per instructions for cor. to
sec. 23, 24, 25 and 26.

No trees near.

Sand rolling; near E. side of canon
valley. Considerable grass.
No timber.

Township 18 S. Range 17 E
 Tola and Salt River Meridian

Chs. East

Perambulation between sec. 24 & 25,
 var. 13° 52' East

40.00 Set temporary 74 sec. cor.

80.38 Intersect E. boundary 34 lbs. S.
 of cor. to sec. 24 and 25. from
 which cor. down
 N. 89° 45' W.

Outline line between sec. 24 & 25
 var. 13° 52' East.

40.19 Set post marked 74 S. 4 ft long flattened
 3 in. wide, 4 ft in the ground, driven charred
 stake and built mound of sand 2 ft high
 with pile 4 ft deep, 2 ft long, 4 ft wide, as per
 instruction for 74 sec. cor. from which
 a magnetic 10 inches N. 61 $\frac{1}{4}$ ° 106 land dit
 do 14 " " " N. 29° W. 275 . .

80.38 Cor. to Secs. 23, 24, 25 and 26.
 Sand Shelly & strong a few times.

Township 18 S Range 17 E
 Tola and Salt River Meridian

Chs North between sec. 23rd & 24th
 cor. 13th 57th E. cor.

28.00 Pass over rocky ridge.

40.00 Set a granite rock 12 x 10 x 8 inches
 $\frac{2}{3}$ in the ground, marked W,
 and on N. side, build mound of
 stones 2 ft high as per instructions
 for 14 sec. cor. No trees near.

57.00 Enter Cienega valley cor. E. of N.

80.00 Set a post, marked & notched, 4 ft long, 3 in
 sq. in the ground, drive charred stake
 and build mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 4 ft wide as per in-
 structions for cor. to sec. 13, 14, 23 & 24 from which
 A Mesquite 10 in dia. cor. N. 56 $\frac{1}{2}$ ° W. 502 feet dist.
 No other trees near. Sanford's Pine
 cor. from this cor. S. 57 $\frac{1}{2}$ ° W.

Sand hilly, then in bottom where the
 soil is rich. Grass. No timber.

Township 18 S. Range 17 E
 Tola and Salt River Meridian

To East

On random line between sec. 13th & 2nd st.
 or. 13° 57' East

18.00 Cave valley and second hill.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.38 Intersect E. boundary 65 lbs. N. of
 cor. to sec. 13th & 2nd st. from which coord. are
 N. 89° 37' W.

On line between sec. 13th & 2nd st.
 or. 13° 57' East

40.19 Set granite stone 12 x 10 x 10 inches,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ and
 on N. side, build mound of earth 2 ft.
 high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as
 per instructions for $\frac{1}{4}$ sec. cor.

No trees near.

80.38 Cor. to sec. 13, 14, 23 and 2nd st.
 Sand rolling & hilly. Much grass.
 No timber.

Washings 18 S. Range 17 E.
 La and Salt River Meridian

- North between sec. 13 & 14.
 cor. 13⁵⁷ East
- 0.00 Conega valley, bas. N. E.
- 1.00 Leave valley and ascend hills.
- 2.00 Set apart, marked 14 S. 4 ft long flat-
 tened 3 mi wide, 1 ft in the ground.
 An iron charred stage and build a
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions for 14 sec. cor.
 No trees near.
- 31.00 Enter valley bas. N. E.
- 35.00 Leave same
- 40.00 Set granite stone 16 x 8 x 8 in. $\frac{2}{3}$ in the
 ground, marked S. & E. and on N. side,
 build mound of stone 2 ft high, as per
 instructions for cor. to secs. 11, 12, 13 and
 14. No trees near.
 Land partly valley where soil is rich.
 Grass. No timber.

Township 18 S. Range 17 E

Gila and Salt River Meridian

Ch. East

Ground line between sec. 12 & 13
 as. $13^{\circ}52'$ East.

8.00 Enter Cienega valley hrs. N.E.

39.00 Cienega hrs. N.E.

40.00 Set temporary '14 sec. cor.

50.00 Leave valley

80.28 Intersect E. boundary 41 hrs. N. of
 cont. secs. 12 and 13, from which

Cor. I run

N. $89^{\circ}42'$ N.

Balance line between sec. 12 & 13.

as. $13^{\circ}57'$ East

40.14 Set a granite stone $10 \times 10 \times 10$ in. $\frac{2}{3}$ in. the
 ground, marked '14, and on W. side build
 monument 2 ft. high, with pile 1 ft. deep,
 2 ft. long, 1 ft. wide, as per instructions for
 '14 sec. cor. No trees near.

80.28 Cor. to sec. 11, 12, 13 and 14
 Land, Crossing Cienega Valley, Grass. No timber

9 Township 18 S. Range 17 E
 Gila and Salt River Indian

Chs. North between sec. 11 & 12
 var. 13°57' East

5.00 Arroyo 40 lbs. wide, runs S. E.
 40.00 Set a granite stone 10x10x10 inches
 2/3 in the ground, marked 1/4, and
 on N. side, build mound of stones
 2 ft high, as per instructions for
 1/4 sec. cor, from which
 Al Mesquite 5 in dia. has West 162 land dist.
 do. 4 " " S. 0 1/2° W. 245 "

75.00 Arroyo 30 lbs. wide, runs S. E.

80.00 Set a granite stone 12x8x6 inches
 2/3 in the ground, notched S. & E.
 and on N. side, build mound of earth 2
 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions for Cor. to sec. 1, 2, 11
 and 12. No trees near
 Land very hilly and rocky.
 Some grass. But few trees.

Township 18 S. Range 17 E
Gila and Salt River Meridian
Chs. East

A random line between sec. 1 & 12
var. $13^{\circ}57'$ East

17.00 Across 40 lbs. wire, runs S. E.
40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.32 Intersect E. boundary 10 lbs. N. of cor.
to sec. 1 and 12, from which cor
draw

$N. 89^{\circ}56' W.$

On true line between sec. 1 & 12,
var. $13^{\circ}57'$ East

40.16 Set a granite stone $10 \times 10 \times 8$ inches
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and
on W. side build mound of stones 2
ft high, as per instruction for
 $\frac{1}{4}$ sec. cor. No trees near.

80.32 Cor. to sec. 1, 2, 11, and 12
Sand high, rough and rocky hills.
Grass. No timber.

Township 18 S. Range 17 E.
 Pila and Salt River Meridian
 Chs. North

On random line between sec. 1 & 2,
 cor. $13^{\circ}52'$ East

25.00 Top of hill and descend.

40.00 Set post for temporary $\frac{1}{4}$ sec. cor.

57.00 Arroyo runs S. E.

80.26 Intersect N. boundary of Sec. 8 E. of
 trees. 1 & 2. from which cor. down
 $S. 0^{\circ}3'$ E.

On true line between sec. 1 & 2,
 cor. $13^{\circ}52'$ East.

40.26 Set a granite stone $16 \times 12 \times 10$ inches, $\frac{2}{3}$
 in the ground, marked $\frac{1}{4}$, and on S.
 side, build mound of stones 2
 ft high, as per instruction for $\frac{1}{4}$ sec.
 cor. No trees near.

80.26 Cor. to sec. 1, 2, 11 and 12.

Land over high rocky hills.

Some grass. No timber.

November 9, 1874

Township 18 S. Range 17 E
Gila and Salt River Meridian

Ch North between sec. 34 & 35,
cor. 13° 59' East

25.00 Hole of water

40.00 Set a post, marked "4 S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
driv charred stake and build mound
of earth 2 ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, as per instruction for
1/4 sec. cor. No trees near.

80.00 Set a granite stone 16 x 6 x 6 inches
2/3 in the ground, notched S.
and E. and on N. side build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, as
per instructions for cor. to secs. 26.

27, 34 and 35. No trees near.
Land in bottom of Lemiga valley.
Soil rich. much grass.
No timber.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

- Chs East on random line bet. sec. 26 & 35,
bear. $13^{\circ}52'$ East
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 45.00 Leave valley and ascend hills
- 80.31 Intersect N. and S. line 140 yds. S.
of cor. to sec. 25, 26, 35 and 36,
from which cor. Dancer
S. $89^{\circ}53'$ W.
On true line between sec. 26 & 35,
bear. $13^{\circ}52'$ East
- 40.16 Set a post marked $\frac{1}{4}$ S. 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground, drove
sharred stakes and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for $\frac{1}{4}$ sec. cor. from which
a Mesquite 3 in. dia. br. S. $62\frac{3}{4}^{\circ}$ E. 208 yds. dist.
No other trees near.
- 80.31 Cor. to sec. 26, 27, 34 and 35.
Sand, W. half mile in bottom. Soil rich. Grass.
No timber.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Ch. North between sec. 26 & 27.
var. 12' 52" East.

9.00 Leave valley bas. N.E.
40.00 Set a post, marked 4 S. 4 ft long, flat-
tened 3 in wide, 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions for
14 sec. cor. No trees near.

57.00 Enter lateral valley bas. E.

71.00 Leave valley.

80.00 Set a post, marked 4 notched, 4 ft long 3
in. sqd. 1 ft in the ground, drive charred stake
and build mound of stone, 2 ft high, as per
instructions for cor. to sec. 22. 23. 26
and 27. No trees near.
Sand hilly and stony hill sides.
Grass. No timber.

Township 18 S. Range 17 E.
Gila and Salt River Indian

Chs.	Eastward on line between sec. 23 & 26. var. 13° 52' East
19.00	Leave hill and enter Cinega valley, E. of N.
55.00	Cinega bas. N. E
61.00	Leave valley and ascend hill, bas. E. of N.
80.18	Intersect N. & S. line at cor. to sec. 23, 24, 25 and 26, from which cor. Turn West On true line between sec. 23 & 26 var. 13° 52' East.
140.09	Set a post, marked '4 S. 4 ft long flat tined 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pile 4 ft deep, 2 ft long, 1 ft wide, as per instructions for '4 sec. cor. No trees near.
80.18	Cor. to sec. 22, 23, 26 and 24. Sand mostly in valley, Salt creek. Abundant grass. No timber.

Township 18 S. Range 17 E.
 Gila and Salt River Meridian

Chs North between sec. 22 & 23
 var. 13°52' East

40.00 In little valley, running N. of E.

Set apart, marked and notched, 14 x 7 x 5 in. mound $\frac{1}{4}$, $\frac{2}{3}$
 in the ground, as per instructions for
 14 sec. cor. from which

A Mesquite 6 in. dia. br. N. 17° E. 238 lvs. dist.

do. 8 " " " N. 6 $\frac{3}{4}$ W. 337 " "

80.00 In lateral valley running N. of E.

Set apart, marked and notched, 14 x 7 x 5 in.
 3 in. sq. di. fl. in the ground, drive charred stake
 and build mound of earth 2 fl. high, with pit
 4 fl. deep, 2 fl. long, 4 fl. wide, as per instructions for
 cor. to sec. 14, 15, 22, and 23, from which

A Mesquite 11 in. dia. br. N. 60° E. 790 lvs. dist.

No other trees near.

Land hilly and stony. Good grass.
 Scattering mesquite.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Chs.	At random line between sec. 14 & 23. cor. 13°52' East
8.00	Enter little valley bas. S. E.
18.00	Leave same.
40.00	Set temporary 14 sec. cor.
42.00	Enter Cucuiga valley bas. E. of N.
58.00	Road bas. S. W. and N. E.
66.00	Cucuiga bas. N. E.
80.16	Intersect N. and S. line at cor. to sec. 13, 14, 23 and 24, from which cor. down West entire line between sec. 14 & 23. cor. 13°52' East
40.08	Set a post marked 14 S. 4 ft long, flattened 3 in. wide, in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which a Mesquite 24 inches diam. S. 77 1/2° E. 351 feet dist do. 36 " N. 70° E. 472 " " Saw post's base from this cor. S. 37° E.
80.16	Cor. to 5 sec. 14, 15, 22 & 23. Land mostly level. Soil rich. Much grass. Scattering trees.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Chs North between sec. 14th & 15,
var. $13^{\circ}52'$ East.

20.00 Enter lateral valley var. S. E.

29.00 Leave same

40.00 Set a post, marked 14 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred stake and
build mound of earth 2 ft high, and pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions for 14 sec. cor. from which
A Merquite 8 in. dia. var. N. $41^{\circ}2'$ E. 197 lbs. dist.

do. 7 " " " S. $82^{\circ}14'$ W. 178 " "

80.00 Set a post, marked and notched, 4 ft long, 3
in. sq. d. 1 ft in the ground, and build mound
of stones 2 ft high as per instructions for
cor. to sec. 10, 11, 14 and 15, from which
A Merquite 5 in. dia. var. East. 170 lbs. dist.

do. 9 " " " N. 19° E. 210 " "

do. 3 " " " S. 34° E. 133 " "

No other trees near.

Land hilly. Much grass. Scattering trees.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

rs. East on random line bet. sec. 11 & 14
var. 13° 57' East.

26.00 Average 40 hrs. wide. has S. E.

35.00 do. 40 " " " S. E.

40.00 Set temporary 1/4 sec. cor.

80.12 Intersect N. and S. line 9 hrs. N. of cor.
to sec. 11, 12, 13 & 14, from which cor. June
N. 89° 56' W.

On true line between sec. 11 & 14
var. 13° 57' East

40.06 Set granite stone 14 x 10 x 5 inches, 2/3
in the ground, marked 1/4, and on N. side,
build around a post 2 ft high, as per in-
structions for 1/4 sec. cor. from which
A Cottonwood 36 in. dia., N. 20 1/2° E. 185 hrs. dist
No other tree near.

80.12 Cor. to sec. 10, 11, 14 and 15.

Sand hilly and rocky. Much grass.
A few trees in ravine N. of line

Township 18 S. Range 17 E.
 Ida and Salt River Meridian

Chs. North between sec. 10 and 11. ✓
 var. $13^{\circ}52'$ East.

30.00 Across 50 lbs. wide, bas. S. E.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
 flattened 3 in. wide, 1 ft in the ground, and
 build mound of stones ^{2 ft high} as per in-
 structions for $\frac{1}{4}$ sec. cor. from which
 a Mesquite 3 in. dia. has S. 8° W. 240 land dist.
 No other trees near.

80.00 Set a granite stone $16 \times 12 \times 8$ inches
 $\frac{2}{3}$ in the ground, notched S and E,
 and on N. side, build mound of
 stones 2 ft high, as per instructions
 for cor. to sec. 2, 3, 10 and 11.
 No trees near.

Sand hilly Considerable
 grass. A few trees.

Township 18 S Range 17 E.
Gila and Salt River Meridian
Co. East

A random line between sec. 2 & 11
var. $13^{\circ}52'$ East.

19.00 Arroyo 20 lbs. wide runs S.E.

30.00 Top of ridge bet. S.E. & N.W. ^{2nd} descend.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.48 Intersect N. and S. line 56 lbs. N. of cor.
to sec. 1, 2, 11 and 12. from which cor. run
N. $89^{\circ}36'$ W.

On true line between sec. 2 & 11
var. $13^{\circ}52'$ East.

40.24 Sida limestone 12x10x8 inches, $\frac{2}{3}$ in
the ground, marked $\frac{1}{4}$, and on W. side
build mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor. No trees near.

80.48 Cor. to sec. 2, 3, 10 and 11.

Land over hills and ridges. Rocky.
Considerable grass. No timber.

Township 18 S. Range 17 E.
 Gilman Salt River Meridian

Chs. North command line bet sec. 2 & 3. ✓
 var. $13^{\circ}52'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.22 Intersect N. boundary 9 lvs. E. of
 cor. to sec. 2 and 3. from which
 cor. from
 $S. 0^{\circ}14' E.$

Continue line between sec. 2 & 3.
 var. $13^{\circ}52'$ East

140.22 Set a granite stone $12 \times 10 \times 8$ inches
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$. and
 on S. side, build mound a foot high
 high, with pit $1\frac{1}{2}$ ft deep, $2\frac{1}{2}$ ft long, $1\frac{1}{2}$ ft wide,
 as per instructions for $\frac{1}{4}$ sec. cor. from which
 a Mesquite 8 in. dia. br. $N. 74^{\circ} \frac{1}{2} W. 160$ bend it
 do. 3 " " $S. 24^{\circ} \frac{1}{2} W. 134$ " "

80.22 Cor. to sec. 2, 3, 10 and 11.

Land hilly. Considerable gravel.
 No timber of consequence.

November 10, 1874

Township 18 S. Range 17 E.
Gila and Salt River Meridian

No. North between sec. 33 and 34
cor. $13^{\circ}52'$ East

34.00 Leave hills and enter valley by E.

40.00 In valley running E. Set a post, marked
"U.S. #1" long, flattened 3 in. wide, 1 ft in the
ground, drive charred stake and build
mound of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions for
these cor. from which

A Mesquite 5 in. dia. has, S. 14° W. 136 curved
do. 8 " " , S. $32\frac{1}{2}^{\circ}$ E. 297 "

80.00 Set a granite stone 12x10x8 inches, $\frac{2}{3}$
in the ground, notched S & E. and on N. side,
build mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per instructions
for cor. to sec. 27, 28, 33 and 34.

No trees near. Sand hilly and then
ascending N.W. Grass. No timber of
consequence.

Township 18 S. Range 17 E.
 Gila and Salt River Meridian
 Ch. East

On random line between secs. 27th & 34th.
 var. $13^{\circ}52'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

75.00 Enter valley hrs. S. E.

80.25 Intersect N. and S. line 18 hrs. S. of cor.

to secs. 26, 27, 34 and 35. From
 which cor. run
 $S. 89^{\circ}52' W.$

On true line between secs. 27th & 34th.
 var. $13^{\circ}52'$ East

40.12 Drive charred stake and build mound
 2 ft. high, with pile of chips,
 2 ft. long, 1 ft. wide, as per instructions
 for $\frac{1}{4}$ sec. cor. No stone or timber.

80.25 Cor. to secs. 27, 28, 33 and 34.
 Sand valley. Good pasturage.
 No timber.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Sec. North between sec. 27 & 28.
cor. 13⁵² Encl.

35.00 Arroyo 20 hrs. ride, runs S. E.

40.00 Set a limestone 12 x 8 x 6 inches, $\frac{1}{3}$
in the ground, marked $\frac{1}{4}$, and
on outside, build mound of earth 2
ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for $\frac{1}{4}$
sec. cor. No trees near.

73.00 Enters valley hrs. S. E.

78.00 Leave same.

80.00 Set a post, marked and notched, 4 ft
long, 3 in. sq. d., 1 ft in the ground, and
build mound of stones 2 ft high,
as per instructions for cor. to Secs.

21, 22, 27 and 28. from which
a Mesquite 14 in. dia. h. N. 14° E. 360 hrs. dist.
No other trees near.
Sand hills. Some grass. A few
trees.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

S. East

An random line between sec. 22nd & 27th
var. 13° 52' East

40.00 Set temporary 1/4 sec. cor.

80.28 Intersect N. and S. line 21 hrs. S. of cor.
to sec. 22, 23, 26 and 27, from
which cor. Draw
S. 89° 51' W.

On true line between sec. 22nd & 27th
var. 13° 52' East

40.14 Set a post, marked 1/4 S. 24 ft long,
flattened 3 in. wide, 1 ft in the
ground, and built mound of
stone 2 ft high, as per instructions
for 1/4 sec. cor. No trees near.

80.28 Cor. to sec. 21, 22, 27 and 28.
Land hilly. Some grass.
No timber.

Township 18 S. Range 17 E.
 Pila and Salt River Meridian

- Chs. North between sec. 21⁴/₂₂,
 cor. 13⁵²/_{East}
- 410.00 Set apart, marked 1/4 S. 4 fl long, flat-
 tened 3 in. wide, 1 ft in the ground, drive
 charred stakes and build mound of earth
 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions for 1/4 sec. corner marked
 A Mesquite 10 in. dia. bar. N. 13¹⁴/_E. 194 lbs. list
 do. 5 " " " S. 44¹⁴/_W. 119 " "
- 418.00 Arroyo 30 lbs. wide runs S. E.
- 65.00 do 15 " " " S. E.
- 80.00 Set apart, marked & notched, 4 fl long, 3 in. eq. 1 ft in
 the ground, and build mound of stone 2 ft
 high, as per instructions for cor. to Sec. 15, 16, 21⁴/₂₂,
 A Mesquite 6 in dia. bar. N. 70³⁴/_W. 206 lbs list
 do 5 " " " S. 76¹/_W. 208 " "
 do 9 " " " S. 74¹/_E. 308 " "
 Sand hilly, Grass. Some mesquite trees.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Chs. Eastward on line between sec. 15 & 22.
cor. 13° 52' East

40.00 Arroyo 40 hrs. wide, hrs. S.E.

35.00 do 40 " " " S.E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.21 Intersect N. and S. line 57 paces S. of
cor. to sec. 14, 15, 22 and 23, from
which cor. from
S. 89° 36' N.

On true line between sec. 15 & 22.

cor. 13° 52' East

40.11 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in.
wide, 1 ft. in the ground, and build around it
stones 2 ft. high, as per instructions for $\frac{1}{4}$
sec. cor. from which

A Mesquite 5 in. dia. hrs. S. 66° 4' W. 313 hrs. dist.

do 2 $\frac{1}{2}$ " " " S. 2° E. 60 " "

80.21 Cor. to sec. 15, 16, 21 and 22.

Sand rolling. Good pasturage.
Scattered mesquite trees.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Sec. North between secs. 15 & 16.
cor. 13° 57' East

40.00 Set apart, marked 1/4 S. 4 ft. long, flattened
3 in. wide, 1/4 ft. in the ground, and built mound
of stone 2 ft high, as per instruction for 1/4 sec. cor.
A Mesquite 8 in. dia. has N. 38 3/4° E. 102 lbs. dist.

do. 8 " " " S. 45 1/4° E. 74 " "

59.00 Arroyo runs S. E.

76.00 Arroyo runs S. E.

80.00 Set apart, marked & notched, 4 ft. long, 3 in.
sq. ft. in the ground, drive charred stakes and
built mound of earth 2 ft high, with pits
1/4 ft. deep, 2 ft. long, 1 ft. wide, as per instruc-
tion for cor. to Secs. 9, 10, 15 & 16, from which
A Mesquite 3 in. dia. has N. 44 1/2° E. 18 lbs. dist.

do. 6 " " " S. 9 1/2° W. 65 " "

do. 4 " " " N. 45 3/4° W. 100 " "

do. 10 " " " N. 87° W. 270 " "

Sand hilly and broken. Rocky. Some grass.
A few trees.

Township 18 S. Range 17 E.
 Old and Salt River Meridian

No. East corner line between sec. 10 & 15.
 cor. 13° 52' East

40.00 Set temporary 1/4 sec. cor.

78.00 Arroyo 30 lbs. wide bar. S. E.

80.15 Intersect N. and S. line 47 lbs. Set
 cor. to sec. 10, 11, 14 and 15. from which
 cor. June

S. 89° 40' W.

On true line between sec. 10 & 15.

cor. 13° 52' East

40.17 Set post, marked 1/4 S. 4 ft. long, flattened 3
 in. wide, 1 ft. in the ground, and build mound
 of stones 2 ft. high, as per instructions for 1/4
 sec. cor. from which

A Mesquite 6 in. dia. bar. S. 10° E. 119 lbs. dist

do. 4 " " " S. 55° W. 52 " "

80.15 Cor. to sec. 9, 10, 15 and 16.

Sand, rocky hills, Much grass.

No timber of consequence

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Ch. North between sec. 9 & 10
on a 13° 52' East.

40.00 Set a limestone 12 x 10 x 8 inches, $\frac{2}{3}$ in
the ground, marked $\frac{1}{4}$, and on N.
side, build mound of stones 2 ft
high, as per instructions for $\frac{1}{4}$
sec. cor. No trees near.

80.00 Set a lime stone 13 x 10 x 7 inches,
 $\frac{2}{3}$ in the ground, notched S. & N.
and on N. side build mound of
stones 2 ft high, as per in-
structions for cor. to sec. 3,
4, 9, and 10.

No trees near.

Sand, over range of very
rough limestone mountains.
Soil worthless. No timber.

Township 18 S. Range 17 E.
Gila and Salt River Meridians
T₁s East.

On random line between sec. 3rd & 10.
var. 13°57' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.21 Intersect N. and S. line 18 Sec. Sag
cor. to sec. 2, 3, 10, and 11, from
which cor. from
S. 89°52' W.

On true line between sec. 3rd & 10.
var. 13°57' East

40.11 Set a limestone 12 x 10 x 9 inches,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and
on W. side, build mound of stones
2 ft high, as per instructions, for
 $\frac{1}{4}$ sec. cor. No trees near.

80.21 Cor. to sec. 3, 4, 9 and 10.

Sand rough and mountainous.
Soil worthless. No timber.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Chs. North

Boundary line between secs. 3rd & 4th
cont. 13° 57' East.

40.00 Set temporary 1/4 sec. cor.

80.31 Intersect N. boundary 18 Sec. N.
refer to secs. 3 and 4. from
which cor. Run
S. 0° 8' N.

Boundary line between secs. 3rd & 4th
cont. 13° 57' East

40.31 Set a lime stone 12 x 10 x 8 inches
2/3 in the ground, marked 1/4, and
on S. side build mound of stones
2 ft high, as per instructions for
1/4 sec. cor. No trees near

80.31 Cont. Secs. 3, 4, 9 and 10.
Land very rough and rocky.
Soil worthless. No timber.
November 11, 1874

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Cor. North between sec. 32 & 33.
a. m. 13' 52" East.

35.00 Arroyo 40 hrs. work, m. s. E.

40.00 Set a granite stone 10x10x8
inches $\frac{2}{3}$ in the ground, marked
14, and on N. side build mound
of stones 2 ft high, as per
instructions for 14 sec. cor.

No trees near.

80.00 Set a post, rounded and notched,
4 ft long, 3 in. sq. 1 ft in the
ground, and build mound of
stone 2 ft high as per instruc-
tion for cor. to sec. 28, 29,
32 and 33.

No trees near.

Land hilly. Good pasture.
No timber & of consequence

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Sec. East

On random line between secs. 28th & 33.

var. 13° 57' East.

40.00 Set temporary 1/4 sec. cor.

50.00 Run 30 lbs. wide, runs S. E.

80.09 Intersect N. and S. line 16 lbs. S. of
cor. to secs. 27, 28, 33 and 34,
from which cor. I run
S. 89° 53' W.

On true line between sec. 28th & 33.

var. 13° 57' East.

40.04 Set a granite stone 10 x 10 x 10 inches
2/3 in the ground, marked 1/4, and
on W. side, build mounds of
earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for 1/4 sec. cor.
No trees near.

80.09 Cor. to secs 28, 29, 32 and 33.

Land hilly, considerable grass. No
timber.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Line North between sec. 28 & 29.
cor. 13° 57' East.

10.00 Stake past, marked 4 S. 4 ft long, flat-
tened 3 in. wide. 1/2 in. thick in the ground,
and build mound of stones 2 ft
high, as per instructions for 74 sec.
cor. No trees near.

45.00 Leave hill & descend into valley, run E.

80.00 Stake past, marked and notched, 4 ft
long, 3 in. sq. 1/2 in. thick in the ground, drive
charred stake and build mound
a foot 2 ft high, with pits 1 ft deep, 2 ft
long, 1/2 in. wide, as per instructions for cor. to
secs. 20, 21, 28 and 29, from which
a Mesquite 10 in. dia. has S. 63 1/2° W. 506 feet. No
other trees near.

Sand hills, sloping S. E.

Considerable grass. No timber.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Sec. East on random line bet. sec. 21 & 28.
var. 13°57' East

40.00 Set temporary 1/4 sec. cor.

80.32 Intersect N. and S. line 16 lvs. S. of
cor. to sec. 21, 22, 27 and 28. from
which cor. down
S. 89°53' W.

On true line between sec. 21 & 28.
var. 13°57' East

40.16 Set a post, marked 1/4 S. 4 ft long, flattened
3 in. wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high
with pile 1 ft deep, 2 ft long, 1 ft wide, as per in-
structions for 1/4 sec. cor. from which
a Mesquite 7 in. dia. br. N. 59° W. 229 leads to
do. 9" " " N. 86 1/2° W. 47 " "

80.32 Cor. to sec. 20, 21, 28 and 29.
Sand hilly, Grass, Scattering
Mesquite trees.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Line North between sec. 20 & 21.

a.s. 13°52' East.

40.00 Set a post, marked W.S. 4 ft long, flattened
3 in wide, 1 ft in the ground and build
mound of stones 2 ft high as per
instruction for 4 sec. cor. from which
A Mesquite 10 in. dia. has N. 81½° W. 200 lbs. dia.
do. 5 " " " S. 78¼° E. 155 " "

80.00 Set a post, marked and notched, 4 ft long,
3 in. sq. d. 1 ft in the ground, base is charred stone
and build mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, as per in-
struction for cor. to Secs. 16, 17, 20 & 21, from which
A Mesquite 6 in. dia. has S. 44½° E. 117 lbs. dia.
do. 8 " " " N. 79¾° W. 355 " "

No other trees near.

Sand sloping E. strong.

Some grass. No timber of consequence.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

In East

An random line between sec. 16 & 21.
var. $13^{\circ}52'$ East.

13.00 Arroyo 40 lbs. wide, runs S.E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

64.00 Arroyo 75 lbs. wide, runs S.E.

80.40 Intersect stand S. line 15 lbs. S. of cor.
to sec. 15, 16, 21 and 22, from
which cor. I run
 $S. 89^{\circ}54' N.$

On true line between sec. 16 & 21,
var. $13^{\circ}52'$ East.

40.20 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ fl. long, flat-
tend 3 in. wide, 1 ft. in the ground, and
build mound of stones 2 ft. high
a permanent for $\frac{1}{4}$ sec. cor. Notice near.

80.40 Cor. to sec. 16, 17, 20 and 21.
Land hilly and rocky.
Some grass. No timber.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Sec. East corner on line between 9th & 16.
var. 13' 52" East

40.00 Section temporary $\frac{1}{4}$ sec. cor.

55.00 Arroyo 30 lbs. wide, var. S. E.

75.00 Arroyo 20 " " " S. E.

79.92 Intersect N. and S. line 12 lbs. S. of
cor. to secs. 9, 10, 15 and 16. from which
cor. from

S. 89° 05' 5" W.

On true line between secs. 9 and 16.

var. 13' 52" East

39.96 Stake post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 4 ft in the ground
and build mound of stones 2 ft
high, as per instructions for $\frac{1}{4}$ sec.
cor. No trees near

79.92 Cor. to sec. 8, 9, 16 and 17.
Sand, over rough hill, on W. end
very rocky. Grass on E. end. A few trees.

November, 12, 1874

Township 18 S. Range 17 E.
Gila and Salt River Meridian

No. North between sec. 8 & 9.

var. 13° 57' East

18.00 Along top of high ridge.

40.00 Set a limestone 12 x 14 x 6 inches, $\frac{2}{3}$
in the ground, marked 14, and
on N. side, build mound of
stones 2 ft high, as per instructions
for 14 sec. cor. No tree near.

80.00 Set a limestone 12 x 12 x 14 in.
 $\frac{2}{3}$ in the ground, notched S & E,
and on N. side build mound
of stones 2 ft high, as per in-
structions for cor. to sec. 14
5, 8 and 9.

No tree near. Cor. on steep S. E.
slope of mountain.

Land high hills and mountain sides.
Some grass. No timber.

43

Township 18 S. Range 17 E,
Gila and Salt River Meridian

- Sec. E. W. corner between secs. 4th & 9th
var. 13° 57' East
- 40.00 Set temporary 4th sec. cor.
- 80.20 Intersect N. and S. line 16 ls. S.
of cor. to secs. 3, 4, 9 and 10, from
which cor. Darius
S. 89° 53' W.
Ontone line between secs. 4th & 9th
var. 13° 57' East
- 40.10 Set a limestone 12 x 9 x 8 inches,
2/3 in the ground, marked 4th,
and on W. side, build mound
of stones 2 ft high, as per in-
structions for 4th sec. cor.
No trees near.
- 80.20 Cor. to Secs. 4, 5, 8 and 9.
Land rough high hills on W. end.
Rocky and worthless.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

S. North

On random line between sec. 4 & 5.

cor. 13° 57' East

40.00 Set temporary 1/4 sec. cor.

80.37 Intersect N. boundary 26 lns. E. of
cor. to sec. 4 and 5. from which

cor. drawn

S. 0° 11' E.

On true line between sec. 4 & 5.

cor. 13° 57' East.

40.32 Set a limestone 12 x 10 x 6 inches
2/3 in the ground, marked 1/4, and
on S. side, build mound of stones
2 ft high, as per instructions for
1/4 sec. cor. No trees near.

80.37 Cor. to sec. 4, 5, 8 and 9.
Land, rough range of mountains
Racey and worthless.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Sec. North, between sec. 31 & 32
cor. 13° 57' East.

- 10.00 Across 50 lbs. wide cor. N.E.
- 40.00 Set a post, marked $\frac{1}{4}$ S. & 1/2 long,
flattened 3 in wide, 1 ft in the ground,
and build mound of stones 2 ft high
as per instructions for 4 sec. cor.
No trees near.
- 80.00 Set a granite stone 10 x 10 x 10 inches
 $\frac{2}{3}$ in the ground, notched S. $\frac{1}{2}$ E. and
on N. side, build mound of stones
2 ft high, as per instructions for
cor. to sec. 29, 30, 31 and 32.
No trees near.
Ground hilly.
Good pasturage.
No timber.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Sec. East

On random line between sec. 29th & 32
var. 13° 53' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.76 Intersect N. and S. line 31st sec.

N. of cor to sec. 28. 29. 32
and 33, from which cor. Run
N. 89° 47' W.

On true line between sec. 29th & 32
var. 13° 53' East.

39.88 Set a granite stone 10 x 10 x 5 inches

$\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ sec.
and on W. side, build mound
of stone 2 ft high, as per
instructions for $\frac{1}{4}$ sec. cor.

No trees near.

79.76 Cor. to sec. 29. 30. 31 and 32.

Sand very hilly and stony. Some
grass. No timber.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

S. West

Curved line between sec. 30 & 31
cor. $13^{\circ}57'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.42 Intersect W. boundary 28 least.
of cor. to sec. 30 and 31, from which
cor. from

N. $89^{\circ}48'$ E.

On line line between sec. 30 & 31
cor. $13^{\circ}57'$ East

39.42 Set apart, marked $\frac{1}{4}$ S. 24 ft.
long, flattened 3 in. wide, 1 ft
in the ground, and build mound
of stones 2 ft high, as per in-
structions for $\frac{1}{4}$ sec. cor.

79.42 Cor. to sec. 29, 30, 31 and 32.
Sand hilly. Soil poor.

Some grass. No timber.

November 13, 1874

Township 18 S. Range 17 E.
Gila and Salt River Neudum

No. 1000 between sec. 29 & 30.
cor. 13° 52' East

- 2.00 Top of ridge and descend into big depression
21.00 Arroyo 30 lbs. wide cor. N. E.
40.00 Set a post marked 14 ft. 4 ft. long, flattened 3 in. wide, 4 ft.
in the ground, drive charred stake & build mound of earth
2 ft. high, and pit 4 ft. deep, 2 ft. long, 4 ft. wide, for 1/4 sec. cor. from which
a mesquite 6 in. dia. cor. S. 18 3/4° E. 77 lbs. dist.
do 8 " " " S. 53 1/4° E. 91 " "
80.00 Set a post marked and watched, 4 ft. long, 3 in. x 4 ft. in
the ground, and build mound of stone, 2 ft. high, as per
instructions for cor. to sec. 19, 20, 29 & 30. from which
a mesquite 3 in. dia. cor. S. 81 1/4° W. 175 lbs. dist.
do 2 1/2 " " " N. 53 1/4° W. 113 " "
Juniper 8 " " " N. 51° E. 233 " "

No other trees near.

Some crosses called, assuming E. Stony

Some mesquite and Juniper trees.

Township 18 S Range 17 E
Gila and Salt River Meridian

Sec. East.

On random line between sec. 20 & 29
var. 13° 57' East

40.00 Set temporary 4 sec. cor.

79.78 Intersect N. and S. line 13 hrs. N. of
cor. to sec. 20, 21, 28 and 29, from
which cor. from
N. 89° 54' W.

On true line between sec. 20 & 29.

var. 13° 57' East

39.89 Set post marked 4" S. 4" fl. long, flattened 3" wide,
1 ft. in the ground, drive charred stake and build
around it 2 ft. high, with pit 1 ft. deep, 2 ft. long,
1 ft. wide, as per instructions for 4 sec. cor. from which
W. Mesquite 8 in. dia. var. N. 20° E. 329 land dist.
to 5 " " S. 42° W. 229 " "

79.78 Cor. to sec. 19, 20, 29 and 30.
Land sloping S. & E. hilly on W. end.
Considerable grass. Some trees.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

No. 116

On true line between sec. 19th & 30.

var. $13^{\circ}57'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.51 Intersect N. boundary 15 hrs. N. of
cor. to sec. 19 and 30, from which
cor. I run

N. $89^{\circ}54'$ E.

On true line between sec. 19th & 30.

var. $13^{\circ}57'$ East.

39.51 Set a porphyry rock $10 \times 10 \times 6$ inches
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ and
on E. side, build mound of stones
2 ft high, as per instructions for $\frac{1}{4}$
sec. cor. No trees near.

79.51 Cor. to sec. 19, 20, 29 and 30.
Sand hilly and broken.
Some grass. No timber.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Sp.	North between sec. 19 & 20. var. 13° 57' East
26.00	Arroyo 40 lbs. wide, var. S. E.
40.00	Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1/2 in. the ground, and build a mound of stones 2 ft high, as per instruction for the sec. cor. from which a Mesquite 2 1/2 in. dia. var. S. 53 1/4° E. 109 lbs. dist. do 10 " " " S. 35° E. 235 " "
58.00	Arroyo 50 lbs. wide, var. S. E.
80.00	Set a post, marked and notched, 4 ft long, 3 in. sqd. 1/2 in. the ground, and build mound of stones 2 ft high, as per instruction for cor. to sec. 17, 18, 19 and 20. ^{260 trees near.} Land ascending N. and W. from last end hilly. Some grass. No timber of con- sequence.

Township 18 S Range 17 E.
Gila and Salt River Meridian

No East. corner line bet. sec. 17th & 20.
var. 13° 52' East

- 15.00 Top of high round hill.
- 38.00 Arroyo 50 lbs. wide, runs S. E.
- 40.00 Set temporary 1/4 sec. cor.
- 54.00 Arroyo 15 lbs. wide runs S. E.
- 60.00 Pass over S. slope of hill.
- 79.88 Intersect N. and S. line at cor. to sec. 16. 17.
20th & 21. from which cor. down
West entire line between sec. 17th & 20
var. 13° 52' East
- 39.921 Set a post, oriented 1/4 S. 1/4 fl. long, flattened 3 in.
wide, 1 ft in the ground, and should measure 8
lines 2 ft high, as per instructions for 1/4 sec. cor.
An Oak 6 in dia. br. S. 51° W. 49 lbs dia. dist.
do. 8 " " " N. 66° W. 62 " "
- 79.88 Cor. to sec. 17, 18, 19 and 20.
Sand over hills and ridges. Some
grasses. No timber of consequence.

Township 18 S. Range 17 E.
Glamis Salt River Mendocino

hs. W. Corner random line bet. sec. 18 & 19.
cor. 13°57' East

29.00 Arroyo 30 lbs. wide runs S. E.

40.00 Set temporary 1/4 sec. cor.

70.00 Prairie containing running water, bet. S. W.

79.49 Intersect N. boundary 11 lbs. N. of cor. to sec.
18 & 19, from which cor. run
N. 89°55' E.

Outline line between sec. 18 & 19.
cor. 13°57' East

39.49 Set a post, marked 1/4 S. 1/4 fl. long, flattened 3" wide,
1 ft in the ground, drive charred stove and barrel
around a post 2 ft high, with pits 1 ft
deep, 2 fl. long, 1 fl. wide, as per instructions for
1/4 sec. cor. from which
a Mesquite 7 in. dia. bet. N. 74 1/2° E. 146 lbs. dist
do. 8 " " S. 85 1/2° W. 300 " "

79.49 Cor. to sec. 17, 18, 19 and 20.
Sand hilly & stony. Grass. No timber of
consequence.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Line North between sec. 17 & 18.

var. $13^{\circ}52'$ East.

40.00 Set a limestone $12 \times 12 \times 4$ inches $\frac{2}{3}$ in the
ground, marked "4", and on N. side,
build mound of stones 2 ft high,
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

75.00 Top of ridge of mountain & descend.

80.00 On N. rocky slope of mountain. Set a post,
marked and notched, 4 ft long, 3 in sq. in
the ground, and build mound of stones 2 ft
high as per instructions for cor. to sec.
7, 8, 17 and 18. from which
an oak 20 in. dia. br. $S. 52\frac{1}{2}^{\circ} E$ 246 lbs. dist.
No other trees near.

Land mountainous and rocky.
Soil worthless. A few trees.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Sec. East.

On random line between sec. 8 & 17
var. $13^{\circ}57'$ East

40.00 Set temporary T₁ sec. cor.

55.00 S. slope of high round hill.

77.00 Deep arroyo 40 lbs wide, runs S.E.

80.29 Intersect N. and S. line 11 lbs S. of
cor. to sec. 8, 9, 16, and 17 from
which cor. from
 $88^{\circ}53'$ W.

On true line between sec. 8 & 17
var. $13^{\circ}52'$ East.

40.124 Set a lime stone $12 \times 10 \times 8$ inches, $\frac{2}{3}$ in
the ground, marked T₁, and on W.
side, build mound of stones 2 ft high,
as per instructions for T₁ sec. cor. No trees near.

80.29 Cor. to Secs 7, 8, 17 and 18.

Land mountainous and broken. Soil poor.
No timber.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

S. West

On random line between sec. 7 & 18.

var. $13^{\circ}57'$ East.

25.00 Acreys 30 lbs. wide, var. N.E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.41 Intersect N. boundary 23 lbs. N. of
cor. to sec. 7 & 18, from which cor. run
N. $89^{\circ}51'$ E.

On true line between sec. 7 & 18.

var. $13^{\circ}52'$ East.

39.41 Set a granite stone $12 \times 10 \times 5$ inches

$\frac{2}{3}$ in the ground, marked $\frac{1}{4}$,
and on E. side build mound of
stone 2 ft high, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

79.41 Cor. to sec. 7, 8, 17 and 18.

Sand mountains, Rocky and
worthless.

Township 18 S. Range 17 E.
Gila and Salt River Meridian

Is North between secs. 7th & 8.
cor. $13^{\circ} 52'$ East.

This line passes over precipitous
rocky mountains, useless for agri-
culture or any other purpose,
and not known to contain mini-
eral. I therefore do not extend this
line.

For same reasons as above I do not extend
the line between secs 5th & 8, and 5th & 6.

From the cor. to secs. 6th & 7. on N. boundary, I run
E. & continue line between secs. 6th & 7.
cor. $13^{\circ} 52'$ East.

40.00 A dolomite stone $13 \times 11 \times 8$ in. $\frac{3}{8}$ in the ground, marked "H",
and on E. side built around a stone 2 ft high, as
per instructions for "H" sec. cor. No line near.

Further E. this line runs up the sides of precipitous rocky
and worthless mountains, and I therefore do not extend
it further. November 14, 1874

No. 881

Township 18 S. Range 17 E.
Grand Salt River Meridian

General Description

This Township has much good grazing land in the S. and Eastern portions. In the N. W. corner it is very rough, mountainous and worthless.

The Cueniga valley lies along the eastern portion, and contains rich land with abundance of water for all purposes of stock raising.

There is comparatively little timber in this Township - scattering mesquite and oak trees.

Theodore F. White
U.S. Deputy Surveyor

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

The subdivision lines of
Township 18 S. R. 17. E. of
the Gila and Salt River
Meridian Arizona

Showing the respective capacities in which they acted.

D. A. Vasquez Chainman.

L. D. Bouton Chainman.

H. G. Morse Axeman.

H. W. Aubrey Flagman.

C. S. Leow. Mound Builder.

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Thos
F. White — U. S. Deputy Surveyor, in
 surveying The Subdivision lines
of Township 18 S., R. 17 E.
Gila and Salt River Meridian
Arizona

and that said Survey has been in all respects, to
 the best of our knowledge and belief, well and
 faithfully executed, and the boundary monu-
 ments planted according to the instructions fur-
 nished by the Surveyor-General.

R. A. Vargas Chairman.

L. E. Burton Chairman.


H. M. Merson Axeman.

W. H. Aubrey Flagman.

Circle & Lion Mound Builder
 Sworn to and subscribed before me, this 17th

day of December, 1874

William B. Brown
Notary Public



FINAL OATH OF DEPUTY SURVEYOR.

I, Theodore F. White

U. S. Deputy Surveyor do solemnly swear that,
in pursuance of a contract with John Wasson,
United States Surveyor-General for Arizona, bear-
ing date the 21st day of August

1874 I have well, faithfully and truly, in my
own proper person, and in strict conformity with
the instructions furnished by the Surveyor-Gener-
al, the Surveying Manual, and the laws of the
United States, surveyed all those portions of

The Subdivision Lines of
Township 18 S. R. 17 E.
Gila and Salt River Meridian
Arizona

as are repre-
sented in the foregoing Field Notes as having

FINAL

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore J. White
Deputy Surveyor.

Sworn to and subscribed before me, this 11th day of December, 1874

William A. Brown
Notary Public



reby certifi
White
ing the
Tomsett
and
Arizona
at said Su
t of our le
lly execut
planted ac
by the Sur
L
W.
n to and su
Succ
Will

U. S. Surveyor General's Office,
Tucson, Arizona, December 13, 1874

the foregoing Field Notes of the survey of

the Subdivision Lines
of Township 18 S. Range
7 E.

the Gila and Salt River Base and Meridian, Arizona,
surveyed by Theo. F. White,

U. S., under his contract of the twenty first day of
August, 1874, having been critically ex-

amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason

Surveyor General.