

No. 883

BOOK 883

Field Notes

BOOK 883

OF THE SURVEY OF THE

SUDIVISION LINES

— OF —

No. 883

Township *18 South* Range *24 East*

Gila and Salt River Base and Meridian

ARIZONA.

By *Thos. P. White* D. S.

under contract dated *Dec 6., 1887.*

Survey commenced *Apr 24., 1887.*

Survey completed *Apr 28., 1887.*

883

BOOK 883 INDEX DIAGRAM.

Township 18 S.

Range 27 E.

6	94	5	68	4	57	3	34	2	18	1
93		91		67		50		33		16
7	89	8	65	9	48	10	31	11	14	12
88		86		64		47		30		12
18	85	17	62	16	46	15	28	14	11	13
83		81		61		44		27		9
19	79	20	59	21	42	22	25	23	7	24
78		76		58		41		24		5
30	75	29	56	28	40	27	23	26	4	25
73		72		55		38		21		3
31	70	32	54	33	37	34	20	35	1	36

Gila and Salt River Meridian.

ARIZONA.

13

Preliminary Oaths of Assistants.

BOOK 883

We, *J. H. Mc. Clure*

and *J. O. Ford*

do solemnly swear that we will well and faithfully execute the duties of Chain Carriers; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability and in accordance with the instructions given us in the survey

of the subdivisions of Township No. 18 S. Range No. 2 E. Gila & Salt River Meridian Territory of Arizona

J. H. Mc. Clure

J. O. Ford

Sworn to and subscribed before me, this *10th* day of *March*, 188*7*

Paul Riccker
Notary Public
Pima county
Arizona.



We, John Blake, Samuel H. 10
Tan Pelt, Geo. J. Wyatt & Jos. Schwarz
do solemnly swear that we will well and truly perform the
duties of Assessors, Plagman &
Morandmen respectively
in the establishment of corners and other duties according to
instructions given us, and to the best of our skill and ability.

in the survey of the subdivision
line of township No 18 S. Range
No. 27 E. Gila & Salt River
Meridian, Territory of Arizona

John Blake
Samuel H. Tan Pelt
Geo. J. Wyatt
Jos. Schwarz

Sworn to and subscribed before me this 10th day of
March, 1882

Paul Rieckes
Notary Public, Pima
County, Arizona

BOOK 883

No. 883

BOOK 883

70

Subdivisions N. 18 S. R. 27 E.

Gila & Salt River Meridian

chains

Survey commenced April 24.
1882. with a Burts improved
Solar compass.

I commence at the cor. to Secs.
1. 2. 35 & 36. on the South Bound-
ary of township, which is a
mound of earth 2 ft. high, 4 1/2 ft.
base, with pits 18 x 18 x 12 ins.
in each sec. 5 1/2 ft. dist. In
S. E. pit is a stake 2 ins. square
marked N. 18 S. S. 36 on N. E.

R. 28 E. S. 1 on S. E.

N. 19 S. S. 2 on S. W. and
S. 35 on N. W. faces, with 1
notch on E. & 5 notches on W.
edges, Thence I run

North, bet. Secs. 35 & 36.

Var. $12^{\circ} 32' E.$

Subdivisions T. 18 S. R. 27 E. cont.

chains

as per observation with Solar Compass

40.00

Set a Porphyry rock $13 \times 9 \times 4$ ins.
 9 ins. in the ground, for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ on W. face, &
 raised a mound of stone
 alongside, Pits unpracticable.

80.00

Deposited a charred stake 12
 ins. in the ground, for cor. to
 Secs. 25, 26, 35 & 36. dug pits
 $18 \times 18 \times 12$ ins. in each sec $5\frac{1}{2}$ ft.
 dist. and raised a mound of
 earth 2 ft. high, $4\frac{1}{2}$ ft. base over it.
 In S. E. pit. drove a stake 2 ft.
 long, 2 ins. square, 12 ins. in the
 ground, marked -

T. 18 S. S. 25 on N. E.

R. 27 E. S. 36. on S. E.

S. 35 on S. W. and

S. 26 on N. W. faces, with 1

Subdivisions S. 18 S. R. 27 E. continued

chains

notch on S. & E. edges.

Land rolling

Soil 2d rate

No timber.

Cast a random line, bet.
Secs. 25. 36.

Var. $12^{\circ} 32' E$

40.00 Set temporary $1/4$ Sec. cor.

80.04 Intersect W. Boundary of township. 10 lbs. of cor. to
Secs. 25-30. 31 & 36, which is a mound of earth 2 ft high, $4 1/2$ ft base, with peg in
each sec. In S. E. bit is a square 2 in. square, marked S. 18 S. 30 on N. E. R. 28 E. S. 31 on
S. E. R. 27 E. S. 36 on N. and S. 25 on S. W. faces. with 5 notches on N. and 1 notch on
S. edges.

Thence I run

N. $89^{\circ} 55' W$. on a true line
bet. Secs. 25 + 36. with same oa.

40.02 Set a Porphyry rock 15 x 7 + 6 ins
10 ins. in the ground, for $1/4$ sec.
cor. marked $1/4$ on N. face and
raised a mound of stones

Subdivisions S. 18 S. R. 27 E. cont.

ains
80.04 alongside. Pits impracticable
The cor. to Secs. 25, 26, 35 & 36
Land Rolling
Soil 2^d rate
No timber.

North bet. Secs 25 & 26.

Var. 12° 32' E.

- 40.00 Set a Porphyry rock 14+9+6
ins. 10 ins. in the ground for
1/4 sec. cor. marked 1/4 on
W. face, and raised a mound
of stone alongside Pits impracticable
- 54.86 Stream drains W.
- 67.03 Road course W.
- 80.00 Set a Post 4 ft. long 4 ins. square,
with marked stone, 12 ins. in the
ground, for cor. to Secs. 23, 24, 25 & 26

Subdivisions T. 18 S. R. 27 E. continued

Lains

marked T. 18 S. S. 24 on N. E.

R. 27 E. S. 25 on S. E.

S. 26 on S. W. and

S. 23 on N. W. faces, with 2 notches
on S. and 1 notch on E. edges,

dig pits 18x18x12 ins. in each sec.

5/8 ft. dist. and raised a mound

of earth 2 ft. high, 4 1/2 ft. base around
post. from which

astrose br. S. 65 3/4° W.

Land ascending E.

Soil 2^d rate

No timber.

East on a random line, bet.
Secs. 24 & 25.

Var. 12° 32' E!

18.40 Gully drains N. W.

Subdivisions T. 18 S. R. 27 E. cont.

chains
40.00Set temporary $\frac{1}{4}$ Sec. Cor.

79.93

Intersect W. Boundary of town-
ship. 8 lks N. of cor. to Secs.19, 24, 25 & 30. which is a
Post 4 ins. square, markedT. 18 S. S. 19 on N. E.
R. 28 E. S. 30 on S. E.R. 27 E. S. 25 on S. W. and
S. 24 on N. W. faces, with 4notches on N. and 2 notches on
S. edges, with pits in each
sec. $5\frac{1}{2}$ ft. dist. and mound
of earth around post.
Thence I run.N. $89^{\circ} 57'$ W. on a true line
bet. Secs. 24 & 25, with same ca.39.96 Set a Post 3 ft. long, 3 ins. square,
with marked stone, 12 ins. in the
ground for $\frac{1}{4}$ Sec. cor. marked

Subdivisions T. 18 S. R. 27 E. continued

chains

$\frac{1}{4}$ S. on N. face, dug pit 18x18
x 12 ins. E + W. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base, around
post.

79.93 The cor. to Secs. 23, 24, 25 & 26
Land Rolling
Soil 2^d rate
No timber.

North bet. Secs. 23 & 24.
Twp. 12^o 32' E

12.00 Wash of Ash creek drains
W.

40.00 Set a Post 3 ft. long, 3 ins square
with marked stone, 12 ins. in the
ground, for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on W. face, dug pits 18x18

Subdivisions S. 18 S. R. 27 E. conts.

chains

+ 12 ins. W.S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

8000 Deposited a charred stake 12 ins. in the ground, for cor. to Secs. 13, 14, 23 & 24. dug pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit. drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked.

S. 18 S. S. 13 on N. E.

R. 27 E. S. 24 on S. E.

S. 23 on S. W. and

S. 14 on N. W. face, with 3 notches on S. and 1 notch

Subdivisions T. 18 S. R. 27 E. continued

chains

on E. edges.

Land flat

Some good soil

No timber.

East on a random line bet.
Secs. 13 & 24.

Var. $120^{\circ}32'E$ 40.00 Set temporary $\frac{1}{4}$ Sec. cor.79.95 Intersect W. Boundary of
township, 18 lks N. of cor. toSecs. 13, 18, 19, & 24, which is a
Post 4 ins. square, marked

T. 18 S. S. 18 on N. E.

R. 28 E. S. 19 on S. E.

R. 27 E. S. 24 on S. W. and

S. 13 on N. W. faces, with 3 notches
on N. & S. edges, with pits

Subdivisions T. 18 S. R. 27 E. cont.

chains

in each sec. and mound
of earth around post
Thence I run

N. 89° 54' W. on a true line,
bet. Secs. 13 + 24, with corner on

39.97 Deposited a charred stake 12
ins. in the ground, for $\frac{1}{4}$ sec.
cor. dug pits 18 x 18 x 12 ins.

E + W. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$
ft. high, $3\frac{1}{2}$ ft. base over it. In
E pit drove a stake 2 ft. long,
12 ins. in the ground
2 ins. square, marked $\frac{1}{4}$ S. on
N face.

79.95 The cor. to Secs. 13, 14, 23 + 24.
Land flat.
Some good soil.
No timber.

Subdivisions N. 18 S. R. 27 E. continued

chains

North bet. Secs. 13 & 14

Var. $12^{\circ} 32' E$.

40.00 Set a post 3 ft. long, 3 ins. square, with marked stone 12 ins. in the ground, marked

 $\frac{1}{4}$ S. on N. face, dug pits $18 \times 18 \times 12$ ins. N. & S. of post. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

66.32 Frontieras Road course N. of S.

80.00 Set a post 4 ft. long, 4 ins. square, with marked stone, 12 ins. in the ground for cor. to Secs. 11, 12, 13 & 14, marked

S. 18 S. S. 12 on N. - E.

R. 27 E. S. 13 on S. E.

S. 14 on S. W. and

S. 11 on N. W. face, with

Subdivisions S. 18 S. R. 27 E. cont.

chain

4 notches on S. and 1 notch
on E. edges. dug pits 18x18x12
ins in each sec. 5/2ft. dist.
and raised a mound of
earth 4ft. high 4 1/2ft. base
around post.

Land flat

Some good soil

No timber.

East on a random line,
bet. Secs. 12 & 13.

Var. 12° 32' 8"

- 0.79 Intersect of Banteras Road course S.
40.00 Set temporary 1/4 sec. cor.
49.92 Intersect W. Boundary
of township. 16 lks S. of
cor. to Secs. 7, 12, 13 & 18

Subdivisions T. 18 S. R. 27 E. continued

chain

which is a Post 4 ins. square,
marked T. 18 S. S. 7 on N. E.
R. 28 E. S. 18 on S. E.
R. 27 E. S. 13 on S. W. and
S. 12 on N. W. faces, with
2 notches on N. & 4 notches
on S. edges, with pits 18x18x12
ins. in each sec. 5 1/2 ft. dist.
and mound of earth around
post, with bearing tree properly
marked in N. W. sec.

Thence I run

S. 89° 53' W. on a true line,
bet. Secs. 12 & 13. with a corner

39.96 Set a Post 2 ft. long, 2 ins. square,
with marked stone, 12 ins. in
the ground, for 1/4 Sec. cor.
marked 1/4 S. on N. face,
dug pits 18x18x12 ins. E. & W.

Subdivisions N. 18 S. R. 27 E. continued

Chains

of cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base around
post.

79.92 The cor. to Secs. 11, 12, 13 & 14
Land flat
Some good soil,
No timber.

North bet. Secs. 11 & 12.
Var. $12^{\circ} 30' E$.

15.00 Wash drains N.

40.00 Set a post 3 ft. long, 3 ins.
square, with marked stone,
12 ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S. on N.
face, dug pits $18 \times 18 \times 12$ ins.
N. & S. of cor. $5\frac{1}{2}$ ft. dist. and

Subdivisions T. 18 S. R. 27 E. continued

chains

raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00 Set a Post 4 ft. long, 4 ins. square with marked stone pins in the ground, for cor. to Secs. 1, 2, 11 & 12. marked

T. 18 S. S. 1 on N. E.

R. 27 E. S. 12 on S. E.

S. 11 on S. W. and

S. 2 on N. W. faces, with 5 notches on S. and 1 notch on E. edges, dug pits $18 \times 18 \times 12$ ins. in each sec. $3\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base around post.

Land flat

Same good soil

Subdivisions N. 18 S. R. 27 E. cont.

chains

No timber.

East on a random line,
bet. Secs. 1 & 12.

Var. $12^{\circ} 32' E$ 40.00 Set temporary $\frac{1}{4}$ sec cor.70.00 Turkey Creek 200 lks wide
drains N of W.80.10 Intersect N. Boundary of
township. 16 lks N. of cor. to
Secs. 1, 6, 7 & 12, which isa Post 4 ins. square; marked
N. 18 S. S. 6 on N. E.

R. 28 E. S. 7 on S. E.

R. 27 E. S. 12 on S. W. and
S. 1 on N. W. faces, with 1
notch on N. & 5 notches.

on S. edges, with pits 18 x 18 x 12.

Subdivision S. 18 S. R. 27 E. continued

No. 883

chains

ins. in each sec. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
2 ft. high $4\frac{1}{2}$ ft. base around
post. with bearing trees,
properly marked in S. E. &
S. W. Secs.

Thence I run

S. $89^{\circ} 53'$ W. on a true line,
bet. Secs. 1 & 12. with course or

40.05 Set a Porphyry rock $15 \times 10 \times 8$
ins. 10 ins. in the ground, for
 $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S. W.
N. face, dug pits $18 \times 18 \times 12$ ins.

Ext. W. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base along-
side.

80.10 The cor. to Secs. 1, 2, 11 & 12.
Land flat

Subdivisions T. 18 S. R. 27 E. cont.

chains

Some good soil
No timber.

North on a random line,
bet Secs. 1 & 2.

Var. $12^{\circ} 32' E$

- 3.50 Little stream course N.
 11.66 Turkey Creek Wash drain, N.
 15.54 Leave it
 19.00 Road along Creek course N.
 40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.09 Intersect N. Boundary of
 township. 13 lks N. of cor. to
 Secs. 1, 2, 35 & 36. which is a
 mound of earth 2 ft. high,
 $4\frac{1}{2}$ ft. base, with pits $18 \times 18 \times 12$
 ins. in each sec. $5\frac{1}{2}$ ft. dist.
 In S. E. pit a stake lines square

Subdivision S. 18 S. R. 27 E. continued

Chairs

marked S. 17 S. S. 36 on N. E.

R. 27 E. S. 1 on S. E.

S. 18 S. S. 2 on S. W. and

S. 35 on N. W. faces, with 1
notch on E & 5 notches on N.
edges, Thence I run

S. $0^{\circ} 06'$ W. on a true line
bet. Secs. 1 & 2, with same ca.

4.00g Set a Porphyry rock $12 \times 7 \times 6$
ins. 8 ins. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on N. face,
dug pits $18 \times 18 \times 12$ ins. N & S.
of cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of stone around part.

50.00g The cor. to Secs. 1.2. 11 & 12.

Land flat

Some good soil

No timber.

April 24, 1882.

Subdivisions S. 18 S. R. 27 E. cont.

chains

From the cor. to Secs. 2 & 3.
34 & 35. on S. Boundary of
township, which is a mound
of earth 2 ft. high, 4 1/2 ft. base
with pits 18 x 18 x 12 ins. in each
sec. 5 1/2 ft. dist. In S. E. pit
is a stake 2 ins. square, marked
S. 18 S. S. 35 on N. E. x

R. 27 E. S. 2 on S. E.

S. 19 S. S. 3 on S. W. and
S. 34 on N. W. faces, with 2
notches on E & 4 notches on
W. edges. Thence I run
North bet. Secs. 34 & 35.

Var. $12^{\circ} 32' E$

4000 Set a porphyry rock 14 x 10 x 4
ins. 10 ins. in the ground, for
1/4 sec. cor. marked 1/4 on W.
face, dug pit 18 x 18 x 12 ins.

Subdivisions T. 18 S. R. 27 E. cont.

Chains

W.S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

80.00

Set a Porphyry rock $10 \times 10 \times 8$ ins. 7 ins. in the ground for cor. to Secs. 26, 27, 34 & 35. marked with 1 notch on S. and 2 notches on E. edges, dug pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base alongside

Land Rolling

Soil 2^d & 3^d rate

No timber.

East on a random line,

Subdivisions N. 18 S. R. 27 E. continued

chains	bet. Secs. 26 & 35. Var. $12^{\circ} 32' E.$
5.20	Frontier Road curve S.
34.00	Road to Tombetere curve S.W.
40.00	Set temporary $\frac{1}{4}$ sec. cor.
80.05	Intersect N. & S. line 11 lbs S. of cor. to Secs. 25, 26, 35 & 36 Thence I run S. $89^{\circ} 55' W.$ on a true line, bet. Secs. 26 & 35. with same var.
40.02	Set a porphyry rock $18 \times 8 \times 5$ ins. 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, dug pits $18 \times 18 \times 12$ ins. E & W. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base alongside.
80.05	The cor. to Secs. 26, 27, 34 & 35. Land Rolling

Subdivision S. 18. R. 27 E. continued

chains Soil 2^d & 3^d rate
 No timber.

North bet. Secs. 26 & 27.

Var. $12^{\circ} 32' E.$

40.00 Deposited a charred stake
 12 ins. in the ground for $\frac{1}{4}$ sec.
 cor. dug pits $18 \times 18 \times 12$ ins.

N & S. of cor. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth $\frac{1}{2}$
 ft. high $3\frac{1}{2}$ ft. bar over it.

In N. pit drove a stake $4\frac{1}{2}$ ft.
 long, 2 ins. square, 12 ins. in the
 ground, marked $\frac{1}{4}$ S. on W. face.

80.00 Set a Porphyry rock $13 \times 10 \times 10$
 ins. 9 ins. in the ground for
 cor. to Secs. 22 & 23, 26 & 27.
 marked with 2 notches on S. & E.
 edges. dug pits $18 \times 18 \times 12$ ins.

Subdivisions T. 18 S. R. 27 E. cont.

Chains

in each sec. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth 2 ft. high $4\frac{1}{2}$ ft. base
alongside.

Land ascending a little E.
Soil 2^d rate
No timber.

East on a random line
bet. Secs. 23 + 26.

Var. $12^{\circ} 32' E.$

25.00 Frontiers Road corner S.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.00 Intersect W. S. line 9 lbs
S. of cor. to Secs. 23, 24, 25 + 26
Thence Iron
S. $89^{\circ} 56'$ W. on a true line
bet. Secs. 23 + 26. with saw or.

Subdivisions N. 18 S. R. 27 E. continued

chains
40.03

Set a Post 8 ft. long, 6 ins. square,
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ Sec. cor.
marked $\frac{1}{4}$ S. on N face, dug
pits 18 x 18 x 12 ins. E. W. of
post 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base around post.

$\frac{1}{4}$ from which
80.07

1/4 from which
80.07 $\frac{1}{4}$ Sec. cor. to Secs. 22. 23. 26 + 27
Land ascending a little E.
Soil 2^d rate
No timber.

North bet. Secs. 22 + 23.

Var. 12° - 32' E.

4.00

Leare ridge extends W.

22.50

Wet place

25.38

Wash of Ash Creek N. W then West

Subdivision N. 18 S. R. 27 E. cont.

chains

27.54 Leave Ash creek

4000 Set a Post 3 ft. long, 2 ins. square with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face, dug pits 18 + 18 + 12 ins. N. S. of cor. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base around post.

8000 Deposited a charred stake 12 ins. in the ground, for cor. to Secs. 14, 15, 22 + 23. dug pits 18 + 18 + 12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked N. 18 S. 14 on N. E.

Subdivisions T. 18 S. R. 27 E. cont.

Chains

R. 27 E. S. 23 on S. E.
 S. 22 on S. W. and
 S. 15 on N. W. face, with
 3 notches on S. and 2 notches
 on E. edges.

Land ascending a little E.

Soil 2^d rate

No timber.

Cast on a random line
 bet. Secs. 14 & 23.

Var. $12^{\circ} 32' E$

40.00 Set temporary $1/4$ sec. cor.

75.90 Run as Road course S.

80.04 Intersect W.S. line 12 Chs

S. of cor. to Secs. 13, 14, 23 & 24.

Hence I run

S. $89^{\circ} 55' W$. on a true line,

bet. Secs. 14 & 23. with same or

Subdivisions T. 18 S. R. 27 E. cont.

chains

40.02

x

Deposited a charred stake
12 ins. in the ground for $\frac{1}{4}$
sec. cor. Aug pits 18 x 18 x 12
ins. Et W. of cor. 5 $\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
over it. In E pit drove a
stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked
 $\frac{1}{4}$ S. on N face.

80.04 The cor. to Secs. 14, 15, 22 & 23

Land ascending a little E.

Soil 2^d rate

No timber.

North bet. Secs. 14 & 15.

Var. $12^{\circ} 32' E$.

40.00 Set a Post 3 ft. long, 3 ins.

Subdivisions N. 18 S. R. 27 E. cont.

chain

square, with marked stone, 12
ins. in the ground, for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ S. on N. face
dug pits 18 + 18 + 12 ins. N. & S.
of cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base around post.

8000

Deposited a charred stake
12 ins. in the ground, for cor.
to Secs. 10, 11, 14 + 15. dug
pits 18 + 18 + 12 ins. in each sec.
 $5\frac{1}{2}$ ft. dist. and raised a
mound of earth 2 ft high
4 $\frac{1}{2}$ ft. base over it. In S. E.
pit drove a stake 2 ft. long,
2 ins. square, 12 ins. in the
ground, marked
N. 18 S. S. 11 on N. E.
R. 27 E. S. 14 on S. E.

Subdivision P. 18 S. R. 27 & cont.

S. 15 on S. W. and
 S. 10 on N. W. faces, with
 4 notches on S. and 2 notches
 on E. edges.

Land ascending a little E.
 Soil 2^d & 3^d rate
 No timber.

Cast on a random line
 bet. Secs. 11 & 14.

Var. $12^{\circ} 32' E.$

40.00 Set temporary $\frac{1}{4}$ Sec. cor.

80.06 Intersect Pres. line, 14 lbs

N. of cor. to Secs. 11, 12, 13 & 14

Thence I run

N. $89^{\circ} 54' W.$ on a true line
 bet. Secs. 11 & 14, with same var.

40.03 Reprited a charred stake

Subdivision T. 18 S. R. 27 E. continued

Chains

12 ins. in the ground, for $\frac{1}{4}$ sec. cor. dug pits 18x18+12 ins. E + W. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face.

80.06 The cor. to Secs. 10, 11, 14+15.
Land ascending a little E.
Soil 2^d rate
No timber.

North bet. Secs. 10+11.

Var. $12^{\circ} 32' E!$

32.00 Wash drains W.

40.00 Reprinted a charred stake

Subdivisions S. 18 S. R. 27 E. cont.

Chain

12 ins. in the ground, for $\frac{1}{4}$ sec. cor. Aug pits 18 x 18 x 12 ins. N. & S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it. In N. pit drove a stake 1 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face.

80.00 Revisited a charred stake, 12 ins. in the ground, for cor. to Secs. 2, 3, 10, & 11. Aug pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ft high 2 ins. square, 12 ins. in the ground, marked

Subdivisions S. 18 S. R. 27 E. continued

chains

S. 18 S. S. 2 on N. E.
 R. 27 E. S. 11 on S. E.
 S. 10 on S. W. and
 S. 3 on N. W. faces, with
 5 notches on S. and 2 notches
 on E. edges.

Land ascending a little E.
 Soil 2^d rate
 No timber.

East on a random line
 bet. Secs. 2 & 11.

(Var. $12^{\circ} 32' E$)

4000 Set temporary 1/4 sec. cor.
 63.20 Little stream come N. W.
 79.89 Intersect W. S. line 10 lbs
 N. of cor. to Secs. 1, 2, 11 & 12
 Hence I run.

Subdivision S. 18 S. R. 27 E. continued

chains

- N. $89^{\circ} 56'$ W. on a true line,
bet. Secs. 2 & 11. with some ra.
- 39.94 Deposited a charred stake
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. dug pits $18 \times 18 \times 12$
ins. E & W. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it.
In E. pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. in
the ground, marked $\frac{1}{4}$ S. on N. face
- 79.89 The cor. to Secs. 2, 3, 10 & 11.
Land ascending a little E
Soil 2^d rate
No timber.

Growth on a random line,
bet Secs. 2 & 3.

Subdivision T. 18 S. R. 27 E. continued

Chains

Var. $12^{\circ} 32' E.$

- 21.42 Turkey Creek course W.
 23.80 Leave it
 32.56 Road along Creek course W.
 4000 Set temporary $\frac{1}{4}$ sec. cor.
 79.93 Intersect N. Boundary of township 9 lks E. of cor. to Secs. 2, 3, 34, & 35. which is a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base, with pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. In S. E. pit is a stake line square, marked
 T. 17 S. S. 35 on N. E.
 R. 27 E. S. 2 on S. E.
 S. 18 S. S. 3 on S. W. and
 S. 34 on N. W. ^{face} with 2 notches on E & 4 notches on W. edges.
 Hence I come

Subdivision T. 18 S. R. 27 E. cont.

Chains

S. 0°04'E on a true line, bet.
Secs. 2 & 3. with same va.

39.93 Set a Post 3 ft. long, 3 ins.
square, with marked stakes,
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S. on W.
face, with pits 18 x 18 x 12 ins.
N & S. of post $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base around post.

79.93 The cor. to Secs. 2, 3, 10 & 11
Land ascending a little E.
Soil 3 rate
No timber.

Subdivision T. 18 S. R. 27 E. continued

Class

From the Cor. to Secs.
3. 4. 33 + 34 on S. Boundary
of township, which is a
mound of earth 2 ft. high
4 1/2 ft. base, with pits 18 + 18 + 12
ins. in each sec. 5 1/2 ft. dist.
In S. E. pit is a stake 2 ins.
square marked

T. 18 S. S. 34 on N. E.

R. 27 E. S. 3 on S. E.

T. 19 S. S. 4 on S. W. and
S. 33 on N. W. faces, with
3 notches on E + W. edges.

Thence I run

North bet. Secs. 33 + 34

Var. $12^{\circ} 32' E.$

40.00 Set a porphyry rock 13 + 10 + 5
ins. 9 ins. in the ground for
1/4 sec. cor. marked 1/4 on
S. E.

Subdivisions T. 18 S. R. 27 E. cont.

chains

W. face, dug pits 18x18x12 ins.
 N. W. S. of cor. 5 1/2 ft. dist. and
 raised a mound of earth 1 1/2
 ft. high 3 1/2 ft. base along side
 80.00 Set a Porphyry rock 18x10x5
 ins. 12 ins. in the ground for
 cor. to Secs. 27. 28. 33 x 34.
 marked with 1 notch on S.
 and 3 notches on E. edges,
 and raised a mound of
 stone along side, Pit in-
 practicable
 Land Hilly + broken
 Soil 3d rate
 No timber.

East on a random line
 bet. Secs. 27 + 34.

Subdivision N 18 S. R. 27 E. continued

Chains

Cor. 12° 32' E.

33.00 Top of ridge extends h. E.

40.00 Set temporary 1/4 sec. cor.

79.97 Intersect N & S. line, 9 lbs h.
of cor. to Secs. 26, 27, 34 & 35.

Thence I run

N. 89° 56' W. on a true line,
bet. Secs. 27 & 34 with same ca.39.98 Set a Porphyry rock 157 9 + 5 ins.
10 ins. in the ground, for 1/4
sec. cor. marked 1/4 on N.face, and raised a mound
of stone alongside, Pts insp
racticable. 27, 28, 33, 3479.97 The cor. to Secs. ~~26~~ 27, ~~34~~ 35.

Land rolling

Soil 3^d rate

No timber.

Subdivisions T. 18 S. R. 27 E. cont.

chains

North bet. Secs. 27 & 28

Var. $12^{\circ} 32' E.$

4000

Set a Porphyry rock
 15 x 11 x 4 ins. 16 ins. in the
 ground, ^{for $\frac{1}{4}$ sec. cor.} marked $\frac{1}{4}$ on W. face,
 and raised a mound of
 earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
 alongside, dug pits 18 x 18 x 12
 ins. N. & S. of cor. $5\frac{1}{2}$ ft. dist.

8000

Deposited a charred stake,
 12 ins. in the ground, for
 cor. to Secs. 21, 22, 27 & 28
 dug pits 18 x 18 x 12 ins. in
 each sec. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 2 ft. high, 4 ft. base over it.
 In S. E. pit drove a stake
 2 ft. long, 2 ins. square, 12 ins.
 in the ground, marked

Subdivisions N 8 S. R. 27 E. continued

Chains
 S. 18 S. S. 22 on N. E.
 R. 28 E. S. 27 on S. E.
 S. 28 on S. W. and
 S. 21 on N. W. faces, with
 2 notches on S. and 3 notches
 on E. edges.
 Land rolling
 Soil 2^d rate
 No timber.

East on a random line,
 bet. Secs. 22 + 27.

Var. $12^{\circ} 32' E.$

4000 Set temporary $\frac{1}{4}$ sec. cor.
 79.91 Intersect N 8 S line, 11 lks
 N. of cor. to Secs. 22, 23, 26 + 27.

Thence Iron

N. 89.55' W. on a true line,

Subdivisions T. 18 S. R. 27 E. cont.

chains

bet. Secs. 22 & 27. with same as.

39.95 Set a Post 3 ft. long 3 ins.
square, with marked stone
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on 2 faces,
dug pits 18 x 18 x 12 ins. E & W.
of cor. 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high
3 $\frac{1}{2}$ ft. base around Post.

79.91 The Cor. to Secs. 21, 22, 27 & 28
Land ascending a little E.
Soil 2^d rate
No timber.

April 25, 1882.

North bet. Secs. 21 & 22.

Var. $12^{\circ} 32' E$

11.00 Ascend ridge

Subdivisions T. 18 S. R. 27 E. continued

- 40.00 Deposited a charred stake
 12 ins. in the ground, for $\frac{1}{4}$
 sec. cor. dug pits $18 \times 18 \times 12$
 ins. N. & S. of cor. $57\frac{1}{2}$ ft. dist.
 and raised a mound of
 earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
 over it. In N. pit drove
 a stake 2 ft. long 2 in. square,
 12 ins. in the ground, marked
 $\frac{1}{4}$ S. on N. face.
- 58.00 Top of ridge extends W.
- 60.60 Enter Wash of Ash Creek
 course W.
- 61.72 Leave it.
- 80.00 Set a Post 4 ft. long, 4 ins.
 square, with marked stone
 12 ins. in the ground, for
 cor. of Secs. 15, 16, 21 & 22 marked
 T. 18 S. S. 15 on N. E.

Subdivisions T. 18 S. R. 27 E. cont.

chains

R. 27 E. S. 22 on S. E.
 S. 21 on S. W. end,
 S. 16 on N. W. face, with
 3 notches on S. & E. edges,
 with pits 18 x 18 x 12 ins. in
 each sec. 5 1/2 ft. dist. and
 raised a mound of earth
 2 ft. high 4 1/2 ft. base around
 post.

Land ascending a little E.
 Soil 2^d rate

No timber.

East on a random line, bet.
 Secs. 15 & 22.

Var. 12° 32' E'

4000 Set temporary 1/4 sec. cor.
 80.06 Intersect N. S. line, 15 lbs

Subdivisions T. 18 S. R. 27 E. continued.

chains

N. of cor. to Secs. 14, 15, 22 & 23.

Thence I run

N. $89^{\circ} 53'$ W. on a true line,
bet Secs. 15 & 22, with saw oak.

40.03. Deposited a charred stake,
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. dug pits 18 & 18 & 12 ins.
E & W. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base over it. In
E. pit drove a stake 2 ft. long,
2 ins. square, 12 ins. in the
ground, marked $\frac{1}{4}$ S. on N.
face.

80.06 The cor. to Secs. 15, 16, 21 & 22
Land ascending a little E.
Soil 2d rate
No timber.

Subdivisions T. 18 S. R. 27 E. cont.

chains

North bet. Secs. 15 & 16.

Var. $120^{\circ} 32' E$.

40.00 Deposited a charred stake
 12 ins. in the ground, for $\frac{1}{4}$
 sec. cor. dug pits $18 \times 18 \times 12$
 ins. h x s. of cor. $5\frac{1}{2}$ ft. dist.
 and raised a mound of
 earth $1\frac{1}{2}$ ft. high $9\frac{1}{2}$ ft. base
 x over it. In N. pit drove a
 stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked
 $\frac{1}{4}$ S. on W. face.

80.00 Set a post 4 ft. long, 4 ins.
 square, with marked stone
 12 ins. in the ground, for cor.
 to Secs. 9, 10, 15 & 16. marked
 T. 18 S. S. 10 on N. E.
 R. 28 E. S. 15 on S. E.
 S. 16 on S. W. and

Subdivisions T. 18 S. R. 27 E. continued

Chains

S. 9 on N. W. faces, with 4
notches on S. and 3 notches
on E. edges, dug pits 18 x 18 1/2
ins. in each sec. 5 1/2 ft. dist.
and raised a mound of earth
eft. high, 4 1/2 ft. base around
Post.

Land ascending a little E.
Soil 2^d rate
No timber.

East on a random line,
bet. Secs. 10 & 15

Var. $12^{\circ} 32' E.$

4000 Set temporary 1/4 sec cor.
79.95 Intersect W. S. line 12 lks
S. of cor. to Secs. 10, 11, 14 & 15
Thence 9 min

Subdivisions T. 18 S. R. 27 E. cont.

chains

S. 89° 55' W. on a true line,
bet. Secs. 10 & 15, with same co.

39.97 Set a Post 3 ft. long, 3 ins. square,
with marked stone, 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N. face,
dug pits 18 x 18 x 12 ins. E & W
of cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base around Post.

79.95 The cor. to Secs. 9, 10, 15 & 16
Land ascending a little E.
Soil 2^d rate
No timber.

North bet. Secs. 9 & 10.

Var. $12^{\circ} 32' E.$

4,000 Deposited a charred stake

Subdivisions S. 18 S. R. 27 E. continued

Lains

12 ins. in the ground, for $\frac{1}{4}$ sec. cor. dug pits 18+18+12 ins. N & S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on W. face.

56.85

Wash drains. W.

8000

Set a post 4 ft. long, 4 ins. square, ^{with marked stone} 12 ins. in the ground for cor. to Secs. 3, 4, 9, 10. Marked $\frac{1}{4}$ S. 18 S. S. 3 on N. E. R. 28 E. S. 10 on S. E. S. 9 on S. W. and S. 4 on N. W. faces, with 5 notches on S. & 3 notches on E. edges, dug pits 18+18+12

Subdivision N. 18 S. R. 27 E. cont.

chain

ins. in each sec. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth 2 ft. high, $4\frac{1}{2}$ ft. base
around post.

Land ascending a little E.
Soil 2^d rate
No timber.

Cast on a random line
bet. Secs. 3 & 10.

Cor. $12^{\circ} 32' E.$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.94 Intersect N & S. line 12

W. S. of cor. to Secs. 2, 3, 10 & 11.

Hence I run

S. $89^{\circ} 55' W.$ on a true line
bet. Secs. 3 & 10. with same

39.97 Set a Post 3 ft. long, 3 ins.

Subdivision N. 18 S. R. 27 E. continued

Chain

square, with marked stone,
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S. on N.
face, dug pits $18 \times 18 \times 12$ ins.
E & W. of post $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
around post.

79.94 The Cor. to Secs. 3, 4, 9, & 10.
Land ascending a little E.
Soil 2^d rate
No timber.

North on a random line,
bet. Secs. 3 & 4.

Var. $12^{\circ} 32' E!$

33.23 Turkey Creek course N. of W.
35.92 leave it.

Subdivision T. 18 S. R. 27 E. cont.

chains

40.00 Set temporary $\frac{1}{4}$ sec. cor.79.91 Intersect N. Boundary
of township. 11 lbs N. of
cor. to Secs. 3, 4, 33 & 34, which is aPost 4 ins. square, marked
T. 17 S. S. 34 on N. E.

R. 27 E. S. 3 on S. E.

T. 18 S. S. 4 on S. W. and

S. 33 on N. W. faces. with
3 notches on E & W. edges.and pits $18 \times 18 \times 12$ ins. in
each sec. $5\frac{1}{2}$ ft. dia. andmound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base around post.

Hence I mm.

S. $0^{\circ}05'$ W. on a true line,
bet. Secs. 3 & 4. with same on39.91 Set a Post 3 ft. long, 3 ins.
square, with marked stone

Subdivisions N. 18 S. R. 27 E. cont.

chains

12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, dug pits 18 x 18 x 12 ins. N + S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post, from which a Willow 4 ins. dia br. S. 64° W. 379 lbs dist. marked $\frac{1}{4}$ S. B. S.

An Ash 15 ins. dia br. S. $18\frac{1}{2}^{\circ}$ E. 841 lbs dist. marked $\frac{1}{4}$ S. B. S.

79.91 The Cor. to Secs. 3, 4, 9 + 10.

Land ascending a little E.
Soil 2d rate

No timber except along creek

Subdivisions S. 18 S. R. 27 E. cont.

Chains

From the Cor. to Secs. 4
5, 32 & 33, on S. Bound-
ary of township, which is a
Lava rock set firmly in the
ground, marked with 4
notches on E. & 2 notches on
W. edges, with mound of
stone alongside, Thence
Inu North bet. Secs. 32 & 33

Cor. $12^{\circ} 32' E'$

- 40.00 Set a Porphyry rock $14 \times$
 12×7 ins. 10 ins. in the ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
on W. face Aug pits $18 \times 18 \times 12$
ins. N. & S. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. ^{base} alongside.
- 80.00 Set a Porphyry rock $12 \times 10 \times 8$
ins. 8 ins. in the ground

Subdivisions T. 18 S. R. 27 E. continued.

chains

for cor. to Secs. 28, 29, 32 & 33.
 marked with 1 notch on S. and
 4 notches on E. edges, dug pits
 18 x 18 x 12 ins. in each sec.
 5 1/2 ft. dist. and raised a
 mound of earth 1 1/2 ft high
 4 1/2 ft. base alongside.
 Land Hilly & broken
 Soil 3^d rate
 No timber.

Cast on a random line
 bet. Secs. 28 & 33.

Corr. 12° 32' E.

45.00 Set temporary 1/4 sec. cor.

80.14 Intersect N.S. line 1000
 S. of cor. to Secs. 27, 28, 33 & 34

Plene & mm.

Subdivisions T. 18 S. R. 27 E. cont.

- chain S. $89^{\circ} 56'$ W. on a true line
bet. Secs. 28 & 33. with same on.
- 40.07 Set a Porphyry rock $14 \times 10 \times 5$
ins. 10 ins. in the ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
on N. face, dig pits $18 \times 18 \times 12$
ins. E & W. of cor. $5\frac{1}{2}$ ft.
dist and raised a mound
of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$
ft. base along side
- 80.14 The Cor. to Secs. 28, 29, 32 & 33
Land hilly & broken
Soil 3^d rate
No timber.

+

North bet. Secs. 28 & 29.

Var. $12^{\circ} 32'$ E.

40.00 Set a Porphyry rock.

Subdivisions T. 18 S. R. 27 E. continued.

chains

16 x 7 x 5 ins. 11 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, and raised a mound of stone alongside. Pits impracticable.

8000

Revisited a charred stake 12 ins. in the ground for cor. to Secs. 20, 21, 28 & 29. dug pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dia. and raised a mound of earth 2 ft. high 4 ft. base over it. In S. E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked T. 18 S. S. 21 on N. E. R 28 E. S. 28 on S. E. S. 29 on S. W. and

Subdivisions T. 18 S. R. 27 E. cont

chains

S. 20 on N. W. faces, with 2
notches on S. and 4 notches
E. edges.

Land ascending a little E.

Soil 2^d rate

No timber.

East on a random line,
bet. Secs. 21. + 28

Var. $12^{\circ}32'8''$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.08 Intersect W. S. line 9 lks S.
of cor. to Secs. 21. 22. 27 & 28.

Thence I run

S. $89^{\circ}56'$ W. on a true line, bet
Secs. 21 & 28. with same on

40.04 Deposited a charred stake in
inv. in the ground, for $\frac{1}{4}$ sec.

Subdivisions N. 18 S. R. 27 E. continued

chains

cor. dug pits 18 x 18 x 12 ins. E & W.
of cor. 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high
3 1/2 ft. base over it. In E pit
drove a stake 2 ft. long, 2 ins.
square, 22 ins. in the ground,
marked 1/4 S. on N. face.

80.08 The cor. to Secs. 20, 21, 28 & 29
Land ascending a little E.
Soil 2^d rate
No timber.

North bet. Secs. 20 & 21

Var. 1203 2' E.

40.00 Repeated a charred stake
2 ins. in the ground, dug pits
18 x 18 x 12 ins. N & S. of cor. 5 1/2 ft.
dist. and raised a mound

Subdivisions S. 18 S. R. 27 E. cont.

chains

of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. square, 12 ins. in the ground marked $\frac{1}{4}$ S. on N. face.

8000

Set a post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for cor. to secs. 16, 17, 20 + 21, marked S. 18 S. S. 16 on N. E.

R. 27 E. S. 21 on S. E.

S. 20 on S. W. and

S. 17 on N. W. faces, with 3 notches on S. and 4 notches on E. edges, dug pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base around post.

Subdivisions N. 18 S. R. 27 E. continued

Chain

Land ascending a little E.
Soil 2^d rate
No timber.

April 26. 1882

East on a random line,
bet. Secs. 16 & 21.

Var. $12^{\circ} 32' E$

16.00 Sandy Wash course N. W.

17.80 Leave it

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.10 Intersect N + S line 12 chs
S. of cor. to Secs. 15, 16, 21 & 22

Thence I run

S. $89^{\circ} 55'$ W. on a true line,
bet. Secs. 16 & 21 with same va.

40.05 Deposited a charred stick
12 ins. in the ground for $\frac{1}{4}$
sec. cor. dug pits 18 & 18 & 22

Subdivisions T. 18 S. R. 27 E. cont.

Chains.

ius, E & W. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
over it. In E pit drove a
stake 2 ft. long, 2 in. square,
12 in. in the ground, marked
 $\frac{1}{4}$ S. on N. face.

80.10 The cor. to Secs. 16, 17, 20 & 21
Land ascending a little E.
Soil 2^d rate
No timber.

North bet. Secs. 16 & 17
Var. $12^{\circ} 30' E.$

5.00 Wash 100 lbs wide drains W.
40.00 Deposited a charred stake
12 in. in the ground, for
 $\frac{1}{4}$ sec. cor. dug pits 18" & 18"

Subdivisions T. 18 S. R. 27 E. cont.

Chain

ins. N + S. of cor. 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base
over it. In N. Pit drove a
stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked
1/4 S. on N. face.

80.00 Reported a charred stake 12
ins. in the ground, for cor.
to Secs. 8, 9, 16 + 17. dug pits
18 + 18 + 12 ins. in each sec.
5 1/2 ft. dist. and raised a
mound of earth 2 ft. high
4 1/2 ft. base over it. In S. E.
pit drove a stake 2 ft. long 2
ins. square, 12 ins. in the ground
marked T. 18 S. 9 on N. E.
R. 28 E. S. 16 on S. E.
S. 17 on S. W. and
S. 8 on N. W. faces.

Subdivisions N. 18 S. R. 27 E. cont.

Chains

with 4 notches on S. & E.
edges.

Land nearly flat

Soil 2^d rate

No timber.

East on a random line
bet. Secs. 9 & 16.Var. $120^{\circ}32'E$ 40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.05 Intersect N & S. line 13 lps

N. of cor. to Secs. 9, 10, 15 & 16

Thence 9 nm

N. $89^{\circ}54'W$, on a true line
bet. Secs. 9 & 16, with same on.40.02 Reprinted a charred stake
12 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. dug pits $18 \times 18 \times 12$

Subdivision S. 18 S. R. 27 E. cont.

Chains

ins. E + W. of cor. $5\frac{1}{2}$ ft. dist
and raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it.
In E. pit drove a stake 4 ft.
long, 2 ins. square, 12 ins. in
the ground, marked $\frac{1}{4}$ sec. on
N. face.

80.05 The cor. to Secs. 8, 9, 16 + 17
Land nearly flat
Soil 2^d rate
No timber.

North bet. Secs. 8 + 9
Var. $12^{\circ} 32' E$.

40.00 Deposited a charred stake
12 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. Aug pit $18 \times 18 \times 12$
ins. N + S. of cor. $5\frac{1}{2}$ ft. dist.

Subdivisions T. 18 S. R. 27 E. cont.

Chains

and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long, 2 ins. square, ^{12 ins. in the ground} marked 4 S. on N. face.

8000 Deposited a charred stake 12 ins. in the ground for cor. to Secs. 4, 5, 8 & 9, dug pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked T. 18 S. S. 4 on N. E., R. 27 E. S. 9 on S. E., S. 8 on S. W. and S. 5 on N. W. faces, with 5 notches on S. and 4 notches

Subdivisions T. 18 S. R. 27 E. continued

chains

on E. edges.

Land nearly flat
soil 2^d rate

No timber.

 East on a random line, bet.
Secs. 4 & 9.
Var. $12^{\circ}32' E$ 40.00 Set temporary $\frac{1}{4}$ sec. cor.80.07 Intersect E & W. line 10 lks
S. of cor. to Secs. 3, 4, 9 & 10.

Thence I run

 $S 89^{\circ}56' W$. on a true line, bet.
Secs. 4 & 9. with same va.40.03 Deposited a charred stake
in the ground for $\frac{1}{4}$ sec.
cor. dug pits $18 \times 18 \times 12$ ins.E & W. of cor. $3\frac{1}{2}$ ft. dist. and

Subdivisions, T-18 S. R. 27 E. cont.

chain

raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it.

In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S on N. face

80.07 The Cor. to Secs. 4, 5, 8 & 9.
Land nearly flat
Soil 2^d rate
No timber.

North on a random line
bet. Secs. 4 & 5.

Var. $12^{\circ} 32' E$

40.00 Set temporary $\frac{1}{4}$ Sec. cor.
53.50 Turkey Creek drain N.
57.50 Leave it.
63.26 Road along Creek

Subdivisions T. 18 S. R. 27 E. cont.

chains

80.09

Intersect N. Boundary of Township 13 lks N. of cor. to Secs. 4, 5, 32 & 33, which is a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base, with pits 18 + 18 + 12 ins. in each sec. 5' left. dist. In S. E. pit is a stake 2 ins. square marked.

T. 17 S. S. 33 on N. E.

R 27 E. S. 4 on S. E.

T. 18 S. S. 5 on S. W. and S. 32 on N. W. faces, with 4 notches on E. & 2 notches on W. edges.

Thence I run

S⁰0°06' W. on a true line, bet. Secs. 4 & 5, with same va.

40.09

Set a Post 8 ft. long 3 ins. square, with marked stone

Subdivisions T. 18 S. R. 27 E. cont.

chains

12 ins. in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ S. on W. face, dug pits 18x18x12 ins. N. & S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around. Posts

80.09 The cor. to Secs. 4, 5, 8 & 9
Land nearly level
Soil 2^d rate
Some trees along creek to E.

From the cor. to Secs.
5, 6, 31 & 32. on S. Band
any, of township which
is a lava rock set firmly
in the ground marked with
5 notches on E. & 1 notch on

Subdivision S. 18 S. R. 27 E. continued

Chains

W. edges, and mound of
stone alongside.

Thence 9 m. North let.
Secs. 31 + 32.

Var. $12^{\circ} 32' E.$

4000 Set a Porphyry rock $12 + 10 + 6$
ins. 8 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W.
face, dug pits $18 + 18 + 12$ ins.

W. of cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base alongside.

8000 Set a Porphyry rock $13 + 9 + 7$ ins.
10 ins. in the ground, for cor.
to Secs. 29, 30, 31 + 32. marked
with 1 notch on S. and 5
notches on E. edge, dug pits
 $18 + 18 + 12$ ins. in each sec. $5\frac{1}{2}$
ft. dist. and raised a mound

Subdivision T. 18 S. R. 27 E. cont.

chains

of earth left high $4\frac{1}{2}$ ft.
base alongside.

Land hilly & broken
Soil 3^d rate
No timber.

East on a random line bet.
Secs. 29 & 32.

Var. $12^{\circ} 32' 8''$

6.00 Ascend ridge

26.00 Top

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.16 Intersect N & S. line 8 lbs S.
of cor. to Secs. 28, 29, 32 & 33

Thence I run

S. $89^{\circ} 57' W.$ on a true line,
bet. Secs. 29 & 32. with same var.

40.08 Set a lava rock $14 \times 10 \times 9$

Subdivisions S. 18 S. R. 27 E. cont.

Chairs

was 10 ins. in the ground for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on
 N. face, and raised a mound
 of stone alongside.

80.16 The Cor. to Secs. 29, 30, 31 + 32
 Land Hilly + broken
 Soil 3^d rate
 No timber.

West on a random line,
 bet Secs. 30 + 31

Var. $12^{\circ} 32' E$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.00 Intersect N. Boundary of
 township 9 lbs S. of cor. to Secs.
 25, 30, 31 + 36, which is a
 mound of earth 2 ft. high, $4\frac{1}{2}$
 ft. base, with pits $18 \times 18 \times 12$

Subdivision T. 18 S. R. 27 E. cont.

Chains.

ins in each sec. $5\frac{1}{2}$ ft. dist
In S. E. pit is a stake 2 ins.
square, marked

T. 18 S. S. 30 on N. E.

R. 27 E. S. 31 on S. E.

R. 26 E. S. 36 on S. W. and

S. 25 on N. W. faces, with
5 notches on N. & 1 notch on S.
edges. Thence I run

S. $89^{\circ} 56'$ E. on a true line
bet. Secs. 30 & 31 with same ^{course}

39.00 Reprited a charred stake
12 ins. in the ground for $\frac{1}{4}$
sec. cor. dug pits $18 \times 18 \times 12$
ins. E & W. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it.
In E. pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. in

Subdivision N. 18 S. R. 27 E. cont.

chains

the ground, marked $\frac{1}{4}$ S on
N face,

79.00

The cor. to Secs. 29, 30, 31 & 32.
Land descending W.
Soil 2^d & 3^d rate
No timber.

North bet. Secs. 29 & 30.

Var. $12^{\circ} 32' E$.

40.00

Set a Porphyry rock $18 \times 10 \times 4$
ins. 12 ins. in the ground, ^{for $\frac{1}{4}$ sec. cor.}
marked $\frac{1}{4}$ on W. face, and
raised a mound of stone
along side. Pit impracticable.

41.50

Top of slope

80.00

Reprited a charred stake
12 ins. in the ground for cor.
to Secs. 19, 20, 29 & 30.

Subdivisions T. 18 S. R. 27 E. cont.

chains

dug pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ft. long, 2 ins. ^{square} into the ground, marked T. 18 S. 20 on N. E. R. 27 E. S. 29 on S. E. S. 30 on S. W. and S. 19 on N. W. faces, with 2 notches on S. and 5 notches on E. edges.

Land descending W.

Soil 3^d rate

No timber.

East on a random line bet. Secs. 20 & 29.

Subdivisions N. 18 S. R. 27 E. continued

chains

Var. $12^{\circ} 32' E.$

- 4000 Set temporary $\frac{1}{4}$ sec cor.
- 79.93 Intersect N + S. line 12 lbs
N of cor. to Secs. 20. 21. 28 + 29
Thence I run
N. $89^{\circ} 55'$ W. on a true line,
bet. Secs. 20 + 29. with same on.
- 39.96 Deposited a charred stake 12
ins. in the ground, for $\frac{1}{4}$ sec.
cor. dug pits 18 + 18 + 12 ins.
E + W of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it.
In E. pit. drove a stake 2 ft.
long, 2 ins. square, 12 ins. in
the ground, marked $\frac{1}{4}$ S. on
N. face.
- 79.93 The cor. to Secs. 19. 20. 29. 30
Land descending W.

Subdivisions T. 18 S. R. 27 E. cont.

Chain. Soil 3^d rate
No timber.

West on a random line,
bet. Secs. 19 + 30.

Var. $12^{\circ} 32' E$.

4000 Set temporary $\frac{1}{4}$ sec. cor.

78.85 Intersect N. Boundary of
township ^{15 lbs N. of cor to Sec.} 19.24.25 + 30.

which is a Porphyry rock
set firmly in the ground
marked with 4 notches on
N. and 2 notches on S. edges.

and mound of stone along
side. Thence I run

N. $89^{\circ} 54' E$ on a true line
bet. Secs. 19 + 30. with same var.

38.85 Deposited a charred stake

Subdivision N. 18 S. R. 27 E. continued

chain

12 ins. in the ground, for $\frac{1}{4}$ sec.
 cor. dug pits 18 x 18 x 12 ins.
 E x W. of cor. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth $1\frac{1}{2}$
 ft. high $3\frac{1}{2}$ ft base over it.
 In E pit drove a stake 2 ft.
 long, 2 ins. square, 12 ins. in
 the ground, marked $\frac{1}{4}$ S. on
 N. face.

78.85 The Cor. to Secs. 19, 20, 29 x 30.
 Land partly flat
 Soil 2^d rate
 No timber.

April 27. 1882.

North bet. Secs. 19 x 20.

Var. $12^{\circ} 32' E$.

40.00 Deposited a charred stake,

Subdivision N. 18 S. R. 27 E. cont.

chains

12 ins. in the ground for $\frac{1}{4}$ Sec. cor. dug pits 18 + 18 + 12 ins. N + S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face.

80.00 Deposited a charred stake, 12 ins. in the ground for Cor. to Secs. 17, 18, 19 + 20. dug pits 18 + 18 + 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked

Subdivisions T. 18 S. R. 27 E. cont.

Chains

T. 18 S. S. 17 on N. E.
 R. 27 E. S. 20 on S. E.
 S. 19 on S. W. and
 S. 18 on N. W. faces, with
 3 notches on S. and 5 notches
 on E. edges.

Land nearly flat

Soil 2^d rate

No timber.

East on a random line,
 bet. Secs. 17 & 20.

Var. $12^{\circ} 32' E$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

70.90 Wash of Ash Creek 3000 wide
 course S. W.

79.97 Intersect W.S. line 1000
 S. of cor. to Secs. 16, 17, 20, 21

Subdivision S. 18 T. R. 27 E. cont.

Chain

Thence I run

S. $89^{\circ} 56'$ W. on a true line
 bet. Secs. 17 & 20. with same on

39.98 Reprited a charred stake
 12 ins. in the ground for $\frac{1}{4}$
 sec. cor. dug pits 18 x 18 x 2
 ins. E & W. of cor. 5 $\frac{1}{2}$ ft. dist.
 and raised a mound of
 earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
 base over it. In E pit.
 drove a stake 2 ft. long, 2 ins.
 square, 12 ins. in the ground
 marked $\frac{1}{4}$ S. on N face.

79.97 The cor. to Secs. 17, 18, 19 & 20
 land nearly flat
 Soil 2^d rate
 No timber.

Subdivision P. 18 S. R. 27 E. continued

chains

West on a random line,
bet. Secs. 18 + 19.

Var. $120^{\circ} 32' E.$

0.67 Wash of Ash Creek 200ks
wide come N. W.

4000 Set temporary $1/4$ sec. cor.

78.50 Intersect W. Boundary of
Township. 130ks N. of cor.

to Secs. 13, 18, 19 + 24, which
is a mound of earth 4ft. high
 $4\frac{1}{2}$ ft. base, with pits 18 + 18 + 2
ins. in each sec. $5\frac{1}{2}$ ft. dist.

In S. E. pit is a stake 2 ins.
square, marked

P. 18 S. S. 18 on N. E.

R. 27 E. S. 19 on S. E.

R. 26 E. S. 24 on S. W. and

S. 13 on N. W. faces, with
3 notches on N. & S. edges.

Subdivisions T. 18 S. R. 27 E. cont.

chain

Thence from

N. 89° 54' E. on a true line,
bet. Secs. 18 & 19, with same va.

38.50 Reported a charred stake
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. dug pits 18 x 18 x 12
ins. E & W. of cor. 5 $\frac{1}{2}$ ft. dist.
and raised a mound of earth
1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it.
In E. pit drove a stake ft
long 2 ins. square, 12 ins. in
the ground, marked $\frac{1}{4}$ S.
on N. face.

48.50 The Cor. to Secs. 17, 18, 19 & 20
Land nearly flat
Soil 2^d rate
No timber.

Subdivisions T. 18 S. R. 27 E. continued

chains

North bet. Secs. 17 & 18

Var. $12^{\circ} 32' E.$

40.00

Deposited a charred stake
12 ins. in the ground for $\frac{1}{4}$
sec. cor. dug pits $18 \times 18 \times 12$
ins. N. & S. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it.
In N. pit drove a stake 2 ft
long, 2 ins. square 12 ins. in
the ground, marked $\frac{1}{4}$ S.
on N. face.

80.00

Deposited a charred stake
12 ins. in the ground for cor.
to Secs. 7, 8, 17 & 18, dug
pits $18 \times 18 \times 12$ ins. in each sec.
 $5\frac{1}{2}$ ft. dist. and raised a
mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base over it. In S. E.

Subdivisions T. 18 S. R. 27 E. cont.

chain

pit, drove a stake 4 ft.
long, 2 in. square, 12 in. in
the ground, marked
T. 18 S. S. 8 on N. E.
R. 27 E. S. 17 on S. E.
S. 18 on S. W. and
S. 7 on N. W. faces, with
4 notches on S. and 5
notches on E. edges.
Land nearly flat.
Soil 2^d rate
No timber.

East on a random line
bet. Secs. 8 & 17.

Var. $12^{\circ} 32' E$

40.00 Set temporary $\frac{1}{4}$ sec. cor.
80.08 Intersect N & S. line of Sec

Subdivision N. 18 S. R. 27 E. cont.

chains

S. of cor. to Secs. 8, 9, 16 & 17
Thence I run

S. $89^{\circ} 57' W$. on a true line,
bet. Secs. 8 & 17. with same va.

4004 Deposited a charred stake
12 ins. in the ground for $\frac{1}{4}$
sec. cor. dug pits $18 \times 18 \times 12$
ins. E & W. of cor. $5 \frac{1}{2}$ ft. dist.
and raised a mound of
earth $1 \frac{1}{2}$ ft. high $3 \frac{1}{2}$ ft. base
over it. In E. pit drove a
stake 4 ft. long, 2 ins. square,
12 ins. in the ground marked
 $\frac{1}{4}$ S. on N. face.

8008 The cor. to Secs. 7, 8, 17 & 18.
Land nearly flat
Soil 2^d rate
No timber.

Subdivisions T. 18 S. R. 27 E. cont.

chains

West on a random line
bet. Secs. 7 & 18.

Var. $12^{\circ} 32' E$

4000 Set temporary $\frac{1}{4}$ sec. cor.
78.57 Intersect N. Boundary of
township, 1000s S. of cor. to
Secs. 7, 12, 13 & 18 which was
mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base with pits $18 \times 18 \times 12$
ins. in each sec. $5\frac{1}{2}$ ft. dist.
and in S. E. pit a stake 2 ins.
sq. are marked.

T. 18 S. S. 7 on N. E.

R. 27 E. S. 18 on S. E.

R. 26 E. S. 13 on S. W. and
S. 12 on N. W. faces, with
2 notches on N. & 4 notches
on S. edges.

Thurs June.

Subdivisions P. 18 S. R. 27 E. cont.

- Chains S. $89^{\circ}56'$ E. on a true line,
bet. Secs. 7 & 18, with an un. va.
- 38.57 Deposited a charred stake
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. dug pits $18 \times 18 \times 12$
ins. E & W. of cor. $3\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it.
In E. pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. in
the ground, marked $\frac{1}{4}$ S.
on N. face.
- 78.57 The cor. to Secs. 7, 8, 17 & 18
Land nearly flat
Soil 2^d rate
No timber.

North bet. Secs. 7 & 8.

Subdivisions S. 18 S. R. 27 E. cont.

chains

Var. $12^{\circ} 32' E.$

40.00 Deposited a charred stake
 12 ins. in the ground for $\frac{1}{4}$
 sec. cor. dug pits $18 \times 18 \times 12$
 N & S. of cor. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it.
 In N. pit drove a stake 2 ft.
 long, 2 in. square, 12 ins. in
 the ground, marked $\frac{1}{4}$ S. on
 N. face.

42.00 Wash 50 lbs wide curve N.

80.00 Deposited a charred stake
 12 ins. in the ground for cor.
 to Secs. 5, 6, 7 & 8. Dug pits
 $18 \times 18 \times 12$ in. in each sec.
 $5\frac{1}{2}$ ft. dist. and raised a
 mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base over it. In

Subdivisions P. 18 S. R. 27 E. cont.

S. E. pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. in
the ground, marked
P. 18 S. S. 5 on N. E.
R. 28 E. S. 8 on S. E.
S. 7 on S. W. and
S. 6 on N. W. faces, with
5 notches on S. & E. edges.
Land nearly flat
Soil 2^d rate
No timber.

East on a random line,
bet. Secs. 5 & 8.

Var. $12^{\circ} 32'$ E.

40.00 Set temporary 1/4 sec. cor.
80.05 Intersect N. S. line 8 lbs
N. of cor. to Secs. 4, 5, 8 & 9

Subdivision P. 18 S. R. 27 E. con

chains

Newell Iron

N. 89° 57' W. on a true, line
bet. Secs. 5 & 8. with same on.

40.02 Depicted a charred stake
12 ins. in the ground for $\frac{1}{4}$
sec. cor. dug pits 18x18x12
ins. E x W. of cor. 5 $\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft.
base over it. In E. pit drove
a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked
 $\frac{1}{4}$ S. on N. face.

80.05 The cor. to Secs. 5, 6, 7 & 8.
Land nearly flat
Soil 2^d rate
No timber.

Subdivisions N. 18 S. R. 27 E. cont.

chains

West on a random line,
bet. Secs. 6 & 7.Var. $12^{\circ} 32' E$ 40.00 Set temporary $\frac{1}{4}$ sec. cor.78.60 Intersect W. B. boundary of
township. 9 lks S. of cor. to
Secs. 1, 6, 7 & 12, which is a
mound of earth 2 ft. high $4\frac{1}{2}$ ft.
base, with pits $18 \times 18 \times 12$ ins.
in each sec. $5\frac{1}{2}$ ft. dist. In
S. E. pit is a stake 2 ft. long,
2 ins. square marked

N. 18 S. S. 6 on N. E.

R. 27 E. S. 7 on S. E.

R. 26 E. S. 12 on S. W. and
S. 1 on N. W. faces, with
1 notch on N. & 5 notches on
S. edges. Thence I run
S. $89^{\circ} 56' E$ on a true line

Subdivision N. 18 S. R. 27 E. cont.

chains

bet. Secs. 6 & 7. with same ca.
38.60 He pointed a charred stake
12 ins. in the ground for $\frac{1}{4}$
sec. cor. dug pits 18 x 18 x 12
ins. E. & W. of cor. $5\frac{1}{2}$ ft.

dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft.
base over it. In E. pit.

Drove a stake 2 ft. long, 2 ins.
square, 12 ins. in the ground,
marked $\frac{1}{4}$ S. on N. face.

78.60 The cor. to Secs. 5, 6, 7 & 8

Land nearly flat.
Soil 2^d rate
No timber.

North on a random line
bet. Secs. 5 & 6.

Subdivisions T. 18 S. R. 27 E. cont.

chains

Var. $12^{\circ} 32' E.$ 4000 Set temporary $\frac{1}{4}$ sec. cor.6000 Turkey Creek 100ks wide
drains W.80. 11 Intersect N. Boundary of
township. 100ks E. of cor. to
Secs. 5, 6, 31 & 32, which is a
mound of earth 2ft. high, $4\frac{1}{2}$
ft. base, with pits $18 \times 18 \times 12$
ins. in each sec. $5\frac{1}{2}$ ft. dist.
On S. E. pit is a stake 2 ins.
square, marked.T. 18 S. S. 32 on N. E.
R. 27 E. S. 5 on S. E.T. 18 S. S. 6 on S. W. and
S. 31 on N. W. faces, with
5 notches on E. & 1 notch on
W. edges. Hence I run
S. $0^{\circ} 04' E.$ on a true line

Subdivisions S. 18 S. R. 27 E. continued.

- Chains
 40.11 bet. Secs. 5 & 6. with same on
 deposited a charred stake
 12 ins. in the ground for
 $\frac{1}{4}$ sec. cor. dug pits 18x18
 ins. N. & S. of cor. $5\frac{1}{2}$ ft. dist.
 and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it
 In N. pit drove a stake
 2 ft. long 2 ins. square 12
 ins. in the ground, marked
 $\frac{1}{4}$ S. on N. face
- 80.11 The cor. to Secs. 5, 6, 7 & 8
 Land nearly level
 Soil 2^d rate
 no timber.

April 28, 1882.

(7)
Subdivision: T. 18 S. R. 27 E.

General Description;

This township has mostly a plain surface descending a little to the west. There is excellent grazing throughout its extent. Permanent water is found along the wash of Turkey Creek accommodation large herds of cattle etc. Much of this land throughout this Sulphur Spring Valley would be productive if means were found to irrigate it.

Theodore S. White
U. S. Deputy Surveyor

1111
List of Names.

BOOK 883 98

A List of the Names of Individuals employed by
Nedore F. White U. S. deputy
surveyor, to assist in running, measuring, or marking the lines
and corners described in the foregoing Field Notes of the survey
of the subdivision lines of
Township No. 18 S. Range
No. 27 E. Gila & Salt River
Base & Meridian Territory
of Arizona

Showing the respective capacities in which they acted.

J. H. McClure Chainman.
J. O. Ford Chainman.
John Blake Axeman.
Saul K. Van Pelt Flagman.
Joe Schwarz, & *Geo. P. May* etc
Monument

Final Oath of Assistants.

BOOK 883

We hereby certify that we assisted Theodore F. White U. S. Deputy Surveyor, in surveying all those parts or portions of the subdivision lines of township no 18 S. R. No. 27 E. Gila & Salt River Base & Meridian Territory of Arizona

as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor-General for Arizona.

J. H. Mc Blue Chainman.

J. O. Ford Chainman.

John Blake Axeman.

James Thomas Flagman.

Sworn to and subscribed before me, this 13 day of

May, 1882

Paul Riccker
Notary Public Pinal
County, Arizona.

Final Oath of Deputy Surveyor.

BOOK 883

I, *Theodore J. White*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of instructions received from John Wasson, United States Surveyor-General for Arizona, bearing date the

day of 188..., I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of

the
Subdivisions lines of town-
ship No. 18 S. R. No. 27 E.
Gila & Salt River Base &
Meridian Territory of
Arizona.

as are represented

in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific manner described in the

10 field notes, and that the foregoing are the true Field Notes of such survey, and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846

Theodore F. White

U. S. Deputy Surveyor.

Sworn to and subscribed before me this 3rd day of

May, 1882

Paul Riccker

Notary Public Pima
County Arizona.

BOOK 883

BOOK 883

BOOK 883 102

U. S. Surveyor General's Office,

Tucson, Arizona, July 5, 1882

The foregoing Field Notes of the survey of

the
Subdivisions of Township

18 South Range 24 East

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theo. G. White,

D. S., under his contract of the 6th day of

December, 1871, having been critically ex-

amined and the necessary corrections and explanations

made, the said Field Notes and the surveys they de-

scribe, are hereby approved.

John Masson

Surveyor General.