

No. 884

BOOK 884

884

Field Notes

OF THE SURVEY OF THE BOOK 884

SUBDIVISION LINES

-OF- No. 884

Township 18 South Range 28 East

Gila and Salt River Base and Meridian

ARIZONA.

By *Theo. F. White* D. S.

under contract dated *Dec 6. 1881.*

Survey commenced *Apr 5. 1882.*

Survey completed *Apr 10. 1882.*

1A

BOOK 884 INDEX DIAGRAM.

Township 18 S.

Range R. 28 E.

6	96	5	70	4	53	3	36	2	18	1
93		92		69		52		34		17
7	90	8	67	9	50	10	33	11	15	12
88		87		66		48		31		13
18	86	17	64	16	47	15	30	14	12	13
84		83		63		45		28		10
19	81	20	61	21	44	22	26	23	8	24
79		78		60		42		25		7
30	76	29	59	28	41	27	24	26	5	25
75		74		57		39		22		3
31	71	32	55	33	38	34	20	35	1	36

Gila and Salt River Meridian.

ARIZONA.

1A 1B
D.W. (4)
Preliminary Oaths of Assistants.

BO
We, J. H. McClure
and J. O. Ford

6 do solemnly swear that we will well and faithfully execute the
93 duties of Chain Carriers; that we will level the chain upon even
7 and uneven ground, and plumb the tally pins, either by stick-
88 ing or dropping the same; that we will report the true distance
18 to all notable objects, and the true lengths of all lines that we
84 assist in measuring, to the best of our skill and ability and in
19 accordance with the instructions given us in the survey
79 of the subdivision lines of
30 Township No. 18 S. Range
31 No. 2 & E. Gila & Salt River
Meridian Territory of Arizona

J. H. McClure
J. O. Ford

Sworn to and subscribed before me, this 10th day of
March, 1882 Paul Piecker
Notary Public Pima
County Arizona.

10

We, John Blake, Saul H. Van
Pelt, Geo. J. Wyatt & Jos Schwarz.

do solemnly swear that we will well and truly perform the
duties of Almon, Nagawan &
Moundmen respectively
in the establishment of corners and other duties according to
instructions given us, and to the best of our skill and ability.

in the survey of the sub-
division lines of Township No
18 S. Range No. 28 E. Gila &
Salt River Indian Territory of Arizona

John Blake
Samuel Amick
Geo. Wyatt

Jos Schwarz

Sworn to and subscribed before me this 10th day of
March, 1884

Paul Riecker
Notary Public Pima
County, Arizona



Subdivisions. T. 18 S. R. 28 E.

Gila & Salt River Meridian

Survey commenced April 5,
1882, with a Burts improved
Solar Compass.

I commence at the cor. to Secs.
12, 35 & 36, on the S. Bound-
ary of township, which is a
Post 4 ins. square, marked
T. 18 S. S. 36 on N. E.
R. 28 E. S. 1 on S. E.
T. 19 S. S. 2 on S. W. and
S. 35 on N. W. faces, with 1
notch on E. & 5 notches on
W. edges, set in mound of
stone, with bearing trees
properly marked in each sec.
Thence down
North bet. Secs. 35 & 36.
Var. $12^{\circ} 32' E.$

Subdivisions N. 18 S. R. 28 E. continued

chains

(as per observation with Solar Compass)

36.00

Enter little Valley course N. W.

40.00

Set a Porphyry rock 11 + 8 + 6 ins. 8
ins. in the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ on N. face, dug pits
18 + 18 + 12 ins. N + S of cor. $5\frac{1}{2}$ ft.
dist. and raised a mound of
earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
alongside.

42.00

Leave little valley

43.24

Dism Road to Rucker course S. E.

53.00

Top of ascent + descend

77.00

Descend into Wash course N. W.

77.63

Leave wash.

80.00

Set a post 4 ft. long, 4 ins. square
24 ins. in the ground, for cor.
to Secs. 25. 26. 35 + 36. marked
N. 18 S. S. 25 on N. E.
R. 28 E. S. 36 on S. E.

Subdivisions T. 18 S. R. 28 E. continued

chains

S. 35 on S. W. and
 S. 26 on N. W. faces, with 1
 notch on S. & E. edges, from which
 An Oak 10 ins. dia. br. N. $24\frac{1}{2}^{\circ}$ E. 47 lbs. dist.
 marked T. 18 S. R. 28 E. S. 25 B. T.

✓ An Oak 18 ins. dia. br. S. $25\frac{3}{4}^{\circ}$ E. 63 lbs. dist.
 marked T. 18 S. R. 28 E. S. 36 B. T.

An Oak 16 ins. dia. br. S. $80\frac{1}{2}^{\circ}$ W. 48 lbs. dist.
 marked T. 18 S. R. 28 E. S. 35 B. T.

An Oak 6 ins. dia. br. N. $11\frac{1}{2}^{\circ}$ W. 48 lbs. dist.
 marked T. 18 S. R. 28 E. S. 26 B. T.

Land Rolling

Soil 2 $\frac{1}{2}$ $\frac{3}{4}$ rate

Timber along washes.

East on a random line bet. Secs
 25 & 36.

Cor. $12^{\circ} 32' E.$

Subdivisions T. 18 S. R. 28 E. continued

Chains

40.00 Set temporary $\frac{1}{4}$ Sec. cor.

80.15 Intersect W. Boundary of township 8 lbs S. of cor. to Secs

25. 30. 31 + 36. which is a Post 4 ins. square, marked
T. 18 S. S. 30 on N. E.

R. 29 E. S. 31 on S. E.

R. 28 E. S. 36 on S. W. and
S. 25 on N. W. faces, with 5

notches on N. + 1 notch on S.
edges, with pits 18 x 18 x 12 ins.

in each sec. $5\frac{1}{2}$ ft. dist. and
mound of earth 2 ft high 4 $\frac{1}{2}$
ft. base around post. with
bearing trees properly marked
in each sec. thence I run

S. $89^{\circ} 57'$ W. on a true line,

bet Secs 25 + 36. with same cor.
on $\frac{1}{2}$ slope of rocky ridge

40.07 Set a porphyry rock 15 x 8 x 6 ins

Subdivisions T. 18 S. R. 28 E. continued

chains

10 ins. in the ground, for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ on N. face,
 and raised a mound of stone
 alongside, Pits impracticable
 from which an oak 8 ins dia. to S. 8° W.
 293 lbs dist. marked $\frac{1}{4}$ S. B. T.

80.15 The cor. to Secs. 25. 26. 35 & 36.

Land rolling
 Soil 2^d + 3^d rate
 No timber.

North, bet. Secs. 25 + 26.
 Var. $12^{\circ} 32' E.$

1.72 Ascend Bank

2.12 Top of Bank extends N. W.

38.18 Trail to Rucker. course S. E.

40.00 Set a Post 3 ft. long, 3 ins. square
 24 ins. in the ground, for $\frac{1}{4}$ sec.

Subdivision S. 18 S. R. 28 E. continued

Chains

cor. marked 1/4 S. on W. face, from which

↓ An Oak 4 ins. dia. br. N. 77° E. 22 lbs. dist. marked 1/4 S. B. S.

An Oak 6 ins. dia. br. N. 6° W. 272 lbs. dist. marked 1/4 S. B. S.

50.00 Creek with Ash timber along it. drains N. W.

80.00 Set a Porphyry rock 12 x 9 x 5 ins. 8 ins. in the ground, for. cor. to Secs. 23, 24, 25 & 26. marked with 2 notches on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high, 4 1/2 ft. base alongside. Land broken, Soil 3d rate Timber along wash.

Subdivision S. 18 S. R. 28 E. continued

chain

East on a random line, bet.
Secs. 24 & 25.Var. $12^{\circ} 32' E.$

- 3.80 Ascend ridge
 24.00 Top 100ft. high, extends S. W.
 4.00 Set temporary $1/4$ Sec. cor.
 80.11 Intersect W. boundary of
 township. 9 lbs S. of cor. to
 Secs. 19, 24, 25 & 30, which is
 a Post 4 ins. square, marked
 S. 18 S. S. 19 on N. E.
 R. 29 E. S. 30 on S. E.
 R. 28 E. S. 29 on S. W. and
 S. 24 on N. W. faces, with
 4 notches on N. and 2 notches
 on S. edges, and surrounded
 stone around post. with
 bearing trees. properly marked
 in each sec.

Subdivision S. 18 S. R. 28 E. continued

Chains

Thence Iron

S. $89^{\circ} 56'$ W. on a true line,
bet. Secs. 24 & 25. with same os.40.05 Set a Porphyry rock 13+10+7
ins. 9 ins. in the ground for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face,
from whichAn Oak 13 ins. dia. br. N. 26° W. 60 lb. ball
marked $\frac{1}{4}$ S. B. S.An Oak 14 ins. dia. br. S. $50\frac{1}{2}^{\circ}$ W. 58 lbs. dist.
marked $\frac{1}{4}$ S. B. S.80.11 The cor. to Secs. 23, 24, 25 & 26
Land broken
Soil 3^d rate
Scattering trees.North bet. Secs. 23 & 24.
Var. $12^{\circ} 32'$ E.

Subdivisions T. 18 S. R. 28 E. continued

chairs

25.00

Dry wash 30 lbs wide drains W.

40.00

Set a Porphyry rock $18 \times 12 \times 6$ ins.12 ins. in the ground, for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on W. face, dug
pits $18 \times 18 \times 12$ ins. in each sec.5 $\frac{1}{2}$ ft. dist. and raised a mound
of earth $1 \frac{1}{2}$ ft. high, $3 \frac{1}{2}$ ft.
base alongside.

80.00

Deposited a charred stake
12 ins. in the ground, for cor.to Secs. 13, 14, 23 & 24, dug
pits $18 \times 18 \times 12$ ins. in eachsec. 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 2 ft. high
 $4 \frac{1}{2}$ ft. base over it. In S. E.pit drove a stake 2 ft. long
2 ins. square, 12 ins. in the ground,

marked

T. 18 S. S. 13 on N. E.

Subdivisions S. 18 S. R. 28 E. continued

chains

R 28 E. S. 24 on S. E.
 S. 23 on S. W. and
 S. 14 on N. W. faces, with
 3 notches on S. and 1 notch on
 E. edges.

Land undulating & ascending
 a little E.

Soil good & 2^d rate
 no timber.

East on a random line, bet.
 Secs. 13 & 24.

Var. $12^{\circ} 32' E.$

- 4.57 Rucker Trail corner E & W.
 40.00 Set temporary $1/4$ sec. cor.
 48.00 Enter wash course S. W.
 49.80 Leave it.
 50.40 Bank

Subdivision P. 18 S. R. 28 E. continued

chains

- 60.20 Same Wash course N. W.
- 68.00 Foot of hill & ascend
- 80.10 Intersect W. Boundary of township. 15 lbs S. of cor. to Secs. 13. 18. 19 + 24. which is a Porphyry rock, set firmly in the ground, marked with 3 notches on N. & S. edges, and mound of stone alongside, with bearing tree properly marked in N. E. sec. Thence I run S. $89^{\circ}54'W.$ on a true line, bet. Secs. 13 + 24. with same oa.
- 40.05 Set a Porphyry rock 14 + 9 + 6 ins. 10 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, and raised a mound of stone alongside Pits impracticable.

Subdivision P. 18 S. R. 28 E. continued

chains
80.10

Ther. to Secs. 13, 14, 23. of

Land undulating & ascending
a little E!Soil good & 2^d rate
No timber.

North bet. Secs. 13 & 14

Var. $12^{\circ} 32' E!$

- 35.67 Road to Tombstone course N.
40.00 Set a Post 3 ft. long, 3 ins. square
24 ins. in the ground, for $\frac{1}{4}$
Sec. cor. marked $\frac{1}{4}$ S. on
N. face, from which
An Oak 24 ins. dia. br. S. $83\frac{1}{2}^{\circ} E$. 85th
dist. marked $\frac{1}{4}$ S. B. S.
An Oak 9 ins. dia. br. N. $65\frac{1}{4}^{\circ} W$. 103th dist.
marked $\frac{1}{4}$ S. B. S.

43.67 Road to Sawmill course E.

45.07 Wash of Turkey Creek course N.

Subdivision S. 18 T. 28 E. continued

chains
 48.80 Leave it.
 67.18 Road E + W.
 80.00 Set a granite stone 11x10x7 ins.
 8 ins. in the ground, for cor.
 to Secs. 11, 12, 13 + 14 marked
 with 4 notches on S. + 1 notch
 on E. edge, dug pits 18x18x12
 ins. in each sec. 5 pft. dist.
 and raised a mound of earth
 2ft. high, 4 1/2 pft. base alongside
 Land uncoen on East end
 Soil 2d + 3d rate
 Oak timber along washes.

Cast on a random line, bet.
 Secs. 12 + 13.

15.22 Var. 12° 32' E?
 Trail to Rucker corner S.

Subdivision N. 18 S. R. 28 E. contained

chains	
40.00	Set temporary $1/4$ sec. cor.
58.00	Ascend rocky hill
63.50	Top 75 ft. high, & descend
70.30	Bottom of descend
71.50	Trail curve N. W.
79.92	Intersect W. Boundary of township 11 lbs S. of cor. to Secs. 7, 12, 13 & 18 which is a Porphyry rock, firmly set in the ground, marked with 2 notches on N. & 4 notches on S. edges, with pits $18 \times 18 \times 12$ ins. in each sec. $5 1/2$ ft. dist. and mound of earth 2 ft. high, $4 1/2$ ft. base alongside.
	Thence I run
	S. $89^{\circ} 55'$ W. on a true line, bet. Secs. 12 & 13. with same on.
39.96	Set a Post 3 ft. long 3 ins.

Subdivision T. 18 S. R. 28 E. continued

chains

square, with marked stone, 12
ins. in the ground, for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ S. on N. face,
and raised a mound of stone
around post, Pits impracticable.

79.92

Land descending W. + enwoth
The corner ~~secs. 11, 12, 13, 14~~
except in crossing over hill.

+

Soil good on W. end.

Some Oak on Hill

April 5, 1882.

North bet. Secs. 11 & 12

Var. $12^{\circ} 32' E$.

40.00

Set a post 3 ft. long, 3 ins. square,
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ sec. on W. face, dug
pits $18 \times 18 \times 12$ ins. N. & S. of cor.

Subdivision T. 18 S. R. 28 E. continued

chains

5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high, 3 1/2 ft. base, around post.

- 57.30 By wash 20 lbs wide course W.
 80.00 Set a Post 4 ft. long, 4 ins. square, with marked stone, 12 ins in the ground, for cor. to Secs. 1.2. 11 x 12. marked -
 T. 18 S. S. 1 on N. E.
 R. 28 E. S. 12 on S. E.
 S. 11 on S. W. and
 S. 2 on N. W. faces, with 5 notches on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base around post.
 Land ascending gently E.

Subdivision T. 18 S. R. 28 E. continued

chains

Soil 2^d rate
No timber.

Cast on a random line, bet.
Secs. 14 & 12.

Var. $12^{\circ} 32' E$.

- 15.00 Rucker trail S.
40.00 Set temporary $\frac{1}{4}$ Sec. cor.
46.07 Trail come N. W.
79.90 Intersect N. Boundary of
township 13 lbs S. of cor. to Secs
1, 6, 7 & 12, which is a Porphyry
rock, set firmly in the ground
marked with 1 notch on N.
& 5 notches on S. edges, and
mound of stone alongside,
with bearing trees properly
marked in N. & S. W. & N. W. sec.

Subdivisions T. 18 S. R. 28 E. continued

Chain

Thence 0 mu

S. $89^{\circ}56'$ W. on a true line, bet.
secs. 1 & 12. with same va.

39.95. Set a Porphyry rock $14 \times 11 \times 8$
ins. 10 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N.
face, and raised a mound
of stone alongside, Pits impracticable.
This is alongside trail.

79.90 The cor. to Secs. 1, 2, 11, & 12.
Land ascending N. E.
Soil 2^d & 3^d rate
No timber.

North on a random line
bet. Secs. 1 & 2.

Var. $12^{\circ}32'$ E.

32.50 Bank of Rock Creek drains N.

Subdivisions T. 18 S. R. 28 E. continued

chains

- 32.73 Bottom of Bank & enter Wash
 33.43 Leave it,
 38.80 Dry wash course W.
 39.43 Leave it,
 40.00 Set temporary 1/4 Sec. cor.
 60.00 Ascend
 63.00 Top of ascent
 79.94 Intersect N. Boundary of
 township. 12 lbs E. of cor. to
 Secs. 1 & 2, 35 & 36, which is a
 Porphyry rock set firmly in
 the ground, marked with
 1 notch on E. & 5 notches on
 W. edges, and mound of
 stone alongside. Phenac Iron
 S. $0^{\circ}05'$ E. on a true line, bet.
 Secs. 1 & 2, with same oa.
 39.94 Set a post 3 ft. long, 3 ins. square
 with marked stone, 12 ins. in

Subdivision T. 18 S. R. 28 E. continued

Chains.

the ground, for $\frac{1}{4}$ Sec. cor. marked
 $\frac{1}{4}$ S. on W. face, and raised a
 mound of stone around post,
 from which an Oak 20 ins. dia.
 br. S. $72\frac{3}{4}$ E. 271 lks. dist. marked $\frac{1}{4}$
 S. B. T.

79.94 The cor. to Secs. 1. 2. 11 & 12.
 Land ascending N. E.
 Soil 2^d & 3^d rate
 No timber.

From the Cor. to Secs. 2. 3. 34 & 35
 on S. Boundary of township
 which is a Post. 4 ins. square mark
 T. 18 S. S. 35 on N. E.
 R. 28 E. S. 2 on S. E.
 T. 19 S. S. 3 on S. W. and
 S. 34 on N. W. faces,

Subdivision T. 18 S. R. 28 E. continued

Chains

with 2 notches on E. & 4 notches on W. edges, and bearing trees properly marked in each sec.

Inner North bet. Secs. 34 & 35

Var. 12° 32' E.

40.00 Set a Porphyry rock 16 x 10 x 6 ins. 11 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, and raised a mound of stone alongside, Pit impracticable.

70.24 Dry wash 20 ft. wide drains N. W.

79.10 Dry wash 10 ft. wide drains W.

80.00 Set a post 4 ft. long, 4 ins. square, 24 ins. in the ground, for cor. to Secs. 26, 27, 34 & 35. marked T. 18 S. S. 26 on N. E. R. 28 E. S. 35 on S. E. S. 34 on S. W. and

Subdivision T. 18 S. R. 28 E. continued

Chains

S. 27 on N. W. faces, with 1
notch on S. and 2 notches on
E. edges. from which

An Oak 16 ins. dia. br. N. 55° E. 54 lks. dist.
marked S. 18 S. R. 28 E. S. 26 B. T.

An Oak 13 ins. dia. br. S. 67 $\frac{1}{4}$ ° E. 78 lks. dist.
marked S. 18 S. R. 28 E. S. 35 B. T.

An Oak 11 ins. dia. br. S. 82 $\frac{1}{2}$ ° W. 72 lks. dist.
marked S. 18 S. R. 28 E. S. 34 B. T.

An Oak 6 ins. dia. br. N. 48° W. 50 lks. dist.
marked S. 18 S. R. 28 E. S. 27 B. T.

This is along a rocky wash.
land undulating
Soil 2^d rate

Some oak on N. end


East on a random line bet.
Secs. 26 & 35.

or 12.32 E

Subdivisions S. 18 S. R. 28 E. continued

- chains
- 0.50 Main wash 15 lks ^{widely, curved} N. of W.
- 54.00 Set temporary 1/4 Sec. Cor.
- 80.07 Intersect N + S. line 11 lks
S. of cor. to Secs. 25, 26, 35 & 36.
Thence down
S. 89° 55' W. on a true line,
bet. Secs. 26 & 35. with a curve ea.
- 40.03 Set a porphyry rock 11 & 9 & 7
ins. 8 ins. in the ground, for
1/4 sec. cor. marked 1/4 on
N. face, and raised a mound
of stone alongside, Pts imp
racticable.
- 80.07 The cor. to Secs. 26, 27, 34 & 35.
Land undulating
Soil 2^d rate
No timber, except along Wash

Subdivision S. 18 T. R. 28 E. continued

- chairs North bet. Secs. 26 & 27
 Var. $12^{\circ} 32' E.$
- 40.00 Set a Porphyry rock $16 \times 8 \times 6$
 ins. 11 ins. ~~ins.~~ in the ground
 for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
 on W. face, and raised a
 mound of stone, alongside,
 Pits impracticable.
- 47.83 Enter wash course W.
- 48.33 Leave it.
- 80.00 Set a Porphyry rock $16 \times 10 \times 7$
 ins. 11  in the ground,
 for cor. to Secs. 22 & 23, 26 & 27
 marked with 2 notches on
 S. & E. edges, and raised a
 mound of stone alongside
 Pits impracticable.
 Land descending W.
 Soil 3^d rate

Subdivisions S. 18 S. R. 28 E. continued

Chain

Some Oak along Wash.

East on a random line, bet.
Secs. 23 + 26.Var. $12^{\circ} 32' E$ 38.16 Dim Road to Rucker corner
S. E.4.00 Set temporary $1/4$ sec. cor.

45.16 Enter wash of Ash Creek corner N. W.

47.56 Leave wash

72.00 Ascend Bank

72.30 Top N. W.

580.05 Intersect N + S. line 12 lks S.
of cor. to Secs. 23, 24, 25 + 26.

Thence I run

S. $89^{\circ} 55'$ W. on a true line, bet.
Secs. 23 + 26. with same va.

40.02 Set a post 3 ft. long, 3 ins. square

Subdivision N. 18 S. R. 28 E. continued

chains

with marked stone, 12 ins. in the ground, for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ S. on N. faces dug pits 18 x 18 x 12 ins. E. W. of cor. 5' left. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, 3' left. base around post. from which

an oak 20 ins. dia. to N. 45° E. 275 lbs. dist. marked $\frac{1}{4}$ S. B. J.

80.05 The Cor. to Secs. 22, 23. 26x27

Land descending a little W.
Soil 3^d rate
Some oak along Wash.

North bet. Secs. 22 + 23.

Cor. 12° 32' E.

34.00 a Wash of Ash Creek 50 lbs wide drains W.

Subdivisions N. 18 S. R. 28 E. continued

chains

- 37.20 Wash of Ash Creek 50 lbs and drains N.
- 40.00 Set a Post 3 ft. long, 3 ins. square, with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12 ins. N & S. of cor. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, alongside, from which an ash tree 16 ins. dia. to South 229 lbs dist. marked $\frac{1}{4}$ S. B. N.
- 42.54 Leave Ash Creek bottom & ascend Bank.
- 43.25 Top of bank extends N.
- 54.48 Road to Sawmill come N. E.
- 80.00 Deposited a charred stake, 12 ins. in the ground, for cor. to Secs. 14, 15, 22 & 33, dug pits 18 x 18 x 12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raised a

Subdivision T. 18 S. R. 28 E. continued

Chains

mound of earth 2 ft. high, 1/2 ft.
base over it. In S. E. pit
drove a stake 2 ft. long, 2 ins.
square, 12 ins. in the ground, marked

S

T. 18 S. S. 14 on N. E.
R. 28 E. S. 23 on S. E.

S. 22 on S. W. and

S. 15 on N. W. faces, with 3
notches on S. & 2 notches on
E. edges.

Land undulating & ascending E.

Some good soil.

Ash timber along creek.

East on a random line, bet.
Secs. 14 & 23.

Var. $12^{\circ} 32' E$.

4000 Set temporary 1/4 sec. cor.

Subdivisions S. 18 S. R. 28 E. continued

Chains

- 79.95 Intersect N. & S. line, 17 lks S. of
cor. to Secs. 14 & 23. ~~with same wa.~~
Thence Iron
S. $89^{\circ}53'$ W. on a true line, bet.
Secs. 14 & 23. with same wa.
- 39.97 Deposited a charred stake 12 ins.
in the ground, for $\frac{1}{4}$ sec. cor.
dug pits $18 \times 18 \times 12$ ins. E. & W. of
cor. $5\frac{1}{2}$ ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft. high,
 $3\frac{1}{2}$ ft. base over it. In E. pit
drove a stake 2 ft. long, 2 ins.
square, 12 ins. in the ground,
marked $\frac{1}{4}$ S. on N. face.
- 79.95 The cor. to Secs. 14, 15, 22, 23.
Land undulating & ascending E.
Some good soil
Scattering trees.

Subdivision S. 18 S. R. 28 E. continued

chains

North bet. Secs. 14 & 15.

Var. $120^{\circ} 32' E.$

40.00 Set a Porphyry rock $14 \times 10 \times 4$ ins.
10 ins. in the ground, for $\frac{1}{4}$ sec
cor. marked $\frac{1}{4}$ on W. face, and
raised a mound of stone $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft base, along side
Pit impunctate

52.00 Wash 100 lbs wide, drain W.

80.00 Set a Post 4 ft. long, 4 ins. square
with marked stone, 12 ins. in
the ground for cor. to Secs. 10. 11.
14 & 15. marked.

S D. 18 S. S. 11 on N. E.

R. 28 E. S. 14 on S. E.

S. 15 on S. W. and

S. 10 on N. W. faces, with 4
notches on S. and 2 notches
on E. edges, dug pits $18 \times 18 \times 12$

Subdivision T. 18 S. R. 28 E. continued

chains

ins. N. & S. of cor. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth 2 ft.
 high $4\frac{1}{2}$ ft. base around post.
 from which a Picket Corral to
 S. $63\frac{1}{4}^\circ$ E. about $\frac{1}{4}$ mile dist.
 Land mostly flat
 Soil 3^d rate
 Some scattering trees.

East on a random line, bet:
 Secs. 11 & 14.

Var. $12^\circ 32' E.$

- 19.25 Road course N of N.
- 22.88 Wash of Turkey creek drains N of N.
- 25.90 Leave it.
- 4.00 Set temporary $\frac{1}{4}$ sec. cor.
- 52.63 Road on N. side of creek
 course N. N.

Subdivisions S. 18 S. R. 28 E. continued

chains

- 79.93 Intersect N+S. line 19 lks N.
of cor. to Secs. 11. 12. 13 & 14
Thence S. W.
- N. $89^{\circ}52'$ W. on a true line, bet
Secs. 11 & 14. with same va.
- 39.96 Set a Post 2 ft. long, 3 ins. square,
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ S. on N. face,
and raised a mound of stone
around post, from which
an Oak 24 ins. dia. br. S. $33\frac{1}{4}^{\circ}$ W. 389 lks
dist. marked $\frac{1}{4}$ S. B. S.
- 79.93 N. e. cor. to Secs. 10. 11. 14 & 15.
Land mostly flat
Soil 3rd rate
Scattering trees.
-

Subdivisions T. 18 S. R. 28 E. continued

chains

North bet. Secs 10 & 11.

Var. $12^{\circ} 32' E$

- 9.17 Turkey creek 500ks wide drains N of W.
 11.00 Ascend Bank
 24.34 Road curve E & W.
 30.00 Road curve E & W.
 40.00 Set a post 3 ft. long, 3 ins. square,
 with marked stone 12 ins. in
 the ground, for $\frac{1}{4}$ sec. cor.
 marked $\frac{1}{4}$ S. on W. face, dug
 pits 18 x 18 x 12 ins. W. & S. of cor.
 5 $\frac{1}{2}$ ft. dist. and raised a
 mound of earth 1 $\frac{1}{2}$ ft. high
 3 $\frac{1}{2}$ ft. base, along side.
 72.60 A little stream drains W.
 79.20 Enter wash of Rock creek
 drains W.
 79.90 Leave it
 80.00 Along Wash I set a post 4 ft.

Subdivisions T. 18 S. R. 28 E. continued

Chain

long, 4 ins. square, 24 ins. in the ground, for cor. to Secs. 2, 3, 10 & 11 marked, T. 18 S. S. 2 on N. E.

R. 28 E. S. 11 on S. E.

S. 10 on S. W. and

S. 3 on N. W. faces, with 5 notches on S. and 2 notches on E. edges, from which.

A Sycamore 16 ins. dia. br. S. $7\frac{1}{4}^{\circ}$ E. 156 lbs. dist. marked T. 18 S. R. 28 E. S. 11 O. S.

An Oak 30 ins. dia. br. S. $34\frac{3}{4}^{\circ}$ E. 508 lbs. dist. marked T. 18 S. R. 28 E. S. 11 O. S.

Land level

Soil stony

Oak, Sycamore & ash.

East. on a random line, bet. Secs. 2 & 11.

Subdivisions T. 18 S. R. 28 E. continued

chains

Var. $12^{\circ} 32' E.$

- 0.20 Wash drains. S. of W.
 2.00 Leave it.
 4.00 Set temporary $\frac{1}{4}$ sec. cor.
 44.90 Ascend Bank extends S. W.
 46.25 Top.
 80.11 Intersect N. & S. line 18 lks N.
 of cor. to Secs. 2 & 11.
 Thence 9 mm.
 N. $89^{\circ} 52' W.$ on a true line,
 bet. Secs. 2 & 11, with same on.
 40.05 Set about 8 ft. long, 3 ins. square,
 5 24 ins. in the ground, for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ on N. face, from
 which an Oak 20 ins. dia. to N. $83^{\circ} E.$ 75 lks
 dist. marked $\frac{1}{4}$ S. B. S.
 An Oak 10 ins. dia. to S. $24^{\circ} E.$ 89 lks dist.
 marked $\frac{1}{4}$ S. B. S.
 80.11 The cor. to Secs. 2, 3, 10 & 11

Subdivision T. 18 S. R. 28 E. continued

chains

Land ascending E.
 Soil 3^d rate
 Oak timber along Wash.

North on a random line bet.
 Secs. 2 + 3.

Var. $12^{\circ} 32' E$

40.00 Set temporary $1/4$ sec. cor.
 79.92 Intersect N. Boundary of
 township. 16 lks N. of cor. to
 Secs. 2, 3, 34 + 35, which is a
 mound of earth 2 ft. high $4\frac{1}{2}$
 ft. base, with pits 18 + 18 + 12 ins.
 in each sec. $5\frac{1}{2}$ ft. dist. and
 in S. E. pit a stake 2 ins. square
 marked T. 17 S. S. 35 on N. E.
 R. 28 E. S. 2 on S. E.
 T. 18 S. S. 3 on S. W. and

Subdivision S. 18 S. R. 28 E. continued

Chains

S. 34 on N. W. faces, with 2 notches
on E. & 4 notches on W. edges,
Thence Iron

S. 0° 07' W. on a true line, bet.
Secs. 2 & 3. with same va.

39.92

Set a granite stone 12 x 9 x 8
ins. 8 ins. in the ground, for
1/4 sec. cor. marked 1/4 on W.
face, dug pits 18 x 18 x 12 ins.

N. & S. of cor. 5 1/2 ft. dist. and
raised a mound of earth
1 1/2 ft. high, 3 1/2 ft. base, along side

79.92

The cor. to Secs. 2, 3, 10, 11.
Land level ascending E.
Soil 3d rate

Scattering trees.

April 6. 1882.

Subdivision N. 18 S. R. 28 E. continued

chains

From the cor. to Secs. 33 & 34 on S. Boundary of township which is a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base, with pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dia. and in S. E. pit a stake 2 ins. square marked.

N. 18 S. S. 34 on N. E.

R. 28 E. S. 3 on S. E.

N. 19 S. S. 4 on N. W. and

S. 33 on N. W. faces, with 3 notches on E. & W. edges.

From North bet. Secs. 33 & 34

Var. $12^{\circ} 32' E.$

4000 Set a Porphyry $12 \times 10 \times 7$ ins. 8 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$

Subdivisions T 18 S. R. 28 E. continued

Chains

ins. N + S. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

80.00

Set a Porphyry rock $16 \times 8 \times 5$
ins. 11 ins. in the ground for
Cor. to Secs. 27, 28, 33 + 34,
marked with 1 notch on S. and
3 notches on E. edges, dug pits
 $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$
ft. dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high, $4\frac{1}{2}$ ft.
base alongside.

Land undulating

Soil 2^d rate

No timber.

East on a random line
bet. Secs. 27 + 34.

Subdivisions T. 18 S. R. 28 E. continued

Var. $12^{\circ} 32' E$,

- 17.05 Road to Ruckers corner S.
 40.00 Set temporary $1/4$ sec. cor.
 41.59 Dry wash 10 lks wide course N. W.
 44.60 Dry wash 10 lks wide course S. W.
 47.60 Dry wash 10 lks wide course N. W.
 76.90 Dry wash 10 lks wide course N. W.
 79.11 Intersect N + S. line, 10 lks N.
 of cor. to Secs. 26. 27. 34 + 35.
 Hence I run
 N. $89^{\circ} 56' W$. on a true line, bet.
 Secs. 27 + 34. with same ca.
 539.55 Set a Post 3 ft. long, 3 ins. square
 with marked stone 12 ins. in
 the ground, for $1/4$ sec. cor.
 marked $1/4$ S. on N. face, dug
 pits $18 \times 18 \times 12$ ins. E + W. of
 post $5 1/2$ ft. dist. and raised
 a mound of earth $1 1/2$ ft. high,

Subdivision S 18 S. R. 28 E. continued.

chains

3 1/2 ft. base ground post.

79.11

The cor. ^{to Secs.} 27. 28. 33 & 34

Land undulating

Soil 2^d rate

No timber.

North bet. Secs. 27 & 28

Cor. 12° 32' E

7.00

Dry wash drains W.

7.46

Leave it.

40.00

Set a Porphyry rock 11 x 8 x 7
ins. 8 ins. in the ground for
1/4 sec. cor. marked 1/4 on
N. face, and raised a
mound of stone alongside.

65.12

Lumber road course S. W.

69.58

Dry wash course S. W.

79.66

Another Wash making into the
first.

Subdivisions N. 18 S. R. 28 E. continued

chains
80.00

Set a Post 4 ft. long, 4 ins. sq.
with marked stone, 12 ins. in
the ground, for cor. to Secs
21, 22, 27 & 28, marked
N. 18 S. S. 22 on N. E.
R. 28 E. S. 27 on S. E.
S. 28 on S. W. and
S. 21 on N. W. faces, with 2
notches on S. and 3 notches
on E. edges, and raised mound
of stone around post, from which
an Oak 6 ins. dia. to N. $3\frac{1}{4}^{\circ}$ E. 259 lbs dia.
marked N. 18 S. R. 28 E. S. 22 B. S.

Land undulating

Soil 2^d & 3^d rate

Oak timber along washes.

 East on a random line

No. 884

Subdivision N. 18 S. R. 28 E. continued

chains

bet. Secs. 22 + 27.

Var. $12^{\circ}32' E.$

- 15.20 Road course S.
- 17.52 Road to Ruckler S.
- 24.00 Main Wash drain. N. W.
- 26.88 Leave Wash
- 79.13 Intersect N. + S. line 12 lks S.
of cor. to Secs. 22 + 23. 26 + 27
Thence Iron
S. $89^{\circ}55' N.$ on a true line, bet.
Secs. 22 + 27. with same va.
- 39.56 Set a Porphyry rock $12 \times 10 \times 5$
ins. 8 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on
N. face, and raised a mound
of stone, alongside.
- 79.13 The cor. to Secs. 21. 22. 27 + 28
Land ascending a little E.
Soil 2^d + 3^d rate
oak along Wash.

Subdivision N. 18 S. R. 28 E. continued

Chains

North bet. Secs. 21 & 22.

Var. $120^{\circ} 32' E$.

20.90 Wash drains N. W.

22.25 Leave it

40.00 Set a post 3 ft. long, 3 ins. square

24 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face from whichAn Oak 20 ins. dia. br. N. $62^{\circ} E$. 280 lbs dist. marked $\frac{1}{4}$ S. B. T.An Ash 5 ins. dia. br. N. $66\frac{1}{2}^{\circ} W$. 37 lbs dist. marked $\frac{1}{4}$ S. B. T.

This is along south side of Ash creek.

40.33 Enter wash of ash creek drain W.

44.10 leave it.

69.20 Road to Moubetone course S. W.

80.00 Set a Post 4 ft. long, 4 ins. square with marked stone 12 ins. in the ground, for cor. to Secs.

Subdivisions T. 18 S. R. 28 E. continued.

15. 16. 21 & 22, marked
 T. 18 S. S. 15 on N. E.
 R. 28 E. S. 22 on S. E.
 S. 21 on S. W. and
 S. 16 on N. W. faces, with 3
 notches on S. & E. edges, and
 raised a mound of stone
 around post.
 Land undulating
 Soil 2^d rate
 Ash & Oak along Wash.

East on a random line,
bet. Secs. 15 & 22.

Var. $12^{\circ} 32' E.$

- 17.50 Tombstone Road corner S. W.
 21.88 Road to Rucker corner S. This
 crosses the Tombstone road a short

Subdivisions N. 18 S. R. 28 E. continued

chains.

distance N.

40.00 Set temporary $\frac{1}{4}$ Sec. cor.79.98 Intersect N + S. line 16 lks S.
of cor. to Secs. 14, 15, 22 + 23.

Thence Iron

S. $89^{\circ} 53' W.$ on a true line, bet.
Secs. 15 + 22, with \bullet and \circ .39.99 Set a post 3 ft. long, 3 ins. square
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.marked $\frac{1}{4}$ S. on N face, dug
pits 18 + 18 + 12 ins. E + W. of
cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high,
 $3\frac{1}{2}$ ft. base around post.

79.98

The cor. to Secs. 15, 16, 22 + 23
Land ascending a little E.Soil 2^d rate

No timber.

Subdivision, N. 18 S. R. 28 E. continued

Chain

North bet. Secs. 15 & 16.

Var. $12^{\circ} 32' E.$

16.63 Wash drain W.

17.56 leave it

4000. Set a Post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on W. face, dug pits $18 \times 18 \times 12$ ins N & S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft.

high $3\frac{1}{2}$ ft. base around post.

8000 Set a Post 4 ft. long, 4 ins. square, with marked stone, 12 ins. in the ground, for cor. to Secs. 9, 10, 15 & 16, marked

S. 18 S. S. 10 on N. E.

R. 28 E. S. 15 on S. E.

S. 16 on S. W. and

Subdivision T. 18 S. R. 28 E. continues

chains

S. g. on N. W. faces, with 4
notches on S. and 3 notches
on E. edges. dug pits $18 \times 18 \times 12$
ins. in each sec. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth 2 ft. high, $4\frac{1}{2}$ ft. base
around post, from which
a plume br N. 29° E.

∴ center of borrows N. $3\frac{1}{2}^\circ$ E.
Land ascending a little E.
Soil 2^d rate

No timber.

Cast on a random line,
bet. Secs. 10 & 15.

Var. $12^\circ 32'$ E!

22.97 Road to Rucker etc. come S.
4.000 Set temporary $\frac{1}{4}$ sec. cor.

Subdivision S. 18 S. R. 28 E. continued

Chain

42.57 Run Road to Rucker corner S. E.

80.14 Intersect N. S. line 13 lks S.
of cor. to Secs. 10. 11. 14 & 15.

Thence Iron

S. $89^{\circ} 54'$ W. on a true line,
bet. Secs. 10 & 15, with same ra.40.07 Deposited a charred stake, 12
ins. in the ground, for $\frac{1}{4}$ sec.

cor. dug pits 18 x 18 x 12 ins.

E + W. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it.In E. pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. inthe ground, marked $\frac{1}{4}$ S.
on N. face, from whichHome of White Bear's Co N. 26° W.
Corral ^{low} N. 57° W.

80.14 The cor. to Secs. 9. 10. 15 & 16.

Subdivisions N. 18 S. R. 28 E. continues

chains

Land descending a little W.
Soil 2^d rate
No timber.

North bet. Secs. 9 & 10.
Var. $12^{\circ} 32' E.$

29.28 Enter large circular corral
near West side of it.

31.75 Leave it.

40.00 Set a post 3ft. long, 3ins.
square, with marked stake
12ins. in the ground, for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S. on
W. face, dug pits $18 \times 18 \times 12$
ins. N & S. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
post.

Subdivisions T. 18 S. R. 28 E. continued

- chains.
- 45.92 Road along creek course W.
- 57.19 Enter Turkey Creek wash course W.
- 58.00 leave it.
- 68.40 Wash drains W.
- 71.10 Wash drains W.
- 75.16 Wash of Rock creek drains W.
- 76.37 Leave it.
- 80.00 Set a post 4 ft. long 4 ins. square with marked stone 12 ins. in the ground, for cor. to Secs. 3, 4. 9x10. unmarked
- T. 18 S. S. 3 on N. E.
- R. 28 E. S. 10 on S. E.
- S. 9 on S. W. and
- S. 4 on N. W. faces, with 5 notches on S. and 3 notches on E. edges, and raised a mound of stone around post.

Subdivision N. 18 S. R. 28 E. continued.

chains Land descending a little W.
Soil 2^d rate
No timber.

East on a random line bet.
Secs. 3 & 10.

Var. $12^{\circ} 32' 8''$

3.70 Road to Sulphur Springs
come N. W.

18.00 Enter Wash drains N. W.

19.25 leave it

28.10 Road to Bowie come N.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.13 Intersect N & S. line 17 lbs
S. of cor. to Secs 2, 3, 10 & 11

Thence I run

S $89^{\circ} 53' W.$ on a true line, bet.
Secs. 3 & 10, with same va.

Subdivisions N. 18 S. R. 28 E. continued

Chains

40.06 Set a post 4 ft long 3 ins. square, 24 ins. in the ground, for $\frac{1}{4}$ sec. Cor. marked $\frac{1}{4}$ S. on N. face, from which an oak 8 ins. dia. br. N. $71\frac{1}{2}^{\circ}$ E. 117 lks dist. marked $\frac{1}{4}$ S. B. T.

An oak 4 ins. dia. br. N. $21\frac{1}{4}^{\circ}$ W. 66 lks. dist. marked $\frac{1}{4}$ S. B. T.

80.00

~~Refer to pgs. 3, 4, 9, 10~~
Land descending a little W.
Soil 2^d rate
along west of Rock creek,
oak Sycamore & Ash.

North on a random line,
bet Secs. 3 & 4

Var. $12^{\circ} 32' E$

2.00 Road to Sulphur Springs course
N. W.

Subdivisions P. 18 S. R. 28 E. contained

chains

- 40.00 Set temporary $1/4$ sec. cor.
- 80.10 Intersect N. Boundary of township. 13 lbs N. of cor. to Secs. 3, 4, 33 & 34, which was mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base, with pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and in S. E. pit a stake 2 ins. square marked -
 P. 17 S. S. 34 on N. E.
 R. 28 E. S. 3 on S. E.
 P. 18 S. S. 4 on S. W. and S. 33 on N. W. faces, with 3 notches on E & W. edges,
 Plence Iron
 $5'0''06''$ W. on a true line, bet. Secs. 3 & 4, with same ca.
- 40.10 Set a Granite stone $18 \times 10 \times 6$ ins. 12 ins. in the ground

Subdivisions S. 18 S. R. 28 E. contained

Chains

for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on
N. face, and raised a mound
of stone $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft.
base alongside.

80.10 The cor. to Secs. 3, 4, 9 & 10.
Land ascending E.
Soil 3^d rate
No timber.

From the cor. to Secs. ^{4, 5} 32 & 33
on S. Boundary of township
which is a Granite stone 14
 $\times 12 \times 8$ ins. set firmly in the
ground & marked with 4 notches
on E & 2 notches on N. faces, with
pits in each sec. $5\frac{1}{2}$ ft. dist.
and ~~in~~ a mound of earth
 $2\frac{1}{2}$ ft. high, $4\frac{1}{2}$ ft. base alongside.

Subdivision N. 18 S. R. 28 E. continued

chains

Thence down

North bet. Secs. 32 + 33.

Var. $12^{\circ} 32' E$.

40.00

Deposited a charred stake 12
ins. in the ground, for $\frac{1}{4}$ sec.
cor. dug pits 18 + 18 + 12 ins.N + S. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it.
In E. pit drove a stake 2 ft. long,
2 ins. square, 12 ins. in the ground,
marked $\frac{1}{4}$ S. on W. face.

67.70

Dism Road to Rucker corner S. E.

76.57

Dism Road to Sawmill corner N. E.

80.00

Deposited a charred stake, 12
ins. in the ground, for cor. to
Secs. 28, 29, 32 + 33. dug pits 18
+ 18 + 12 ins in each sec. $5\frac{1}{2}$ ft.
dist. and raised a mound of

Subdivision S. 18 S. R. 28 E. continued

chains

earth 2 ft. high. $4\frac{1}{2}$ ft. base over it.
 In S. E. pit drove a stake 2 ft
 long ins. square, 12 ins. in the
 ground, marked -

S. 18 S. S. 28 on N. E.

R. 28 E. S. 33 on S. E.

S. 32 on S. W. and

S. 29 on N. W. faces, with 1
 notch on S. and 4 notches on
 E. edges.

Land undulating

Soil 3^d rate

No timber.

East, on a random line, bet.
 Secs. 28 & 33.

Var. $12^{\circ} 32' E.$

35.00 Wash 25 lbs wide course S of W.

Subdivision N. 18 S. R. 28 E. continued

chain

- 40.00 Set temporary $\frac{1}{4}$ Sec. cor.
- 47.23 Same mark corner N. of W.
- § 73.59 Run Road to Sawmill corner
N. E.
- 80.08 Intersect N + S. line 8 lbs S. of
cor. to Secs. 27. 28. 33 + 34.
Thence Iron
S. $89^{\circ} 57'$ W. on a true line bet.
Secs. 28 + 33. with same va.
- 40.04 Set a Post 3 ft. long, 3 ins. square,
with marked stone, 12 ins. in the
ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
S. on N face, and raised a
mound of stone around post.
from which an Oak 15 ins. dia.
br. S. $21^{\circ} E.$ 239 lbs dist. marked $\frac{1}{4}$ S. B. S.
- 80.08 The Cor. to Secs. 28. 29. 32 + 33.
Land undulating
Soil 3^d rate.

Subdivisions T. 18 S. R. 28 E. cont.

chains

No timber.

North bet. Secs. 28 & 29.

Var. $12^{\circ} 32' E$.

4.00 Wash 25 lbs wide, course N.

46.00 Set a Post 3 ft. long, 3 ins. square with marked stone, 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face, and raised a mound of stone around post.

Pits impracticable.

76.50 Wash 15 lbs wide course N.

80.00 Set a Post 4 ft. long 4 ins. square with marked stone, 12 ins. in the ground, for cor. to Secs. 20, 21, 28 & 29 marked as: 18 S. S. 21 on N. E.

R. 28 E. S. 28 on S. E.

S. 29 on S. W. and

Subdivisions T. 18 S. R. 28 E. cont.

Chains

T. 20 on N. W. faces, with 2 notches on S. and 4 notches on E. edges. dug pits 18x18x12 ins. in each sec. 5 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base around post, from which an Oak 8 ins. dia. Co. S. 9° W. 308 lbs. dist. marked T. 18 S. R. 28 E. S. 29 B. T.
 Land undulating
 Soil 3^d rate
 Some Oak along Wash.

East on a random line, bet. Secs. 21 & 28.

Var. 12° 32' E.

40.00 Set temporary 1/4 sec. cor.
 80.09 Intersect N & S line 11 lbs S. of cor. to Secs 21, 22, 27 & 28.

Subdivisions S. 18 S. R. 28 E. cont.

chain

Thence I run

S. $89^{\circ}55'W$. on a true line, bet.
Secs. 21. & 28 with same or.

4004 Set a Post 3ft. long, 3ins. square
with marked stone 12ins. in the
ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on N. face, dug pits $18 \times$
 18×12 ins. E. & N. of cor. $5\frac{1}{2}$ ft.
dist. and raised a mound
of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
around post.

80.09 The cor. to Secs. 20. 21. 28 & 29.
Land ascending a little E.
Soil 3^d rate No timber.

April 7. 1882.

North bet. Secs. 20 & 21.
Var. $12^{\circ}32' E$.

Subdivisions T. 18 S. R. 28 E. continue

chains

30.85 Road to Tombetone corner S. 7.

33.76 Wash drains W.

34.50 Leave it.

40.00 Set a Post 3 ft. long, 3 ins. square with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ Sec. on W. face, Aug pits 18 x 18 x 12 ins. N. & S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base, around post. from which

An Oak 18 ins. dia. br. S. 40° W. 223 Ch. dist. marked $\frac{1}{4}$ S. B. J.

80.00 Set a Post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground for cor. to Secs. 16, 17, 20 & 21 marked T. 18 S. S. 16 on N. E.

S R. 28 E. S. 21 on S. E.

Subdivisions T. 18 S. R. 28 E. continued

chains

S. 20 on S. W. and
 S. 17 on N. W. faces, with 3 notches
 on S. and 4 notches on E. edges, and
 raised, a mound of stone, around
 post.

Land flat

Soil 2^d 3^d rate

Some trees along wash.

Cast on a random line, bet
 Secs. 16 & 21.

Nor. $12^{\circ} 32'$ E.4000 Set temporary $1/4$ sec. cor.8000 Intersect Int. S. line 1500 S. of
 cor. to Secs. 15, 16, 21 & 22.

Hence Inn

S. $89^{\circ} 54'$ W. on a true line, bet.
 Secs. 16 & 21. with sand on.

Subdivisions T. 18 S. R. 28 E. cont.

- 40.05 Set a post 3 ft. long, 3 ins. square, with marked stone, 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face, dug pits 18+18+12 ins. E & W. of cor. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base along side
- 80.10 The cor. to Secs. 16, 17, 20 & 21
Land flat
Soil 2 + 3^d rate
No timber.

North bet. Secs. 16 & 17.

Var. 12° 32' E.

- 40.00 Set a post 3 ft. long, 3 ins. square with marked stone, 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face, and raised

Subdivisions T. 18 S. R. 28 E. continued

chains

a mound of stone, around post
Pits impracticable.

43.00 Wash 50 lbs wide course N.

80.00 Deposited a charred stake
2 ins. in the ground, for cor.
to secs. 8, 9, 16 & 17. dug pits
18 x 18 x 12 ins. in each sec. 5 1/2

ft. dist. and raised a mound
of earth 2 ft. high, 4 1/2 ft. base
over it. In S. E. pit drove a
stake 2 ft. long, 2 ins. square, 2
ins. in the ground, marked
T. 18 S. S. 9 on N. E.

R. 28 E. S. 16 on S. E.

S. 17 on S. W. and

S. 8 on N. W. faces, with 4
notches on S & E. edges.

Land flat

Soil 2 x 3 d rate

No timber.

Subdivisions S. 18 T. R. 28 E. continued

chains

Cast on a random line, bet.
Secs. 9 & 16

Var. $12^{\circ} 32' E$

40.00 Set a temporary $\frac{1}{4}$ sec. cor.

80.05 Intersect N & S. line, 16 lbs. S.
of cor. to Secs. 9, 10, 15 & 16.

Thence I run

S. $89^{\circ} 53' W$. on a true line, bet.
Secs. 9 & 16. with same var.

40.02 Reported a charred stake 12
ins. in the ground, for $\frac{1}{4}$ sec. cor.

Dug pits 18 x 18 x 42 ins. E & W. of
cor. $5\frac{1}{2}$ ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base over it. In E. pit
drove a stake 4 ft. long, 2 ins.
square, 12 ins. in the ground,
marked $\frac{1}{4}$ S. on N. face.

80.05 The cor. to Secs. 8, 9, 16 & 17

Subdivisions T. 18 S. R. 28 E. continued

chains

Land flat
 Soil 2^d 3^d rate
 No timber.

North bet. Secs. 8 & 9.

Var. $12^{\circ} 32' E$

4000 Set a post 3 ft. long, 3 ins. square
 with unmarked stake
 12 ins. in the ground, for $\frac{1}{4}$ sec.
 cor. marked $\frac{1}{4}$ S. on W. face,
 dug pits 18+18+12 ins. N & S. of
 cor. $5\frac{1}{2}$ ft. dist. and raised a
 mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$
 ft. base around post.

59.50 Wash of Branch creek 300 lks wide
 drain W.

65.33 Road along creek curve W.

78.38 Turkey Creek drain W.

79.58 Leave it

Subdivision N. 18 S. R. 28 E. cont.

Chains

80.00

Set a post 4 ft. long, 4 ins. square,
24 ins. in the ground, for cor. to
Secs. 4, 5, 8 & 9, marked
N. 18 S. S. 4 on N. E.
R. 28 E. S. 9 on S. E.
S. 8 on S. W. and
S. 5 on N. W. faces, with 5 notches
on S. & 4 notches on E. edges,
from which.

An Oak 18 ins. dia. br. S. $60\frac{1}{4}^{\circ}$ E. 227 lbs dist.
marked N. 18 S. R. 28 E. S. 9 B. S.

An Ash 12 ins. dia. br. S. 15° W. 150 lbs dist.
marked N. 18 S. R. 28 E. S. 8 B. S.

Land flat

Soil 2^d & 3^d rate

Some trees, along Turkey creek.

East, on a random line, bet.

Subdivisions N. 18 S. R. 28 E. continued

chains

Secs. 4 & 9.

Var. $12^{\circ} 32' E.$

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 80.06 Intersect N & S line 9 lks S.
 of cor. to Secs. 3, 4, 9 & 10.

Thence I run

S. $89^{\circ} 56' W.$ on a true line, but
 Secs. 4 & 9. with same va.

40.03 Set a post 3 ft. long 3 ins. square,
 with marked stone 12 ins. in
 the ground, for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on N face, and raised a
 mound of stone, around post
 from which

An oak 18 ins. dia. to S. $50^{\circ} W.$ 228 lks
 dist. marked $\frac{1}{4}$ S. B. J.

80.06 The cor. to Secs. 4, 5, 8 & 9
 Land ascending a little E.
 Soil 3^d rate

Subdivision P. 18 S. R. 28 E. continued

Chains

Scattering trees.

on a random line

 North, bet. Secs. 4 & 5.
Var. $12^{\circ} 32' E.$ 40.00 Set temporary $\frac{1}{4}$ sec. cor.40.40 Road to Sulphur Springs
course N. W.

80.11 Intersect N. Boundary of
township, 12 lks E. of cor. to
secs. 4, 5, 32 & 33, which is a
mound of earth 2 ft. high, $4\frac{1}{2}$ ft.
base, with pits $18 \times 18 \times 2$ ins. in each
sec. $5\frac{1}{2}$ ft. dist. and in S. E. pit
a stake 2 ins. square marked
P. 17 S. S. 33 on N. E.
R. 28 E. S. 4 on S. E.
P. 18 S. S. 5 on S. W. and
S. 32 on N. W. faces, with

Subdivision S. 18 T. R. 28 E. continued

chains

4 notches on E + 2 notches on
W. edges. Thence Iron
S. $89^{\circ} 05'$ E. on a true line,
bet. Secs. 4 + 5. with same ca.

40.11 Set a Porphyry rock $17 \times 10 \times 7$ ins.
12 ins. in the ground, for $\frac{1}{4}$ sec.
cor. marked $\frac{1}{4}$ on N. face,
and raised a mound of stone
alongside, Pits impracticable.

80.11 The cor. to Secs. 4, 5, 8 + 9.
Land flat
Soil 39 rate
No timber.

From the cor. to Secs. 5, 6,
31 + 32, on S. Boundary of
township, which is a mound
of earth 2 ft. high, $4\frac{1}{2}$ ft. base

Subdivisions T. 18 S. R. 28 E. continued

Chains

with pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and in S. E. pit is a stake 2 ft. long 2 ins square, marked.

T. 18 S. S. 32 on N. E.

R. 28 E. S. 5 on S. E.

T. 19 S. S. 6 on S. W. and S. 31 on N. W. faces, with 5 notches on Eth + 1 notch on W. faces, Thence Iron

North bet. Secs. 31 + 32.

Var. $12^{\circ} 32' E$

40.00 Deposited a charred stake, 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. dug pits $18 \times 18 \times 12$ ins.

N. & S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft

Subdivisions N. 18 S. R. 28 E. continued

chains

80.00 long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face, deposited a charred stake, 12 ins. in the ground, for cor. to Secs. 29, 30, 31 & 32. dug pits 18 x 18 x 12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, 4 $\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked N. 18 S. S. 29 on N. E. R. 28 E. S. 32 on S. E. S. 31 on S. W. and S. 30 on N. W. faces, with 1 notch on S. and 5 notches on E. edges. Land undulating Soil 3^d rate No timber.

Subdivision S. 18 T. R. 28 E. continued

chain

East on random line, bet.
Secs 29 & 32.Var. $12^{\circ} 32' E$.40.00 Set temporary $1/4$ sec. cor.
79.91 Intersect N & S. line 10 lbs N.
of cor. to Secs. 28, 29, 32 & 33.

Thence I run

N. $89^{\circ} 56' W$. on a true line, bet.
Secs. 29 & 32, with same oa.39.95 Set a Porphyry rock $12 \times 10 \times 9$
ins. 8 ins. in the ground, for
 $1/4$ sec. cor. marked $1/4$ on
N. face, and raised a mound
of stone alongside Pits
impracticable.79.91 The cor. to Secs. 29, 30, 31 & 32
Land undulating
Soil 3^d rate
No timber.

Subdivisions T. 18 S. R. 28 E. continued

Chain

West on a random line, bet.
Secs. 30 & 31Var. $12^{\circ} 32' E.$ 40.00 Set temporary $\frac{1}{4}$ sec. cor.79.10 Intersect W. Boundary of
township. 8 lks N. of cor. to
Secs. 25, 30, 31 & 36. which is a
mound of earth 4 ft. high, 4 $\frac{1}{2}$ ft. base
with pits $18 \times 18 \times 12$ ins. in each sec.
5 $\frac{1}{2}$ ft. dist. In S. E. pit is a stake
2 ins. square, marked
T. 18 S. S. 30 on N. E.
R. 28 E. S. 31 on S. E.
R. 29 E. S. 36 on S. W. and
S. 25 on N. W. faces, with 5 notches
on N. & 1 notch on S. edges,

Thence I run

N. $89^{\circ} 57' E.$ on a true line, bet.
Secs. 30 & 31, with same oa.

Subdivision N. 18 S. R. 2 & E. continued

- 39.10 Reported a charred stake 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. dug pits 18 x 18 x 12 ins. E. W. of cor. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face
- 79.10 The cor. to Secs. 29, 30, 31 & 32
Land undulating
Soil 3^d rate
No timber.

North bet. Secs. 29 & 30
Var. 12° 32' E.

14.50 Line of drainage extends N.

Subdivisions T. 18 S. R. 28 E. continued.

chains

40.00

Set a Post 3ft. long, 3ins. square, with marked stone, 12ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, dug pits 18x18x12 ins. N. & S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post

80.00

Deposited a charred stake 12 ins. in the ground, for cor. to Secs. 19. 20. 29 x 30. Dug pits 18x18x12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2ft high, $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2ft. long 2ins. square, 12ins. in the ground, marked T. 18 S. S. 20 on N. E. R. 28 E. S. 29 on S. E. S. 30 on S. W. and S. 19 on N. W. faces, with

Subdivision N. 18 S. R. 28 E. continued

Chain

2 notches on S. and 5 notches
on E. edges.

Land undulating

Soil 3^d rate

No timber.

East. on a random line, bet.
Secs. 20 + 29.

Var. $12^{\circ} 32' \text{ E.}$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.93 Intersect N + S. line, 9 lks
S. of cor. to Secs. 20-21. 28x29

Phase I run

S. $89^{\circ} 56' \text{ W.}$ on a true line, bet.
Secs. 20 + 29, with same va.

39.96 Set a Post 3ft. long 3 in. square
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor.

Subdivisions T. 18 S. R. 28 E. continued

Chain

marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 12 ins. Ex. W. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post.

79.93 The cor. to Secs. 19. 20. 29 x 30. Land undulating Soil 3^d rate No timber.

West, on a random line, bet. Secs. 19 x 30.

Var. $12^{\circ} 32' E.$

8.50 Doubtless road came S. W. 40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.15 Intersect W. Boundary of Township. 10 lbs S. of cor. to Secs. 19. 24. 25 x 30.

Subdivisions T. 18 S. R. 28 E. cont.

chains

which is a Post 4 ins. square
marked T. 18 S. S. 19 on N. E.

R. 28 E. S. 30 on S. E.

R. 27 E. S. 25 on S. W. and
S. 24 on N. W. faces, with
4 notches on N. & 2 notches on
S. edges, & pits 18x18x12 ins.
in each sec. 5 1/2 ft. dist. and
mound of earth 2 ft. high, 4 1/2
ft. base around post.

Thence I run

N. 89° 56' E. on a true line, bet.
Secs. 19 & 30. with same ca.

39.15 Deposited a charred stake,
12 ins. in the ground, for 1/4
sec cor. dug pits 18x18x12
ins. E & W. of cor. 5 1/2 ft. dist.
and raised a mound of earth
1 1/2 ft. high, 3 1/2 ft. base over it.

Subdivision N. 18 S. R. 28 E. cont.

Drains

In E pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. in the
ground, marked $\frac{1}{4}$ S. on N face,
79.15 The cor. to Secs. 19. 20. 29 & 30.
Land undulating
Soil 3^d rate
No timber.

North bet. Secs. 19 & 20
Var. 120 32' E.

37.50 Wash of Ash creek 200 lbs wide
Drains W.

40.00 Set a Post 3 ft. long, 3 ins. square
with marked stone 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on W face, dug pits 18x18
x 12 ins. N & S. of cor. 5 $\frac{1}{2}$ ft. dist.
and raised a mound of

Subdivisions T. 18 S. R. 20 E. cont:

chains

earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base,
around Post.

800.00 Set a Post 4 ft. long, 4 ins square
with marked stone, 12 ins. in
the ground, for cor. to Secs. 17. 18
19. 20. marked

T. 18 S. S. 17 on N. E.

R. 20 E. S. 20 on S. E.

S. 19 on S. W. and

S. 18 on N. W. faces, with 3
notches on S. and 5 notches
on E. edges, dug pits $18 \times 18 \times 12$
ins. in each sec. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth 2 ft. high, $4\frac{1}{2}$ ft. base
around post.

Land ascending a little E.

Soil 2d rate

No timber. April 8. 1882

Subdivision T. 18 S. R. 28 E. continued

Chains

East on a random line bet.
Secs. 17 & 20Var. $120^{\circ}32' E$ 40.00 Set temporary $\frac{1}{4}$ Sec. cor.80.19 Intersect N & S line 17 lbs N.
of cor. to Secs. 16, 17, 20 & 21
Thence I runN. $89^{\circ}53' W$. on a true line
bet. Secs. 17 & 20. with same on.40.09 Deposited a charred stake
12 ins. in the ground for $\frac{1}{4}$
Sec. cor. dug pits $18 \times 18 \times 12$
ins. E & W. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base,
over it. In E pit drove a stake
2 ft. long, 2 ins. square, 12 ins.
in the ground, marked $\frac{1}{4}$
S. on N face.

Subdivision T. 18 S. R. 28 E. cont.

chains

80.19 The cor. to Secs. 17, 18, 19 & 20.
Land ascending a little E.
Soil 2d. rate
No timber.

West, on a random line, bet.
Secs. 18 & 19.

Var. $120^{\circ} 32' E$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

54.63 Run road course S:

79.00 Intersect N. Boundary of
township 13 lks N. of cor.
to Secs. 13, 18, 19 & 24, which
is a Post. 4 in. square, marked
T. 18 S. S. 18 on N. E.

R. 28 E. S. 19 on S. E.

R. 27 E. S. 24 on S. W. and
S. 13 on N. W. faces, with

Subdivisions T. 18 S. R. 28 E. continued

chains

3 notches on N. & S. edges, and pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and mound of earth $1\frac{1}{2}$ ft. high, $4\frac{1}{2}$ ft. base, rounded post. Thence I me

S N $89^{\circ} 54' E$. on a true line, bet. Secs. 18 & 19, with same on

39.00

Deposited a charred stake 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. dug pits $18 \times 18 \times 12$ ins.

Et N. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it. In E. pit drove a stake, 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face.

79.00

The cor. to Secs. 17, 18, 19 & 20. Descending a little N. Soil 2^d rate

No timber along line

Subdivision S. 18 T. R. 28 E. cont.

chains

North bet. Secs. 17 & 18.

Var. $12^{\circ} 32' E$

40.00 Set a Post 3 ft. long, 3 ins. square with marked stone, 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face, dug pits $18 \times 18 \times 12$ ins. N & S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of stone around post.

67.56 Wash drains W.

68.10 leave it.

80.00 Deposited a charred stake 12 ins. in the ground, for cor. to Secs. 7, 8, 17 & 18, dug pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove

Subdivision. T. 18 S. R. 28 E. continued

chains

a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked
 T. 18 S. S. 8 on N. E.
 R. 28 E. S. 17 on S. E.
 S. 18 on S. W. and
 S. 7 on N. W. faces, with
 4 notches on S. and 5 notches
 on E. edges.

- ✓ Land descending a little W.
 Soil 2^d rate
 No timber.

East on a random line, bet.
 Secs. 8 & 17.

Var. $12^{\circ} 32' E.$

- 40.00 Set a temporary $\frac{1}{4}$ Sec. cor.
 79.92 Intersect Prop. line 10 lbs
 N of cor. to Secs. 8, 9, 16 & 17

Subdivision T. 18 S. R. 28 E. contd

chains

Thence from

N. $89^{\circ}56'$ W. on a true line,
bet. Secs. 8 & 17. with same va.

- 39.96 Deposited a charred stake,
12 ins. in the ground, for $\frac{1}{4}$ sec
cor. dug pits $18 \times 18 \times 12$ ins.
E. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it.
In E. pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. in the
ground, marked $\frac{1}{4}$ S. on N. face.
- 79.92 The cor. to Secs. 7, 8, 17 & 18
Land descending a little W.
Soil 2^d rate
No timber.

 West on a random line,

Subdivision T. 18 S. R. 28 E. continued

Chains

bet. Secs. 7 & 18.

Var. $12^{\circ} 32' E.$

28.00 Wash 4 alks wide course N. of W.

4.00 Set temporary $1/4$ sec. cor.

40.30 Old road course S.

78.88 Intersect W. Boundary of township. 16 lks S. of cor. to Secs. 7, 12, 13 & 18 which is a Post 4 ins. square, marked T. 18 S. S. 7 on N. E.

R. 28 E. S. 18 on S. E.

R. 27 E. S. 13 on S. W. and S. 12 on N. W. faces, with 2 notches on N. & 4 notches on S. edges, with pits $18 \times 18 \times 12$ ins. in each sec. $3 \frac{1}{2}$ ft. dist. and mound of earth 2 ft. high, 4 ft. base around post.

5. Please I run.

Subdivision S. 18 T. R. 28 E. cont.

Chains

S. $89^{\circ}53'E$. on a true line, bet.
Secs. 7 & 18. with same va.

38.88 Set a post 3 ft. long, 3 ins. square
with marked stone, 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on N face, dug pits 18x18
& 12 ins. E & W. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around
post.

78.88 The cor. to Secs. 7, 8, 17 & 18
Land descending a little W.
Soil 2^d rate
No timber.

North, bet. Secs. 7 & 8.

Var. $12^{\circ}32'E$

38.00 Wash of Branch Creek 50 lbs

Subdivisions T. 18 S. R. 28 E. continued

Chains

wide drains W.

40.00 Set a post 3 ft. long, 3 ins. square, 24 ins. in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face, from which an Ash 12 ins. dia. to S. $53\frac{1}{2}^{\circ}$ E. 269 lks. dist. marked $\frac{1}{4}$ S. B. T.

An Ash 10 ins. dia. to S. $29\frac{1}{2}^{\circ}$ W. 132 lks. dist. marked $\frac{1}{4}$ S. B. T.

70.00 Road ^{along} creek W.

75.17 Turkey creek drains W.

78.00 leave it.

80.00 Set a post 4 ft. long, 4 ins. square 24 ins. in the ground for cor. to Secs. 5, 6, 7, & 8. marked S. 18 S. S. 5 on N. E.

R. 28 E. S. 8 on S. E.

S. 7 on S. W. and

S. 6 on N. W. faces, with 5

Subdivisions N. 18 S. R. 28 E. cont.

Chains

notches on S. & E. edges. from which
 a Willow 8 ins. dia. br. N. 82 $\frac{1}{2}$ ° E. 22 lbs. dist.
 marked N. 18 S. R. 28 E. S. 5 B. N.

a Walnut 16 ins. dia. br. S. 47° E. 82 lbs. dist.
 marked N. 18 S. R. 28 E. S. 8 B. N.

An Ash 12 ins. dia. br. S. 68° W. 117 lbs. dist.
 marked N. 18 S. R. 28 E. S. 9 B. N.

S a Walnut 12 ins. dia. br. N. 45° W. 229 lbs. dist.
 marked N. 18 S. R. 28 E. S. 6 B. N.

Land ascending a little E.
 Soil 2^d rate

Some trees along washes.

East on a random line, bet.
 Secs. 5 & 8.

Corr. 12° 32' E.

40.00 Set temporary 1/4 sec cor.

79.90 Intersect N x S. line 12 lbs

Subdivisions T. 18 S. R. 28 E. continued

- 39.95 *Chain* N. of cor. to Secs. 4, 5, 8 & 9.
 Thence 9 mu
 N. $89^{\circ} 55'$ W. on a true line
 bet. Secs. 5 & 8. with same ca.
 Set a post 2 ft. long, 3 ins. square,
 24 ins. in the ground, for $\frac{1}{4}$
 sec. cor. marked $\frac{1}{4}$ S. on N.
 face, from which
 an ash 16 ins. dia. br. N. 38° W. 49 lbs. dist.
 marked $\frac{1}{4}$ S. B. S.
 an ash 13 ins. dia. br. S. $36\frac{1}{2}^{\circ}$ E. 117 lbs. dist.
 marked $\frac{1}{4}$ S. B. S.
 79.90 The cor. to Secs. 5, 6, 7 & 8.
 Land ascending a little E.
 Soil 2^d & 3^d rate
 Trees along creek to S.

West, on a random line

Subdivisions P. 18 S. R. 28 E. cont.

chains

bet. secs. 6 & 7.

Var. $12^{\circ} 32' E$.

35.00 O'Reilly house 60 lks N.

40.00 Set temporary $1/4$ sec. cor.

78.80 Intersect W. Boundary of township. 10 lks N. of cor. to Secs. 1, 6, 7 & 12, which is a Post 4 ins. square, marked
 P. 18 S. S. 6 on N. E.
 R. 28 E. S. 7 on S. E.
 R. 27 E. S. 12 on S. W. and
 S. 1 on N. W. faces, with 1 notch
 on N. & 5 notches on S. edges,
 with pits $18 \times 18 \times 12$ ins. in each
 sec. $5\frac{1}{2}$ ft. dist. and mound
 of earth 2 ft high $4\frac{1}{2}$ ft. base
 around post, with bearing
 trees properly marked in S. E.
 and S. W. secs.

Subdivision T. 18 S. R. 28 E. continued

chains

Thence Iron

N. $89^{\circ} 56' E.$ on a true line,
bet. Secs. 6 & 7. with saw va.

38.80 Set a Post 2 ft long 3 ins. square
with marked stone, 12 ins. in
the ground, for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ S. on N. face, dug pits 18x18x12
ins. E & W. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around
post. from which
an Oak 12 ins. dia. br. S. $45^{\circ} E.$ 266 lbs. dist.
marked $\frac{1}{4}$ S. B. S.

78.80 The cor. to Secs. 5, 6, 7 & 8.
Land ascending a little E.
Soil 2^d & 3^d rate
No timber.

Subdivisions T. 18 S. R. 28 E. continued

chains

North on a random line, bet.
Secs. 3 & 6.Var. $12^{\circ} 32' E$.40.00 Set temporary $1/4$ sec. cor.79.91 Intersect N. Boundary of
township. 9 lks. W. of cor. to
Secs. 5, 6, 31 & 32, which is a
mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base, with pits $18 \times 18 \times 12$
ins. in each sec. $5\frac{1}{2}$ ft. dist.
In S. E. pit is a stake 2 ft.
long, 2 ins. square marked
T. 17 S. S. 32 on N. E.
R. 28 E. S. 5 on S. E.
T. 18 S. S. 6 on S. W. and
S. 31 on N. W. faces, with 5
notches on E. & 1 notch on
W. edges.

Thence I run

Subdivisions P. 18 S. R. 28 E. continued

Chains

S. $0^{\circ}04'$ W. on a true line, bet.
Secs. 5 & 6. with same or.

39.91 Deposited a charred stake 12
ins. in the ground, for $\frac{1}{4}$ sec.
cor. dug pits $18 \times 18 \times 12$ ins.

N & S. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$
ft. high, $3\frac{1}{2}$ ft. base over it.

In N. pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. in the
ground, marked $\frac{1}{4}$ S. on W.
face.

79.91 The cor. to Secs. 5, 6, 7 & 8
Land ascending a little E.
Soil 2^d & 3^d rate

No timber

April 10. 1882.

Subdivision: T. 18 S. R. 28 E.

General Description:

This township has a partly rolling and uneven and partly plain surface. There is fine grazing throughout its extent and there are a number of settlers engaged in stock raising located in it.

Permanent water is found in Turkey Creek. There is some oak with ash, walnut and sycamore along this creek.

Theodore F. White
U. S. Deputy Surveyor.

List of Names.

BOOK 884

100

A List of the Names of Individuals employed by
Theodore P. White U. S. deputy
surveyor, to assist in running, measuring, or marking the lines
and corners described in the foregoing Field Notes of the survey
of the subdivision lines of
Township No. 18 S. Range
No. 28 E. Gila & Salt
River ^{Base} Meridian, Territory
of Arizona

Showing the respective capacities in which they acted.

J. H. McBline Chainman.
J. O. Ford Chainman.
John Blake Axeman.
Saul H. Van Pelt Flagman.
Joe Schwarz & Geo. T. Myers
Miners

101
Final Oath of Assistants.

BOOK 884

BOOK 884

We hereby certify that we assisted Theodore J. White U. S. Deputy Surveyor, in surveying all those parts or portions of the subdivision lines of township No 18 S. R. No. 28 E. Gila & Salt River Base & Meridian Territory of Arizona.

as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor-General for Arizona.

J. H. Mc Blue Chainman.

J. O. Ford Chainman.

John Blaker Axeman.

James W. Ruz Flagman.

Sworn to and subscribed before me, this 3rd day of

May, 1887

Paul Riccker
Notary Public Pima
County, Arizona.

Final Oath of Deputy Surveyor. 102

BOOK 884

I, Theodore, J. White

U. S. Deputy Surveyor, do solemnly swear that in pursuance of instructions received from John Wasson, United States Surveyor-General for Arizona, bearing date the

day of 188....., I have well, faithfully

and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of

the subdivisions line of township No 18. S. R. 28 E. Gila Salt River Base & Meridian Territory of Arizona.

as are represented

in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific manner described in the

9 101 102 field notes, and that the foregoing are the true Field Notes of such survey, and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846

Theodore J. White

U. S. Deputy Surveyor.

Sworn to and subscribed before me this *3rd* day of

May

, 188 *2*

Paul Rice
Notary Public Pima
County, Arizona

BOOK 884