

BOOK 892/

No. 892

892

# Field Notes

OF THE SURVEY OF THE BOOK 892

*SUBDIVISION LINES*

- OF -

Township 19 S Range 16 E

*Gila and Salt River Base and Meridian*

**ARIZONA.**

By Theo. F. White D. S.

under contract dated Aug 21 1874.

Survey commenced Oct. 30 1874.

Survey completed Nov 5 1874.

No. 892

1A

**PRELIMINARY OATHS OF ASSISTANTS.**

WE, R. A. Vasquez  
and L. D. Burton

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

R. A. Vasquez  
L. D. Burton

Sworn to and subscribed before me, this 3<sup>o</sup>  
day of October, 1874

William Babson  
Notary Public



W.E. W. H. Aubury, H. G. Morse  
and C. S. Leon

do solemnly swear that we will well and truly per-  
form the duties of Flagman, Axeman  
and Mound builder, respectively  
according to instructions given us, and to the best  
of our skill and ability.

W. H. Aubury,  
H. G. Morse  
C. S. Leon

Sworn to and subscribed before me this 3<sup>o</sup>  
day of October 1874

William Robm  
Notary Public



10

A

4-674.

Township 19 S., R. 16 E., T. 8 N., R. 8 W.

Book No. 892

BOOK 892

6	60	5	44	4	33	3	22	2	11	1
59	58		43		32		21		10	
7	57	8	42	9	31	10	20	11	9	12
56	55		41		30		19		8	
18	54	17	40	16	29	15	18	14	7	13
53	52		39		28		17		6	
19	51	20	38	21	27	22	16	23	5	24
50	49		37		26		15		4	
30	48	29	36	28	25	27	14	26	3	25
47	46		35		24		13		2	
31	45	32	34	33	23	34	12	35	1	36

Township 19 S. Range 16 E.

Gila and Salt River Meridian

- 100  
Beginning at the cor. to secs. 35<sup>2</sup> & 36, on the S. boundary farm -  
North between secs. 35<sup>2</sup> & 36.  
var. 13° 59' East.  
As per east boundary.
- 20.00 Enter valley and leave mesa, hrs. E.
- 29.00 Road to Gardner's Sawmill, hrs. E. and N.
- 40.00 Set a granite stone, 14 x 8 x 5 in. <sup>2</sup>/<sub>3</sub> in the ground, marked <sup>2</sup>/<sub>4</sub>, and on N. side, build a mound of stones 2 ft high, as per instructions for <sup>2</sup>/<sub>4</sub> sec. cor. No trees near. This cor. is near the N. edge of valley leading to Gardner's ranch.
- 80.00 Set a post, marked and notched, 1 1/2 ft long, 3 in. sq. d. 1/4 in the ground, drive a round stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 25, 26, 35 & 36. No trees near. Land rolling and hilly. Soil good for grass. Some oak and walnut trees in the valley.

Township 19 S. Range 16 E  
Gila and Salt River Meridian

Sec East

Curved line between sec. 25 & 36.

cur. 13' 59" East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

49.80 Indirect E. boundary 5 hrs. N. of cor. to  
sec. 25 & 36. from which cor. I run  
N. 89° 58' W.

Outline line between sec. 25 & 36.

cur. 13' 59" East

49.90 Remote from stone and timber.

Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for  $\frac{1}{4}$  sec. cor.

49.80 Cor. to sec. 25, 26, 35 & 36.

Land undulating.

Soil good for grass.

No timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

To North stream sec. 25 & 26.  
var. 13' 59' East

- 39.00 Dry wash 15 lbs. wide, var. E.
- 40.00 Set a post, marked "4 S" 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for "4 sec. cor. from which
- An oak 16 in. dia. var. S. 8° E. 130 lbs. dia.  
do. 24 " " " S. 19 1/4° W. 115 " "
- 43.00 Arroyo 20 lbs. wide, var. N. E.
- 50.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec. 23, 24, 25 & 26.
- No trees near. Land undulating and smooth. Soil 1st rate for grapes.  
Some oak trees along wash.

Downship 19 S. Range 16 E  
Gila and Salt River Meridian

To East

Random line between sec. 24 & 25  
cor. 13° 57' East

110.00 Set post for temporary 1/4 sec. cor.  
75.00 Arroyo 20 lbs wide, run S. E.  
79.90 Intersect E. boundary 4 lbs. S. of cor.  
to sec. 24 & 25, from which cor. Run  
S. 89° 58' W.

Entire line between sec. 24 & 25  
cor. 13° 57' E. S.

39.95 Set a post, marked 1/4 S. 4 ft long & stoned  
3 in. wide, 1 ft in the ground, drive char. stake  
and build mound of earth 2 ft  
high, with post 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for 1/4 sec. cor.  
No trees near.

79.90 Cor. to sec. 23, 24, 25 and 26.  
Land smooth, ascending W.  
Soil good for grass. No timber.



Township 19 S. Range 16 E.  
Gila and Salt River Meridian

As North between sec. 23 and 24.  
ang.  $13^{\circ}59'$  East  
40.00 Set a post, marked "U.S." 4 ft long, flat-  
tined 3 in. wide, 1 ft in the ground, drive  
charred stake and build mound of  
earth 2 ft high, with pit 1 ft deep, 2 ft long,  
1 ft wide, as per instructions, for "U" sec. cor.  
No trees near.

80.00 Set a post, marked and notched, 4  
ft long, 3 in. sq. in the ground,  
drive charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for cor. to sec.  
13, 14, 23 and 24.

No trees near.

Land smooth and rolling.

Soil good for grass.

Old timber on N. end.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

No East

On random line between sec. 13 & 24

var.  $13^{\circ} 59'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.00 Intersect E. boundary 11 ds. S.

of cor. to sec. 13 and 24, from  
which cor. Run  
S.  $89^{\circ} 35'$  W.

On true line between sec. 13 & 24

var.  $13^{\circ} 59'$  E. S.

40.00 Set a post, marked  $\frac{1}{4}$  S. 24 ft long,  
flattened 3 in. wide, 1 ft in the ground

drive charred stake and build  
mound of earth 2 ft high with  
pit 1 ft deep, 2 ft long, 1 ft wide, as

per instructions, for  $\frac{1}{4}$  sec. cor. Notes near.

80.00 Cor. to sec. 13, 14, 23 and 24.

Sand rolling and gravelly.

Soil 2<sup>nd</sup> rate. No timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

- hs North between secs. 13, 14  
cor. 13° 39' East.
- 40.00 On a W. slope. Set a stone 10x8x7 inches,  
2/3 in the ground, marked 74, and  
on N. side, build mound of earth  
2 ft high, with pits 1 ft deep, 2 ft long,  
1 ft wide, as per instructions for 74  
sec. cor. No trees near.
- 58.00 Enter valley, hrs. S. E.
- 77.00 Leave valley.
- 80.00 Set a post, marked and notched  
4 ft long, 3 in. sqd. 1 ft in the ground, drive  
charred stake and build mound of earth  
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for cor. to sec.  
11, 12, 13 and 14. No trees near.  
Sand, crossing valley bearing E. to mes-  
cal ranch. Soil good for grass.  
No timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian.

to East

On random line between secs. 12 & 13,  
var.  $13^{\circ}59'$  East

210.00 Set post for temporary  $\frac{1}{4}$  sec. cor.  
79.87 Intersect E. boundary at cor. to sec.  
12 and 13, from which cor. Run  
West

On true line between secs. 12 & 13  
var.  $13^{\circ}59'$  East

39.94 Set granite stone  $16 \times 10 \times 5$  inches,  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ ,  
and on W. side, build mound  
of stones 2 ft high, as per in-  
structions for  $\frac{1}{4}$  sec. cor.

No trees near.

79.87 Cor. to secs. 11, 12, 13 and 14.  
Sand rolling. Soil  $\frac{1}{2}$  rate for  
grass. No timber.

Township 19 S. Range 16 E.  
 Gila and Salt River Meridian

to North between secs. 11 & 12  
 cor. 13° 59' East

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long, flattened  
 3 in. wide, 1 ft. in the ground, drive charred stake and  
 build mound of earth 2 ft. high, with pits 1 ft.  
 deep, 2 ft. long, 1 ft. wide, as per instructions, for  
 1/2 sec. cor. No trees near.

78.00 An arroyo 40 lbs. wide, Crs. S.E.

80.00 Set a post, marked and notched, 4 ft.  
 long, 3 in. sq'd. 1 ft. in the ground, drive charred  
 stake and build mound of earth 2 ft. high, with  
 pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions,  
 for cor. to sec. 1, 2, 11 & 12, from which to

- An oak 30 in. dia. br. S. 84 $\frac{3}{4}$ ° E. 27 lbs. dist
- do. 26 " " " N. 59 $\frac{1}{2}$ ° E. 105 " "
- do. 18 " " " N. 12 $\frac{1}{4}$ ° E. 97 " "
- do. 18 " " " N. 37 $\frac{3}{4}$ ° W. 64 " "

Sand rolling and hilly. Soil good  
 pas. Some oaks on N. end.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

S. East.

An random line between sec. 1 & 12.  
var. 13° 59' East.

- 0.10 Arroyo 40 lbs. wide bet. S.E.  
11.00 Arroyo 40 " " " S.E.  
40.00 Set post for temporary  $\frac{1}{4}$  sec. cor.  
78.00 Road to Cullenden bet. E. of S.  
79.87 Intersect E. boundary 41 lbs. S. of cor.  
to secs. 1 and 12. from which cor. run  
S. 89° 42' N.

On line between sec. 1 and 12  
var. 13° 59' East.

- 39.94 Set a post, marked  $\frac{1}{4}$  S. 14 ft long, flathead  
3 in wide. 4 ft in the ground, drove charred  
stake and built mound of stones 2 ft high  
as per instructions, for  $\frac{1}{4}$  sec. cor. No trees near  
79.87 Cor. to secs. 1, 2, 11 and 12.  
Land along N. side of valley bet. E.  
Soil good for grass. Some oaks.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

to North

On random line between sec. 1 & 2.  
cor.  $13^{\circ}59'$  East.

40.00 Set post for temporary  $\frac{1}{4}$  sec. cor.

58.00 Road to Crittenden Crs. S. E.

79.93 Intersect N. boundary 5 Crs. E. of  
cor. to sec. 1 and 2, from which  
cor. from  
 $S. 0^{\circ}2'$  E.

On line line between sec. 1 & 2.  
cor.  $13^{\circ}59'$  East.

39.93 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
drive charred stake and build mound of  
stone 2 ft high, as per instructions for  
 $\frac{1}{4}$  sec. cor. No trees near.

79.93 Cor. to sec. 1, 2, 11 and 12.  
Sand rolling hills. Soil good for  
grass. Some oak trees.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

As North between secs. 34<sup>9</sup>, 35.  
Cor. 13<sup>59</sup>' East

40.00 In little valley running S. of E. S. 1/4 first,  
marked "4 S. 4 ft long, flattened 3 in wide, 1 ft in the  
ground, drive charred stake and build mound  
of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as  
for instructions for "4 sec. cor. from which  
An oak, 12 in. dia. base S. 19<sup>1/4</sup>° E. 400 lbs. dist  
No other trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1  
ft in the ground, drive charred stake, and build mound  
of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as  
for instructions, for cor. to secs. 16, 27, 34, 35, from which  
An Oak, 7 in. dia. base, N. 37<sup>1/2</sup>° E. 26 lbs. dist  
do. 13. " " N. 25° E. 81 " "  
do. 4. " " S. 71<sup>1/4</sup>° W. 50 " "  
do. 11 " " S. 61<sup>1/4</sup>° W. 61 " "  
Land hilly. Soil good for grass.  
Some oak timber.



Township 19 S. Range 16 E.  
Gila and Salt River Meridian

To East

On random line between sec. 26 & 35.  
var. 13° 59' East.

40.00 Set post for temporary  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. and S. line 8 Sec. N. of  
cor. to sec. 25, 26, 35 and 36,  
from which var.  $\frac{1}{4}$  sec.  
N. 89° 57' W.

On true line between sec. 26 & 35.  
var. 13° 59' East

40.00 Set a post, marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  E long,  
flattened 3 in. wide, 1 ft in the ground,  
drive charred stake and build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees near.

80.00 Cor. to sec. 26, 27, 34 and 35.  
Sand hilly. Soil good for grass.  
Some oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

As North between sec. 26 & 27.

var. 13° 59' East.

26.00 Range 40 lbs. wide, var. S. E.

40.00 Set a post, marked 1st S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
drive charred stake and build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for 74 sec. var. No trees near.

80.00 Set a post, marked 2nd S. 4 ft  
long, 3 in. sqd. 1 ft in the ground, drive charred,  
stake and build mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft wide, as per  
instruction, for cor. to sec. 22, 23, 26,  
and 27.

No trees near.

Sand rolling, Soil good for grass.  
No timber.

Township 19 S. Range 16 E.  
Gila and Salt River. Meander

To East

On random line between secs. 23 & 26,  
var. 13' 59" East

40.00 Set post for temporary 1/4 sec. cor.

79.72 Intersect stand S. line 7 lvs. N. of cor.  
to secs. 23, 24, 25 and 26 from  
which cor. Same  
N. 89° 57' W.

On true line between secs. 23 & 26,  
var. 13° 59' East

39.86 Set a post, marked 1/4 S. 1/4 ft. long, flat-  
tined 3 in. wide, 1 ft. in the ground, down  
chased stake and built mound of earth  
2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft.  
wide, as per instructions, for 1/4 sec. cor.  
Notes near.

79.72 Cor. to secs. 22, 23, 26 and 27  
Land undulating. Soil & rate for grass.  
No timber.

Township 19 S. Range 16 E  
 Gila and Salt River Meridian

To North between secs. 22 & 23

cor. 13° 59' East

40.00 Sida post, marked 48 1/2 ft long, flattened 3  
 in wide, 1 ft in the ground, driven charred stake and  
 built mound of earth 2 ft high, with pile of debris  
 2 ft long, 1 ft wide, as per instruction, for 1/4  
 sec. cor. No trees near.

80.00 Sida post, marked and notched, 4 ft long, 3 in  
 sq. 1 ft in the ground, driven charred stake and  
 built mound of earth 2 ft high, with pile of  
 debris 2 ft long, 1 ft wide, as per instruction for  
 cor. to secs. 14, 15, 22 and 23, from which  
 An Oak 5 in. dia. br. N. 79 1/4° E. 33 hrs. dist.

do 7 " " " N. 79 1/2° E. 68 " "

do 7 " " " S. 15° E. 58 " "

do 12 " " " S. 34 1/4° N. 91 " "

Sand rolling. Soil good for grass

Considerable Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian  
to East

An random line between sec. 14 & 23  
var.  $13^{\circ}59'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.98 Intersect N. and S. line 6 lcs. N. of  
cor. to sec. 13, 14, 23 & 24, from which cor. run  
N.  $89^{\circ}57'$  W.

On true line between sec. 14 & 23

var.  $13^{\circ}59'$  East

39.99 Set a post marked  $\frac{1}{4}$  sec.  $\frac{1}{4}$  flong, flattened  
3 in. wide, 1 ft in the ground, drive charred stakes  
and build mound of earth 2 ft high, with pile  
1 ft deep, 2 ft long, 1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor. from which

An Oak 3 in. dia. br. N.  $69^{\circ}41'$  E. 110 br. dist.

do 10 " " "  $85^{\circ}$  E. 247 " "

79.98 The cor. to sec. 14, 15, 22 and 23.

Land rolling. Soil strata for grass.  
Considerable oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

Line North between sec. 14 & 15.

var. 13' 59' East.

- 21.00 Enter valley Cas. N. E.
- 40.00 In valley of Fish's ranch. Set a post marked 1/4 S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for these cor. No trees near.
- 48.00 Leave valley.
- 80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 1 ft in the ground, drive charred stake and build mound of stones 2 ft high, as per instructions, for cor. to sec. 10, 11, 14 and 15. No trees near.
- Land, crossing from valley running E. Soil 1st rate. Then on hills, occasional oak trees.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian  
to East

On random line between sec. 11 & 14,  
var. 13° 59' East.

40.00 Set post for temporary 74 sec. cor.

80.09 Intersect N. and S. line at cor. to sec.  
11, 12, 13 and 14, from which cor. drawn  
West.

Outline line between sec. 11 & 14,  
var. 13° 59' East.

40.04 Set a post, marked "4 S. 14 ft long,  
flattened 3 in wide, 1 ft in the ground,  
drive charred stake and build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instruction  
for 74 sec. cor. No trees near.

80.09 Cor. to sec. - 10, 11, 14 & 15.  
Land along N. of valley, in which Fish's  
ranch is situated. Soil good for grass.  
No timber.

October 31, 1874

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

Go North between sec. 10 & 11.  
on a 13° 59' East

13.00 Enter valley bro. S. E.

21.00 Leave same.

40.00 Set post marked  $\frac{1}{4}$  S. 4 ft long, flattened 3 in. wide  
1 ft in the ground, drive charred stakes and built a  
mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instruction for 14 sec. cor. from which  
An oak 36 in. dia. base S. 16° E. 120 br. dist  
do 20 " " N. 63 $\frac{1}{4}$ ° E. 178 "

73.00 Arrive base N. E.

80.00 Set post marked & notched, 4 ft long, 3 in. sq. 1 ft  
with ground, drive charred stakes and built mound of  
earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide  
as per instruction, for cor. to sec. 2, 3, 10 & 11. from which  
An oak 15 in. dia. base N. 55 $\frac{1}{4}$ ° W. 162 br. dist  
do 8 " " S 43 $\frac{1}{2}$ ° W. 222 " "  
do 8 " " S 39 $\frac{1}{4}$ ° E. 171 " "  
do 10 " " S. 62 $\frac{1}{4}$ ° E. 229 " "  
Land rolling hills. Soil good for grass. Oak timber.



Township 19 S. Range 16 E.  
Gila and Salt River Meridian

To East corner of line between sec. 2 & 11.  
var.  $13^{\circ} 59'$  East.

35.00 Leave hills and enter valley.

40.00 Set post for temporary  $\frac{1}{4}$  sec. cor.

67.00 Across 40 lbs. wide, runs S. E.

79.84 Intersect N. mid line 6 lbs. S. of cor.  
to sec. 1, 2, 11 and 12, from which  
cor. Run  
 $189^{\circ} 57' W.$

On true line between sec. 2 & 11.

var.  $13^{\circ} 59'$  East.

39.92 Set post marked  $\frac{1}{4}$  S. of long flat road 3 in. and  
4 in. deep, drive charred stakes and build mound of  
earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per in-  
structions for  $\frac{1}{4}$  sec. cor. from which

Run Oak 20 in. dia. to N.  $34\frac{1}{2}^{\circ} W.$  129 chert

do. 16 " " " N.  $53\frac{3}{4}^{\circ} W.$  155 "

79.84 Cor. to sec. 2, 3, 10 and 11.

Land valley & hills. Soil good and poor.

Grass and Oak timber.

2  
Township 19 S. Range 16 E.  
Gila and Salt River Meridian

On North Corner line bet. sec. 2 & 3.  
var.  $13^{\circ}59'$  East

13.00 Enter valley bet. S. E.

18.00 Arroyo 15 lbs. wide, runs S. E.

21.00 Leave valley

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

50.10 Intersect N. boundary 12 lbs. E. of cor.  
to sec. 2 and 3. from which cor.  
Dune

S.  $0^{\circ}5'$  E. entire line bet. sec. 2 & 3.

var.  $13^{\circ}59'$  East

40.10 Set a post, marked  $\frac{1}{4}$  S. 1 ft long, flattened  
3 in. wide, 1 ft in the ground, drive charred stake  
and build mound of earth 2 ft high, with pit  
1 ft deep, 2 ft long, 1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees near.

50.10 Cor. to sec. 2, 3, 10 and 11.

Ground high rolling, stony hills

Soil good for grass. Some oaks.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

to North between sec. 33 & 34  
on a  $13^{\circ}59'$  East

40.00 Set a post, marked  $14$  S.  $4$  ft. long, flattened  $3$   
in wide,  $1$  ft. in the ground, drive charred  
stake and build mound of earth  $2$  ft. high, with pits  
 $1$  ft. deep,  $2$  ft. long,  $1$  ft. long, as per instructions for  $44$   
sec. cor. from which

An oak  $8$  in. dia. br. S.  $75^{\circ}$  N.  $70$  lbs. dist.  
No trees near.

68.00 Enter valley bas. N. of E.

73.00 Dry creek  $20$  lbs. wide bas. N. of E.

79.00 Leave valley.

80.00 Set a post, marked and notched,  $4$  ft. long,  $3$  in. spl.  
 $1$  ft. in the ground, drive charred stake and build  
mound of earth  $2$  ft. high, with pits  $1$  ft. deep,  
 $2$  ft. long,  $1$  ft. wide, as per instructions for cor. to Secs.

$27$ ,  $28$ ,  $33$  &  $34$ , from which  
An oak  $3$  in. dia. br. N.  $54\frac{1}{2}^{\circ}$  E.  $20$  lbs. dist.  
do.  $10$  " " " N.  $13^{\circ}$  E.  $120$  " "  
do.  $20$  " " " N.  $33^{\circ}$  W.  $70$  " "

No other trees near.

Land rolling, Soil good for grass. Oak timber.

74

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

To East on random line bet sec. 27 & 34.  
dir.  $13^{\circ} 59'$  East

110.00 Set temporary 1/4 sec. cor.

55.00 Surveyed 30 hrs. wide, dir. N. E.

49.84 Intersect N. & S. line 22 hrs. S. a few. to  
secs. 26, 27, 34 & 35. from which cor. from  
S.  $89^{\circ} 51' N.$

On true line between secs. 27 & 34.  
dir.  $13^{\circ} 59'$  East

39.92 Set a post, marked 1/4 S. 4 ft long, flattened  
3 in. wide, 1 ft in the ground, drive charred  
stake and build mound of earth 2 ft high  
with pit 1 ft deep, 2 ft long, 1 ft wide, as per  
instructions for 1/4 sec. cor. from which  
the cor. 9 in. dia. dir. N.  $53^{\circ} E.$  230 hrs. dist  
do. 5 " " " S.  $56\frac{1}{2}^{\circ} N.$  130 " "

49.84 The cor. 27, 28, 33 and 34.

Land, first over little valley, running  
S. E., then hills. Soil good for grain.  
Oak timber

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

- As North between sec. 27<sup>th</sup> & 28.  
aur. 13<sup>th</sup> 59' East
- 40.00 Set a post, marked "48. 4 ft long, flattened 3  
in. wide. 1 ft in the ground, drive charred  
stake and build mound of earth 2 ft high  
with pits 1 ft deep, 2 ft long, 1 ft wide, as per in-  
structions for 14 sec. cor. from which  
An oak 4 in dia. tree, N. 43<sup>3</sup>/<sub>4</sub>° E. 95 lbs. dist.  
do. 12 " " " S. 8<sup>1</sup>/<sub>4</sub>° E. 184 " "
- 80.00 Set a post, marked and notched, 4 ft long, 3 in.  
sqd. 1 ft in the ground, drive charred stake and  
build mound of earth 2 ft high, with pits 1  
ft deep, 2 ft long, 1 ft wide, as per instructions for  
cor. to sec. 21, 22, 27 and 28 from which  
An oak 9 in dia. tree, N. 15<sup>0</sup> 11'. 105 lbs. dist.  
do. 12 " " " S. 31<sup>1</sup>/<sub>4</sub>° E. 134 " "  
do. 13 " " " N. 87° E. 185 " "  
do. 6 " " " S. 58° W. 111 " "
- Sand rolling hills. Soil good for grass.  
Bad timber.

Township 19 S. Range 16 E  
Gila and Salt River Meridian  
S. East.

On random line between sec. 22<sup>3</sup>/<sub>4</sub> 27.  
var. 13° 57' East

- 40.00 Set post for temporary 1/4 sec. cor.  
73.00 Arroyo 15 lbs. wide, bet. S. E.  
79.66 Intersect N. and S. line 29 lbs. S. of cor.  
to sec. 22, 23, 26, and 27, from which  
cor. Taken  
S. 89° 48' W.

On true line between sec. 22<sup>3</sup>/<sub>4</sub> 27.  
var. 13° 57' East

- 39.83 Set a post, marked "4 S. 4 ft long, flattened  
3 in wide, 1 ft in the ground, drive charred  
stake and build mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1/4 sec. cor.  
No trees near.  
79.66 Cor. to sec. 21, 22, 27 and 28.  
Sand rolling. Soil good for grass.  
Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

Sec. North between sec. 21 & 22,  
cor. 13° 59' East.

40.00 Set a post, marked "4", 4 ft long, flattened 3 in  
wide, 1 ft in the ground, drive charred stake and  
build mound of earth 2 ft high, with pits 1 ft  
deep, 2 ft long, 1 ft wide, as per instructions for  
these cor. No trees near.

50.00 Enter valley bet. N. E.

66.00 Leave same

80.00 Set a post, marked "5" notched, 4 ft long, 3 in sq. d.,  
1 ft in the ground, drive charred stake and build a  
mound of earth 2 ft high, with pits 1 ft deep, 2 ft long,  
1 ft wide, as per instructions, for the cor. to sec. 15, 16,  
21, and 22, from which

Run out 6 in. dir. bet. N. 74° W. 60 cor. dist

do 4 " " " S. 57° W. 37 " "

do 12 " " " S. 22° E. 44 " "

do 9 " " " N. 6° W. 44 " "

Land rolling. Soil <sup>at</sup> rate for grasses  
Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

to East

On random line between secs. 15 & 22  
var.  $13^{\circ}59'$  East

40.00 Set post for Temporary  $\frac{1}{4}$  sec. cor.

66.00 Dry creek 30 ft. wide, hrs. N. E.

79.92 Intersect N. and S. line 5 hrs. S. of cor.  
to secs. 14, 15, 22 and 23. from  
which cor. down  
 $S. 89^{\circ}58' W.$

On true line between secs. 15 & 22.  
var.  $13^{\circ}59'$  East

39.96 An oak tree 3 in dia. and mark it  
 $\frac{1}{4}$  S. for  $\frac{1}{4}$  sec. cor. from which  
An oak 12 in dia. hrs.  $N. 5^{\circ} W.$  21 hrs. dist  
No other trees near.

79.92 The cor. to secs. 15, 16, 21 and 22.  
Sand rolling. Soil 1<sup>st</sup> rate for grass,  
much oak timber.

November 2, 1872



Township 19 S. Range 16 E.  
Gila and Salt River Meridian

To North Star sec. 15 & 16.

var.  $13^{\circ} 59'$  East

5.00 Enter valley bas. N.E.

40.00 On N. side of valley. Set a post, marked 14 S.  
4 ft long, flattened 3 in. wide, 1 ft. in the ground  
drive charred stake and build mound of earth 2 ft.  
high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instruc-  
tions, for 1/4 sec. cor. No trees near.

46.00 Leave valley.

80.00 Set a post marked and notched 4 ft long  
3 in. sq. 1 ft in the ground, drive charred  
stake and build mound of stones, 2 ft high  
as per instructions, for cor. to sec. 9, 10, 15  
and 16, from which

Out on 20 in dia. bar. S  $88^{\circ}$  E. 306 bar. dist.

do. 16 " " " N.  $45\frac{1}{2}^{\circ}$  E. 381 " "

No other trees near.

Land, crossing a fine little valley about N. of E,  
extending down to Fish ranch, - then on hills.  
Soil 1<sup>st</sup> rate & poor. Oak timber,

Township 19 S Range 16 E  
Gila and Salt River Meridian

to East

On random line between sees 10 & 15.  
var.  $13^{\circ}59'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.80 Intersect N. and S. line 8<sup>th</sup> S. of cor.  
to see 10, 11, 14 and 15, from  
which cor. drawn  
S.  $89^{\circ}57'$  W.

On line line between sees 10 & 15.

var.  $13^{\circ}59'$  East

39.90 In flat extending S.E. Set a post,  
marked  $\frac{1}{4}$  S. of plat, flattened 3  
in. wide, 1 ft. in the ground, drove  
charred stake and build mound 10 ft. in  
2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft.  
wide, as per instructions for  $\frac{1}{4}$  sec. cor.  
No trees near.

79.80 Cor. to see 9, 10, 15 and 16.

Land mostly rolling hills. Soil  
st. and v. rate. Some oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

To North between sec. 9 & 10.  
cor. 13' 5" 9' East.

- 9.00 Enter valley bas. S. E.  
18.00 Arrive 20 lbs. wide. bas. S. E.  
22.00 Leave valley.  
40.00 Set a post, marked 48.4 ft long, flattened 3 in wide  
1/2 ft in the ground, drive charred stake and build  
mound of stones 2 ft high, as per instructions  
for 14 sec. cor. from which  
An oak 8 in dia. br. S. 49 1/4° W. 190 lbs. dist.  
do. 20 " " " S. 22 1/4° W. 225 " "  
80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd,  
1/2 ft in the ground, drive charred stake and build mound  
of stone 2 ft high, as per instructions, for cor. to sec.  
3, 4, 9 and 10 from which  
An oak 16 in dia. br. N. 86 3/4° W. 190 lbs. dist.  
do. 12 " " " S. 44 1/2° W. 206 " "  
No other trees near.  
Land rolling. Soil good for grass.  
Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

As Custom random line between sec. 3 & 10.  
avr.  $13^{\circ}59'$  East

40.00 Set post for temporary  $\frac{1}{4}$  sec. cor.

80.15 Intersect N. and S. line 9 tent. of sec. 10  
2.3.10 & 11. from which cor. Iron  
N.  $89^{\circ}56'$  W.

On true line between sec. 3 & 10.  
avr.  $13^{\circ}59'$  East

40.00 Set a post, marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  E. long,  
flattened 3 in. wide, 1 ft. in the ground  
dug charred stake and built mound  
of stones 2 ft. high, as per instructions  
for  $\frac{1}{4}$  sec. cor. from which  
An Oak 12 in. dia. has, N.  $37\frac{1}{2}^{\circ}$  E. 231 - 6 in. dia.

do. 6 " " " S.  $13\frac{1}{4}^{\circ}$  W. 178 " "

80.15 Cor. to sec. 3, 4, 9 and 10.

Sand hilly and stony.

Soil good for grass.

Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

To North on random line between sec. 3 & 4.  
var.  $13^{\circ}59'$  East.

111.00 Set post for temporary  $\frac{1}{4}$  sec. cor.

79.78 Intersect N. boundary 5 lbs. N. of Co.  
to sec. 3 and 4. from which cor. Run  
 $S. 0^{\circ}2' W.$

On true line between sec. 3 & 4.  
var.  $13^{\circ}59'$  East

39.78 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in wide, 1 ft in the ground, drive  
charred stake and build mound of  
earth 2 ft high, with pit 1 ft deep, 2  
ft long, 1 ft wide, as per instructions, for  $\frac{1}{4}$   
sec. cor. from which

An oak 7 in dia. br. S.  $31^{\circ}4' W.$  146 links  
to 5. " " S.  $37^{\circ}0' W.$  176 " "

79.78 Cor. to sec. 3, 4, 9, and 10.

Land high stony hills. Soil good  
for grass. Some oak trees.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

As North, between sec. 32 & 33

cor. 13° 59' East

40.00 Set a post, marked 4" x 4" plumb, flattened 3 in.  
wide, 1 ft in the ground, drive charred stake and  
build mound of earth 2 ft high, with pile of flat stones  
2 ft long, 1 ft wide, as per instructions, for 4 sec. cor.  
An oak 10 in. dia. br. N. 1 1/4° W. 92 lbs. dist.  
do. 4 " " " N. 41° E. 173 " "

75.00 Dry creek 30 feet wide, bas. S. E.

80.00 Set a post marked and isolated 4" plumb, 3 in.  
sqd. 1 ft in the ground, drive charred stake and  
build mound of stones 2 ft high, as per in-  
structions, for the cor. to Secs 28, 29, 32 & 33, from which  
An oak 4 in. dia. br. S. 22 3/4° E. 63 lbs. dist.  
do. 12 " " " S. 1° E. 67 " "  
do. 7 " " " N. 112 3/4° E. 67 " "  
do. 13 " " " N. 85 1/2° W. 30 " "

Land high hills and broken and rocky.  
Soil poor. Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

As East corner line between sec. 28 & 33,  
cor. 13' 59' East

40.00 Set post for temporary 1/4 sec. cor.

63.00 Dry creek 25 lbs. wide, cor. S. E.

80.00 Intersect N. and S. line 10 lbs. S. of cor.  
to sec. 27, 28, 33 and 34, from  
which cor. Drive

S. 89° 56' W.

On true line between sec. 28 & 33.

cor. 13' 59' East

40.00 Set post, marked 1/4 S. 1/4 fl. long, flattened  
3 in. wide. 1/4 ft. in the ground, drive charred stake  
and build mound 1/4 ft. high, with 1/4 ft. deep,  
2 ft. long, 1/4 ft. wide, as per instruction  
for 1/4 sec. cor. from which

One oak 14 in. dia. N. 86 1/2° W. 50 lbs. dia.

do. 20 " " " S. 35° W. 83 " "

80.00 Cor. to sec. 28, 29, 32 and 33.

Sand rolling hills Soil good for grass  
Some oak timber.

Township 19 S. Range 16 E  
Gila and Salt River, Meridian

No. North between sec. 28 & 29  
on a 13° 59' East

40.00 Set a post, marked "U.S." 4 ft long, flattened  
3 in. wide, 1 ft in the ground, drive charred  
stave and build mound of stones 2 ft high  
as per instructions, for 1/4 sec. corner.  
No trees near.

80.00 Set a post, marked and notched, 4 ft long,  
3 in. sq. d., 1 ft in the ground, drive charred  
stave and build mound of earth 2  
ft high, with pile 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions, for cor. to Secs  
20, 21, 28 and 29, from which

An oak 7 in dia. to S. 88 3/4° E. 176 ft. dist.

do. 7 " " " S. 3° W. 216 " "

do. 9 " " " S. 24 1/2° W. 210 " "

do. 14 " " " N. 31 3/4° W. 293 " "

Sandhilly. Soil good for grass.  
Oak timber.



Township 19 S. Range 16 E.  
Gila and Salt River Meridian  
to East.

On random line between sec. 21 & 28.

var. 13° 59' East.

40.00 Set post for temporary  $\frac{1}{4}$  sec. cor.  
50.05 Intersect strand S. line, at cor. to sec.  
21. 22. 27 and 28. from which  
cor. is run

NE Stratum line between sec. 21 & 28.

var. 13° 59' East.

40.02 Set a post, marked "4 S. 4 ft long, flat  
tined 3 in wide, 1 ft in the ground,  
two charred stakes and build mound  
of earth 2 ft high, with pit 1 ft deep, 2  
ft long. 1 ft wide, as per instruction  
for  $\frac{1}{4}$  sec. cor. from which

Oak 10 in diameter N. 45° E. 89 bend east.

do. 9 " " N. 73° E. 112 " "

50.05 Cor. to sec. 20, 21, 28 and 29.  
Land rolling & hilly. Soil good for grass.  
Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

to North between sec. 20 & 21.  
cor. 13' 59" East

3.00 Enter valley bet. E.

10.00 Same same.

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long, flattened  
3 in. wide, 1 ft in the ground, drive chared  
stake and build mound of stones 2 ft high  
as per instructions, for  $\frac{1}{4}$  sec cor. from which  
An oak 6 in. dia. bet. N. 15 $\frac{3}{4}$ ° E. 114' bet. dist

do 5 " " " N. 53 $\frac{1}{2}$ ° E. 110 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in.  
d. 1 ft in the ground, drive chared stake and build  
mound of stones 2 ft high, as per instructions, for  
cor. to sec. 16, 17, 20 and 21, from which

An oak 5 in. dia. bet. N. 65 $\frac{1}{4}$ ° W. 25' bet. dist

do 8 " " " S. 66 $\frac{3}{4}$ ° W. 51 " "

do 5 " " " N. 15° E. 40 " "

do 10 " " " N. 53° E. 56 " "

Sand hilly. Soil good for grain.

Oak timber.

Township 19 S. Range 16 E.  
Gda and Salt River Meridian

As Eastern random line between secs. 16 & 21

var.  $13^{\circ}59'$  East

40.00 Set post for temporary  $\frac{1}{4}$  sec. cor.

79.85 Intersect N. and S. line 144 lbs. S. of cor. to sec.

15.16.21  $22^{\circ}$ , from which cor. from  
 $S. 89^{\circ}54' N.$

Outline line between secs. 16 & 21,

var.  $13^{\circ}59'$  East

39.92 Set a post, marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  pl. long, flattened  
3 in wide, 1 ft in the ground, drive charred  
stake and build mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide, as per instruc-  
tions for  $\frac{1}{4}$  sec. cor. from which

An oak 20 in. dia. hrs. S.  $61^{\circ}$  E. 35 lbs. dist

do. 30 " " " S  $25\frac{3}{4}^{\circ}$  W. 62 " "

79.85 Cor. to secs. 16, 17, 20 and 21.

Sand, along S. of valley, running E.  
Soil 1st rate for grass. Oak timber.

November 3, 1874

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

- to North between sec. 16<sup>1</sup>/<sub>2</sub> 17  
 cor. 13° 59' East
- 4.00 Enter valley cor. S. E.
- 26.00 Leave valley cor. N.
- 40.00 Set a post, marked <sup>1</sup>/<sub>4</sub> S 4 ft long, flattened, 3  
 in wide, 1 ft in the ground, drive charred stake  
 and build mound of stones 2 ft high as per  
 instructions, for <sup>1</sup>/<sub>4</sub> sec. cor. from which  
 An Oak 13 in. dia. cor. S 22° W. 55' be. dist  
 do. 3 " " " S 26° E. 14 " "
- 80.00 Set a post, marked and notched, 4 ft long,  
 3 in. sq. 1 ft in the ground, drive charred  
 stake and build mound of stones 2 ft high  
 as per instructions for cor. to sec. 8. 9. 16<sup>1</sup>/<sub>2</sub> 17  
 An Oak 10 in. dia. cor. N. 35<sup>3</sup>/<sub>4</sub>° W. 193 be. dist  
 do. 5 " " " S 55° W. 271 " "  
 do. 13 " " " S 84<sup>1</sup>/<sub>2</sub>° E. 325 " "
- Another tree near. Land, crossing a fine  
 grassy valley, running E. Soil 1<sup>st</sup> rate.  
 Oak timber.

Township 19<sup>th</sup> Range 16<sup>th</sup> E.  
Gila and Salt River Meridian

No. East on random line bet. sec. 9<sup>th</sup> 16.  
cor. 13° 59' East

40.00 Set post for temporary 1/4 sec. cor.

80.18 Intersect A. and B. line 22 lbs. S. of cor.  
to sec. 9, 10, 15 & 16. from which cor. from  
S. 89° 51' W.

On true line between sec. 9<sup>th</sup> 16.  
cor. 13° 59' East

40.09 Set a post, marked 1/4 S. 4 ft long flattened  
3 in wide. 1 ft in the ground, drive charred  
stake and build mound of stones 2 ft high  
per instructions for 1/4 sec. cor. from which  
An oak 12 inches db. N. 16 1/2° W. 38 lbs. bit  
do 13 " " S. 34° E. 37 " "

80.18 Cor. to sec. 8, 9, 16 and 17.  
Sand rolling. Soil 1<sup>st</sup> rate for grass.  
Some oak timber.

Township 19 S. Range 16 E  
Gila and Salt River Meridian

- to North between sec. 8 & 9  
var. 13° 59' East
- 40.00 Set a post, marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  long, flattened 3 in. wide,  
1 ft. in the ground, drive charred stake and build  
mound of stones 2 ft. high, as per instructions  
for cor. to  $\frac{1}{4}$  sec. from which  
An oak 14 in. dia. bears N. 84 $\frac{3}{4}$ ° E. 54 lbs. dist.  
do. 7 " " " S. 30° E. 53 " "
- 80.00 Set a post, marked and notched,  $\frac{1}{4}$  ft. long 3  
in. sq. d. 1 ft. in the ground, drive charred stake  
and build mound of earth 2 ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instruc-  
tions, for cor. to sec. 4, 5, 8 & 9. from which  
An oak 8 in. dia. bears S. 53° E. 56 lbs. dist.  
do. 9 " " " S. 10 $\frac{3}{4}$ ° E. 127 " "  
do. 8 " " " S. 26 $\frac{1}{4}$ ° N. 71 " "  
do. 16 " " " N. 43 $\frac{3}{4}$ ° N. 81 " "
- Sand rolling hills, stony. Soil good  
for grass. Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

Ch's East corner line between sec. 4<sup>th</sup> & 9<sup>th</sup>  
cor.  $13^{\circ}59'$  East.

40.00 Set post for temporary  $\frac{1}{4}$  sec. cor.

80.32 Intersect N. and S. line 21<sup>st</sup> cor. S. of cor. to  
secs. 3, 4, 9 and 10. from which run  
 $S. 89^{\circ}50' W.$

On true line between sec. 4<sup>th</sup> & 9<sup>th</sup>  
cor.  $13^{\circ}59'$  East

40.16 Set a post, marked 14 S. 14 ft. long,  
flattened 3 in. wide, 1 ft. in the ground  
drive charred stake and build mound  
of earth 2 ft. high, with pits 1 ft. deep,  
2 ft. long, 1 ft. wide, as per instructions for  
 $\frac{1}{4}$  sec. cor. from which

An oak 6 in. dia. N.  $39\frac{1}{2}^{\circ} E. 120$  ft. dist.

do. 6 " " " N.  $20\frac{1}{2}^{\circ} W. 134$  " "

80.32 Con. to Secs. 4, 5, 8, and 9.

Land rolling and stony hills.

Soil good for grass. Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

- to North on random line between sec. 4 & 5.  
cor.  $13^{\circ}59'$  East
- 38.00 Enter valley hrs. S. E.
- 40.00 Set post for temporary  $\frac{1}{4}$  sec. cor.
- 42.00 Leave valley hrs. N.
- 55.00 Summit of hill and descend.
- 79.96 Intersect N. boundary 11 hrs. W. of post to  
sec. 4 & 5. from which cor. Run  
S.  $0^{\circ}5'$  W. on true line bet. sec. 4 & 5.  
cor.  $13^{\circ}59'$  East
- 39.96 Set a post, marked  $\frac{1}{4}$  S. 11 ft. long, flattened  
3 in. wide. 1 ft. in the ground, drive a chiseled  
stake and build mound of earth 2 ft. high  
with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per  
instructions for  $\frac{1}{4}$  sec. cor. from which  
An Oak 24 in. dia. hr. S.  $27^{\circ}4'$  E. 185 hrs. dist  
do 24 " " S.  $87^{\circ}34'$  W. 172 " "
- 79.96 The cor. to Secs. 4, 5, 8 & 9. Land high hills  
and stony. Soil poor. Oak timber  
scarcely commences to run N. on last end.



Township 19 S. Range 16 E.  
Gila and Salt River Meridian

To North between sec. 31 & 32  
var.  $13^{\circ} 59'$  East

20.00 Second mile big cañon box E.

40.00 Set a post, marked W S. 4 ft long, flattened  
3 in. wide, 1 ft. in the ground, drive charred  
stake and build mound of stones 2 ft high, as per  
instructions, for 1/4 sec. cor. from which  
On Oak 8 in dia. br. N.  $16^{\circ}$  E. 101 br. dist.  
do 6 " " " N.  $7^{\circ} \frac{1}{2}$  W. 121 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in 5/8 ft  
1 ft in the ground, drive charred stake and build  
mound of earth 2 ft high, with pit 1 ft deep, 2 ft long,  
1 ft wide, as per instructions, for cor. to sec. 29, 30,  
31 and 32 from which

On Oak 7 in dia. br. N.  $25^{\circ} \frac{1}{4}$  E. 107 br. dist.  
do 7 " " " N.  $64^{\circ} \frac{1}{2}$  E. 127 " "  
do 8 " " " S.  $13^{\circ} \frac{1}{4}$  E. 55 " "  
do 7 " " " S.  $41^{\circ} \frac{1}{4}$  W. 82 " "

Sand high hills well wooded with oak.  
Good grazing.

Township 19 S Range 16 E.  
Cida and Salt River Meridian

S East corner of line between sec. 29 & 32.  
cor. 13° 59' East

40.00 Set post for temporary  $\frac{1}{4}$  sec. cor.

79.97 Intersect N. and S. line at cor. to sec. 28, 29,  
32 and 33, from which cor. Run  
West.

Entire line between sec. 29 & 32.  
cor. 13° 59' East.

39.98 An Oak tree 3 in. dia. and mark it  
 $\frac{1}{4}$  S. as per instructions for  $\frac{1}{4}$  sec. cor.  
from which

An Oak 7 in. dia. N. 37° E. 27' length  
do. 5 " " S. 54½° W. 38 " "

79.97 Cor. to sec. 29, 30, 31 and 32.  
Sand hilly.

Soil good for grass.  
Oak timber.

Township 19 S. Range 16 E.

Gila and Salt River Meridian

As West

On random line between sec. 30 & 31

ans. 13° 57' East

40.00 Set temporary 1/4 sec. cor.

79.60 Intersect N. boundary 12 ls. N.

of cor. to sec. 30 & 31 from which cor. from  
N. 89° 55' E.

On true line between sec. 30 & 31

ans. 13° 57' East.

39.60 Set a post, marked 1/4 S. 4 ft long, flattened

3 in wide, 1 ft in the ground, drive charred

stake and build mound of earth 2 ft

high, with pit 1 ft deep, 2 ft long, 1 ft wide,

as per instructions for 1/4 sec. cor. from which

On base 13 in dia. br. N. 20 3/4° W. 21 ls. dist.

do 6 . . . S. 31° E. 49 . . .

79.60 Cor. to Secs. 29, 30, 31 and 32.

Land hilly and rocky. Much grass  
and oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian.

do North between sec. 29 & 30.  
cor. 1359' East

40.00 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
drive charred stake and build mound  
of earth 2 ft high, with pile 1 ft deep, 2 ft long,  
1 ft wide, as per instructions for 14 sec. cor. from which  
An Oak 15 in. dia. bet. N.  $81\frac{3}{4}^{\circ}$  E. 100 lbs. dia.

do 6 " " " N.  $26^{\circ}$  W. 92 " "

80.00 Set a post, marked and matched, 4 ft  
long, 3 in. sq. 1 ft in the ground, drive charred  
stake and build mound of stones 2 ft high,  
as per instructions for cor. to sec. 19, 20,  
29, and 30. from which

An Oak 5 in. dia. bet. S.  $6\frac{1}{2}^{\circ}$  W. 240 lbs. dia.

do 3 " " " S.  $23^{\circ}$  W. 220 " "

No other trees near.

Sand Shilly. Soil good for grain.  
Oak timber.

Township 19 S Range 16 E.  
Gila and Salt River Meridian

to East, random line bet. sec. 20 & 29  
var.  $13^{\circ}59'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.20 Intersect N. and S. line 8 lcs. N. of  
cor. to sec. 20, 21, 28 and 29. from  
which cor. drawn  
N.  $89^{\circ}59'$  W.

On true line between sec. 20 & 29

var.  $13^{\circ}59'$  East.

40.10 Set a post, marked  $\frac{1}{4}$  S. 1 ft long, flat  
tined 3 in wide, 1 ft in the ground, drive  
chased stake and build mound of earth  
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft  
wide, a perforation for true cor. from which  
true var. 3 in diameter N.  $31^{\circ}$  E. 54 lcs. dist  
do 3 " " " N.  $85\frac{1}{2}^{\circ}$  E. 74 " "

80.20 Cor. to sec. 19, 20, 29 and 30.

Sand very heavy. Soil good for grass.  
Oak timber.

November 11, 1874

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

To W. corner line bet. sec. 19 & 30.  
cor. 13° 59' East.

41.00 Set post for temporary 1/4 sec. cor.

79.77 Intersect N. boundary 10 les. S. of cor.  
to sec. 19 & 30. from which cor. run  
S. 89° 56' E.

On true line between sec. 19 & 30.

cor. 13° 59' East

39.77 Set a post, marked W.S. 24 ft long,  
flattened 3 in wide, 1 ft in the ground,  
drill charred stake and build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instructions for  
1/4 sec. cor. from which

An Oak 10 in. dia. has S. 40° W. 178 & head due

do. 10 " " S. 1° W. 236 " "

79.77 Cor. to sec. 19, 20, 29 and 30.

Sand hilly. Soil good for grass.  
Oak timber.

Township 19 S Range 16 E.  
Gila and Salt River Meridian

Go North between sec. 19 & 20.  
cor. 13' 59" East.

40.00 Set apart, marked 1/4 S. 4 ft long, flattened 3 in.  
wide, 1/2 in the ground, drive charred stake and  
build mound of stones 2 ft high, as per instructions  
for 1/4 sec. cor. from which

Ab oak 6 in. dia. bearing S. 26° E. 30 less dist  
do 10 " " " N. 21 1/2° W. 42 " "

51.00 An arroyo 25 less wide, bearing S. E.

80.00 Set apart, marked and notched, 4 ft long,  
3 in. sq'd. 1/2 in the ground, drive charred  
stake and build mound of stones 2 ft high  
as per instructions for cor. to sec. 17, 18,  
19 and 20. from which

Ab oak 7 in. dia. bearing N. 74 1/2° E. 51 less dist  
do 5 " " " S. 25° E. 36 " "  
do 7 " " " N. 51° W. 58 " "  
do 5 " " " N. 0 3/4° E. 55 " "

Land hilly. Soil good for grass.  
Much oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

- his East monodrom line between sees. 17 & 20  
cor. 13° 59' East.
- 37.00 Arroyo 20 lbs. wide, runs S.E.
- 40.00 Set temporary 1/4 sec. cor.
- 80.17 Intersect A. and B. line at cor. to sees  
16, 17, 20 and 21, from which cor. runs  
West.
- On true line between sees. 17 & 20.  
cor. 13° 59' East.
- 40.08 Set a post, marked 1/4 S. 4 ft long, flat-  
tened 3 in. wide, 1 ft in the ground, driven  
chopped stake and build mound of stones  
2 ft high, as per instructions for 1/4 sec.  
cor. from which  
An Oak 11 in. dia. br. S. 48 1/2° W. 25 lbs. dist.  
do 14 " " " West 86 " "
- 80.17 Cor. to sees. 17, 18, 19 and 20.  
Land, E. half along slopes to S. of valley  
extending E. 3/4 N. of E. to Fish's ranch. Oak  
timber, Grass.



BOOK 892

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

To W. on random line bet. secs. 18 & 19.  
var. 13° 59' East.

40.00 Set temporary 1/4 sec. cor.

79.80 Intersect N. boundary 6 sec. N. of cont.  
secs. 18 & 19, from which cor. from  
N. 89° 57' E.

On true line between secs. 18 & 19

var. 13° 59' East

39.80 Set a post, marked 1/4 S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the ground,  
drill charred stake and build mound  
of stone 2 ft. high, as per instructions  
for 1/4 sec. cor. from which

An Oak guideline, bearing S 70 1/2° E. 50 rods dist

do. 6 " " N. 62 1/2° E. 78 " "

79.80 Cor. to secs. 17, 18, 19 and 20.

Land very hilly. Soil good for  
grain. Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

- to North between sec. 17 & 18  
 as.  $13^{\circ}59'$  East
- 40.00 In valley running N. of E. Set a post,  
 marked "4 S. 4 ft. long, flattened 3 in. wide, 4 ft.  
 in the ground, drive charred stake and build mound  
 around of earth 2 ft. high, with pits 4 ft. deep,  
 2 ft. long, 4 ft. wide, as per instructions for the  
 sec. cor. from which  
 A Walnut, partially dead, 24 in. dia. br. N.  $24^{\circ}$  W. 148 lbs. dia.  
 No other trees near.
- 47.00 Leave valley, bas. E.
- 80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. ft.  
 1 ft. in the ground, drive charred stake and build mound  
 of earth 2 ft. high, with pits 4 ft. deep, 2 ft. long, 4 ft. wide, as  
 per instructions for cont. to sec. 7, S. 17 & 18, from which  
 An oak 6 in. dia. br. S.  $82^{\circ}$  E. 57 lbs. dia.  
 do 12 " " " S.  $74^{\circ}$  E. 70 " "  
 do 20 " " " S.  $51^{\circ}$  W. 157 " "  
 No other trees near. Land, crossing fine  
 grassy valley, runs E. and then N. of E., and  
 hilly. Rich soil in valley.  
 Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

Ln. E. A. S. and S. line between sees. 8 & 17  
and 13' 59' East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.30 Intersect N. and S. line of Sec. 8 of cor.  
to sees. 8, 9, 16, & 17, from which cor. run  
S. 89° 57' W.

Continue line between sees. 8 and 17  
and 13' 59' East

39.65 Set a post, marked 4 S. 4 ft. long, flattened  
3 in wide, 1 ft. in the ground, drive charred  
stake and build mound of earth 2 ft high  
with pits 4 ft deep, 2 ft long, 1 ft wide, as per in-  
structions for  $\frac{1}{4}$  sec. cor. from which  
An Oak 14 in dia. bears N. 19 $\frac{3}{4}$ ° E. 47 ft. lead dist  
do 4 " " " N. 2 $\frac{3}{4}$ ° E. 20 " "

79.30 Cor. to sees. 7, 8, 17 and 18.  
Sand rolling hills. Soil good for  
grasses. Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

- To West corner line between sec. 7 & 18.  
 cor.  $13^{\circ}59'$  East.
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 79.89 Intersect N. boundary 13<sup>th</sup> Sec. N. of cor. to  
 sec. 7 & 18. from which cor. I run  
 $N. 89^{\circ}54' E.$   
 On true line between sec. 7 & 18.  
 cor.  $13^{\circ}59'$  East.
- 39.89 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long,  
 flattened 3 in. wide, 1 ft. in the ground, drive  
 charred stake and build mound of  
 stones 2 ft. high, as per instructions  
 for  $\frac{1}{4}$  sec. cor. from which  
 An oak 3 in. dia. N.  $12\frac{1}{2}^{\circ} W.$  35 ft. dia.  
 do. 6 " " " N.  $71^{\circ}4'$  W. 53 " "
- 79.89 Cor. to sec. 7, 8, 17 and 18.  
 Land hilly and stony.  
 Soil good for grass.  
 Oak timber.

Township 19 S. Range 16 E  
Gila and Salt River Meridian

- 40.00 Set a post, marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  ft long, flat-  
tined 3 in wide, 1 ft in the ground, drive charred  
stake and build mound of stones 2 ft  
high, as per instructions for  $\frac{1}{4}$  sec.  
cor. from which  
An oak 14 in diameter S.  $1^{\circ}$  E. 104 lbs. dist.  
do 16 " " S.  $9^{\circ}$  W. 149 " "
- 80.00 Set a post, marked and notched,  $\frac{1}{4}$  ft long,  
3 in. sq.  $\frac{1}{4}$  ft in the ground, drive charred  
stake and build mound of stones 2 ft high,  
as per instructions for cor. to secs. 5, 6,  
7 and 8, from which  
An oak 13 in diameter N.  $77^{\circ}$   $\frac{1}{2}$  W. 99 lbs. dist.  
do 6 " " " S.  $84^{\circ}$  W. 54 " "  
do 5 " " " N.  $67^{\circ}$   $\frac{1}{2}$  E. 58 " "  
do 3 " " " East 60 " "  
Sand hilly, Soil good for grass, Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

- to E. to random line between sec 5 & 8.  
var. 13° 59' East
- 40.00 Set temporary 1/4 sec. cor.
- 79.87 Intersect N. and S. line 12 hrs. S. of cor.  
to secs. 4, 5, 8 and 9. from which cor. run  
S. 89° 55' W.  
Continue line between sec. 5 and 8.  
var. 13° 59' East
- 39.93 Set a post, marked 1/4 S. 4 ft long, flattened  
3 in. wide, 1 ft in the ground, drive charred  
stake and build mound of earth 2 ft high  
with pits 1 ft deep. 2 ft long, 1 ft wide, as  
per instructions, for 1/4 sec. cor. from which  
An oak 12 in. dia. N. 62° E. 53 hrs. dist  
do. 10. " " N. 31° W. 79. . .
- 79.87 Cor. to secs. 5, 6, 7 and 8.  
Land rolling hills. Soil good for  
grass. Oak timber.

Township 19 S Range 16 E.  
Gila and Salt River Meridian

- to the West corner line between sec. 6 & 7.  
var.  $13^{\circ}59'$  East
- 40.00 Set post for temporary  $\frac{1}{4}$  sec. cor.
- 80.12 Intersect N. boundary 18 hrs. N. of cor.  
to sec. 6 & 7, from which cor. down  
N.  $89^{\circ}52'$  E.  
On true line between sec. 6 & 7.  
var.  $13^{\circ}59'$  East
- 40.12 Set a post, marked  $\frac{1}{4}$  S. 24 ft. long,  
flattened 3 in. wide, 1 ft. in the ground,  
drive chiseled stake and build mound  
of earth 2 ft. high, with pit 1 ft. deep, 2 ft. long,  
1 ft. wide, as per instructions for  $\frac{1}{4}$  sec. cor.  
from which  
An oak 5 in. dia. N.  $9^{\circ}$  W. 56 hrs. dist  
do. 12 " " S.  $25\frac{3}{4}^{\circ}$  W. 110 " "
- 80.12 Cor. to sec. 5, 6, 7 and 8.  
Sand hilly. Soil good for grass.  
Oak timber.

Township 19 S. Range 16 E.  
Gila and Salt River Meridian

As North-south random line between Secs. 5 & 6,  
var.  $13^{\circ}59'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.71 Intended N. boundary 20 lbs. E. of com.  
to sec. 5 & 6. from which cor. Down  
 $S. 0^{\circ}9'$  E.

On true line between Secs. 5 & 6.

var.  $13^{\circ}59'$  East.

39.71 Set apart, unmarked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the ground  
drive charred stake and build mound  
of stones 2 ft high, as per instruction  
for  $\frac{1}{4}$  sec. cor. from which  
and at 7 in. dia. br. N.  $32\frac{1}{2}^{\circ}$  W. 17 ft bend.

79.71 do. 10 " " N.  $70^{\circ}$  W. 33 " "  
and size 5, 6, 7, 8.  
Sand hilly and stony.  
Soil good for grass.  
Oak timber.

November 5, 1874



Township 19 S. R. 16 E.  
Gila & Salt River Meridian

### General Description

This Township covers some excellent grazing land. The eastern portion has a rolling surface, while in the west the surface becomes hilly, approaching the Santa Rita mountains. But the surface is mostly smooth and covered with excellent grass. Water is found in some of the ravines near the western border, but can be procured anywhere by digging. The western part of the township is covered with a heavy growth of oak timber.

Theodore F. White  
U.S. Deputy Surveyor

**LIST OF NAMES.**

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

The Subdivision lines of  
Township 19 S. R. 1 E. E.  
of the Gila and Salt River  
Meridian Arizona

Showing the respective capacities in which they acted.

R. A. Vasquez Chainman.

L. D. Burton Chainman.

H. G. Morse Axeman.

W. H. Aubrey Flagman.

C. S. Leon Mand Builder.

## FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Thos. J. White  
 U. S. Deputy Surveyor, in  
 surveying the Subdivision lines  
of Township 19 S. R. 16  
E. of the Gila and Salt  
River Meridian Arizona

and that said Survey has been in all respects, to  
 the best of our knowledge and belief, well and  
 faithfully executed, and the boundary monu-  
 ments planted according to the instructions fur-  
 nished by the Surveyor-General.

H. A. Vinyard Chairman.

J. D. Butler Chairman.

J. Moore Axeman.

W. H. Aubrey Flagman.

E. J. Snow Mound Builder.

Sworn to and subscribed before me, this 11<sup>th</sup>  
 day of December, 1874

William Robson  
 Notary Public

## FINAL OATH OF DEPUTY SURVEYOR.

I, Thos. F. White

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 21<sup>st</sup> day of August

1874 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The Subdivision lines of Town  
Ship 19 S. Range 16 E. of  
the Gila and Salt River Me-  
ridian, Arizona

as are repre-  
sented in the foregoing Field Notes as having

been surveyed under my directions; and I do farther solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

*Theodore J. White*

Deputy Surveyor.

Sworn to and subscribed before me, this 11<sup>th</sup>  
day of December, 1874

*William B. Brown*  
Notary Public



U. S. Surveyor General's Office,  
Tucson, Arizona, December 15, 1874

The foregoing Field Notes of the survey of

The Subdivision Lines  
of Township 19 S.  
Range 16 E.

the Gila and Salt River Base and Meridian, Arizona,  
surveyed by Thos. F. White,  
S., under his contract of the twenty first day of  
August, 1874, having been critically ex-  
amined and the necessary corrections and explanations  
made, the said Field Notes and the surveys they de-  
scribe, are hereby approved.

John Mason

Surveyor General.