

No. 893

BOOK 893

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

- OF - BOOK 893

Township 19 S. Range 17 E.

Gila and Salt River Base and Meridian

ARIZONA.

No. 893

By Geo. F. White D. S.

under contract dated Aug. 21. 1874.

Survey commenced Oct. 20. 1874.

Survey completed Oct. 27 1874.

893

Township 19 S, R. 17 E, Secs R B & M

BOOK 893

1A

6	60	5	44	4	33	3	22	2	11	1
59	58	43	32	21	10					
7	57	8	42	9	31	10	20	11	9	12
56	55	41	30	19	8					
18	54	17	40	16	29	15	18	14	7	13
53	52	39	28	17	6					
19	51	20	38	21	27	22	16	23	5	24
50	49	37	26	15	4					
30	48	29	36	28	25	27	14	26	3	25
47	46	35	24	13	2					
31	45	32	34	33	23	34	12	35	1	36

13

BOOK 893

PRELIMINARY OATHS OF ASSISTANTS.

WE,

R. A. Vasquez

and

L. S. Burton

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

R. A. Vasquez
L. S. Burton


Sworn to and subscribed before me, this

3^d

day of

October, 1874

William B. Horn
Notary Public



WE, W. H. Aubury, H. G. Morse
and C. S. Leon

do solemnly swear that we will well and truly per-
form the duties of flagman, axeman
and mound builders, respectively,
according to instructions given us, and to the best
of our skill and ability.

W. H. Aubury,
H. G. Morse
C. S. Leon

Sworn to and subscribed before me this 3rd
day of October 1874

William Osborn
Notary Public



Township 19 S. Range 17 E.
Gila and Salt River Meridian

to Beginning on S. boundary, at cor. to sec. 35 & 36. From
North between sec. 35 & 36.
var. $14^{\circ} 02' E.$

As per east boundary

30.00 Old road to Waller, in valley, bet. N. N.

40.00 Set a granite rock $15 \times 8 \times 5$ inches
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and
on N. side, build mound of rocks
2 ft high, as per instructions for
the sec. cor. Notices near.

80.00 Set a post, marked and notched, 4 ft
long, 3 in. sqd, 1 ft in the ground, drive
charred stake and build mound of
stones 2 ft high, as per instructions for
cor. to sec. 25, 26, 35 and 36.
No trees near.

Land rolling hills. Good pasturage.
No timber.

Township 19 S. Range 17 E
Gila and Salt River Meridians

East

On random line between secs. 25 & 36.
var. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.00 Intersect E. boundary 8 ls. N.
of cor. to secs. 25 and 36. from
which cor. drawn
N. $89^{\circ}57'$ W.

On true line between secs. 25 & 36.
var. $14^{\circ}02'$ East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft
long, flattened 3 in. wide, 1 ft in
the ground, drive charred stakes
and build mounds of stones 2
ft high, as per instructions for
 $\frac{1}{4}$ sec. cor. No tree near

80.00 Cor. to sec. 25. 26. 35 & 36.
Sand rolling and stony hills.
Good pasturage. No timber.
October 20, 1874

Township 19 S. Range 17 E.
Gila and Salt River Meridian

Sec. North between sec. 25 & 26.

ac. 14° 02' East.

40.00 Set a post, marked 44 S. 44 long, flat
and 3 in. wide, 1 ft in the ground, drive
charred stake and build mound of
stones 2 ft high, as per instructions
for 74 sec. cor. from which
An. 13 in. dia. N. 6° W. 108 lbs. dist.
do 9 " " N. 39° E. 119 " "

43.00 Dry stream 40 lbs. wide, bas. S. W.

80.00 Set a granite stone, 12 x 12 x 6 inches,
2/3 in the ground, notched S. and E.
and on N. build mound of stones 2
ft high, as per instructions for
cor. to sec. 23, 24, 25 & 26.

No trees near.

Sand hilly. Grass.

Scattering oak trees.

4
Township 19 S Range 17 E.
Gila and Salt River Meridian

Set East meridian line bet. sec. 24 & 25
var. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

48.00 Valley runs N.W.

56.00 Leave same.

79.70 Intersect E. boundary 200 ft. N. of cor.
to sec. 24 and 25. from which
cor. run

N. $89^{\circ}51'$ W.

On true line between sec. 24 & 25
var. $14^{\circ}02'$ East

39.85 Set a post, marked $\frac{1}{4}$ S. $4\frac{1}{2}$ ft long,
flattened 3 in. wide, $\frac{1}{2}$ ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with pit $\frac{1}{2}$ ft
deep, 2 ft long, $\frac{1}{2}$ ft wide, as per instruction
for $\frac{1}{4}$ sec. cor. No trees near.

79.70 Cor. to sec. 23, 24, 25 and 26.
Sand rolling, stony hills, Good pasture
Some oak trees.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

Sec. North between sec. 23 & 24
and 14° 02' East.

40.00 Set a granite stone 12x12x5 inches,
2/3 in the ground, marked '14',
and on N. build mound of earth
2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruction
for 4 sec. cor. No trees near

80.00 Set a post marked and notched,
4 ft long, 3 in. sq'd. 1 ft in the ground
drill charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instruction, for cor. to sec.
13, 14, 23 and 24.

No trees near.

Land hilly. Good pasture

No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian
Ls East.

On random line between secs. 13¹/₂ & 14
ran. 14° 02' East.

40.00 Set temporary 1/4 sec. cor.

80.15 Intersect E. boundary 7/8 S. of
cor. to sec. 13¹/₂ & 14. from which
cor. down
S. 89° 57' W.

On true line between secs. 13¹/₂ & 14
ran. 14° 02' East.

40.07 Set a granite stone 10 x 10 x 10
inches, 2/3 in the ground, marked
1/4, and on W. side, build mound
of stones 2 ft high, as per in-
structions for 1/4 sec. cor.

80.15 Cor. to sec. 13, 14, 23 and 24.
Land hilly. Good grass.
No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

Sec North between sec. 13^{1/2} & 14
near 14° 02' East.

39.00 Dry stream 40 lbs. wide, hrs. N.W.

40.00 Set a granite stone 12 x 12 x 5 inches
2/3 in the ground, marked 74,
and on N. build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for 74 sec. cor.
No tree near.

80.00 Set a post, marked and notched, 4 ft
long, 3 in. sq. 1 ft in the ground, drive
charred stake and build mound
of stones 2 ft high, as per instructions
for cor. to sec. 11. 12. 13^{1/2} & 14, from which
an Oak 11 in. dia. hrs. N. 56 1/2° W. 206 ls. dist.
No other trees near.

Land hilly, good pasturage.
Scattering oaks.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

To East

Bound. line between sec. 12^{1/2} & 13.
var. 14° 02' East

40.00 Set temporary 1/4 sec. cor.

80.00 Intersect E. boundary 6^{1/2} m. N. of cor.
to secs. 12^{1/2} & 13. from which cor. Run
N. 89° 57' W.

On true line between sec. 12^{1/2} & 13
var. 14° 02' East

40.00 Set a post, marked 1/4 S. 4 ft long,
flattened 3 in. wide, 4 ft in the
ground, drive charred stake and
build mound of stones 2 ft high,
as per instructions, for 1/4 sec.
cor. No trees near.

80.00 Cor. to sec. 11, 12, 13 and 14.
Sand calling hills. Good pastures.
No timber.

Township 19 S. Range 17 E.
Gda and Salt River Meridian

Co North between sec. 11 & 12.
cor. $124^{\circ}02'$ East.

- 3.00 Dry creek 10 hrs. wide, hrs. N.W.
- 40.00 1/2 lb granite stone $12 \times 12 \times 5$ inches,
 $2/3$ in the ground, marked 74 , and
on N. build mound of stones 2 ft
high, as per instruction, for $1/4$ sec.
cor. No trees near.
- 54.00 Dry creek 5 hrs. wide, hrs. N.W.
- 80.00 Set a post, marked and notched, 4 ft
long, 3 in. sq. d. 4 ft in the ground, drive
charred stake and build mound of
stones 2 ft high, as per instructions
for the cor. to sec. 1, 2, 11 and 12, from what
A and B 15 in. dia. hrs. N. $81\frac{1}{2}^{\circ}$ E. 48 hrs. dist.
do 9 " " " N. $22\frac{1}{2}^{\circ}$ W. 98 " "
do 7 " " " N. $38\frac{1}{2}^{\circ}$ W. 68 " "
No other trees near. Sand rolling hills.
Stony. Occasional oak trees.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

Sec. East

On random line between secs. 1 & 12.

dir. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

55.00 Dry creek 45 lbs wide, runs N. W.

79.72 Intersect E. boundary 5 lbs. N. of cor.
to secs. 1 and 12, from which cor. runs
N. $89^{\circ}58'$ W.

On true line between secs. 1 & 12.

dir. $14^{\circ}02'$ East

39.86 Set a granite stone $10 \times 10 \times 10$
inches, $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$, and on W. side, build
mound of stone 2 ft. high, as
per instruction for $\frac{1}{4}$ sec. cor.
No trees near.

79.72 Cor. to secs. 1, 2, 11 and 12.

Good rolling and strong. Good pas-
sage. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

No North

On random line between sec. 1 & 2.

var. $14^{\circ} 02'$ East

40.00 Set temporary $\frac{1}{4}$ sec cor.

59.00 Distance 40 lbs. wide, runs N.W.

80.20 Intersect N. boundary 5 lbs. E. of
cont. sec. 1 and 2. from which
cor. drawn

S. $0^{\circ} 2'$ E.

On true line between sec. 1 & 2.

var. $14^{\circ} 02'$ East.

40.20 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ ft long.

flattened 3 in. wide, 1 ft in the ground
driv. charred stake and build mound
of stones 2 ft high, as per instruc-
tion for $\frac{1}{4}$ sec cor. No trees near.

80.20 Cor. to sec. 1, 2, 11 and 12.

Land rolling hills. Good pasturage
No timber.

October 21, 1874

Township 19 S. Range 17 E.
Gila and Salt River Meridian

- Sec North between sec. 34 & 35.
Cor. $14^{\circ}02'$ East
- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build mound
a foot 2 ft high, with pit 1 ft deep
2 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.
- 62.00 Road cor. S. E.
- 80.00 Set a post, marked and notched
4 ft long, 3 in. sq. d. 1 ft. in the ground
drive charred stake and build mound
a foot 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for cor. to sec. 26, 27, 34 & 35.
No trees near.
Sand in bottom. Good grass.
No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

As East

On random line between secs. 26 & 35,
arr. $14^{\circ} 02'$ East.

5.00 Leave valley hrs. N. and S.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.15 Intersect N. & S. line, 5 hrs. N. of cor.
to secs. 25, 26, 35 and 36, from which
cor. from

N. $89^{\circ} 57'$ W.

On true line between secs. 26 & 35,
arr. $14^{\circ} 02'$ East.

40.07 Set a granite stone $12 \times 12 \times 5$ inches
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and
on W. side, build mound of stones 2
ft high, as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

80.15 Cor. to secs. 26, 27, 34 and 35.

Sand, mostly on hills. Good pasturage
No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridians

- Sec. North between secs. 26 & 27
 cor. 124° 02' East
- 40.00 Set a post, marked 74 S. 4 ft long,
 flattened 3 in. wide, 1 ft in the ground,
 drive charred stake and build
 mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions, for 74 sec. cor.
 No trees near.
- 80.00 Set a post, marked and scratched,
 4 ft long, 3 in. sq. 1 ft in the ground,
 drive charred stake and build mound
 of earth 2 ft high, with pits 1 ft deep,
 2 ft long, 1 ft wide, as per instructions
 for cor. to secs. 22, 23, 26 and 27.
 No trees near.
 Sand in bottom. Excellent grass.
 No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

Go East on random line bet. sec. 23 & 26.
var. $114^{\circ}02'$ East

23.00 Leave valley and ascend, bas. N. & S.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.00 Intersect N. and S. line of land S. of
cor. to sec. 23, 24, 25 and 26.

from which cor. Run

S. $89^{\circ}05'$ N.

On true line between sec. 23 & 26.

var. $114^{\circ}02'$ East.

40.00 Set a granite stone $12 \times 9 \times 5$ inch
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and
on W. side, build mound of stones
2 ft high, as per instructions for
 $\frac{1}{4}$ sec. cor.

No trees near.

80.00 Cor. to sec. 22, 23, 26 and 27

Land mostly rolling hills

Good pasturage. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

The North between sec. 22 & 23,
cor. $14^{\circ} 02'$ East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pit 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set a post, marked and notched,
4 ft long, 3 in. sqd. 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for cor. to sec. 14, 15,
22, and 23. No trees near.
Sand, in and along N. side of bottom.
Fine grass. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian
S. East

On random line between secs. 14th & 23.
var. 14°02' East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.85 Interset N. & S. line 50 ft. S. of cor.
to secs. 13, 14, 23 and 24, from
which cor. drawn
S. 89°39' W.

On true line between secs. 14th & 23.
var. 14°02' East

39.92 Drive charred stake and build
mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per in-
structions for $\frac{1}{4}$ sec. cor.

No trees near.

79.85 Cor. to secs. 14, 15, 22nd & 23.

Land in bottom. Fine grass.

No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian.

Line North between secs. 14 & 15.

az 14° 02' East

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. No stone or timber.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq'd, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 10, 11, 14 and 15.

No trees near.

Sand in bottom.

Soil rich. Good grass

No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

to East

On random line between secs. 11 & 14
cor. $14^{\circ}02'$ East.

21.00 Level valley.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S. line 80 lbs. N. of
cor. to secs. 11, 12, 13 and 14, from
which cor. Run
N. $89^{\circ}26'$ W.

On true line between secs. 11 & 14
cor. $14^{\circ}02'$ East.

39.95 Set a granite stone $10 \times 10 \times 6$ inches
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$,
and on W. side, build mound of
stone 2 ft high, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

79.90 Cor. to secs. 10, 11, 14, and 15.
Sand bottom. — rich pasture
No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

Line North between sec. 10 & 11

cor. $14^{\circ}02'$ East.

- 44.00 Set a metamorphic rock, $9 \times 8 \times 8$ inches, $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ and on N side build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.
- 80.00 Set a post, marked and notched, 4 ft long, 3 in. sq'd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec. 2, 3, 10 and 11.
No trees near.
Sand in valley, rich soil.
Good grass.
No timber.

No. 893

Township 19 S. Range 17 E.
Gila and Salt River Meridian

to East

On random line between sec. 2 & 11
cor. $14^{\circ}02'$ East

40.00 Set temporary 1/4 sec. cor.

79.70 Intersect N. and S. line 60 lbs.
N. of cor. to sec. 1, 2, 11 and 12,
from which cor. Draw
N. $89^{\circ}34'$ W.

On true line between sec. 2 & 11
cor. $14^{\circ}02'$ East.

39.85 Set a granite stone $15 \times 6 \times 6$ inches
 $2/3$ in the ground, marked "4", and
on W. side build mound of earth 2
ft high, with pits 1 ft deep, 2 ft long 1 ft
wide, as per instructions, for 1/4 sec.
cor. No tree near.

79.70 Cor. to sec. 2, 3, 10 and 11.
Sand rolling. Good grass.
No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meadom

to North

On random line between sec. 2 & 3.
var. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.90 Intersect N. boundary 20 lbs. E. of
cor. to sec. 2 & 3. from which cor.

Run
 $S. 0^{\circ}9'$ E.

On true line between sec. 2 & 3.
var. $14^{\circ}02'$ East

39.90 Set post, marked $\frac{1}{4}$ Sec. long, flattened $\frac{3}{4}$ in wide,
in the ground, drive charred stake and build
mark of post 2 ft high, with pit 1 ft deep, 2 ft
long. $\frac{1}{4}$ Sec. wide, as per instructions for $\frac{1}{4}$ sec. cor.
Notes near. House at Kay Camp, 600 yds. from
this corner, S. $61\frac{1}{2}^{\circ}$ W. about 16 chs. dist.

79.90 Cor. to sec. 2, 3, 10 and 11.

Land in bottom. Soil rich. Good grass. November,
October 22, 1874

Township 19 S. Range 17 E.
Gila and Salt River Meridian

to North between sec. 33 & 34
cor. 1st 02' East.

40.00 Drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instructions for 1st
sec. cor. No stone or timber.

80.00 Set a post, marked and notched,
2 ft long, 3 in. sq. 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high, with pits 1 ft deep, 2
ft long, 1 ft wide, as per instruc-
tions, for corner sections 27
28, 33 and 34.

No trees near.

Sand smooth and undulating.
Good grass.

No timber.

Township 19 S. Range 17 E.
 Elda and Salt River Meridian
 to East.

On random line between sec. 27 & 34,
 cor. $111^{\circ} 02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

55.00 Enter valley bet. N. & S.

80.40 Intersect N. and S. line 5 lks.

N. of cor. to sec. 26, 27, 34
 and 35. from which cor. Run
 $N. 89^{\circ} 55' W.$

On true line between sec. 27 & 34,
 cor. $111^{\circ} 02'$ East

110.20 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ E. long. flattened
 zinc in de. 4 in the ground, drive sharp
 stake and build mound of earth 2 ft
 high, with pit 4 ft. deep, 2 ft long, 4 ft wide,
 as per instructions for $\frac{1}{4}$ sec. cor. No trees near.

80.40 Cor. to sec. 27, 28, 33 and 34.
 Sand rolling. Good grass.
 No timber.

Township 19 S Range 17 E.

Gila and Salt River Meridian

Line North between sec. 27 & 28.
 acc. $14^{\circ} 02'$ East.

34.00 Descend slope into flat.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.
 No stone or timber.

50.00 Set a post, marked and notched 4 ft long, 3 in. sq'd. 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec. 27, 27 and 28.

No trees near.

Land smooth & undulating.

Good grass. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

To East.

On random line between sec. 22 & 27
var. $14^{\circ} 02'$ East

40.00 Set temporary base cor.

80.40 Intersect N. and S. line 10 hrs
N. of cor. to sec. 22, 23, 26 and
27 from which cor. drawn
N. $89^{\circ} 56'$ W.

On line between sec. 22 & 27
var. $14^{\circ} 02'$ E.

40.20 Set a post, marked by 8. 1 ft long,
flattened 3 in wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide as per instrum.
Corners to sec. cor. No trees near.

80.40 Cor. to sec. 21, 22, 27 and 28.
Land gently rolling. Good
grass. No timber.

Township 19 S Range 17 E.
Gila and Salt River Meridian

Line North between sec. 21 & 22
cor. 114° 02' East.

- 10.00 Enter bottom of Gila valley, cor. N. E.
40.00 Set a post, marked for S. 4 ft long, flattened 3
in. wide, 4 ft in the ground, drive charred
stake and build mound of earth 2 ft high and
pit 4 ft deep, 2 ft long, 4 ft wide, as per instruc-
tion for 74 sec. cor. No trees near.
62.00 Draped upstream, runs N. E. & leave bottom.
64.00 Old road bar, N. E.
88.00 Set a post, marked and notched, 4 ft
long, 3 in. sq. ft. in the ground, drive
charred stake and build mound of earth
2 ft high with pit 4 ft deep, 2 ft long, 4 ft
wide, as per instructions for cor. to sec.
15, 16, 21 and 22. No trees near.
Sand smooth undulating.
Excellent grass.
No timber.

Township 19 S. Range 17 E.
Cida and Salt River Meridian

Co. East on random line bet. sec. 15 & 22

var. $141^{\circ}02'$ East

8.00 Road bet. N. E.

40.00 Set temporary 1/4 sec. cor.

49.00 Leave valley bet. N. and S.

70.00 Branch valley bet. N. W.

80.35 Intersect N. and S. line 5 hrs. N. of cor.

to sec. 14, 15, 22 and 23. from which
cor. from

N. $89^{\circ}58'$ W.

On true line between sec. 15 & 22.

var. $111^{\circ}02'$ East

40.17 Set a post, marked 1/4 S. 1/4 flong, flattened 3 in wide
1 ft in the ground, drove a sharp stake and built
mound of earth 2 ft high, with pile of flat stones
1 ft long, 1 ft wide, as per instructions for 1/4 sec.
cor. No trees near.

80.35 Cor. to sec. 15, 16, 21 & 22.

Sand valley and hills. Good
grass. No timber.

Township 19 S. Range 17 E.
Gda and Salt River Meridian

Rs North between sec. 15 & 16,
or. $124^{\circ} 02'$ East.

40.00 Set a post marked 14 S. 4 ft long, flattened
3 in wide. 4 ft in the ground drive charred
stakes and build mound 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for 14 sec. cor.
No trees near.

77.00 Enter little valley bet. A. E.

80.00 Set a post, marked and notched
4 ft long, 3 in. sq. 4 ft in the ground
drive charred stakes and build mound
2 ft high with pits 1 ft deep, 2
ft long, 1 ft wide, as per instructions
for cor. to sec. 9, 10, 15 and 16.
No trees near.

Land mostly gently rolling.
Good pasturage. No timber.

Township 19 S Range 17 E.
 Gla and Salt River Meridian
 To East.

On random line between sec. 10 & 15.
 var. 14° 02' East.

40.00 Set temporary $\frac{1}{4}$ sec. cor. Lower valley
 cor. N. E.

50.00 Enter valley cor. N.

80.40 Intersect N. & S. line 8 ls. S. of
 cor. to sec. 10, 11, 14 and 15, from
 which cor. I run
 S. 89° 05' W.

On true line between sec. 10 & 15.
 var. 14° 02' East.

40.20 Set a post, marked $\frac{1}{4}$ S. of long, flattened
 3 in. wide, 6 in. in the ground, drive charred stake
 and build mound of earth 2 ft high, with feet
 1 ft deep, 2 ft long, 1 ft wide, as per instruc-
 tions, for $\frac{1}{4}$ sec. cor. No trees near

80.40 Cor. to sec. 9, 10, 15 and 16.
 Sand first rolling then level Good
 grass. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian.

to North between sec. 9 & 10.
cor. $14^{\circ} 02'$ East

13.00 Gila valley cor. N. E.

40.00 Set apart, marked "4 S. 4 ft long, flattened
3 in wide, 1 ft in the ground, drive charred
stake and build mound a fourth 2 ft high,
with pit 1 ft deep, 2 ft long, 1 ft wide, as per
instruction, for "4 sec. cor. No trees near.

71.00 Gila valley cor. N. E.

78.00 Road from Fish ranch to Sanford's cor. N. E. & S. W.

80.00 Set apart, marked and notched, 4 ft long,
3 in sq. d. 1 ft in the ground, drive charred
stake and build mound a fourth
2 ft high, with pit, 1 ft deep, 2 ft long,
1 ft wide, as per instruction, for cor. to
secs. 3, 4, 9 and 10. No trees near.
Sand rolling.

Good grass. No timber.

October 23, 1874

BOOK 893

Township 19 S. Range 17 E.
Gila and Salt River Meridian
S. East

On random line between sec. 3 & 10,
cor. $114^{\circ}02'$ East

40.00 Road bet. N. E.

14.00 Lease valley bet. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.37 Intersect N. and S. line at cor.
secs. 2, 3, 10 and 11, from which
cor. from

West corner line between sec. 3 & 10
cor. $114^{\circ}02'$ East.

40.18 Set a post, marked $\frac{1}{4}$ S. 24 ft long,
flattened 3 in. wide, 1 ft in the
ground, and build mound of stone
2 ft high, as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near.

80.37 Cor. to secs. 3, 4, 9 and 10.
Land sloping E. Good grass,
No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

To North

On random line between sec. 3rd & 4th.
var. 14° 02' East

41.00 Level valley, bas. N. E.

40.00 Set temporary 1/4 sec. cor.

43.00 Entered 60 ls. wide, bas. N. E.

79.90 Intersect N. boundary 12 ls. W. of cor.
to sec. 3 and 4, from which cor.

Run

S. 0° 5' W.

On true line between sec. 3rd & 4th.
var. 14° 02' East

39.90 Set apex marked 1/4 S. 4 ft long, flattened
3 in wide (flattened) the ground, drive charred
stake and build mound of earth 2 ft high, with
pile 1 ft deep, 2 ft long, 1 ft wide, as per instructions
for 1/4 sec. cor. No trees near.

79.90 Cor. to sec. 3, 4, 9 and 10.

Land somewhat rolling. Good grass. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian
No. North between sec. 32 & 33.

ans. $14^{\circ}02'$ East.

40.00 Set a post marked 74 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. No trees near.

66.00 Top of hill, bearing N. E. & S. W. and descend.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq'd, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for cor. to Secs. 28, 29, 32 and 33.

No trees near

Sand rolling.

Good grass

No timber

Township 19 S. Range 17 E.

Gila and Salt River Meridian

to East.

On random line between sec. 28th & 33rd
 dir. $14^{\circ}02'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.80 Intersect N. and S. line 15 hrs. S. of cor.
 to secs. 27, 28, 33 and 34, from
 which cor. Run
 $S. 89^{\circ}52' W.$

On true line between sec. 28th & 33rd.

dir. $14^{\circ}02'$ East.

39.90 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat
 tined 3 in. wide, 1 ft in the ground,
 drive charred stake and build mound
 of earth 2 ft high, with pit 1 ft deep, 2 ft long
 1 ft wide, a per instruction for $\frac{1}{4}$ sec. cor.
 No trees near.

79.80 Cor to sec. 28, 29, 32 and 33.
 Land smooth and rolling.
 Good grass. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

Line North between sec. 28 & 29.
Cor. $14^{\circ} 02'$ East.

14.00 Old road cor. N. E.

22.00 Dry bed of stream 400 yds. wide, runs N. E.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
tined 3 in. wide. 1 ft in the ground,
drive charred stake and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near.

53.00 Old road cor. N. W.

80.00 Set a post, marked and watched, 4 ft long,
3 in. sq. d. 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for cor. to secs. 20, 21, 28
and 29. No trees near.

Sand smooth; excellent grazing
No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

On East meridian line bet. sec. 21 & 28.
cor. $14^{\circ}02'$ East.

15.00 Road bet. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

71.00 Leave valley and ascend mesa.

79.75 Intersect N. and S. line 20 bars S. of cor.
to sec. 21, 22, 27 and 28. from
which cor. Run
 $S. 89^{\circ}51' N.$

On true line between sec. 21 & 28.
cor. $14^{\circ}02'$ East.

39.87 Set a post marked $\frac{1}{4}$ S. 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground, driven
charred stake and build mound of
earth 2 ft high with pit 4 ft deep, 2 ft
long, 1 ft wide, as per instructions for
 $\frac{1}{4}$ sec. cor. No trees near.

79.75 Cor. to sec. 20, 21, 28 and 29.
End smooth, undulating. Good grass.
No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

to North between sec. 20 & 21.

cor. $14^{\circ}02'$ East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
tined 3 in. wide. 1 ft in the ground, drive
charred stake and build mound of
earth 2 ft high, with pit 1 ft deep, 2 ft
long, 1 ft wide, as per instructions for
this sec. cor. No trees near.

80.00 Set a post, marked and notched,
4 ft long, 3 in. sq. d. 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for cor. to sec. 16. 17, 20 and 21.
No trees near.

Land smooth ascending N.

Good pasturage.

No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

to East

Over random line between sec. 16 & 21

cor. $114^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.96 Intersect N. and S. line at cor. to sec.
15, 16, 21 and 22, from which cor. I
run

West on true line between sec. 16 & 21

cor. $114^{\circ}02'$ East

39.98 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
tend 3 in. wide, 1 ft in the ground, drive
charred stake and build mound of earth
2 ft high, with pits 4 ft deep, 3 ft long, 1 ft wide
as per instructions for $\frac{1}{4}$ sec. cor.

Notice near

79.96 Cor. to sec. 16, 17, 20 and 21.

Land smooth, slightly rolling.
Excellent grass. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

No North between sec. 16th & 17th.

cor. 14° 05' East.

40.00 Set a post, marked 74 S. 24 ft. long, flat
tined 3 in. wide, 1 ft. in the ground, drive
charred stake and build mound of
earth 2 ft. high, with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instructions
for 74 sec. cor. No trees near.

59.00 Enter valley, cor. N. E.

80.00 Set a post, marked and notched,
24 ft. long, 3 in. sqd. 1 ft. in the ground,
drive charred stake and build mound
of earth 2 ft. high, with pits 1 ft. deep, 2 ft.
long, 1 ft. wide, as per instructions, for the
cor. to sec. 8, 9, 16 and 17.

No trees near.

Land a little rolling.

Good grass. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

To East

On random line between sec. 9th & 16.
arr. $14^{\circ}02'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S. line 15 lbs. S. of
cor. to secs. 9, 10, 15 and 16, from
which cor. Run
S. $89^{\circ}54'$ W.

On true line between sec. 9th & 16.

arr. $14^{\circ}02'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ pt. long,
flattened 3 in wide, 1 ft in the ground,
drive charred stake and nail
around base, at 2 ft high, with pits
 $\frac{1}{2}$ ft deep, 2 ft long, 1 ft wide, as per in-
structions, for $\frac{1}{4}$ sec. cor. No trees near.

79.90 Cor. to sec. 8, 9, 16 and 17.
Land sloping E. Fine grass.
No timber of consequence.

October 24, 1874

Township 19 S. Range 17 E.
Gila and Salt River Meridian

Line North between sec. 8 & 9

az. $144^{\circ} 02'$ East

39.00 Road bet. N. E.

110.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 7th sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sqd. 4 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to sec. 4, 5, 8 and 9. No trees near.

Land nearly level. Fine grass.
Gravelly. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

To East

On random line between sec. 4th & 9th
bear. $14^{\circ}02'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.80 Intersect N. and S. line 8th Sec. S.
at cor. to sec. 3, 4, 9 and 10.
from which cor. run
S. $89^{\circ}57'$ W.

On true line between sec. 4th & 9th
bear. $14^{\circ}02'$ East.

39.90 Set a granite stone 10x10x6 inches
and $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$,
and on W. side, build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

79.80 Cor. to sec. 4, 5, 8 and 9.
Land rolling $\frac{2}{3}$ sloping E.
Good for storage. No timber.

Township 19 S Range 17 E.
Gila and Salt River Meridian
To North

On random line between sec. 4 & 5
cor. $114^{\circ} 02'$ East.

40.00 Set temporary 7/8 sec. cor.

48.00 Dry creek 20 lbs. wide, bas. N.E.

79.97 Intersect N. boundary at cor. to
sec. 4 & 5, from which cor. I run
South

On true line between sec. 4 & 5.
cor. $114^{\circ} 02'$ East

39.97 Drive charred stake and build
mound of earth 2 ft. high, with pile
1 ft. deep, 2 ft. long, 1 ft. wide, as per in-
structions for 7/8 sec. cor.
No stone or timber.

79.97 Cor. to sec. 4, 5, 8 and 9,
Low rolling hills, gravelly.
Grass. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

to North between sec. 31 & 32
var. $124^{\circ} 02'$ East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground,
drive charrs & stake and build mound
a foot $\frac{1}{2}$ ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor.

40.00 Dry bed of stream 150 lbs. wide, runs N. of E.

80.00 Set a post, marked and notched, 4 ft long,
3 in. sq. d. 1 ft in the ground, drive charrs
& stake and build mound a foot $\frac{1}{2}$ ft
high, with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for cor. to sec.
29, 30, 31 and 32.

No trees near.

Land smooth, rolling.

Good pasturage. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

S. East

An random line between sees. 29 & 32
var. 14° 02' East

40.00 Dry bed of stream, 4000 yds. wide, runs N. of E. Set temporary 1/2 sec. cor.

44.00 Dry bed of stream 1000 yds. wide, runs N. E.

53.00 Same do 50 " " " E.

70.00 Old road crosses N. E.

80.02 Intersect N. and S. line 1500 yds. S. of cor. to see.

28.29.32 & 33. from which cor. run
S. 89° 54' W. on true line between sees. 29 & 32
var. 14° 02' East

40.01 Cor. falls in bed of stream: establish witness cor.

440 yds. N. of true cor. by setting a post, unmarked 14 x
4 ft long, flattened 3 in wide, 1 ft in the ground, drive down
stake and build mound of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per instructions for
1/4 sec. cor. from which

a Walnut tree 12 in dia. br. S 49° E. 2200 yds. dist
do. 5 " " S. 54 3/4° W. 89 " "

80.02 Cor. to sees. 29.30.31 & 32,

Land somewhat slightly rolling. Good grass.
Walnut timber along creek.

Township 19 S Range 17 E.

Gila and Salt River Meridian

To West on random line bet sec. 30 & 31.
 cor. $14^{\circ} 02'$ East

20.00 Road to Cattlehead bet. N. and S.

24.00 Road to Saw Mill, bet. N.E. & S.W.

40.00 Temporary $\frac{1}{4}$ sec. cor.

79.61 Intersect N. boundary 15' bet. N. of cor.
 to sec. 30 and 31, from which cor
 runs

N. $89^{\circ} 54'$ E.

Continue line between sec. 30 & 31

cor. $14^{\circ} 02'$ East

39.61 Set a post, marked $\frac{1}{4}$ S. of pt long, flat
 tined 3 in wide, 4 ft in the ground, drove
 chiselled steel and built mound of earth
 2 ft high with pits 1 ft deep, 2 ft long, 4 ft wide
 as per instructions for $\frac{1}{4}$ sec. cor. No trees near

79.61 Cor. to sec. 29, 30, 31 and 32

Land smooth, undulating.

Good grass. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

To North between sec. 29 & 30,
Cor. $14^{\circ} 02'$ East.

40.00 Set a post, marked $1\frac{1}{2}$ ft. long, flat-
tened 3 in. wide, $\frac{1}{2}$ ft. in the ground, drive
charred stake and build mound of
earth 2 ft. high, with pits $\frac{1}{2}$ ft. deep, 2 ft.
long, $\frac{1}{2}$ ft. wide, as per instructions for
Tysia. cor. No trees near.

43.00 Descend, hrs. E. and W.

80.00 Set a post, marked and notched, $\frac{1}{2}$ ft.
long, 3 in. sq. d., $\frac{1}{2}$ ft. in the ground, drive
charred stake and build mound of
earth 2 ft. high, with pits $\frac{1}{2}$ ft. deep, 2 ft. long,
 $\frac{1}{2}$ ft. wide, as per instructions for cor. to
Secs. 19, 20, 29 and 30.

No trees near.

Sandstone & rolling
Good grass. No timber.

Township 19 S. Range 17 E.
 Elk and Salt River Meridian
 Co. East

Random line between sec. 20 & 29
 cor. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

78.00 Old road cor. N. E.

79.82 Intersect N. and S. line 16 hrs. S. of cor.
 to sec. 20, 21, 28 and 29, from
 which cor. from
 $S. 89^{\circ}53' W.$

Outline line between sec. 20 & 29
 cor. $14^{\circ}02'$ East

39.91 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
 tened 3 in. wide, 1 ft in the ground, drive
 charred stake and build mound of earth
 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft
 wide, as per instructions, for $\frac{1}{4}$ sec. cor.
 No tree near.

79.82 Cor. to sec. 19, 20, 29 and 30.

Land smooth & gently ascending W.
 Good grass. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

to West.

An random line between sec. 19 & 30.
bear. $124^{\circ}02'$ East.

28.00 Road from Tucson to Cottonden, bas. N. & S.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.40 Intersect W. boundary 10 hrs. N. of cor. to
secs. 19 and 30, from which cor. run
N. $89^{\circ}56'$ E.

On true line between sec. 19 & 30.
bear. $124^{\circ}02'$ East

39.40 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ flong. flat-
lined 3 in wide, 1 ft in the ground, drive
charred stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for $\frac{1}{4}$ sec. cor.
Notes near

79.40 Cor. to sec. 19, 20, 29 and 30.
Land smooth and rolling. Good
grass. No timber.

Township 19 S Range 17 E.
Gila and Salt River Meridian

To North between sec. 19th & 20.
was. $14^{\circ} 02'$ East

40.00 Mesquite tree 16 in. dia. and more
at $\frac{1}{4}$ S. for $\frac{1}{4}$ sec. cor.

No trees near.

41.00 Long stream 25 ft. wide, runs N.E.

80.00 Set a post, marked and notched,
4 ft. long, 3 in. sq. d. 1 ft. in the
ground, drive charred stakes
and build mounds of earth 2 ft.
high, with pits 1 ft. deep, 2 ft. long,
1 ft. wide, as per instructions, for
corn to sec. 17, 18, 19 and 20.

No trees near.

Land smooth & rolling.

Good grass.

A few scattering trees.

October 26, 1874

Township 19 S. Range 17 E.
Gila and Salt River Meridian

Sec. East around on line between sec. 17 & 20.
cur. $114^{\circ} 02'$ East

27.00 Old road base. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.70 Intersect N. and S. line 32.65 S. of center sec.
16.17.20 & 21. from which cor. Run
S. $89^{\circ} 46'$ W.

Continue line between sec. 17 & 20.
cur. $114^{\circ} 02'$ East

39.85 Indepression. Set a post, marked $\frac{1}{4}$ S.
 $\frac{1}{4}$ ft long, flattened 3 in. wide, 1 ft in the ground
drill charred stake and build mound of earth
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for $\frac{1}{4}$ sec cor.
from which

A Mesquite 8 in dia base N. $4\frac{3}{4}^{\circ}$ W. 80 lead dist
do 9 " " " S. 10° E. 52 " "

79.70 Cor. to sec. 17, 18, 19 and 20.

Land smooth, slightly rolling. Excellent
grass. Scattered trees.

Township 19 S. Range 17 E.
Edwards Salt River Mendocino

Co. West

On random line between sec. 18 & 19
cor. $14^{\circ}03'$ East.

24.50 Road from Incorn to Crittenden, br. N. & S.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.95 Intersect W. boundary of sec. 8 of con. to
sec. 18 & 19, from which cor. from
S. $89^{\circ}05'$ E.

On true line between sec. 18 & 19
cor. $14^{\circ}02'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground, drive
churned stake and build mounds of earth
2 ft high, with pit 1 ft deep, 2 ft long, 1 ft
wide, as per instructions for $\frac{1}{4}$ sec. cor.
Notes near.

79.95 Co. to sec. 17, 18, 19 and 20.
Land rolling. Good grass.
Soil, last half mile, 1st rate.

Township 19 S. Range 17 E.
Gila and Salt River Meridians

to North between sec. 17 & 18
cor. 124° 02' East

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in
wide, 1 ft in the ground, drive charred stake
and build mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as per instructions
for 14 sec. cor. from which

A Mesquite 6 in. dia. br. S. 73 1/4° W. 216 br. dist.
do 20 " " N. 0 1/2° W. 384 " "

66.00 Road from Sanford to Dick's ranch br. N. E. & S. W.

75.00 Hole of water

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. ft.
1 ft in the ground, drive charred stake & build mound of
earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per
instructions for cor. to sec. 7, 8, 17 & 18, from which

A Mesquite 20 in. dia. br. N. 4 1/2° W. 864 br. dist.

No other trees near.

The N. E. cor. of Dick's house br. from this cor.
S. 39 3/4° W.

Land ascending N & W. Excellent grass. But
little timber.

Township 19 S Range 17 E.
Gila and Salt River Meridian

to East

On random line between sec. 8 & 17
var. $124^{\circ}02'$ East.

5.00 Wash 70 lbs. wide, bas. N. E.

7.00 Road to Sanfords bas. N. E.

40.00 Set temporary $1/4$ sec. cor.

79.60 Intersect N. and S. line 12 lbs. S. of cor.
to sec. 8, 9, 16 and 17, from which
cor. from
S. $89^{\circ}53'$ W.

On true line between sec. 8 & 17
var. $124^{\circ}02'$ East.

39.80 Set apart marked $1/4$ S. 4 ft long, flattened
3 in wide, 1 ft in the ground, driven red stake
and build mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as per instructions
for $1/4$ sec. cor. No trees near.

79.60 Cor. to sec. 7, 8, 17 & 18.

Land ascending a little W. Good grass.
No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

To Monument line bet sec. 7th & 18.
cor. $124^{\circ} 02'$ East

29.00 Road from Tucson to Gittenden hrs. N. and S.

40.00 Set temporary 1/4 sec. cor.

79.48 Intersect W. boundary 10 ls. N. of cor. to
sec. 7th & 18. from which cor. S. on
 $N. 89^{\circ} 56'$ E.

On line between sec. 7th & 18.
cor. $124^{\circ} 02'$ East

39.48 Set a quartzose granite rock $16 \times 10 \times 4$ in.
 $\frac{2}{3}$ in the ground, marked 74, and
on E. side build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for 1/4 sec. cor. No trees near.
The N. E. cor. of Fish's house lies from this
cor. S. $47 \frac{1}{2}^{\circ}$ E.

79.48 Cor. to sec. 7, 8, 17 and 18.

Land according to. Good grazing
No timber.

Township 19 S. Range 17 E.
 Ida and Salt River Meridian

To North between sec. 7 & 8.
 on $14^{\circ}02'$ East

- 40.00 Arroyo 600 S. E.
- 40.00 Set a post, marked 74 S. 4 ft long, flat
 top 3 in wide, 1 ft in the ground, drive
 charred stake and build mound of
 earth 2 ft high, with pit 1 ft deep, 2 ft
 long, 1 ft wide, as per instructions for
 these cor. No trees near.
- 49.00 Arroyo 600 S. E.
- 80.00 Set a post, marked and notched, 4
 ft long, 3 in. sq'd, 1 ft in the ground,
 drive charred stake and build mound
 of earth 2 ft high, with pit 1 ft deep, 2
 ft long, 1 ft wide, as per instructions
 for cor. to sec. 5, 6, 7 and 8.
 No trees near. Land smooth grassy
 slope, ascending N. and W.
 Some oak trees. Pine grazing.

Township 19 S. Range 17 E.
Gila and Salt River Meridian
No East.

On random line between sec., 5 & 8,
bear. $14^{\circ}02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.07 Intersect stand line 12 sec. N. of
cor. to sec. 4, 5, 8 and 9, from
which cor. from
N. $89^{\circ}55'$ W.

On true line between sec. 5 & 8,
bear. $14^{\circ}02'$ East

40.03 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ flong,
flattened 3 in. wide, 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pit 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

80.07 Cor. to sec. 5, 6, 7 and 8.

Land smooth grassy slopes, descending
E. Excellent grass. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

To West

On random line between secs. 6 & 7.

var. $114^{\circ}02'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.60 Intersect N. boundary 15 lbs. N. of
cor. to secs. 6. and 7, from
which cor. from
N: $59^{\circ}54'$ E.

On true line between secs. 6 & 7

var. $114^{\circ}02'$ East.

39.60 Set a post, marked $\frac{1}{4}$ S. of pt. long,
flattened 3 in wide, 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as fence structure
for $\frac{1}{4}$ sec. cor. No trees near

79.60 Cor. to secs. 5, 6, 7 and 8.
Sand smooth and rolling.
Grass. No timber.

Township 19 S. Range 17 E.
Gila and Salt River Meridian

to North

On meridian line between sec. 5 & 6.

var. $14^{\circ} 02'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.16 Intersect N. boundary 13 lks.
E. of cor. to sec. 5 & 6. from which cor. Run
 $S. 0^{\circ} 6'$ E.

On true line between sec. 5 & 6.

var. $14^{\circ} 02'$ East

40.16 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ fl. long, flat-
tined 3 in wide, 1 ft in the ground, drive
charred stake and build mound of
earth 2 ft high with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

80.16 Cor. to sec. 5, 6, 7 and 8.

Land rolling, grassy hills.

Good grazing. No timber of conse-
quence.

October 27, 1874

Township 19 S. R. 17 E.

Gal^{ley} Salt River Meridian

No. General Description

The lands of this township cannot well be surpassed for grazing purposes. There is a great abundance of rich pasturage over its whole extent.

Water is found in a number of places in the Cuenega valley, and in a branch valley in which Fish's ranch is located.

The valley land would be very good for agricultural purposes if irrigated.

There is but little timber in the township.

Theodore F. White

U.S. Deputy Surveyor

LIST OF NAMES.

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

The Subdivision lines of
Township 19 S. R. 17 E.
of the Gila and Salt River
Meridian, Arizona

Showing the respective capacities in which they acted.

R. A. Vazquez	Chairman.
J. D. Burton	Chairman.
H. G. Moore	Axeman.
W. H. Aubrey	Flagman.
C. S. Leon	Monument Builder

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theo. F. White U. S. Deputy Surveyor, in surveying The Subdivision lines of Township 19 S. R. 17 E. of the Gila and Salt River Meridian, Arizona

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

H. A. Casper Chainman.

J. D. Burton Chainman.

J. J. Moyal Axeman.

W. H. Aubrey Axeman.

E. S. Lyon Mould Builder

Sworn to and subscribed before me, this 11th

day of December, 1874

William Osborn
Notary Public

FINAL OATH OF DEPUTY SURVEYOR.

I, Thos. F. White

U. S. Deputy Surveyor do solemnly swear that, in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 21st day of August 1874 I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The Subdivision lines of
Township 19 S. R. 17 E. of the
Gila and Salt River Merid-
ian Arizona

as are repre-

sented in the foregoing Field Notes as having

been surveyed under my directions; and I do farther solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Thornton F. White

Deputy Surveyor.

Sworn to and subscribed before me, this 11th
day of December, 1874

William Babson
Notary Public



U. S. Surveyor General's Office,
Tucson, Arizona, December 15, 1874

The foregoing Field Notes of the survey of
The Subdivision Lines
of Township 19 S. R.
17 E.

of the Gila and Salt River Base and Meridian, Arizona,
executed by Theo. F. White,
D. S., under his contract of the twenty first day of
August, 1874, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Mason