

13  
No. 894  
1

BOOK 894

# Field Notes

OF THE SURVEY OF THE

*SUBDIVISION LINES*

-OF- BOOK 894

Township *19 S* Range *26 E*

*Gila and Salt River Base and Meridian*

**ARIZONA.**

By *Lewis Wolfley* D. S.

under contract dated *Nov 11<sup>th</sup> 1884*

Survey commenced *Feb. 10<sup>th</sup> 1885*

Survey completed *Feb. 13<sup>th</sup> 1885*

894

2

Township 19 S R. 26 E  
BOOK 894

|    |    |    |    |    |    |    |    |    |    |    |
|----|----|----|----|----|----|----|----|----|----|----|
| 6  | 92 | 5  | 66 | 4  | 50 | 3  | 33 | 2  | 18 | 1  |
| 90 | 89 |    | 64 |    | 48 |    | 32 |    | 16 |    |
| 7  | 87 | 8  | 63 | 9  | 47 | 10 | 31 | 11 | 14 | 12 |
| 85 | 84 |    | 61 |    | 45 |    | 29 |    | 13 |    |
| 18 | 83 | 17 | 60 | 16 | 44 | 15 | 28 | 14 | 11 | 13 |
| 81 | 79 |    | 59 |    | 43 |    | 26 |    | 10 |    |
| 19 | 78 | 20 | 57 | 21 | 41 | 22 | 25 | 23 | 9  | 24 |
| 76 | 75 |    | 56 |    | 40 |    | 24 |    | 7  |    |
| 30 | 74 | 29 | 55 | 28 | 38 | 27 | 23 | 26 | 6  | 25 |
| 72 | 70 |    | 53 |    | 37 |    | 21 |    | 4  |    |
| 31 | 68 | 32 | 52 | 33 | 35 | 34 | 20 | 35 | 3  | 36 |

For Preliminary Data  
and Description of Instruments  
see Book No 1

T19 S. R26E

No. 894

hans

Beginning at the cor  
to secs 1, 2, 35 and 36

T19 S. R26E

on S bdy of Tr previously  
described by one Iura

N 41° 33' W on a true line  
bet secs 35 and 36

Q 12° 39' E

3.75

Cross Road bears N E + S W

40.00

N and S of stone

N

W

4

BOOK 894

T 19 S R 26 E

Chomur

80:00

12 ins in the  
 25, 26, 35, 36 dug pits  
 ft and  
 ft base  
 mag 2  
 198  
 S 25 on N, E 26 E 36 35-  
 on S, W, and S. 26 on N, W, faces  
 1 on N, and 1 notch

Land Level

Soil 5% rate

Grass fair

Scattering brush

East on a random line  
 bet sec 25 & 36

at 12° 39' E

5198 R 26E

Chain

40.00 Set temporary  $1/4$  sec cor

80.07 Intersect the E bdy of  
T<sub>p</sub> 3 lms S of cor to  
secs 25, 30, 31 and 36  
previously described herein

Thence run

S89° 59' W on a true  
line bet secs 25 & 36  
with same wa

10.03

Deposited a marked stone 12 ins. in dia.  
ground for  $1/4$  Sec. Cor dug pit 18 x 18 x 18 in.

E and W of stone  $1/4$  feet distance  
a mound of earth  $1\frac{1}{2}$  ft high  $1\frac{1}{2}$  ft dia.  
at N E pit drove a stake 2 ft to 4 ft dia.  
sq 12 ins. in the ground marked  $1/4$  Sec. N

80.07

The cor to secs 25, 26, 35, 36

Land Seal

Soil 2 to 3 rate

6

T19 SR 26E

chains

Good Grass  
no brush

N 40° 33' W on a true  
line bet secs 25 & 26  
90° 12' 27" E

4000

Deposited a marked stone 12 ins. dia.  
area it for Sec. Cor. dug pits 18 x 18 x 12 in.  
N in S of stone 1/4 feet dia. in a good  
a mound of earth 1 1/2 ft high 3/4 ft. base over  
it. In N pit drove a stake 2 ft. long 2 in.  
sq. 12 ins. in the ground marked S. or W  
face.

4700

cross Road bears N 2° 10' W

6600

'' '' '' '' '' ''

T 19 SR 26E

Chain

80.00

Deposited a marked stone 12 ins in dia.  
ground for Cor to Secs 23, 24, 25 & 26, dug pits  
18 x 15 x 12 ins in each Sec. 5 1/2 ft. dist. and  
raised a mound of earth 2 ft high 4 1/2 ft. base  
over it. In S. E. cor. drove a stake 2 ins sq. 3  
ft. long 12 ins in dia. and marked T. 19 S  
S. 24 N. E. 4 26E 25- N. S. E. S. 26  
on S. W. and S. 23 N. W. faces with  
2 notches on S. and 1 notch  
on E. edges.

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Good Grass

no bush

East on a random line  
bet sec 24 & 25

12° 39' E

8

T. 19 S. R. 26 E

chain

4000

Set Temporary 14 secor

8000

Intersect the E Bdy 5  
links S of cor to sec 19, 24  
25 and 30 previously described

by me. Thence I <sup>580</sup> run on a true  
line bet sec 24 & 25 with <sup>20</sup> corners

40000

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5  $\frac{1}{2}$  feet dist and raised  
a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base over  
it. In E pit drove a stake 2 ft long 3 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

face.

cross Road bears N 65° SW

4250

6100

8000

The cor to Secs 23, 24, 25, 26

Land level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Good Grass

no brush



T 19 S R. 26 E

Main

N 40° 33' W on a true line  
bet sees. 23 and 24

33.60  
10.00

cross Road bears ~~120° 39' E~~  
Deposited a marked stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
and of stone 5 1/2 feet dist and raised  
a mound of earth 1 1/2 ft high 18 ft diam over  
it. In pit drove a stake 2 ft long 2 ins  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S on  
face.

0.00

Deposited a marked stone 12 ins in the  
ground for Cor. to Sec. 13, 14, 23, 24. dug pits  
18 x 18 x 12 ins in each Sec 5 1/2 ft. dist and  
raised a mound of earth 2 ft high 18 ft diam  
over it. In S pit drove a stake 2 ins sq 2  
ft long 2 ins in the cor. and marked T. 19 S  
S 13 N E S 26 E 24 on S & S 23  
on W and S 14 on N W faces. with  
3 notches on S and 1 notch  
on E edges

Land Level

T19 SR 26E

chain

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate  
 Good Grass  
 no brush

East on a random line.  
 bet sees 13 and 24

va 12039E

40.00

Set Temporary 1/4 sec cor

80.70

Entered the E bay of  
 Tfr 40 links S of cor to  
 sees 13, 18, 19 and 24 previously  
 described by me

Thence I run

S 89° 43' W on a true  
 line bet sees 13 and 24  
 with same va

T19 S R 26 E

Shams  
12.100  
0.35

Cross Road bear<sup>n</sup> E<sup>W</sup>

Deposited a marked stone 12 ins. in the  
ground for 1 Sec. Cor. dug pit 18 x 18 x 12 ins.

E and W of stone 14 feet dist and placed  
a mound of earth 14 ft high & 12 ft base over  
it. In E pit drove a stake 2 feet long 2 ins.  
sq. 12 ins. in the ground marked 15. on N  
face.

0.70

The cor to secs 13. 14. 23  
+ 24

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Good Grass

no brush

N40° 33' W on a true  
line bet secs 13 + 14  
Va 12° 38' E

T 19 SR 26E

chains

35.00 cross. Road bears E & W

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 33 feet dist. raised a mound of earth 2 ft. high 4 1/2 ft. over it. In N pit drove a stake 2 ft. in ground sq. 12 ins. in the ground marked 1/4 S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 11/2, 13, 14 and 15 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. raised a mound of earth 2 ft. high 4 1/2 ft. over it. In S pit drove a stake 2 ft. in ground 2 pits in line and marked T. 198 S 12 on N E 526E 18 on S E. S. 14 on N W and S 11 on N W faces with 4 notches on S. and 1 notch on E edges.

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Good Grass

T19 SR 26E

chain

No bush

East on a random line  
bet secs 12 & 13

 $\text{Bearing } 120^{\circ} 39' \text{ E}$ 

40.00 Set Temporary 14 sec cor

80.45 Intersect the E bdy of  
Tp 50 links S of cor to  
secs 7, 12, 13 and 18

previously described by me  
thence I run

$88^{\circ} 39' \text{ W}$  on a true  
line bet secs 12 & 13 with  
same va

0.45 ascend ridge

T 19 S R 26 E

chain  
2545-

Top of ridge and  
descend slope at an angle of <sup>50</sup>  
after making the correct

4022

Deposited a marked stone 12 ins. in the  
ground for 1 Sec. E or 1/2 mile N 29° 30' E

E and W of stone by feet distance in  
ground of 15 ft. high 12 ft. long

12 in. E and 12 in. W of stone

sq. 12 ins. in the ground marked 1 S. on N  
face.

8045

The cor to pccs 11, 12, 13 & 14

Land, rolling

Soil 4<sup>th</sup> rate

grass fair

W. brush

N 4° 35' W on a true line  
bet pccs 11 and 12

Pa 12° 39' E

T. 1.9 S. R 26E

hamm  
0.00

N. 8

W

W

0.00

Deposited a marked stone 12 ins. in dia.  
ground for Cor to Secs 1.2.11H2, dia pit  
18 ins x 12 ins in each Sec. 54 ft. dist. and  
raised 2 ft. high 2 ft. high 2 ft. base  
over it. 12 ins in dia. 2 ft. high 2 ft. base  
ft long 2 ins in dia. or unmarked T. 19 S

S 1 on NE 26E 12 on SE S. 11

on S W and S 2 on N W faces. with

5 inches on S, and 1 notch  
on E edges

Stony Ridge 175 to 200 ft  
high bears N 8 through  
2 1/2 of sec 12

Land Level + water

T19 SR 26E

charlie

Sail 2<sup>nd</sup> to 3<sup>rd</sup> rate  
Good grass  
no brush

---

East on a random line  
bet sees 1 & 12

va 12° 39' E

4000

~~8015~~

Set temporary 44 sec cor  
I intersect the E bdy of Tr  
30 links S of cor to sees  
1.6-7 and 12 previously  
described by me

Thence I run

889° 47' W on a true  
line bet sees 1 & 12 with  
same va



T19 SR 26E

Thames

12.15

Second slope at an angle

of 5-0

40.07

after marking the corner allowance  
 Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. and pits 18 x 18 x 12 ins  
 E and W of same 36 feet dist. and raised  
 a mound of earth 1 ft. high on N face over  
 it. E pit 18 ins. sq. 2 ft. long 2 ins  
 sq. 2 ins. in the ground marked  $\frac{1}{4}$  S on N  
 face.

80.15<sup>3</sup>

The cor to secs 1, 2, 11 and 12

Land Level

and mountainous

Soil 2<sup>or 3</sup> to 3<sup>or 4</sup> ft

Good Grass

no brush.

T19 SR 26E

change

N  $4^{\circ} 33'$  W on a random line  
bet secs 1 and 2

or  $12^{\circ} 39' E$

40.00 Set temporary 44 sec cor

87.26 Intersect the N by 9.5 ft  
E of cor to secs 12.35 and 36  
which is a mound of earth  
and puts in S.E. put a stake  
marked T19 S36 on NE  
R26E. S1 on SE.

T19 S S2 on SW side

S35 on NW faces which  
notch on E and 5 notch  
on W edges

Thence I run  
 $S5^{\circ} 10' E$  on a true  
line bet secs 1 and 2 with

T 19 SR 26 E

Chain

same as

4726

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18 x 18 x 12 ins. N and S of stone 54 feet dist and raised a mound of earth 14 ft high 25 ft base over it. In N pit drove a nail 2 ft long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

8726

The cor to sees 12, 11 and 12  
Land Level  
Soil 3<sup>rd</sup> to 4<sup>th</sup> rate  
2 1/2 of S. Good Grass  
no brush

I carefully examined the adjustments of my solar transit to day particularly the latitude and reversing apparatus and found them  
Feb 10 1882

T19 S. R 26E

chain.

From the cor to  
 sec 2. 3. 34 and 35

and  
 end of Tr previously described  
 by me to run N 40° 38' W on a  
 true line bet sec 34 + 35  
 Va 120 39E

40.00

Deposited a marked stone 12 ins. in the  
 ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.

Went S of stone 1/4 feet dist and used  
 a marked of earth 18 ft high 18 ft base and  
 it. to N. pit depth 12 ins. 2 ft long 2 ins.  
 sq. 12 ins. in the ground marked 1 S. on W  
 face.

48.50

Cross Road bears N 82° 1/2 S W

T19 S R 26E

Main

0.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 26-27, 34 & 35, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 198 S. 26 on N.E., R. 26 S. 35 on S.E. S. 34 on S.W. and S. 27 on N.W. faces, with 1 notch on S, and 2 notches on E sides.

Land Level

Soil 3<sup>rd</sup> to 4<sup>th</sup> rate

Grass fair

no brush

East on a random line  
bet sec 26 & 35

Va 12 38'E

T19 S R 26 E

Chain

40.00 Set Temporary 44 sec  
cor

80.00 I entered the N & S line  
15 links N of cor to secs  
25, 26, 35 and 36

Thence I run  
N 89 54' W on a true  
line bet secs 26 and 35 with  
same va

4005 Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. Aug pits 18 x 18 x 12 ins.  
E and W of stone 1/2 feet deep and raised  
a mound of earth 12 ft high 15 ft back over  
it. In E pit 12 inch stake 2 ft long 2 ins.  
sq. 12 ins. in the ground marked 1/5 on N  
face.

49.50 cross Road bears N 31 SW

80.00 The cor. to secs 26 27. 34  
+ 85-

T. 19 S. R. 26 E

Chain

Land Level

Soil 3<sup>rd</sup> gate

Good Grass

No brush

N 40° 33' W on a true  
line bet secs 26 & 27

19.00  
40.00Cross Road bears VA 12039 E  
NE & SWDeposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of same in fast dirt was placed

a mound of earth 24 ft. high on the N side

it. In N pit done 0.25 x 0.25 x 0.25 ms

sq. 12 ins. in the ground marked 1/4 S. on W  
face.

40.50

Cross Road bears NE &amp; SW

T 19 S R 26 E

chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 22, 23, 24 (27) dug pits 18 x 18 x 18 ins. in each Sec. 54 ft. dist. and raised a m. wall of earth 2 ft. high 4 ft. base and set in the center of each a stake 2 ins. by 2 ft. long 12 ins. in the ground marked T 19 S 23 on N E R 26 E 26 on S E. S. 27 on W and S 22 on N W faces, with 2 notches on S, and 2 notches on E edges.

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Good grass

no brush

East on a random  
line bet secs 23 & 26  
Va 12039 E



T19 SR 26E

Main

0.00 Set Temporary 1/4 sec cor

20.12 Intersect the N & S line  
18 links N of cor to  
secs 23, 24, 25 & 26

Thence from

N89° 52' W on a true  
line bet secs 23 & 26  
with same va

40.06

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.E and W of stone 3 1/2 feet dist and raised  
a mound of earth 1 1/2 ft high 2 1/2 ft base over

it. In E pit drove a stake 2 ft long 2 ins.

sq. 12 ins. in the ground marked 15 on its  
face.

72.12

Cross Road bears N 85° W

80.12

The cor to secs 22, 23, 26, 27

found level

25-

BOOK 894

T19 SR 269

chain

Soil 2 to 3 rats  
 Good grass  
 no brush

---

N4° 33' W on a true line  
 bet pccs 22 & 23  
 VA 12° 38' E

40.00

Deposited a marked stone 12 ins. in the  
 ground for 1 Sec. Cor. along with a 28 x 19 ins.  
 Nona S of a line 1/4 ft. 1/2 and raised  
 a mound of earth 1/2 ft. high 4 ft. wide approx.  
 it. in N. pt. of the mound 2 feet by 2 feet  
 sq. 12 ins. in the ground marked 25 on W  
 face.

T19SR26E

Chains  
00.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs (4, 15, 22 + 23), dug pits 18 x 18 x 18 ins. in each Sec. 54 ft. dist. and raised a mound of earth 8 ft. high 24 ft. base over it in S E. NW corner a stake 2 ins. dia. 2 ft. long 12 ins. in the ground and marked 19 S S. 14 on N E. A 2625 23 22 on S. W. and S. 15 on N. W. faces, with 3 notches on S. and 2 notches on E edges.

Land Level  
Soil 3<sup>rd</sup> Rate  
Good Grass  
no brush

---

East on a random  
line bet sees 14 and 23  
Q/A 12039'E

27

BOOK 894

T19 SR 26E

Chamie

4000 Set Temporary 14 sec cor

8010 Intersect the N & S line  
20 links S of cor to sees  
13, 14, 23, and 24

Thence I run

S 89° 57' W on a true  
line bet sees 14 and 23  
with same va4005 Set a Lime stone 10 x 8 x 7 ins. 6 lbs.  
in the ground for  $\frac{1}{2}$  Sec. Cor, marked  $\frac{1}{2}$  on N  
face, dug pits 18 x 18 x 12 ins. E and W  
at same 20 ft. dist. and raised a mound of earth  
14 ft. high 24 ft. base, alongside.8010 The cor to sees 14, 15, 22  
623

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Good Grass

T 19 S R 26 E

Chain

no bush

N 4° 33' W on a true line  
 bet sec 14 and 15  
 on 12° 39' E

40.00

Deposited a marked stone 12 ins. in the  
 ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.  
 N and S of stone 5 ft apart and raised  
 a mound of dirt 2 ft high on top over  
 it. In N pit drove a stake 2 ft long 2 ins.  
 sq 12 ins. in the ground marked 7 S. on W  
 face.

57.00

cross Road bears E on

80.00

Deposited a marked stone 12 ins. in the  
 ground for Cor. to Secs. 10, 11, 14 & 15. dug pits  
 18 x 18 x 12 ins. in each Sec. 5 ft apart and  
 raised a mound of dirt 2 ft high on top  
 over it. In S. pit drove a stake 2 ft long  
 2 ins. sq 12 ins. in the ground marked 7, 19 S  
 S 11 on N. E. R 26 E 14 on S. E. S. 15  
 on S. W. and S. 10 on N. W. faces, with

219

BOOK 894

T19 SR 26E

Chemin

4 notches on S and 2 notches  
on E edges

Land Level

Soil 3<sup>rd</sup> rate

Good grass

no brush

East on a random line  
bet sees 11 and 14

TA 12039E

4000 SW Temporary 44 seen

7220 I intersect the N6 S

line 12 strike it of cor. to  
sees 11, 12, 13, and 14

Thence I run

N89° 55' W on a true line

T19 SR 26E

Chain

Set sec 11 and 14 with  
same Va

39.95

Set a granite stone, 14" x 9" x 8" (14" x 9" x 8" in the ground for 1 Sec. Cor, marked on N  
Side dug pits 18" x 12" x 12" in E and W  
corners. Each pit filled a mound of earth

7990

The cor to sec 10, 11, 14  
and 15

Land Level

Soil 3<sup>rd</sup> rate

Good Grass

No brush

N40° 33' W on a true line  
Set sec 10 and 11

Va 12° 39' E

T 19 S R 26 E

chain

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 54 feet apart and raised a mound of earth 2 ft high 44 ft long 12 ins. in the ground marked 1 S on W face

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 23-10 & 11 dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 2 ft high 44 ft long 12 ins. in the ground marked T 19 S 2 on N.E. R 26 E 11 on S.E. S 18 on S.W. and S 3 on N.W. faces, with 5 notch on S, and 2 notch on E edges.

Land Level  
Soil 3<sup>rd</sup> rate  
Good Grass  
Scattering Crust



T 19<sup>th</sup> S R<sup>2</sup> 26E

Ch arms

East on a random  
line bet sees 2 & 11

va 12° 39' E

40.00 Set Temporary 14 sec cor  
79.95 Intersect the N of line  
25 links N of cor to see  
1, 2, 11 and 12

Thence run

N 89° 49' W on a true  
line bet sees 2 & 11 with  
same va

3997

Deposited a marked stone 12 ins. in the  
ground for 1 sec. cor. dug pits 18 x 18 x 12 ins.

E and W

sq. 12 ins. in the ground marked 13 on N  
face.

T19 SR 26E

chains

79.85 The cor to sec 2, 3, 10 & 11  
 Land Level  
 Soil 3<sup>rd</sup> to 4<sup>th</sup> rate  
 Good grass  
 no brush

---

N 40° 33' 40" on a random  
 link sec 2 & 3

VA 120 39° E

40.00 Set Temporary 44 sec cor

87.00 Intersect the S. body of  
 T19 85 links E of the  
 cor to sec 2, 3, 34 and 35 -  
 which is a mound of  
 earth and pits in S. E. pit

T 19 S. R 26 E

Main

a stake marked  
 T 18 S S 35 on NE  
 R 26 E S 2 on SE  
 T 19 S S 3 on SW  
 and S 34 on NW faces  
 with 2 notches on E and  
 4 notches on W edges

Thence run  
 S 5° 6' E on a true  
 lev sec 28 3 with same  
 or

47.00

Deposited a marked stone 12 ins. in the  
 ground for 1 Sec. Cor. dug pits 18 x 18 x 18 ins.  
 N and S a stone 54 feet deep and  
 a mound of earth 72 ft high 54 ft long  
 it. In N pit a stone 12 ins. in dia. and  
 12 ins. in the ground marked S on W  
 face

T 19 SR 26E

Chain

87.00 The cor to sec 2, 3, 10, 11

Land Level

Sail 2<sup>nd</sup> to 3<sup>rd</sup> gate

Grass fair

no brush

From the cor to sec  
3, 4, 33 and 34

on S bdy of T<sup>h</sup>  
previously described by me  
Run N 40 33' W on a  
true line bet sec 33 & 34  
on 12' 39' E

35.25 cross Road bears N 35.5' W

T19 SR 26E

Cham  
4.00

Deposited a marked stone 12 ins. in the ground for Sec. Cor. 10 in pits 18 x 15 x 12 ins. on N and S of stone 34 feet in diameter and raised a mound of earth 2 ft. high 44 ft. long and 11 ft. in N pit diameter. Stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 2 on the W face.

0.00

Deposited a marked stone 12 ins. in the ground for Cor. 10 Secs 27, 28, 33 + 34 dug pits 18 x 15 x 12 ins. in the Sec. 74 ft. dia. and raised a mound of earth 2 ft. high 44 ft. long overall. In S E pit diameter 2 ft. long 2 ins. sq. 12 ins. in the ground marked 2, 1, 28 S 27 on N.E. E 26 S 34 on S.E. S 33 on S.W. and S. 28 on N.W. faces, with 1 notch on S, and 3 notches on E edges.

Land Level

Soil 3<sup>rd</sup> Rate

good grass

T19 SR 266

chain

no bush

East on a random line  
bet secs 27 & 34  
@va 12° 39 E

40.00 SW Temporary 44 sec cor  
79.50 Intersect the R of S line  
12 links S of cor to secs  
26, 27, 34 and 35

Thence down  
89° 55' W on a true  
line bet secs 27 & 34 with  
same va

93.0 cross road bears N 82° SW

T19 SR 26E

name

290

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. day pits 18 x 18 x 12 ins  
E and W of stone 13 feet in  $\frac{1}{4}$  and raised  
a mound of earth 14 ft. high by the 5000 ave.  
it. In E pit drove a  $\frac{1}{4}$  sq. ft. long x ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

280

The cor to secs 27, 28, 33 and  
34

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

grass fair

no brush

N40°33'W on a true line  
bet secs 27 and 28

N79°12'39"E

39

BOOK 894

T 19 S R 26 E

Chain

3550

Cross Road bears NE &amp; SW

4000

Deposited a marked stone 12 ins. in the ground for 1 Sec. Cor. by placing

a mound of earth 2 ft high 4 ft across  
 it in N W corner of section 21  
 sq. 12 ins. in the ground marked 12 on W  
 face

8000

Deposited a marked stone 12 ins. in the  
 ground for Cor. to Secs 21, 22, 27 & 28

18 x 18 x 12 ins. in each Sec. 5 ft. dist. north  
 raised a mound of earth 2 ft high 4 ft across  
 over it. In S E corner a stone 2 ins. x 2  
 ft long 12 ins. in the ground marked T 19 S

S 22 NE R 26 E S 27 SE S 28  
 on W and S 21 on N W faces, with

2 notches on S. and 3 notches  
 on E edges.

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Good grass



T19 S R 26E

No. 894

Cham

no brush

East on a random line  
bet secs 22 and 27

va 120 39E

to 0.00

30.05

Set Temporary 44 sec cen  
I intersect the N & S line  
10 links S of cor to secs  
22, 23, 26 and 27

Thence I run  
S 89° 56' W on a true line  
bet secs 22 and 27 with  
same va

41

BOOK 894

T 19 SR 26 E

chain

4002

Deposited a marked stone 12 ins. in the  
ground for 1 Sec. Cor. Two poles 12 ins. in  
E and W of same stone 12 ins. in  
a line and of stone 12 ins. in the ground  
it. in E 12 ins. in the ground marked 12 ins. N  
sq. 12 ins. in the ground marked 12 ins. N  
face.

8005

The cor to secs 21.22  
27 and 28

2 and level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

good grass

no brush

N 4° 33' W on a true line  
bet secs 21 and 22

or 12° 39' E

T19 SR 266

Chambers

40.00

Deposited a marked stone 12 ins. in the ground for Sec. 5. Dug pits 18 x 18 x 12 ins.

N and S of stone 54 feet dist. and raised a mound of earth 2 ft high 3 ft base on N. In E. N. N. dist. a stake 3 ins. sq. 198 sq. 12 ins. in the ground marked S. on W face.

20.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 16/16, 24/22, dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 2 ft high 3 ft base on N. In E. N. N. dist. a stake 3 ins. sq. 198 sq. 12 ins. in the ground marked 198

S 15 on N.E. R 26E - 22 on S.E. S. 21 on S.W. and S. 16 on N.W. faces, with 3 notches on S. and 3 notches on E. edges.

Land Level

Soil 2<sup>over</sup> to 3<sup>over</sup> ft

Good Grass

chain

no bush

East on a random line  
bet secs 15 and 22

ova 120 39° E

40.00 Set Temporary 14 sec cor

8010 Intersect the N & S line  
20 links S of cor to sec  
14, 15, 22 and 23

Thence I run

89° 51' W on a true  
line bet secs 15 & 22  
with same ova

40.05

Deposited a marked stone 12 in in the  
ground for 1 Sec. Cor. on pt. 18 & 22

E and W of

a mound of earth

E

or face

T19 S R26E

Chains

8010 The cor to sec 15, 16, 21 and 22

Land Level

Soil 3<sup>rd</sup> to 4<sup>th</sup> rate

Good Grass

no brush

N 4°33' W on a true  
line bet sec 15 & 16

Qr 12° 39' E

4000

Deposited a marked stone 12 ins in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins

N and S of stone 4 ft 3 in apart  
a mound of earth 11 ft high  
ft. in N and S of stone 2 ft apart  
12 ins in the ground marked 1/4 S. on W

face

45-

BOOK 894

T19. SR 26E

clean

72.00

Cross Road bears NW & SE

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 9, 10, 15 & 16. dug pits 18 x 18 x 12 ins in each Sec. 14 ft. deep and raised a mound of earth 12 ft. high in the center of each Sec.

1/4 notch es on S, and 3 notch es on E edges. 198

S 10 on NE R 26E 15 - on S E 16

on S W and S. 9 on N W faces with

1/4 notch es on S, and 3 notch es on E edges.

Land Level

Soil 3<sup>rd</sup> to 4<sup>th</sup> rate.

Good Grass

no brush

East on a random line  
bet sec 10 and 15

T19 S R26E

Chains

90 12° 39' E

40.00 Set Temporary 1/4 sec cor  
 79.75 Intersect the N & S line  
 12 links S of cor to sec  
 10, 14 and 15

Thence run  
 889° 55' W. on a true  
 line bet sec 10 & 15  
 with same va

39.87

Deposited a marked stone 12 ins. in the  
 ground for 1/4 Sec. cor

E and W

E

W

79.75

The Cor to Sec 9, 10, 15 & 16  
 Land Level

579 S. R 26E

Chain

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate  
good grass  
no brush

N 40° 33' W on a true  
line bet Secs 9 & 10  
over 12° 39' E

40.00

Deposited a marked stone 12 ins in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 18 ins.

N and S of stone 24 feet apart, the raised  
ditch 4 ft wide 12 ft high on N side of  
11. In N 1/4 Sec. 9 & 10 2 ins.  
sq. 12 ins. in the ground marked 1/4 S on W  
face.

50.00

Deposited a marked stone 12 ins. in the  
ground for Cor. to Secs. 3, 4, 9 & 10

18 x 18 x 18 ins. in 1/4 Sec. 3 & 4. The  
raised mound of earth 2 ft. high 12 ft. wide  
over 12. In S 1/4 Sec. 3 & 4  
1/4 Sec. 9 & 10

S 3 N 26E 10 S E 3 9  
on S W and S 4 N W faces, with  
5 notch on S and 3 notch on



T19 SR 26E

Lands

Land Level  
 Soil 4<sup>th</sup> at  
 No grass  
 no brush

---

East on a random line  
 bet secs 3 & 10

va 12° 39' E

40.00

Set Temporary #4 sec or

7980

Intersect the N of line  
 30 links S of cor to sec  
 23, 10 and 11

T 19 S R 26 E

Chains

Thence I run  
S 89° 47' W on a true  
line let sees 3 and 10  
with same va

39.90

Deposited a marked along 12 ins in the  
ground for 1/2 Sec. Cor. of 1/4 Sec. 3, 4, 9, 10  
E and W at about 1/2 mi. N. of  
the N. E. corner of 1/4 Sec. 3, 4, 9, 10  
at 1/2 mi. in the N. of the corner of 1/4 Sec. 3, 4, 9, 10  
face.

79.80

the cor to sees 3, 4, 9, 10  
Land Level  
Soil 4<sup>th</sup> rate  
Good Grass after  
East 1/2 of mile  
in brush

T 19. S R 26 E

Lamin

N 4° 33' W on a random  
line bet secs 3 & 4

Q 12° 39' E

46.00

Set temporary 1/4 sec cor

886.70

Entered the N 60° of  
T 19 S 1/2 E of cor to  
secs 3, 4, 33 and 34

which is a mound  
of earth and pits in  
SE pit a stake marked

T 18 S S. 34 on N. E

R 26 E S 3 on SE

T 19 S S 4 on S W and  
S 33 on N W face with  
3 notches on E and W  
edges.

Thence from

S 50 10' E on a true

T 19 SR 26E

Chains

line bet sees 3 & 4  
with same va.

46.70

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pit 18 x 12 ins.

Hand S of stone 34 feet a  
a mound of

N  
W  
face

86.70

The cor to sees 3, 4, 9, 10

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Grass fair

no brush

Feb. 11<sup>th</sup> 1885

T19 SR 26E

Chain

From the cor to sec  
41.5. 32 and 33

on S Bdy of Tp  
previously described by me  
run N 40° 33' W, on a true  
line bet secs 32 and 33  
@ 12° 39' E

46.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor dug pit 18 x 18 x 12 ins.

A  $\frac{1}{2}$  in. S of stone is 1 ft. dist. raised  
a mound of earth 12 ft. high. 12 ft. over  
it. In N pit above a stone 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

72.00

Crane Road bears N 26° SW

T19 SR 268

C Charms  
80.00

Donoried a marked stone 12 ins in dia  
ground for Cor to Secs 28 & 33, dug  
16 x 18 ft. ...  
raised a ...  
over it ...  
198  
S 28 - N E 268 - 33  
on S W and S 29 on N W faces, with  
1 notch on S, and 4 notches  
on E edges.

Land Level  
Soil grade  
Dense brush  
Grass fair

East on a random line  
at secs 28 & 33  
VA 12° 39' E

T19 SR 26E

Chains

40.00 Set 9 temporary 14 sec cor

80.10 Entered the NE 1/4 Sec  
15 links of cor to secs  
27.28.33.34

Thence

S89° 54' W on a true  
line bet secs 28 & 33  
with same vu

40.05-

Deposited a marked stone 12 ins. in the  
ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone 3/4 feet dist and entered  
a record of cor. 271 feet of same been  
it. In E pit drove a stake 1/2 way 2 ins.  
sq. 12 ins. in the ground marked 1/2 S. on W

65.10.

Cross Road bears NE &amp; SW

80.10

The cor to secs 28.29.32  
& 33Land Level  
Soil 3/4 rate

T19 SR 26E

C drain

Grass fair  
dense brush

4

N 40 33° W on a true  
line bet sees 28829  
or 12° 39 E

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
N and S of stone 54 feet dist and raised  
a mound of earth 14 ft high 34 ft base 60 ft  
d. In N pit drove a stake 2 ft long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

80.00

Deposited a marked stone 12 ins. in the  
ground for Cor. to Secs 202 (2829) dug pits  
18 x 18 x 12 ins. in each sec. 54 ft dist and  
raised a mound of earth 14 ft high 34 ft base  
60 ft d. In S.E. pit drove a stake 2 ins. sq. 12  
ft. long 12 ins. in the ground marked T. 178  
S. 21 on N.E. R. 26E, 28 on S.E. S. 29  
on S.W. and S. 20 on N.W. faces, with  
2 notches on S, and 4 notches



T19 SR 26E

Chain

Land Level

Soil 3<sup>rd</sup> rate

Good Grass

Scattering brush

East on a random line  
bet sec 21 and 28

Va 120° 39' E

40.00

Set Temporary 114 sec cor

80.20

Intersect the N and S  
line 22 links N of cor to  
secs 21, 22, 27 + 28

Thence I run

N 89° 50' W on a true  
line bet sec 21 and 28  
with same va

T79 SR 26E

C chains  
40.10'

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 in E and W of stone 18 feet from each other a mound of earth 24 ft. high 24 ft. diam. in E pit drove a stake 12 in. long 2 in. sq. 12 ins. in the ground marked 1/4 on N 1/4.

80.20

The cor to sees 20  
21 28 and 29

Land Level  
Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate  
Good Grass  
no brush

N 40° 33' W on a true  
line bet sees 20 & 21

Va 12 139E

T 19 SR 26E

Chain

40.00

Deposited a marked stone 12 ins. in the ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 24 feet apart and raised a mound of earth 12 ft high 24 ft wide over it. In N pit drove a stake 2 ft long 2 ins. sq. 12 ins. in the ground marked N S. on W face.

5-4.00

House about 9 chs E

50.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 16, 17, 20 &amp; 21 dug pits

18 x 18 x 12 ins. in the ground 24 ft apart and raised a mound of earth 12 ft high 24 ft wide over it. In S pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked S 19 S

S. 16 on N.E. E 26E 21 on S.W. and S. 17

3 notches on S. and 4 notches on E edges.

Land Level

Soil Sandy &amp; alkali

Grass fair

no brush

T 19 S R 26E

Chain

East on a random  
line bet secs 16 and 21  
on a  $12^{\circ} 39' E$

40.00  
80 10

S A Temporary  $\frac{1}{4}$  sec cor  
intersect the  $\frac{1}{4}$  S line  
15 links S of cor to sec  
15 16 21 and 22

Thence I run  
 $S 89^{\circ} 54' W$  on a  
true line bet secs 16  
621 with same on

40.05

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec Cor. dug pits 18" x 18" in  
E and W of stone 24 feet dist and marked  
with sand of earth 4 ft deep in a hole 24  
in. in E pit drove a stake 2 ft. high 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face

519 SR 26E

Chains

80.10

The cor to secs 16, 17, 20, 21

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Good Grass

No. brush

N 4° 33' W. on a tree  
bet secs 16 + 17

Qa 12° 39' E

40.00

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. due N 12 1/2° E 15 1/2° S in the  
N and S of stone in feet 1/2 - 1 - 1 1/2 - 2 - 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12  
a mound of earth 12 ft. high on top of the mound  
at N put down a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked 1/4 S. on **EV**  
face.

T19 SR 26E

C Chain  
80:00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 8 9, 16 + 7, dig pits 18 x 18 x 12 ins. in each Sec. 8 & 9, and in each raised a mound of earth 2 ft. high 24 ft. long 12 ins. in S. E. corner of each mound. 12 ft. long 12 ins. in the ground marked T 19 S. S. 9 on N.E. R 26 E 16 on E. S. 17 on S.W. and S. 8 on N.W. faces with 4 notches on S, and 4 notches on E edges.

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rateGrass fair  
no brushEast on a random  
line bet sec 9 + 16

90 120 39 E.

T19 SR 26E

Chain

40.00 Set Temporary 114 peccor  
 80.25 Intersect the N<sup>1</sup> S line  
 8' links W of cor to sees  
 9, 10, 15 and 16

thence I run  
 N 89° 57' W on a true  
 line bet sees 9 & 16 with  
 same va

26.25 cross Road bears NW & SE

40.12

Deposited a marked stone 12 ins in dia  
 ground for 1/4 Sec. Cor. dug pits 8 x 10 x 12 ins  
 E and W of stone 14 feet dist and raised  
 a mound of earth 11 ft high in the center  
 of it. In E pit were 2 stakes 2 ft long 2 ins.  
 sq. 12 ins. in the ground marked S. on N  
 face.

70.25 House and Improvement bears N.  
 about 8 chs

80.25 The cor to see 8, 9, 16 and 17

T19 S R 26E

C chains

Land Level  
Soil 2<sup>nd</sup> to 3<sup>rd</sup> ft  
grass fair  
no brush

N4° 33' W on a true  
line bet sees 8 & 9

or 12° 39' E

11.00  
40.00

cross Road bears N 5° 51' W

Deposited a marked stone 12 ins. in the  
ground for 1/2 Sec. Cor. dug pit 18 x 12 x 12 ins.  
N and S of stone 24 feet apart with a  
ground of earth 12 ft high at the top over  
it. In N pit drove a stake 2 ft long 2 in.  
sq. 12 ins. in the ground marked S on W  
face.



T 19 S R 26 E

Arrows

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 4, 5, 8 & 9, dist. pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a ridge of cor. 5 ft. high 4 ft. long over it in S. E. pit a circle of stone 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 19 S 4 on N.E., 126 S 9 on S.E., 5, 8 on S.W. and S. 5 on N.W. faces, with 5 notch on S, and 4 notch on N.E. edges

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> ft

Grass fair  
no brush

East on a random line  
bet sec 4 & 9

wa 12° 39' E

40.00

Set Temporary 44 sec on

T19 SR 26E

C Chain  
79.95'

Intersect the N 6 S line  
30 links N of cor to Secs  
3, 4, 9 and 10

Thence I run  
N 89° 47' W on a true  
line bet Secs 4 and 9  
with same ca

39.97

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone as fact that was placed  
a mound of earth 12 ft. high at ft. by the corner  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

79.95

The cor to Secs 4, 5, 8, 9  
Land Level  
Soil 2<sup>nd</sup> to 3<sup>rd</sup> state  
Grass fair  
no brush

T19 SR 26E

Charm

N40° 33' W on a random line  
bet secs 4 and 5

VA 12° 39' E

40:00

Set Temporary 1/4 section

8633

Intersect the N body of  
T<sub>p</sub> 75 - links E of cor  
to secs 4, 5, 32 and 33  
which is a mound of  
earth and pits in S.E  
put a stake marked  
T188 833 on NE

R 26E 84 on S.E

T19 885 on S.W. and

832 on N.W. face with  
4 notches on E and 2 notches  
on wedges

T19 SR 26E

chain

thence I run  
 S 5° 2' E on a  
 true line bet secs 465-  
 with same wa

46.33

Deposited a marked  
 with a true line Sec. 46  
 N S  
 a marked  
 it. In N pit drove a stake 2 ft long 2 ins.  
 sq. 12" ind in the ground marked S. on W  
 face.

86.33

The cor to secs 4, 5  
 8 + 9

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Grass fair  
 no brush

---

T19 SR 26E

Chambers

I carefully examined the  
 adjustments of my solar transit  
 particularly the latitude  
 and reversing apparatus  
 and found them correct  
 Feb. 12<sup>th</sup> 1885

From the cor to Recs  
 31 and 32 5 and 6

on S by of  
 the previously described by  
 me I run N 4° 33' W on  
 a true line bet Recs 31 and 32  
 N 12° 39' E

23.00 CA Overlooks House 300 ch Ar  
 " " Barn 40 base 2

T 19 SR 26E

Cham

26.25

cross Road near "Edwin"

40.00

Deposited a marked stone 12 ins. in dia.  
ground for  $\frac{1}{4}$  Sec. Cor. 40y pits 18 x 18 x 12 ins.

None of stone affected in soil. Raised  
a mound of earth 14 ft. high 14 ft. dia. over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

68.75

cross Road near NE 1/8 SW

50.00

Deposited a marked stone 12 ins. in dia.  
ground for Cor. to Secy 29.30.21632, dug pits

18 x 18 x 12 ins. in each. 14 ft. dia. and  
raised a mound of earth 2 ft. high 14 ft. dia.  
over it. In S E pit drove a stake 2 ins. sq. 2  
ft. long 12 ins. in the ground marked T. 198

S 29 N 4. 262522 on S E. S. 31

on S W. 1 S 30 on N W faces, with

1 notch on S, and 5 notches

on E edge.

Land Level

Soil 3<sup>rd</sup> rate

T19 SR. 26E.

Chain

Grass fair  
dense brush

---

East on a random line  
bet secs 29 and 32

Va  $12^{\circ} 39' E$

40.00

79.75

Set Temporary 14 sec cor  
I entered the N and S  
line 50 links S of cor to  
secs 28, 29, 32 and 33

Thence I run

$S 89^{\circ} 39' W$  on a true line  
bet secs 29 & 32 with  
same va

T 19 S R 26 E

Chain  
39.87

... marked stone 12 ins. in the  
ground ... Sec. ...  
E and W  
... sq. 12 ins. in the ground marked ... on N  
face.

63.75 cross Road bears ...

74.25 " " " "

79.75 The cor to secs 29.30  
31 and 32

Land Level

Soil 4<sup>th</sup> rate

Grass poor

Dense brush





T19 SR 26E

chain West on a random line bet  
secs 30 & 31

VA  $12^{\circ} 39' E$

40.00 Set Temporary 14 sec cor  
94.10 Intersect the N body of  
Tfr 30 with Sof cor to  
secs 25, 30 31 and 36 which  
is a mound of earth  
and puts in S, E put a  
stake marked T19S  
30 on NE R 26E S31 on SE  
R 25- E S 36 on SW and sec  
25 on rav. faces with 1  
notch on S and 5 notches  
on N edges

Thence from  
 $S 89^{\circ} 49' E$  on a true  
line bet secs 30 and 31

T19 SR 26E

C Chain

with same va

176.0

cross Old Road bears NW 68.2

54.10

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. Sec. 28 - 1/4 NW 1/4

E and W of

it in E

sq. 12 ins. in the ground marked 1/4 on W

face.

87.10

cross Road bears NW 68.2

94.10

The cor to secs 29, 30

31 and 32

Land Level

Soil 3/4

Grass fair

Dense Brush

T 19 SR 26E

chain

N 4° 33' W on a true line  
 between 29 and 30  
 over 12° 39' E

40.00

Deposited a marked stone 12 ins. in  
 ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.  
 N and S of stone 54 feet dia. and raised  
 a mound of earth 2 ft high 44 ft dia.  
 over it. In N pit drove a stake 2 ft long 2 ins.  
 sq. 12 ins. in the ground marked 29 on W  
 face.

80.00

Deposited a marked stone 12 ins. in  
 ground for Cor. to Secs. 19 20 29 30, dug pits  
 18 x 18 x 12 ins. in each Sec. 54 ft dia. and  
 raised a mound of earth 2 ft high 44 ft dia.  
 over it. In S E pit drove a stake 2 ins. sq.  
 2 ft long 12 ins. in the ground marked 19 8  
 S 20 on N.E. R 26E S 29 on S.E. S 30  
 on S.W. and S. 19 on N.W. faces, with  
 2 notches on S, and 5 notches  
 on E edges.

Land Level

T19 SR 26E

Chain

Boil 3<sup>rd</sup> date

Gross fair

Scattering brush

---

East on a random line  
bet secs 20 & 29

va 12° 39' E

40.00

Set Temporary 1/4 sec cor

79.85

I entered the N & S  
line & links N of  
cor to secs 20, 21, 28, 29

Thence I run  
N 89° 57' W on a  
true line bet secs 20 and  
29 with some va

# T19 SR 26E

chain

39.92

Set a Granite stone ~~12-10-8~~ 8 ins.  
in the ground for 1 Sec. Cor. marked 1 on N  
from dug pits 18. x 18 x 12 ins. E and W  
15 ft. dist. and raised a mound of earth  
15 ft. high 31 ft. base along side

79.85

The cor to secs 19, 20, 29 & 30  
Land Level  
Soil 3<sup>rd</sup> rate  
Grass fair  
no brush

West on a random  
line bet secs 19 and 30  
QA 120 39' E

40.00

Set Temporary 1/4 sec cor

92.02

Intersect the NW 64 of  
T<sup>h</sup> 65 links S of cor  
to secs 19, 24, 25 and 30

T19SR26E

chains

which is a mound of  
 earth and pits ins. E  
 put a stake marked  
 T19 S S 19 on NE R26E  
 S30 on SE R25E S25  
 on SW. and S24 on NW  
 face with 2 notches on  
 S and 4 notches on <sup>N</sup>W edge  
 Thence I run  
 S89° 36' E. on a true  
 line bet secs 19 and 30  
 with same va

52.02

Deposited a marked stone 12 ins. in  
 ground for 1/2 Sec. Cor. dug pits 18 x 18  
 E and W of stone 54 feet  
 a mound of earth 14 ft high  
 at. In E pit drop a stake 2 ft  
 sq. 12 ins. in the ground marked S on N  
 face.

T19 SR 26E

Chains

77.00

Cross Road bears N & S

92.02

The cor to secs 19, 20, 29  
and 30

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

no brush

Grass fair

N 4° 33' W on a true line  
bet secs 19 and 20

QA 12° 39' E

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
N and S of stone 5 1/2 feet distance raised  
a mound of earth 1 1/2 ft. high by pit over  
it, in N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked S. on W

J. sec.

T19 SR 26E

Chain

80.00

Deposited a marked stone 12 ins. in the  
ground for Cor. to Secs 17, 18, 19 & 20  
18 x 18 x 12 ins. in each Sec. 51 ft. apart  
raised a mound of earth 2 ft. high 4 ft. base  
over it. In S E pt. drove a stake 2 ins. sq. 2  
ft. long 12 ins. in the ground marked T 198  
S 17 & N E E 26E S 20 on S E S 19  
on S W and S. 18 on N. W. faces, with  
3 notch es on S, and 5 notch es  
on E edges.

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Good grass

East on a random  
line between 17 and 20

Va 12° 39' E



719 SR 268

Chains

40.00 Set temporary 1/4 sec cor

80.00 Intersect the N & S line  
10 links S of cor to secs  
16, 17, 20 & 21

thence I run

S 89° 56' W on a true line  
bet secs 17 and 20 with  
same va

40.00

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.E and W of stone 5 1/2 feet dist and raised  
a mound of earth 1 1/2 ft. high 24 ft. base over  
it. In E pit drove a stake 2 ft. into 2 ins.  
sq. 12 ins. in the ground marked E.S. on N  
face.

80.00

The cor to secs 17, 18, 19 &amp; 20

Found Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

T19 SR 26E

C. Chanis

Grass fair

West on a random  
line bet secs 18 & 19

Qa 12' 39'E

4 0.00

88.75

Set temporary 1/4 sec cor  
Intersect the W bdy of  
Tp 30 links S of cor to  
secs 13, 18, 19 and 24  
which is a mound of  
earth and pits in S.E.  
put a stake marked  
T19 S. S18 on N.E.  
R26E S19 on SE  
R25E S24 on SW and  
SEC 13 on SW faces with  
3 notches on N and S edges

779 SR 26E

Chain

Thence Iron  
N 89° 47' E on a true  
line between 18 & 19 with  
same va

48.75

Deposited a marked stone 12 in. in dia  
ground for 1/4 Sec. Cor. dug pits 18 x 78 & 19 in  
E and W of stone 24 feet - ...  
a mound of earth 18 ft high ...  
it in E pit drove a stake ...  
sq. 12 ins. in the ground marked ...  
face.

62.75

cross Road bears N 6 S

77.25

" " " N E and S W

88.75

The cor to secs 17. 18. 19. 20

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Grass fair

no brush



T 19 S R 26 E

clean

N 40° 33' W on a true  
line bet secs 12 & 15

va 12° 39 E

10.00

Cross Road bet sec 12 & 15

40.00

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pit 18 x 18 x 12 ins.

N and S of stone 14 ft. dist. raised  
a mound of earth 7 1/2 ft. high. In N  
pit drove a stake 2 ft. long  
sq. 12 ins. in the ground marked 4 S. on W  
face.

80.00

Deposited a marked stone 12 ins. in the  
ground for Cor. to Secs. 7, 8, 17 & 18

18 x 18 x 12 ins. in each Sec. 54 ft. dist. raised  
a mound of earth 2 1/2 ft. high. In S E  
pit drove a stake 2 ft. long  
sq. 12 ins. in the ground and marked T. 19 S  
5 8 on N.E. R 26 E 17 on S.E. S. 18  
on S.W. and S. 7 on N.W. faces, with  
4 notch on S, and 5 notch on  
on E edges.

T19 S.R. 26E

Chain

Land Level

Soil 3<sup>rd</sup> rate

Grass fair

no brush



East on a random line  
bet sec 8 & 17

Va 12° 39' E

40.00

Set Temporary 4/4 sec cor

7985-

It intersect the N to S line

10 links N of cor to sec

8, 9, 16 and 17

Thence I run

N 89° 56' W. on a true  
line bet sec 8 & 17 with  
same Va

85-

BOOK 894

T19 SR 26E

C Chain

2.85

Cross Road near N.E. & S.W.

39.92

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 91 ft. 10 in. and raised a mound of earth 2 1/2 ft. high.

It. in E pit about 4 ft. 2 in. long 2 ins. sq. 12 ins. in the ground marked 15 on

face.

79.85

The cor to secs 7, 8, 17 & 18

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Grass fair

no brush

Went on a random line bet secs 7 and 18

on 12 39E

T 19 S R. 26 E

Chain

40.00

Set Temporary 40 sec cor

85.80

I intersect the W body of TP  
65 links N of cor to sees  
7, 12, 13 and 18 which is a  
mound of earth and pit  
in S.E. put a stake  
marked T 19 S S 7 on SE

R 26 E S 18 on SE. R 26 E S 13  
on SW and See 12 on N.W  
faces with 4 notches on S  
and 2 notches on ~~S~~<sup>N</sup> edges  
Thence from

N 89° 34' E on a true line  
between 7 and 18 with same  
va

T19SR26E

C  
Chavis  
45-80

Deposited a marked stone 12 ins. in dia  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 15 x 12 ins.  
E and W of stone 34 feet dist and raised  
a mound of earth 12 ft high at the same place  
if. In E pit drove a stake 23 ft long 2 in.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S on N  
face.

5-2-80

85-80

Cross Road bears N 4 S  
The cor to secs 7, 8, 17, and 18  
Land Level  
Soil 3<sup>rd</sup> rate  
Grass fair  
no brush

N 4° 33' W on a true line  
bet secs 7 and 8  
Pa 12° 39' E



T 19 S R 26 E

Charris

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. and pits 18 x 18 x 12 ins.

N. S. One 54 feet dist and one 11 ft. dist

N pit drove a stake

W

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 5, 6, 7 & 8, and pits

18 x 18 x 12 ins. each, 54 ft. dist and raise a mound of earth 11 ft. high 54 ft. diam

over it. In S. E. pit a stone 2 ins. sq. 2 ft. long 12 ins. in the corner marked T. 19 S

S. 5 on N. E. R 26 E S 8 on S. E. S. 7 on S. W. and S. 6 on N. W. faces, with

5 notch on S. and 5 notch on E. edges

Land Level

Soil 3<sup>rd</sup> rate

Grass fair

T19 S R 26 E

chain

East on a random line,  
bet secs 5 & 8

va 120 39' E

40.00 bet Temporary 44 paces

79.80 I returned to the S & S  
line 12 links & refer  
to secs 4, 5, 8 & 9

Thence I run

189° 55' W on a true  
line bet secs 5 & 8 with  
same va

39.90

Deposited a marked stone in the  
ground just S. of the line bet secs 5 & 8  
E and W of stone 54 feet from line raised  
a mound of earth 14 ft. high at the base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked ~~xx~~ on N  
face.

T19 SR 26E

Chains

79.80

The cor to secs 15, 6, 7 and 8  
 Land Level  
 Soil 3<sup>rd</sup> rate  
 Grass fair  
 No. Brush

West on a random line  
 bet secs 6 and 7

N 12° 39 E

40.00

Set Temporary 44 sec cor

82.60

I intersect the W. boundary of  
 Tp 75 links N of cor to  
 secs 1, 6, 7 and in which is  
 a mound of earth and  
 pit in S.E. for a stake  
 marked T19 S 86 on N.E

R26E S 7 on S.E. R26E. S 12 on

T19 8 R 26 E

Chain

SW and SE on N.W. faces  
with 5 notches on S and  
1 notch on S edges

Thence from

N 89° 29' E on a true  
line bet secs 6 & 7 with,  
same va

38.35-

Cross Road bears N 6 S

4/2.60-

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 12 ins. in

E and W

a mound of earth 12 ins. in

12 ins. E

sq. 12 ins. in the ground marked 1/4 Sec. N

from

82.60

The cor to sec 5-6-7 and 8

Land Level

Soil 2<sup>nd</sup> into 3<sup>rd</sup> Gate

Grass fair

no brush

T19 S.R 26E

run

N 40° 33' W on a random  
line bet secs 5 & 6

S 91° 20' 39" E

0.00

Set Temporary 1/4 sec cor

6.02

Entered the body of  
the S 77° 1/2 W of cor to  
secs 5, 6, 31 and 32 which  
is a mound of earth and  
pit in S.E. put a stake  
marked T188 S32 on N.E.

R26E S5 on S.E.

T198. S6 on S.W. and

S31 on N.W. faces with 5 notches  
on E and 1 notch on W wedges

Thence I run

S 30° 59' E a true line  
bet secs 5 and 6

T19 SR 26C

Chain

46.02

with some iron

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 in. N and S of stone 25 feet apart and a mound of earth 12 ft. high between them. In N pit drove stake 2 ft. high sq. 12 ins. in the ground marked 1 on N face.

86.02

The cor. to secs 5, 6, 7, and 8

Land Level

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Good Grass

no brush

I carefully examined the adjustments of my solar transit particularly the latitude and reversing apparatus and found them correct Feb. 13<sup>th</sup> 1885

General Description

BOOK 894

The surface on the central part of this Tp. is level with the Dragon mountains on the W. and ascending into scattering hills on the E. water is found by sinking a few feet below the surface.

This township is well adapted to grazing.

There is one settler with a house well set in the SW 1/4 of Sec 21. C. G. Overbeck's house and improvements

95 94

U. S. Surveyor General's Office,

Tucson, Arizona, *May* 11 - 1885

The foregoing Field Notes of the Survey of the

*subdivisional lines*  
*of 5<sup>th</sup> 19<sup>th</sup> R 26<sup>E</sup>*

BOOK 894

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by *Lewis Wolfley*

Deputy Surveyor, under his contract of the 11<sup>th</sup>

day of *November*, 1884, having been

critically examined and the necessary corrections and explana-  
tions made, the said Field Notes and the surveys they describe

are hereby approved

*Ronald Johnson*  
Surveyor General.

*run down a row*  
*will be in the SW*  
*1/4 of Sec 21. C. G. Overcup's*  
*house and improvements*