

*Filed
Platted
Indexed*

15- No. 895

BOOK 895

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

BOOK 895

- OF -

Township *19 S.* Range *27 E*

Gila and Salt River Base and Meridian

ARIZONA.

No. 895

By *Lewis Wolfley* D. S.

under contract dated *Nov 11th* 18*84*

Survey commenced *Feb. 14th* 18*85*

Survey completed *Feb 19th* 18*85*

895

BOOK 895

Township 19 S. R. 27 E

BOOK 895

Gand S.R. M.

6	107	5	78	4	58	3	43	2	28	1
105		104	76		57		42		26	
7	103	8	75	9	56	10	41	11	24	12
101		99	73		54		39		22	
18	97	17	72	16	53	15	38	14	21	13
95		93	70		51		36		18	
19	90	20	68	21	49	22	34	23	16	24
89		88	66		47		32		14	
30	86	29	64	28	46	27	30	26	12	25
84		82	62		40		8		6	
31	81	32	60	33	3	34		35		36

For preliminary
data and description
of instrument see Book

T19LR 27E

No. 895

Chain

Beginning at the
 cor to Secs 3, 4, 33 + 34
 on S 1/4 of Tpc.
 previously described by me.

Run N 4° 41' W on
 a true line bet Secs
 33 and 34

On 12° 24' E

13.00 Foot of ridge and
 ascend slope at an
 angle of 20°

20.00 Top of ridge bears E & W

21.00 Descend slope at an
 angle of 18°

30.00 Foot of slope.

79 S. R 278

Chains

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 5 $\frac{1}{2}$ feet and raised a mound of earth 1 $\frac{1}{2}$ ft high 24 ft base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on *SW*

face.

80.00

Set a Quartz stone 12 x 10 x 8 ins, 6 ins. in the ground for Cor. to Secs. 27, 28, 33 & 34 marked with / notch on S. and 3 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 54 ft. dist. and raised a mound of earth 2 ft. high, 24 ft. base. alongside.

Land 8 $\frac{1}{2}$ 40 chs mtsN $\frac{1}{2}$ 40 che LevelSoil 4 $\frac{1}{2}$ rate

Good grass

Scattering brush

T19 S. R 27 E

Chain

From the cor Secs
27. 28. 33. and 34 just
established by me. I run
E on a random line
through the township

$\text{D} 12^{\circ} 24' \text{E}$

setting temporary $1/4$
and Sec cor every 40
and 80 chs. and at
three miles and 88 links
intersect the East boundary
of the 90 links \times of cor
to Secs 25. 30. 31 & 36. which
is a igneous rock
10x10 ins above the
ground marked with
notch on S and 5

719 S R 27 E

Chain

notches on N edges.
and mound of stone
alongside.

Thence I run
N89° 47' W. on a
true line bet Secs 25
and 36 with same Pa

6.78 Descend slope at an
angle of 12°

33.78 Cross Dry Wash Course N

35.78 Ascend slope

40.14 After making the
correct allowances I

Set a Lime stone, 6 x 14 x 8 ins., 10 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on ~~2x~~
face, dug pits 18 x 18 x 12 ins. E and W
of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. alongside.

T19 S. R 27E

Chains

45.78 Descend slope at an
angle of 8°

63.78 Foot of slope and
cross dry wash course N
and ascend along
slope at an angle of
 13°

80.29 After making the correct
allowances. I set a
Quartz stone $14 \times 8 \times 6$ ins
11 ins. in the ground
for cor to Secs 25.26
35 and 36 marked
with 1 notch on S and
1 notch on E edges
and raised a mound
of stone alongside.

8

BOOK 895

T19 SR 27E

Chain

Land. Mountainous
 Soil 4th rate + rocky
 Good grass
 No brush

N 89° 47' W. on a
 true line bet Secs 26 + 35
 Pa 12° 24' E

6.00	Top of ridge bears N.W.
28.00	Descend slope at an angle of 15°
30.00	Cross Dry Wash course N.W.
33.00	Ascend slope at an angle of 12°

779 SR 27E

Chamie

40.14 After making the correct
 all over as a line stone
 in place 20x3 ft
 above the ground.
 which I mark 1/4 on
 N face with a cross
 (+) at exact cor
 front for 1/4 sec cor.
 and raised a mound
 of stone alongside.

45.00 Top of slope an descend
 at an angle of 12°

78.50 Cross Dm wash course & on
 and ascend slope at an
 angle of 10°

80.29 after making the correct
 allowances. I

T19 S.R 27E

Chains

Set a *Granite* stone $2 \times 10 \times 8$ ins., 7 ins. in
 the ground for Cor. to Secs. 26, 27, 34, 35 marked
 with notch (on S. and 2 notch on E. edges,
 dug pits $18 \times 18 \times 12$ ins. in each Sec., 33 ft.
 dist. and raised a mound of earth 2 ft. high,
 4 ft. base. alongside.

Land Mountainous
 Soil 4th/₁₀ rate
 Grass fair
 Scattering brush

N 89° 47' W. on a
 true line bet Secs 27 & 34
 @ a 12° 24' E

4.60 cross Dry Wash course
 N

T19 S R 27 E

Chains

12.10 ascend slope at an angle of 20°

21.10 Top of ridges bears N+S and descend slope at an angle of 20° .

33.10 Foot of slope

40.14 after making the correct allowances I

Set a Limestone stone, $10 \times 8 \times 7$ ins., 6 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on N face, dug pits $18 \times 18 \times 12$ ins. E and W of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

50.29 The cor to Secs 27. 28. 33. 34 previously established by me.

Land Mountainous

T9 S. R 27E

Chains

Soil rocky + 4. ch rate
Good grass
no. bush

From the cor
to Secs 25, 26, 35
and 36. recently established
by me. I run N4041W
bet Secs 25 + 26

of a 12° 24' E

11.00 Cross Dry Wash Course
N.E. 35 links wide

20.00 Cross Dry wash Course
NE 30 links W.

T79 S. R 27E

Chains
40.00

Set a Lime stone, $16 \times 12 \times 7$ ins., 11 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on W face, dug pits $18 \times 18 \times 12$ ins. N and S of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth $7\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base. alongside.

47.00 Ascend slope at an angle of 12°

56.00 Top of ridge bears E or W and descend gradually

81.00 after making the corner allowances. I set a Lime stone $12 \times 12 \times 6$ ins 7 ins. in the ground for cor to Secs 23, 24, 25 & 26 marked with 2 notches on S and 1 notch on E edges and raised a mound

T9 SR 27E

Chain

of stone alongside
 Land Montanous
 Good grass
 Soil 4th rate + rocky
 Scattering brush

Cast on a random
 line bet Secs 24 & 25

CV 12° 24E

40.00 Set temporary 44 sec cor

80.40 Intersect. the E bdy
 of T₉. 40 bdy N of
 cor to Secs 19, 24, 25
 & 30. which is an
 igneous rock 1028
 ins above the ground

T19 S, R 27 E

chain

marked with 2 notches
on S and 4 notches
on N. edges and
a mound of stone
alongside.

Thence I run

N $89^{\circ} 43' W$. in a
true line bet Sec 24
and 25. with same Pa.

7.40 ascend slope

10.20 After making the correct
allowances I set a
2 line stone $14 \times 9 \times 8$ ins
9 ins. in the ground
for $\frac{1}{4}$ Sec cor marked
 $\frac{1}{4}$ on N face and
raised a mound of

T19 SR 27E

chain

store alongside
 80.40 The cor to Secs 23
 24, 25 + 26

Land Mountainous
 Soil 3rd and 4th rate
 East 40 chs. rocky
 Grass good
 Scattering brush

A H Stake 4° 41' W
 on a true line bet
 Secs 23 + 24

6.80 Va 12° 24' E
 34.10 Cross Dry Wash course N.E
 " Road bears N.E

719 S. R 27E

Chain

40.00

Set a Lime stone, $12 \times 10 \times 8$ ins., 8 ins. in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$ on W face, dug pits $18 \times 18 \times 12$ ins. N and S of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base. alongside.

and ascend slope at an angle of 10°

70.00

Top of hill and descend slope at an angle of 8°

80.00

After making the correct allowances I

Set a Quartz stone $11 \times 11 \times 8$ ins., 8 ins. in the ground for Cor, to Secs, 13, 14, 23, 24 marked with 3 notches on S. and 1 notch on E. edges, dug pits $18 \times 18 \times 12$ ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. alongside.

Land Mountainous

T9 S. R 27E

Chains

Soil 3rd to 4th rate
 Good grass
 Scattering brush

East on a random
 line bet Secs 13 + 24
 N 12° 24 E

40.00

Set temporary 1/4 Sec cor

80.57

Intersect the E Bay of
 of Twp. 51 miles N
 of cor to Secs 13, 18,
 19 and 24. which is
 and igneous stone 12 x
 10 ins above the
 ground marked with
 3 notches on N and S

TTR SR 27E

chains

edges and mound
of earth and pits of
Trequid size.

Thence I run
 $N 89^{\circ} 38' W$. on
a true line bet Secs
13 + 24 with camo @ a.

3.00 Cross Road bears @ a

9.00 .. White river 4 che wide
course N.

9.57 ascend slope at an
angle of 12°

32.57 Descend slope at an
angle of 12°

40.25 After making the correct
allowances a Quartz
stone in place $4 \times 2 \times 3$ ft.

T19 S R 27E

chains

about the ground
which I marked 44
on its face with a
cross (+) at exact
cor point for 44 sec
cor and raised a
mound of stone
alongside.

60.57

Cross Dry Wash
course it. W and ascend

74.57

Top of low spur ~~to~~ rise
and descend gradually

80.51

The cor to Secs 13, 14

23 and 24

719 S R 27 E

Chains

Land Mountainous
 Soil 3 to 4th rate
 Good grass
 Scattering brush

N 40° 41' W. on a true
 line bet Secs 13 + 14
 Q 12° 24' E

24.00 Enter White River Wash
 course W.

34.00 Leave White river Wash
 course W

40.00 Set a Sand stone, 16 x 8 x 5 ins., 11 ins.
 in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on W
 face, dug pits 18 x 18 x 12 ins. N and S
 of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, alongside.

T9 S. R 27 E

Chains

48.50 Cross Road bears E or

67.00 Ascend gradually

80.00

Set a Volcanic stone ^{12 x 10} x 8 ins, 8 ins. in the ground for Cor. to Secs. 11, 12, 13 & 14 marked with 1/4 notches on S. and 1 notch on E. edges, dig pits 18 x 18 x 12 ins. in each Sec., 5 ft. high, and raised a mound of earth 2 ft. high, 18 ft. base, alongside.

2nd mountainous
Soil 2 and 3 rate
Grass fair
Scattering brush

East on a random line bet Secs 12 & 13

Qa 12' 24 E

40.00

Set temporary 1/4 Sec cor

779 S.R. 27E.

Chains

80.10 Intersect the E Bdy.
of Twp 13 links N of cor
to Secs 7, 12, 13 + 18
which is a mound
of earth and pits
in S.E. pit a stake
marked 919 S. 17 on
N.E. R 28E. S 18 on S.E.
R 27E S. 13 on S.W.
and S 12 on N.W.
faces with 4 notches
on S and 2 notches
on N. edges.

Thence I run
N 89° 54' W. on a
true line bet Sec 12
+ 13. with same Cr.

T9.S. R 27.E

Chains

8.75

Cross Road bears N + S

40.15

~~Set 6~~ Sand stone 14 x 12 x 4 ins. 9 ins.
 in the ground for $\frac{1}{4}$ Sec. Cor, marked $\frac{1}{4}$ on N
 side dug pits 18 x 18 x 12 ins. E and W
 one $\frac{1}{4}$ ft. dist. and raised a mound of earth
 12 ft. high 34 ft. base. alongside.

81.10

The cor to Secs 11, 12, 13 & 14

Land rolling

Soil 3rd rate

Grass fair

No bush

N 40° 41' W. on a
 true line bet Secs
 11 and 12

O/a 12° 24' E

719 S R 278

Chains

40.00 Set a Granite stone
 11x12x10 ins 9 ins. in
 the ground for $\frac{1}{4}$ Sec
 cor marked $\frac{1}{4}$ on W
 face and raised a
 mound of stone along
 side

57.00 Cross road bears N E

26.00 Deposited a marked stone in
 ground for Cor to Secs 11, 12, 11 + 12, dug pit
 18 x 18 x 18 ins. in each Sec. 5 1/2 ft. dist. and
 raised a mound of earth 2 ft. high 4 1/2 ft. base
 over it. In S E. pit drove a stake 2 ins. sq.
 ft. long 12 ins in the ground marked T. 198
 S. 1 on N.E. S. 278 S 12 on S.E. S. 11
 on S.W. and S. 2 on N.W. faces, with
 5 notches on S, and 1 notch
 on E edges.

Land rolling
 Soil 3rd rate

T19 SR 27 E

Chains

Good grass
No brush

Cast on a random
line bet Secs 1 and 12
Q 120° 24' E

40.00 Set temporary 1/4 Sec cor

80.20 Intersect the Cast
bay of Sp 10 links
N of Cor to Secs 1, 6
7 and 12, which is a
mound of earth and
fits in S. E. fut a
plate marked.

T19 S. 16 on N. E
R 28 E. 17 on S. E

719 S. R 27E

Chains

R 27E. S 12 on S. W. and
S 1 on N. W. face with
5 notches on S and 1
notch on N edges.

Thence I run
N 89° 56' W. on a
true line bet Secs 10 and 12
with same Va.

10.20 Cross Road bears N + S

40.10 Set a Granite stone, 24 x 12 x 10 ins. 18 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base. alongside.

55.80 Cross Road bears N. E + S. W

80.20 The cor to Secs 1, 2, 11 + 12

Land rolling
Soil 30 $\frac{0}{11}$ rate

719 SR 27E

chain

Good grass
no brush

N 40° 41' W. on
a random line bet
Secs 1 and 2

N 12° 24' E

40.00: Set temporary 1/4 Sec cor
87.50 Intersect the N 1/4
of the 55-link N.W. 1/4
cor to Secs 1, 2, 35 & 36
which is a mound
of earth and pits in
S.E. pit a stake marked
T 18, S. 836 on N.E.
R 27E. S 1 on S.E.

T19 S R 27 E

Chains

T19 S. S 2 on SW and S
35 on N, W faces
with 5 notches on W,
and 1 notch on E. edges

Thence I run
S 40° 19' E on a true
line bet Secs 1 and 2
with same. Ora

47.50

Set a true stone, 14 x 10 x 4 ins., 9 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on W
face, dug pits 18 x 18 x 12 ins. N and S
of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base alongside.

87.50

The cor to sections 1, 2, 11 & 12
Land rolling
Grass good
Soil 3rd rate
Scattering brush

TT9 SR 27E

chain

I carefully examined
the adjustments of
my solar transit
to day. particularly
the latitude and
reversing apparatus
and found them
to be correct

Feb 14th 1885

From the cor to
secs 26. 27. 34 and 35
previously established
by me. I run ≈ 40
41' W. on a true
line bet secs 26 + 27

719 S. R. 27 E

Chains

Va 12° 24' E

40.00

Set a Line stone, 16 x 12 x 14 ins. 11 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on W face, dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base alongside.

50.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 22, 23, 26-27, dug pits 18 x 18 x 12 ins in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 198 S. 23 on N. E., R. 27 E. S. 26 on S. E., S. 27 on S. W. and S. 22 on N. W. faces, with 2 notch ~~is~~ on S. and 2 notch ~~is~~ on E edges.

Land Mountainous
Soil 2nd to 3rd rate
Good grass
Scattering brush

TT9 SR 27E.

Chain

Cast on a random
line bet Secs 23rd & 26
Va 12094E

40.00

80.20

Set temporary 44 Sec cor
Intersect the N + S
line 40 links N of
cor to Secs 23, 24, 25
and 26.

Thence I run
N 89° 43' W. on a
true line bet Secs
23 + 26 with same Va.

35.20

Descend slope at an
angle of 8°

T9 SR 27E

Main

40.18 after making the correct allowances I set a
lime stone $12 \times 10 \times 9$
in 8 ins. in the
ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ on N. face
and raised a mound
of stone alongside.

55.20 Foot of hill

64.20 ascend slope at an
angle of 8°

76.20 Descend slope at an
angle of 10°

80.20 The cor to Secs 22, 23, 26
and 27

Land Mountainous
Good grass

919 S. R 27E

Chain

Soil 3rd/₁₆ and 4th/₁₆ rate
Scattering brush

At 40 41' W. on a
true line bet Secs 92+23
Ox 12° 24' E

40.00

Set a 2' lime stone
12x10x8 in or 7 in
in the ground
for 114 Sec corner marked
114 on W face and
raised a mound
of stone along ridge
and descend
gradually.

T19 S. R 27 E

No. 895

Chain

- 57.00 Cross Dry Wash course W
and ascend slope
at an angle of 5°
- 52.00 Cross Road bears E & W
- 61.00 Descend slope at an
angle of 9°
- 75.00 Foot of ridge bears N. W
and S. E. 15 chs long and
enter flats
- 80.00 After making the correct
allowances, I

Set a Zinc stone $12 \times 10 \times 8$ ins, 8 ins. in
the ground for Cor. to Secs, 14, 15, 22, 23 marked
with 3 notches on S. and 2 notch. on E. edges.
dig pits $18 \times 18 \times 12$ ins. in each Sec., $5\frac{1}{2}$ ft.
dist. and raised a mound of earth 2 ft. high
18 ft. base. alongside

Surface Monumentous

T9 S. R 27E.

Chains

Soil 3rd and 4th rate
 Good grass
 Scattering brush

East on a random
 line bet Secs 14 and 23
 Va 12° 24'E

40.00

Set temporary T4 Sec cor

79.98

Intersect the N + S line
 30 links S of cor to
 Secs 13-14, 23 + 24.

Thence I run
 S 89° 47' W. on a true
 line bet Secs 14 and 23
 with same Va.

T 9 S R 27 E

chains

- 1.98 Foot of slope
- 4.98 Ascend slope at an angle of 29°
- 9.98 Descend slope at an angle of 10°
- 39.99 After making the correct allowances I set a Quartz stone $17 \times 8 \times 6$ ins. in the ground for $\frac{1}{4}$ Sec cor marked $\frac{1}{4}$ on N face and raised a mound of stone alongside.
- 79.98 The cor to Secs 14, 15, 22 & 23
Land Mountainous
Soil 3rd and 2nd rate
Good grass

719 S. R 27 E

Chain

Scattering brush

N 4° 41' W on a
true line bet Secs
14 and 15

N 12° 24' E

- | | |
|-------|--|
| 3.50 | Cross Road bears S.W |
| 17.00 | Enter White River Wash
course. W |
| 24.00 | Leave |
| 40.00 | Set a granite stone, 20 x 8 x 4 ins., 15 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on W
face, dug pits 18 x 18 x 12 ins. N and S
of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base alongside. |
| 63.50 | Cross Road bears E.W |

719 S R 27 E.

Chain

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 10, 11, 14, 15, dug pits 18 x 18 x 12 ins in each Sec. 5 1/4 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it in S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 195 S. 11 on N.E., R 27 E S. 14 on S.E. S. 15 on S.W. and S. 10 on N.W. faces, with 4 notches on S, and 2 notches on E edges.

Land rolling

Good grass

Soil 2nd & 3rd rate

W. brush

East on a random
line bet Secs 11 + 14
Qa 12° 24' E

48

BOOK 895

T19 S. R. 27E

Chains

40.00

Set temporary $\frac{1}{4}$ Sec cor

80.10

Intersect the N+S

line 14 links S of

cor to Secs 11, 12, 13 & 14.

Thence I run

 $S 89^{\circ} 54' W$ on a

true line bet Secs

11 and 14 with some

Opa.

40.05

Set a Granite stone, 12 x 10 x 8 ins. 8 ins.

in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on N

face, dug pits 18 x 18 x 12 ins. E and W.

of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
14 ft. high, 31 ft. base, alongside.

80.10

The cor to Secs 10, 11

14 and 15

Land level

Soil 3rd rate

T19 S R 27E

chains

Good grass

North $40^{\circ}41'$ W. on
a true line bet Secs 10 & 11
Pa 12 & 24th E

40.00

Set a Granite stone, $14 \times 8 \times 6$ ins., 9. ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on *en*
face, dug pits $18 \times 18 \times 12$ ins. N and S
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base. alongside.

44.00

Cross Road bears E & W

80.00

Deposited a marked stone 12 ins. in a
ground for Cor to Secs. 2, 3, 10 & 11, dug pits
 $18 \times 18 \times 12$ ins. in each Sec. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base
over it. In S. E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 198
S. 2 on N.E. R 27 E S. 11 on S.E. S. 10
on S. W. and S. 3 on N. W. faces, with
5 notch on S. and 2 notch on E edge

T19 S. R 27 E

Chains

Land level
 Soil 3rd rate
 Good grass
 no brush

Cast on a random
 line bet Sec 2 + 11
 Va 12° 24' E

40.00 Set temporary 1/4 Sec cor
 79.95 Intersect the N + S
 line 18 links S of
 cor to sec. 1, 2, 11, and 12.

Fence run
 S 89° 52' W. on a
 true line bet. Secs
 2 + 11 with same Va

779 S, R 27E

Chains

39.97

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 E and W of stone $5\frac{1}{2}$ feet dist and raised
 mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
 it. In E pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
 sec.

79.95

The cor to Secs 2, 3, 10 + 11

Land level

Soil 3rd rate

Good grass

Scattering brush

North $40^{\circ}41'N$. on a
 random line bet Secs
 2 + 3.

Or $12^{\circ}24'E$

719 S. R 27E

chains

40.00

87.30

Set temporary $\frac{1}{4}$ Sec cor
 Intersect the N. edge
 of T_h. 80 links E of
 cor to Secs 2, 3, 34
 and 35. which is a
 mound of earth
 and pits in S.E.
 put a stake marked
 T_h S S 35 on N.E.
 R 27E. S 2 on S.E.
 T_h S S 3 on S.W.
 and Sec 34. on N.W.
 faces with 2 notches on E
 and 4 notches on
 W. edge.

Thence I run
 S $50^{\circ}12'E$ on a true

79 SR 27E

Chains

line bet Secs 2 & 3 with
same Va.

44.30 Cross Road bears NE + SW

47.30 Set a granite stone, $1\frac{1}{2} \times 8 \times 7$ ins., 6 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on *W*
face, dug pits $18 \times 18 \times 12$ ins. *N* and *S*
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $2\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base alongside.

and ascend

57.30 Top of hill and descend
gradually

73.80 Cross Road bears ESW

87.30 The cor to Secs 2, 3, 10, 11

Land Rolling

Soil $3\frac{1}{2}$ rate

Good grass

Scattering brush

719 SR 27E

Chains

Feb. 16. 1885

From the cor to
 Secs 27, 28, 33 + 34
 previously established
 by me. I run $N40^{\circ}41'W$
 on a true line bet
 Secs 27 + 28

 $79^{\circ}12'41'E$

40.00

Set a Line stone, $10 \times 10 \times 8$ ins. 6 ins.
 in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on W
 face, dug pits $18 \times 18 \times 12$ ins. N and S
 of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. alongside.

779 S R 27E

Chain

70.00

Set a Volcanic stone $12 \times 8 \times 6$ ins., 8 ins. in the ground for Cor. to Secs. 21, 22, 27 marked with 2 notch ~~on~~ S. and 3 notches on E. edges. dig pits $18 \times 18 \times 12$ ins. in each Sec., 5 ft. dist. and raised a mound of earth 2 ft. high. 4 ft. base. alongside.

Land level

Soil 3 $\frac{1}{4}$ rate

Good grass

No. brush

Cast on a random
line bet Secs 22 + 27
Va $12^{\circ} 24' E$

40.00 Set temporary 1/4 Sec cor
80.02 Intersect the N + S
line 10 links S of cor to

T19 S. R. 27E

Chains

Secs. 22, 23, 26 + 27.

Thence I run
S89° 56' W. on a
true line bet Secs
22 + 27 with same Va.

40.01

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. to
E and W of stone $3\frac{1}{2}$ feet apart and raised
a mound of earth 1 $\frac{1}{2}$ ft. high by ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

80.02

The cor to Secs
21, 22, 27 and 28

Red hill in S.E. $\frac{1}{4}$
on Sec 22.

Soil 2nd rate
Grass fair

T19 SR 27E

Chains

N $40^{\circ}44'$ W. on a true
line bet Secs 21 + 22

N $91^{\circ}24'$ E

13.00 Cross Road bears N.E. & S.W

40.00 Set a Granite stone 12
x 8 x 6 ins 6 ins in the
ground for 1/4 Sec cor
marked 114 on W face
and raised a mound
of stone alongside.

From which a
willow 4 ins in diam
bears S 70° W 2 chs. dist.
marked 14. S. B. T. Cross
white river wash 350
links W. Course S. W
a spring bears N.E. 16 chs

T19 S R 27E

chains

dist.

43.50

cross running water
 10 links wide. course
 S.W

and ascend slope
 at an angle of 15°

50.00

Top of lime stone ridge
 140 ft high 8 ch long
 bears N + S and

descend gradually

57.00

Foot of ridge +
 adobe house 4 ch E

T19 S. R 27E

hain
0.00

Deposited a marked stone 12 ins. in dia.
ground for Cor to Secs 15¹/6, 21, 22² dug pits
18 x 18 x 12 ins in each Sec 54 ft. dist. and
raised a mound of earth 2 ft high 4 1/2 ft. base
over it. In S. E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 198
S. 15¹ on N. E. R. 27E-22 on S. E. S. 21
on S. W. and S. 16 on N. W. faces, with
3 notches on S, and 3 notches
on E edges.

Land Mountainous
Soil 3rd rate
Good grass
Scattering brush

East on a random
line bet Secs 15 + 22
N 12° 24' E

40.00

Set temporary 1/4 Sec cor

TT9 SR 27E

chain

79.90

Intersect the N + S
line 14 links S of
Cor to Secs 14, 15, 22 + 23,

Thence from
S 89° 54' W. on a
true line bet Secs 15
+ 22 with same Pa.

17.90

Cross Road bears N 65° SW

25.90

Enter White river wash
Course S. W

37.90

Leave white river wash
Course S. W

39.95

Set a Granite ^{stone} 10 x 8 x 7
in ^{the} in the ground
for 14 Sec cor marked
14 on N face and
raised a mound

TA SR 27E

chain

79.90

of stone along side
of the cor to Secs 15, 16, 21 & 22
Land level
Soil 3 rate
Good grass
w. brush

N 40° 41' W. on a true
line bet Secs 15 & 16

N 12° 24' E

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins
and S of stone $5\frac{1}{2}$ ft. dist and raised
a mound of earth 11 ft. high $2\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.

T19 S R 27E

Chain

Ch 74.50

7 80.00

Cross Road bears E or

Deposited a marked stone 12 ins. in the ground for Cor to Secs. 9, 10, 15, 16, dug pits 18 x 18 x 12 ins in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins sq. 2 ft. long 12 ins. in the ground marked T. 19 S. 11 on N. E., R. 27 E. 15 on S. E., S. 16 on S. W. and S. 9 on N. W. faces with 4 notches on S. and 3 notches on E edges.

Land level

Soil 3rd rate

Good grass

East on a random line bet sec 10 + 15

N 91 2° 24 E

779 S R 27E

Chain

40.00 Set temporary $\frac{1}{4}$ Sec cor
 80.05- Entered the N + S
 line 10 strike S of cor to
 Secs 10, 11, 14 + 15.

thence I run
 S $89^{\circ} 56'$ W. on a true
 line bet Secs 10 + 15
 with same. CWA

40.02 Set a Granite stone, 12 x 9 x 7 ins. 8 ins.
 in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on N
 face, dug pits 18 x 18 x 12 ins. E and W
 of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. alongside.

80.05- The cor to Secs 9, 10, 15 + 16
 Land level
 Soil 3 $\frac{1}{2}$ rate
 Good grass
 Scattering brush

T19 S R 27E

Chains

N4°41'W. on a
true line bet Secs
9 & 10

N912°24'E

11.00

Cross Road bears N86°5W

40.00

Set a Quartz stone, 12 x 10 x 8 ins., 8 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on W
face, dug pits 18 x 18 x 12 ins. N and S
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, alongside.

41.30

Cross Road bears N81°SW

80.00

Set a Granite stone 13 x 10 x 6 ins., 7 ins. in
the ground for Cor. to Secs 3, 4, 9, 10, marked
with 5 notch on S. and 3 notch on E. faces,
dug pits 18 x 18 x 12 ins. in each Sec. 5 ft.
dist. and raised a mound of earth 2 ft. high,
4 ft. base, alongside.

Land level

Soil 3rd rate

779 S. R 27 E

chains

Good grass
no brush

Cast on a random
line bet Secs 3 & 10
Va $12^{\circ} 24' E$

40.00 Set temporary $\frac{1}{4}$ Sec cor
79.90 Intersect the N & S line
10 links N of cor to Secs
23, 10 and 11.

Thence I run
N $89^{\circ} 56' W$. on a true
line bet Secs 3 and 10
with same Va.

719 SR 27E

Chains

39.95

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 34 ft. base diam. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

41.00

1000. Cross Road bears N 26 S W

79.90

The cor to Secs 3, 4, 9 & 10

Land level

Soil 3rd rate

Good grass

W. bush

North 40° 41' W

on a random line

bet Secs 3 & 4.

Wa 12° 24' E

T19 SR 27E

chains

40.00 Set temporary T4 Sec cor

86.95 Intersect the Nbdy
of Tpk. 75 links E
of cor to Secs 3, 4, 33
and 34 which is
a mound of earth
and pits in S.E. put
a stake marked.

T18 S S34 on N.E

R27E. S3 on S.E

T19 S S4 on S.W

and Sec 33 on N.W
faces with 3 notches
on E.W. edges.

Thence I run

S 5° 10' E on a true
line bet Secs 3 & 4 with

719 SR 27E

Chain

E

same wa.

46.95

Deposited a marked stone 12 ins. in
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 54 feet apart and raised
mound of earth 14 ft. high 24 ft. base over
in N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

86.95

The cor to Secs
3, 4, 9 and 10

Land level

Soil 3rd rate

Good grass

Scattering brush

From the cor
to Secs 4, 5, 32 & 33
on S lay of Tfr

T19 S R 27 E

chain

previously described by
me I runN $4^{\circ} 41' W$. on a
true line bet Secs 32 & 33W $12^{\circ} 24' E$

39.50 Cross Road bears N. E & S W

40.00

Deposited a marked stone 12 ins in dia.

ground for $\frac{1}{4}$ Sec. Cor. dig pits 18 x 18 x 12 ins.N and S of stone $\frac{1}{2}$ feet distance and raiseda mound of earth $1\frac{1}{2}$ ft. high $\frac{1}{2}$ ft. base over

it. In N pit drove a stake 2 ft. long 2 ins

sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

face.

71.20

Cross Road bears N. E & S W

79° SR 27E

chains

80.00

Deposited a marked stone 12 ins. in ground for Cor to Secs 28, 29, 32, 33 dug 18 x 18 x 12 ins. in each. Sec. 5 1/2 ft. dist raised a mound of earth 2 ft. high 4 1/2 ft. over it. In S E. pit drove a stake 2 ins. 2 ft. long 12 ins. in the ground marked T. 79° S 28 on N.E. R 27E S. 33 on S.E. S 32 on S.W. and S. 29 on N.W. faces, with 1 notch on S, and 4 notches on E edges.

Land level
Soil 3rd rate
Good grass
Scattering brush

East on a random line bet Secs 28 & 33
9a 12° 24'E

40.00

Set temporary 44 Sec. com

719. S. R 27E

chain

0.15 Intersect the N + S line
8 links N of cor to Secs
27. 28. 33 and 34.

Thence I run
N $89^{\circ} 57' W$, on a true
line bet Secs 28 & 33
with same \angle .

0.07 Set a \angle line stone 10x
9x8 ins 6 ins in the
ground for $\frac{1}{4}$ Sec
cor marked $\frac{1}{4}$ on \angle
face and raised a
mound of stone along
side.

3.65 Cross Road bears N. E & S W
74.65
80.15 The cor to Secs 28, 29, 32
and 33

979 S R 27E

chains

Land level

Soil 2nd to 3rd rate

Grass fair

Scattering brush

N40°41' W. on a
true line bet Secs
28 & 29

Pa 12° 24' E

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone $\frac{1}{4}$ feet dist and

a mound of earth 1 $\frac{1}{2}$ ft. high $\frac{3}{4}$ ft. base on
it. In N pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.

719 SR 27E

chains

- 61.00 Enter White river Wash c.s.w.
- 64.00 Leave " " " " "
- 68.00 Cross Road bears N.E + S.W
- 73.00 Ascend slope at an angle of 8°
- 80.00 After making the correct allowances
 I set a Granite stone
 $14 \times 10 \times 7$ ins 9 ins in
 the ground for cor to
 Secs 20, 21, 28 and 29
 marked with 2 notches
 on S and 4 notches
 on E edge, and
 raised a mound of
 stone alongside of
 Land level rolling

719 S R 27 E

Chains

Soil 1st to 2nd rate
 Grass fair
 Scattering brush

Cast on a random
 line bet Secs 21 + 28
 @ $12^{\circ} 24' E$

40.00 Set temporary 44 Sec cor
 79.95 Intersect the N + S
 line 10 links N of
 cor to Secs 21, 22, 27
 and 28.

Thence I run
 $N 89^{\circ} 56' W$ on a
 true line bet Secs
 21 + 28 with same Pa.

T19 S R 27 E

chains

- 3.05 Descend gradually
- 12.95 Frame house of
Emma Mounier & Chas
S of line
- 20.95 Cross Road bears N & S
- 25.95 " " " " NE & SW
- 39.97 Set a Granite stone, 14 x 12 x 10 ins., 9 ins
in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$. on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
11 ft. high, $3\frac{1}{2}$ ft. base, alongside.
- 46.95 Cross White river 3 chs
wide course S.W.
- 57.95 Leave Valley
- 69.95 Ascend slope at an
angle of 8° and cross
Low ridge bears N.W. & S.E
- 79.95 The cor to Secs 20, 21, 28 & 29

779 S R 27E

chains

Surface level
Soil 3rd to 4th rate
Grass fair
no brush

N4°41'W. on a
true line bet Secs
20 & 21

N 12° 24' E

ascend slope at an
angle of 8°

22.60

Top of ridge bears
N.W. S.E. 1 1/4 mile long
175 ft. high

T9 SR 27E

Chains

and descend slope at
an angle of 10°

40.00

Set a granite stone, $10 \times 10 \times 8$ ins., 6 ins.
after making of the correct allowancein the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on W
face, dug pits $18 \times 18 \times 12$ ins. N and S
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
1 $\frac{1}{2}$ ft. high, $3\frac{3}{4}$ ft. base, alongside.

42.00

Foot of slope and enter
valley

80.00

Deposited a marked stone 12 ins. on the
ground for Cor. to Secs. 16, 17, 20, 21, dug pits
 $18 \times 18 \times 12$ ins. in each Sec. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base
over it. In S. E. pit drove a stake 2 ins. sq.
ft. long 12 ins. in the ground marked T. 198
S. 16 on N. E. R. 27E S. 21 on S. E. S. 20
on S. W. and S. 17 on N. W. faces, with
3 notch es on S, and 4 notch es
on E edges.Land Mountainous
Soil 3 $^{\text{rd}}$ to 4 $^{\text{th}}$ rate

T19 S R 27 E

Chain

Good grass
vs. brushEast on a random
line bet secs 16 & 21Pa $12^{\circ} 24' E$

40.00

Set temporary 1/4 section

80.15

Intersect the N + S
line 30 links S of cor
to Sec 15, 16, 21 and 22

Thence I run

 $S 89^{\circ} 47' W$. on a true

line bet Sec 16 & 21

with same. Pa

Through valley -

719 S. R 27E

Chains

40.07

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins E and W of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over 1 in. E pit drove a stake 2 ft. long 2 in. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

58.15

Leave Valley and ascend slope at an angle of 80°

70.15

Cross North end of ridge bears N.E. and S.W. and descend slope at an angle of 10°

80.15

The cor to Secs 16, 17, 20 and 21
Land mts & level
Good grass
Soil $3\frac{1}{2}$ to $4\frac{1}{2}$ rate

719 S R 27:E

Chains

no bush

N 40 41' W. on a
true line bet Secs 16 & 17
No 12 024'E

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

North $\frac{1}{2}$ of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

62.50

face. Cross Road bears N.E. & S.W

76.00

" " " " E & W

80.00

Set a Granite stone 14 x 9 x 7 ins, 9 ins. in
the ground for Cor. to Secs. 8, 9, 16, 17. marked
with 4 notch on S. and 4 notch on E. dug
dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft.
dist. and raised a mound of earth 2 ft. high
1 $\frac{1}{2}$ ft. base. along side

779 S.R. 27E

Chamie

Rocky hill in S.E. $\frac{1}{4}$ of
N.E. $\frac{1}{4}$ of sec 17 about
50 ft. high

The rest of the
Surface level

Soil 3rd to 4th rate

Good grass

Scattering brush

East on a random
line bet Secs 9 & 16

Qa 12° 24' E

40.00 Set temporary $\frac{1}{4}$ Sec cor
80.15 Intersect the N & S line
12 miles S of cor to
Secs 9, 10, 13^d and 16.

Thence I run

719 1 R 27 E

Chains

$89^{\circ}55'$ W. on a
 true line bet Secs
 9 & 16 with same va.
 27.05 Cross Road bears
 N.E. + S.W.

40.02

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits $18 \times 18 \times 12$ ins.
 E and W of stone $5\frac{1}{2}$ feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
 it. In E pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

69.20

Cross Road bears
 N.E. and S.W.

80.05

The cor to Secs 8, 9, 16
 and 17

Land level

Soil $3\frac{1}{2}$ to $4\frac{1}{2}$ rate

Good grass

719 SR 27E

Chain

No bush

North $40^{\circ}41'W$. on
a true line bet Secs
8 & 9

Va $12^{\circ}24'E$

40.00

Set a Granite stone, $11 \times 9 \times 8$ ins., 7 ins.
in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$ on W
face, dug pits $18 \times 18 \times 12$ ins. N and S
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
14 ft. high. $3\frac{1}{2}$ ft. base. alongside.

80.00

A Granite stone in place
 $40 \times 30 \times 18$ ins above the
ground which I
mark with a cross
(+) at exact cor
point for cor to Secs

T9 S R 27 E

Chains

4, 5, 8 and 9 with 5
notches on S and 4
notches on E edges
and raised a mound
of stone alongside.

Land level

Soil 3rd rate

Good grass

No. bush

East on a ran dom
line bet Sec 4 + 9

Qa 12° 24' E

40.00

Set temporary 1/4 Sec cor

79.90

Intersect the N + S
line 12 links N of

79 SR 27E

Chains

Cor to Secs 3, 4, 9 and 10,

Thence I run

N 89° 55' W. on a
true line bet Secs 4 & 9
with same. Pa

39.95

Set a granite stone, ¹⁰ 8.28 ins. ⁶ ins.
in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base, alongside.

79.90

The cor to Secs 4, 5, 8 & 9

Land level

Soil 3rd rate

Good grass

No. brush

719 SR 27 E

Chains

North 40° 41' W. on
a random line
bet Secs 4 & 5-

Pa 12° 24' E

40.00

Set temporary 44
Sec cor

86.90

Intersect the N. boundary
of Twp 1 ch. East of
Cor to Secs 4, 5, 32 and
33 which is a Lava
rock 8x7 ins above
the ground marked
with 4 notches on E
and 2 notches on
W. edge and mound
of stone alongside.

T19 SR 27E

chains

Thence I run
 $S 5^{\circ} 20' E$ on a
 true line bet Secs 4 & 5
 with same. Va. and
 ascend slope at an
 angle of 12°

31.90

Top of hill bears $80^{\circ} W$
 about 300 ft. high
 and descend slope at an angle of 15°
 After making the
 correct allowances.

46.90

I set a granite stone
 $18 \times 18 \times 8$ in 11 in in
 the ground for 14
 Sec cor marked 14 on
 W. face and raised
 a mound of stone
 alongside. descend 5°

T79 S R 27E

Chains

66.90

Descend gradually

71.90

Foot of slope

86.90

The cor to Secs 4, 5,

8 and 9

Land mountainous

Good grass

Soil 2 to 3 rate

No brush

I carefully examined the adjustments of my solar transit to-day particularly the latitude and reversing apparatus and found

T19 SR 27E

Name

them correct

Feb. 18th 1885

From the cor to
Secs 5, 6, 31 and 32,
on S. 1/2 of township
previously described by
me. Run

N 40° 41' W. on a
true line bet Sec 31 + 32
N 91° 24' E

40.00

Deposited a marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins
N and S of stone 54 feet dist and
a mound of earth 12 ft. high 54 ft. base over
it. In N pit drove a stake 2 ft. long 2 in
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.

T9 SR 27 E

Chains

80.00

Deposited a marked stone 18 in.
ground for Cor. to Secs. 29, 30, 31 & 32
18 x 18 x 12 ins. in each Sec. 54 ft. dist
raised a mound of earth 2 ft. high 4 ft. base
over it. In S. E. pit drove a stake 2 ins. sq 2
ft. long 12 ins. in the ground marked T/98
S. 29 on N. E., R. 27 E. S. 32 on S. E., S. 31
on S. W. and S. 30 on N. W. faces, with
1 notch on S, and 5 notches
on E edges.

Surface level
Grass fair
Soil 2 to 3 rate
Scattering brush

East on a random
line bet Secs 29 & 32
On 12' 24' E

T19 SR 27E

chains

40.00 Set temporary $\frac{1}{4}$ Sec cor
 80.10 Intersect the N + S line
 10 links S of cor to Secs
 28. 29. 32 and 33.

Thence I run
 $S 89^{\circ} 56'$ W. on a
 true line bet Secs 29 + 32
 with same. Va.

40.05 Deposited a marked stone 12 ins. in ϕ
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 E and W of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{4}$ ft. base over
 it. In E pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
 face.

80.10 The cor to Secs 29. 30
 31 and 32

Land level
 Good grass

T19 SR 27E

Chains

Soil 2 to 3rd rate
Scattering brush

West on a random
line bet Secs 30 + 31

T120 24E

40.00

Set temporary $\frac{1}{4}$ Sec. cor

79.50

Entered the W. bdy
of T₁₂₀ line S
of cor to Secs 25, 30
31 and 36. which is
a mound of earth
and pits in S.E. pit
a stake marked.

T₁₁₉ S. 30 on N. 2

R 27. E S. 31 on S. E

719 S R 27E :

Chain

R 26. E S 36 m S.W and
25 m N.W. faces with
5 notches on N and 1
notch on S edges.

Thence I run
S 89° 56' E on a true
line bet Secs 30 and 31
with same $\frac{1}{4}$.

39.50

Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pit's 18 x 18 x 12 ins
E and W of stone $5\frac{1}{4}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

42.75

Cross Road bears N.E. + S.W

59.25

Cross White River Wash
course S 4 chs. wide.

99 SR 27 E

Chains

79.50

The cor to Secs 29, 30
31 and 32.

Land level

Soil 2nd to 3rd rate

good grass

Scattering brush

North 40 41' W. on
a true line bet Secs
29 and 30

Wa 120 24' E

28.00

cross White River
wash course S. W

34.50

cross Road bears
N. E + S. W

719 SR 27E

Chain

40.00

Set a Granite stone, 12 x 9 x 8 ins., 7 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on W face, dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth 14 ft. high, 34 ft. base alongside.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 19, 20, 29, 30, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 9 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 19 S. 20 on N. E., R. 27 E. 29 on S. E. S. 30 on S. W. and S. 19 on N. W. faces, with 2 notches on S, and 5 notches on E edges.

Land level

Soil 2nd to 3rd rate

Good grass

No. brush

719 SR 27 E

chains

East on a random
line bet Secs 20 & 29
@ $120^{\circ} 24' E$

40.00

Set temporary 44 Sec cor

80.40

Intersect the N & S
line 50 links N. of
cor to Secs 20, 21, 28 & 29

Thence I run
 $N 89^{\circ} 38' W$. on a
true line bet Secs
20 and 29 with same va

41.90

Descend slope at
an angle of 8° .

42.20

19.8 R27E

Maine

40.20

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high 24 ft. base over it. In E pit drove a stake 2 ft. long 2 in. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

80.40

The cor to Secs 19.20 29.30

Land level

Soil 2nd to 3rd rate

Good grass

No brush

West on a random line bet Secs 19 + 30

Va 12024'E

70.00

Set temporary $\frac{1}{4}$ Sec cor

719 S R 27E

Chain

80.15

Intersect the West
bdy. of Tr. 25 links
S of Cor to Secs 19, 24
25 & 30 which is a
Lime. stone 8x7 ins
above the ground
marked with 2 notches
on S and 4 notches
on N edges. pits
and mound of stone
of requid. size.

Thence I run
S 89° 49' E on a
true line bet Secs
19 & 30 with same Pa

T19 SR 27E

chains

40.15-

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 8 x 13 x 12 ins. E and W of stone 34 feet dist and raised a mound of earth 14 ft. high 34 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

80.15

face.

The cor to Secs 19, 20, 29+30

Land level

Soil 2 to 3 $\frac{1}{2}$ rate

Good grass

Scattering brush

North 4° 41' W. on
a true line bet Secs
19 + 20

Va 12° 24' E

719 SR 278

chains

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18
 $\frac{1}{4}$ and $\frac{1}{4}$ of stone 34 feet above the
a mound of earth 14 ft. high 14 ft. base
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

63.00

Ascend slope at an
angle of 20°

80.00

after making the
correct allowance a
sand stone in place
6 x 4 ft. above the
ground, which I
mark with a cross
(+) at exact cor point
for cor to Sec 17, 18, 19
& 20. marked with
3 notches on sand

T9 S R 27 E

Chains

5 notches on E edges and
mound of stones alongside
From which an Iron
wood tree 5 ins in
diam. bears S 15° E
1 ch. dist. marked

T9 S R 27 E S 20. B. J

Land level

Soil 2nd to 3rd rate

Good grass

Scattering brush

East on a random
line bet Sec 12 + 20

Q 12° 24' E

40.00

Set temporary 1/4 Sec cor

79 SR 278

chain

80.40

Intersect the N+S
line 30 links S of cor
to Secs 16, 17, 20 + 21

Thence I run
S 82° 47' W. on a
true line bet Secs 17 + 20
with same. Va. through

40.20

Set a ^{valley} granite stone 14 x 10 x 10 + 9 ins.
in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$ on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of soil
1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, alongside.

and ascend at an
angle of 12°

67.40

Top of ridge bears
N. W. + S. E. + descend

79 SR 27 E

Chains

80.40

The cor to Secs 17, 18, 19 & 20

W 1/2 40.400 Cheland mts

E 1/2 40.111 " level

Soil 3 1/2" to 4 1/2" rate

Grass good

West on a random
line bet Secs 18 & 19

Wa 12° 24' E

40.00

Set temporary 1/4 Sec cor

20.20

Intersect the W. bdy

of the 15 links S
of cor to Secs 13, 18

19 and 24. which is a
mound of earth and
fits in S.E. put a stake

T19 SR 27E

Chamis

marked T19 S18 on SE
 R 27E S19 on S.E
 R 26E S24 on S.W
 and Sec 13 on N.W
 faces with 3 notches
 on N and S. edges
 Thence I run
 S 89° 54' E on a true
 line bet Sec 18 & 19
 with same. Va.

440.20

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 in.
 E and W of stone 54 feet dist. and raised
 a mound of earth 14 ft. high 34 ft. base over
 it. In E pit drove a stake 2 ft. long 2 in.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
 sec.

446.20

Cross Road bears N.E. & S.W

T9 S R 27E

chain

48.20 Cross Road bears N.E. + S.W.

57.20 Leave Valley and ascend
slope at an angle of 18°

76.20 Top of slope

80.20 The cor to Secs 17, 18, 19
and 20

Land Mountainous 25 ch

" level 55.20

Soil 3rd to 4th rate

Good grass

no brush

N $4^{\circ} 41'$ W. on a
true line bet Secs
17 & 18

98

719 SR 27E

chain

$\text{N } 12^{\circ} 24' \text{ E}$

ascend slope

4.50

Top of ridge about
275 ft. high.

bears N.W. + S.E

and descend. slope
at an angle of 28°

18.00

Leave slope + enter
valley.

32.00

Cross Road bears N.E. + S.W.

34.00

" " " " S.W.

40.00

After making the
correct allowance

~~Set~~ Granite stone, 9 x 9 x 7 ins. 5 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on W
face, dug pits 18 x 18 x 12 ins. N and S
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base alongside.

T9 SR 27E

chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 7, 8, 17, 18, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 128 S. 8 on N.E. E. 27E, 17 on S.E. S. 18 on S.W. and S. 7 on N.W. faces, with 4 notch es on S, and 5 notch es on E edges.

Land mt. 18chs

" level 62 "

Soil 3 to 4th rate

Grass good

No brush

East on a random
line bet Secs 8 + 17

N 12° 24' E

79 SR 278

Chain

40.00

Set temporary $\frac{1}{4}$ Sec cor

80.30

Intersect the N + S line
40 links S of cor to
Secs 8, 9, 16 + 17.

Thence I run
S 89° 43' W. on a true
line bet Secs 8 + 17
with same

40.15

Set a granite stone 13 x 9 x 6 ins. 8
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base alongside.

80.30

The cor to Secs 7, 8, 17 + 18
Land level
Soil 3 to 4 rate
Good grass
no. brush

974 S.R. 27E

Chain

West on a random
line bet Secs 7 + 18

Va 12° 24' E.

40.00 Set temporary $\frac{1}{4}$ Sec cor80.05 Intersect the W. ldy of
the 65-line S of cor
to Secs 7, 12, 13 and 18
which is a mound
of earth and pits
In S.E. pit a stake
marked 519 S. 17 on N.E.
R 27E. 118 on S.E. R 26E
113 on S.W. and 112
on N.W. faces with
4 notches on S and
2 notches on N. edges.
Thence I run

719 SR 27E

Chains

S 89° 32' E, on a
true line bet Sec
7 and 18 with same
va.

4.80 Descend slope at an
angle of 4°

40.05 Set a granite stone, 12 x 10 x 6 in.
in the ground for 1/4 Sec, Cor. marked
face, dug pits 18 x 18 x 12 ins. E and W
of stone 5 1/2 ft. dist. and raised a mound of earth
1 1/2 ft. high, 3 1/2 ft. base, alongside.

80.05 the cor to Sec 7, 8, 17, 18
Land level
Soil 3 rate
Good grass
No bush

979 SR 27E

Chains

N 4° 41' W. on a true
line bet Secs 7 + 8

N 12° 24' E

40.00

Set a granite stone, 18 x 11 x 5 ins., 12 ins.
in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$. on SW
face, dug pits 18 x 18 x 12 ins. N and S
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
1 $\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base alongside.

80.00

Set a Limestone stone 24 x 10 x 5 ins., 17 ins. in
the ground for Cor. to Secs, 5, 6, 7 & 8 marked
with 5 notch on S. and 5 notch on E. edges.
dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft.
dist. and raised a mound of earth 2 ft. high,
4 $\frac{1}{2}$ ft. base alongside.

Land level.

Soil 3 $\frac{1}{4}$ rate

Good grass

No brush

79 SR 27E

Chains

East on a random
line bet Secs 5+8

Pa $12^{\circ} 24' E$

40.00

Set temporary $\frac{1}{4}$ Sec cor

80.10

Intersect the N+S
line 30 links S of
cor to Secs 4, 5, 8+9

Thence I run

$S 89^{\circ} 47' W$ on a true
line bet Secs 5+8 with
same. Pa:

40.05

Set a granite stone, 12 x 10 x 10 ins. 8 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone 5 1/2 ft. dist. and raised a mound of earth
1 1/2 ft. high, 3 1/2 ft. base, alongside.

119 SR 27E

Chains

80.10

The cor to Secs 5, 6, 7 & 8
 Land level
 Soil 3rd rate
 Good grass
 No brush

West on a random
 line bet Secs 6 & 7
 @ a 12° 24' E

40.00

Set temporary 1/4 Sec cor

79.50

Intersect the W. bdy
 of Twp. 45 link Sof cor
 to Secs 1, 6, 7 and 12 which
 is a granite stone 8 x 8
 ins above the ground
 marked with 5 notches on

T19 S R 27 E

chains

S and 1 notch in N edge mound of earth and pits of required size.

Thence I run S 89° 39' E on a true line bet Secs 6 & 7 with same. Va. along side of slope

22.50

29.50

39.50

Descend slope at an angle of 50° after making the correct allowances I

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone. 3/4 ft. deep and raised a mound of earth 3 1/2 ft. high 3 1/2 ft. base over it. In E pit drove a stake 2 ft. long 2 in. sq. 12 ins. in the ground marked 1/4 S. on N face.

979 1 R 27 E

Chains

79.50

The cor to Sec 5, 6, 7 & 8
 Land level
 Soil 3 $\frac{1}{4}$ rate
 Good grass
 No brush

North 40° 41' W.
 on a random line
 bet Secs 5 & 6

9A 12° 24' E

40.00

Set temporary 1/4 Sec cor

87.00

Intersect the N bdy
 of T_h. 95 1/2 mi E of
 cor to Secs 5, 6, 31 & 32
 which is a Lava rock
 12 x 6 ins above the

T79 SR 27E

Chain

ground marked
with 1 notch on
NW and 5 notches
on E edges and a
mound of stone
along side.

thence I run
S $5^{\circ} 18' E$ on a
true line bet sea
586 with same ga.

3.90

Cross Dry Wash and
ascend slope at an
angle of 6°

26.40

Descend gradually

37.40

Foot of slope and
over level ground

779 SR 27E

Chains

47.00 after making the correct allowances

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ feet apart and raised a mound of earth 1 $\frac{1}{2}$ ft. high in ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

87.00 The cor to Secs 5, 6, 7 & 8

Land level

Soil 3 $\frac{1}{2}$ rate

Good grass

I carefully examined the adjustments of my solar transit to-day particularly the latitude and reversing apparatus and found them to be correct

Febr. 19th 1885

General Description

This township has several isolated hills with low lands between covered with good grass.

White river wash runs through it in a south westerly direction and only contains water during the wet season.

The S.E. cor of this Twp. runs up on the spur of the Swisshelm mountains, but none of it is too rough for cattle or other stock and the grazing is excellent all through the township.

A small quantity
of low grade quartz
was observed in the
extreme S. E. Cor.
where the ridges were
mostly of a lime stone
formation.
Bet Secs 35^{and} 36. ^{and} 34
and 35 it is unsumryable

I Lewis Wolfley

United States Deputy Surveyor, do solemnly swear that in
pursuance of instructions received from Royal A

Johnson U. S. Surveyor General for Ari-
zona bearing date of the 11th day of November

1884. I have well, faithfully, and truly, in my own proper
person and in strict conformity, with the instructions furnish-
ed by the U. S. Surveyor General for Arizona, the surveying
manual and the laws of the United States surveyed the

Subdivision lines of T^h 22
23. 24. S Range 25E, T19.20.

21. 22. 23. 24. S Range 26 and
27E

of the principal base and meridian in the Territory of Ari-
zona, as are represented in the foregoing fields notes as having
been surveyed by me and under my direction; and I do further
solemnly swear that all the corners of the said survey have been
established and perpetuated in strict accordance with the survey-
ing manual, printed instructions, the special written instruc-
tions of the U. S. Surveyor General for Arizona, and in the

114
specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.

Lewis Wolfley
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 11th
day of March 1885



John W. Gray
Notary Public.

BOOK 895

Final Oaths for Surveys.

BOOK 895
LIST OF NAMES.

A List of the Names of Individuals employed by
Lewis Wolfley U. S. Deputy Surveyor to
assist in running, measuring and marking the lines and
corners described in the foregoing Field Notes of the survey of
the Subdivision lines of Tps
22, 23, 24, S. Range 25, E.
T19, 20, 21, 22, 23, 24, Ranges
26 and 27 E

of the principal base and meridian in the Territory of Arizona,
showing the respective capacities in which they acted.

- Norman S. Frost Compairme
- James M. Caulton Chairman
- Wm Keith
- M. H. Tiffany Marker
- Henry Long Woodman
- Wilson R. Ker: Flagman



BOOK 895

Final Oaths of Assistants.

We hereby certify that we assisted Lewis Wolfley U. S. Deputy Surveyor, in surveying the Subdivision lines of Tps 22, 23, and 24 S. Range 25 E. Tps 19, 20, 21, 22, 23, 24 S. Ranges 26 and 27 E

of the principal base and meridian in the Territory of Arizona, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the U. S. Surveyor-General for Arizona.

Norman S. Frost Comptroller
Jas. M. Bantou Chairman
W. L. Keith "
Wm. S. Giffney Marker
Henry Long Member
Wilson R. Ker Flagman

Subscribed and sworn to before me this 20th

day of

July 1885

Lewis Wolfley
Notary Public.



Final Oath of U. S. Deputy Surveyor.

BOOK 895

I Lewis Wolfley

United States Deputy Surveyor, do solemnly swear that in
pursuance of instructions received from Royal

A Johnson U. S. Surveyor General for Ari-
zona bearing date of the 11th day of November

1884 I have well, faithfully, and truly, in my own proper
person and in strict conformity, with the instructions furnish-
ed by the U. S. Surveyor General for Arizona, the surveying
manual and the laws of the United States surveyed the

Subdivision lines of Tps 22, 23,
24 S. Range 25 E Tps 19, 20, 21
22, 23, 24 S. Range 26 E and 27 E


of the principal base and meridian in the Territory of Ari-
zona, as are represented in the foregoing fields notes as having
been surveyed by me and under my direction; and I do further
solemnly swear that all the corners of the said survey have been
established and perpetuated in strict accordance with the survey-
ing manual, printed instructions, the special written instruc-
tions of the U. S. Surveyor General for Arizona, and in the

110
specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.

Lewis Wolfley
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 11th
day of March 1885

John W. Gray
Notary Public.



BOOK 895

Final Oaths for Surveys.

BOOK 895

LIST OF NAMES.

119

A List of the Names of Individuals employed by
Lewis Wolfley U. S. Deputy Surveyor to
assist in running, measuring and marking the lines and
corners described in the foregoing Field Notes of the survey of
the Subdivision lines of Tps
22. 23. 24. S. Range 25E
T1920. 21. 22. 23. and 24 S
Range 26 + 27E

of the principal base and meridian in the Territory of Arizona,
showing the respective capacities in which they acted.

H. D. Cole Chairman
James F. Walker
Hiram Perkins Marker
Henry Crawford Woundman
Frank Alley Flagman

Final Oaths of Assistants.

BOOK 895

We hereby certify that we assisted Lewis

Wolley U. S. Deputy Surveyor, in surveying
the subdivision lines of
Tps 22. 23. 24. S. Range
25. E. T 19. 20. 21. 22. 23. and 24
S. Ranges 26 & 27. E

of the principal base and meridian in the Territory of Arizona,
as are represented in the foregoing field notes as having been
surveyed by him and under his direction; and that said Survey
has been in all respects, to the best of our knowledge and belief,
well and faithfully surveyed, and the corner monuments es-
tablished according to the instructions furnished by the U. S.
Surveyor-General for Arizona.

H. S. Cole Chairman
of F. Walker

H Perkins Marker

S. Corcoran Moundman

Frank Alley Flagman

Subscribed and sworn to before me this 20th

day of Feb 1885

Lewis Wolley
Notary Public.



U. S. Surveyor General's Office,

Tucson, Arizona, May 11 1885

The foregoing Field Notes of the Survey of the

subdivisional lines
of T. P. 19 S. R. 27 E

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by Boris Wolfley

Deputy Surveyor, under his contract of the 11

day of November, 1884, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe
are hereby approvedRogala Johnson
Surveyor General.