

*Copies  
Plotted compared  
Indexed*

BOOK 902

# Field Notes

OF THE SURVEY OF THE

*No. 902*

*Sub-division lines*

-OF BOOK 902

902

Township *17 S* Range *8 E*

*Gila and Salt River Base and Meridian*

ARIZONA.

*No. 902*

By *Johnston B. McLaughlin* D.S.

Under contract dated *Oct 15<sup>th</sup>* 187*4*

Survey commenced *Nov 15<sup>th</sup>* 187*4*

Survey completed *Nov 21<sup>st</sup>* 187*4*

INDEX DIAGRAM.

Township *17 S.*

Range *8 E.*

6	<i>104</i>	5	<i>74</i>	4	<i>57</i>	3	<i>39</i>	2	<i>20</i>	1
<i>100</i>		<i>98</i>		<i>73</i>		<i>56</i>		<i>37</i>		<i>18</i>
7	<i>97</i>	8	<i>71</i>	9	<i>53</i>	10	<i>36</i>	11	<i>16</i>	12
<i>95</i>		<i>94</i>		<i>70</i>		<i>52</i>		<i>34</i>		<i>14</i>
18	<i>92</i>	17	<i>69</i>	16	<i>51</i>	15	<i>33</i>	14	<i>13</i>	13
<i>90</i>		<i>89</i>		<i>67</i>		<i>49</i>		<i>31</i>		<i>11</i>
19	<i>87</i>	20	<i>65</i>	21	<i>47</i>	22	<i>30</i>	23	<i>9</i>	24
<i>85</i>		<i>84</i>		<i>64</i>		<i>46</i>		<i>28</i>		<i>7</i>
30	<i>82</i>	29	<i>62</i>	28	<i>45</i>	27	<i>27</i>	26	<i>6</i>	25
<i>80</i>		<i>78</i>		<i>61</i>		<i>43</i>		<i>25</i>		<i>3</i>
31	<i>76</i>	32	<i>59</i>	33	<i>41</i>	34	<i>23</i>	35	<i>1</i>	36

Gila and Salt River, Arizona.

ARIZONA.

Preliminary Oaths of Assistants.

We Frank J. Hardy  
and Thomas Wayborn

do solemnly swear that we will well and faithfully execute the duties of Chain Carriers; that we will level the chain over even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability and in accordance with instructions given us in the survey of the

Sub  
division lines of T. 17 S. R. 86.  
G. S. P. M.

Territory of Arizona.

Frank J. Hardy Chainman.  
Thomas Wayborn Chainman.

Subscribed and sworn to before me, this 15<sup>th</sup>  
day of November 1881

J. B. McLampkin  
Notary Public.

We *Charles T. Lundy and*  
*Henry Ransom*

do solemnly swear that we will well and truly perform the  
duties of *Assessors*

in the establishment of corners and other duties according to  
instructions given us, and to the best of our skill and ability,  
in the survey of the *sub division lines*

of *T. 17 S. R. 8 E. G. S. R. M.*


Territory of Arizona.

*Charles T. Lundy*  
*Henry Ransom*

Subscribed and sworn to before me this *15*

day of *November* 188*7*

*J. B. McLaughlin*  
Notary Public.





I do solemnly swear ~~that~~  
will well and truly perform the duties of *Stapman*  
according to instructions given *me* and to the best of *my*  
skill and ability.



*Charles Embury*

Sworn to and subscribed before me this  
*15<sup>th</sup>* day of *November* 188*8*

*J. B. McLoughlin*  
Notary Public

do solemnly swear that  
will well and truly perform the duties of  
according to instructions given and to the best of  
skill and ability.

Sworn to and subscribed before me this  
day of 188



W.

The instrument I used  
 in making this sur-  
 vey was a solar  
 transit made by  
 W and S E Gurley of  
 Troy N. Y. And was  
 carefully adjusted  
 and found to be  
 in perfect order.  
 Survey commenced  
 Nov. 1884. completed  
 Apr 21 1884.

D  
 18  
 9x  
 d  
 k  
 k  
 is  
 d  
 S  
 r

T 17 S R 8 E G V S R M

## Chains

From the corner to sections  
1, 2, 35, and 36 on the  
south boundary of the  
township, which is  
a foot pinches square  
firmly set in the ground  
marked, T 17 S. S 36 on  
the N. E. R. 8 E S 1 on S. E.  
then T 18 S. S 2 on S. W.,

and S 35 on W. W. with 1 notch  
on E and 15 notches on W edges and  
sets 18 x 18 x 17 ins in

each section  $5\frac{1}{2}$  feet  
distant and a mound  
of earth 2 ft high  $4\frac{1}{2}$  ft  
around foot. Thence a  
run N. between sec,  
35  
and 36

N  $12^{\circ} 30' E$ 

Set a foot 3 ft long 3 ins  
square with marked

No. 902

T. 17 S. R. 8 E. S. 36 N. W.

Chains

Stone 12 ins in the ground  
for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S.  
on W. face dug pits 18x  
18x12 ins W. of post  
 $5\frac{1}{2}$  ft dist and raised  
a mound of earth  $\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base around  
post.

4265 Dug wash 15 lbs wide  
course S. E.

4500 Entered scattering one quit

8000 Set a post 4 ft long 4  
ins sq. with marked  
stone 12 ins in the ground  
for cor to sec 25, 26  
35 and 36 marked  $\frac{1}{4}$  S.  
S 25 on W. E. R 8 E S 36 on  
S. E. S. 35 on S. W. and



T. 17 S. R. 8 E. G. 8 S. R. M.

Chains

S 26 on N.W. face with  
 1 notch on S & E. edges.  
 dug pits 18 x 18 x 12 ins  
 in each sec, 5/8 ft dist,  
 and raised a mound  
 of earth 2 ft high off  
 base around post.  
 Surface level. Soil first  
 rate. Good grass.  
 Scattering Mesquit.  
 And Cats claw bush

East on a random line  
 bet Secs. 25 and 36.

N 12° 30' E.

40.00

79.96

Set temporary 1/4 Sec. cor,  
 intersect the east boundary  
 of the township at 8 1/2  
 W of the Cor, to sec, 25  
 30, 31 and 36 which is a

T. 17. S. R. 8. E. G. S. R. M.  
chains

post 4 ins sq. firmly set  
in the ground marked  
T 17 S S 30 on N.E. R 9 E.  
S 31 on S.E. R 8 E S. 36 on  
S.W. and S.W. 25 on N.W.  
faces with 1 notch on the  
S and 5 notches on the N.  
edges from which a mesquit  
12 ins in diameter bears N  
88° E 41 lks dist. marked  
T 17 S. R 9 E S 30 B.T. a  
mesquit 4 ins in diameter  
bears N 3° E 56 lks distant  
(marked) T 17 S R 9 E S 31 B.T.  
A mesquit 5 ins in diameter  
S 38° W 164 lks dist. (marked)  
T 17 S R 8 E S 36 B.T. a  
mesquit 6 ins in diameter,  
bears N 78 W 50 lks dist

T. 17 S. R. 8 E. G. 8 S. R. W.

Chain

marked, T. 17 S. R. 8 E. S. 25 01.  
 Thence I run N  $89^{\circ} 57'$   
 W on a true line, bet  
 sec 25 and 36 with same  
 va

39.98 Six a foot 3 ft long 3 ins sq.  
 with marked stone 12 ins  
 in the ground for  $\frac{1}{4}$  sec  
 cor. marked  $\frac{1}{2}$  on N.  
 face dug pits 18 x 18 x 12  
 E and W of post  $5\frac{1}{2}$  ft  
 dist and raised a  
 mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft. base, around  
 post.

7996 The cor. to sec 25 26 35  $\frac{1}{2}$  36.  
 Surface level.  
 Soil first class  
 Good Grass  
 Scattering mesquite <sup>(and)</sup> catclaw bush.



T. 17 S. R. 8 E. G. 1 S. R. 1 W.

chain

North bet. Secs 25 & 26

On  $12^{\circ} 30' E.$

31.00 Dry Wash 40 lbs wide course E.

40.00

Set a post 3 ft long 3 ins sq. with marked stone 12 ins in the ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  S on W. face dug pits 18 x 18 x 12 ins W & S of post  $\frac{1}{4}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

47.00 Dry Wash 20 lbs wide course S  $45^{\circ} E.$

80.00

Set a post  $\frac{1}{2}$  ft long 4 ins sq. with marked stone 12 ins in the ground for cor. to Secs 23 & 25 and 26, marked



T. 17 S. R. 8, E. G. S. R. M.

Chains

T 17 S. S 24 on N.E. R. 8 E.  
 S 25 on S.E. S. 26 on  
 SW and S 23 on W.W.  
 faces with 2 notches on  
 the S, and 1 notch on  
 E. edges dug pits 18x18 in  
 in each sec, 5/8 ft  
 dist. and raised a mound  
 of earth 2 ft high, 5/8 ft  
 base around pit.  
 Surface level.  
 Soil, first class.  
 Good grass.  
 Scattering brush.

East on a random line  
 bet. sec 24 and 25.

Na.  $12^{\circ} 30' E.$

40.00

Set temporary 1/4 sec cor.

8006

Intersect the E boundary

T. 17. S. R. 8 E. S. 3 S. R. W.

Chains

of the township at 8 lots W.  
 of the cor to Secs 19, 24, 25,  
 and 30. Which is a post  
 4 ins sq. set in the ground  
 marked T 17 S 3 on N.E.  
 R 9 E S. 30 on S.E. R 8 E S.  
 25 on S.W. and Sec 24 on the  
 N.W. faces with 2 notches  
 on the S. and 4 notches on  
 the N. edges. With pits 18x18x12  
 ins in each sec 1/2 ft dist.  
 and a mound of  
 earth 2 ft high 1 1/2 ft base  
 around post.

Thence Run W. 89° 54' N. in  
 a true line bet Secs 24 and  
 25 with same va.

Set a post 3 ft long 3 ins. sq.

4003

T. 17 S. R. 8 E. G. V. S. R. W.

chains

with marked stone 12 ins.  
in the ground for  $\frac{1}{4}$  sec  
cor marked  $\frac{1}{4}$  on N. face  
dug pits 18x18x12 ins E. & W.  
of post  $\frac{1}{2}$  ft dist. and raised  
a mound of earth  $\frac{1}{2}$  ft high  
3  $\frac{1}{2}$  ft base around post  
approx 20 lbs wide of S. E.

7100  
8006

The logs to Secs 23 24 25 and 26

Surface level  
Soil fine rate  
Good Grass  
Scattering mesquite brush.

North bet. Secs 23 & 24  
var 12° 30' E.

4000

Set a post 3 ft long 3 ins.  
sq. with marked stone 12  
ins. in the ground for  
 $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  S  
on W face dug pits 18x18x12



T 17 S R 8 E. G 8 S. R. W.

Chairs

ins. N x S. of post.  $5\frac{1}{2}$  ft  
dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base around post

5615 Squash 20 lbs wide co. N.E.

7990 Squash 40 lbs wide co. S.E.

8000 Set at Malpais row 12x10x6

ing 8 ins in the ground  
for cor. to sec 10 11 23

and 24 marked with  
3 notches on the S. and  
1 notch on E edges. dug  
pits 18x18, 17 ins in each  
sec,  $5\frac{1}{2}$  ft distant and  
raised a mound of  
earth 2 ft high  $4\frac{1}{2}$  ft  
base alongside.  
Surface rolling.



9.17 S. R. S. E. G. H. S. R. M.  
chains

Soil Second rate.  
Good Grass.  
Scattering mesquite and  
Catebau bush.

Cañon a random line  
bet, sec 13 & 24

Var.  $12^{\circ} 30' E.$

1000 Set temporary  $\frac{1}{4}$  sec cor,  
7996 Intersects the east boundary  
of the township at 10<sup>th</sup>  
north of the cor, to sec  
13, 18, 19 and 24 which  
is a lot 4<sup>th</sup> in sq. family  
Set in the ground marked  
9.17 S. S. 18 W. C. R. 9 S. 9  
on S. E. R. S. E. S. 24 on S. W.  
and S. 13 on W. W. faces  
with 3 notches on S. and  
3 notches on N. edges.

T 17 S. R. 8. E. G. & S. R. W.

Chains

With pits  $18 \times 18 \times 12$  ins in each sec,  $5\frac{1}{2}$  ft dist, and a mound of earth  $2\frac{1}{2}$  ft high  $4\frac{1}{2}$  ft base around post.

Thence I run  $289^{\circ} 56' W$  on a true line bet sec 13 & 24 with same va.

3998

Set a post 3 ft long 3 ins sq with marked stone 12 ins in the ground  $\frac{1}{2}$  ft sec. Cor marked  $\frac{1}{2}$  ft on W. face dug pit  $18 \times 18 \times 12$  ins  $28^{\circ} 30'$  of post  $5\frac{1}{2}$  ft distant and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base around post.

4070

Dry Wash 40 lots wide  $20^{\circ} W. E.$

T. 17 S. R. 8 E. G. 1 R. M.

Chains

7996 The corner to sec 18 11, 26 X 24  
 Surface rolling  
 Soil Second Rate  
 Good Grass  
 Scattering Mesquite brush.

North W. Sec 13 X 14

Var 12° 30' E.

4000 Set a post 3 ft long 3 ins  
 sq. with marked stone  
 19 ins in the ground for  
 1/4 sec. cor. marked 1/4 S  
 on W face. Dig pits 18 x 18 x 18  
 ins W X S of post 1/2 ft dist  
 and raised a mound of  
 earth 1 1/2 ft high 3 1/2 ft base  
 around post.

4825 Dry wash 20 lbs wide cor. E.

6980 Dry wash 20 lbs wide cor. E.

8000 Set a granite rock



T. J. S. R. E. G. S. R. M. V.

Chairs

1841246 2 ins. in the ground  
 for cor, to see 11, 12, 13, 14  
 Marked with 1 notch on E  
 and 4 notches on S. Sides. Deep  
 pits 18418412 ins. in  
 each sect.,  $1\frac{1}{2}$  ft dist  
 and raised a mound  
 of earth 2 ft high  $1\frac{1}{2}$  ft  
 bay along side.

Surface level

Soil first rate,

Good Grass

Scattering mesquite  
 and Catalpa bush.

—  
 Cut on a random  
 line bet. sec 12 & 13  
 N.  $12^{\circ} 30'$  E



T. J. S. R. D. C. G. S. R. M.

Chains

1000

Set temporary  $\frac{1}{4}$  sec cor.

8004

Intersect the E boundaries  
of the township at 12 rods  
South of corner to sees  
7, 12 and 18 which is

a granite rock  $14 \times 10 \times 8$  ins

~~8~~ <sup>firmly set</sup> in the ground for  
~~cor to sees 7, 12, 18 and 18~~

marked with 2 notches on  
the north and four notches  
on S. edges, and raised

a mound of stones along  
side. Pit ~~is impracticable~~.

Thence I run ~~N~~<sup>S</sup>  $89^{\circ} 55'$  W  
on a true line bet sees

12 and 13 with same val

1002

Set a post 3 ft long 3 ins  
sq - with marked stone  
12 ins in the ground  
for  $\frac{1}{4}$  sec cor marked

T. J. S. R. S. C. G. V. S. R. M.

Chains

ft. S on W. face. Dug pits  
18 x 18 x 12 ins. E and W  
of post 5/2 ft dist, and  
raised a mound of  
earth 1/2 ft high 3 1/2 ft  
base around post.

800<sup>4</sup>

The cor. to Secs 17, 18, 19, 20  
Surface level  
Soil first rate.  
Good grass.  
Scattered mesquite  
and Cutclaw brush.

North bet. Secs; 11 and 12  
N 12° 30' E.

4000

Set a granite well 16 x 12  
x 9 ins 10 ins in the ground  
for 1/2 Sec cor, marked 1/2 ft

G. 17. S. R. S. C. G. V. S. R. W.

chains

- on W. face, Dug pits 18x  
18x12 ins N & S of stone  
5 1/2 ft. dist. and raised  
a mound of earth 1 1/2 ft  
high, 3 1/2 ft base alongside
- 4300 Ascend over mountain  
ridge Angle 21°
- 5800 Top of mountain E & W.  
Descend angle 31°
- 7100 Foot of mountain into valley
- 8000 Set <sup>1</sup> ~~1~~ <sup>2</sup> ~~2~~ <sup>3</sup> ~~3~~ <sup>4</sup> ~~4~~ <sup>5</sup> ~~5~~ <sup>6</sup> ~~6~~ <sup>7</sup> ~~7~~ <sup>8</sup> ~~8~~ <sup>9</sup> ~~9~~ <sup>10</sup> ~~10~~ <sup>11</sup> ~~11~~ <sup>12</sup> ~~12~~ <sup>13</sup> ~~13~~ <sup>14</sup> ~~14~~ <sup>15</sup> ~~15~~ <sup>16</sup> ~~16~~ <sup>17</sup> ~~17~~ <sup>18</sup> ~~18~~ <sup>19</sup> ~~19~~ <sup>20</sup> ~~20~~ <sup>21</sup> ~~21~~ <sup>22</sup> ~~22~~ <sup>23</sup> ~~23~~ <sup>24</sup> ~~24~~ <sup>25</sup> ~~25~~ <sup>26</sup> ~~26~~ <sup>27</sup> ~~27~~ <sup>28</sup> ~~28~~ <sup>29</sup> ~~29~~ <sup>30</sup> ~~30~~ <sup>31</sup> ~~31~~ <sup>32</sup> ~~32~~ <sup>33</sup> ~~33~~ <sup>34</sup> ~~34~~ <sup>35</sup> ~~35~~ <sup>36</sup> ~~36~~ <sup>37</sup> ~~37~~ <sup>38</sup> ~~38~~ <sup>39</sup> ~~39~~ <sup>40</sup> ~~40~~ <sup>41</sup> ~~41~~ <sup>42</sup> ~~42~~ <sup>43</sup> ~~43~~ <sup>44</sup> ~~44~~ <sup>45</sup> ~~45~~ <sup>46</sup> ~~46~~ <sup>47</sup> ~~47~~ <sup>48</sup> ~~48~~ <sup>49</sup> ~~49~~ <sup>50</sup> ~~50~~ <sup>51</sup> ~~51~~ <sup>52</sup> ~~52~~ <sup>53</sup> ~~53~~ <sup>54</sup> ~~54~~ <sup>55</sup> ~~55~~ <sup>56</sup> ~~56~~ <sup>57</sup> ~~57~~ <sup>58</sup> ~~58~~ <sup>59</sup> ~~59~~ <sup>60</sup> ~~60~~ <sup>61</sup> ~~61~~ <sup>62</sup> ~~62~~ <sup>63</sup> ~~63~~ <sup>64</sup> ~~64~~ <sup>65</sup> ~~65~~ <sup>66</sup> ~~66~~ <sup>67</sup> ~~67~~ <sup>68</sup> ~~68~~ <sup>69</sup> ~~69~~ <sup>70</sup> ~~70~~ <sup>71</sup> ~~71~~ <sup>72</sup> ~~72~~ <sup>73</sup> ~~73~~ <sup>74</sup> ~~74~~ <sup>75</sup> ~~75~~ <sup>76</sup> ~~76~~ <sup>77</sup> ~~77~~ <sup>78</sup> ~~78~~ <sup>79</sup> ~~79~~ <sup>80</sup> ~~80~~ <sup>81</sup> ~~81~~ <sup>82</sup> ~~82~~ <sup>83</sup> ~~83~~ <sup>84</sup> ~~84~~ <sup>85</sup> ~~85~~ <sup>86</sup> ~~86~~ <sup>87</sup> ~~87~~ <sup>88</sup> ~~88~~ <sup>89</sup> ~~89~~ <sup>90</sup> ~~90~~ <sup>91</sup> ~~91~~ <sup>92</sup> ~~92~~ <sup>93</sup> ~~93~~ <sup>94</sup> ~~94~~ <sup>95</sup> ~~95~~ <sup>96</sup> ~~96~~ <sup>97</sup> ~~97~~ <sup>98</sup> ~~98~~ <sup>99</sup> ~~99~~ <sup>100</sup> ~~100~~ <sup>101</sup> ~~101~~ <sup>102</sup> ~~102~~ <sup>103</sup> ~~103~~ <sup>104</sup> ~~104~~ <sup>105</sup> ~~105~~ <sup>106</sup> ~~106~~ <sup>107</sup> ~~107~~ <sup>108</sup> ~~108~~ <sup>109</sup> ~~109~~ <sup>110</sup> ~~110~~ <sup>111</sup> ~~111~~ <sup>112</sup> ~~112~~ <sup>113</sup> ~~113~~ <sup>114</sup> ~~114~~ <sup>115</sup> ~~115~~ <sup>116</sup> ~~116~~ <sup>117</sup> ~~117~~ <sup>118</sup> ~~118~~ <sup>119</sup> ~~119~~ <sup>120</sup> ~~120~~ <sup>121</sup> ~~121~~ <sup>122</sup> ~~122~~ <sup>123</sup> ~~123~~ <sup>124</sup> ~~124~~ <sup>125</sup> ~~125~~ <sup>126</sup> ~~126~~ <sup>127</sup> ~~127~~ <sup>128</sup> ~~128~~ <sup>129</sup> ~~129~~ <sup>130</sup> ~~130~~ <sup>131</sup> ~~131~~ <sup>132</sup> ~~132~~ <sup>133</sup> ~~133~~ <sup>134</sup> ~~134~~ <sup>135</sup> ~~135~~ <sup>136</sup> ~~136~~ <sup>137</sup> ~~137~~ <sup>138</sup> ~~138~~ <sup>139</sup> ~~139~~ <sup>140</sup> ~~140~~ <sup>141</sup> ~~141~~ <sup>142</sup> ~~142~~ <sup>143</sup> ~~143~~ <sup>144</sup> ~~144~~ <sup>145</sup> ~~145~~ <sup>146</sup> ~~146~~ <sup>147</sup> ~~147~~ <sup>148</sup> ~~148~~ <sup>149</sup> ~~149~~ <sup>150</sup> ~~150~~ <sup>151</sup> ~~151~~ <sup>152</sup> ~~152~~ <sup>153</sup> ~~153~~ <sup>154</sup> ~~154~~ <sup>155</sup> ~~155~~ <sup>156</sup> ~~156~~ <sup>157</sup> ~~157~~ <sup>158</sup> ~~158~~ <sup>159</sup> ~~159~~ <sup>160</sup> ~~160~~ <sup>161</sup> ~~161~~ <sup>162</sup> ~~162~~ <sup>163</sup> ~~163~~ <sup>164</sup> ~~164~~ <sup>165</sup> ~~165~~ <sup>166</sup> ~~166~~ <sup>167</sup> ~~167~~ <sup>168</sup> ~~168~~ <sup>169</sup> ~~169~~ <sup>170</sup> ~~170~~ <sup>171</sup> ~~171~~ <sup>172</sup> ~~172~~ <sup>173</sup> ~~173~~ <sup>174</sup> ~~174~~ <sup>175</sup> ~~175~~ <sup>176</sup> ~~176~~ <sup>177</sup> ~~177~~ <sup>178</sup> ~~178~~ <sup>179</sup> ~~179~~ <sup>180</sup> ~~180~~ <sup>181</sup> ~~181~~ <sup>182</sup> ~~182~~ <sup>183</sup> ~~183~~ <sup>184</sup> ~~184~~ <sup>185</sup> ~~185~~ <sup>186</sup> ~~186~~ <sup>187</sup> ~~187~~ <sup>188</sup> ~~188~~ <sup>189</sup> ~~189~~ <sup>190</sup> ~~190~~ <sup>191</sup> ~~191~~ <sup>192</sup> ~~192~~ <sup>193</sup> ~~193~~ <sup>194</sup> ~~194~~ <sup>195</sup> ~~195~~ <sup>196</sup> ~~196~~ <sup>197</sup> ~~197~~ <sup>198</sup> ~~198~~ <sup>199</sup> ~~199~~ <sup>200</sup> ~~200~~ <sup>201</sup> ~~201~~ <sup>202</sup> ~~202~~ <sup>203</sup> ~~203~~ <sup>204</sup> ~~204~~ <sup>205</sup> ~~205~~ <sup>206</sup> ~~206~~ <sup>207</sup> ~~207~~ <sup>208</sup> ~~208~~ <sup>209</sup> ~~209~~ <sup>210</sup> ~~210~~ <sup>211</sup> ~~211~~ <sup>212</sup> ~~212~~ <sup>213</sup> ~~213~~ <sup>214</sup> ~~214~~ <sup>215</sup> ~~215~~ <sup>216</sup> ~~216~~ <sup>217</sup> ~~217~~ <sup>218</sup> ~~218~~ <sup>219</sup> ~~219~~ <sup>220</sup> ~~220~~ <sup>221</sup> ~~221~~ <sup>222</sup> ~~222~~ <sup>223</sup> ~~223~~ <sup>224</sup> ~~224~~ <sup>225</sup> ~~225~~ <sup>226</sup> ~~226~~ <sup>227</sup> ~~227~~ <sup>228</sup> ~~228~~ <sup>229</sup> ~~229~~ <sup>230</sup> ~~230~~ <sup>231</sup> ~~231~~ <sup>232</sup> ~~232~~ <sup>233</sup> ~~233~~ <sup>234</sup> ~~234~~ <sup>235</sup> ~~235~~ <sup>236</sup> ~~236~~ <sup>237</sup> ~~237~~ <sup>238</sup> ~~238~~ <sup>239</sup> ~~239~~ <sup>240</sup> ~~240~~ <sup>241</sup> ~~241~~ <sup>242</sup> ~~242~~ <sup>243</sup> ~~243~~ <sup>244</sup> ~~244~~ <sup>245</sup> ~~245~~ <sup>246</sup> ~~246~~ <sup>247</sup> ~~247~~ <sup>248</sup> ~~248~~ <sup>249</sup> ~~249~~ <sup>250</sup> ~~250~~ <sup>251</sup> ~~251~~ <sup>252</sup> ~~252~~ <sup>253</sup> ~~253~~ <sup>254</sup> ~~254~~ <sup>255</sup> ~~255~~ <sup>256</sup> ~~256~~ <sup>257</sup> ~~257~~ <sup>258</sup> ~~258~~ <sup>259</sup> ~~259~~ <sup>260</sup> ~~260~~ <sup>261</sup> ~~261~~ <sup>262</sup> ~~262~~ <sup>263</sup> ~~263~~ <sup>264</sup> ~~264~~ <sup>265</sup> ~~265~~ <sup>266</sup> ~~266~~ <sup>267</sup> ~~267~~ <sup>268</sup> ~~268~~ <sup>269</sup> ~~269~~ <sup>270</sup> ~~270~~ <sup>271</sup> ~~271~~ <sup>272</sup> ~~272~~ <sup>273</sup> ~~273~~ <sup>274</sup> ~~274~~ <sup>275</sup> ~~275~~ <sup>276</sup> ~~276~~ <sup>277</sup> ~~277~~ <sup>278</sup> ~~278~~ <sup>279</sup> ~~279~~ <sup>280</sup> ~~280~~ <sup>281</sup> ~~281~~ <sup>282</sup> ~~282~~ <sup>283</sup> ~~283~~ <sup>284</sup> ~~284~~ <sup>285</sup> ~~285~~ <sup>286</sup> ~~286~~ <sup>287</sup> ~~287~~ <sup>288</sup> ~~288~~ <sup>289</sup> ~~289~~ <sup>290</sup> ~~290~~ <sup>291</sup> ~~291~~ <sup>292</sup> ~~292~~ <sup>293</sup> ~~293~~ <sup>294</sup> ~~294~~ <sup>295</sup> ~~295~~ <sup>296</sup> ~~296~~ <sup>297</sup> ~~297~~ <sup>298</sup> ~~298~~ <sup>299</sup> ~~299~~ <sup>300</sup> ~~300~~ <sup>301</sup> ~~301~~ <sup>302</sup> ~~302~~ <sup>303</sup> ~~303~~ <sup>304</sup> ~~304~~ <sup>305</sup> ~~305~~ <sup>306</sup> ~~306~~ <sup>307</sup> ~~307~~ <sup>308</sup> ~~308~~ <sup>309</sup> ~~309~~ <sup>310</sup> ~~310~~ <sup>311</sup> ~~311~~ <sup>312</sup> ~~312~~ <sup>313</sup> ~~313~~ <sup>314</sup> ~~314~~ <sup>315</sup> ~~315~~ <sup>316</sup> ~~316~~ <sup>317</sup> ~~317~~ <sup>318</sup> ~~318~~ <sup>319</sup> ~~319~~ <sup>320</sup> ~~320~~ <sup>321</sup> ~~321~~ <sup>322</sup> ~~322~~ <sup>323</sup> ~~323~~ <sup>324</sup> ~~324~~ <sup>325</sup> ~~325~~ <sup>326</sup> ~~326~~ <sup>327</sup> ~~327~~ <sup>328</sup> ~~328~~ <sup>329</sup> ~~329~~ <sup>330</sup> ~~330~~ <sup>331</sup> ~~331~~ <sup>332</sup> ~~332~~ <sup>333</sup> ~~333~~ <sup>334</sup> ~~334~~ <sup>335</sup> ~~335~~ <sup>336</sup> ~~336~~ <sup>337</sup> ~~337~~ <sup>338</sup> ~~338~~ <sup>339</sup> ~~339~~ <sup>340</sup> ~~340~~ <sup>341</sup> ~~341~~ <sup>342</sup> ~~342~~ <sup>343</sup> ~~343~~ <sup>344</sup> ~~344~~ <sup>345</sup> ~~345~~ <sup>346</sup> ~~346~~ <sup>347</sup> ~~347~~ <sup>348</sup> ~~348~~ <sup>349</sup> ~~349~~ <sup>350</sup> ~~350~~ <sup>351</sup> ~~351~~ <sup>352</sup> ~~352~~ <sup>353</sup> ~~353~~ <sup>354</sup> ~~354~~ <sup>355</sup> ~~355~~ <sup>356</sup> ~~356~~ <sup>357</sup> ~~357~~ <sup>358</sup> ~~358~~ <sup>359</sup> ~~359~~ <sup>360</sup> ~~360~~ <sup>361</sup> ~~361~~ <sup>362</sup> ~~362~~ <sup>363</sup> ~~363~~ <sup>364</sup> ~~364~~ <sup>365</sup> ~~365~~ <sup>366</sup> ~~366~~ <sup>367</sup> ~~367~~ <sup>368</sup> ~~368~~ <sup>369</sup> ~~369~~ <sup>370</sup> ~~370~~ <sup>371</sup> ~~371~~ <sup>372</sup> ~~372~~ <sup>373</sup> ~~373~~ <sup>374</sup> ~~374~~ <sup>375</sup> ~~375~~ <sup>376</sup> ~~376~~ <sup>377</sup> ~~377~~ <sup>378</sup> ~~378~~ <sup>379</sup> ~~379~~ <sup>380</sup> ~~380~~ <sup>381</sup> ~~381~~ <sup>382</sup> ~~382~~ <sup>383</sup> ~~383~~ <sup>384</sup> ~~384~~ <sup>385</sup> ~~385~~ <sup>386</sup> ~~386~~ <sup>387</sup> ~~387~~ <sup>388</sup> ~~388~~ <sup>389</sup> ~~389~~ <sup>390</sup> ~~390~~ <sup>391</sup> ~~391~~ <sup>392</sup> ~~392~~ <sup>393</sup> ~~393~~ <sup>394</sup> ~~394~~ <sup>395</sup> ~~395~~ <sup>396</sup> ~~396~~ <sup>397</sup> ~~397~~ <sup>398</sup> ~~398~~ <sup>399</sup> ~~399~~ <sup>400</sup> ~~400~~ <sup>401</sup> ~~401~~ <sup>402</sup> ~~402~~ <sup>403</sup> ~~403~~ <sup>404</sup> ~~404~~ <sup>405</sup> ~~405~~ <sup>406</sup> ~~406~~ <sup>407</sup> ~~407~~ <sup>408</sup> ~~408~~ <sup>409</sup> ~~409~~ <sup>410</sup> ~~410~~ <sup>411</sup> ~~411~~ <sup>412</sup> ~~412~~ <sup>413</sup> ~~413~~ <sup>414</sup> ~~414~~ <sup>415</sup> ~~415~~ <sup>416</sup> ~~416~~ <sup>417</sup> ~~417~~ <sup>418</sup> ~~418~~ <sup>419</sup> ~~419~~ <sup>420</sup> ~~420~~ <sup>421</sup> ~~421~~ <sup>422</sup> ~~422~~ <sup>423</sup> ~~423~~ <sup>424</sup> ~~424~~ <sup>425</sup> ~~425~~ <sup>426</sup> ~~426~~ <sup>427</sup> ~~427~~ <sup>428</sup> ~~428~~ <sup>429</sup> ~~429~~ <sup>430</sup> ~~430~~ <sup>431</sup> ~~431~~ <sup>432</sup> ~~432~~ <sup>433</sup> ~~433~~ <sup>434</sup> ~~434~~ <sup>435</sup> ~~435~~ <sup>436</sup> ~~436~~ <sup>437</sup> ~~437~~ <sup>438</sup> ~~438~~ <sup>439</sup> ~~439~~ <sup>440</sup> ~~440~~ <sup>441</sup> ~~441~~ <sup>442</sup> ~~442~~ <sup>443</sup> ~~443~~ <sup>444</sup> ~~444~~ <sup>445</sup> ~~445~~ <sup>446</sup> ~~446~~ <sup>447</sup> ~~447~~ <sup>448</sup> ~~448~~ <sup>449</sup> ~~449~~ <sup>450</sup> ~~450~~ <sup>451</sup> ~~451~~ <sup>452</sup> ~~452~~ <sup>453</sup> ~~453~~ <sup>454</sup> ~~454~~ <sup>455</sup> ~~455~~ <sup>456</sup> ~~456~~ <sup>457</sup> ~~457~~ <sup>458</sup> ~~458~~ <sup>459</sup> ~~459~~ <sup>460</sup> ~~460~~ <sup>461</sup> ~~461~~ <sup>462</sup> ~~462~~ <sup>463</sup> ~~463~~ <sup>464</sup> ~~464~~ <sup>465</sup> ~~465~~ <sup>466</sup> ~~466~~ <sup>467</sup> ~~467~~ <sup>468</sup> ~~468~~ <sup>469</sup> ~~469~~ <sup>470</sup> ~~470~~ <sup>471</sup> ~~471~~ <sup>472</sup> ~~472~~ <sup>473</sup> ~~473~~ <sup>474</sup> ~~474~~ <sup>475</sup> ~~475~~ <sup>476</sup> ~~476~~ <sup>477</sup> ~~477~~ <sup>478</sup> ~~478~~ <sup>479</sup> ~~479~~ <sup>480</sup> ~~480~~ <sup>481</sup> ~~481~~ <sup>482</sup> ~~482~~ <sup>483</sup> ~~483~~ <sup>484</sup> ~~484~~ <sup>485</sup> ~~485~~ <sup>486</sup> ~~486~~ <sup>487</sup> ~~487~~ <sup>488</sup> ~~488~~ <sup>489</sup> ~~489~~ <sup>490</sup> ~~490~~ <sup>491</sup> ~~491~~ <sup>492</sup> ~~492~~ <sup>493</sup> ~~493~~ <sup>494</sup> ~~494~~ <sup>495</sup> ~~495~~ <sup>496</sup> ~~496~~ <sup>497</sup> ~~497~~ <sup>498</sup> ~~498~~ <sup>499</sup> ~~499~~ <sup>500</sup> ~~500~~ <sup>501</sup> ~~501~~ <sup>502</sup> ~~502~~ <sup>503</sup> ~~503~~ <sup>504</sup> ~~504~~ <sup>505</sup> ~~505~~ <sup>506</sup> ~~506~~ <sup>507</sup> ~~507~~ <sup>508</sup> ~~508~~ <sup>509</sup> ~~509~~ <sup>510</sup> ~~510~~ <sup>511</sup> ~~511~~ <sup>512</sup> ~~512~~ <sup>513</sup> ~~513~~ <sup>514</sup> ~~514~~ <sup>515</sup> ~~515~~ <sup>516</sup> ~~516~~ <sup>517</sup> ~~517~~ <sup>518</sup> ~~518~~ <sup>519</sup> ~~519~~ <sup>520</sup> ~~520~~ <sup>521</sup> ~~521~~ <sup>522</sup> ~~522~~ <sup>523</sup> ~~523~~ <sup>524</sup> ~~524~~ <sup>525</sup> ~~525~~ <sup>526</sup> ~~526~~ <sup>527</sup> ~~527~~ <sup>528</sup> ~~528~~ <sup>529</sup> ~~529~~ <sup>530</sup> ~~530~~ <sup>531</sup> ~~531~~ <sup>532</sup> ~~532~~ <sup>533</sup> ~~533~~ <sup>534</sup> ~~534~~ <sup>535</sup> ~~535~~ <sup>536</sup> ~~536~~ <sup>537</sup> ~~537~~ <sup>538</sup> ~~538~~ <sup>539</sup> ~~539~~ <sup>540</sup> ~~540~~ <sup>541</sup> ~~541~~ <sup>542</sup> ~~542~~ <sup>543</sup> ~~543~~ <sup>544</sup> ~~544~~ <sup>545</sup> ~~545~~ <sup>546</sup> ~~546~~ <sup>547</sup> ~~547~~ <sup>548</sup> ~~548~~ <sup>549</sup> ~~549~~ <sup>550</sup> ~~550~~ <sup>551</sup> ~~551~~ <sup>552</sup> ~~552~~ <sup>553</sup> ~~553~~ <sup>554</sup> ~~554~~ <sup>555</sup> ~~555~~ <sup>556</sup> ~~556~~ <sup>557</sup> ~~557~~ <sup>558</sup> ~~558~~ <sup>559</sup> ~~559~~ <sup>560</sup> ~~560~~ <sup>561</sup> ~~561~~ <sup>562</sup> ~~562~~ <sup>563</sup> ~~563~~ <sup>564</sup> ~~564~~ <sup>565</sup> ~~565~~ <sup>566</sup> ~~566~~ <sup>567</sup> ~~567~~ <sup>568</sup> ~~568~~ <sup>569</sup> ~~569~~ <sup>570</sup> ~~570~~ <sup>571</sup> ~~571~~ <sup>572</sup> ~~572~~ <sup>573</sup> ~~573~~ <sup>574</sup> ~~574~~ <sup>575</sup> ~~575~~ <sup>576</sup> ~~576~~ <sup>577</sup> ~~577~~ <sup>578</sup> ~~578~~ <sup>579</sup> ~~579~~ <sup>580</sup> ~~580~~ <sup>581</sup> ~~581~~ <sup>582</sup> ~~582~~ <sup>583</sup> ~~583~~ <sup>584</sup> ~~584~~ <sup>585</sup> ~~585~~ <sup>586</sup> ~~586~~ <sup>587</sup> ~~587~~ <sup>588</sup> ~~588~~ <sup>589</sup> ~~589~~ <sup>590</sup> ~~590~~ <sup>591</sup> ~~591~~ <sup>592</sup> ~~592~~ <sup>593</sup> ~~593~~ <sup>594</sup> ~~594~~ <sup>595</sup> ~~595~~ <sup>596</sup> ~~596~~ <sup>597</sup> ~~597~~ <sup>598</sup> ~~598~~ <sup>599</sup> ~~599~~ <sup>600</sup> ~~600~~ <sup>601</sup> ~~601~~ <sup>602</sup> ~~602~~ <sup>603</sup> ~~603~~ <sup>604</sup> ~~604~~ <sup>605</sup> ~~605~~ <sup>606</sup> ~~606~~ <sup>607</sup> ~~607~~ <sup>608</sup> ~~608~~ <sup>609</sup> ~~609~~ <sup>610</sup> ~~610~~ <sup>611</sup> ~~611~~ <sup>612</sup> ~~612~~ <sup>613</sup> ~~613~~ <sup>614</sup> ~~614~~ <sup>615</sup> ~~615~~ <sup>616</sup> ~~616~~ <sup>617</sup> ~~617~~ <sup>618</sup> ~~618~~ <sup>619</sup> ~~619~~ <sup>620</sup> ~~620~~ <sup>621</sup> ~~621~~ <sup>622</sup> ~~622~~ <sup>623</sup> ~~623~~ <sup>624</sup> ~~624~~ <sup>625</sup> ~~625~~ <sup>626</sup> ~~626~~ <sup>627</sup> ~~627~~ <sup>628</sup> ~~628~~ <sup>629</sup> ~~629~~ <sup>630</sup> ~~630~~ <sup>631</sup> ~~631~~ <sup>632</sup> ~~632~~ <sup>633</sup> ~~633~~ <sup>634</sup> ~~634~~ <sup>635</sup> ~~635~~ <sup>636</sup> ~~636~~ <sup>637</sup> ~~637~~ <sup>638</sup> ~~638~~ <sup>639</sup> ~~639~~ <sup>640</sup> ~~640~~ <sup>641</sup> ~~641~~ <sup>642</sup> ~~642~~ <sup>643</sup> ~~643~~ <sup>644</sup> ~~644~~ <sup>645</sup> ~~645~~ <sup>646</sup> ~~646~~ <sup>647</sup> ~~647~~ <sup>648</sup> ~~648~~ <sup>649</sup> ~~649~~ <sup>650</sup> ~~650~~ <sup>651</sup> ~~651~~ <sup>652</sup> ~~652~~ <sup>653</sup> ~~653~~ <sup>654</sup> ~~654~~ <sup>655</sup> ~~655~~ <sup>656</sup> ~~656~~ <sup>657</sup> ~~657~~ <sup>658</sup> ~~658~~ <sup>659</sup> ~~659~~ <sup>660</sup> ~~660~~ <sup>661</sup> ~~661~~ <sup>662</sup> ~~662~~ <sup>663</sup> ~~663~~ <sup>664</sup> ~~664~~ <sup>665</sup> ~~665~~ <sup>666</sup> ~~666~~ <sup>667</sup> ~~667~~ <sup>668</sup> ~~668~~ <sup>669</sup> ~~669~~ <sup>670</sup> ~~670~~ <sup>671</sup> ~~671~~ <sup>672</sup> ~~672~~ <sup>673</sup> ~~673~~ <sup>674</sup> ~~674~~ <sup>675</sup> ~~675~~ <sup>676</sup> ~~676~~ <sup>677</sup> ~~677~~ <sup>678</sup> ~~678~~ <sup>679</sup> ~~679~~ <sup>680</sup> ~~680~~ <sup>681</sup> ~~681~~ <sup>682</sup> ~~682~~ <sup>683</sup> ~~683~~



T. 17. S. R. S. E. G. V. S. R. W.

Chains

Soil first and fourth rate.  
Good grass  
Scattering mesquites and  
catsclaw brush.

=====  
Cut on a random line  
bet Secs 1 and 17.

(N. 120° 30' E.)

4000  
7994 Sec temporary 1/4 Sec. cor.  
Intersect the <sup>East</sup> boundary  
of the township 21 the  
S. of cor to secs 1, 6, 7, 9, 12  
which is a post 4 ins.  
sq. firmly set in the  
ground marked 5.7 406  
on NE R 9 E S 7 on SE  
R 8 E S 12 on SW and S  
on NW face with 1



T. 17 S. R. S. C. G. V. S. R. W.  
Chairs

notch on W. and 5 notches  
on S edges. With pits  
18 x 18 x 12 ins. in each square  
5/8 ft dit. and a mound  
off earth 2 ft high 4 1/2 ft  
long around pit. Thence  
I run ~~X~~<sup>S</sup> 89° 51' W on a  
true line bet see 1 and 2  
with same va.

(3997) Set a malpais rock 20 x  
10 x 7 ins, 15 ins in the  
ground for 1/2 sec for  
marked 1/2 on W face  
and raised a mound  
of stone alongside.  
Pits impracticable.

4200 Top of mountain bears W.W.  
and S.E. Ascend at an  
angle of 18°

4900 Top of mountain bears W.W.

T. 17. S. R. 8. E. G. V. S. R. W.  
 Chains

and S.E. and descends at  
 an angle of  $18^{\circ}$

6300

Foot of Mountain bears W.W.  
 and S.E.

7994

After making correct allowance  
 I intersect the Cor. to secs.  
 1, 2, 11, and 12.

Surface rolling

Soil first and fourth rate  
 Good grass.

No timber.

North on a random line  
 bet sec 1 and 2.

N  $12^{\circ} 30'$  E.

4000

Set temporary  $\frac{1}{4}$  sec cor.

8010

Intersect W. boundary of  
 the township at 15 rods  
 W of cor. to sec. 1, 2, 3, 4, 5, 6  
 which is a part line, of

T. 17 S. R. 8. E. G. V. S. R. M.  
chains

firmly set in the ground marked  
 T 16 S. S 36 on N. E. R 8 E. S 1 on S. E.  
 T 17 S. S 2 on S. W. and S 36 on N. W.  
 faces with 1 notch on E and 5  
 notches on W faces

any other pits in the ground  
 with pits 18x18x4 ins  
 in each see 4 ft dist  
 and mound of earth 2 ft  
 high 4 ft base alongside  
 Thence run S 00 1/2 W  
 on a true line bet sur  
 1 and 7 on same va.

1160 Key Wash Course E.

4010 At a mae-pai rock 6x12x7  
 ins 10 ins in the ground  
 for 1/2 see low marked 1/2  
 on W face and raised  
 a mound of stone along-  
 side. Pits impracticable.

8010 The corner to see 1, 2, 11.  
 And 12.  
 Surface rolling



T. 17 S. R. S. E. G. W. S. R. W.

Chains

Soil second rate  
Good grass  
Scattering mesquite and  
Catsclaw brush.

---

I carefully examined  
the adjustments of my  
solar transit to-day  
particularly the latitudes  
and revolving apparatus  
and found them cor-  
rect.

Nov. 15. 1884.

---



T. 17 S. R. 8 E. G. & S. N. W.  
Chains

From the corner to Sec.  
2, 3, 34 and 35 on the  
south boundary of  
the township which  
is a post 4 ins. sq.  
firmly set in the ground  
marked T 17 S 3 17 W 8

R 8 E 2 on SE ~~R 8 E 3~~ <sup>R 18 S</sup> 3 <sup>face</sup>  
on SW and S 34 on NW <sup>with</sup>  
2 notches on E and 4 notches on W edges.  
with pits 18x18x12 ins

in each sec. 5/8 ft dia  
and a mound of earth  
2 ft high, 4 1/2 ft around  
post

Thence I run N. bet  
Sec 34 and 35.

Var 12° 30' E

50 Dry wash, 50 ft wide @ 10

J. P. S. R. S. C. G. S. S. R. M.  
 Chains

- 15.00 Leave timber
- 40.00 Set a post 3 ft. long 3 ins.  
 sq. with marked stone  
 12 ins. in the ground  
 for 1/2 sec. on marked 1/2  
 S on W. face. dig pits  
 18x18x12 ins. W of  
 post 5 1/2 ft. dist and  
 raised a mound of earth  
 1 1/2 ft. high 3 1/2 ft. low  
 around post.
- 80.00 Set a post 4 ft long 4 ins  
 sq. with marked stone  
 12 ins in the ground for  
 cor to sec 26, 27, 31<sup>and</sup> 35  
 marked S, 17 S S 26 on W E  
 R 8 C S 35 on S E. S 34 on  
 S W. and S 27 on W W  
 face with 2 notches on  
 E and 1 notch on S edges

T. 17. S. R. 8. E. G. & S. R. W.  
 Chains

Dug pits 18x18x12 ins  
 in each sec. 5 1/2 ft dist  
 and raised a mound  
 of earth 2 ft high 4 1/2 ft  
 base around post.

Surface level  
 Soil first rate  
 Good grass  
 Scattering mesquite  
 and Palo-Verde bush

East on a random line  
 bet secs. 26 and 35

N 12° 30' E.

20,00

Set temporary 1/4 sec cor.

8000

Intersect W & S line  
 of the township at 8 lbs  
 W of cor. to sec 25, 26 35 & 36



T. 17 S. R. 8. E. G. 8. S. R. 11. W.

Chain

Thence I run N.  $89^{\circ} 57'$  W  
on a true line bet sew  
26. 35 with same va.

40.00

Set a granite rock  $15 \times 9 \times 8$  ins  
10 ins in the ground for  
 $\frac{1}{4}$  sec cor. Chained  $\frac{1}{2}$  on W  
face dug pits  $18 \times 18 \times 12$  ins  
E of stone  $5 \frac{1}{2}$  ft dist and  
raised a mound of earth  
 $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft base  
alongside.

47.00

Dug wash 12 lbs wide as  $\frac{1}{2}$  ft

80.00

The corner to sew 26, 27,  
34 and 35.

Surface level

Soil first rate

Good grass

Scattering mesquite

and Catsclaw brush



T. S. R. & E. G. S. R. M.  
Chains

North Set Dec 26 & 27  
var  $12^{\circ} 30'$  E.

4000 Set a granite rock  $12 \times 12$   
 $\times 10$  ins 8 ins in the  
ground for  $\frac{1}{2}$  sec on  
marked  $\frac{1}{2}$  on W face  
dug pits  $18 \times 18 \times 12$  ins  
W & S of rock  $5 \frac{1}{2}$  ft  
dist and raised a  
mound of earth  $1 \frac{1}{2}$   
ft high 3 ft base  
along side

8000 Set a post 4 ft long 4 ins  
sq with marked stone  
12 ins in the ground  
for Co to sets 22, 23  
26 and 27 marked 9, 17 &  
23 on W. E. R. & E. S. 26 on

T. S. R. S. E. G. V. S. R. M.

S. E. S 27 on SW, and S  
22 on NW, faces with  
2 notches on C and 2  
notches on S edges dug  
pits 18x18x12 ins in each  
Secs 5 1/2 ft distant and  
raised a mound of  
earth 2 ft high 4 1/2 ft  
base around post.

Surface level

Soil first rate

Good grass

Scattering mesquite  
and Catclaw bush.

East on a random line  
bet, Secs 23 and 26

to 12° 30' E.

4000 Set temporary 1/4 Sec Cor.  
8000 Intersect NW 1/4 S line at 1st

T. J. S. R. S. C. G. S. R. M.

Chains

West of corner bet sees  
23 24 25 and 26,

Thence I run or 89 5 1/2 W  
on a true line bet sees  
23 and 26. with same wa

4002

Set a post 3 ft long 3 in  
sq with marked stone for  
1/4 in cov marked, 1/4 in  
on face dug pits 18 X  
18 X 12 in pits W of  
post 5 1/2 ft dia and  
raised a mound of  
earth 1 1/2 ft high 3 1/2 ft  
base around post.

8006

The corner to sees 22  
23 26 and 27  
Surface level  
Soil first rate.



T. J. S. R. S. C. G. S. R. M.  
Chains

Good grass  
Scattering mesquite and  
Catsclaw brush

North bet sec 22 and 23

var 12° 30' E

4000

Set a Malpais rock 15x10x6  
ins, 10 ins in the ground  
for 1/2 sec cov, marked 1/2 on  
N face dug pits 18x18x1/2  
ins NW of rock 5 1/2 ft  
dist. and raised a  
mound of earth, 1/2 ft high  
3 1/2 ft bare along side

8000

Set a Malpais rock 14x  
8x6 ins in the ground  
for cov. to sec. 14, N-22° 23'  
Marked with 2 notches on  
the E and 3 notches on  
S. edges. Dug pits



T. S. R. D. C. G. S. R. M.

ains

18x18x12 ins. in each row  
 5 1/2 ft dist. and raised  
 as mound of earth 2 ft  
 high 4 1/2 ft base along side  
 Surface rolling  
 Good grass.

Soil Second rate,  
 Scattering mesquite  
 And Catclaw brush.

East on a random line  
 bet sec 14 and 23.

va 12° 30' E.

4000

8000

Set temporary 1/2 sec cor.  
 Intersect NW 1/4 line of  
 township 12 lds south  
 of cor. to sec 13, 14, 23 &  
 It. Thence I run



# T. 17 S. R. 8 E. G. 1 S. R. M.

## Chains

North to Sec 14 and in  
NW 12° 30' E.

671  
3200  
1600

Dug wash 20 lbs wide @ 180° E  
Dug wash near co. E.

Set a post 3 ft long 3 in  
sq with marked stone  
1/2 ins in the ground  
for 1/2 sec cor, marked 1/2  
S on W face. Dug pits  
18 x 18 x 12 ins NW S. of  
post 5 1/2 ft dist, and  
raised a mound of earth  
1 1/2 ft high, 3 1/2 ft base  
around post.

1300  
8000

Road bears N. E. and S. W  
Set a post 4 ft long 4 in.  
sq with marked stone 1/2  
ins in the ground for



T. 17 S. R. 8 E. 4th R. W.

Chains

Cov. to sec. 10, 11, 12<sup>and</sup> 13,  
 marked 7, 7 S 11 on N E.  
 R 8 E S 14 on S E. S 15 on SW  
 and S 10 on NW faces  
 with 2 notches on E and  
 4 notches on S edges dug  
 pits 18 x 18 x 17 ins in each  
 sec. 5 1/2 ft dist and raised  
 a mound of earth 2 ft  
 high 4 1/2 ft base around  
 post.

Surface level

Soil fruit rate

Good grass

Scattering mesquite and

Paloverde brush

—  
 Cut on a random line  
 bet sec. 11 and 14.

Na. 12° 30' E

T. 7 S. R. 8. E. G. S. R. W.  
Chains

4000

8015

Set temporary  $\frac{1}{2}$  sec cor  
Intersect NW  $\frac{1}{4}$  line of  
the township at 8 rods  
south of cor. to sec 11, 12  
13 and 14. Thence I run  
S 89.7 W on a true line  
bet sec 11 and 14 with  
same ca.

4007

Set a post 3 ft long 3 ins  
sq. with marked stone 12 in  
in the ground for  $\frac{1}{2}$  sec  
cor marked  $\frac{1}{2}$  in on face.  
Dig pits 18 x 18 x 12 ins  
E and W of post  $\frac{1}{2}$  ft  
dist. and raised a  
mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft bare around  
post.

T. J. S. R. S. C. G. S. R. M.

Chains

5520 Road bears W E & S. W.

8025 The Corner to Secs 10 11 14 and 15

Surface level

Soil first rate

Good grass.

Scattering mesquite brush

with bet Secs 10 and 11

va 12° 30' E.

920 Dry wash 1/2 block wide Co. S.

2268 Foot of mountain ascend at an angle 20° 10'

2860 Top of mountain bears E W

thence over mountain ridges

to base of alluvium and

4000 Set a granite rock 18 in x 8

in x 12 in in the ground

for 1/4 sec cor, marked 1/4

on W face and raised

a mound of stone along

side. Pits impracticable.

8000 Set a granite rock 20 in x 7

in x 12 in in the ground



T. 17 S. R. 8. E. G. 1 S. R. M.  
Chains

for Cor, to Sec 2, 3, 10 & 11  
marked with 2 notches on  
E and 5 notches on S edges  
and raised a mound  
of stone alongside. Pits  
impracticable.

Surface mountainous  
Soil fourth rate  
Grass poor  
Scattering mesquite and  
Catsclaw brush.

---

Cast on a random line  
bet sec 2 and 11  
va 12° 30' E.

4000  
8000 Set a temporary 1/4 sec cor  
Intersect N x S line of the  
township at 20000 S of cor.

T. P. R. S. C. G. W. S. R. W.

Chains

to secs 1, 2, 11 and 12,  
 Hence Run S 89° 54' W on  
 a true line bet sec 2 and  
 11 with same wa.

700 Ascend mountain at an angle  
 of 21°

4007 I make the correct allowance  
 and set a granite rock  
 16 x 17 x 7 ins 10 ins in the  
 ground for 1/2 sec cor,  
 marked 1/2 on W face and  
 raised a mound of stones  
 alongside site impericible.

801 The Corner to sec 2, 3, 10,  
 and 11.

Surface mountainous  
 Soil first and fourth rate  
 Sugar poor -  
 Scattering magnito and  
 Cats claw brush.

39

J. S. R. S. & G. S. R. M.

Chains

North line a random  
line set see 2 and 3

Wa 12° 30' E.

1090  
8024

Set temporary 1/4 sec cor  
Intersect N. boundary of  
the township at 18 sec  
west of cor. to sees 2  
3, 34, and 35, which is  
a granite 10 x 8 ins firmly  
set in the ground marked  
with 2 notches on the E  
and 4 notches on W edges  
and mound of stone alongside  
Thence I run S 81° W  
on a true line bet sees.  
2 and 3. Ascend at an  
angle of 28°

1620

Top of mountain bears S. E.



J. J. S. R. S. E. G. S. R. S. V.

Camp

and SW and descends at an angle  
of  $28^{\circ}$ . After making course allowance I  
40 24 Saw Granite rock 16 x 12 x 8 ins  
10 ins in the ground for  $\frac{1}{2}$  sec  
was marked  $\frac{1}{2}$  ft on W face and  
raised a mound of stone along side  
Pits impracticable.


8000 The corner to sec 7, 8, 10 and 11  
Surface mountainous  
Soil fourth rate  
No Grass  
Scattering brush.

Carefully examined the  
adjustments of my solar  
transit today particularly  
the latitude and reversing  
Apparatus and found them  
Correct.

Nov. 17. 1884.

3

Ch



S. 17. S. R. E. G. & S. R. M.

chains

From the corner to sec  
 3, 4, 33, and 34 on the  
 South boundary of the  
 Township which is a  
 granite rod  $12 \times 5$  firmly  
 set in the ground  
 marked with 3 notches  
 on E and 3 notches on  
 Wedge with pits  $18 \times 18$   
 $\times 12$  ins in each  $5\frac{1}{2}$   
 ft distant and a  
 mound of earth 2 ft  
 high,  $4\frac{1}{2}$  ft around  
 Thence I run N  
 by  $33$  and  $34$ .

N  $17^{\circ} 30'$  E.

- 1600 Dry wash 40 rods wide to S.E.  
 2000 Road bears N.E. & S.W.  
 4000 Set a post 3 ft long 3 ins



T. 17 S. W. 8 E. 4 & 5 R. 2 W.

Chains

sq with marked stone.  
 12 ins in the ground  
 for  $\frac{1}{2}$  Sec Cor marked  $\frac{1}{4}$  in  
 on W face. Aug pits  
 18 x 18 x 12 ins W & S of post  
 $5\frac{1}{2}$  ft distant and raised  
 a mound of earth  $1\frac{1}{4}$  ft  
 high  $3\frac{1}{2}$  ft. base  
 around post.

So... Set a post  $4\frac{1}{2}$  ft long & in  
 sq with marked stone  
 12 ins, in the ground  
 for Cor to Dec 27, 28, 33  
 and 34 marked 9 17 &  
 22 on W & R 8 E & 34 on  
 S E. & 33 on S W and  
 S. 28 on W W. faces with  
 3 notches on E and  
 1 notch on S edges.

T. 17 S. R. 8 E. G. V. S. R. M.

Chains

Dug pits 18x18x12 ins in  
each sec 5 1/2 ft dirt and  
raised a mound of earth  
2 ft high 4 1/2 ft base  
around pit.

Surface level

Soil fruit rate

Good grass

Scattering mesquite and  
Paloverde brush.

=====  
Cut on a random line  
bet, Sec 27 and 34

N 12° 30' E.

4000 Sec temporary 1/4 Sec Cor  
7998 Intersect NW 1/4 line of  
the township at 10 E  
N of cor to sec 26, 27, 34  
and 35. Thence I run

T. J. R. O. &amp; G. V. S. R. M.

Chains

<sup>89</sup>  
 N <sup>89</sup> 56 W on a true line  
 Set sec 27 and 34 with  
 same var.

39.99 Set a post 3 ft long 3 in  
 sq with marked stone 12  
 in in the ground for  
 1/4 sec cor marked 1/4 S  
 on W face. Dig pits  
 18 x 18 x 12 in E and W of  
 post 5 1/2 ft distant and  
 raised a mound of  
 earth 1 1/2 ft high 3 1/2 ft  
 base around post.

49.98 The corner to Secs 27, 28  
 33 and 34.

Surface level. Soil fine rate.  
 Good grass. Scattering brush



T. 17 S. R. 8. E. G. V. S. R. M.

Chains

North let Sec. 27 and 28  
run  $11^{\circ} 30' E.$

- 1900 Ascend foot of mountain  
at an angle of  $11^{\circ}$   
After making allowances  $\pm$ .
- 4000 Set a granite rock  $16 \times 12 \times 8$   
ins. 10 in. in the ground  
for  $\frac{1}{2}$  sec. cov. marked  
 $\frac{1}{2}$  on W face. And raised  
a mound of stone along side  
Set's impracticable.
- 4300 Top of mountain bear Cr. W  
Descend at an angle  $18^{\circ} 5'$
- 4700 Foot of mountain enter valley.  
After making correct allowances
- 5000 Set a granite rock  $8 \times 8 \times 8$   
ins. 5 ins. in the ground  
for cov. to sec's 2, 22, 27  
and 28. marked with 3  
notches on E and 2 notches  
on S edge. Aug Set's

T. 17. S. R. 8. E. G. & S. R. M.  
chains

18x18x12 ins in each sec  
5 1/2 ft dit, and raised a  
mound of earth 2 ft high  
4 1/2 ft base alongside  
Surface mountainous  
Soil fruit and fourth rate  
Good grass  
No timber.

Cast on a random line  
bet sec 22 and 27  
wa 12° 30' E

4000 Set temporary 1/4 sec cor.  
80.10 Intersect NW 1/4 line of  
the township at 8 line  
S. of cor. to sec 22, 23,  
26 and 27.

Thence I run S <sup>89°</sup> 00' 7 1/4  
on a true line bet sec

T. 17 S. R. 8. G. 4 S. R. M.  
Main

22 and 27 with same va.  
40.05 Set a granite rock  $12 \times 7$   
 $\times 6$  in 8 in in the ground  
for 1/2 sec cov marked 1/2  
on N face. Sugg pits  $18 \times$   
 $18 \times 15$  ins E & W of rock  
 $5 \frac{1}{2}$  ft dist, and raised  
a mound of earth  $1 \frac{1}{2}$  ft  
high  $3 \frac{1}{2}$  ft base alongside  
5120 Road bears N & S

8010 The cov, to sec 21, 22,  
27 and 28.

Surface level  
Soil fruit rate  
Scattering mesquite and  
Catsclaw bush.

North sides 21 and 22

va  $12^{\circ} 30'$  E.



T. 17 S. R. 8. E. G. W. S. R. M.

Chains

4000 Set a granite rock 16 x 10 x 6  
 ins 3/4 in in the for 1st  
 Sec Cor, marked 1/4 on  
 W face. Aug sets 18 x 18 x 12  
 in NW S of rock 5 1/2 ft  
 dist. and raised a  
 mound of earth 1 1/2 ft  
 high 3 1/2 ft base along side

4400 John Gardner house & chains  
 west of the line.

5200 Dry Wash H. B. wide co, E  
 1/2 27 Road bears E x W.

6100 over rolling hills along  
 foot of mountain

8000 Set a granite rock 18 x 10  
 x 8 ins 1 1/2 ins in the ground  
 for cor, to secs 15, 16, 21  
 and 22. marked with  
 3 notches on E. and

T. J. R. S. E. G. S. R. O. N.

Chains

3 notches on S edges. And raised a mound of stone alongside. Pits impracticable. At the foot of the mountain on E side surface rolling. Soil second rate.

Good grass.

Scattering mesquite and Catclaw brush.

—  
 Cut on a random line  
 bet Sec 15 & 22

Or  $12^{\circ} 30' E$ .

40.00 Set temporary  $\frac{1}{4}$  Sec cor.

79.92 Intersect NW S line of the township at 10 chs W of cor to Sec 14, 15 & 22.

And 20. Thence run N  $89^{\circ} 56' W$  on a true line

A. J. S. R. S. C. G. V. S. R. M.

Chains

bet sec 15 and 22 with  
same va.

9042 Road bears W & S.

9318 Dry wash 30 sec wide Co. S.

9996 Lava pit 3 ft long 3 ins sq -  
with marked stone 12 ins  
in the ground for  $\frac{1}{4}$  sec  
Co., marked  $\frac{1}{2}$  ft on W face  
Dry pits 18x18x12 ins ESW  
of post  $\frac{1}{2}$  ft dist. and  
raised a mound of earth  
 $\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
around post.

1100 Road bears NW  $\frac{1}{2}$  and SW.

6300 Dry wash 10 sec wide Co. S.

7992 The Co., to see 15 16 21 & 22  
Soil 2' or alt  
Surface rolling. Good grass.  
Scattering mesquite and Catalpa brush



T. 7 S. R. 8. G. V. S. R. M.  
Chains

North bet Secs 15 and 16  
No 15° 30' E.

Along foot of mountain  
ridge on E side.

10.00 Set a granite rock 16x8x7  
ins. 10 ins in the ground  
for 1/2 sec cor, enclosed 1/2  
on W face. And raised  
a mound of stone along  
side. Pits impracticable.

80.00 Set a granite rock 12x10x8  
ins 8 ins in the ground  
for cor to sec 9, 10, 15 & 16.  
Marked with 3 notches  
on E and 4 notches on S  
edges. Dug pits 18x18x12  
ins in each sec 5/8 ft deep  
And raised a mound of  
earth 2 ft high 4 1/2 ft base

T. 7 S. R. 8 E. G. 1 R. M.  
 Chains

alongside.

Surface level

Soil fruit rate.

Soil grass.

Scattering mesquite and  
 Outclaw brush.

—  
 Cut on a random line  
 bet sec 10 and 15

va  $12^{\circ} 30' E$

4000 Set temporary  $\frac{1}{2}$  sec cor.  
 7994 Intersect NW line of the  
 township at 7<sup>th</sup> S of  
 Cor, bet sec 10, 11, 12 and  
 15. Thence I run S.  
 $89^{\circ} 57'$  on a true line  
 bet sec 10 and 15 with  
 same va.

T. J. S. R. S. O. G. V. S. R. O. W.

Chains

3997

Set a granite rock  $12 \times 10 \times 8$   
 ins pins in the ground  
 for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$   
 on W face. dug pits  $18 \times 18$   
 $\times 12$  ins E & W of rock  $5\frac{1}{2}$  ft  
 dirt and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$   
 ft bar alongside.

4300

Dug wash 20 lbs wide cor. S. E.

7994

The cor. to sec 9, 10, and 16.  
 Surface level  
 Soil fruit rate  
 Good grass  
 Scattering mesquite and  
 Catclaw brush.

---

 North bet sec 9 and 10

 (Var  $12^{\circ}$   $30'$  E)



T. & S. R. S. E. G. & S. R. M.  
Chains

- 26.00 Foot of mountain and  
ascend at an angle of 25°
- 40.00 After making correct  
allowances I set a  
granite rock 12 x 10 x 9  
ins. 8 ins in the ground  
for 1/2 Sec cor, marked  
1/2 on W face, and  
raised a mound of  
stones alongside. Not  
impracticable.
- 64.00 Top of mountain bear  
S. W. Thence across same
- 78.00 Along SW. Slope of mountain  
After making correct allowances
- 80.00 Set a granite rock  
18 x 16 x 10 ins 12 ins in  
the ground for Cor  
bet Secs, 3, 4, 9 and 10

T. 7. S. R. 8. E. G. S. R. M.

Chains marked with 3 notches on E and  
5 notches on S. edges

And raised a mound  
of stones alongside.

Pit, impracticable.

Soil mountainous

Soil fourth rate

Grass poor.

No timber.

=====  
Cut on a random line  
bet sec. 3. and 10.

wa  $12^{\circ} 30' 0''$  C.

4000 Set a temporary  $\frac{1}{4}$  Sec Cor  
8016 Intersect W. S. line of  
the township at 24<sup>th</sup> Sec  
S. of cor. to sec. 2. 3.  
10 and 11. Thence A  
run S  $89^{\circ} 50'$  W on a  
true line bet sec.  
3 and 10 with same wa

T. 7. S. R. 8. E. G. V. S. R. M.  
Chains

- |       |   |
|-------|---|
| 6.00  | Top of mountain ridge and descend   |
| 13.00 | Top of mountain and ascend<br>at an angle of $24^{\circ}$   |
| 27.00 | Descend mountain at an<br>angle of $14^{\circ}$ and enter<br>valley.  |
| 40.08 | After making correct<br>allowances I set a<br>granite rock $12 \times 9 \times 7$<br>ins. 8 ins in the ground<br>for $\frac{1}{4}$ Sec cor, marked<br>$\frac{1}{4}$ on W face. And raised<br>a mound of stones<br>alongside. Pits imprac-<br>ticable. |
| 80.16 | The cor. to sec 3. 4. 9 & 10.<br>Surface mountainous<br>Soil fourth rate<br>No Grass  |



J. S. R. S. E. G. S. R. M.  
Chains

No timber.

North on a random line  
bet sec 3 and 4

wa  $120^{\circ} 30' E.$

40.00 Set a temporary  $\frac{1}{4}$  sec cor.

80.17 Intersect W. boundary of  
the township at 27 sec  
W of cor to sec 3, 4.

33 and 4, which is a  
granite rock & is firmly  
set in the ground marked  
with 3 notches on E and  
3 notches on W. edges  
with mound of stone alongside.  
Thence run  $S^{\circ} 9' W$  on  
a true line bet sec 3  
and 4 with same wa.  
Ascend, gradually along

T. J. S. R. S. O. G. W. S. R. M.

Harris

NW slope of mountain.

4012 Set a granite rock 16x12x8  
 in's across in the ground  
 for 1/2 sec and raised  
 1/2 on W face and raised  
 a mound of stones alongside  
 It's impracticable.

8012 The Cor to sec C. F. 9 and 10  
 Surface mountainous  
 Soil fourth rate  
 Grass poor  
 Scattering scrubby oak

Nov. 18, 1887.

J. S. R. S. C. G. S. R. M.

Chains

From the iron to sec 45,  
34 and 33 on the boundary  
of the township which is  
a granite rock 16x10 ins  
firmly set in the ground  
marked with 4 notches  
on E and 2 notches on  
W. edges. And raised  
a mound of stones  
alongside. It is impermanent.

Thence Run N.  
bet sec 32 and 33  
va  $12^{\circ} 30' E.$

200 Top of mountain and ascend  
at an angle of  $9^{\circ}$

1200 Top of mountain ridge and  
thence over drop gulches  
and rocky ridges

4000 After making correct



T. 17. S. R. 8. E. G. 1. R. M.  
Chains

Allowances I set a  
granite rock 16 x 14 ins  
10 ins on the ground  
for the sun eye marked  
1/2 on W face and raised  
a mound of stones along-  
side. Sets impracticable

41.00 Ascend over E. end of  
mountain ridge at an  
angle of  $28^{\circ}$

73.00 Top of mountain thence  
along East slope. After making  
circuit allowances 2-

80.00 Set a granite rock 16 x  
12 x 8 ins 10 ins the  
ground for cor to sun  
28.29, 32 and 33 marked,  
with 4 notches on E and  
1 notch on S. edges  
and raised a mound.

T. 17 S. R. 8 E. G. 4 S. R. 2 W.

Chairs:

of stones alongside. Pits  
unpracticable.

Surface mountainous  
Soil fourth rate  
Grass fair  
No timber.

=====  
Cut on a random line  
bet Sec 28 and 33  
va  $12^{\circ} 30' E.$

4090 Set a temporary 1/2 sec on  
7992 Intersect N & S line of the  
township at 12 lvs. So far  
to sec 27, 28, 33 and 34.

Thence Run S  $89^{\circ} 00' W$   
on a true line bet sec  
28 and 33 with saw va.  
Ascend E. end of mountain  
at an angle of  $34^{\circ}$

T. 17. S. R. 8. E. S. 1. R. 2. W.  
Chains.

of stones alongside. It is  
unpracticable.

Surface mountainous

Soil fourth rate

Grass fair

No timber.

Cast on a random line  
bet secs 21 and 28

va  $12^{\circ} 30' S$

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

8016 Intersect N & S line of the  
township at 20  $\frac{1}{2}$  S of cor  
to secs 21, 22, 27 and 28

Thence run  $S 29^{\circ} 52' W$

on a true line bet secs

21 and 28 with same va.

Along North side of mountain

9.00 Ascend mountain at an  
cannon or iron work  
and run on



J. S. R. S. G. J. R. M.  
 Chavis

angle of  $26^{\circ}$

16.00 Descend mountain and enter valley.

4008 After making correct allowance I see a granite rock  $12 \times 10 \times 8$  ins  $8$  ins in the ground for  $\frac{1}{4}$  sec cor, marked on W. face and raised a mound of stones alongside Pitts impracticably.

8016 The cor. to sec 20, 21, 28, 29. Surface mountainous, Soil fourth rate, Grass fair, No timber.

North bet sec 20 & 21

NW  $12^{\circ}$   $30^{\circ}$  E

18.80 Sup. wash 20 ft wide cor.

T. J. S. R. S. C. G. S. R. M.  
Chains

- 1000 Set a granite rock  $11 \times 10$   
 $\times 6$  ins 9 ins in the ground  
 for  $\frac{1}{4}$  Sec. cov marked  $\frac{1}{4}$   
 on W. face And dug  
 pits <sup>18x18x12</sup> W & S  $5\frac{1}{2}$  ft dist. and  
 raised a mound  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base alongside.
- 1800 Run wash 38 W into C. C.
- 8000 Set a granite rock  $12 \times 10$   
 $\times 9$  ins 8 ins in the ground  
 for cov, to see 16. 7. 20  
 And 21, marked with  
 4 notches on E and 3  
 notches on S edge. Dug  
 pits  $18 \times 18 \times 17$  ins in each  
 sec.  <sup>$5\frac{1}{2}$  ft dist</sup> And raised a mound  
 of earth 2 ft high  $4\frac{1}{2}$  ft  
 base alongside.

Surface rolling  
 canon worn  
 and viewed

J. J. S. R. S. C. G. S. R. M.  
Chains

Soil first rate.

Grass fair

Some Mesquite and  
Catsclaw brush.

Out on a random line bet  
secs. 16 and 21.

va  $12^{\circ} 31' E$

4000 Set temporary  $\frac{1}{4}$  sec cor.

8020 Intersect W & S line at 12  
sec N. of cor. to secs 15-16, 21.

and 22 Thence run N

~~20~~<sup>89</sup> 55' W on a true line

bet secs 16 and 21 with same

va.

12.10 Ascend Mountain at an  
Angle of  $31^{\circ} 20'$

17.00 Top of Mountain and descend  
at an angle of  $34^{\circ}$ .



T. J. S. R. S. C. G. S. R. M.

Chains

2200 Top of mountain ridge

40.10 After making correct allowances

I set a granite rock 14x12x8

ins high in the ground

for 1/2 sec cov marked 1/4

on <sup>2x</sup> face. Dug pits 18x

18x12 ins E-W 1/2 feet

and raised a mound of

earth 12 ft high 3 1/2 ft

bare alongside.

41.90 Road bears SE and NW

62.75 Dry wash 40 lbs wide as SE.

80.20 They cov, to sec 16, 17, 20, 21

Surface rolling.

Grass fair

Soil first water

Dense mesquite and

Cottonwood brush.

Succession  
and view

J. 17 S. R. S. E. G. V. S. R. M.

Chain

North bet sec 16 & 17  
No 120 30 E.

38.00 Enter dry wash cor S.E.

39.70 Leave dry wash.

40.00 Set a granite rock 12x18x9  
ins in the ground  
for 1/2 sec cor, marked 1/4  
on surfaces. Aug pits  
18x18x17 ins (W.S. 5/8 ft dirt  
and raised a mound  
of earth 1 1/2 ft high 3 1/2  
ft base along side.

57.00 Enter dry wash. Thence up same.

59.10 Road bears N.W. & S.E.

62.00 Leave dry wash.

80.00 Set a granite rock 12x9x8 ins  
in the ground for  
cor, to sec 8, 9, 16 and 17  
marked with 4 notches on E.  
marked with 4 notches on W.

T. J. S. R. S. C. G. S. R. M.  
Chains

and 4 notches on S. edges  
And raised a mound of  
stones alongside. Pits  
impracticable.

Surface broken  
Soil second rate  
Grass fair  
Hensie Catsclaw and  
mesquite brush.

—————  
Cay on a random line  
bet sec 9 and 16,  
va  $12^{\circ} 30'$  E.

4000 Set a temporary  $\frac{1}{4}$  sec cor  
8020 Intersect W. line at 12  
E. W. of cor to sec 9, 10  
15 and 16 Thence I run  
N  $89^{\circ} 55'$  W on a true line  
bet sec 9 & 16 with same va.

J. J. S. R. S. C. G. V. S. R. M.

Chains

19.00 Ascend mountain at an angle of 28°

22.00 Top of mountain ridge from sec 8. After making correct allowance for

40.10 Set a granite rock 20x12x6 in pits in the ground for 1/2 sec cor, marked 1/2 on the face, and raised a mound of stones alongside. Pits imperceptible.

80.20 The cor to secs 8, 9, 16 & 17. Surface mountainous. Soil fourth rate.

No Grass  
No timber

—  
Dip bet secs 8 and 9  
wa 12° 30' E

Along foot of mt ridge.

40.00 Set a granite rock 12x8x6 in mound of stones along road



J. J. S. R. S. E. G. V. S. R. M.  
Chains

ins. 8 ins in the ground. for  
1/4 sec cor marked 1/4 on W  
face. And raised a mound  
of stones alongside. Cuts  
impracticable.

5800 Tabago's Pipe W of line about 14 ch.

7800 Spring E of line 75 lbs Co. W.

8000 Set a Granite rock 15 x 10 x 4

ins 10 ins in the ground  
for cor to sec 8. 8 & 9.  
marked with 4 notches on  
E and 5 notches on S edges  
And raised a mound  
of stones alongside. Cuts  
impracticable -

Surface broken. Soil thin rate  
has few. Scattered scrubby  
Insects and cats claw brush.

No. 902

J. 17 S. R. S. C. G. S. R. M.

Chain

East on a random line  
bet sec 4 and 9

va  $12^{\circ} 30' E.$

4000 Set temporary  $\frac{1}{4}$  sec cor.

8010 Intersect N. ~~S.~~ line at

2000 S of Cor to sec

3, 4, 9 and 10. Thence

I run S  $89^{\circ} 52'$  W on

a true line bet sec

4 and 9 with same va.

3700 Ascend mountain at an

angle of  $19^{\circ}$

4000 After making correct

allowances I set a granite

rock  $14 \times 12 \times 8$  ins 9 ins

in the ground for  $\frac{1}{4}$

sec cor. marked  $\frac{1}{4}$  on <sup>st</sup> ~~th~~

face and raised a

mound of stones alongside

7. S. R. S. E. G. V. S. R. W.

Quinn's

It's impracticable.

64.00

Top of mountain head SW  
and S.E. descend same  
at an angle of  $31^{\circ}$

8010

The corner to sec 4, 5, 8 & 9.  
Surface mountainous  
Soil fourth rate  
No Grass  
No timber.

Walk on a random line  
bet Sec 4 and 5  
at  $12^{\circ} 30' E.$

46.00

Set temporary  $\frac{1}{4}$  sec cor

8012

Intersect the N. boundary  
of the township at 1600  
W. of cor to Secs 32  
and 33. Which is a  
granite rock 18x14x3



T. J. S. R. S. C. G. V. S. R. M.  
 Linn

ins, firmly set in the ground  
 marked with 4 notches on E  
 and 3 notches on W. edges  
 and mound of stones  
 Alongside. Hence I saw  
~~4~~ <sup>7</sup> 5' 11" on a true  
 line bet sec 4 and 5.  
 Descend mountain.

4012 After making correct  
 allowance I set a granite  
 rock 18x10x7 ins, 4 ins  
 in the ground for 1/2 sec cor  
 marked 1/4 on W face,  
 and raised a mound of stone  
 alongside. It is empirically  
 8012 The cor to sec 4.5 ~~8~~ ~~8~~ <sup>9</sup>  
 Surface rocky and mountainous  
 Soil worthless. Grass poor  
 Scattered by scrubby oak.



# 17 S. R. S. C. G. S. R. M.  
hains

I carefully examined  
the adjustment of my  
Solar Transit to day  
particularly the latitude  
and meridian altitudes  
and found them correct.  
Nov 19 1884.

---

From the cor, to see  
56, 31 and 32 on the  
S boundary of the  
township which is  
a granite rock 18x12  
in, firmly set in the ground  
marked with 5 notches  
on E and 1 notch on  
W edge. And around  
of stones along side.  
Thence I run N, bet

## G. S. R. S. O. G. S. R. M.

Chains

Sec 31 and 32

No 12° 30' E.

1000 Dry wash 1500 wide  $\approx$  1/2  
over rolling land3900 Dry wash 1000 wide  $\approx$  1/2 E.4000 Set a granite rod <sup>in place</sup> N 34° 30'  
ft above ground which  
with a (+) at exact cor point  
I marked for 1/2 sec cor  
placed 1/2 on W face  
and raised a second  
of stones alongside.

It is impracticable.

4500 The Second Chain Mill-  
site 20 chains N. on line.5000 Top of mountain and ascent  
at an angle of 32°7100 Top of mountain bears  
N <sup>80°</sup> W and S <sup>50°</sup> E.

Descend mt at an angle of 30°

T. 7. S. R. S. E. G. V. S. R. M.

chain

80.00

After making correct allowance I set a granite rock  $18 \times 10 \times 8$  ins  $17$  ins in the ground for cor. to sec. 29, 30, 31 and 32 marked with 5 notches on N. And 1 notch on S. edge. And raised a mound of stones along side. It's impracticable surface mountainous. Dry third rate. Grass fair. Scattered brush.

East on a random line  
 to sec 29 and 32.  
 va  $12^{\circ}$  30' E

10.00

Set a temporary  $\frac{1}{4}$  sec cor.

T. 17 S. R. 26. G. S. R. M.  
Chains

80.28 Intersect W. K. line at  
20 W. N. of cor. to see  
28, 29, 32 and 33  
Thence run W <sup>89°</sup> 57' N  
on a true line bet see  
29 and 32 with same  
va.

40.14 Around along N.E. slope  
of cut at an angle of 22°  
After making correct  
allowances I set a  
granite rock 15 x 14 x 8  
ins 12 ins. in the ground  
for 1/2 sec cor marked  
with 1/4 on W. faces.  
And raised a mound  
of stones along side  
Pits impracticable.

80.28 The cor to see 29, 30, 31 & 32  
see 29, 30, 31, 32



417 S. R. S. E. S. V. S. R. M.

ains

Surface mountainous  
Soil worthless  
No Grass  
No timber

Went on a random line  
bet sec 30 and 31

va  $12^{\circ} 30' E$ .

40.00  
78.80 Set temporary  $\frac{1}{4}$  sec cor.  
Intersect the W boundary  
of the township at 8 lbs  
S of cor to sec 20, 30, 31  
and 36 which a granite  
rock 18x8 ins firmly set  
in the ground. Marked  
with 2 notches on N, and  
1 notch on S edge. And  
ground of stones alongside  
Thence run S  $89^{\circ} 57' N E$

J. 17. S. R. S. E. G. W. S. R. M.

- 12.00 on a true line bet sec  
30 and 31 with same va
- 24.00 Ascend mountain at an angle of  $38^{\circ}$   
Top of mt. ridge and descend  
at an angle of  $31^{\circ}$
- 32.00 Ascend mt. ridge at an angle of  $30^{\circ}$
- 37.00 Spring S of line 25 sec.
- 38.80 After making correct  
allowance set a mark  
 $18 \times 10 \times 8$  ins, 12 ins in the  
ground for <sup>1/2</sup> in marked  
1/2 on a fence and raised  
a mound of stones alongside.  
Pits impracticable.
- 65.00 Top of mt. ridge bears  
NW and SE. Descend  
SW slope at an angle of  
 $28^{\circ}$
- 78.80 The cor to sec 29, 30, 31, 32

T. J. S. R. S. E. G. V. S. R. M.

Chains

Surface mountainous  
Soil fourth rate.  
Grass fair.  
No timber

North bet Sec 29 and 30  
N 12° 30' E

2700 Dry wash 1500 wide Co. E.

Ascend but at an angle of 25°

4000 After making correct  
allowance I set a  
granite rock 12 x 10 x 9 in.  
8 in. in the ground  
for 1/2 sec. cor., marked 1/2  
on W face, and raised  
a mound of stones alongside  
It is impracticable.

4100 Top of our bears E & W  
Thence across same

#17 S. R. S. G. W. S. R. M.

Chains

61.00 Sward W slope of mt at  
an angle of  $56^{\circ}$

80.00 After making correct  
allowance I set a  
granite rock 20x12x8 in  
15 in in the ground  
for cor to sec 1920.29  
And 30 marked with  
5 notches on E and 2  
notches on S edges.  
And raised a mound  
of stones along side.  
Rite impracticable.  
Surface mountainous  
Soil fourth rate.  
Grass fair  
No timber

---



17. S. R. S. C. G. V. S. R. W.

ains

East on a random line  
bet Secs 20 and 29.

var  $12^{\circ} 30' E.$

40.00 Set temporary  $\frac{1}{4}$  sec cor.  
8012 Intersect W & S line at 1st  
lks S of line to sec 20,  
21, 28 and 29 Thence I  
run S  $89^{\circ} 55' W$  on a true  
line bet Secs 20 and 29  
with same var.

4.50 Deep canon soals under es, W.

40.06 After making correct  
allowances I set a granite  
rock  $14 \times 12 \times 6$  ins in  
the ground for  $\frac{1}{4}$  sec cor  
marked on W face, and  
raised a mound of  
stones alongside. Site  
unpracticable.

T. 17 S. R. 8 E. G. 4 S. R. 10 W.

lain

1000 Descend along W slope  
of mt at an angle of  $15^{\circ}$   
2017 The cor to secs 19, 20 and 30  
Surface mountainous  
Soil fourth rate  
Grass poor.  
No timber.

West on a random line  
bet sec 19 and 30  
to  $12^{\circ} 30' E$ .

4000 Set temporary 1/4 sec cor  
7861 Intersect W boundary  
of the township at 18  
ells W of cor. to secs  
19, 24, 25 and 30. which  
is a granite rock 20x10  
ins firmly set in the  
ground, marked with  
1/2 ft high 3/2 ft

Fig. A. R. S. C. G. V. S. R. M.  
Chains

4 notches on W and 2  
notches on S edges  
And mound of stones along  
side. <sup>Thence I run N 89° 52' E of a</sup>  
line bet Secs 19 and 20

7.90 Put Chance well site about  
6 chains S of line

38.61 I set a granite rock  
24 x 14 x 12 ins 18 ins in  
the ground for 1/4 sec  
by marked 1/4 on W-  
face, and raised a  
mound of stones along  
side. It is impracticable.

50.00 Dry wash 1000 wide or W

69.00 Dry wash 700 wide or W

69.90 Dry wash 1500 wide or W

78.61 The cor. to sec. 19, 20, 29  
and 30.

Surface rolling

T. J. S. R. S. E. G. S. R. M.

Chains

Soil third rate.  
 Grass fair  
 Scattering oak and  
 Catclaw brush

North lot sees 19 and 20  
 no 17. 30' S

120 Dry wash 10 ft wide to 200.  
 3420 Dry wash 80 ft wide to 200.

This is the main drainage.

4000 Set a granite rock 18x15x8  
 viz 12 ins in the ground  
 full sun cov marked 1/4 on  
 its faces. Dug site 18x18x  
 12 ins over 1/2 ft dist  
 And raised a mound  
 of earth 1/2 ft high 3 1/2 ft  
 base all around.

Point of rock S W line.  
 1/2 chain 1/2 ft high 3/2 ft



T. J. S. R. S. O. G. V. S. R. M.  
Chambers

80.00 Set a post 4 ft high at  
 this sq. with marked  
 stone <sup>2 in in the ground</sup> for cor to sec 17  
 18, 19 and 20 marked  
 T. J. S. S. 17 on N.E. R. S. O.  
 S. 20 on S.E. S. 19 on SW  
 and S. 18 on NW faces  
 with notches on E and  
 3 notches on S edge.  
 Aug pits 18x18x12 in in  
 each sec. 5 1/2 ft dist and  
 raised a mound of earth  
 4 ft high, 4 1/2 ft base  
 around post.  
 Surface rolling  
 Soil second rate. Grass fair  
 dense mesquite and  
 cats claw brush.

T. J. S. R. &amp; G. G. S. R. M.

Chain

Cut over a random line  
 bet sees 17 and 20  
 va  $120^{\circ} 30' S$

46.00 Set temporary  $\frac{1}{4}$  sec cor.

80.12 Intersect NW line at  
 16 lks S of line, to sees  
 16, 17, 20 & 21. Thence  
 run S  $89^{\circ} 53' W$  on a  
 true line bet sees 17 & 20  
 with same va.

13.66 Dry wash 20 lks wide cor SE

26.10 Dry wash 30 lks wide cor SE

40.16 Set a granite rock 18 x 12 x 12  
 ins, 10 ins in the ground  
 for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$   
 on N face. Aug pits 18 x 18  
 x 12 ins E & W  $5\frac{1}{2}$  ft dist  
 and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft

of S. R. S. O. G. V. S. R. M.

ins

4.00 Base of Warren Butte  
 18.70 The cor to sec 17, 18, 19 & 20  
 Surface rolling  
 Soil fruit rate  
 Good grass  
 Some Catsclaw and  
 Mosquito brush.

Nov. 20, 1884.

North bet sec 17 and 18  
 N  $12^{\circ} 30' E$ .

3500 Dry wash 2000 wide Co. S.

40.00 Set a granite rock  $18 \times 10 \times 7$  ins, 12 ins in the ground for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on all faces  
 Aug pits  $18 \times 18 \times 12$  ins  
 W & S  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base

T. J. S. R. S. E. G. V. S. R. M.  
 Chains

alongside.

78.58 Dug with 10 lbs wires S.E.  
 80.00 Six granite rock 18x7x6  
 ins, 14 ins, in the ground  
 for cor, to sec 7. 8. 1818  
 marked with 5 notches on  
 E and 4 notches on S edge.  
 Dug pits 18x18x12 ins, in  
 each sec, 5/8 ft dist and  
 raised a mound of earth  
 4 1/2 high 4 1/2 ft base alongside.  
 Surface rolling.  
 Soil second rate  
 Grass fair  
 Scattering mesquite  
 and Catsclaw brush.

---



R. S. & G. V. S. P. M.

is

Cut on a random line  
bet sec 8 and 17  
va.  $12^{\circ} 30' E.$

1000 Set temporary  $\frac{1}{4}$  sec cor  
9996 Intersect NW S line at 20  
lx S. of cor to sec  
7, 8, 17 and 18. Thence  
run S  $89^{\circ} 52' W$  on a  
true line bet sec 8 & 17  
with same va.

800 Dug wash. 11 ft wide @ SE  
130 Road base NW and SE  $10^{\circ}$   $10^{\circ}$

9998 Set a granite rock  $10 \times 9 \times 8$   
ins, 8 ins in the ground  
for  $\frac{1}{4}$  sec cor. Marked  $\frac{1}{4}$   
on W face. From which a  
meagrite 12 in diam, bears  
N  $6^{\circ} E$  98 lx dist marked  
 $\frac{1}{4}$  S. B. 5. Dug pits  $18 \times 18 \times 17$

T. 17. S. R. 86. G. S. R. M.  
Chains

in's East  $5\frac{1}{2}$  ft dist, and  
raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
Along side.

79.96 The point to sec 7, 8, 17 and 18.  
Surface rolling  
Soil Second rate  
Good grass  
Scattering Cats claw  
And mesquite brush.

West on a random line  
bet sec 7 and 18

ra  $12^{\circ} 30' E$

110.00 Set temporary  $\frac{1}{2}$  sec cor

70.38 Intersect N boundary of  
the township at 20 sec  
N. of cor to sec <sup>7, 12</sup> 13, 18.  
~~190.50~~ which is a

T. J. S. R. & E. G. S. R. M.  
 beams

Granite rock 20 x 10 ins  
 firmly set in the ground  
 marked with 2 notches  
 on W and 4 notches on  
 S edges. And mound  
 of stones alongside.  
 Thence I run W  $89^{\circ} 50'$  <sup>E</sup>  
 on a true bet sec 7 & 18  
 with same var.

38.38 A granite rock in place  
 4 x 2 x 2 ft above ground  
 which <sup>mark</sup> <sup>point</sup> <sup>with a cross (+) at crack cor</sup>  
 was <sup>marked</sup> <sup>1/2</sup> on W face  
 and raised a mound of  
 stones alongside. Pits impracticable.

5770 Dry wash 3000 wide to SE  
 Descend mt at an angle of  $3^{\circ} 45'$   
 77.90 Dry wash 1500 wide to SE

T. 14. S. R. 8. E. G. V. S. R. 8.

Chain

7838 The cor to sec 7, 8, 17, & 18  
 Surface mountainous  
 Soil fourth rate  
 Grass poor.  
 Scattering oak and  
 Catsclaw brush.

North Set sec. 7 and 8  
 Pa 12° 30' E

30.85 Dig Wash 200 ft. W. S.E.

40.00 Set a granite rod 12 x 10 x 7 in  
 deep in the ground  
 for 1/4 sec cor marked 1/4  
 on 10 faces. Dig pits 18 x 18 x 12  
 in 1/4 sec 1/2 ft dist and  
 raised a mound of earth  
 1 1/2 ft high 3 1/2 ft base  
 alongside.

58.00 C. H. Warner house



J. S. R. S. E. G. V. S. R. W.  
 Chains

on his pre-emption claim  
 bears W of line 25 chains  
 8000 A granite rock 10x8x7  
 ins. pins in the ground  
 for cor to sec 5, 7 & 8  
<sup>marked</sup>  
 with 5 notches on E and  
 5 notches on S. edges. dug  
 pits 18x18x12 ins in each  
 sec, 5 1/2 ft dist. And raised  
 a mound of earth 2 ft high  
 1 1/2 ft base alongside.  
 Surface level  
 Soil fruit rate  
 Grass poor.  
 Scattering Outselaw and  
 mesquite brush

Out on a random line  
 bet sec 5 and 8.

T. J. S. R. S. C. G. V. S. R. M.  
Chains

va  $12^{\circ} 31' E.$

4000 Set a temporary  $\frac{1}{4}$  sec cor

8010 Intersect W.S. line at 1600

S of cor to sec 4, 5, 8 and 9.

Thence run  $S 89^{\circ} 53' W$  on  
a true line bet sec 5 and 8  
with same va

2075 Run wash 30 sec  $W$  S.

Descend int at an angle  
of  $21^{\circ}$

3000 Papago Chief Tere about

$\frac{1}{4}$  chains S of line.

4075 <sup>05</sup> After making course allowances I  
Set a granite rock  $14 \times 10 \times 5$

ins in the ground

for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$  on all

faces. Dig pits  $18 \times 18 \times 12$  ins

E & W  $5 \frac{1}{2}$  ft dist and raised

a mound of earth  $1 \frac{1}{2}$  ft high

$3 \frac{1}{2}$  ft base along side -

T. 17. S. R. S. E. G. 4. S. R. M.

Chains

77.00 Dry Wash 30 lbs wide Co. S.E.

8010 The Co to sees 5, 6, 7 & 8.

Surface is level and mountainous  
Soil fruit and fourth rate  
Sugar poor  
Scattering brush.

West on a random line  
bet sees 6 and 7

ca 12° 30' S

40.00 Set temporary 1/4 sec cor.

7851 Intersect West boundary  
of the township at 12 lbs  
S. of co to sees 1, 6, 7 & 12

which is a granite 3 x 18  
in firmly set in the  
ground with 1 notch on N  
and 5 notches on S edges  
and mound of stones

T. 17. S. R. 8. E. G. & S. R. M.  
Chairs

alongside. Thence I run S  
89° 55' <sup>3</sup> W on a true line bet  
Sec 6 and 7 with same wa.

700 Center of Canow is S.E.

3700 ~~Angle of cut~~ 31° 20'

3851 after making correct allow-  
ances. I <sup>marked</sup> a granite <sup>rock</sup>

4 X 3 X 3 ft above ground with a  
cross + at <sup>exact</sup> cor point

for 1/4 Sec 6 marked 1/2  
on W face. and raised  
a mound of stones

alongside. It is <sup>not</sup> noticeable.  
Long bears S.E. at just 20 chains

4200 Descend cut at an angle of 21° 28'

5000 Dry wash 15 1/2 miles to S.E.  
Descend cut at an angle of 15°

7851 The cut to Sec 5, 6, 7 and 8  
Surface mountainous  
Soil worthless

No grass or timber



W. J. R. S. C. G. S. R. M.  
 Chains

Run on a random line bet sec 36  
 W  $12^{\circ} 30' E$

40.00

Set a temporary  $\frac{1}{2}$  sec cor.

80.00

Intersect N. boundary of  
 the township at 20 sec  
 W of cor. to sec 5, 6, 31

and 32 which is a granite  
 rock  $12 \times 12$  in firmly set  
 in the ground with

notches on E and 1 notch  
 on W edge and mound  
 of stones alongside  $.8'$

Thence run S  $09^{\circ} 15' W$   
 on a true line bet sec  
 5 and 6 with same  $1/2$  sec.

28.50

Top of mountain bear E  $11'$   
 Beyond at an angle of  $34^{\circ}$

40.60

After making correct  
 allowances I set a

J. J. R. S. C. G. S. R. M.  
 Harris

granite rock 18 1/2 x 6 ins 12  
 ins in the ground for 1/4  
 an in on surface  
 and raised a mound of  
 stones alongside pits  
 insignificant.

6200 Pitt of mountain 8  
 8160 The low to sea s. b. 5 1/2 x 5 1/2  
 Surface mountainous  
 Soil. Second and fourth rate  
 Grass poor  
 Scattering brush

carefully examined the  
 adjustment of my solar  
 transit to-day. Particularly  
 the latitude and reversing  
 altitudes and found them correct.  
 Nov 21 1884.

"General description."

The surface of this township is about evenly divided between mountains and level or rolling. The greater part of this level land is contained in the Eastern portion of the township. The soil here is first rate and produces a luxuriant growth of grass, also scattering mesquite trees, and some Paloverde. In the mountains scrubby oaks are found ~~in the mountains~~. There are several Springs of good water in the township.

Final Oath of U. S. Deputy Surveyor.

BOOK 902

I Johnston B. McLaughlin  
United States Deputy Surveyor, do solemnly swear that in  
pursuance of instructions received from Royal A.  
Johnson U. S. Surveyor General for Ari-  
zona bearing date of the 15<sup>th</sup> day of October

1888. I have well, faithfully, and truly, in my own proper  
person and in strict conformity, with the instructions furnish-  
ed by the U. S. Surveyor General for Arizona, the surveying  
manual and the laws of the United States surveyed the sub  
division of T. 17 S. R. 8 E. W. 3 N.

of the principal base and meridian in the Territory of Ari-  
zona, as are represented in the foregoing fields notes as having  
been surveyed by me and under my direction; and I do further  
solemnly swear that all the corners of the said survey have been  
established and perpetuated in strict accordance with the survey-  
ing manual, printed instructions, the special written instruc-  
tions of the U. S. Surveyor General for Arizona, and in the



specific manner described in the field notes, and that the foregoing are the true field notes of such survey, and should any fraud be detected I will suffer the penalty of perjury under the provisions of an Act of Congress approved August 8, 1846.

*Johnston B. Laughlin*  
U. S. Deputy Surveyor.

Subscribed and sworn to before me, this 22<sup>nd</sup>  
day of November 1884

*R. H. Herford*  
Notary Public.

*Prima facie*



Final Oaths for Surveys.

107

LIST OF NAMES.

BOOK 902

A List of the Names of Individuals employed by  
*James Laughlin* U. S. Deputy Surveyor to  
assist in running, measuring and marking the lines and  
corners described in the foregoing Field Notes of the survey of  
the *sub division lines of*

*T. 17. S. 8. E. 8. G. S. N. W.*

of the principal base and meridian in the Territory of Arizona,  
showing the respective capacities in which they acted.

- James Hardy* Chairman
- Thomas Wainborn* "
- Charles S. Sundry* Assessor
- Henry Ransom* "
- Charles Embers* Placerman



108

Final Oaths of Assistants.

We hereby certify that we assisted *Wm Laughlin*

U. S. Deputy Surveyor, in surveying

the sub-division lines of  
*T. 17. S. R. 8. E. W. S. R. M.*

of the principal base and meridian in the Territory of Arizona,  
as are represented in the foregoing field notes as having been  
surveyed by him and under his direction; and that said Survey  
has been in all respects, to the best of our knowledge and belief,  
well and faithfully surveyed, and the corner monuments es-  
tablished according to the instructions furnished by the U. S.  
Surveyor-General for Arizona.

*Frank J. Hardy*  
*Thomas Waybarn*  
*Chas L Lundy*  
*Charles Embere*



Subscribed and sworn to before me this *22*

day of *November* 188*8*

*J. B. McLaughlin*  
Notary Public

U. S. Surveyor General's Office,

Tucson, Arizona, Dec 10 1884

The foregoing Field Notes of the Survey of the

Subdivision Lines of  
Township 17 South  
Range 8 East

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by Johnston B. McLaughlin

Deputy Surveyor, under his contract of the 15<sup>th</sup>

day of October, 1884, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved

Royal A. Johnson  
Surveyor General.