

No. 905

# Field Notes

OF THE SURVEY OF THE

SUDIVISION LINES

— OF — No. 905

Township 20 S. Range 10 E.

*Gila and Salt River Base and Meridian*

ARIZONA.

By *George J. Roskrug* D. S.under contract dated *Mar. 5*, 1886.Survey commenced *Aug 16*, 1886.Survey completed *Aug 21*, 1886.

Field notes

of the No. 905  
Survey of the

Subdivision Lines

of  
Township No. 20 South  
Range No. 10 East

of the  
Gila and Salt River Meridian

of  
Arizona Territory  
as Surveyed by

George J. Roakruger  
U.S. Deputy Surveyor

Under his Contract No. 1


Dated March 5<sup>th</sup> 1886.

Survey commenced August 16<sup>th</sup> 1886.  
Survey completed August 21<sup>st</sup> 1886.



Township No. 20 S Range No. 10 E G & S R Meridian

1A



Township Plot. South Standard Parallel South.

- Meridian Line,
- Base Line,
- Standard Line,
- Township Lines,
- Section Lines,
- Meander Lines,
- Office Work,

BLK 905

1B

10

Township 20 South R. 10 East.

6	<del>92</del> <sup>94</sup>	5	70	4	53	3	37	2	19	1
<del>94</del>		91		68		52		35		18
7	90	8	67	9	50	10	34	11	16	12
<del>89</del>		88		65		49		32		14
18	86	17	64	16	47	15	30	14	13	13
<del>84</del>		73		62		46		28		11
19	81	20	61	21	45	22	26	23	9	24
<del>79</del>		78		59		44		25		7
30	77	29	58	28	42	27	24	26	5	25
<del>75</del>		73		57		41		22		3
31	72	32	55	33	38	34	21	35	2	36

For preliminary oaths  
see Book No. 1.



Subdivisions

Township 20 S. R. 10 E.

Gila and Salt River Meridians

Before commencing the survey of the subdivision lines of this Township I take an observation, using a Young & Sons Solar Transit, and find the magnetic variation to be  $12^{\circ}40'$  East. I run West on a blank line on the South boundary of Sec. 36, and at 40 chs. found the  $\frac{1}{4}$  Sec. Cor. and at 80 chs. found the Sec. Cor. My Transit will therefore run the same line as the Exterior Boundaries, and the Chaining practically agrees.

Survey commenced August 16<sup>th</sup> 1886.

I commenced at the standard cor. to Secs. 35 & 36 on the South Boundary which is a volcanic stone  $15 \times 8 \times 6$  ins. set firmly in the ground marked S.C. on the North west notch.

## Subdivisions Sp. 20 SR 10 E.

Continued.

Channel.

on E and S notches on W. edges,  
and pits  $18 \times 18 \times 12$  ins. in each sec.  
 $5\frac{1}{2}$  ft. dist. with mound of earth  
2 ft. high  $4\frac{1}{2}$  ft. base alongside,  
from which

Amoquite Cris. diam. brs. N.  $54^\circ$  W. 130 lts. dist.  
marked B. J. J. 20 R 10 S 35.

Thence Run

North bet. Secs. 35 &amp; 36.

Yat.  $12^\circ 40'$  E.

34.00 Road from Arivaca and Oro Blanco  
to Tucson, course South  $35^\circ$  W.  
and North  $45^\circ$  E.

40.00 Set a post 3 ft. long 3 in. square with  
marked Stone 12 ins. in the ground  
for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S on W  
face dig pits  $18 \times 18 \times 12$  ins. N & S of post  
 $5\frac{1}{2}$  ft. dist. and raised a mound of earth

## Subdivisions Sp. 20 SR 10 E. Continued.

Chains

1 1/2 ft. high 3 1/2 ft. base around post,  
from which

at on es quite 10 ins. diam, bro. N 54° W, 257 lks. dist.  
marked 1/4 B. B. 5.

at on es quite 6 ins. diam bro. S 23 1/2° W, 196 lks. dist.  
marked 1/4 S. P. 5.

80.00 Bet a volcanic stone 15 x 12 x 10 ins. 10 ins. in the  
ground for Cor. to Secs. 25, 26, 35 & 36  
marked with 1 notch on S and 1 notch  
on E edges, dug pits 18 x 18 x 12 ins. in each  
loc. 5 1/2 ft. dist. and raised a mound of  
earth 2 ft. high 4 1/2 ft. base alongside.  
Land rolling Good grass,  
Soil 3<sup>a</sup> & 4<sup>th</sup> rate & mineral  
Timber, Scattering mesquite.

---

East on a random line bet. Secs 25 & 36  
Nav. 12° 40' E.



## Subdivisions Twp. 20 SR 10 E.

## Continued.

- Chains
- 29.00 Road from Oro Blanco & Arivaca to Tucson, course N & S.
- 33.00 Shaft of the Minos del Tajo mine 50 lks. south of line.
- 40.00 Set temporary 14 Sec. Cor.
- 48.00 Ravine 5 ft. deep, course N 45° E.
- 80.20 Interset the East boundary of Twp. at 21 lks. North of the cor. to Secs. 25, 30, 31 & 36 which is a volcanic stone 15 x 8 x 8 ins. firmly set in the ground with 1 notch on S & 5 notches on the N edges, and a mound of stone alongside.
- from which
- A mesquite 10 ins. diam bro. N 25 1/2° E 46 lks. dist. marked B. J. S. 20 R 11 S 30.
- A mesquite 8 ins. diam. bro. S 21° E 20 lks. dist. marked B. J. S. 20 R 11 E 31.
- A mesquite 8 ins. diam bro. S 87 1/2° W 74 lks. dist.

## Subdivisions Tp. 20 S R 10 E .

Continued .

Chains  
+

marked 13. S. S 20 R 10 E 36.

Thence I run

N 89° 51' W on a true line bet. Secs. 25 + 36  
with same var.

40.10 Set a porphyry stone 16 x 10 x 8 ins. 11 ins.  
in the ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  on N face, dug pits 18 x 18 x 12 ins. E + W.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside.

80.20 The Cor. to Secs. 25, 26, 35 + 36.

Land rolling. good grass,  
Soil 3<sup>a</sup> + 4<sup>th</sup> rate + mineral.

Timber some few mesquite.

North bet. Secs. 25 + 36 .

Var. 12° 40' E.

33.50 Atropo 20 lks. wide, course East

## Subdivision of Sp. 20 R 10 E.

## Continued

Chains

34.00 Old road from Baboquivari Valley to the old Cerro Colorado mining camp, course E & W.

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. marked  $\frac{1}{4}$  S on W. face dug pits  $18 \times 18 \times 12$  ins. N & S of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post. from which

A mesquite 5 ins. diam. bro. at  $17^{\circ}$  E 170 lks. dist. marked  $\frac{1}{4}$  S, B. J.

A mesquite 6 ins. diam. bro. at  $7^{\circ}$  E 106 lks. dist. marked  $\frac{1}{4}$  S, B. J.

80.00 Set a porphyry stone  $18 \times 10 \times 8$  ins., 12 ins. in the ground for Cor. to Secs. 23, 24, 25 & 26 marked with 2 notches on S. and 1 notch on E. edges dug pits  $18 \times 18 \times 12$  ins. in each side.



Subdivisions T<sub>20</sub>S. R<sub>10</sub>E.

Continued.

Quins.

5 1/2 ft. dist. and raised a mound of earth  
1/2 ft. high, 4 1/2 ft. base alongside. from which  
A mesquite 1 1/2 in. diam. bro. S. 23° E. 243 lks. dist.

marked T<sub>20</sub>S. R<sub>10</sub>E. S. 25 B. D.

A mesquite 4 in. diam. bro. N 63° 20' E. 108 lks. dist.

marked T<sub>20</sub>S. R<sub>10</sub>E. S. 24 B. D.

A mesquite 4 in. diam. bro. N. 47° 40' W 127 lks. dist.

marked T<sub>20</sub>S. R<sub>10</sub>E. S. 23 B. D.

A mesquite 4 in. diam. bro. N. 14° 40' W. 143 lks. dist.

marked T<sub>20</sub>S. R<sub>10</sub>E. S. 23 B. D.

Land raising good grass

Soil 3<sup>a</sup> & 4<sup>a</sup> rate & mineral.

Timber scattering mesquite.

East on a random line bet. Secs 24 & 25

Var. 12° 40' E.

39.00 Old road bro. N & S.

Subdivisions T<sub>20</sub>S, R<sub>10</sub>E.

Continued.

chains.

40.00 Set temporary 7/4 Sec. Cor.

79.00 Wash 20 lks. wide course S.E.

80.10 Intersect the E. boundary of T<sub>20</sub>S. at 16 lks. north of the Cor. to Secs. 19, 24, 25 & 30 which is a granite stone 10 x 6 x 6 ins. firmly set in the ground with 2 notches on S. & 4 notches on N. edges, and pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and mound of earth 2 ft. high 4 1/2 ft. base alongside. from which

A mesquite 10 ins. diam. Crs. S. 21° 10' E. 116 lks. dist. marked B. T. T<sub>20</sub>S R<sub>11</sub>S. 30

Shiner's Draw

489° 53' W. on a true line bet. Secs. 24 & 25 with same var.

40.05 Set a porphyry stone 20 x 6 x 6 ins. 15 ins. in the ground for 7/4 Sec. Cor. marked 7/4 on N. face, dug pits 18 x 18 x 12 ins. E + W of stone

## Subdivisions Pp. 20, 10 E

Continued.

Main

5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 ft. base alongside, from which  
 An mesquite is diam. to S 73° W. 105 lks. dist.  
 marked 1/4 S. B. J.

No other trees within limits.

The old ruins of the Cerro Colorado Mining  
 Camp bears South 20 Ch. dist.

80.10 The Cor. to Secs. 23, 24, 25 & 26.

Land rolling good grass

Soil 3<sup>rd</sup> & 4<sup>th</sup> rate & mineral

Timber scattering mesquite.

---

North bet Secs. 23 & 24

Fav. 12° 40' E.

40.00 Set a porphyry stone 24 x 12 x 12 ins. 18 ins.  
 in the ground for 1/4 Sec. Cor. marked  
 1/4 on N. face, dug pits 18 x 18 x 12 ins. N & S  
 of stone 5 1/2 ft. dist. and raised a mound



## Subdivisions Twp. 20 S. R. 10 E.

Continued.

Mounds

of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base, alongside.

from which

A mesquite 6 ins. diam. bro. S.  $37\frac{1}{2}^{\circ}$  W. 142 lbs. dist.  
marked  $\frac{1}{4}$  S. B. J.A mesquite 4 ins. diam. bro. S.  $57\frac{1}{2}^{\circ}$  W. 182 lbs. dist.  
marked  $\frac{1}{4}$  S. B. J.

49.00 Old road. Course E &amp; W.

77.00 Wash 20 lks. wide, Course S. E.

78.00 Old road Course S.  $70^{\circ}$  E.80.00 Set a volcanic stone  $24 \times 14 \times 10$  ins. 18 ins.

in the ground for Cor. to Secs 13, 14, 23 &amp; 24

marked with 3 notches on S. and 1 notch

on E edges, Aug pits  $18 \times 18 \times 12$  ins. in  
each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound  
of earth 2 ft. high  $4\frac{1}{2}$  ft. base alongside  
from whichA mesquite 4 ins. diam. bro. S.  $71^{\circ}$  W. 133 lbs. dist.  
marked T. 20 S. R. 10 E. S 23. B. J.

## Subdivisions Sp. 20 S. R. 10 E

Continued.

Chains.

Amesquite 6 in. diam. brs. S. 70° W. 232 lks. dist.  
marked T. 20 S. R. 10 E. S. 23, 13, 7.

Amesquite 12 in. diam. brs. S. 41° W. 342 lks. dist.  
marked T. 20 S. R. 10 E. S. 23, 13, 7.

Amesquite 8 in. diam. brs. S. 8° E. 294 lks. dist.  
marked T. 20 S. R. 10 E. S. 13, 13, 7.

Land rolling, good grass  
Soil 3x4 rate & mineral  
Timber scattering mesquite

East on a random line bet. Ties. 13 & 24  
Var. 12° 40' E.

40.00 Bet temporary 1/4 Sec. Cor.

64.00 Commence ascent of little hill covered  
with Quartz.

79.60 Ravine 6 ft deep, course S. E.

80.22 Intersect the East boundary of Sp. at  
20 lks. South of the Cor. ties. 13, 18, 19 & 24

## Subdivisions Sp. 20 S Rio E.

Continued.

Chains

which is a volcanic stone  $12 \times 5 \times 5$  ins.  
firmly set in the ground with 3 notches  
on S. and 3 notches on N. edges, and a  
mound of stone alongside.

thence I run

90° S.  $81^{\circ} 51'$  N. on a true line bet. Secs. 13 & 24  
with corner mark.

40.11 Set a porphyry stone  $24 \times 8 \times 6$  ins. 18 ins.  
in the ground for  $\frac{1}{4}$  Sec. Cor. marked 14 on  
N. face, and raised a mound of stone  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside.  
Pits impracticable.

80.22 The Cor. to Secs. 13, 14, 23 & 24

Land rolling & hilly

Soil 3<sup>a</sup>, 4<sup>th</sup> rate & mineral

Timber some few mesquites.



## Subdivisions Sp. 20 S R 10 E.

Continued.

Mains

North bet. Secs 13 &amp; 14.

Var.  $12^{\circ} 40'$  E.

- 24.00 Arroyo 30 lks. wide Course W.
- 40.00 Set a Quartz rock  $24 \times 12 \times 6$  ins. 18 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on N. face and raised a mound of stone 1 1/2 ft. high 3 1/2 ft. base alongside.
- Pits impracticable - from which a mesquite 5 ins. diam. brs. N  $86^{\circ}$  W. 150 lks. dist. marked  $\frac{1}{4}$  S. 13. 5. No other trees in limits.
- 50.30 Arroyo 20 lks. wide, Course W. and commence ascent of little quartz hill.
- 58.00 Summit about 100 ft. high & descend.
- 64.00 Foot, & Arroyo 1 chain wide, Course W.
- 80.00 Set a volcanic stone  $20 \times 12 \times 12$  ins. 15 ins. in the ground for Cor. to Secs. 11, 12, 13 & 14 mark with 4 notches on S. and 1 notch on East edges. dug pits  $18 \times 18 \times 12$  ins in each Sec.

## Subdivisions Sp. 20 SR 10 E.

Continued.

Chains

5½ ft. dist. and raised a mound of earth  
2 ft. high 4½ ft. base along sides.  
from which

A mesquite 8 ins. diam. bro. N. 18° W. 154 lks. dist.  
marked S 20 S. R 10 E S 11 B. J.

A mesquite 6 ins. diam. bro. N 13° E 377 lks. dist  
marked S 20 S. R 10 E S 12 B. J.

A mesquite 6 ins. diam. bro. S 73° W 414 lks. dist.  
marked S 20 S. R 10 E S 14 B. J.

No other trees within limits.

Land rolling & hills good grass  
Soil 3<sup>rd</sup> & 4<sup>th</sup> rate and mineral.

East on a random line bet. Secs. 12 & 13

Var. 12° 40' E.

16.00 Wash 1 ch. wide, Course S.

34.50 " 75 lks. " " South.

## Subdivisions Sp. 20. S. R. 10 E

Continued.

chains	
40.00	Set temporary 1/4 Sec. Cor.
41.00	Wash 50 lks. wide, Course S.
76.00	" 60 " " " S.
48.00	" 40 " " " S.
79.86	Intersect the E boundary of Sp. at 17 lks. S. of the cor. to Secs. 7, 12, 13 & 18 which is a volcanic stone 12 x 8 x 6 ins set firmly in the ground, marked with 4 notches on the S. and 2 notches on the N edges, with pits 18 x 18 x 12 ins. in each rec. 5 1/2 ft. dia. and a mound of earth 2 ft. high 4 1/2 ft. base alongside, thence Sec. 7 S. 89° 52' W. on a true line bet. Secs. 12 & 13 with same var.
39.93	Set a volcanic stone 18 x 10 x 8 ins. 12 ins. in the ground for 1/4 Sec. Cor. marked 1/4 on N face and raised a mound of rocks 1 1/2 ft. high 3 1/2 ft. base alongside, pits



## Subdivisions Np20 S10 E

Continued.

Chains

impracticable

49.86 The cor. to Secs. 11, 12, 13 &amp; 14.

Sand rolling &amp; broken

Soil 3<sup>d</sup> & 4<sup>th</sup> rate & Mineral  
Timber, scattering mesquite.

North bet. Secs. 11 &amp; 12

Var. 12° 40' E.

18.00 Arroyo 20 lks. wide Course W.

38.00 " 15 " " " S. 70° W.

40.00 Set a volcanic Stone 20 x 8 x 6 ins. 15 ins. in  
the ground for 1/4 Sec. Cor. marked 14 on  
W face, dug pits 18 x 18 x 12 ins. N & S of  
stone 5 1/2 ft dist, and raised a  
mound of earth 1 1/2 ft. high 3 1/2 ft. base  
alongside.

49.00 Arroyo 15 lks. wide, Course W.

## Subdivisions Ap. 20 SR 10 E.

Continued.

Chains,

- 68.00 Arroyo 20 lks wide, Course West.
- 80.00 Set a Limestone 20x12x8 ins. 15 ins. in  
the ground for Cor. to Recs. 1. 2. 11 & 12  
marked with 5 notches on S, and 1 notch  
on E edges, dug pits 18x18x12 ins. in  
each Rec. 5 1/2 ft. dist. and raised a mound  
of earth 2 ft. high 4 1/2 ft. base along sides.  
from which
- A mesquite 8 ins. diam. bro. S. 18° E. 8 1/2 lks. dist.  
marked S. 20 S. R. 10 E S 12 B. J.
- A mesquite 6 ins. diam. bro. S. 2 1/2° W. 5 1/2 lks. dist.  
marked S. 20 S. R. 10 E S 11 B. J.
- A mesquite 8 ins. diam. bro. N 65 1/2° W 90 lks. dist.  
marked S 20 S. R. 10 E S 2 B. J.
- A mesquite 4 in diam. bro. N 21° E. 60 lks. dist.  
marked S 20 S. R. 10 E S. 1 B. J.

Land rolling good grass.  
Soil 3<sup>rd</sup> & 4<sup>th</sup> rate & Mineral

## Subdivisions Sp. 20 S R 10 E.

Continued.

Chairs

Timber Scattering mesquite.

---

East on a true line bet. Des. 1<sup>st</sup> & 12<sup>th</sup>  
 Var. 12° 40' E.

9.00 Arroyo 20 lks. wide, Course S.

26.00 " 25 lks. " " S 20° W.

33.00 " 30 lks. " " S 18° W. and

commence ascent of the West slope of the  
 Cerro Colorado Mountain.

40.00 Set a volcanic stone 18 x 18 x 4 in. 12 in.  
 in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$   
 on et face and raised a mound of stone  
 1 1/2 ft. high 3 1/2 ft. base along side.

Pit impracticable.

I cannot extend this line any  
 further East on account of the  
 precipitous sides of the Cerro Colorado Mtn.



## Subdivision Sp 20 S R 10 E.

Continued.

Land rough and mountainous,  
Soil 4<sup>th</sup> rate & mineral.  
No timber.

---

North on a random line bet. Secs. 1 & 2  
up to 12° 40' E.

40.00 Set temporary 1/4 Sec. Cor.

50.00 Arroyo 30 lks. wide, course N,

52.00 " 15 " " " W.

70.00 " 20 " " " W. and

commenced ascent of the S.W. slope  
of the Cerro Colorado Mountains.

80.27 Intersect the N boundary of T<sub>1</sub> at 30 lks.  
East of the Cor. to Secs. 1, 2, 3, 5 & 36, which is  
a volcanic stone 20 x 12 x 6 in. - firmly set  
in the ground, marked with 1 notch  
on the E and 5 notches on the West edges.

## Subdivisions Op 20 S R 10 E.

Continued.

Chains

and mound of stone alongside.

Thence I run

S 0° 13' E on a true line bet. Secs. 1 & 2  
with same var.

40.27 Set a volcanic stone 16 x 8 x 6 ins. 11 ins. in  
the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on  
N face, dug pits 18 x 18 x 12 ins. N & S of stone  
5  $\frac{1}{2}$  ft. dist. and raised a mound of earth  
1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base alongside.

From which

A mesquite 4 ins. diam. brs. S 55° E 80 lks dist  
marked  $\frac{1}{4}$  S. B. J.A mesquite 6 ins. diam. brs. S 22° W. 60 lks. dist.  
marked  $\frac{1}{4}$  S. B. J.

80.27 The Cor. to Secs. 1, 2, 11 &amp; 12

Land rough &amp; hills good grass

Soil 4<sup>th</sup> rate & mineral

Timber scattering mesquite.

August 16<sup>th</sup> 1886

## Subdivisions Tps. 20 S R 10 E.

Continued.

Chains

From the Standard Cor. to Rees, 34 & 35 on the South boundary of the Township which is a volcanic stone 15 x 12 x 10 ins, firmly set in the ground, marked S. C. on the N. and 2 notches on the E & 4 notches on the W edges, with a mound of stone alongside. Thence Iron North bet. Rees, 34 & 35

Var.  $12^{\circ} 40' E.$ 

- 23.00 Road from the Baboquivari valley to the Arivaca road, Course E & W.
- 40.00 Set a porphyry stone 18 x 12 x 10 ins, 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor, marked  $\frac{1}{4}$  on 4 faces, dug pits 18 x 18 x 12 ins N & S of stone  $5\frac{1}{2}$  ft. dist, and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside.
- 43.00 Road from Baboquivari Valley to the old Cerro Colorado mining Camp



## Subdivisions Sp. 20 South R. 10 E

Continued.

Chains

Course N. E. &amp; S. W.

80.00 Set a porphyry stone Stone 20x14x9 ins.  
15 ins. in the ground for Cor. to Secs. 26, 27, 34 & 35  
marked with 1 notch on S and 2 notches  
on E edges and raised a mound of stone  
alongside. Pits impracticable  
from which

A mesquite 10 ins. diam. bro. N 70° E 256 Ch. dist.  
marked S 20 S. R. 10 E. S. 26 B. J.

A mesquite 12 ins. diam. bro. N 75° E. 305 Ch. dist.  
marked S 20 S. R. 10 E. S. 26 B. J.

No other trees within limits.

Sand gently rolling, good grass.

Soil 3x4" rate & mineral

Timber (scattering) mesquites.

East on a random line bet. Secs. 26 & 35

Cor. 12° 40' E.

## Subdivisions Sp. 20 SR 10 E.

Continued.

Chains

- 2.70 Crossroad course  $N 80^{\circ} W.$  &  $S 80^{\circ} E.$
- 16.00 Road from ~~Bar~~ Baguivai Valley to old Cerro Colorado Mining Camp course  $N 60^{\circ} E.$  &  $S 60^{\circ} W.$
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 79.60 Intersect  $N 45$  line 17<sup>th</sup> Sec.  $N$  of Cor. to Secs. 25, 26, 35 & 36. Thence  $N 89^{\circ} 53' W.$  on a true line bet. Secs. 26 & 35, with same var.
- 39.80 Set a porphyry stone  $14 \times 10 \times 8$  ins., 10 ins. in the ground for  $\frac{1}{4}$  Sec. Cor., marked  $\frac{1}{4}$  on  $N$  faces, dug pits  $18 \times 18 \times 15$  ins.  $E$  &  $W$  of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside
- 79.60 The Cor. to Secs. 26, 27, 34 & 35.  
 Sand rolling good grass.  
 Soil 3<sup>d</sup> & 4<sup>th</sup> rate & mineral  
 Timber scattering Mesquite.

## Subdivision Twp. 20 S R 10 E

## Continued

Chacins

North bet. Secs. 26 + 27

Tav.  $12^{\circ} 40' E.$ 1.00 Cross road, bears at  $80^{\circ} W$  +  $S 80^{\circ} E.$ 

26.50 Road, course S.W + N.E.

27.00 Road course E + W. this road comes into the other road, 2 chs. East,

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S. on W face dug pits  $18 \times 18 \times 12$  ins. N + S of post  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around post. from whichA mesquite tree, diam. bro. S  $20^{\circ} E.$  74 lks. dist. marked  $\frac{1}{4}$  S. B. J.A mesquite 4 ins. diam. bro. S  $65^{\circ} W.$  197 lks. dist. marked  $\frac{1}{4}$  S. B. J.

75.30 Arroyo 20 lks. wide course E.



## Subdivisions Sp. 20 SR 10 E.

Continued.

70.00 Set a porphyry stone 18x12x12 ins., 12 ins  
in the ground for Cor. to Secs. 22, 23, 26 & 27  
marked with 2 notches on S and 2 notches  
on E edges, and raised a mound of stone  
alongside. Pits impracticable.

Sand palling, good grass.

Soil 2x4. rate 2 mineral.

Timber scattering mesquite.

---

East on a random line bet. Secs. 23 & 26.

Var.  $12^{\circ} 40'$  E.

19.00 Old road course N & S.

40.00 Set temporary 7/4 Sec. Cor.

53.00 Old road course N & S.

79.70 Intersect N & S line at 18 lks. S. of the  
Cor. to Secs. 23, 24, 25 & 26. Hence draw  
S.  $89^{\circ} 52'$  W. on a true line bet. Secs. 23 & 26.

## Subdivisions Sp. 20 SR 10 E.

Continued.

Chains

with same var.

39.85 Bet a porphyry stone 20 x 14 x 5 ins. 15 ins  
in the ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  on N face dug pits 18 x 18 x 10 ins.  
E & W of stone,  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base alongside, from which  
a mesquite 3 ins. diam. bro. S. 27° W. 60 ft. dist  
marked  $\frac{1}{4}$  S. B. 5.

49.70 <sup>no other trees within limits.</sup> The Cor. to Secs. 22, 23, 26 & 27  
Land gently rolling good grass.  
Soil 3' & 4' rate & mineral  
limb, scattering mesquite.

---

North Bet. Secs. 22 & 23  
Var. 120 40 E.

## Subdivisions Sp. 20 SR 10 E

Continued

Chew.

- 21.00 Commence ascent of rocky hill.
- 22.00 Summit about 400 ft. high & commence descent.
- 40.00 Get a porphyry stone 15 x 12 x 12 ins. 10 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on W face, and raised a mound of rock 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base alongside. Pits impracticable. From which Amesquite Crs. diam brs. N 50° W. 1  $\frac{1}{6}$  lks. dist. marked  $\frac{1}{4}$  S. B. J.
- Amesquite 4 ins. diam brs. N 19° E. 7  $\frac{1}{4}$  lks. dist. marked  $\frac{1}{4}$  S. B. J.
- 42.00 Foot of hill - Gulch 3  $\frac{1}{4}$  deep Course E. and commence ascent of another hill.
- 67.50 Top of hill, 300 ft. high. and descend.
- 79.00 Gulch 15 ft. deep course E. & foot of hill.
- 80.00 On a side of Gulch I
- Get a porphyry stone 18 x 12 x 8 ins. 12 ins. in the ground for Crs. to Secs. 14, 15, 22 & 23



Subdivisions Sp. 20 S R 10 E.

Continued.

chains

marked with 3 notches on S and 2 notches on E edges, and raised a mound of stone along sides.

Pit impracticable, from which  
A mesquite 8 ins. diam. bro. S. 20 $\frac{1}{2}$ ° W. 1110 K. dist.  
marked T 20 S. R 10 E S 22 13. 5.

A mesquite 8 ins. diam. bro. S 4° W 2580 K. dist.  
marked T 20 S. R 10 E S 22 13. 8.  
no other trees within limits.  
Land hilly

Soil 4<sup>th</sup> rate & mineral

Timber scattering mesquite.

+

East on a random line bet. Dec 14 & 13

Var. 12° 40' E.

Commence descent from cor.

10.00 Mulch 4 ft. deep course N.E. and line runs over small rocky hills bearing

## Subdivision Sp. 20 SR 10 E

## Continued.

~~Chapman~~ East & West.

- 37.00 Leave rocky hill and enter rolling land.
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 64.00 Old road, course N. W. & S. E.
- 65.00 Arroyo 40 lks. wide, course North.
- 79.00 Arroyo 30 lks. wide, course N  $80^{\circ}$  W.
- 79.30 Road, course N. W. & S. E.
- 79.90 Intersect N & S line at 20 lks. N of the Cor.  
to Secs. 13, 14, 23 & 24, thence I run  
N  $89^{\circ} 57'$  W on a true line bet. Secs. 14 & 23  
with same bar.
- 39.90<sup>5</sup> Set a porphyry stone 20 x 12 x 10 ins. 15 ins. in  
the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$   
on N face, dug pits 18 x 18 x 12 ins E & W.  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base, along-  
side, from which  
A mesquite 6 ins. diam. base N.  $60^{\circ}$  W. 193 lks. dist.

Subdivision Sp. 20 SR 10 E.

Continued

Chains

marked  $\frac{1}{4}$  S. B. D.

A mesquite 8 ins diam. bro. S  $55\frac{1}{2}^{\circ}$  E. 355 lks. dist.

marked  $\frac{1}{4}$  S. B. D.

Shaff bro. N  $24^{\circ}$  W. 756 lks. dist.

79.90 The Cor. to Secs. 14. 15. 22 + 23.

Land hilly and rolling good gr. ss.

Soil  $4\frac{1}{2}$  rate + minerals.

Timber scattering mesquite.

North bet. Secs. 14 + 15

Var.  $12^{\circ}$   $40'$  E.

Line runs <sup>over</sup> East slope of rocky hills from the West.

11.50 Gulch 10 ft. deep Course E.

27.00 " 10 " " " E.

40.00 Set a Quartzite stone  $18 \times 12 \times 10$  ins. 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on W face. Aug pits  $18 \times 18 \times 12$  ins.



## Subdivision Sp. 20 S R 10 E

## Continued

Chains

N of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base along side. From which

A mesquite 3 ins. diam. brch. 96 lks. dist.

marked  $\frac{1}{4}$  S. B. J.

No other trees within limits.

63.00 Saw E slope of low rocky hills and Arroyo 60 lks. wide course N.  $20^{\circ}$  W. and entered level land

45.00 Same Arroyo 30 lks. wide course N. E.

80.00 Set a volcanic stone  $20 \times 15 \times 10$  ins. 15 ins. in the ground for Cor. to Recs. 10, 11, 14 & 15 marked with 4 notches on S. and 2 notches on E edges dug pits  $18 \times 18 \times 12$  ins. in each Rec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base along side. From which

A mesquite 4 ins. diam. Crs. N  $17\frac{1}{2}^{\circ}$  W. 25 lks. dist.

marked  $\frac{1}{2}$  20 S R 10 E S 10 B. J.

# Subdivisions Sp. 20 S R 10 E

## Continued.

Chairs

Amesquite bins. diam. bro. S 35° W. 33 lks. dist.  
marked S. 20 S. R 10 E. S. 15 B. S.

Amesquite bins diam. bro. S. 12° E 57 lks. dist.  
marked S. 20 S. R 10 E. S. 14 B. S.

Amesquite bins. diam. bro. S 13½° W 64 lks. dist.  
marked S. 20 S. R 10 E S. 15 B. S.

Land rocky for 63 chs. then level.  
Soil 2' x 4' rate & mineral.  
Timber scattering mesquite.

East on a random line bet. Secs 11 & 14  
Var. 12° 40' E.

5.00 Arroyo 30 lks. wide, course North.

38.60 " 100 lks " " N 70° West

40.00 Set temporary 1/4 Sec. Cor.

80.00 Intersect N. line at 16 lks. N of Cor.  
to Secs. 11, 12, 13 & 14. Thence down

Subdivision T<sub>4</sub>, 20 S., R<sub>10</sub> E

Continued.

Chains

N 89° 53' West on a two line checker, 11 + 14  
with same bar.

40.00

Set a granite stone 20 x 18 x 15 ins. 15 ins.  
in the ground for 1/4 Sec. Cor. marked  
1/4 on N face, dug pits 18 x 18 x 12 ins.  
E & W of stone 5 1/2 ft. dist. and raised a  
mound of earth 1 1/2 ft. high 3 1/2 ft.  
base along side, from which  
A mesquite 4 ins. diam. brs. N 66° E 29/6 lks. dist.  
marked 1/4 S. B. T.

A Tesote 4 ins. diam. brs. S. 76° E. 7/6 lks. dist.  
marked 1/4 S. B. T.

80.00

The Cor. to Secs. 10, 11, 14 & 15  
Land level good grass.  
Soil 3<sup>rd</sup> rate & mineral  
Timber scattering mesquite.



## Subdivision Sp. 20 SR 10 E.

Continued,

Chains

North bet. Secs. 10 &amp; 11

Var.  $12^{\circ} 40'$  E.19.00 Arroyo 100 lks. wide, course  $N 80^{\circ} W$ .

40.00 Set a volcanic stone  $20 \times 6 \times 6$  in 15 ins. in the ground for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  on W face, dug pits  $18 \times 18 \times \frac{1}{2}$  ins. N & S of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside, from which a mesquite 8 ins. diam. brs.  $N 45^{\circ} W$ ,  $3\frac{1}{5}$  lks. dist. marked  $\frac{1}{4}$  S. B. J.

A mesquite 6 ins. diam. brs.  $N 20^{\circ} E$ .  $2\frac{1}{10}$  lks. dist. marked  $\frac{1}{4}$  S. B. J.

57.00 Arroyo 50 lks. wide, course S. W.

79.25 Arroyo 20 " " " N. W.

80.00 Set a volcanic stone  $20 \times 8 \times 8$  ins. 15 ins. in the ground for cor. to Secs. 2, 3.  $10 \times 11$  marked with 5 notches on S & 2 notches

Subdivision Apr 20 S R 10 E.

Continued,

Chain

on E. edge of from which <sup>dug pits 18x18x12 ins  $5\frac{1}{2}$  ft dist and raised a mph of earth 2 ft high  $2\frac{1}{2}$  ft base</sup> ~~along side~~

A hick berry 6 ins diam. bro. S 2° E 5 lks. dist  
marked T. 20 S. R 10 E. S 11 B. J.

A mesquite 8 ins diam. bro. N 19 1/4° W. 156 lks. dist.  
marked T 20 S. R 10 E S 3 B J

A mesquite 6 ins diam. bro. N 9° W. 208 lks. dist.  
marked T 20 S. R 10 E S 3 B. J.

An Ash 4 ins diam. bro. N 41° W 223 lks. dist.  
marked S. 20 S. R 10 E S 3 B. J.

Land rolling good grass.

Soil 2x3 arato

Timber scattering mesquite.

East on a random line bet. Secs. 2 & 11

Var. 12° 40' E.

39.00 Wash 20 lks. wide, course S. W.

40.00 Set temporary 1/4 Sec. Cor.

Subdivisions Sp. 20 SR 10 E  
Continued

Chairs

- 79.86 Intersect N & S line at 19 lks. Sof cor.  
to Secs. 1, 2, 11 & 12. Thence down  
S.  $89^{\circ}52'$  W. on a true line bet. Secs. 2 & 11  
with same var.
- 39.93 Bet a volcanic stone  $20 \times 12 \times 6$  ins.  
15 ins. in the ground for  $\frac{1}{4}$  Sec. cor.  
marked  $\frac{1}{4}$  on it face, and raised  
a mound of stone  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft.  
base alongside. Pits impracticable  
from which  
A mesquite 10 in diam. bro. S  $42^{\circ}$  W 366 lks. dist.  
marked  $\frac{1}{4}$  S. B. J.
- A mesquite 10 in diam bro. N  $62^{\circ}$  W 268 lks. dist.  
marked  $\frac{1}{4}$  S. B. J.
- 79.86 The Cor. to Secs. 2, 3, 10 & 11.  
Sand rolling, grow grass  
boil 2<sup>a</sup> & 3<sup>a</sup>, rato  
Simber, Peattering mesquite.



## Subdivisions Sp. 20 SR 10 E

Continued.

Chacins	North on a random line bet. Secs. 2 & 3 Var. $12^{\circ} 40' E$ .
18.00	Wash 20 lks. wide, corner W.
32.00	Wash 30 " " " S.W. and line runs up & over W. slope of little volcanic Butte
40.00	Set temporary $\frac{1}{4}$ Sec. Cor.
70.00	North foot of slope and line runs over another little Butte.
80.31	Intersect track boundary of 200. at 19 lks. West of Cor. to Secs. 2, 3, 34 & 35, which is A limestone $20 \times 12 \times 8$ ins. set firmly in the ground and marked with 2 notches on the E and 4 notches on the W. edges, and mound of stone along side. Thence I run S. $0^{\circ} 08'$ W on a true line bet. Secs. 2 & 3 with Range bar.

## Subdivisions Sp. 20 SR 10 E.

## Continued,

chains

40.31 Set a volcanic stone  $30 \times 24 \times 24$  ins.  
 24 ins. in the ground for  $\frac{1}{4}$  Sec. marked  
 $\frac{1}{4}$  on W. face, and raised a mound of  
 stone  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base, alongside.  
 Ditto impracticable.

80.31 The lev. to Secs. 2, 3, 10 & 11

Sand level for 32 cks. Then rough & hilly  
 soil  $2' \times 4''$  rate

Timber. Some few mesquite.

August 17<sup>th</sup> 1886

From the Sta. Cor. to Secs. 33 & 34 on the South  
 boundary of the Sp. which is a  
 volcanic stone  $12 \times 12 \times 8$  ins. firmly  
 set in the ground, and marked S. C.  
 on the N. with 3 notches on E & W edges,  
 and a mound of stone alongside. I run  
 North bet. Secs. 33 & 34.

## Subdivisions Sp. 20 SR 10 E

Continued.

Chains.

Yaw,  $12^{\circ} 40' E$ .

- 10.50 Enter Arroyo
- 6.00 Leave arroyo, course  $N 30' E$
- 16.30 Road from Saunders Ranch to Pais Ranch, course  $N. \& S. E.$
- 18.00 Road from Baboquiviri valley to the Arizaca, course  $N. \& S. E.$
- 26.00 Arroyo 1 chain wide, course  $N 80' W.$
- 37.00 Road from Baboquiviri valley to Old Cerro Colorado  
Course  $N. E. \& S. W.$
- 40.00 Set a porphyry stone  $18 \times 15 \times 12$  ins.  $12$  ins.  
in the ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4} S$  on  $N$  face. dug pit  $18 \times 18 \times 12$  ins.  
 $N \& S$  of stone  $5\frac{1}{2}$  ft. dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
along side. from which  
A mesquite  $4$  ins. diam, brs.  $S. 1^{\circ} W.$   $153$  ft. dist.  
marked  $\frac{1}{4} S. B. J.$   
A mesquite  $6$  ins. diam, brs.  $N 11^{\circ} E 280$  ft. dist.  
marked  $\frac{1}{4} S. B. J.$



Subdivision Sp. 20 R 10 E,  
Continued,

## Chains

78.50 Wash 50 lks. wide, course West.

80.00 Bet a volcanic stone 15 x 15 x 10 ins. 10 ins.  
in the ground for Cor. to Sec. 27, 28, 33 & 34,  
marked with 1 notch on S & 3 notches on  
E edges, dug pits 18 x 18 x 12 ins. in each  
Sec. 5 1/2 ft. dist. and raised a mound  
of earth 2 ft. high 4 1/2 ft. base, alongside.  
From which

Armesquite 10 ins. diam. bro. N 20° E. 100 lks. dist.  
marked S 20 S. R 10 E. S. 27 B. J.

Armesquite 8 ins. diam. bro. N 15° 40' E 106 lks. dist.  
marked S. 20 S. R 10 E S 27 B. J.

No other trees within limits.

Land rolling, good grass.

Soil 3<sup>d</sup> & 4<sup>th</sup> rate

Timber, scattering mesquites.

# Subdivision Op. 20 S R 10 E

## Continued.

- Chains
- Cut on a random line bet. Secs. 27 & 34  
Var.  $12^{\circ} 40'$  E.
  - 7.50 Arroyo 40 lks. wide, Course South
  - 18.00 " 20 " " " S.
  - 20.00 " 10 " " " S.
  - 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
  - 57.00 Road Course S. W. & N. E.
  - 80.10 Intersect the W & S line out 18 lks. South of the  
Cor. to Secs. 26. 27. 34 & 35, Hence I run  
S.  $89^{\circ} 52'$  W on a true line bet Secs. 27 & 34  
with same var.
  - 40.05 Set a post 3 ft. long 3 ins. square with marked  
stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  S on N face, dug pits 18 x 18 x 12 ins. E & W  
of post  $5\frac{1}{2}$  ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base around Post.  
from which  
Monoginto 5 ins diam. lks.  $N 86^{\circ} E$  82 lks. dist.





## Subdivision 2p20 SR10 E.

Continued.

Chains

Dug pits 18 x 18 x 12 ins. N. & S of post, 5 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base around post, from which a mesquite 4 ins. diam. Gro. S. 36° E. 210 lks. dist. marked 1/4 S. B. J.

A mesquite 4 ins. diam. Gro. N. 16 1/2 W. 283 lks. dist. marked 1/4 S. B. J.

46.00 Enter rocky hills.

65.00 Leave rocky hills & road from Morano's Ranch to the old Rio Colorado, course N. & S. E.

78.50 Arroyo 30 lks. wide, course N. W.

80.00 Set a granite stone 15 x 12 x 10 ins. 10 ins. in the ground for cor. to Secs. 21, 22, 27 & 28 marked with 2 notches on S and 3 notches on E edges, and raised a mound of stone along side.

Pits impracticable.

Land level for 46 chains, then rocky and hilly, good grass.

Subdivisions Sp. 20 SR 10 E.

Continued.

Chains

Soil 2<sup>nd</sup> & 4<sup>th</sup> rates.

Timber, scattering mesquite.

Set on a random line bet. Secs. 22 & 27  
 Var.  $12^{\circ} 40' E$ .

10.00 Arroyo 20 Ws. wide, Course N.E.

30.00 " 15 " " " N.E.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.21 Intersect N-S line at 31 Ws. S. of Cor.  
 to Secs. 22, 23, 26 & 27. Thence Course  
 $S. 89^{\circ} 44' W.$  on a true line bet. Secs. 22 & 27.  
 with same bear.

40.11 Set a volcanic stone  $15 \times 12 \times 12$  ins. 10 ins. in  
 the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on  
 N face, and raised a mound of stone  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base along side.  
 Pits impracticable.

## Subdivision Sp. 20 SR 10 E.

Continued.

Chain  
80.21

N. Cor. to Secs. 21, 22, 27 + 28.

Land rolling good grass.

Soil 3<sup>d</sup> + 4<sup>th</sup> rate

Timber, some few mesquites.

North bet. Secs. 21 + 22

Yav.  $12^{\circ} 40' E.$ 

40.00

Set a granite stone  $24 \times 12 \times 10$  ins. 18 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked 14 on N. face, and raised a mound of stone  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base, alongside.

Pits impracticable.

60.00

Leave level land and enter little rocky hills.

80.00

Set a volcanic stone  $18 \times 12 \times 10$  ins. 12 ins. in the ground for Cor. to Secs. 15, 16, 21 + 22, marked with 3 notches on S. and 3 notches on E. edges, and raised a mound of



## Subdivisions Sp. 20 SR 10 E.

Continued

Chains

stone alongside.

Pits impracticable.

Land level for 60 Chs. then hilly good grass

Soil 2" &amp; 4" rate, with mineral in the hills,

Timber (scattering mesquite)

x

East on a random line bet. Secs. 15 &amp; 22

Var.  $12^{\circ} 40' E.$ 

7.00 Saw little rocky hills &amp; enter rolling hills.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

53.00 Gulch 6 ft. deep, Course North.

56.00 " 5 ft. " " North.

79.84 Intersect old line at 14 Chs. N of Cor. to Secs.

14. 15. 22 &amp; 23, thence down

at  $89^{\circ} 54' W.$  on a true line bet. Secs. 15 & 22,

with same var.

39.92 Set a granite stone  $20 \times 14 \times 3$  inches.

Subdivisions, N. 20 S. R. 10 E.

BOOK 905

Continued -

Chains,

15 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on N face, dug pits 18 x 18 x 12 ins. E + W of stone, 5  $\frac{1}{2}$  ft. dist, and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base alongside,

from which

A mesquite 10 ins. diam. brs. S. 73° W. 53 lks. dist. marked  $\frac{1}{4}$  S. B. J.

A mesquite 10 ins. diam. brs. S. 67  $\frac{1}{2}$ ° E. 53 lks. dist. marked  $\frac{1}{4}$  S. B. J.

79.84 The Cor. to Secs. 15, 16, 21 + 22.

Land hilly and rolling good grass  
Soil mixed at 3" - 4" rate.

Timber, scattering mesquite.

North pt. Secs. 15 + 16

var. 12° 40' E.

Line runs along and over little low hills

## Subdivision Sp. 20 SR 10 E.

## Continued

- Chains bearing North & South.
- 17.50 Arroyo 30 lks. wide course N.
- 40.00 Set a Granite stone  $30 \times 10 \times 10$  ins., 22 ins. in the ground for 74 Sec. Cor. marked  $\frac{1}{4}$  on N. face, and raised a mound of stone  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  base alongside. Pits impracticable. from which Mesquite 8 ins. diam. br. N.  $39^\circ$  E. 53 lks. dist. marked  $\frac{1}{4}$  S. B. J.
- No other trees within limits.
- 50.00 Gulch 6 ft. deep, course West.
- 77.00 Leave little Covery hills and arroyo 30 lks. wide course N. E.
- 80.00 Set a volcanic stone  $20 \times 10 \times 8$  ins. 15 ins. in the ground for Cor. to Secs. 9, 10, 15 & 16, marked with 4 notches on S and 3 notches on E edges, dug pits  $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of



## Subdivision of 20 SR 10 E.

Continued.

Chains

earth 2 ft. high, 4 1/2 ft. base, along side.

Sand rough and rolling.

Soil mineral.

Timber, (scattering mesquite).

East on a random line bet. Secs. 10 &amp; 15

Nas.  $12^{\circ} 40' E.$ 

- 4.50 Arroyo 30 lks. wide, Course N.E.
- 20.00 " 20 lks. " " North.
- 31.00 " 18 lks. " " North.
- 40.00 Set temporary 1/4 Sec. Cor.
- 55.00 Arroyo 20 lks wide course north
- 60.00 " 30 " " " North.
- 80.03 Intersect N & S line at 22 lks. S of Cor. Secs.  
10, 11, 14 & 15, thence down
- 889° 50' N. on a true line bet. Secs. 10 & 15  
with same cor.

## Subdivision Op. 20 SR 10 E

Continued.

chains

- 40.02 Set a porous stone  $18 \times 10 \times 8$  in. 12 in. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on W face, dug pits  $18 \times 18 \times 12$  in. E of stone,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base along side.
- 80.03 The Cor. to Secs. 9, 10, 15 & 16.

Sand rolling. Good grass.  
Soil 2<sup>a</sup>. & 3<sup>a</sup> rates.

Timber, scattering mesquite.

North bet. Secs. 9 & 10

Var.  $12^{\circ} 40' E$ .

- 40.00 Set a volcanic stone  $24 \times 12 \times 8$  in. 12 in. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on W face, dug pits  $18 \times 18 \times 12$  in. E of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base along side.

## Subdivision Op. 20 R 10 E.

Continued,

Chains

from which

A mesquite 4 ins. diam. bro. N 20° W. 250 Lks. dist.  
marked 1/4 S. B. J. No other trees in limits,

69.00 Wash 10 Lks. wide, Course West,

80.00 Set a volcanic stone 18 x 12 x 8 ins. 12 ins.  
in the ground for Cor. to Recs. 3. 4. 9 & 10marked with 5 notches on S and 3 notches on  
E edges, dug pits 18 x 18 x 12 ins. in each Recs.5 1/2 ft. dist. and raised a mound of earth  
2 ft. high 4 1/2 ft. base alongside, from whichA mesquite 5 ins. diam. bro. N 30° E 69 Lks. dist.  
marked S. 20 S. R 10 E. S. 3 B. J.A mesquite 3 ins. diam. bro. S. 20° W. 118 Lks. dist.  
marked S. 20 S. R 10 E. S. 9 B. J.

No other trees within limits.

Sand level

Soil 2<sup>a</sup> & 3<sup>a</sup> rate good grass.

Timber, some few mesquite.





## Subdivision Op. 20 SR 10 E.

Continued.

Chains

A mesquite 4 ins. diam. bro. N 25° W. 50 lks. dist.  
marked  $\frac{1}{4}$  S. B. J.

A mesquite 5 ins. diam. bro. N 70° W. 100 lks. dist.  
marked  $\frac{1}{4}$  S. B. J.

79.84 The Cor. to Secs. 3, 4, 9 & 10.

Land rolling, good grass.  
Boil 2<sup>a</sup> + 3<sup>a</sup> rate.

Timber, scattering mesquite.

North on a random line bet. Secs. 3 & 4  
Yaw. 12° 40' E.

7.50 Arroyo 2 Chs. wide, Course N. W.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

79.93 Intersect at boundary of Tps. at 26 lks. E  
of the Cor. to Secs. 3, 4, 33 & 34 which is a  
volcanic stone 24 x 14 x 17 ins. firmly set  
in the ground, with 3 notches on E. and Wedges

Subdivisions Sp. 20 S R 10 E.  
Continued.

Chairs

and pits 18 x 18 x 12 ins. in each Rec. 5 1/2 ft. dist.  
and mound of each 2 ft. high 4 1/2 ft. base  
along side. Thence I run  
S 0° 11' E on a true line bet. Recs. 3 & 4  
with same var.

39.93

Set a volcanic stone 20 x 8 x 8 ins. 15 ins. in  
the ground for 14 Rec. Cor. marked 14 on  
N. face, dug pits 18 x 18 x 12 ins. N & S of  
stone 5 1/2 ft. dist. and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft. base along side  
from which

A mesquite 4 ins. diam. bro. at 85° N. 76 ft. dist.  
marked 14 S. B. J.

No other trees within limits.

79.93

The Cor. to Secs. 3, 4, 9 & 10

Land level

Soil 2<sup>d</sup> & 3<sup>d</sup>. rate good grass

Timber, scattering mesquite.

11101115 15<sup>th</sup> 1886



## Subdivision Sp, 20 S, R 10 E.

## Continued.

Chains

From the Standard Cor. to Sec. 32 & 33 on the South boundary of Sp, which is a sandstone in place 20 x 18 ins. above ground and marked with a + with S. C. on the North and 4 notches on E & 2 notches on the W face and a mound of stone alongside.

From which

An Oak 10 ins. diam. brs. N 10° E. 90 lks. dist. marked B. V. T. 20 S, R, 10 S. 33

Thence I run

North bet. Secs. 32 & 33.

Mag. 120 40' E.

Commence descent from Cor.

10.00 Foot of rocky slope and enter rolling land.

40.00 Set a post 3 ft. long 3 ins. square with marked stone 12 ins. in the ground

for 1/4 <sup>Sec. 36 or</sup> marked 1/4 S on W face, dug pits 18 x 18 x 12 ins. N. E. S of post, 5 1/2 ft. dist.

## Subdivision Q. 20 S R 10 E.

Continued.

Chairs

and raised a mound of earth  $1\frac{1}{2}$  ft.  
high  $3\frac{1}{2}$  ft. base around post.

from which

A mesquite 4 ins. diam. brs. S.  $36^{\circ}$  E 135 lbs. dist.  
marked  $\frac{1}{4}$  S. B. J.

A hackberry 6 ins. diam. brs. S  $50^{\circ}$  W. 160 lbs. dist.  
marked  $\frac{1}{4}$  S. B. J.

77.00 Road from the Baboquiviri Valley to Ruiz  
and Sanders Ranch. Course W & S. E.

74.50 Arroyo 1 ch. wide, Course West

80.00 Set a granite stone 18 x 12 x 12 ins. 12 ins.  
in the ground for Cor. to Secs. 28, 29, 32 & 33,  
marked with 1 notch on S and 4 notches  
on E edges, and raised a mound of  
stone alongside.

Pits impracticable.

Land rolling

Soil 3<sup>u</sup> & 4<sup>u</sup> cats. Good grass.

Subdivision Ok. 20 R. 10 E.

Continued.

Chains

Timber scattering Mesquite and  
Hackberry.

East on a random line bet. Secs. 28 & 33  
"Var. 12° 40' E.

40.00 Set temporary 1/4 sec. Cor.

49.83 Intersect old line at 19 lks. North of the  
Cor. to Secs. 27, 28, 33 & 34.

Thence Run

N 89° 52' W on a true line bet. Secs. 28 & 33, with  
same var.

39.94 Set a volcanic stone 24 x 15 x 6 ins. 18 ins. in  
the ground for 1/4 Sec. Cor. marked 1/4 on N face,  
and raised a mound of straw 1 1/2 ft. high  
3/4 ft. base alongside. Pits impracticable  
From which an Ash 4 ins. diam bro. N 89 1/2° W. 298 lks. dit  
marked 1/4 S. B. E. No other trees within limits.



## Subdivisions Sp. 20 SR 10 E

Continued.

chains

49.83

The lev. to Secs. 28, 29, 32 &amp; 33.

Land level Good grass.

Soil 2<sup>a</sup> & 3<sup>a</sup> rate.

No timber.

Worsh bet. Secs. 28 &amp; 29

Var. 12° 40' E.

17.00 Arroyo 15 lks. wide, course S 80° W.

40.00 Set a post 3 ft. long 3 in. square  
with marked stone 12 ins. in the ground  
for 1/4 Sec. Cor. marked 1/4 P. on W face.  
Dug pits 18 x 18 x 12 ins. N & S. of post  
5 1/2 ft. dist. and raised a mound of earth  
1 1/2 ft. high 3 1/2 ft. base around post.80.00 Set a granite stone 20 x 12 x 10 ins. 15 ins.  
in the ground for Cor. to Secs. 20, 21, 28 & 29  
marked with 2 notches on S & 4 notches on E

## Subdivisions Sp. 20 SR10 E.

Continued.

Chains

edges, Aug pits 18x18x12 ins. in each  
 rev. 5 1/2 ft dist. and raised around  
 of earth 2 1/2 ft. high, 4 1/2 ft. low alongside.

Land rolling

Soil 3<sup>d</sup> & 4 1/4 cato, good grass,  
 Timber, scattering mesquite.

East on a random line bet. Secs. 21 & 28  
 Twp. 12<sup>o</sup> 40' E.

- 10.00 Arroyo 20 lks. wide, Course North.  
 23.50 Road from Moreno's to old Cerro Colorado  
 course N. & S. E.  
 40.00 bet temporary 1/4 Sec. Cor  
 47.00 Arroyo 15 lks. wide, Course N 30° W.  
 58.00 " 20 " " " N.W.  
 66.00 " 20 " " " North.  
 78.60 " 15 " " " N.W.

Subdivision - Sp. 20 SR 10 E

Continued.

chains

- 49.86 Intersect Wood line at 21 lks. N of corner to Secs. 21, 22, 27 & 28, thence down N 89° 57' W on a true line bet. Secs. 21 & 28, with same bear.
- 39.93 Set a post 3 ft. long 3 ins square with marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  S on N face dug pits 18 x 18 x 12 ins. E & W of post, 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base around post, from which
- A mesquite 4 ins. diam. bears N 30° E. 200 lks. dist. marked  $\frac{1}{4}$  S. B. E.

No other trees within limits.

49.86 The Cor. to Secs. 20, 21, 28 & 29.

Land level, good grass.

Soil 3 & 4<sup>th</sup> rate & mineral.

Timber scattering mesquites.



## Subdivisions Dp. 20 SR 10 E.

Continued.

chains

North Sect. Decs. 20 &amp; 21

Var. 12° 40' E.

28.00 Culeta 6 ft. deep, course N. E.

33.00 " 8 ft. " " N. E.

40.00 Set a granite stone 18 x 12 x 6 ins. 12 ins. in  
the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on  
W face, and raised a mound of stone  
1 1/2 ft. high 3 1/2 ft. base along side.

Pits impracticable, from which  
Arroyoquito 6 ins. diam. hrs. N. 18° E 118 Lks. dist.  
marked  $\frac{1}{4}$  S. B. S.

Arroyoquito 4 ins. diam. hrs. N 18 1/4 E 182 Lks dist.  
marked  $\frac{1}{4}$  S. B. S.

73.00 Road from Florensis to the old Cerro Colorado  
course N. W. & S. E.

80.00 Set a granite stone 20 x 12 x 8 ins. 15 ins. in the  
ground for Cor. to Cerro, 16, 17, 20 & 21, marked

## Bull divisions Sp. 20 S R 10 E.

Continued,

Chairs

with 3 notches on S. and 4 notches on E. edges  
 dug pits 18 x 18 x 12 ins. in each Rec. 5 1/2 ft. dist.  
 and raised a mound of earth 2 ft. high  
 4 1/2 ft. base along sides, from which  
 A mesquite 12 ins. diam. bro. N. 5 1/2° E. 42 lks. dist.  
 marked S. 20 S. R 10 E S 16. B. J.

A mesquite 4 ins. diam. bro. N 60° W. 133 lks. dist.  
 marked S. 20 S R 10 E S 17 B. J.

A mesquite 5 ins. diam. bro. S. 87° W. 270 lks. dist.  
 marked S 20 S. R 10 E S 20 B. J.

No other trees within limits.

Land level

Soil 4 1/2" rate good grass

Timber scattering mesquite.

East on a random line bet. Rec. 16 & 21

Rec. 12° 40' E.

## Subdivisions Sp. 20 SR 10 E.

Continued,

## Chains

- 1.00 Arroyo 50 lks. wide, Course N.W.
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 65.00 Gulch 10 ft deep, Course N.W. and line runs into little rocky hills.
- 80.16 Intersect N.E. line at 33 lks. S. of Cor. to Secs. 15, 16, 21 & 22, thence down S. 89° 46' W. on a true line bet. Secs. 16 & 21 with same bat.
- 40.08 Set a volcanic stone 24 x 12 x 10 ins. 18 ins in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on N face. and raised a mound of stone  $1\frac{1}{2}$  ft. high 3 ft. base alongside. Pits impracticable.
- 80.16 The Cor. to Secs. 16, 17, 20 & 21. Sand rolling to S. Chas. balance rough & hilly. Soil 2' & 4' rate, with mineral. Timber some few mesquite.



## Subdivisions Sp. 20 SR 10 E.

Continued.

chains

North Sect. Secs. 16 & 17  
Var.  $12^{\circ} 40' E.$ 

1.50 Arroyo 50 Ws. wide, Course  $N. 80^{\circ} W.$   
 40.00 Set a granite stone  $15 \times 8 \times 8$  ins., 10 ins. in  
 the ground for  $1/4$  Sec. Cor. marked  $1/4$  on  
 it faces and raised a mound of stone  
 $1/2$  ft. high  $3/4$  ft. base alongside, pits  
 impracticable, from which  
 A mosquito 4 in. diam. bro.  $N 30^{\circ} W.$  290 Ws. dist.  
 marked  $7/4$  S. B. J.

No other trees within limits.

44.00 old road, Course S. W. & N. E.  
 63.00 Road from Lorenzo's to the Liberty mine  
 Course S. W. & N. E.

80.00 Set a granite stone  $20 \times 15 \times 8$  ins., 15 ins. in  
 the ground for Cor. Secs. 8, 9, 16 & 17,  
 marked with 4 notches on S and 4 notches  
 on E edges, dug pits  $18 \times 18 \times 12$  ins. in  
 each Sec.  $5 1/2$  ft. dist. and raised a mound

Subdivisions Sp. 20 S. R. 10 E.

Continued.

Chains

of earth 2 ft. high 4 1/2 ft. base along side,  
from which

Arnesquite 6 in. diam. bro. N 21° W. 256 lks. dist.  
marked S. 20 S. R. 10 E. S 8 B. J.

Arnesquite 6 in. diam. bro. S 88° W. 103 lks. dist.  
marked S. 20 S. R. 10 E. S 17 B. J.

Arnesquite 8 in. diam. bro. S 47 1/2° W. 86 lks. dist.  
marked S. 20 S. R. 10 E. S 17 B. J.

Arnesquite 6 in. diam. bro. S 58 1/2° W. 250 lks. dist.  
marked S. 20 S. R. 10 E. S. 17 B. J.

Sand rolling.

Soil 3a & 4<sup>th</sup> rate, good grass

Timber, scattering mesquite.

East on a random line bet. Cus. 9 & 16

Var. 12° 40' E.

4.50 Old road, Course at & S.

## Subdivisions Sp. 20 SR 10 E.

Continued.

Chains

- 14.50 Road from Moreno's to the Liberty mine  
Course S  $42^{\circ}$  E.
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 53.00 Arroyo 20 lks. wide, Course N.
- 54.30 House at the Liberty Mine 150 lks S of line  
Post Corral immediately N of line.
- 55.00 Road to the main Shaft of the Liberty Mine  
Course N. W. & S.
- 56.00 Hoisting works on the main Shaft of the  
Liberty Mine lrs. S. 10 Chs.
- 79.88 Intersect at rd line at 26 lks. N of the Cor  
to Secs. 9, 10, 15 & 16, Thence I run  
N  $89^{\circ} 49'$  W. on a true line bet. Secs. 9 & 16.  
with same var.
- 39.94 Set a volcanic Stone  $20 \times 10 \times 8$  ins. 15 ins.  
in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$   
on N face, and raised a mound of  
stone  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base along side,



## Subdivisions Qn. 20 S R 10 E.

Continued.

Chains

Pits impracticable.

49.88

The Cor. to Secs. 8, 9, 16 + 17.

Land rolling - good grass.

Soil 4<sup>1</sup>/<sub>2</sub> rate & mineral.

Timber, scattering mesquite.

North bet. Secs. 8 + 9

Var. 12° 40' E.

5.50 Arroyo 15 lks wide, Course West.

25.50 Old road, Course E &amp; W.

40.00 Set a post 3 ft. long 3 ins. square with  
marked stone 13 ins. in the ground for 1/4 Sec.  
Cor. marked 1/4 S on W face, dug pits  
18 x 18 x 12 ins. at S of post 5 1/2 ft. dist. and  
raised a mound of earth 1 1/4 ft. high 3 1/2 ft.  
base around post.

80.00 Set a granite stone 20 x 10 x 10 ins 15 ins in

## Subdivisions Sp. 20 S R 10 E.

Continued.

Chains

the ground for Cor. to Recs. 4, 5, 8 & 9,  
marked with 5 notches on S, and 4 notches  
on E edges, dug pits 18 x 18 x 12 ins. in each  
rec, 5 1/2 ft. dist, and raised a mound of  
earth 2 ft. high 4 1/2 ft. base along side,  
from which

A mesquite 6 ins. diam. bro. S 70° E. 160 lks. dist.  
marked S 20 S R 10 E S 9 B. J.

A mesquite 6 ins. diam. bro. N 29° E 317 lks. dist.  
marked S 20 S R 10 E S 4 B. J.

No other trees within limits.

Land level

Soil 3<sup>a</sup> & 4<sup>th</sup> rate good grass

No timber.

---

East on a random line bet. Recs. 4 & 9  
var. 12° 40' E.

## Subdivisions Twp. 20 SR 10 E.

Continued.

Chains

- 2.50 Wash 13 lks wide, course North.
- 3.00 Old road, course N.S.
- 10.00 Wash 20 lks. wide, course N.E.
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 80.03 Intersect N.S. line at 13 lks. N of Cor.  
to Secs. 3, 4, 9 & 10, thence I run  
 $N 89^{\circ} 54' W$ . on a true line bet. Secs. 4 & 9  
with compass bar.
- 40.07 Set a granite stone  $17 \times 8 \times 6$  ins. 8 ins. in  
the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on  
N face, dug pits  $18 \times 18 \times 12$  ins. E & W of  
stone  $5\frac{1}{2}$  ft. dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside.
- 50.03 The Cor. to Secs. 4, 5, 8 & 9.  
Land level  
Soil 2<sup>a</sup> & 3<sup>a</sup>. rate good grass  
No timber.



## Subdivisions Op. 20 SR 10 E.

Continued.

chains

North on a random line bet. Secs 4 & 5  
Var.  $12^{\circ} 40'$  E.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

52.00 Arroyo 18 lks wide, Course W.

90.19 Intersect N boundary of  $\frac{1}{4}$  Sec. at 17 lks E.  
of Cor. to Secs. 4, 5. 32 & 33, which is  
a volcanic stone  $15 \times 15 \times 12$  ins. firmly  
set in the ground, marked with 4 notches  
on the E and 2 notches on the W edges,  
with pits  $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$   
ft dist. and mound of earth 2 ft. high  $4\frac{1}{2}$  ft.  
base along side, thence down  
 $50^{\circ}$  of E. on a true line bet. Secs. 4 & 5, with  
range var.

40.19 Set a volcanic stone  $20 \times 10 \times 8$  ins. 15 ins in  
the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on  
W face, dug pits  $18 \times 18 \times 12$  ins. N & S of stone  
 $5\frac{1}{2}$  ft. dist. and raised a mound of earth

## Subdivisions Sp. 20 SR 10 E.

Continued.

Chains

$1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside, from which

A mesquite 6 ins. diam. bro. S. 88° W. 200 lks. dist.  
marked 74 S. B. N.

A mesquite 8 ins. diam. bro. East 194 lks. dist.  
marked 74 S. B. J.

80.19 The cor. to Secs. 4, 5, 8 & 9.

Land level.

Soil 2<sup>d</sup> & 3<sup>a</sup> rate. Good grass

Pinber, scattering mesquite.

August 19<sup>th</sup> 1886

From the Standard Cor. to Secs. 31 & 32  
on the South boundary of Sp. which is  
a round stone  $7 \times 18 \times 6$  ins. above the  
ground, marked S. Cor. N. with  
5 notches on the E and 1 notch on the  
W. faces, with mound of stone  
alongside. Draw

## Subdivisions Tn. 20 S. R. 10 E.

Continued.

Chains

North bet. Recs. 31 &amp; 32.

Var.  $12^{\circ} 40' E.$ 

2.75 Shaft, 10 lbs. East. Shaft 10 ft. deep,  
 40.00 Set a volcanic stone  $24 \times 15 \times 12$  ins. 18 ins.  
 in the ground for 14 Sec. Cor. marked 14  
 on N face, and raised a mound of stone  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside, pits  
 impracticable.

80.00 Set a porphyry stone  $24 \times 18 \times 12$  ins. 18 ins.  
 in the ground for Cor. to Recs. 29, 30, 31 & 32  
 marked with 1 notch on S. and 5 notches  
 on E edges, dug pits  $18 \times 18 \times 12$  ins in each  
 Rec.  $5\frac{1}{2}$  ft. dist. and raised a mound of  
 earth 2 ft. high  $4\frac{1}{2}$  ft. base alongside.  
 from which

A mesquite 10 in diam. br. N  $63\frac{1}{2}^{\circ} E.$  162 lbs. dist.  
 marked S 20 S. R 10 E. S 29. B. S.

A mesquite 12 in diam. br. N  $79^{\circ} E.$  182 lbs. dist.



## Subdivisions Sp. 20 S. R. 10 E.

## Continued.

Chains

marked S. 20 S., R. 10 E., S. 29 B. T.

Acornquite 5 in. diam. brs. S. 250 W. 165 lks. dist.

marked S. 20 S., R. 10 E., S. 31 B. T.

No other trees within limits.

Land sloping south &amp; rolling.

Soil 3<sup>d</sup> & 4<sup>th</sup> rate & mineral.

Timber, scattering mesquite.

By observation taken this day  
I find the Magnetic variation to be  
12° 40' East.

---

East on a random line bet. Rees. 29 & 32

Var. 12° 40' E.

3.50 Wash 30 lks. wide, course N.

14.00 " 20 " " " N.

37.00 Road from the Baboquiviri Valley

## Subdivisions Op. 20 SR 10 E.

## Continued.

Chains

to the Arivaca and Tucson road,  
Course  $N 80^{\circ} W$ ,  $\& P$ ,  $80^{\circ} E$

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

49.00 Arroyo 1 Ch. wide, course  $N. 80^{\circ} W$ .

80.16 Intersect  $N \& S$  line at  $9 \frac{1}{2}$  Ch. S. of Cor.  
to Pies. 28, 29, 32 & 33, thence due  $\& P$   
 $S 89^{\circ} 56' W$  on a true line bet. Pies. 29 & 32  
with iron bar.

40.08 Set a granite stone  $20 \times 12 \times 12$  ins.  
15 ins. in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  on  $N$  face, dug pits  
 $18 \times 18 \times 12$  ins.  $E \& W$  of stone  $5 \frac{1}{2}$  ft. dist.  
and raised w/round of stone  $1 \frac{1}{2}$  ft.  
high  $3 \frac{1}{2}$  ft. base alongside,  
from which

A hackberry  $2 \frac{1}{2}$  in. diam.  $\& P$ ,  $S. 81^{\circ} E$ ,  $9 \frac{1}{2}$  Ch. dist.  
marked  $\frac{1}{4} S, P, T$ .

A mesquite 12 ins. diam.  $\& P$ ,  $S. 12^{\circ} W$ ,  $110 \frac{1}{2}$  Ch. dist.

## Subdivisions Op. 20 S. R. 10 E.

Continued

Chains

marked 1/4 S. B. T.

80.16

The cor. to Secs. 29, 30, 31 & 32  
land gently rollingSoil 2<sup>a</sup> & 3<sup>a</sup> rate, good grass.

Timber scattering mesquite &amp; hackberry.

---

 West on a random line bet. Secs. 30 & 31  
 Fav. 12° 40' E.

40.00

bet temporary 1/4 Sec. Cor.

54.00

Ravine 10 ft. deep, course North.

66.00

" 12 ft. deep " "

86.00

" 15 ft. deep " "

99.10

 Inset N. boundary of Twp. at 30 W. S  
 of cor. to Secs. 25, 30, 31 & 36, which is  
 a granite stone 18 x 10 x 8 ins. Set firmly  
 in the ground, with 1 notch on the S &  
 5 notches on the N edges and mound.



## Subdivisions Op. 20 SR 10 E.

Continued.

Chains

of stone along side, Thence I run  
S89° 12' E on true line bet. Secs. 30 & 31,  
with same bar.

50. 10 Set a granite stone 24 x 12 x 10 ins. 18 ins.  
in the ground for  $\frac{1}{4}$  Sec. Cor. marked  
 $\frac{1}{4}$  on W. face, and raised a mound of  
stone 14 in. high  $3\frac{1}{2}$  ft. base along side  
Pits impracticable. From which  
a mesquite 6 ins. diam. bro. N35° W. 160 lts. dist.  
marked  $\frac{1}{4}$  S. B. T.

A mesquite 6 ins. diam. bro S. 20° E. 108 lts. dist.  
marked  $\frac{1}{4}$  S. B. T.

90. 10 The Cor. to Secs. 29, 30, 31 & 32

Land rolling and rocky

Soil 4<sup>th</sup> rate & minor alfalfa grass  
Timber some few mesquite

## Subdivisions Sp. 20 SR 10 E.

Continued.

Chains

North bet. Secs. 29 &amp; 30

Var.  $12^{\circ}40'$  E.

- 10.50 Road from Baboquiviri valley to the Arivaaca and Oro Blanco road, Course E & W.
- 18.00 Wash 3 chs. wide, Course West.
- 26.00 Brush Corral immediately W. of line,
- 28.50 Arroyo 50 lks. wide, Course S. W.
- 40.00 Set a porphyry stone  $20 \times 12 \times 8$  ins. 15 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on W face, and raised a mound of stone  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside, pits impracticable.
- 75.00 Gulch 10 ft. deep, Course S. W.
- 80.00 Set a porphyry stone  $18 \times 15 \times 8$  ins. 12 ins. in the ground for Cor. to Secs. 19, 20, 29 & 30, marked with 2 notches on S & 5 notches on E edges. dug pits  $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth and stones 2 ft. high,

Subdivisions Op. 20 SR 10 E.

Continued

chains

4 1/2 ft. base along side, from which  
 A mesquite 8 ins. diam. bro. S 13 1/2° W. 200 lks. dist.  
 marked P 20 S. R 10 E. S 30 B. J.

A mesquite 4 ins. diam. bro. S 29° W 186 lks. dist.  
 marked P. 20 S. R 10 E. S 30 B. D.

A mesquite 7 ins. diam. bro. S 67° E 200 lks. dist.  
 marked P 20 S. R 10 E. S. 29 B. D.

No other trees within limits.

Land rolling

Boil 3<sup>d</sup> x 4<sup>th</sup> rate. Good grass.

Timber Scattering mesquite.

East on a random line bet. Secs. 20 + 29

Var. 12° 40' E.

4.00 Guech 10 ft. deep, course S. W.

25.50 " 5 ft. " " S 10° W.

39.00 " 6 ft. " " S. W.



## Subdivisions Op. 20 SR 10 E.

## Continued.

- Chains
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 80.01 Intusect  $\text{N} 25^{\circ}$  line at 31 lks. S of Cor. to Secs. 20, 21, 28 & 29, Thence down  $S 89^{\circ} 47' W$  on a true line bet. Secs. 20 & 29, with same wav.
- 40.02 Set a granite stone  $20 \times 12 \times 5$  ins.  $15$  ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on  $\text{N}$  face, and raised a mound of stone  $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base alongside, pits impracticable
- 80.04 The Cor. to Secs. 19, 20, 29 & 30.  
Land rolling.  
Soil  $3^{\circ}$  &  $4^{\circ}$  rate good grass.  
No timber.

---

West on a random line bet. Secs. 19 & 30  
wav.  $12^{\circ} 40'$  E.

## Subdivisions Sp. 20 S. R. 10 E.

## Continued.

Chains	
2.00	Quitch 6ft. deep, course South.
15.00	Line runs over Spur from rocky hill on the North.
40.00	Set temporary $\frac{1}{4}$ Sec. Cors and leave rocky rocky spur onto rolling land.
58.00	Ravine 10ft. deep, course South.
89.93	Intersect the W. boundary of Sp. at 18 lks. S of Cor. to Secs. 19. 24. 25 & 30 which is a volcanic Stone 24 x 12 x 4 in. faintly set in the ground with 2 notches 2 notches on S and 4 notches on N edges and a mound of Stone along side, from which Mesquite 6 in. diam. bro. S. $52^{\circ}$ W 47 lks. dist. marked S 20 S. R. 9 E S 25 B. J. Mesquite 4 in. diam. bro. S. $43^{\circ}$ E. 132 lks. dist. marked S 20 S. R. 10 E S 30 B. J. Mesquite 4 in. diam. bro. $S 80^{\circ} 40' E$ . 133 lks. dist. marked S 20 S. R. 10 E S 30 B. J.

## Subdivisions Sp. 20 SR 10 E.

Continued.

Chain

Armesquite 4 mi. diam. bro. N 79° 26' E 186 lks, dist.  
marked S 20 S. R 10 E S 19 B. J.

Thence down

East

189053 <sup>East</sup> N. on a true line bet. Secs. 19 & 30  
with same bar.

49.93 Set a granite stone 20 x 12 x 10 ins. 15 ins.  
in the ground for 1/4 Sec. Cor. marked 1/4  
on N face, and raised a mound of  
stone alongside, pits impracticable,

89.93 the Cor. to Secs. 19, 20, 29 & 30.

Land rolling

Soil 3<sup>rd</sup> & 4<sup>th</sup> rate good grass.

Timber Scattering mesquite

---

North bet. Secs. 19 & 20

Var. 12° 40' E.

8.50 Gulch 8 ft. deep, Course S. E.



## Subdivisions Op. 20 S. R. 10 E.

Continued.

Chains

- 30.50 Line runs over East slope of little rocky hills from the West.
- 40.00 Set a porphyry stone  $14 \times 12 \times 10$  ins. 10 ins in the ground for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  on W face and raised a mound of stone  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside. Pits impracticable.
- 70.00 Leave E slope of little rocky hills and enter rolling land.
- 80.00 Set a granite stone  $15 \times 12 \times 12$  ins. 10 ins. in the ground for Cor. to Secs. 17, 18, 19 & 20, marked with 3 notches on S and 5 notches on E edges. dug pits  $18 \times 18 \times 12$  ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base alongside.

Land hilly & rocky good grass  
Soil  $4\frac{1}{2}$  pct. & mineral.

## Subdivisions Op. 20 SR 10 E.

Continued.

Chain

Timber, scattering mesquite.

---

Eastward random line bet. Secs. 17 & 20  
 Yaw,  $12^{\circ} 40'$  E.

- 13.00 Ravine 6 ft. deep, Course N.  
 23.00 " 6 ft. " " N.  
 36.50 Old road, Course N. & S.  
 40.00 Set temp. 9.  $\frac{1}{4}$  Sec. Cor.  
 41.00 Ravine 4 ft. deep, Course N.  
 47.50 " 6 ft. " " N.  
 73.00 Road from Moreno's to the old Ceno Colorado  
 Mining Camp, Course N.W. & S.E.  
 75.00 Wash 150 lks. wide, Course N.W.  
 80.08 Intersect N. & S. line at 24 links S. of the Cor.  
 to Secs. 16, 17, 20 & 21. Thence I run  
 $S 89^{\circ} 50' W.$  on a true line bet. Secs. 17 & 20  
 with same bat.

## Subdivisions Sp. 20 S. B. 10 E

Continued.

Chains

- 40.04 Lava porphyry stone 24 x 12 x 12 ins.  
18 ins in the ground for 1/4 Sec. Cor.  
marked 1/4 on N face and raised a  
mound of stone 1 1/2 ft. high 3 1/2 ft.  
base alongside. Pits impracticable.  
from which  
A mesquite *Cercidium* bro. S. 62° E. 82 ft. dist.  
marked 1/4 S. B. J.
- A mesquite *Cercidium* bro. S. 71° E. 91 ft. dist.
- 80.08 The Cor. to Secs. 17, 18, 19 & 20  
Land rolling  
Boil 4 1/2 cato good grass  
Dumber (beating) mesquite  
August 20th 1886
- 
- West on a random line bet. Secs. 18 & 19  
Var. 120° 40' E.
- 8.50 Gulch 10 ft. deep. Course North.



## Subdivisions Op. 20 SR 10 E.

## Continued

- Chairs
- 39.00 Guech 10 ft. deep, Course N. and commence ascent of low rocky hills, bearing N.W. & S.E.
- 40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.
- 66.00 Summit of rocky hills, 300 ft. high and bearing N.W. & S.E. and descends W slope.
- 90.30 Intuse at W. boundary of Op. at 9.11 Co. S. of the Cor. to Secs. 13, 18, 19 & 24 which is a granite stone  $20 \times 12 \times 10$  ins. firmly set in the ground and marked with 3 notches on N & S edges, and mound of stone alongside, thence I run S. 89° 56' <sup>East</sup> on a true line bet. Secs. 18 & 19 with round bar.
- 50.30 Set a granite stone  $20 \times 12 \times 10$  ins. 15 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on N face, and raised a mound of stone  $\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside, pits impracticable.
- 90.30 The Cor. to Secs. 17, 18, 19 & 20.

## Subdivisions 2p, 20 S R 10 E.

## Continued.

Chains

Landralling East  $\frac{1}{2}$  and hilly the West  $\frac{1}{2}$   
 Soil 3<sup>rd</sup>, 4<sup>th</sup> and mineral  
 No timber - good grass.

---

North bet. Secs. 14 & 18  
 Van, 12° 40' E.

35.00 Ravine 6 ft. deep, Course N 20° E.

40.00 Set a porphyry stone 24 x 18 x 6 ins.  
 18 ins. in the ground for  $\frac{1}{4}$  Sec. cor.  
 marked  $\frac{1}{4}$  on W face, dug pits 18 x 18 x 12 ins.  
 N & S of stone, 5 $\frac{1}{2}$  ft. dist. and raised a  
 mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base  
 along side

45.00 Ravine 5 ft. deep, Course N. E.

49.00 Miguel Moxero's Rancho House and  
 out buildings bear N 81°  $\frac{1}{2}$ ° E 31 chs. dist.

78.00 Arroyo 1 Ch. wide, Course West

## Subdivisions Op. 20 S R 10 E.

## Continued

Chairs

80.00

Set a granite stone  $18 \times 10 \times 8$  ins,  $12$  ins, in the ground for Cor. to Secs. 7, 8, 17 & 18, marked with 4 notches on S and 5 notches on E edges, dug pits  $18 \times 18 \times 12$  ins, in each Sec,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base along side.

from which

Arceoguite 7 ins. diam.,  $N10\frac{1}{4}^{\circ}W$ . 54 lks. dist. marked P 20 S, R 10 E. S of B. H.

Arceoguite 6 ins. diam. brs,  $N21\frac{1}{4}^{\circ}W$ . 34 lks. dist. marked P. 20 S, R 10 E. S of B. J.

No other trees within limits.

Sand rolling

Soil 3<sup>rd</sup> & 4<sup>th</sup> rates good grass  
Timber, scattering mesquite



## Subdivisions Tn. 20 S. R. 10 E.

## Continued

chains

East on a random line bet. Secs. 8 & 17  
 Var.  $12^{\circ} 40'$  E.

5.00 Road from Moreno's to the Tucson & Altam road

f Course N. W. & S. E.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor. & line runs  
 along N slope of little round hill south of line.

70.00 Run in 5 ft. deep, course N. and leave North slope of  
 little hill and enter level land.

80.14 Intersect N & S line 15 lks. N of the Cor. to Secs. 8, 9, 16 & 17  
 thence down

$189^{\circ} 53'$  W. on a true line bet. Secs 8 & 17 with same var.

40.00 Set a granite stone  $24 \times 14 \times 4$  ins. 16 ins. in the ground for  
 $\frac{1}{4}$  Sec. Cor. on a  $\frac{1}{4}$  on N face, and raised a mound  
 of stone 11 ft. high  $3\frac{1}{2}$  ft. base along side, pits in-  
 practicable.

80.14 The Cor. to Secs. 7, 8, 17 & 18

Land mostly level

Soil 2<sup>d</sup> & 4<sup>th</sup> rates. Good grass.  
 No timber.

## Subdivisions Twp. 20 SR 10 E.

Continued.

- | Chains | West on a random line bet. Secs. 7 & 18<br>Var. 12° 40' E.   |
|--------|--|
| 5.00   | Arroyo 1 Ch. wide, course N. W.  |
| 24.00  | " 20 lks. wide, course North.  |
| 40.00  | Set temporary 7/4 Sec. Cor.  |
| 64.00  | Arroyo 10 lks. wide, course North.   |
| 70.00  | " 15 lks. " " N.   |
| 76.00  | " 20 lks. " " N.   |
| 90.10  | Intersect W. Bdy. of Twp. at 27 lks. S of Cor. to Secs. 7, 12, 13 & 18<br>which is a granite 30 x 12 x 4 ins. firmly set in the ground<br>with 4 notches on S and 2 notches on N. edges and mound<br>of stone alongside. Thence S 20° W  |
| East   | S 89° 48' E on a true line bet. Secs 9 & 18, with same var.  |
| 50.10  | Set a post 3/4 ft. long 3 ins. square with marked stone 12 ins.<br>in the ground for 7/4 Sec. Cor. marked 1/4 on N. face, dug pits<br>18 x 18 x 12 ins. Cor. W of post 5 1/2 ft. dist. and raised a mound<br>of earth 1 1/2 ft. high 3 1/2 ft. base around post. From which<br>a mesquite 4 ins. diam. bro. S 20° W. 110 lks. dist.<br>marked 1/4 S. B. D. |

## Subdivisions Sp. 20 S R 10 E.

## Continued.

Chains

Tomoguite 12 ins. diam. bro. N 5° W. 18 ft. dist.,  
marked 1/4 S. B. T.

90.10 The Cor. to Secs. 4, 8, 17 & 18

Land rolling

Soil 3<sup>rd</sup> & 4<sup>th</sup> rate good grass

Timber, scattering mesquite.

North bet. Recs. 4 & 5

Var. 12° 40' E.

3.00 Road from Moreno to Tucson & Altar road, course N W & S. E.

40.00 Set a volcanic stone 12 x 8 x 6 ins. 8 ins. in the ground 1/2 1/4

Sec. Cor. marked 1/4 on N face, dug pits 18 x 18 x 12 ins. 1/2 1/4 of  
stone 5 1/2 ft. dist. & raised a mound of earth 1 1/2 ft. high 3 1/2 ft.  
base, alongside.

80.00 Set a porphyry stone 20 x 15 x 6 ins. 15 ins. in the ground for

Cor. to Secs. 5, 6, 7 & 8, marked with 5 notches on sand & notes  
on E edges, dug pits 18 x 18 x 12 ins. in each <sup>5 1/2 ft. dist.</sup> & raised



## Subdivisions Twp. 20 S R 10 E.

Continued.

Chains

a mound of earth 2 ft. high, 4 1/2 ft. base alongside

Land level

Soil 4<sup>th</sup> rate good grass,  
no timber.

Cast on a random line bet. Secs 5 &amp; 8.

Yaw. 12° 40' E.

27.50 Arroyo 30 lks. wide, Course N 20° W

40.00 Set temporary 1/4 Sec. Cor.

80.10 Intersect N. &amp; S. line at 18 lks. N of Cor. to Secs. 4, 5, 8 &amp; 9

Thence down

N 89° 52' W. on a true line bet. Secs. 5 &amp; 8, with same var.

40.05 Set a volcanic Stone 14 x 12 x 8 ins. 10 ins. in the ground for 1/4 Sec.  
cor. marked 1/4 on N face, dug pits 18 x 18 x 12 ins. E. of Stone 5 1/2 ft. dist.  
and raised a mound of earth 1 1/2 ft. high, 3 ft. base alongside.

80.10 The Cor. to Secs. 5, 6, 7 &amp; 8.

Land level

## Subdivisions Sp. 20 S. R. 10 E.

## Continued.

Chains

Salt 2<sup>d</sup> rate. good grass  
 Timber containing mesquite.

West on a ~~tree~~ <sup>random</sup> line bet. Secs. 6 & 7  
 Twp. 12° 40' E.

- 16.50 Old road course N. W. S. E.  
 40.00 Det temporary 1/4 Sec. Cor.  
 56.50 Road from Morenos to the Tucson & Altar road, course N. W. S. E.  
 71.40 Road from Morenos to the Tucson & Altar road, course N. W. S. E.  
 these roads come together about 3/4<sup>th</sup> of a mile S. E. of this point.  
 89.73 Antise at the W. Bdy. of Twp. at 31 Lks. S. of the Cor. to Secs. 6, 7 & 12  
 which is a volcanic stone 20 x 12 x 8 ins. firmly set in the ground  
 with 5 notches on S. & 4 notches on the N. edges. with pits  
 18 x 18 x 12 ins. in each. Sec. 5 ft. dist. & mound of earth 2 ft.  
 high 4 ft. base along side. from which  
 A mesquite 4 ins. diam. bro. S 8° W. 200 Lks. dist.  
 marked Secs. 10 S. R. 9 E. S. 12 B. J.

Subdivisions Sp. 20 SR 10 E.

Continued.

Chairs

A mesquite 5 ins. diam. bro. S 17° E. 74 lks. dist.  
marked T 20 S. R 10 E. S of B. J.

A mesquite 6 ins. diam. bro. S 57° W 45 lks. dist.  
marked T 20 S. R 9 E. S 12 B. J.

A mesquite 3 ins. diam. bro. S 55° W 100 lks. dist.  
marked T 20 S. R 9 E S. 12 B. J.

Then I run

East  
S. 89° 48' <sup>East</sup> on a two line bet. Secs. 6 & 7 with same cor.

49. 73 Set a post 3 ft. long, 3 ins square with marked stone ins.  
in the ground for 1/4 Sec. Cor. marked 1/4 Sec. N. 1/4 sec. dug pits  
18 x 18 x 12 ins. E & W of post, 5 1/2 ft. dist. and raised a mound  
of earth 1 1/2 ft. high 3 1/2 ft. base around post, from which  
A mesquite 6 ins. diam. bro. S 88° W. 125 lks. dist.  
marked 1/4 S. B. J.

A mesquite 6 ins. diam. bro. North 755 lks. dist.  
marked 1/4 S. B. J.  
The Cor. to Secs. 5, 6, 7 & 8.

89. 73

Land level, Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
Timber, scattering mesquite.



## Subdivisions Twp. 20 SR 10 E.

## Continued.

Chains

North on a random line bet. Secs. 5 & 6  
 Var.  $120^{\circ} 40'$  E.

40.00 Set temporary  $\frac{1}{4}$  Sec. Cor.

80.21 Intusset North Edy. of Twp. at 21 lks. West  
 of Cor. to Secs. 5.6. 31 & 32, which is a volcanic  
 stone  $20 \times 15 \times 10$  ins. firmly set in the ground  
 with 5 notches on E and 1 notch on W. edges,  
 with pits  $18 \times 18 \times 12$  ins. in each Rec.  $5\frac{1}{2}$  ft. dist,  
 and mound of earth 2 ft high  $4\frac{1}{2}$  ft. base alongside,

Thence Run

$50^{\circ} 09'$  W on a true line bet. Secs. 5 and 6

40.21 Set a volcanic stone  $12 \times 8 \times 6$  ins. 5 ins. in  
 the ground for  $\frac{1}{4}$  Sec. Cor. marked  $\frac{1}{4}$  on W  
 face, dug pits  $18 \times 18 \times 12$  ins. N & S of stone  
 $5\frac{1}{2}$  ft. dist, and raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base alongside.

from which

A mesquite 4 ins. diam. brs. S.  $50^{\circ}$  W 103 lks. dist.

Subdivisions Sp. 20 SR 10 E.

Continued.

Chains

marked 14 S. B. P.

No other trees within limits.

80.21 The Cor to Sec. 5. 6. 7 & 8.

Land level

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate good grass.

Timber, scattering mesquite.

August 21<sup>st</sup> 1886

General Description.

This township contains nearly every variety of land from plains to mountains, and the soil ranges 2<sup>d</sup> class to worthless. The soil in the N. W. of township is 2<sup>d</sup> class, the principal portion of the East and Southern portion of the township

96

General Description, cont<sup>d</sup>

is mineral. The Cerro Colorado mine village is Sec. 25 - but the Cerro Colorado mine, is virtually abandoned and the village is in ruins.

The Cerro Colorado Mountains are located in the extreme N. E. portion of the Tp. and the Grijas Mtns. are located in the extreme S. W. portion of the Tp. The whole of the township is covered with nutritious grasses. The old Liberty silver mine is located in Sec. 16, and is now being worked by Messrs. Clark & Co.

Miguel Moreno has a Ranch, House out buildings & Corrals in Sec. 17 - he has built a large dam of lime and rock to catch water in the rainy seasons.



General Description, cont.

Ventura Robledos has a ranch House, out buildings and Corrals in Sec. 30, both of these men are engaged in stock raising.

The township is covered with a scattering growth of mesquite, with some few Hackberry and Tesote.

George J. Roskrug

U.S. Deputy Surveyor

For final oaths see book  
no 15.

98  
BOOK 905

OFFICE U. S. Surveyor General,  
Tucson, Arizona  
March 27th, 1888.

The foregoing Field Notes of the  
Surveys of the Subdivision Lines of  
Township 20 South, Range 10 East,  
Of the Gila and Salt River Base and  
Meridian  
Arizona, executed by George J. Roskruge,  
U. S. Deputy Surveyor, under his con-  
tract of the 5th. day of March 1888.  
having been critically ~~and~~ examined  
and the necessary corrections and  
explanations made, the said Field  
Notes and the surveys they describe  
are hereby approved.

-----  
*John Wise*  
-----  
U. S. Surveyor General