

## Preliminary Oaths of Assistants.

We, Urban Bessard  
 and Lyman Waterfield  
 do solemnly swear that we will faithfully execute  
 the duties of Chain Carriers; that we will level the  
 chain upon uneven ground, and plumb the tally  
 pins, whether by sticking or dropping the same;  
 that we will report the true distance to all notable  
 objects, and the true length of all lines that we as-  
 sist in measuring, to the best of our skill and  
 ability.

Urban Bessard  
Lyman Waterfield  
 \_\_\_\_\_  
 \_\_\_\_\_

Sworn to and subscribed before me, this 14<sup>th</sup>  
 day of April, 1877

We, *Fred. C. Jones and*  
*D. J. White*

do solemnly swear that we will well and truly per-  
 form the duties of *Assuran and*  
*flagman, respectively*  
 according to instructions given us, and to the best  
 of our skill and ability.

*Fred. C. Jones*  
*D. J. White*

Sworn to and subscribed before me this *14<sup>th</sup>*  
 day of *April*, 187*7*.

10

4-674.

Township 16 S. R. 25 E., G. & S. R. B. M.

BOOK 908

6	60	5	44	4	33	3	22	2	11	1
59	58		43		32		21		10	
7	57	8	42	9	31	10	20	11	9	12
56	55		41		30		19		8	
18	54	17	40	16	29	15	18	14	7	13
53	52		39		28		17		6	
19	51	20	38	21	27	22	16	23	5	24
50	49		37		26		15		4	
30	48	29	36	28	25	27	14	26	3	25
47	46		35		24		13		2	
31	45	32	34	33	23	34	12	35	1	36

No. 908

BOOK 908

17

Township 16 S. Range 25 E.  
Gila and Salt River Meridian

Pro. Survey commenced April 21. 1877.  
Begin at the cor. to secs. 35. 36. 1 & 2, on S.  
boundary, being a large mound of earth  
and stake, marked & notched, in S.E. pit, as  
established by myself in these present surveys.  
From thence

North between secs. 35 & 36.  
var.  $13^{\circ}44'$  East

As per East Boundary.

40.00 Remove from stone & timber. Drive charred  
stake & build mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft wide as per  
instructions for 14 sec. cor.

80.00 Drive charred stake & build mound  
of earth 2 ft high, with pits 1 ft deep, 2 ft  
long, 1 ft wide, and in center of pit S.E. of  
cor. drive a stake, marked and notched,  
2 ft long, 2 in. sq. 1 ft in the ground, as per  
instructions for cor. to secs. 25. 26. 35 & 36.  
Land flat. Soil good. Grass. No stone or timber.

Township 16 S. Range 25 E.  
Gila and Salt River Meridian

Rs. East

On random line between secs. 25 & 36.  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.90 Intersect E. boundary 13 hrs N.  
of cor. to secs. 25 and 36. from which  
cor. from  
N.  $89^{\circ}54'$  W.

On true line between secs. 25 & 36.  
var.  $13^{\circ}44'$  East

39.95 Drive charred stake and build  
mound of earth 2 ft. high, with  
pile 1 ft. deep, 2 ft. long, 1 ft.  
wide, as per instructions, for  $\frac{1}{4}$  sec.  
cor.

79.90 Cor. to Secs. 25, 26, 35 and 36.

Land level. Soil good. Gravel.  
No stones or timber

Township 16 S. Range 25 E.

Gila and Salt River Meridian

Chs. North between secs. 25 & 26.  
var. 13° 44' East

25.00 Road from Bowie to Sulphur Springs  
bas. E. and W.

40.00 Drive charred stake and build  
mound of earth 2 ft. high, with pits  
1 ft. deep, 2 ft. long, 1 ft. wide, as per  
instructions for  $\frac{1}{4}$  sec. cor.

80.00 Drive charred stake and build  
mound of earth 2 ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
and in center of pit S. E. of cor.  
drive a stake marked and  
notched, 2 ft. long, 2 in. sq. d.  
1 ft. in the ground, as per in-  
structions for cor. to secs. 23,  
24, 25 and 26.

Land level. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.  
Gila & Salt River Meridian

No. East on random line bet. sec. 24 & 25  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.95 Intersect E. boundary 12 loc. N.  
of cor. to sec. 24 and 25, from  
which cor. Drive  
 $N. 89^{\circ}55' W.$

On true line between sec. 24 & 25.

var.  $13^{\circ}44'$  East

39.98 Drive chared stake and build  
mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for  
 $\frac{1}{4}$  sec. cor.

79.95 Cor. to Secs. 23, 24, 25 & 26.

Land flat. Soil good.  
Grass. No stones or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

No. North between sec. 23<sup>d</sup> & 24<sup>d</sup>.

Var. 13°44' East

46.00 Drive chared stake and build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft long, 1 ft. wide, as per instructions, for 1/4 sec. cor.

88.00 Drive chared stake and build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft long, 1 ft. wide, and in center of pit S.E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq'd. 1 ft. in the ground, as per instructions, for cor. to sec. 13, 14, 23 and 24.

Land level. Soil good.

Grass. No stone or timber.



Township 16 S. Range 25 E.  
Gila and Salt River Meridian

1/4 Sec. East on random line bet. secs. 13 & 24.

var. 13° 44' East

40.00 Set temporary 1/4 sec. cor.

79.89 Intersect E. boundary 10 lns.

S. a few to secs. 13 and 24.

from which cor. I run

S. 89° 56' W.

On true line between secs. 13 & 24.

var. 13° 44' East

39.95 Drive chared stakes and build

mounds of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1/4 sec.  
cor.

79.89 Conto secs. 13, 14, 23 & 24.

Land flat. Soil good.

Grass. No stones or timber.

April 21, 1877.

Township 16 S. Range 25 E.

- Gila Salt River Meridian

hs. North between sec. 13<sup>e</sup>, 14<sup>e</sup>.  
var. 13° 44' East

40.00 Drive charred stake and build mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d., 1 ft in the ground, as per instructions, for cor to sec. 11, 12, 13 and 14.

Land level. Short good Grass.  
No stones or timber.

Township 16 S. Range 25 E.  
Gila & Salt River Meridian

Ch. East on random line bet. secs. 12 & 13.

var.  $13^{\circ}44'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.11 Intersect E. boundary 9 rods S.  
of cor. to secs. 12 and 13, from  
which cor. Incur  
 $S. 89^{\circ}56' W.$

On true line between secs. 12 & 13.

var.  $13^{\circ}44'$  East.

40.05 Inoc charred stone and  
build mound of earth 2 ft high  
with pits 1 ft. deep, 2 ft long, 1 ft.  
wide, as per instructions for  
 $\frac{1}{4}$  sec. cor.

80.11 Cor. to Secs. 11, 12, 13 and  
14.

Land level. Soil good.  
Grass. No stones or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

No. North between secs. 11 & 12.  
var.  $13^{\circ}44'$  East.

40.00 Drive charred stake and  
build mound of earth 2 ft  
high, with pits 1 ft deep, 2 ft  
long, 1 ft wide, as per instruc-  
tions, for 4 sec. cor.

80.00 Drive charred stake and build  
mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long,  
1 ft wide, and in center of  
pit S.E. cor. drive a stake  
marked and notched, 2 ft  
long, 2 in. sq. d. 1 ft in the ground  
as per instructions for cor. to  
secs. 1, 2, 11 and 12.

Land flat. Soil good. Grass.  
No stones or timber. Some brush.

Township 16 S. Range 25 E.  
Gila and Salt River Meridian

Chs. East on random line bet. secs. 1 & 12.

var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.05 Intersect E. boundary 11 lks. S.  
of cor. to secs. 1 and 12. from  
which cor. I run  
 $S. 89^{\circ}55'$  W.

On true line between secs. 1 & 12.

var.  $13^{\circ}44'$  East

40.03 Drive charred stakes and  
build mounds of earth 2 ft  
high, with pits 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor.

80.05 Cor. to Secs. 1, 2, 11 and 12.

Land flat. Soil good. Grass.  
No stones or timber. Some  
Mesquite Brush

Township 16 S. Range 25 E.

Gila & Salt River Meridian

40.00 North outline line between 1 & 2,  
var. 13'44" East.

40.00 Drive charred stake and build mound  
of earth 2 ft high, with pits 1 ft  
deep, 2 ft long, 1 ft wide, as per in-  
structions, for 14 sec. cor.

80.08 Intersect N. boundary, - the 3<sup>rd</sup>  
Standard Parallel S., - 28.41

W. of cor. to Secs. 35 and 36,  
of Tp. 15 S. Range 25 E.

Drive charred stake and build  
mound of earth 2 ft high,  
with pits 1 ft deep, 2 1/2 ft long, 1 1/2  
ft wide, and in center of pit  
E. of cor. drive a stake, marked  
and notched, 2 ft long - 2 in.  
sq. d. - 1 ft in the ground, as per  
instructions for closing cor. to Secs.  
1 and 2. Land flat. Soil good.  
Grass. No stones or timber.

Township 16 S. Range 25 E.  
Gila and Salt River Meridian

Ths. North between secs. 34 & 35.  
var.  $13^{\circ}44'$  East

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for  $\frac{1}{4}$  sec. cor.

63.70 Road from Boone to Sulphur Springs bro. E. and W.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, and in center of pit S.E. of cor. drive a stake, marked and notched, 2 ft. long, 2 in. sq. d. 1 ft. in the ground, as per instructions for cor to Secs. 26-27, 34 and 35.

Land flat, hilly on E. Soil Good. Grass. No stones or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

No. East on random line bet. sec. 26 & 35.  
var.  $13^{\circ}44'$  East.

37.50 Road from Bonvil to Sulphur Springs  
bros. N.E. and S.W.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.09 Intersect N. and S. line 5 hrs. S.  
from sec. 25. 26. 35 and 36.  
from which cor. In run  
 $S. 89^{\circ}58' W.$

On true line between sec. 26 & 35.  
var.  $13^{\circ}44'$  East.

40.05 Set a granite stone,  $14 \times 10 \times 7$  inches,  $\frac{2}{3}$   
in the ground, marked  $\frac{1}{4}$ , and on N.  
build mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.09 Cor. to Secs. 26. 27. 34 and 35.  
Land flat. Soil good. Grass.  
No timber.



Township 16 S Range 25 E.

Tela and Salt River Meridian

Pro North between Secs. 26 & 27.  
var. 13° 44' East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. ft. in the ground, as per instructions for cor. to Secs. 22, 23, 26 and 27.

Land flat. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.  
Gila and Salt River Meridian

79.98 East or random line bet. secs. 23 & 26.  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.98 Intersect N. and S. line 10 Ms.  
S. of cor. to secs. 23, 24, 25 and  
26. from which cor. I run  
S.  $89^{\circ}56'$  N.

Put two lines between secs. 23 & 26.  
var.  $13^{\circ}44'$  East

39.99 Dorr's charred stake and build  
mounds of earth 2 ft high, with  
pits 4 ft deep, 2 ft long, 4 ft wide,  
as per instructions for  $\frac{1}{4}$  sec. cor.

79.98 Cor. to secs. 22, 23, 26 & 27.

Land flat.

Soil good.

Grass.

No stone or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

Pro. North between secs. 22 & 23.  
var.  $13^{\circ}44'$  East

40.00 Drive charred stake and build mounds of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.

80.00 Drive charred stake and build mounds of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. ft. in the ground, as per instructions for cor. to Secs. 14, 15, 22 and 23.

Land flat. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.

Gila & Salt River Meridian

Ch. Eastern random line bet. secs. 14 & 23.  
var. 13°44' East.

40.00 Set temporary 1/4 sec. cor.

79.94 Intersect N. and S. line of sec. N.  
refer to secs. 13, 14, 23 and  
Pt. from which cor. Run  
N. 89°56' W.

On true line between secs. 14 & 23.  
var. 13°44' East.

39.97 Drive charred stake and build  
mound of earth of height with  
pile 4 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions, for 1/4  
sec. cor.

79.94 Cor. to Secs. 14, 15, 22 & 23.

Land flat. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.  
Gila & Salt River Meridian

Co. North between secs. 14<sup>1/2</sup> & 15,  
var. 13°44' East

40.00 Drive charred stake and  
build mound of earth 2 ft.  
high, with pits 1 ft. deep, 2 ft. long,  
1 ft. wide, as per instructions for  
1/4 sec. cor.

80.00 Drive charred stake and build  
mound of earth 2 ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft.  
wide, and in center of pit S.E.  
of cor. drive a stake, marked  
and notched, 2 ft. long, 2 in.  
sq. d. & 1 in. in the ground, as  
per instructions, for cor. to  
secs. 10, 11, 14 and 15.

Land level. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.

Gila & Salt River Meridian

Ch. Easton random line between 11 & 14.  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.07 Intersect N. and S. line 11 lns. S. of  
cor. to secs. 11, 12, 13 and 14,  
from which cor. I run  
 $S. 89^{\circ}55' W.$

Outline line between secs. 11 & 14.  
var.  $13^{\circ}44'$  East

40.03 Drive charred stake and  
build mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long,  
1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor.

80.07 Cor. to secs. 10, 11, 14 and 15.

Land level. Soil good. Grass  
No stone or timber.

Township 16 Range 25 E.  
Gila and Salt River Meridian

Ln North between Secs. 10 & 11,  
var.  $13^{\circ}44'$  East.

40.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for  
4 sec. cor.

80.00 Drive charred stake and build  
mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long,  
1 ft wide, and in center of  
pit S. E. of cor. drive a  
stake, marked and notched,  
2 ft long, 2 in. sq. d. of in the  
ground, as per instructions for  
cor. to Secs. 2, 3, 10 and 11.

Land level. Soil good. Grass. No  
stones or timber. Some Mesquite Bush.  
April 23, 1877.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

40.00 Set on random line bet sees. 2 & 11.  
var.  $13^{\circ}44'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.06 Intersect N. and S. line 13 lks. S.  
of cor. to sees. 1, 2, 11 and 12, from  
which cor. I run  
 $S. 89^{\circ} 57' N.$

On true line between sees. 2 & 11.  
var.  $13^{\circ}44'$  East

40.03 Drive charred stake and  
build mound a foot  $\frac{1}{2}$  ft  
high, with pits  $\frac{1}{2}$  ft deep, 2 ft  
long,  $\frac{1}{2}$  ft wide, as per instruction  
for  $\frac{1}{4}$  sec. cor.

80.06 Cor. to sees. 2, 3, 10 & 11.

Land level soil good. Grass.  
No stones or timber. Some  
mesquite brush.



Township 16 S. Range 25 E.  
Gila and Salt River Meridian

Chs. North between secs. 2 & 3.

var.  $13^{\circ}44'$  East

40.00 Drive charred stake and build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for these cor.

80.12 Intersect  $7^{\circ}$  Standard S., 28.45

chs. N. of Standard cor to sec.  
34 and 35. of Twp. 16 S. R. 25 E.

Drive charred stake and build  
mound of earth 2 ft high with  
3 pits, 1 ft deep,  $2\frac{1}{2}$  ft long,  $1\frac{1}{2}$  ft  
wide, and in center of pit E. of  
cor. drive a stake, marked and  
notched, 2 ft long, 2 in - sq'd,  
1 ft in the ground, as per in-  
structions, for cor. to sec.  
2 and 3.

Land flat. Soil good. Grass. No  
stones or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

Rs. North between secs. 33 & 34

var. 13° 44' East

46.00 Set a granite stone, 16 x 10 x 6 inches,  $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ , and on N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for  $\frac{1}{4}$  sec. cor. No trees near.

44.00 Opposite Sulphur Springs Rancho, which bears about 17 chs. N. A mound on little hill stands E. of the house.

47.10 Road from Bowie to Sulphur Springs bro. E. and N.

80.00 Set a post, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, marked and notched, drive charred stave and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 27, 28, 33 and 34. No trees near. Sulphur Springs Rancho bro. S. 23 $\frac{1}{2}$  W.

Land flat, grassy plain. Soil good. No timber.

Township 16 S. Range 25 E.  
Gila and Salt River Meridian

38. East or random line between secs. 27 & 34  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.97 Intersect N. and E. line 9 hrs. N. of  
cor. to secs. 26, 27, 34 and 35, from  
which cor. I run  
N.  $89^{\circ}56'$  W.

On true line between secs. 27 & 34.  
var.  $13^{\circ}44'$  East

39.98 Drive charr'd stake and build  
mound of earth 2 ft. high, with  
frits 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions for  $\frac{1}{4}$  sec.  
cor.

79.97 Cor. to secs. 27, 28, 33 and 34.

Land level. Soil good. Grasses.  
Destitute of stone and timber

Township 16 S. Range 25 E.

Gila and Salt River Meridian

Is North between secs. 27 & 28.  
var. 13° 44' East

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for  $\frac{1}{4}$  sec. cor.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake marked and notched, 2 ft long 2 in. sq. d. 1 ft in the ground, as per instructions for Cor. to Secs. 21, 22, 27 and 28.

No trees near.

Land level and flat. Soil good. Grass. No stones or timber

Township 16 S. Range 25 E.

Gila and Salt River Meridian

The East on random line between secs. 22 & 27.

var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.91 Intersect N. and S. line 5 hrs.

N. of cor. to secs. 22, 23, 26 and  
27, from which cor. I run  
N.  $89^{\circ}58'$  W.

On true line between secs. 22 & 27.

var.  $13^{\circ}44'$  East

39.95 Drove charred stave and build  
mound of earth 2 ft high, with  
pile 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

79.91 Cor. to secs. 21, 22, 27 and 28.

Land flat. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

to North between secs. 21 & 22.  
var. 13° 44' East.

40.00 Drive chared stake and build  
mound of earth 2 ft high, with  
frits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec.  
cor.

80.00 Drive chared stake and build  
mound of earth 2 ft high, with  
frits 1 ft deep, 2 ft long, 1 ft  
wide, and in center of pit  
S.E. of cor. drive a stake, mark-  
ed and notched, 2 ft long,  
2 in sq. d. 1 ft in the ground, as  
per instructions for cor. to Secs.  
15, 16, 21 and 22.

Land flat. Soil good. Grass. No  
stones or timber.

Township 16 S. Range 25 E,  
Gila and Salt River Meridian

Ch. East on random line bet. secs. 15 & 22.  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.93 Intersect N. and S. line 8 lvs. N.  
of cor. to secs. 14, 15, 22 and  
23, from which cor. Iron  
N.  $89^{\circ}57'$  W.

Outline line between secs. 15 & 22.  
var.  $13^{\circ}44'$  East

39.97 Drive charred stake and build  
mound a foot high,  
with pits 1 ft deep, 2 ft long,  
1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor.

79.93 Cor. to secs. 15, 16, 21 and 22.

Land level and flat. Grass,  
Soil good. No stones or timber.

Township 16 S. Range 25 E.  
Gila and Salt River Meridian

No. North between secs 15 & 16.  
var.  $13^{\circ}44'$  East

40.00 Drive charred stake and build  
mounds of earth 2 ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions for  $\frac{1}{4}$  sec.  
cor.

80.00 Drive charred stake and build  
mounds of earth 2 ft. high,  
with pits 1 ft. deep, 2 ft. long,  
1 ft. wide, and in center of  
pit S. E. of cor. drive a stake  
marked and notched, 2 ft.  
long, 2 in. sq. d. of pin in the ground  
as per instructions for cor. to secs.  
9, 10, 15 and 16.

Land flat. Soil good. Grass. No stone  
or timber.



Township 16 S. Range 25 E.  
Gila and Salt River Meridian

Chs. East on random line bet. secs. 10 & 15.  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.04 Intersect N. and S. line 11 hrs.

N. of cor. to secs. 10, 11, 14 and 15.

from which cor. Run

N.  $89^{\circ}55'$  W.

On true line between sec. 10 & 15.

var.  $13^{\circ}44'$  East.

40.02 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the  
ground, drive charred stave  
and build mound of earth  
2 ft. high, with pits 1 ft. deep, 2 ft.  
long, 1 ft. wide, as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees near

80.04 Cor. to secs. 9, 10, 15 and 16.

Land flat. Soil good. Grass  
No timber.

Township 16 S. Range 25 E.  
Gila and Salt River Meridian

No. North between secs. 9 & 10.  
var. 13° 44' East

40.00 Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor.

80.00 Drive charred stake and build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S.E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d., 1 ft in the ground, as per instructions for cor. to Secs. 3, 4, 9 and 10.

Land flat. Soil good. Lmes.  
No stones or timber.

Township 16 S. Range 25 E.  
Gila and Salt River Meridian

Ch. East on random line bet. sec. 3 $\frac{1}{2}$  & 10.  
var. 13°44' East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.08 Intersect N. and S. line 9 hrs. N.  
of cor. to secs. 2, 3, 10 and 11,  
from which cor. I run  
N. 89°56' W.

Return line between secs. 3 $\frac{1}{2}$  & 10.

var. 13°44' East.

40.04 Drive churred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide  
as per instructions, for  $\frac{1}{4}$  sec.  
cor.

80.08 Cor to secs. 3, 4, 9 and 10.

Land flat Soil good. Grass.  
No stone or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

Chs. North on true line bet sees. 3<sup>rd</sup> & 4<sup>th</sup>.  
var. 13° 44' East.

40.00 Drive chared stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.

79.90 Intersect 3<sup>rd</sup> Standard S., 28.50 Chs.

N. of standard cor. to sees. 33 and 34, of Twp. 15 S. Range 25 E. Drive chared stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 1/2 ft long, 1/2 ft wide, and in center of pit E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq'd. 1 ft in the ground, as per instructions for closing cor. to sees. 3 and 4.

Land flat. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

Co. North between secs. 32 & 33.

var.  $13^{\circ}44'$  East

40.00 Drive charred stake and build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instruc-  
tions, for 14 sec. cor.

62.00 Road from Sulphur Springs to Tuc-  
son rd., bvs. E. and W.

80.00 Set a post, marked and notched,  
4 ft long, 3 in. sq. d., 1 ft in the ground,  
drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for cor. to Secs.  
28, 29, 32 and 33.

No trees near.

Sand flat. Soil good. Grass.  
No timber.

Township 16 S. Range 25 E.

Gila & Salt River Meridian

1/4 Sec. East on random line bet secs 28 & 33,  
var.  $13^{\circ}44'$  East.

40.00 Set temporary 1/4 sec. cor.

79.96 Intersect N. and S. line 11 lks. S. of  
cor. to secs. 27. 28. 33 and 34,  
from which cor. Run  
 $S. 89^{\circ}55' N.$

On true line bet secs. 28 & 33.

var.  $13^{\circ}44'$  East

39.98 Set a granite stone,  $15 \times 8 \times 6$  inches  
 $2/3$  in the ground, marked 1/4, and on  
N. build mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide, as per in-  
structions for 1/4 sec. cor. No trees near.

Sulphur Springs Ranch Co. S.  $33\frac{1}{2}^{\circ} E.$

79.96 Cor. to secs. 28. 29. 32 & 33.

Land flat. Soil good. Grass.

No timber.

April 24. 1877.

Township 16 S. Range 25 E.  
Gila and Salt River Meridian

To. North between secs. 28 & 29.  
var.  $13^{\circ}44'$  East.

40.00 Drive charred stake and build  
mound of earth 2 ft. high, with  
pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
as per instructions for  $\frac{1}{4}$  sec. cor.

80.00 Drive charred stake and build  
mound of earth 2 ft. high, with  
pit 1 ft. deep, 2 ft. long, 1 ft. wide,  
and in center of pit S. E. of cor.  
drive a stake, marked and  
notched, 2 ft. long, 2 in. sq. d.  
1 ft. in the ground, as per in-  
structions, for cor. to secs.  
20, 21, 28 and 29.

Level flat. Soil good. Grass.  
No stone or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

East on random line bet. secs. 21 & 28.  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.92 Intersect N. and S. line 10 lbs S of  
cor. to secs. 21. 22. 27 & 28,  
from which cor. Run  
 $S. 89^{\circ}56' W.$

On true line between secs. 21 & 28.  
var.  $13^{\circ}44'$  East

39.96 Drive charred stake and build  
mound of earth 4 ft high, with  
pile 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for  $\frac{1}{4}$  sec.  
cor.

79.92 Cor. to secs. 20. 21. 28 and 29.

Land flat. Soil good. Grass.  
No stones or timber.



Township 16 S. Range 75 E.  
Gila and Salt River Meridian

Pa. North between secs. 20 & 21,  
var. 13° 44' East

40.00 Drive cleared stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for 1/4  
sec. cor.

80.00 Drive cleared stake and build  
mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long,  
1 ft wide, and in center of  
pit S. E. a ferr. drive a stake  
marked and notched 2 ft  
long, 2 in. eqd. 1 ft in the  
ground, as per instructions  
for cor. to secs. 16, 17, 20 and

21.  
Sand flat. Soil good. No  
stones or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

No. East on random line bet. 16 & 21.  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.05 Intersect N. and S. line 7 lns. N.  
after cor. to secs. 15, 16, 21 and  
22, from which cor. Driven  
N.  $89^{\circ}57'$  W.

On true line between secs 16 & 21.  
var.  $13^{\circ}44'$  East.

40.02 Drive charred stake and build  
mound of earth 4 ft high with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec.  
cor.

80.05 Cor to secs. 16, 17, 20 and 21.

Land flat. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.  
Gila and Salt River Meridian

No. North between secs. 16 & 17.  
var.  $13^{\circ}44'$  East.  
40.00 Drive charred stake and build  
mound of earth 2 ft. high,  
with pits 1 ft. deep, 2 ft. long, 1 ft.  
wide, as per instructions for  $\frac{1}{4}$   
sec. cor.

80.00 Drive charred stake and build  
mound of earth 2 ft. high, with  
pits 1 ft. deep, 2 ft. long, 1 ft.  
wide, and in center a pit S. E.  
of cor. drive a stake, marked  
and notched, 2 ft. long, 2 in.  
sq. d. 1 ft. in the ground, as per  
instructions, for cor. to secs.  
8, 9, 16, and 17.

Land flat. Soil good. Grass. No  
stones or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

Co. East on random line bet secs 9 & 16.  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.11 Intersect N. and S. line 9 lns.  
N. of cor. to secs. 9, 10, 15 and 16,  
from which cor. I run  
N.  $89^{\circ}56'$  W.

Original line between secs. 9 & 16.  
var.  $13^{\circ}44'$  East.

40.05 Drive chared stake and build  
mounds of earth 2 ft high with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for  $\frac{1}{4}$  sec. cor.

80.11 Cor. to secs. 8, 9, 16 and 17.

Land flat. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.  
Gila and Salt River Meridian

Sec. North between sees. 8 & 9.

var.  $19^{\circ}44'$  East.

40.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for 14 sec.  
cor.

80.00 Drive charred stake and build  
mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft  
wide, and in center of pit S. E.  
of cor. Drive a stake, marked  
and notched, 2 ft long, 2 in.  
sq. d. 1 ft in the ground, as per  
instructions for cor. to sees.  
4, 5, 8, and 9.

Land flat. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

No East or random line bet. secs. 4 & 9.  
var.  $13^{\circ}44'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.14 Intersect N. and S. line 6 lns. S.  
of cor. to secs. 3, 4, 9 and 10.  
From which cor. run  
 $S. 89^{\circ}57' W.$

Or true line between secs. 4 & 9.  
var.  $13^{\circ}44'$  East.

40.07 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for  
 $\frac{1}{4}$  sec. cor.

80.14 Cor. to secs. 4, 5, 8 and 9.

Land flat. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

Ths. North. true line between 4<sup>th</sup> & 5.  
var. 13°44' East

40.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1/2 ft wide, as per instructions for 4 sec. cor.

80.16 Intersect 3<sup>rd</sup> Standard Parallel S.  
28.55' N. of cor. to Secs. 32 and 33  
of Tp. 15 S. Range 25 E.

Drive charred stake & build mound of earth 2 ft high, with pit 1 ft deep, 2 1/2 ft long, 1/2 ft wide, and in center of pit E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sq. d. ft in the ground & per instructions for cor. to Sec. 4 and 5.

Land flat. Soil good. No stones or timber. Grass.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

No. North between secs. 31 & 32.

var.  $13^{\circ}44'$  East.

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 4 sec. cor.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake marked and notched, 2 ft long, 2 in. sq. d. 1 ft in the ground, as per instructions for cor. to secs. 29, 30, 31 and 32.

Land flat. Soil good. Grass.  
No stones or timber.



Township 16 S. Range 25 E.  
Gila and Salt River Meridian

Chs. East on random line bet sec. 29 & 32.  
var.  $13^{\circ}44'$  East

11.00 Road from Sulphur Springs to Tucson, Ariz.  
S.E. and N.W.

42.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.88 Intersect N. and S. line 7 hrs. S. of  
cor. to sec. 28, 29, 32 and 33, from  
which cor. Drive  
 $S. 89^{\circ}57' W.$

On true line bet. sec. 29 & 32.  
var.  $13^{\circ}44'$  East

39.94 Drive charred stake and build  
mound of earth 2 ft high, with  
folds 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec.  
cor.

79.88 Cor. to sec. 29, 30, 31 and 32.  
Land flat. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

No. West on random line bet secs. 30 & 31.  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.21 Intersect N. boundary 6 hrs. S. of  
cor to secs. 30 and 31. from which  
cor. Run  
 $S. 89^{\circ}57' E.$

Intersect line bet secs. 30 & 31.  
var.  $13^{\circ}44'$  East

58.21 Drive chared stake and build  
mound of earth 2 ft high, with  
pile 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for  $\frac{1}{4}$  sec.  
cor.

78.21 Cor. to Secs. 29, 30, 31 & 32.

Land level plain. Grass.  
Discrete of stones and  
timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

Co. North between secs. 29 & 30.

var. 13° 44' East

10.00 Road from Sulphur Springs to Tucson  
br. S. E. and N. W.

40.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for 1/4 sec.  
cor.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide  
as per instructions, for cor. to  
secs. 19, 20, 29 and 30, and  
in center of pit S. E. of cor. drive  
a stake, marked and notched,  
2 ft long, 2 in. sq. d. 1 ft. in the  
ground.

Land level Hilgard. Grass.  
No stones or timber.

Township 16 S. Range 25 E.

Gila & Salt River Meridian

On East on random line bet sec. 20 & 29.  
var.  $13^{\circ}44'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.94 Intersect N. and S. line 9 lks.  
N. of cor to secs. 20, 21, 28 and  
29, from which cor. Run  
N.  $89^{\circ}56'$  W.

On true line between secs. 20 & 29.  
var.  $13^{\circ}44'$  East.

39.97 Set post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft. in the ground,  
dug & charred steel and build  
mound of earth 4 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

79.94 Cor to Secs. 19, 20, 29 and 30.  
Land flat. Soil good. Grass.  
No timber.

Township 16 S. Range 25 East.  
Gila and Salt River Meridian

Pro. Nelson random line betweens. 19 & 30.  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.18 Intersect N. boundary 6 lns. N. of  
cor to secs. 19 and 30. from which  
cor. I run  
N.  $89^{\circ}57'$  E.

On true line between secs. 19 & 30.  
var.  $13^{\circ}44'$  East

38.18 Drive cleared stake and build mound  
of earth 2 ft high, with pile 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions for  
 $\frac{1}{4}$  sec. cor.

78.18 Cor. to secs. 19, 20, 29 and 30.

Land flat. Soil good. Grass.  
No stones or timber

April 25, 1877.

Township 16 S. Range 25 East  
Gila and Salt River Meridian

Line North between secs. 19 & 20.  
var.  $13^{\circ}44'$  East

40.00 Drive charred stake & build mound  
of earth 2 ft high, with pits 1 ft  
deep, 2 ft long, 1 ft wide, as per  
instructions for 4 sec. cor.

80.00 Drive charred stake and build  
mound of earth 2 ft high with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S. E. a few  
drives a stake, marked and  
notched, 2 ft long, 2 in. sq. d.  
1 ft in the ground, as per  
instructions, for cor. to Secs.  
17, 18, 19 and 20.

Land flat. Soil good Grass.  
No stones or timber.

Township 16 S. Range 25 E.  
Gila & Salt River Meridian

No. East on random line bet. sec. 17 & 20.  
var.  $13^{\circ}44'$  East

40.00 Set temporary 74 sec. cor.

83.02 Intersect N. and S. line 12 lbs.

N. a few to Secs. 16, 17, 20 and 24.  
from which cor. I run  
 $N. 89^{\circ}55' W.$

On true line between sec. 17 & 20.

var.  $13^{\circ}44'$  East

40.01 Drive charred stake and build  
mound of earth 2 ft high,  
with pile 1 ft deep, 2 ft long,  
1 ft wide, as per instructions  
for 74 sec. cor.

80.02 Cor. to sec. 17, 18, 19 and 20.

Land flat. Soil good. Grass  
No stones or timber.

Township 16 S. Range 25 E.

Gila & Salt River Meridian

As Meridian line bet sec. 18 & 19

var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.15 Intersect W. boundary 15 lns. N.  
of cor to sec. 18 and 19. from  
which cor. In run  
N.  $89^{\circ}54'$  E.

Put true line between sec. 18 & 19

var.  $13^{\circ}44'$  East

38.15 Drive charred stake and build  
mound of earth 2 ft high with  
pit 1 ft deep, 2 ft long, 1 ft wide  
as per instructions, for  $\frac{1}{4}$  sec.  
cor.

78.15 Cor to sec. 17, 18, 19 and 20.

Sand flat. Soil good, grass.  
No staves or timber.



Township 16 S. Range 25 East  
Tela & Salt River Meridian

Co. North between secs. 17 & 18.  
cor. 13.44 East

40.00 Drive charred stake and build  
mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long,  
1 ft wide, as per instructions  
for 4 sec. cor.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S. E. of  
cor. drive a stake, marked  
and notched, 2 ft long, 2 in. sqd.  
1 ft in the ground, as per in-  
structions, for cor. to secs.  
7, 8, 17 and 18.

Land flat - Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.  
Gila & Salt River Meridian

Rs. East on random line between 8 & 17  
var.  $13^{\circ}44'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.09 Intersect N. and S. line 13 hrs.  
N. of cor. to Secs. 8, 9, 16 and  
17, from which cor. I run  
N.  $89^{\circ}54'$  W.

Between line between Secs. 8 & 17.  
var.  $13^{\circ}44'$  East.

40.04 Set a post, marked  $\frac{1}{4}$  S. 4 ft long,  
flattened 3 in. wide, 1 ft in the  
ground, drive charred stake and  
build mound of earth 2 ft high  
with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for  $\frac{1}{4}$   
sec. cor. No trees near.

80.09 Cor. to Secs. 7, 8, 17 and 18.  
Land flat. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 East.  
Gila and Salt River Meridian

Chs. Nest on random line bet sec. 7 & 18.  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.11 Intersect N. boundary 10 hrs. N.  
of cor to secs. 7 and 18. from  
which cor. Run  
N.  $89^{\circ}56'$  E.

On true line between secs. 7 & 18.  
var.  $13^{\circ}44'$  East.

38.11 Iron chared stakes and build  
mounds of earth 2 ft high,  
with pits 4 ft deep, 2 ft long, 1 ft  
wide, as per instructions for  
 $\frac{1}{4}$  sec. cor.

78.11 Cor to secs. 7, 8, 17 and 18.

Land flat. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 E.  
Gila and Salt River Meridian

Ch. North between secs. 7 & 8.

var. 13<sup>44</sup>' East

40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 14 sec. cor.

80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in sq. c. 1 ft in the ground as per instructions for cor to secs. 7, 8, 6 and 5.

Land flat Soil good. Grassy.  
No stones or timber.

Township 16 S. Range 25 E.  
Gila & Salt River Meridian

Rs. East on random line between sec. 5 & 8.  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.12 Intersect N. and S. line 12 lks.

N. a foot to secs. 4, 5, 8 and  
9, from which cor. Run  
 $N. 89^{\circ}55' W.$

Return line between sec. 5 & 8.

var.  $13^{\circ}44'$  East

40.06 Drive channel stake and build  
mound of earth 2 ft high with  
futs 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for  $\frac{1}{4}$  sec  
cor.

80.12 Cor to Secs. 5, 6, 7 and 8.

Land flat. Soil good.

Gross. No stones or timber.

Township 16 S. Range 25 E.

Gila and Salt River Meridian

Chs. West on random line bet secs. 6 & 7  
var.  $13^{\circ}44'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

78.05 Intersect N. boundary 9 lns. N. of  
cor. to secs. 6 and 7. from which  
cor. run

N.  $89^{\circ}56'$  E.

On true line bet secs. 6 & 7.

var.  $13^{\circ}44'$  East

38.05 Drive chaired stakes and build  
mounds of earth 2 ft high,  
with pits 1 ft deep, 2 ft long,  
1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor.

78.05 Cor. to secs. 5, 6, 7 and 8.

Land flat. Soil good. Grass.  
No stones or timber.

Township 16 S. Range 25 East  
Gila and Salt River Meridian

Ch. Northwest corner Sec. 5 N.  
var.  $13^{\circ}44'$  East

40.00 Drive chared stake and build  
mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for  
1/4 sec. cor.

79.87 Intersect  $3^{\text{rd}}$  Standard Parallel S,  
28.44 Ch. W. of Standard cor.  
to sec. 31 and 32 of T. 15 S. Range  
25 E. — Drive chared stake,  
and build mound of earth 2 ft  
high, with pits 1 ft deep,  $2\frac{1}{2}$  ft long,  $1\frac{1}{2}$   
ft wide, and in center of pit E.  
of cor. drive a stake marked and  
notched, 2 ft long, 2 in. sq. 1 ft in  
the ground, as per instructions for  
closing cor. to sec. 5 and 6.  
Land flat. Soil good. Grass. No stones or timber.

April 26. 1877.

Township 16 S. Range 25 E.  
Gila & Salt River Meridian

## General Description.

This township lies in the Sulphur Springs valley. The surface is flat and the soil good; the township is covered throughout with grass, furnishing excellent grazing. There is no timber in the township, but some mesquite brush grows in the northeast portion.

In the northeast one quarter of section 33 is the Sulphur Springs Ranch. In this vicinity a number of fine springs of water rise, a considerable stream of water flowing from them.

Theodore F. White

U.S. Deputy Surveyor



## List of Names.

No. 908

A List of the Names of Individuals employed  
to assist in running, measuring, or marking the  
lines and corners described in the foregoing Field  
Notes of the survey of

The Subdivision Lines of  
Township 16 S. Range  
25 E, of the Gila and  
Salt River Meridian,  
Arizona Territory

Showing the respective capacities in which they  
acted.

Urban Pissard Chainman.  
Lyman Wakefield Chainman,  
Fred C. Jones Axeman.  
D. J. White Flagman.



Final Oath of Assistants.

We hereby certify that we assisted Theodore F. White U. S. Deputy Surveyor, in surveying the Subdivision Lewis of Township 16 South range 25 East, Gila and Salt River Meridian, Arizona

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

Urbain Benard Chainman.

Lyman Wakefield Chainman,

Fred. G. Jones Axeman.

D. F. White Flagman.

Sworn to and subscribed before me, this 28th day of April, 1877

John D. Farrell Notary Public

April 28, 1877

Final Oath of Deputy Surveyor. 64

I, *Theodore A. White*

U. S. Deputy Surveyor, do solemnly swear that  
in pursuance of a contract with John Wasson,  
United States Surveyor-General for Arizona, bear-  
ing date the *Fifth* day of *March*

1877 I have well, faithfully and truly, in my  
own proper person, and in strict conformity with  
the instructions furnished by the Surveyor-Gener-  
al, the Surveying Manual, and the laws of the  
United States, surveyed all those portions of

*The Subdivision Lines  
of Township 16 South  
Range 25 East, of the  
Gila and Salt River  
Meridian, Arizona*

as are repre-  
sented in the foregoing Field Notes as having  
been surveyed under my directions; and I do  
further solemnly swear that all the corners of  
said surveys have been established and perpet-  
uated in strict accordance with the Surveying  
Manual and printed instructions, and also in ac-  
cording with the additional requirements con-

60  
C  
E  
C  
A  
tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

BOOK 908

Theodore F. White  
Deputy Surveyor.

Sworn to and subscribed before me, this 28  
day of April, 1877

John Farrell  
Notary Public



U. S. Surveyor General's Office,

TUCSON, ARIZONA,

August 6, 1877.

The foregoing Field Notes of the Survey of the

Subdivision lines of  
Township 16 South,  
Range 25 East

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by Theodore F. White

Deputy Surveyor, under his contract of the

5<sup>th</sup>/<sub>7</sub>

day of March

, 1877, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved.

John Mason,  
Surveyor General.