

No. 909

EBOOK 909

606

Field Notes

EBOOK 909

OF THE SURVEY OF THE

SUBDIVISION LINES

— OF — No. 909

Township 16 South Range 28 East

Gila and Salt River Base and Meridian

ARIZONA.

By Thos. F. White D. S.

under contract dated Dec 6., 1881.

Survey commenced Apr 14., 1882.

Survey completed Apr 21., 1882.

1A

BOOK 909

BOOK 909 INDEX DIAGRAM.

Township 16 S.

Range R. 28 E.

6	95	5	69	4	52	3	34	2	16	1
93		92		68		50		33		15
7	90	8	66	9	48	10	31	11	13	12
88		87		65		47		30		12
18	86	17	63	16	45	15	28	14	10	13
84		83		62		44		27		9
19	81	20	60	21	43	22	25	23	7	24
79		78		59		41		24		6
30	76	29	57	28	41	27	22	26	5	25
74		73		56		38		21		3
31	71	32	53	33	36	34	18	35	1	36

Gila and Salt River Meridian.

ARIZONA.

We, John Blake, Samuel H. Van ¹⁸
Pelt, Geo. T. Wyatt & Jos. Schwarz.

do solemnly swear that we will well and truly perform the
duties of

Assessors, Flagman, &
Mundmen respectively

in the establishment of corners and other duties according to
instructions given us, and to the best of our skill and ability.

in the survey of the subdivision
lines of township No. 16 S. Range
No. 28 E. Gila & Salt River Base
& Meridian, Territory of Arizona

John Blake
Samuel H. Van Pelt
Geo. T. Wyatt
Jos. Schwarz

Sworn to and subscribed before me this 10 day of
March, 1882

Paul Riceker
Notary Public Pima
County, Arizona



BOOK 909

C
Preliminary Oaths of Assistants.

BOOK 909

B

We, J. H. Mc. Clure
and J. O. Ford

do solemnly swear that we will well and faithfully execute the duties of Chain Carriers; that we will level the chain upon even and uneven ground, and plumb the tally pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability and in accordance with the instructions given us in the survey

of the subdivision lines of
Township No. 16 S. Range No
28 E. Gila & Salt River
Meridian Territory of Arizona

J. H. Mc. Clure
J. O. Ford

Sworn to and subscribed before me, this 10th day of

March, 1887

Paul Riccker
Notary Public Pima
County, Arizona

Subdivisions P. 16 S. R. 28 E.

Gila & Salt River Meridian

chain

Survey commenced April 17,
1889, with a Burts improved
Solar Compass.

Commence at the cor. to
Secs. 1, 2, 35 & 36, on the S.
Boundary of the township,
which is a Granite stone, set
firmly in the ground, marked
with 1 notch on E. & 5 notches
on W. edges, with mound of
stone alongside.

Thence True
North bet. Secs. 35 & 36

Var. $12^{\circ} 30' E.$

(As per observation with solar compass)

4000 Set apart 2 ft. long, 3 ins square,
with marked stone, 12 ins. in the

Subdivision T. 16 S. R. 28 E. cont.

chain

ground, marked $\frac{1}{4}$ S. on N. face, dug pits $18 \times 18 \times 12$ ins. N. & S. of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00 Set a Post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for cor. to Secs.

25. 26. 35 & 36. marked

T. 16 S. S. 25 on N. E.

R. 28 E. S. 36 on S. E.

S. 35 on S. W. and

S. 25 on N. W. faces, with

notch on S. & E. edge, dug

pits $18 \times 18 \times 12$ ins. in each

sec. $5\frac{1}{2}$ ft. dist. and raised a

mound of earth $\frac{3}{4}$ ft. high,

$4\frac{1}{2}$ ft. base around post.

Land Ascending a little E.

No. 909

BOOK 909

3

Subdivision T. 16 S. R. 28 E. continued

chain

Soil 2^d rate
No timber.

East on a random line, bet.
Secs. 25 & 36.

Var. $12^{\circ} 30' E$

16.46 Wash drains N. W.

21.30 Leave it.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.92 Intersect E. boundary of town-
ship. 8 lks N. of cor. to Secs.

25. 30. 31 & 36. which is a

Post 4 ins. square, marked

T. 16 S. S. 30 on N. E.

R. 29 E. S. 31 on S. E.

R. 28 E. S. 36 on S. W. and

S. 25 on N. W. faces, with 5 notches
on N. & 1 notch on S. edges,

Subdivisions T. 16 S. R. 28 E. continued

Lains

with pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and mound of earth 2 ft. high $4\frac{1}{2}$ ft. base, around post.

Thence I run

N. $89^{\circ} 57' W.$ on a true line, bet. Secs. 25 & 26. with oak on.

39.96 Set a Post 2 ft. long, 3 ins. square, 24 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face, from which an Oak 20 ins. dia. br. N. $9^{\circ} W.$ 138 lbs. dist. marked $\frac{1}{4}$ S. B. T.

a Juniper 20 ins. dia. br. S. $70\frac{1}{2}^{\circ} E.$ 275 lbs. dist. marked $\frac{1}{4}$ S. B. T.

79.92 The Cor. to Secs. 25, 26, 35 & 36.
Land undulating
Some good soil
Scattering trees along creek

Subdivision N. 16 S. R. 28 E. continued

chains

North bet. Secs. 25 & 26.

Var. $12^{\circ} 30' E$

12.55 Wash drains N. W.

14.31 Leave it.

40.00 Set a Post 3 ft. long, 3 ins. square, with marked stone 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face, dug pits $18 \times 18 \times 12$ ins. N. & S. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base around post.

80.00 Set a Post 4 ft. long, 4 ins. square, with marked stone 12 ins. in the ground, for cor. to Secs. 23, 24, 25 & 26. marked

N. 16 S. S. 24 on N. E.

R. 28 E. S. 25 on S. E.

S. 26 on S. W. and

Subdivision S. 16 S. R. 28 E. continued

chains

S. 23. on N. W. cor. with 2
 notches on S. and 1 notch on E.
 edges, and raised a mound
 of stone 2 ft high 4 1/2 ft. base
 around Post, Pits impracticable.
 Land undulating
 Some good Soil.
 Scattering trees along creek.

East on a random line,
bet. Secs. 24 & 25.

Var. 12° 30' E.

40.00 Set, ^{temporary} 44 sec. cor.

79.96 Intersect E. Boundary of township. 7 1/2

N. of cor. to sec. 19. 24. 25 & 30. which is a mound of earth
 2 1/2 ft high 4 1/2 ft. base, with pits in each sec. In S. E. pit a stake was
 square marked S. 16 S. 19 on N. E. R. 28 E. S. 30 on S. E. R. 27 E. S. 25 on S. W. R.
 S. 24 on N. W. face with 4 notches on N. & 2 notches on S. edges.

Shed 3 mm

N. 89° 57' W. on a true line,
bet. Secs. 24 & 25. with same as

Subdivision N. 16 S. R. 28 E. continued

Chains

- 39.98 Deposited a charred stake 12
ins. in the ground for $\frac{1}{4}$ sec.
cor. dug pits 18+18+12 ins. E.M.
of cor. $5\frac{1}{2}$ ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base over it. In E pit.
drove a stake 8 ft. long, 2 ins.
square, 12 ins. in the ground
marked $\frac{1}{4}$ S. on N. face
- 79.96 The cor. to Secs. ^{23.} 24. 25 & 26.
Land undulating
Some good soil
Scattering trees "

North bet. Secs. 23 & 24

Var. $12^{\circ} 30' E.$

23.67 Road corner N.

4000 Deposited a charred stake 12

Subdivision N. 16 S. R. 28 E. continued

chain

ins. in the ground, for $1/4$ sec.
 cor. dug pits $18 \times 18 \times 12$ ins. N. & S.
 of cor. $5 1/2$ ft. dist. and raised
 a mound of earth $1 1/2$ ft. high,
 $3 1/2$ ft. base over it. In N. pit
 drove a stake 2 ft. long, 2 ins. square
 12 ins. in the ground, marked
 $1/4$ S. on N. face.

80.00 Set a Porphyry rock $14 \times 10 \times 7$
 ins. 10 ins. in the ground, for
 cor. to secs. 13, 14, 23 & 24.
 marked with 3 notches on S.
 and 1 notch on E. edge, dug
 pits $18 \times 18 \times 12$ ins. in each sec.
 $5 1/2$ ft. dist. and raised a
 mound of earth 2 ft high
 $4 1/2$ ft base alongside.
 Land undulating
 Some good soil

Subdivision S. 16. R. 28 E. continued

Chains

Scattering trees. along creek.

East on a random line, bet.
Secs. 13 + 24.

Var. $120^{\circ} 30' E$

40.00 Set temporary $1/4$ sec. cor.

62.10 Trail course N.

80.10 Intersect ^EW. Boundary of town-
ship. 11 lks N. of cor. to Secs. 13.

18, 19, + 24, which is a quartzite
rock set firmly in the ground,
marked with 3 notches on N +
S edges, and mound of stone
alongside. Hence I run

N. $89^{\circ} 55' W$. on a true line, bet.
secs. 13, + 24, with same va.

40.05 Reported a charred stake 12
ins. in the ground, for $1/4$ sec.

Subdivision N. 6 S. R. 28 E. cont.

Chains

Cor. dug pits 18x18x12 ins.
 25 W. of cor. 5 1/2 ft. dist. and
 raised a mound of earth 1 1/2
 ft. high 3 1/2 ft. base over it.
 In E pit drove a stake 2 ft.
 long, 2 ins. square, 12 ins. in the
 ground, marked 1/4 S on N.
 face.

80.10 The cor. to Secs. 13, 14, 23x24.
 Land undulating
 Some good soil
 No timber.

North bet. Secs. 13 & 14.
 Var. 12° 30' E.

40.00 Deposited a charred stake
 12 ins. in the ground for
 1/4 sec. cor. dug pits 18x18

Subdivision T. 16 S. R. 28 E. continued

Chain

+ 12 ins. N + S. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
over it. In N. pit drove a
stake 2 ft. long, 2 ins. square
12 ins. in the ground, marked
 $\frac{1}{4}$ S. on W. face

8000

Deposited a charred stake
12 ins. in the ground, for cor. to
secs. 11, 12, 13 & 14 dug pits
 $18 \times 18 \times 12$ ins. in each sec.

$5\frac{1}{2}$ ft. dist. and raised a
mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base over it. In S. E.
pit drove a stake 2 ft. long,
2 ins. square, 12 ins. in the
ground, marked

T. 16 S. S. 12 on N. E.

R. 28 E. S. 13 on S. E.

Subdivision S. 16 S. R. 28 E. cont.

chain

S. 14 on S. W. and
S. 11 on N. W. faces. with
4 notches on S. and 1 notch on
E. edges.

Land undulating
some good soil
No timber.

East on a random line, bet.
Secs. 12 & 13.

Var. $12^{\circ} 30' E$

40.00 Set temporary $1/4$ sec. cor.

80.06 Intersect N. Boundary
of township 13 lbs S. of cor.
to Secs. 7, 12, 13 & 18. which
is a quartzite rock, set firmly
in the ground, marked
with notches on N. & E.

Subdivision S. 16 S. R. 28 E. continued

chains

notches on S. edges and
mound of stone alongside
Thence 9 mi. +

S. 89° 54' W. on a true line,
bet. Secs. 12 + 13. with same ca.

40.03 Set a quartzite rock 14 x 10 x 7
ins. 10 ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ on N. face
and raised a mound of stone
alongside. Pit impracticable.

80.06 The cor. to Secs. 11, 12, 13 + 14.
Land undulating
Some good soil
No timber.

North bet. Secs. 11 + 12

Var. 12° 30' E.

40.00 Set a quartzite rock 16 x 11 x 7

Subdivisions T. 16 S. R. 28 E. cont.

chains

ius. 11 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N.
 face, dug pits $18 \times 18 \times 12$ ins.
 N.W.S. of cor. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base along
 side.

80.00 Deposited a charred stake
 12 ins. in the ground, for
 cor. to Secs. 1. 2. 11 & 12,
 dug pits $18 \times 18 \times 12$ ins. in each
 sec. $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base over it.

In S. E. pit. drove a stake
 2 ft. long, 2 ins. square, 12
 ins. in the ground, marked
 T. 16 S. S. 1 on N. E.
 R. 28 E. S. 12 on S. E.

Subdivisions T. 16 S. R. 28 E. cont.

chain

S. 11 on S. W. and
 S. 2 on N. W. faces, with
 5 notches on S. and 1 notch
 on E. edges.

Land undulating

Soil 2^d rate

No timber.

East on a random line, bet.
 Secs. 1 & 12.

Var. $12^{\circ}30' E$.

40.00 Set temporary $1/4$ sec. cor.
 80.00 Intersect W. Boundary of
 township. 12 lks S. of cor. to
 Secs. 1, 6, 7 & 12, which is a
 quartzite rock, set firmly
 in the ground, marked
 with 1 notch on N. & 5 notches

Subdivisions S. 16. R. 28 E. cont.

chains

on S. edges, with mound of
stone alongside.

Plence I have

S. $89^{\circ} 55' N.$ on a true line, bet.
Secs. 1 & 12. with same oa.

40.03 Set a Porphyry rock 15×12
 $\times 5$ ins. 10 ins. in the ground
for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
on N. face and raised a
mound of stone, alongside
Pits impracticable

80.06 The Cor. to Secs. 1, 2, 11 & 12
Land undulating
soil 2^d rate
no Timber.

North on a true line, bet.
Secs. 1 & 2.

Subdivision T. 16 S. R. 28 E. continued

chains

Var. $12^{\circ} 30' E.$

34.00 Wash 50 lbs wide, course S. W.

40.00 Set a Post 3 ft. long, 3 ins. square, with marked stone, 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on W. face, and raised a mound of stone around Post. Pits impracticable.

79.91 Intersect N. Boundary of township. 35.19 chains.

W. of standard cor. to Secs.

35 & 36. where I deposited a charred stake 12 ins. in the ground, for ^{closing} cor. to Secs. 1 & 2Dug pits, 18 x 18 x 12 ins. S. E & W. of cor. 5 $\frac{1}{2}$ ft. diet. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In Epit

Subdivision T. 16 S. R. 28 E. cont.

Chains

drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked C. C. T. 16 S. R. 28 E. m. S. S. 1 on E. and S. 2 on W. faces, with 1 notch on E. & 5 notches on W. edges. Land undulating
Soil 2^d rate
No timber.

From the Cor. to Secs. 2, 3, 34 & 35, on S. Boundary of township, which is a mound of earth 2 ft. high, 4 1/2 ft. base, with pits 18 x 18 x 12 ins. in each sec. 57 ft. dist. In S. E. pit is a stake 2 ins. square marked T. 16 S. S. 35 on N. E.

Subdivisions T. 6. S. R. 28 E. cont.

chains

R. 28 E. S. 2 on S. E.

D. 175' S. 3 on S. W. and
 S. 34 on N. W. faces, with 2
 notches on E + 4 notches on
 N. edges, Thence I m m r
 north bet. secs. 34 + 35.

Var. $12^{\circ} 30' E.$

4000 Deposited a charred stake
 12 ins. in the ground for $\frac{1}{4}$
 sec. cor. dug pits 18 + 18 + 12
 ins. N + S. of cor. $5\frac{1}{2}$ ft. dist.
 and raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it.

In N. pit drove a stake 2 ft
 long, 2 ins. square, 12 ins. in the
 ground, marked $\frac{1}{4}$ S on N.
 face.

3000 Deposited a charred stake
 12 ins. in the ground for

Subdivision S. 16 S. R. 28 E. cont.

Chains

cor. to sees. 26. 27. 34 & 35.
 dug pits 18 x 18 x 12 ins. in each
 Sec. 5/8 ft. dist. and raised
 a mound of earth 1 ft. high
 4/8 ft. base over it. In S. E.
 pit drove a stake 2 ft.
 long, 2 ins. square, 12 ins.
 in the ground, marked
 S. 16 S. S. 26 on N. E.
 R. 28 E. S. 35 on S. E.
 S. 34 on S. W. and
 S. 27 on N. W. faces, with
 notches on S. and 2 notches
 on E. edges.
 Land ascending a little E.
 Soil 2^d rate
 No timber.

Subdivision T. 16 S. R. 28 E. continued

Chains

East on a random line, bet.
Secs. 26 & 35.

Var. $12^{\circ} 30' E$.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.11 Intersect N & S. line, 9 lks S.
of cor. to Secs. 25, 26, 35 & 36.

Thence I run

S. $89^{\circ} 56' W$. on a true line
bet. Secs. 26 & 35, with same or.

40.05 Reprited a charred stake
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. dug pits 18 x 18 x 12
ins. E & W. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
over it. In E. pit drove a stake
2 ft. long, 2 ins. square, 12 ins.
in the ground, marked $\frac{1}{4}$
S. on N. face.

Subdivision N. 16 S. R. 28 E. cont.

chain

80.11

the cor. to Secs. 26. 27. 34 + 35.
 Land ascending a little E.
 Soil 2^d rate
 No timber.

North bet. Secs. 26 + 27.

Var. $12^{\circ} 30' E.$

4000 Deposited a charred stake,
 12 ins. in the ground, for $\frac{1}{4}$
 sec. cor. dug pits 18 + 18 + 12
 ins. N + S. of cor. $5\frac{1}{2}$ ft. dist.
 and raised a mound of earth
 $1\frac{1}{2}$ ft. high $9\frac{1}{2}$ ft. base over it.
 In N. Pit drove a stake 2 ft.
 high, 2 ins. square, 12 ins. in
 the ground, marked $\frac{1}{4}$ S. on
 N. face,

48.74

Road to Sawmill corner S. E.

Subdivisions T. 16 S. R. 28 E. continued

Chains

56.65 Road to Sulphur Springs.
 80.00 Set a Post 4 ft. long, 4 ins.
 square, with marked stone 12
 ins. in the ground for cor. to
 Secs. 22, 23, 26 & 27, marked
 T. 16 S. S. 23 on N. E.,
 R. 28 E. S. 26 on S. E.,
 S. 27 on S. W. and
 S. 22 on N. W. faces, with
 notches on S. & E. edges.
 dug pits 18 x 18 x 12 ins. in each
 sec. 5 1/2 ft. dist. and raised
 a mound of earth 2 ft. high
 4 1/2 ft. base around post.
 Land ascending a little E.
 Soil 2^d rate
 No timber.

Subdivision N. 16 S. R. 28 E. cont.

Chains

Cast on a random line,
bet. Secs. 23 & 26.Var. $12^{\circ} 30' E.$

- 6.00 Creek 100 lbs wide drains N. W.
- 40.00 Set temporary $1/4$ sec. cor.
- 41.50 Creek drains N. W.
- 43.30 Leave it.
- 48.00 Pinery Creek again drains S. W.
- 48.30 Leave it.
- 59.42 ^{face} Creek 50 lbs wide drains N. W.
- 80.10 Intersect N & S. line 11 lbs
S. of cor. to Secs. 23, 24, 25 & 26
Phewee Iron
 $S. 89^{\circ} 55' W.$ on a true line bet.
Secs. 23 & 26. with same va.
- 40.05 Set a post, 3 ft. long, 3 ins.
square, with marked stone,
12 ins. in the ground, for $1/4$ sec.
cor. marked $1/4 S.$ on N face

Subdivision N. 16 S. R 2 & E cont.

chains

dug pits 18x18x12 ins. Ex N. of
post 5 1/2 ft. dist. and raised
a mound of earth around post
from which a Sycamore 6 in.
dia br. h. 47° E. 111 lbs. dist.
marked 1/4 S. B. J.

80.10 The Cor. to Secs. 22, 23, 26 & 27.
Land flat
Some good soil
Some trees along creek
April 18. 1882.

North bet. Secs. 22 & 23.
Var. 12° 30' E.

5.00 Wash. 100 lbs wide drains N. W.
27.00 Quarry Creek 100 lbs wide drains N.
40.00 Set a Post 2 ft. long, 3 ins. square
with marked stum, 12 ins. in

Subdivisions T. 16 S. R. 28 E. cont.

Chain

the ground, for $\frac{1}{4}$ sec. cor.
 marked $\frac{1}{4}$ S. on N. face, dug
 pits $18 \times 18 \times 12$ ins. N. E. of
 cor. $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft.
 high $3\frac{1}{2}$ ft. base around post.
 from which a cabin
 br. S. $20\frac{3}{4}^{\circ}$ E. about 10 chs. dist.

8000 Deposited a charred stake
 12 ins. in the ground, for cor.
 to Secs. 14, 15, 22 & 23. dug
 pits $18 \times 18 \times 12$ ins. in each
 sec. $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $2\frac{1}{2}$ ft.
 high $4\frac{1}{2}$ ft. base over it. In
 S. E. pit drove a stake 2 ft.
 long, 2 ins. square, 12 ins. in
 the ground, marked
 T. 16 S. S. 14 on N. E.

Subdivision S. 16 S. R. 28 E. cont.

Chain

R. 28 E. S. 23. on S. E.
 S. 22 on S. W. and
 S. 15 on N. W. faces, with
 3 notches on S. and 2 notches
 on E. edges.

Land flat
 Some good soil
 No timber.

East on a random line
 bet Sees. 14 + 23.

Var. $12^{\circ} 30' E$

10.00 Road to ^{S.W.} Cabezas corner N. W.

40.00 Set temporary $1/4$ sec. cor.

80.07 Intersect N + S. line, 16 lks

S. of cor. to Sees. 13, 14, 23 + 24

Thence from

S. $89^{\circ} 56' W$. on a true line, set

Subdivisions S. 16 S. R. 28 E. cont.

chains

Secs. 14 x 23. with same wa.

40.03 Deposited a charred stake
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. dug pits 18 x 18 x 12
ins. E. W. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it.
In E. pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. in
the ground, marked $\frac{1}{4}$ S on
N. face.

80.07 The cor. to Secs. 14, 15, 22 x 23,
Land descending W.
Some good soil
No timber.

X

North bet. Secs. 14 x 15
Var. $12^{\circ}30' E.$

Subdivisions S. 16 S. R. 28 E cont.

Chains
40.00

Deposited a charred stake
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. dug pits $18 \times 18 \times 12$
ins. N & S. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
over it. In N pit drove a
stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked

$\frac{1}{4}$ S. on N. face.
Road to Sec. 10, 11, 14 & 15.

62.02
80.00

Deposited a charred stake
12 ins. in the ground, for
cor. to Secs. 10, 11, 14 & 15
dug pits $18 \times 18 \times 12$ ins. in each
sec. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth 2 ft. high
 $4\frac{1}{2}$ ft. base over it. In S. E.
pit drove a stake 2 ft.
long, 2 ins. square, 12 ins.

Subdivisions P. 16 S. R. 28 E. cont.

chains

in the ground, marked
 P. 16 S. 11 on N. E.
 R. 28 E. S. 14 on S. E.
 S. 15 on S. W. and
 S. 10 on N. W. faces. with
 4 notches on S. and 2 notches
 on E. edges.

Land descending W.
 Some good soil
 No timber.

on a random line

East, bet. Secs. 11 & 14.

Cor. $12^{\circ} 30' E.$

4000 Set temporary $\frac{1}{4}$ sec cor.

80.13 Intersect N+S. line 16 lks N.

of cor. to Secs. 11, 12, 13 & 14

Thence down

N. $89^{\circ} 53' W.$ on a true line, bet

Subdivisions T. 16 S. R. 28 E. cont.

chains

- 40.06 Secs. 11 & 14. with same or,
 Depicted a charred stake 12
 ins. in the ground, for $\frac{1}{4}$ sec.
 cor. dug pits 18 & 18 & 12 ins. E & W.
 of cor. $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high,
 $3\frac{1}{2}$ ft. base over it. In E. pit
 drove a stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked
 $\frac{1}{4}$ S. on N. face,
- 80.13 The cor. to Secs. 10, 11, 14 & 15.
 Land descending W.
 Some good soil
 No timber

 North bet. Secs. 10 & 11

 Var. $12^{\circ} 30'$ E.

40.00 Depicted a charred stake

Subdivision T. 16 S. R. 28 E. cont.

chains

12 ins. in the ground, for 1/4 sec.
cor. dug pits 18x18x12 ins. Inst.
of cor. 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high
3 1/2 ft. base over it. In N.
pit drove a stake 2 ft. long,
2 ins. square, 12 ins. in the ground,
marked 1/4 S. on W. face.

8000

Repaired a charred stake
12 ins. in the ground, for cor.
to Secs. 2, 3, 10 + 11. dug pits
18x18x12 ins. in each sec. 5 1/2
ft. dist. and raised a mound
of earth 2 ft. high 4 1/2 ft. base
over it. In S. E. pit drove a
stake 2 ft. long, 2 ins. square, marked
T. 16 S. S. 2 on N. E.
R. 28 E. S. 11 on S. E.
S. 10 on S. W. and

Subdivisions S. 16 S. R. 28 E. continued

Lain

S. 3 on N. W. face, with 5 notches
on S. and 2 notches on E. edge,
Layed descending W.
Some good soil
No timber.

East on a random line, bet
Secs. 2 & 11

Var. $12^{\circ} 30' E.$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.11 Intersect N & S. line, 17 lbs
N. of cor. to Secs. 1, 2, 11 & 12.

Thence I run

N. $89^{\circ} 53' W.$ on a true line bet
Secs. 2 & 11. with same va.

40.05 Deposited a charred stake
12 ins. in the ground, for $\frac{1}{4}$ sec.
cor. dug pits $18 \times 18 \times 12$ ins.

Subdivision S. 16 S. R. 28 E. cont.

Chadus

E. & W. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, over it. In E. pit drove a stake 4 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ sec. on N face.

80.11 The Cor. to Secs. 2, 3, 10 & 11.

Land undulating
Soil 2 x 3 d. rate

No timber.

North on a true line bet.
Secs. 2 & 3.

Mar. 12 30 C.

40.00

Deposited a charred stake 12 ins. in the ground for $\frac{1}{4}$ sec. cor. dug pits $18 \times 18 \times 12$ ins. N & S. of cor. $5\frac{1}{2}$ ft. dist. and

Subdivision N. 16 S. R. 28 E. cont.

Chain

raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. bar over it.

79.93 In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on W. face, Intersect N. Boundary of township 35.25 chs west of stand ard cor. to Secs. 34 & 35, where I deposited a charred stake 12 ins. in the ground, for closing cor. to Secs. 2 & 3. dug pits $18 \times 18 \times 12$ ins. S. E. & W. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. bar over it. On E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked C. C. N. 16 S. R. 28 E. on S. 2 on E. and S. 3 on W. face, with 2 notches

Subdivisions T. 16 S. R. 28 E. cont.

chains

on E. and 4 notches on W. edges.
 Land undulating
 Soil 2^d & 3^d rate
 No timber.

OX

~~North bet. Secs. 33 & 34
 for 12° 30' E.~~

From the cor. to Secs. 3, 4,
 33 & 34 on S. Boundary of
 township, which is a mound
 of earth 2 ft. high 4 1/2 ft. base,
 with pits 18 x 18 x 12 ins. in each
 sec. 5 1/2 ft. dist. In S. E. pit
 is a stake 2 ins. square, marked
 T. 16 S. S. 34 on N. E.

R. 28 E. S. 3 on S. E.
 T. 17 S. 4 on S. W. and
 S. 33 on N. W. faces, with 3

Subdivisions T. 16 S. R. 28 E. continued

chains

notches on E & W. edges,
Pierce Iron,

North bet. Secs. 33 & 34,
Var. $12^{\circ} 30' E'$

40.00

Deposited a charred stake,
12 in. in the ground for $\frac{1}{4}$
sec. cor. dug pits $18 \times 18 \times 12$ in.
N. & S. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$
ft. high $3\frac{1}{2}$ ft. base over it.

In N. pit drove a stake 1 ft.
long, 2 in. square 12 in. in the
ground, marked $\frac{1}{4}$ S. on W. face.

80.00

Deposited a charred stake 12
in. in the ground for cor. to
Secs. 27, 28, 33 & 34. dug pits
 $18 \times 18 \times 12$ in. in each sec. $5\frac{1}{2}$ ft.
dist. and raised a mound of
earth 1 ft. high, $4\frac{1}{2}$ ft. base over it.

Subdivisions T. 16 S. R. 28 E. cont.

Chains

In S. E. pit drove a stake 4 ft long, 2 ins. square, 12 ins. in the ground, marked,
 T. 16 S. S. 27 on N. E.
 R. 28 E. S. 34 on S. E.
 S. 33 on S. W. and
 S. 28 on N. W. faces, with 1 notch on S. and 3 notches on E. edges.
 Land ascending a little E.
 Soil 2^d rate
 No timber.

East on a random line, bet.
 Secs. 27 + 34

Var. $12^{\circ} 30'$ E

- 40.00 Set temporary $1/4$ sec. cor.
 41.20 Road to Bowie course - N.
 79.93 Intersect N.W. line 13 lbs

Subdivisions T. 16 S. R. 28 E. continued

chains

N. of cor. to Secs. 26. 27. 34 + 35.

Thru 9 mm

N. $89^{\circ} 54'$ W. on a true line, bet.

Secs. 27 + 34. with same va.

39.96 Deposited a charred stake 12
 ins. in the ground, for $\frac{1}{4}$ sec.
 cor. dug pits 18 + 18 + 12 ins.
 E + W. of cor. $5\frac{1}{2}$ ft. dist. and
 raised a mound of earth $1\frac{1}{2}$ ft.
 high, $3\frac{1}{2}$ ft. base over it. On e.
 pit drove a stake 2 ft. long, 2 ins.
 square, 12 ins. in the ground, marked
 $\frac{1}{4}$ S. on N. face.

79.93 The cor. to Secs. 27. 28. 33 + 34.

Land ascending a little E.

Soil 2d rate

No timber.

Subdivisions T. 16 S. R. 28 E. cont.

chains

North bet. Secs. 27 & 28

Var. $12^{\circ} 30' E$

40.00 Deposited a charred stake
 12 ins. in the ground for $\frac{1}{4}$ sec.
 cor. dug pits 18 x 18 x 12 ins. & s.d.
 of cor. $5\frac{1}{2}$ ft. dist. and raised
 a mound of earth $1\frac{1}{2}$ ft. high,
 $3\frac{1}{2}$ ft. base over it. In the
 pit drove a stake, 2 ft. long,
 2 ins. square, 12 ins. in the ground,
 marked $\frac{1}{4}$ S. on W. face.

49.53 Old Road course S. W.

61.72 Old Road to Sulphur Springs
 course S of W.

80.00 Set a Post 4 ft. long 4 ins. square,
 with incised stone
 n 12 ins. in the ground for cor. to
 sec. 21, 22, 27 & 28. marked
 T. 16 S. S. 22 on N. E.
 R. 28 E. S. 27 on S. E.

Subdivision D. 16 S. R. 28 E. continued

chains

S. 28 on S. W. and
 S. 21 on N. W. face, with 2 notches
 on S. and 3 notches on E. edges,
 dug pits 18 x 18 x 12 ins. in each
 sec. 5/2 ft. dist. and raised a
 mound of earth 2 ft. high 4 1/2 ft.
 base around post.

Land flat
 some good soil
 No timber.

East on a random line bet. Secs
 22 x 27

Var. 12° 30' E

40.00 Set temporary 1/4 sec. cor.
 42.50 Road to Bowie corner N.
 45.25 Road corner N. W. into first
 79.99 Intersect N. + S. line 15 lbs

Subdivision T. 16 S. R. 28 E. cont.

chain

N. of cor. to Secs. 22, 23, 26 + 27.

Thence S 90° 54' W.

N. 89° 54' W. on a true line, bet.
Secs. 22 + 27. with same va.

39.99 Re-pointed a charred stake
12 ins. in the ground, for $\frac{1}{4}$ sec.
cor. dug pits 18 + 18 + 12 ins. E & W
of cor. 5 ft. dist. and raised a
mound of earth 1 ft. high $\frac{3}{4}$
ft. base over it. In E pit. drove
a stake 2 ft. long, 2 ins. square
12 ins. in the ground, marked
 $\frac{1}{4}$ S on N face.

79.99

The Cor. to Secs. 21, 22, 27 + 28.

Land flat

Some good soil

No timber.

Subdivisions T. 16 S. R. 28 E. continued

Lines

North bet. Secs. 21 & 22.

Var. $12^{\circ} 30' E$

- 40.00 Set a Post 3 ft. long, 3 ins. square with marked stone, 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ S. on N. face, dug pits 18 x 18 x 2 ins. N & S. of cor. $3\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base around post, from which a Ly canore 14 ins. dia. br. N. $29\frac{1}{2}^{\circ} E$, 44 lbs. dist. Marked $\frac{1}{4}$ S. B. T.
- 41.60 Wash of Plenary Creek 340 lbs wide course S. of N.
- 80.00 Set a Post 4 ft. long, 4 ins. square with marked stone, 12 ins. in the ground, for. cor. to secs. 15, 16, 21 & 22. marked T. 16 S. S. 15 on N. E. R. 28 E. S. 22 on S. E. +

Subdivisions T. 16 S. R. 28 E. cont.

chains

S. 21 on S. ~~W.~~ and
 S. 16 on N. W. faces, with 3
 notches on S. and E. edges.
 dug pits 18+18+12 in. in each
 sec. $5\frac{1}{2}$ ft. dist. and raised a
 mound of earth 2 ft. high, $4\frac{1}{2}$
 ft. base around post.

Land flat

Some good soil

A few Sycamores along creek.

East on a random line bet.
 Secs. 15 & 22.

Var. $12^{\circ}30' E$

- 4000 Set temporary $\frac{1}{4}$ sec. cor.
 55.42 Old Road to Bowie etc. corner N.
 80. 13 Intersect N+S line 16 lks N.
 of cor. to Secs. 14, 15, 22 + 23.

Subdivisions S. 16 S. R. 28 E. cont.

chains

Thence Iron

N $89^{\circ} 53'$ W. on a true line, bet.
Secs. 15 & 22. with same va.

40.06 Deposited a charred stake 12
ins. in the ground, for $1/4$ sec.
Cor. dug pits $18 \times 18 \times 12$ ins. E & W.
of cor. 5 ft. dist and raised a
mound of earth $1/2$ ft. high, $3 1/2$
ft. base over it. In E pit drove
a stake 2 ft. long, 2 ins. square,
12 ins. in the ground, marked $1/4$
S. on N. face.

80.13 The cor. to Secs. 15, 16, 21 & 22.
Land descending a little W.
Some good soil
No timber.

North bet. Secs. 15 & 16.
Var $15^{\circ} 30'$ E.

Subdivision T. 16 S. R. 28 E. cont.

Chain

24.55 Dos Cabezas Road corner N. W.

40.00 Deposited a charred stake, 12 ins.

in the ground, for $\frac{1}{4}$ sec. cor.
dug pits $18 \times 18 \times 12$ ins. N. & S. of
cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high,
 $3\frac{1}{2}$ ft. base over it. In N. pit
drove a stake 2 ft. long, 2 ins.
square, 12 ins. in the ground
marked $\frac{1}{4}$ S. on W. face.

80.00

Deposited a charred stake,
12 ins. in the ground, for. cor. to
Secs. 9, 10, 15 & 16, dug pits $18 \times 18 \times 12$
ins. in each sec. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth 2 ft.
high, $4\frac{1}{2}$ ft. base over it. In
S. E. pit drove a stake 2 ft. long,
2 ins. square, 12 ins. in the ground,
marked, T. 16 S. S. 10 on N. E.

Subdivisions T6S. R. 28 E. continued

Chain

R. 28 E. S. 15 on S. E.
 S. 16 on S. W. and
 S. 9 on N. W. faces, with 4 notches
 on S. and 3 notches on E. edges.
 Land descending a little W.
 Some good soil.
 No timber.

East on a random line bet.
 Secs. 10 & 15.

Var. $12^{\circ} 30' E$

- 31.17 Bowie Road course N.
 40.00 Deposited $\frac{1}{4}$ sec. cor.
 56.16 Road to Dos Cabezas from Pigg's etc.
 course N. W.
 79.91 Intersect N. & S. line 8 lps N.
 of cor. to Secs. 10, 11, 14 & 15.
 Thence 9 mm.

Subdivisions T. 16 S. R. 28 E. continued

chains

N. 89° 57' W. on a true line bet.
Secs. 10 & 15, with same va.

39.95 Deposited a charred stake,
12 in. in the ground, for $\frac{1}{4}$
sec. cor. dug pit 18 x 18 x 12 in.
E & W. of cor. 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth
1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it.
In E pit drove a stake 2 ft.
long 2 in. square, 12 in. in the
ground, marked $\frac{1}{4}$ S. on N. face.

79.91 The cor. to Secs. 10, 11, 14 & 15.
Land descending a little W.
Soil 2^d rate

No timber

April 19, 1882,

North bet. Secs. 9 & 10.

Subdivision T. 16 S. R. 28 E. continued

chain

Var. $12^{\circ} 30' E$.

40.00 Deposited a charred stake,
12 ins. in the ground, for $\frac{1}{4}$ sec.
cor. dug pit $18 \times 18 \times 12$ ins. W.S.
of cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base over it. In N pit
drove a stake 2 ft. long, 2 ins. square
12 ins. in the ground, marked
 $\frac{1}{4}$ S. on W. face.

41.12 Road to Dos Cabezas r.c. corner
N. W.

80.00 Deposited a charred stake,
12 ins. in the ground, for cor. to
Secs. 3, 4, 9 & 10. dug pits
 $18 \times 18 \times 12$ ins in each sec. $5\frac{1}{2}$
ft. dist. and raised a mound of
earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it.
In S. E. pit drove a stake 2 ft.

Subdivision T. 16 S. R. 28 E. cont.

chains
 long, lines square 12 in. in the
 ground, marked
 T. 16 S. S. 3 on N. E.
 R. 28 E. S. 10 on S. E.
 S. 9 on S. W. and
 S. 4 on N. W. faces, with 5
 notches on S. and 3 notches on
 E. edges.
 Land descending a little W.
 Soil 2^d rate
 No timber.

Cast on a random line, bet.
 Secs. 3 & 10.

True. $12^{\circ}30'$ E.

40.00 Set temporary $\frac{1}{4}$ Sec. cor.
 41.52 Bowie Road curve N.
 79.93 Intersect W.S. line of lks S.

Subdivisions, T. 16 S. R. 28 E. continued

chains

of cor. to Secs. 2, 3, 10 & 11.

Thence Iron

S. $89^{\circ}56'$ W. on a true line
bet. Secs. 3 & 10, with same va.

39.96 Deposited a charred stake
12 ins. in the ground, for $\frac{1}{4}$ sec.
cor. dug pits $18 \times 18 \times 12$ ins. E & W.
of cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base over it. On E. pit
drove a stake $2\frac{1}{2}$ ft. long, 2 ins.
square, 12 ins. in the ground,
marked $\frac{1}{4}$ S. on N. face.

79.93 The cor. to Secs. 3, 4, 9 & 10
Land descending a little W.
Soil 2^d rate
No timber.

Subdivisions N. 16 S. R. 28 E. cont.

- Chains ^{on a true line}
North_n bet. Secs. 3 & 4,
Var. $12^{\circ} 30' E!$
- 40.00 Deposited a charred stake
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. dug pits $18 \times 18 \times 12$
ins. N. & S. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it.
In N. pit drove a stake $1\frac{1}{2}$ ft.
long, 2 ins. square, 12 ins. in the
ground, marked $\frac{1}{4}$ S. on W. face.
- 79.92 Intersect N. Boundary of
township 35.22 chains. W. of
Standard cor. to Secs. 33 & 34,
where I deposited a charred
stake 12 ins. in the ground, for
closing cor. to Secs. 3 & 4. dug
pits $18 \times 18 \times 12$ ins. S. E. & W. of
cor. $5\frac{1}{2}$ ft. dist. and raised

Subdivision T. 16 S. R. 28 E. cont.

Stakes

a mound of earth 2 ft. high
 4 1/2 ft. base over it. On E. pit.
 drove a stake 2 ft. long, 2 ins.
 square, 12 ins. in the ground,
 marked C. C. T. 16 S. R. 28 E. on S.
 S. 3 on E. and
 S. 4 on W. faces, with 3 notches
 on E. & W. edges.
 Land descending a little W.
 Soil 2^d rate
 No timber.

From the cor. to Secs. 4
 5, 32, & 33. on S. Boundary
 of township, which is a
 mound of earth 2 ft. high, 4 1/2 ft.
 base with pits 18 x 18 x 12 ins.
 in each sec. 5 1/2 ft. dist.

Subdivisions T. 16 S. R. 28 E. continued

chains

In E. pit. is a stake 2 ins. square,
marked T. 16 S. S. 33 on N. E.
R. 28 E. S. 4 on S. E.

T. 17 S. S. 5 on N. W. and
S. 32 on N. W. faces, with
4 notches on E. & 2 notches on
W. edges,

Thence I run

North bet. Secs. 32 & 33

Var. $12^{\circ} 30'$ E.

40.00 Deposited a charred stake 12
ins. in the ground for $\frac{1}{4}$ sec.
cor. dug pits 18+18+12 ins.
N+S. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it.
In N. pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. in the
ground, marked $\frac{1}{4}$ S. on N. face

Subdivision T16. S. R. 28 E. continued

Series
9000

Deposited a charred stake, 12
ins. in the ground, for cor. to Secs.
28, 29, 32 & 33. dug pits 18+18+12
ins. in each sec. 5 1/2 ft. dist. and
raised a mound of earth 2 ft.
high, 4 1/2 ft. base over it. In
S. E. pit drove a stake 2 ft. long
2 ins. square, 12 ins. in the ground,
marked T. 16 S. 28 on N. E.

R. 28 E. S. 33 on S. E.

S. 32 on S. W. and

S. 29 on N. W. faces, with 1
notch on S. and 4 notches on
E. edges.

Land ascending a little W.

Soil 2^d rate

No timber.

Subdivisions S. 16 S. R. 28 E. cont.

chains

East on a random line, bet.
Secs. 28 + 33.

Var. $12^{\circ} 30' E$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

40.27 old road course S. W.

80.04 Intersect N + S. line 11 lbs
S. of cor. to Secs. 27, 28, 33 + 34

Thence I run

S. $89^{\circ} 55' W$. on a true line,
bet. Secs. 28 + 33 with same var.

40.02 Reported a charred stake 12
ins. in the ground for $\frac{1}{4}$ sec.
cor. dug pit 18 + 18 + 12 ins. E + W
of cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base over it. In E. pit
drove a stake 2 ft. long, 2 ins.
square, 12 ins. in the ground
marked 14 S. on W. face.

Subdivisions N. 16 S. R. 28 E. continued

0.04 The cor. to Secs. 28, 29, 32 & 33
 Land ascending a little to N.
 Soil 2^d rate
 No timber.

North bet. Secs. 28 & 29, bet
 Twp. 12° 30' E.

40.00 Deposited a charred stake
 2 in. in the ground, for 1/4
 sec. cor. dug pits 18 + 18 + 12
 in. N + S. of cor. 5 1/2 ft. dist.
 and raised a mound of
 earth 1 1/2 ft. high, 3 1/2 ft. base
 over it. In N. pit drove a
 stake 2 ft. long, 2 in. square,
 2 in. in the ground, marked
 1/4 S. on N. faces.

44.75 Old Road course S. W.

Subdivisions T. 16 S. R. 28 E. continued

chains
8000

Deposited a charred stake, 12
 ins. in the ground for cor.
 to Secs 20, 21, 28 & 29, dug pits
 18 x 18 x 12 ins. in each sec.
 5 1/2 ft. dist. and raised a
 mound of earth 2 ft. high
 4 1/2 ft. base over it. In S. E.
 pit drove a stake 2 ft. long,
 2 ins. square, 12 ins. in the ground
 marked T. 16 S. S. 21 on N. E.
 R. 28 E. S. 28. on S. E.
 S. 29 on S. W. and
 S. 20 on N. W. faces, with 2
 notches on S. and 4 notches on
 E. edges.
 Land ascending a little W.
 Soil 2^d rate
 No timber.

Subdivisions T6. S. R. 28 E. continued

chains

East on a random line
bet. Secs. 21 & 28.

Var. $12^{\circ} 30' E$

40.00 Set temporary $\frac{1}{4}$ sec. cor.

30.00 Intersect N. S. line 9 lbs. S.
of cor. to Secs. 21, 22, 27 & 28.

Plunge 9 mm

S. $89^{\circ} 56' W$. on a true line
bet. Secs. 21 & 28. with same var.

40.01 Deposited a charred stake 12
ins. in the ground for $\frac{1}{4}$ sec.
cor. dug pits 18x18x12 ins.

E & W. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$ ft.
high, $3\frac{1}{2}$ ft. base over it.

In E. pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. in
the ground, marked $\frac{1}{4}$ S.
on N. face.

Subdivisions N. 16 S. R. 28 E. continued

chains
 ch 80.03 The cor. to Secs. 20, 21, 28 & 29
 8 land ascending a little W.
 Soil 2^d rate
 No timber

North bet. Secs. 20 & 21
 Var. $12^{\circ} 30' E.$
 33.50 Pinery creek 100 lbs wide
 course S. of W.
 4000 Deposited a charred stake
 12 ins. in the ground, for 1/4
 sec. cor. dug pits 18 x 18 x 12
 ins. N. & S. of cor. 5 1/2 ft. dist.
 and raised a mound of
 earth 1 1/2 ft. high, 3 1/2 ft. base
 over it. In N. pit drove a
 stake 2 ft. long, 2 ins. square,
 12 ins. in the ground, marked

Subdivision T. 16 S. R. 28 E. continued

Chains

1/4 S. on W. face.

8000

Deposited a charred stake
12 ins. in the ground, for cor.to Secs. 16, 17, 20 + 21. dug
pits 18 x 18 x 12 ins. in each sec.5 1/2 ft. dist. and raised a mound
of earth 2 ft. high 4 1/2 ft. baseover it. In S. E. pit drove a
stake 2 ft. long, 2 ins. square,12 ins. in the ground, marked
T. 16 S. S. 16 on N. E.

R. 28 E. S. 21 on S. E.

S. 20 on S. W. and

S. 17 on N. W. faces, with
3 notches on S. and 4 notches
on E. edges.

Land ascending a little E.

Soil 2 d. rate

Some trees along creek.

Subdivisions N. 16 S. R. 28 E. continued

chains

East on a random line, bet.
Secs. 16 & 21.

Var. $12^{\circ} 30'$ E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.90 Intersect N. & S. line, 17 lbs S.
of cor. to Secs. 15, 16, 21 & 22.

Thence I run

S. $89^{\circ} 53'$ W. on a true line
bet. Secs. 16 & 21, with saucer.

39.95 Deposited a charred stake
12 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. dug pits 18" x 18"
+ 12 ins. E. & W. of cor. 5" depth.
Dist. and raised a mass
of earth 1" high 3" wide
base over it. In E. pit drove
a stake 1 ft. long, 2 ins. square
12 ins. in the ground, near
 $\frac{1}{4}$ S. on W. face.

Carpenter (H)

BOOK 909

63.

Subdivisions T. 16 S. R. 28 E. cont.

chains

79.90 The cor. to Secs. 16, 17, 20 & 21
Land ascending a little E.
Soil 2^d rate
No timber.

North bet. Secs. 16 & 17.

Var. $120^{\circ} 30' E.$

40.00 Deposited a charred stake
12 in. in the ground for
 $\frac{1}{4}$ sec. cor. dug pits 18" & 18 1/2"
E. & S. of cor. 5 1/2 ft. dist.
and raised a mound of earth
1 1/2 ft. high, 3 1/2 ft. base over it.
In N. pit drove a stake 1 ft.
long, 2 in. square, 12 in. in
the ground, marked $\frac{1}{4}$ S. on
N. face.

85.00 Deposited a charred stake

Subdivision T. 16 S. R. 28 E. cont.

chains

12 ins. in the ground, for cor.
 to Secs. 8 & 9. 16 & 17. dug
 pits 18 x 18 x 12 ins. in each
 sec. 5/8 ft. dist. and raised
 a mound of earth 2 ft.
 high, 4/8 ft. base over it. In
 S. E. pit drove a stake 2 ft.
 long, 2 ins. square, 12 ins. in
 the ground, marked
 T. 16 S. 9 on N. E.
 R. 28 E. S. 16 on S. E.
 S. 17 on S. W. and
 S. 8 on N. W. faces, with
 4 notches on S. & E. edges,
 Land ascending a little E.
 Soil 2^d rate
 No timber.

Subdivision S. 16. R. 28 E. continued

Chains

East on a random line, bet
Secs. 9 & 16.

Var. $12^{\circ} 30' E$

10.88 Do. Bates as Road course S. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.13 Intersect N & S. line, 13 lbs
S. of cor. to Secs. 9, 10, 15 & 16

Thence I run

S. $89^{\circ} 54' W$. on a true line,
bet. Secs. 9 & 16 with same var.

40.06 Deposited a charred stake
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. dug pits 18" & 18" or
ins. E & W. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
over it. In E. pit drove a
stake $1\frac{1}{2}$ ft. long, 2 ins. square
12 ins. in the ground, marked

Subdivision T. 16 S. R. 28 E. cont.

chains

 $\frac{1}{4}$ S. on N. face.

89.13 The Cor. to Secs. 8 & 9. 16x17

Land ascending a little E.

Soil 2d. rate

No timber.

North bet. Secs. 8 & 9.

Var. $12^{\circ} 30' 8''$

40.00 Deposited a charred stake
 12 ins. in the ground, for
 $\frac{1}{4}$ sec. cor. dug pits 18x18+12
 ins. N & S. of cor. 5 ft. dist.
 and raised a mound of
 earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base
 over it. In N pit drove a
 stake 2 ft. long, 2 ins. square
 12 ins. in the ground, marked
 $\frac{1}{4}$ S. on N. face.

Subdivision T. 16 S. R. 28 E. continued

chain

8000

deposited a charred stake
12 ins. in the ground for
cor. to Secs. 4, 5, 8 & 9. dug
pits 18 x 18 x 12 ins. in each
sec. 5 1/2 ft. dist. and raised
a mound of earth 2 ft. high
4 1/2 ft. base over it. In S. E.
pit drove a stake 2 ft. long
12 ins. square, 12 ins. in the
ground, marked

T. 16 S. S. 4 on N. E.

R. 28 E. S. 9 on S. E.

S. 8 on S. W. and

S. 5 on N. W. faces, with
5 notches on S. and 4 notches
on E. edges.

Land ascending a little E.

Soil 2^d rate

No timber.

Subdivisions T. 16 S. R. 28 E. cont.

chains

East on a random line,
bet. Secs. 4 + 9.

Var. $12^{\circ} 30' E.$

24.47 Dos Cabezas Road from
Pier of Cañon course N. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

30.09 Intersect Tr. S. line 16th S.
N. of cor. to Secs. 3, 4, 9, 10
Thence 9 am

N. $89^{\circ} 53' W.$ on a true line,
bet. Secs. 4 + 9. with same on.

40.04 Deposited a charred stake
12 in. in the ground for $\frac{1}{4}$ sec.
cor. dug pits 18 + 18 + 12 in. E. N.
of cor. $5\frac{1}{2}$ ft. dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high
 $3\frac{1}{2}$ ft. base over it. In E. pit
drove a stake 2 ft. long, 2 in.
square, 12 in. in the ground,

Subdivision T. 16 S. R. 28 E. continued

chains

marked $\frac{1}{4}$ S. on N. face

80.09

The Cor. to Secs. 4, 5, 8 & 9.

Land ascending a little E.

Soil 2^d rate

No timber.

North on a true line, bet.
Secs. 4 & 5.Var. $12^{\circ} 30' E$.

40.00

Deposited a charred stake
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. dug pits 18 x 18 x 12
ins. N & S. of cor. $3\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it.
In N. pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. in the
ground, marked $\frac{1}{4}$ S. on N. face.

Subdivisions T. 16 S. R. 28 E. continued

chains

80.14 Intersect N. Boundary of township 35. 18 chains. W. of Standard Cor. to Secs. 32 & 33. where I deposited a charred stake 12 ins. in the ground, for closing cor. to Secs. 4 & 5. dug pits 18 x 18 x 12 ins. S. E. & W. of cor. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high, 4 1/2 ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground marked C. C. T. 16 S. R. 28 E. on S. 4 on E. and S. 5 on W. faces, with 4 notches on E. & 2 notches on W. edges. Land ascending a little E. Soil 2^d rate

No. 909

Subdivision T. 16 S. R. 28 E. continued

chain

No timber.

From the Cor. to Secs.
 5. 6. 31 + 32. on S. Bound-
 ary of township, which is a
 mound of earth 2 ft. high 4 1/2 ft.
 base, with pits 18 + 18 + 12 ins. in
 each sec. 5 1/2 ft. dist. In S. E.
 pit is a stake 2 ft. long, 2
 ins. square, marked
 T. 16 S. S. 32 on N. E.
 R. 28 E. S. 5 on S. E.
 T. 17 S. S. 6 on S. W. and
 S. 31 on N. W. faces, with 5
 notches on E. and 1 notch on W.
 face. Thence I run
 North bet. Secs. 31 + 32.

Subdivisions N. 16 S. R. 28 E. cont.

Var. 12° 30' E.

- 40.00 Deposited a charred stake 12 ins. in the ground, for $\frac{1}{4}$ sec. cor. dig. pits 18 x 18 + 12 ins. N x S. of cor. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base over it. In N. pit drove a stake $\frac{1}{2}$ ft. long 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face.
- 80.00 Deposited a charred stake, 12 ins. in the ground, for cor. to Secs. 29. 30. 31 x 32. dig pits 18 x 18 + 12 ins. in each sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked

Subdivisions T. 16 S. R. 28 E. continued

Heimo

T. 16 S. S. 29 on N. E.
 R. 28 E. S. 32 on S. E.
 S. 31 on S. W. and
 S. 30 on N. W. faces, with
 notch on S. and 5 notches on
 E. edges,

Land nearly flat

Soil 2^d rate

No timber.

April 20 1882.

East on a random line bet.
 Secs. 29 & 32.

Var. 12° 30' E!

40.00 Set temporary 1/4 sec. cor.

79.94 Intersect N + S. line of lks N.
 of cor. to Secs. 28, 29, 32 & 33.

Thence 9 mn

Subdivision T. 16 S. R. 28 E. cont.

chains

N. $89^{\circ} 56' W.$ on a true line
bet. Secs. 29 & 32. with same on.

39.97 Deposited a charred stake 12
ins. in the ground for $\frac{1}{4}$ sec.
cor. dug pits 18 + 18 + 12 ins.
E & W. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$ ft.
high, 3 ft. base over it.

In E pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. in the
ground, marked $\frac{1}{4}$ S. on N face.

79.94 The Cor. to Secs. 29, 30, 31 & 32
land nearly flat
Soil 2^d rate
No timber.

West on a random line bet.
Secs. 30 & 31.

Subdivisions N. 16 S. R. 28 E. continued

Chain

Var. $12^{\circ} 30' E$

4000

Set temporary $\frac{1}{4}$ sec. cor.

48.10

Intersect W. Boundary of Township 8 lks N. of cor. to Secs. 25, 30, 31 & 36, which is a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base, with pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. with stake in S. E. pit 2 ins. square, marked

N. 16 S. S. 30 on N. E.

R. 28 E. S. 31 on S. E.

R. 27 E. S. 36 on S. W. and S. 25 on N. W. faces, with 5 notches on N. & 1 notch on S. edge.

Thence I run

N. $89^{\circ} 57' E$, on a true line, bet.

Secs. 30 & 31, with same va.

38.10

Deposited a charred stake 12 ins. in the ground for $\frac{1}{4}$ sec.

Subdivisions T. 16 S. R. 28 E. cont.

chains

cor. dug pits $18 \times 18 \times 12$ ins. E. N. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face.

78.10 The cor. to Secs. 29, 30, 31 & 32
Land nearly flat
Soil 2^d rate
no timber.

North bet. Secs. 29 & 30.

Var. $12^{\circ} 30' E$

40.00 Deposited a charred stake 12 ins. in the ground for $\frac{1}{4}$ sec. cor. dug pits $18 \times 18 \times 12$ ins. N. & S. of cor. $5\frac{1}{2}$ ft. dist. and

Subdivisions T. 16 S. R. 28 E. continued

Chains

raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face.

70.00 Wash of Bivens Creek 100 yds wide course N.

8000 Deposited a charred stake, 12 ins. in the ground, for cor. to Secs. 19, 20, 29 & 30. Aug pits $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ft. long, 2 ins. square 12 ins. in the ground, marked T. 16 S. 20 on N. E. R. 28 E. S. 29 on S. E. S. 30 on S. W. and S. 19 on N. W. face, with 2

Subdivision P. 16 S. R. 28 E. continue

chains

notches on S. and switches
on E. edges.

Land nearly level

Soil 2^d rate

No timber.

East, on a random line, bet.
Secs. 20 + 29.

Var. $12^{\circ}30' E$

25.00 West of Pinery creek 100 lks
wide corner S. W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.96 Intersect N. & S. line 7 lks N.
of cor. to Secs. 20, 21, 28 + 29.

Phenee Iron

N. $89^{\circ}57' W$. on a true line
bet. Secs. 20 + 29, with same on

39.98 Deposited a charred stake

Subdivisions N. 16 S. R. 28 E. continued

Chains

12 ins. in the ground, for $\frac{1}{4}$ sec. cor. dug pits 18" x 18" x 12 ins. E & W. of cor. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face.

79.96 The Cor. to Secs. 19, 20, 29 x 30.
Land nearly flat
Soil 2d rate
No timber.

West on a random line, bet.
Secs. 19 & 30.

Var. 12° 30' E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

76.00 Wash off Pinery creek 5000 wide
course S. of W. on head of creek

Subdivisions T. 16 S. R. 28 E. continue

chains

78.15 Intersect W. Boundary of
S. of cor. to Secs. 19, 24, 25 & 30
which is a post 4 in. square
marked S. 16 S. S. 19 on N. E.
R. 28 E. S. 30 on S. E.

R. 27 E. S. 25 on S. W. and
S. 24 on N. W. faces, with
4 notches on N. & 2 notches on
S. edges, and mound of earth
around post.

Thence I run

S. $89^{\circ} 57'$ E. on a true line
bet. Secs. 19 & 30, with same vx.

38.15 Deposited a charred stake 12
ins. in the ground for $\frac{1}{4}$ sec.
cor. dug pits $18 \times 18 \times 12$ ins.
E & W. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$ ft.
high, $2\frac{1}{2}$ ft. base over it.

Subdivisions T. 16 S. R. 28 E. continued

Lains

In E. pit drove a stake 2 ft.
long 2 ins. square, 12 ins. in the
ground, marked $\frac{1}{4}$ S. on N. face
78.15 The cor. to Secs. 19. 20. 29 & 30
Land nearly level
Soil 2d rate
No timber.

North bet. Secs. 19 & 20.

Var. $12^{\circ} 30' E.$

4000 Set a Post 2 ft. long 3 ins.
square, with marked stone
12 ins. in the ground for $\frac{1}{4}$
sec. cor. marked $\frac{1}{4}$ S. on W.
face, dug pits $18 \times 18 \times 12$ ins.
N. & S. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$
ft. high $2\frac{1}{2}$ ft. base around Post.

Subdivisions T. 16 S. R. 28 E. cont.

chains

80.00

Deposited a charred stake
 12 ins. in the ground, for cor.
 to Secs. 17, 18, 19 & 20. dug
 pits 18 x 18 & 12 ins. in each
 sec. 5 1/2 ft. dist. and raised a
 mound of earth 2 ft. high 4 1/2
 ft. base over it. In S. E. pit
 drove a stake 2 ft. long, 2 ins.
 square, 12 ins. in the ground
 marked. T. 16 S. S. 17 on N. E.
 R. 28 E. S. 20 on S. E.
 S. 19 on S. W. and
 S. 18 on N. W. faces. with
 3 notches on S. and 5 notches
 on E. edges.
 Land nearly level
 Soil 2^d rate
 No timber.

Subdivisions N. 16 S. R. 28 E. continued

Chain

East on a random line, bet.
Secs. 17 + 20.

Var. $12^{\circ} 30' E.$

4.00 Set temporary $\frac{1}{4}$ sec. cor.
79.89 Intersect N + S. line 12 lbs. h.
of cor. to Secs. 16, 17, 20 + 21.
Thence I run

N. $89^{\circ} 55' W.$ on a true line, bet.
Secs. 17 + 20. with same var.

39.94 Deposited a charred stake
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. dug pits 18 + 18 + 12 in.
E + W. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base
over it - In E. pit drove a
stake 2 ft. long, 2 ins. square,
12 ins. in the ground marked
 $\frac{1}{4}$ S. on N. face.

Subdivisions T. 16 S. R. 28 E. cont.

chains

79.89 The cor. to Secs. 17, 18, 19 + 20.
Land nearly level
Soil 2^d rate
No timber.

West on a random line, bet.
Secs. 18 + 19.

Var. 12° 30' E

4000 Set temporary 1/4 sec. cor.

78.00 Intersect N. Boundary of
township 13 lks N. of cor. to
Secs. 13, 18, 19 + 24, which is a
mound of earth, high 4 1/2
ft. base, with pits 18 x 18 x 12
ins. in each sec. 5/8 ft. dist. and
the S.E. pit is a stake ins. square
marked T. 16 S. 18 on N. E.
R. 28 E. S. 19 on S. E.

Subdivisions T. 16 S. R. 28 E. cont.

chains

R. 27 E. S. 24 on S. W. and
S. 13 on N. W. faces, with
3 notches on N. & S. edges,
Thence 2 mm

N. $89^{\circ} 54'$ E. on a true line, bet.
Secs. 18 & 19. with same os.

38.00

Deposited a charred stake 12
ins. in the ground, for $\frac{1}{4}$ sec.
cor. dug pits 18 x 18 x 2 ins.
E & W. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$
ft. high, $3\frac{1}{2}$ ft. base over it.

In E. pit drove a stake
2 ft. long, 2 ins. square, 12 ins.
in the ground, marked $\frac{1}{4}$
S. on N. face.

78.00

The cor. to Secs. 17, 18, 19 & 20
Land nearly level
Soil 2^d rate, no timber.

Subdivision T. 16 S. R. 28 E. cont.

chains

North bet. Secs. 17 & 18

Var. $12^{\circ}30'E.$

4000 Deposited a charred stake
12 ins. in the ground for $\frac{1}{4}$
sec. cor. dug pits $18 \times 18 \times 12$
ins. N & S. of cor. $5\frac{1}{2}$ ft. dist.

✓ and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it.

In N. pit drove a stake 2 ft.
long, 2 ins. square, 12 ins. in the
ground, marked $\frac{1}{4}$ S. on N. face.

8000 Deposited a charred stake
12 ins. in the ground for cor.
to secs. 7, 8, 17 & 18. dug pits
 $18 \times 18 \times 12$ ins. in each sec. $5\frac{1}{2}$
ft. dist. and raised a mound
of earth 2 ft. high $4\frac{1}{2}$ ft. base
over it. In S. E. pit drove a
stake 2 ft. long, 2 ins. square

Subdivisions T. 16 S. R. 28 E. continued

chains

12 ins. in the ground, marked
 T. 16 S. S. 8 on N. E.
 R. 28 E. S. 17 on S. E.
 S. 18 on S. W. and
 S. 7 on N. W. faces, with 4
 notches on S. and 5 notches on
 E. edges.

Land ascending a little N. E.
 Soil 2^d + 3^d rate
 No timber.

East on a random line, bet.
 Secs. 8 + 17.

Var. $12^{\circ} 30' E.$

40.00 Set temporary $1/4$ sec. cor.

79.92 Intersect N + S. line 10 lks N.
 of cor. to Secs. 8, 9, 16 + 17.

Thence S mm

Subdivisions T. 16 S. R. 28 E. cont.

chains

N. $89^{\circ}56'W$. on a true line, Oct.
Secs 8 + 17 with same ea.

39.96 Deposited a charred stake
12 ins. in the ground for $\frac{1}{4}$
sec. cor. dug pits 18 + 18 x 12
ins. E + W. of cor. $5\frac{1}{2}$ ft. dist.
and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it.
In E. pit drove a stake 8 ft.
long, 2 ins. square 12 ins. in the
ground, marked $\frac{1}{4}$ S on N face.

79.92 The cor. to Secs. 7, 8, 17 + 18
Land nearly level
Soil 2^d rate
No timber.

West on a random line, Oct.
Secs. 7 + 18.

Subdivision T. 16 S. R. 28 E. continued

chains

Var. $120^{\circ} 30' E.$

40.00 Set temporary $\frac{1}{4}$ sec. cor.
 78.08 Intersect W. Boundary of
 township 11 lks S. of cor to
 Secs. 7, 12, 13 & 18 which is a
 mound of earth 2 ft. high,
 $4\frac{1}{2}$ ft. base, with pits $18 \times 18 \times 12$
 ins. in each sec. $5\frac{1}{2}$ ft. dist.
 with stakes 2 ins. ^{in S.E. pit.} square marked
 T. 16 S. S. 7 on N. E.

R. 28 E. S. 18 on S. E.

R. 27 E. S. 13 on S. W. and
 S. 12 on N. W. faces, with 2
 notches on N & 4 notches on S.
 edges. Hence I run
 $S. 89^{\circ} 55' E.$ on a true line,
 bet. Secs 7 & 18. with same ca.

38.08 Deposited a charred stake
 2 ins. in the ground, for $\frac{1}{4}$

Subdivision T. 16 S. R. 28 E. cont.

chains

Sec. cor. dug pits $18 \times 18 \times 12$
 ins. ~~E~~ W. of cor. $5\frac{1}{2}$ ft. dist.
 and raised a mound of earth
 $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it.
 In E. pit drove a stake 2 ft.
 long, 12 ins. ^{in the ground} square ⁱⁿ marked
 $\frac{1}{4}$ S. on N. face.

78.08 The cor. to Secs. 7, 8, 17 & 18
 Land nearly level
 Soil 2^d rate
 No timber.

North bet. Secs. 7 & 8

Var. $12^{\circ} 35'$ E.

40.00 Deposited a charred stake 12
 ins. in the ground, for $\frac{1}{4}$ sec.
 cor. dug pits $18 \times 18 \times 12$ ins.
 N. & S. of cor. $5\frac{1}{2}$ ft. dist. and

Subdivisions T. 16 S. R. 28 E. continued

chain

raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base over it.

In N. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face.

8000 Deposited a charred stake 12 ins. in the ground, for cor. to

Secs. 5, 6, 7 & 8. dug pits 18 x 18 x 12 ins. in each sec. $5\frac{1}{2}$ ft. dist. and raised a mound of

earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$

T. 16 S. S. 5 on N. E.

R. 28 E. S. 8 on S. E.

S. 7 on S. W. and

S. 6 on N. W. faces, with 5 notches on S. & E. edges.

Subdivision T. 16 S. R. 28 E. cont.

chains

Land nearly level
Soil 2^d rate
No timber.

East on a random line, bet.
Secs. 5 & 8.

Var. $12^{\circ} 30' E.$

40.00 Set temporary $\frac{1}{4}$ Sec. Cor.

80.11 Intersect N. & S. line 15 lbs
S. of cor. to Secs. 4, 5, 8 & 9.

Thence I run

S. $89^{\circ} 54' W.$ on a true line,
bet. Secs. 5 & 8, with same or.

40.05 Deposited a charred stake,
12 ins. in the ground, for $\frac{1}{4}$ sec.
cor. dug pits $18 \times 18 \times 12$ ins.

E. & W. of cor. $5\frac{1}{2}$ ft. dist. and
raised a mound of earth $1\frac{1}{2}$

Subdivision T. 16 S. R. 28 E. continued

chains

ft. high $3\frac{1}{2}$ ft. base, over it.
 In E. pit drove a stake 2 ft.
 long, 2 in. square, 12 in. in
 the ground, marked $\frac{1}{4}$ S. on
 N. face.

80.11 The cor. to Secs. 5, 6, 7 & 8.
 Land nearly level
 Soil 2^d rate
 No timber.

West on a random line, bet
 Secs. 6 & 7

Var. $12^{\circ} 30' E$

40.00 Set temporary $\frac{1}{4}$ Sec. cor.
 77.95 Intersect W. Boundary
 of township. 10 lbs S. of cor.
 to Secs. 1, 6, 7 & 12 which is
 a mound of earth 2 ft. high

Subdivisions S. 16 S. R. 28 E. cont.

Chains

4 1/2 ft. base, with pits 18 x 18 x 12
ins. in each sec. 5 1/2 ft. dist.
with stake in S. E. pit. 2 ins.

square marked

S. 16 S. S. 6 on N. E.

R. 28 E. S. 7 on S. E.

R. 27 E. S. 12 on S. W. and
S. 1 on N. W. faces, with 1
notch on N. & 5 notches on S.
edges.

Thence I run

S. 89° 53' E. on a true line,
bet. Secs. 6 & 7. with same cor.

37.95 Deposited a charred stake
12 ins. in the ground for 1/4
sec. cor. dug pits 18 x 18 x 12
ins. Et W. of cor. 5 1/2 ft. dist.
and raised a mound of
earth 1 1/2 ft. high 3 1/2 ft. base

Subdivisions T. 16 S. R. 28 E. continued

chains

over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked $\frac{1}{4}$ S. on N. face,

77.95 The cor. to Secs. 5, 6, 7 & 8.
Land nearly level
Soil 2^d rate
No timber.

North on a true line bet.
Secs. 5 & 6.

Var. $12^{\circ} 30' E.$

23.66 Dos Cabezas Road corner N. W.
4000 Deposited a charred stake 2
ins. in the ground, for $\frac{1}{4}$ sec.
cor. dug pits 18 x 18 x 12 ins. N & S.
of cor. 5 $\frac{1}{2}$ ft. dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft.

Subdivision T. 16 S. R. 28 E. cont.

Chains

high $3\frac{1}{2}$ ft. base over it. In N. pit drove a stake 2 ft. long 2 ins. square 12 ins. in the ground, marked $\frac{1}{4}$ S. on W. face

80.11 Intersect N. Boundary of township 35. 20 chains N. of Standard Cor. to Secs. 31 & 32. at point of intersection I deposited a charred stake 12 ins. in the ground for closing cor. to Secs. 5 & 6. dug pits $18 \times 18 \times 12$ ins. S. E. & W. of cor. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft high $4\frac{1}{2}$ ft. base over it. In E. pit drove a stake 2 ft. long, 2 ins. square, 12 ins. in the ground, marked c. c. T. 16 S. R. 28 E. on S. S. 5 on E. and

Subdivision T. 16 S. R. 28 E. cont.

chains

S. 6 on W. edges, with 5 notches
on E & 1 notch on W. edges.

Land nearly level

Soil 2^d rate

No timber.

April 21. 1882.

Subdivision: Sp. 16 S. R. 28 E.

General Description:

This township has mostly a plain surface descending a little to the west. There is excellent grazing throughout its extent. Permanent water is found along the wash of Pinery Creek, accommodating a great many cattle horses etc.

Theodore F. White
U. S. Deputy Surveyor.

Sub (6)
99
List of Names.

BOOK 909 B

A List of the Names of Individuals employed by
Theodore J. White U. S. deputy
surveyor, to assist in running, measuring, or marking the lines
and corners described in the foregoing Field Notes of the survey
of the subdivision lines of
Township No 16 S. Range
No 28 E. Gila & Salt River
Base & Meridian, Territory
of Arizona

Showing the respective capacities in which they acted.

J. H. McClure Chairman.

J. O. Ford Chairman.

John Blake Axeman.

Saul H. Van Pelt Flagman.

Jos. Schwarz, & Geo. J. Mye
Mormons

100

Final Oath of Assistants.

BOOK 909

We hereby certify that we assisted Theodore
T. White U. S. Deputy Surveyor, in surveying
 all those parts or portions of the subdivision
lines of township No. 16. S.
R. No. 2 & E. Gila & Salt
River Base & Meridian
Territory of Arizona

as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed and the corner monuments established according to the instructions furnished by the United States Surveyor-General for Arizona.

J. H. McElure Chairman.

J. C. Ford Chairman.

John Blake Axeman.

James W. ... Flagman.

Sworn to and subscribed before me, this 3 day of

May, 1882

Paul Riccker
 Notary Public
 County Arizona.

Final Oath of Deputy Surveyor. 101

BOOK 909

I, Theodore J. White

U. S. Deputy Surveyor, do solemnly swear that in pursuance of instructions received from John Wasson, United States Surveyor-General for Arizona, bearing date the

day of 188..., I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the United States Surveyor-General for Arizona, the Surveying Manual, and the laws of the United States, surveyed all those parts or portions of the

subdivision lines of town-
ship No. 16 S. R. No. 28 E.
Gila & Salt River Base
& Meridian Territory of
Arizona.

as are represented

in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual, printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific manner described in the

field notes, and that the foregoing are the true Field Notes of
such survey, and should any fraud be detected I will suffer the
penalty of perjury, under the provisions of an act of Congress
approved August 8, 1846


Theodore J. White

U. S. Deputy Surveyor.

Sworn to and subscribed before me this 3rd day of

May, 1884

Paul Ricek
Notary Public Pima
County, Arizona



BOOK 909

103

U. S. Surveyor General's Office,
Tucson, Arizona, July 5, 1882

The foregoing Field Notes of the survey of

the

Subdivisions of T₁₆ S. R. 28 E

of the Gila and Salt River Base and Meridian, Arizona,
executed by Thos. G. White,
D. S., under his contract of the 6th day of

December, 1881, having been critically ex-
amined and the necessary corrections and explanations
made, the said Field Notes and the surveys they de-
scribe, are hereby approved.

John Hasson

Surveyor General.