

Field Notes

BOOK 911

OF THE SURVEY OF THE

SUBDIVISION LINES

No. 911 ^{of} BOOK 911

Township 23 S., Range 18 E.,

Gila and Salt River Base and Meridian

ARIZONA.

By Theodore F. White, D. S.

under contract dated Sept. 18, 1876.

Survey commenced Dec. 15, 1876.

Survey completed Dec. 21, 1876.

No. 911

116

1A Preliminary Oaths of Assistants.

We, Urban Bessard
and Alfred Grunler
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

Urban Bessard
Alfred Grunler

Sworn to and subscribed before me, this 13
day of November, 1876

William S. Ashburn
Notary Public

13

We, P. V. Caldwell and
Allan Bernard

do solemnly swear that we will well and truly per-
form the duties of seaman and flag-
man respectively
according to instructions given us, and to the best
of our skill and ability.

P. V. Caldwell
Allan Bernard

Sworn to and subscribed before me this 13
day of November, 1876

William J. Osborn
Notary Public



BOOK 911

1C D

Book No. 911

BOOK 911

Township

238. R. 138.

Gila and Salt River Meridian.

6	59.	5	43.	4	32.	3	21.	2	12.	1
58.	57.		42.		31.		20.		11.	
7	56.	8	41.	9	30.	10	19.	11	10.	12
55.	54.		40.		29.		18.		9.	
18	53.	17	39.	16	28.	15	17.	14	7.	13
52.	51.		38.		27.		17.		6.	
19	50.	20	37.	21	26.	22	16.	23	5.	24
49.	48.		36.		25.		15.		4.	
80	47.	29	35.	28	24.	27	14.	26	3.	25
46.	45.		34.		23.		13.		2.	
31	44.	32	33.	33	22.	34	12.	35	1.	36

Township 23 S. Range 13 E. 10

Gila and Salt River Meridian

No. Subdivision commenced Dec. 15, 1876.

From the cor. to secs. 35 & 36, on S. boundary, due
North between secs. 35 & 36.var. $13^{\circ}30'$ East.

As per Best improved solar compass

0:50 Enter a flat.

36.00 Leave flat.

No. 911

40.00 Set a post, marked "4 S. 4 ft. long, flat-
tined 3 in. wide, 1 ft. in the ground, drive
charred stake & build mound of earth
2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions, for 1/4 sec. cor.

from which

Amesquite, 4 in. dia. box, S. $63^{\circ}E$. 137 br. distdo. H. " " S. $28^{\circ}2'E$. 160 " "

80.00 Set a post, marked & notched, 4 ft. long,
3 in. sq. d. 1 ft. in the ground, drive charred
stake and build mound of earth 2 ft.
high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide
as per instructions, for cor. to secs. 25.

Township 23 S. Range 13 E.
Gila and Salt River Meridian

38. 26. 25 & 36. from which
 Au Oak, 14 in. dia. base North, 99 hrs. dist.
 do. 10 " " " S. 50° E. 105 " "
 do. 13 " " " South 129 " "
 No other trees near.
 Flat and rolling grass land.
 Some oak timber.

East on random line bet. sec. 25 & 36.
 var. $13^{\circ}30'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.81 Intersect E. boundary 62 hrs. N. of cor.
 to sec. 25 and 36. from which an. run
 North $89^{\circ}33'$ W.

Set true line between sec. 25 & 36.
 var. $13^{\circ}30'$ East.

39.90 Set a post, marked $\frac{1}{4}$ S. + flking flat-
 tened 3 in. wide, 1 ft. in the ground.
 Drive charred stake and build a
 mound of earth 2 ft. high, with

Township 23 S. Range 13 E.
Gila and Salt River Meridian

79.81 pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. from which
 an oak, 5 in. dia. base, N. 21° W. 106 lbs. dist.
 do. 10 " " " N. 85° W. 112 " "
 Cor. to secs 25, 26, 35 and 36.
 Rolling grass land. Scattered oak trees

North between secs. 25 & 26.
run. 13° 30' East

18.00 Enter a flat.
 40.00 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. from which
 a mesquite, 5 in. dia. base, N. 80° E. 128 lbs. dist.
 do. 8 " " " West. 94 " "
 46.00 Leave flat.
 51.50 Across, 40 lbs. wide, runs E.

Township 23 S. Range 13 E.

Gila & Salt River Meridian

P. Continued

80.00

Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, driven charred stake and bould mound of earth 2 ft high, with pile 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 23, 24, 25 and 26, from which

Audax, 8 in. dia. bar, S. 24° W. 200 lbs. dist.

No other trees near.

Flat and rolling grass land.

Scattering trees

East on random line between secs. 24 & 25.
var. 13° 30' East

40.00

Set temporary 1/4 sec. cor.

54.00

Enter a flat.

63.50

Swampy place

79.15

Intersect E. boundary 61 lbs. N. of cor. to secs. 24 & 25, from which cor. Iron N. 89° 34' W.

Township 23 S. Range 13 E.

Gila and Salt River Meridian

No. Outline line between secs. 24 & 25.

var. $13^{\circ}30'$ East

39.58 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened
3 in wide, 1 ft in the ground, drive charred
stake and build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide as
per instructions for $\frac{1}{4}$ sec. cor. from which
a Mesquite, 4 in. dia. bar. N. $65^{\circ}W$. 107 bar. dist.
do. 3 " " N. $67^{\circ}E$. 138 " "

79.15 Cor. to secs. 23, 24, 25 and 26.

Some rich land. Good grass
Scattered trees

North between secs. 23 & 24.

var. $13^{\circ}30'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
tened 3 in wide, 1 ft in the ground, drive
charred stake and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for $\frac{1}{4}$ sec.

Township 23 S. Range 13 E.
Gila and Salt River Meridian

Chs. Notrees near.

80.00 Set a post, measured and notched, 4
ft long, 3 in. sq. d. 1 ft. in the ground, drove
charred stake and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions for cor.
to sec. 13, 14, 23 & 24, from which

an oak, 16 in dia. br. S. 6° E. 34 lbs. dist.

do. 18 " " " N. 34½° W. 186 " "

a mesquite, 4 " " " N. 80° E. 216 " "

No other trees near

Rolling grass land. Scattering trees

x begin
Ck. on random line bet. sec. 13 & 24.
var. 13° 30' East

25.00 Enter a flat.

35.00 Arroyo, 30 lbs. wide, runs N.

40.00 Set temporary 1/4 sec. cor.

61.30 Leave flat.

78.55 Intersect E. boundary 10 lbs. S. of cor.

Township 23 S. Range 13 E.
Gila and Salt River Meridian

No. 4 sec. 13 & 14. from which cor. June
S. 89° 56' W.

On true line between sec. 13 & 14.
var. 13° 30' East

39.27 Set a post, marked 1/4 S. 4 ft long, flat-
tened 3 in. wide, 1 ft. in the ground,
drill charred stove and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instruction
for 1/4 sec. cor. from which
A Mesquite, 8 in. dia. br. S. 63° W. 452 kn. dist.
No other trees near.

78.55 Cor. to sec. 13. 14. 23 and 24.
Rolling Grassland. Pottery valley
on Extreme E. end. Scattering trees

North between sec. 13 & 14.
var. 13° 30' East.

20.00 Arroyo, 20 kn. wide, runs N.E.

40.00 Set a post, marked 1/4 S. 4 ft long.

Township 23 S. Range 13 E.

Site of Salt River Meridian

Sts. flattened 3 in. wide 1 ft in the ground,
drive charred stake and build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instructions
for 1/4 sec. cor. from which

On Oak, 13 in. dia. box, S. 68 1/2° W. 71 hrs. dist.

Stn do. 8 " " " S. 57° E. 118 " "

700 50 Across, 40 hrs. wide, runs E.

800 as Set a post, marked and scratched,
4 ft long, 3 in. sq. 1 ft in the ground,
drive charred stake and build a
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for cor. to Secs. 11, 12,
13 and 14, from which

On Oak 14 in. dia. box, N. 54° E. 262 hrs. dist.

do. 13 " " " S. 15 3/4° W. 318 " "

do. 12 " " " S. 14° E. 329 " "

Rolling grass land. Some oak timber

Township 23 S. Range 13 E.
Gila & Salt River Meridian

- In East on random line bet. secs. 12 & 13.
 var. $13^{\circ}30'$ East.
- 3.20 Arroyo, 30 lns wide, runs N.
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 45.00 Enter Potreros valley
- 51.00 Road bro. N. and S.
- 65.00 Potreros creek, 30 lns. wide, runs N.
- 69.50 Leave valley.
- 79.10 Intersect E. boundary 15 lns. N. of cor.
 to secs. 12 & 13. from which cor. I run
 $N. 89^{\circ}54' W.$ on true line bet. secs. 12 & 13.
 var. $13^{\circ}30'$ East
- 39.55 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ flong, flattened 3 in.
 wide, 1 ft in the ground, drive charred stake
 and build mound of earth 2 ft high with 1 ft
 deep, 2 ft long, 1 ft wide, as per instructions
 for $\frac{1}{4}$ sec. cor. from which
- A Mesquite, 6 in. dia. bro. $N. 35\frac{1}{2}^{\circ} E.$ 148 lns. dist.
 A Oak, 10 " " " $N. 44\frac{1}{2}^{\circ} W.$ 150 " "
- 79.10 Cor. to secs. 11, 12, 13 and 14.
 Rich bottom land in valley. Scattering trees.

Township 23 S. Range 13 E.

Gila & Salt River Meridian

Chs. North between secs. 11 & 12.
var. 13° 30' East

12.00 Arroyo, 25 lvs. wide, brs. S. E.

40.00 Set a post marked $\frac{1}{4}$ S. 4 ft. long, flattened
3 in. wide, 1 ft. in the ground, and build mound
of stones 2 ft. high, as per instructions for
 $\frac{1}{4}$ sec. cor. from which

A Mesquite, 3 in. dia. brs. N. 25° W. 305 lvs. dist.
No other trees near.

80.00 Set a post, (on hill bordering valley,
marked and notched, 4 ft. long, 3 in. sq. ft.,
1 ft. in the ground, and build mound of stones
2 ft. high as per instructions for cor. to Secs
1, 2, 11 & 12, from which

A Mesquite, 6 in. dia. brs. S. 70° E. 33 lvs. dist.

do. 4 " " " S. 20° E. 42 " "

do. 4 " " " S. 10° W. 17 " "

A ranch house brs. N. 50° E. about 25
chs. dist. Rolling grass land. Scattering trees.

December 15, 1876.

Township 23 S. Range 13 E. V
Gila & Salt River Meridian

- ⁰
 On East random line bet. secs. 1 & 12 ✓
 var. $13^{\circ}30'$ East.
- 14.00 Enter valley, bro. N.W.
- 40.00 Set temporary 1/4 sec. cor.
- 44.00 Road bro. N. and S.
- 51.56 Road bro. S.E.
- 75.00 Road bro. N. and S.
- 78.00 Santa Cruz river, 50 hrs. ride, runs N.
- 79.60 Intersect E. boundary 10 hrs. N. of cor. to
 secs. 1 & 12. from which cor. Run
 N. $89^{\circ}56'$ W. on true line bet. sec. 1 & 12.
 var. $13^{\circ}30'$ East
- 39.80 Set up post, measured 4 ft. 4 in. long, flattened on inside, 1 ft.
 in the ground, drive charred stake & build mound of
 earth 1 ft. high, with pits 1 ft. deep, 2 ft. long, of flint & spon
 instructions for 1/4 sec. cor. from which
 Mesquite, 14 in. dia. bro. S. $2^{\circ}11'$ W. 51 hrs. dist. to
 do. 7 " " " N. $46^{\circ}11'$ W. 87 " "
- 79.60 Cor. to Secs. 1, 2, 11 and 12.
 Rich bottom land. Scattering trees.

Township 23 S. Range 13 E.
 Gila Salt River Meridian

Ch. North on random line bet. sec. 1 & 2.
 var. $13^{\circ}30'$ East

11.00 Enter Santa Cruz valley.

19.20 Road runs N.

40.00 Set temporary 1/4 sec cor.

62.50 Santa Cruz river, 100 lbs. wide, runs N.W.

80.14 Intersect N. boundary 20 lbs. N. of cor. to Secs

1 & 2. from which cor. Draw

$S.0^{\circ}9'N.$ on true line bet. sec. 1 & 2.

var. $13^{\circ}30'$ East

40.14 Set a post, marked 4×4 ft long, flattened 3 in. wide,
 1 ft in the ground, driven 1/4 in. into the ground, and built
 around of earth 2 ft high, with pits 1 ft deep, 2 ft long,
 1 ft wide, as per instructions for 1/4 sec cor. No trees near

80.14 Cor. to sec. 1, 2, 11 and 12.

Rich bottom land. Scattering trees.

North between sec. 34 & 35.

var. $13^{\circ}30'$ East.

40.00 Set a post, marked 4×4 ft long, flattened

Township 23 S. Range 13 E.
Gila & Salt River Meridian

3.00 3 in. wide, 1 ft. in the ground, and build mound
of stones 2 ft. high, as per instructions, for
1/4 sec. cor. from which

An Oak, 12 in. dia. bearing N. 55° E. 130 lbs. dist.

do. 10 " " North, 152 "

47.00 Enter a flat.

53.80 Arroyo, 25 lbs. wide, bearing N. E.

57.00 Leave flat.

80.00 Set a post, marked & notched, 4 ft. long,
3 in. sq. d. 1 ft. in the ground, and build mound
of stones 2 ft. high, as per instructions, for
cor. to Secs. 26, 27, 34 and 35, from which
An Oak, 12 in. dia. bearing N. 40° W. 33 lbs. dist.

No other trees near.

Flat and rolling grass land. Scattering trees.

East on random line between sec. 26 & 35.

var. 1830' East.

40.00 Set temporary 1/4 sec. cor.

80.18 Intersect N. and S. line 12 lbs. S. of cor. to sec.

Township 13 S. Range 13 E.
 Gila & Salt River Meridian

Chs. 25, 26, 35 and 36, from which cor. Iron
 S. $89^{\circ}55'$ N. on true line bet. secs. 26 & 35.
 var. $13^{\circ}30'$ East.

40.09 Set a post, marked 4 S. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drive charred stake
 and build mound of earth 2 ft high, with pits
 1 ft deep, 2 ft long, 1 ft wide, as per instructions
 for 1/4 sec. cor. No trees near.

80.18 Cor. to Secs 26, 27, 34 and 35.
 Rolling grassland. No timber of consequence.

North between secs. 26 & 27.
 var. $13^{\circ}30'$ East.

40.00 Set a post, marked 4 C. 4 ft long, flattened
 3 in. wide, 1 ft in the ground, drive charred stake
 and build mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, as per instruc-
 tions, for 1/4 sec. cor. from which
 on bar, 4 in. dia., 400 yds. East, 36 lns. dist.
 do. 4 " " N. 5° W. 40 " "

Township 23 S. Range 13 E.

Gila and Salt River Meridian

Prs. Continued,

49.30 Enter a flat, bearing N. E.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. ft. in the ground, drive chared stake and build around of earth 2 ft high, with pits 1 ft. deep, 2 ft long, 1 ft wide, as per instructions, for cor. to secs. 22, 23, 26 and 27, from which an oak, 12 in. dia., bearing N. 15° W. 160 lbs. dist. No other trees near.

Rolling and flat grass land. A few trees.

East on random line bet. secs. 23 & 26.
var. 13° 30' East

40.00 Set temporary 1/4 sec. cor.

80.22 Enter sec. N. & S. line 26 lbs. S. of cor. to secs. 23, 24, 25 and 26, from which cor. Iron
N. 89° 49' W. on true line bet. secs. 23 & 26.
var. 13° 30' East

40.11 Set a granite stone, 12 x 9 x 9 inches, 2/3 in the ground, marked 1/4, and on N. build around of earth 1 ft.

Township 23 S. Range 13 E.

Gita and Salt River Meridian

Ins. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 14 sec. cor. No trees near.

80.22 Cor. to secs 22, 23, 26 & 27.

Flat rolling grass land. No timber

North between sec. 22 & 23.

var. 13° 30' East

0.60 Leave flat cor. N. E.

40.00 Set a post, marked 4 ft. long, flattened 7 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for 14 sec. cor. from which
 An oak, 24 in. dia. cor. S. 71° W. 115 lbs. diet.
 do. 30 " " " N. 15° W. 82 " "

42.00 Arcs, 15 lbs. wide, cor. E.

√ 80.00 Set a post, marked & notched, 4 ft. long, 3 in. high in the ground, and build mound of stone 2 ft. high, as per instructions, for cor. to sec. 14, 15, 22 & 27. from which
 An oak, 4 in. dia. cor. N. 31° W. 156 lbs. diet. No other trees near.
 Rolling grass land. Scattered trees.

Township 23 S. Range 13 E.
Gila & Salt River Meridian

No. East on random line betw. sec. 14 & 23.

var. $13^{\circ}30'$ East

40.00 Set temporary 1/4 sec. cor.

79.72 Intersect N. & S. line 13 lin. N. of cor. to sec. 13.

14.23 and set from which cor. run

N. 89° 54' W. on true line between sec. 14 & 23.

var. $13^{\circ}30'$ East.

39.86 Set post, marked 4 ft. 4 in. long, flattened 3 in. wide, 1 ft. in the ground, and build mound of stones 2 ft. high, as per instructions for 1/4 sec. cor. No trees near.

79.72 Cor. to sec. 14, 15, 22 & 23.

Rolling grass land. No timber of consequence

North between sec. 14 & 15.

var. $13^{\circ}30'$ East

40.00 Set post, marked 4 ft. 4 in. long, flattened 3 in. wide, 1 ft. in the ground, and build mound of stones 2 ft. high, as per instructions for 1/4 sec. cor. from which

and set 8 in. dia. line, S. 20° E. 146 lin. dist.

do. 13 " " S. 50° W. 137 " "

78.00 Enter a flat.

Township 23 S. Range 13 E.

Gila Salt River Meridian

Pr. Continued:-

80.00 Set a post, marked & watched, 4 ft. long, 3 in. sq. d. 4 ft. in the ground, drive charred stake & build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for cor. to Secs. 10 & 11.

14 and 15. from which
an oak, 12 in. dia. base S. 51° E. 148 lbs. dist.
do. 14 " " " S. 18 1/2° W. 294 " "
No other trees near.
Rolling grass land. Scattering trees.

Eastward line between 11 & 14.
var. 13° 30' East

40.00 Set temporary 1/4 sec. cor.
79.83 Set true cot. & N. line 20 lbs. N. of cor. to Sec. 11, 12.

13 and 14 from which cor. from
N. 89° 51' W. true line between Secs. 11 & 14.
var. 13° 30' East

39.92 Set a post, marked 4 ft. long, 3 in. wide, 4 ft. in the ground, drive charred stake & build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor. No trees near.

Township 23 S. Range 13 E.
Gila & Salt River Meridian

No. Continued, -

79.83 Cor. to sec. 10, 11, 14 & 15. Rolling grassland.
But little timber. December 16, 1876.

North between sec. 10 & 11.

var. 13° 30' East.

21.00 Arroyo, 45 lbs. wide, bas. N. E.

40.00 Set a post, marked & S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive
sharred stakes & build around a post 2 ft high, with pile 1 ft deep, 2 ft
long of boards, as per instructions for 4 sec. cor. from which
a Mesquite, 10 in. dia. base, S. 25° W. 20 lbs. dist.
do. 8 " " " S. 50° W. 36 " "

58.00 Leave flat.

80.00 Set a post, marked & notched, 4 ft long, 3 in. sq. in the ground,
and build around a post 2 ft high, as per instructions
for cor. to sec. 2, 3, 10 & 11, from which
a Mesquite, 12 in. dia. base, S. 25° E. 152 lbs. dist.
do. 6 " " " N. 50° W. 233 " "

No other trees near.

Smooth and nearly flat grass land.

Scattering Mesquite timber.

20 Township 23 S. Range 13 E.
Gila and Salt River Meridian

Post. East on random line bet. sec. 2 & 11.
var. $13^{\circ}30'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.31 Intersect N. and S. line 20 lvs. S. of
cor. to sec. 1, 2, 11 and 12, from
which cor. June
S. $89^{\circ}51' W$.

On true line between sec. 2 & 11.
var. $13^{\circ}30'$ East

40.16 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
tined 3 in. wide, 4 ft. in the ground,
drive charred stake and build a
mound of earth 2 ft. high, with pits 4 ft.
deep, 2 ft. long, 4 ft. wide, as per instruc-
tions for $\frac{1}{4}$ sec. cor.

No trees near.

80.31 Cor. to Secs. 2, 3, 10 and 11.

Rolling grassland. No timber of
consequence.

Township 23 S. Range 13 E.

Gila & Salt River Meridian

Ch. North

On random line between sec. 2 & 3.
var. $13^{\circ}30'$ East.

15.00 Arroyo, 15 hrs. wide, var. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

46.70 Enter Santa Cruz valley, var. N.W.

60.00 Arroyo 30 hrs. wide, var. N.E.

80.30 Intersect N. boundary 46 hrs. N. of cor. to Sec.
2 & 3, from which cor. Run

$S. 0^{\circ}20' W.$

On true line between sec. 2 & 3.
var. $13^{\circ}30'$ East.

40.30 Set a post marked $\frac{1}{4}$ sec. $\frac{1}{4}$ block, flattened 3 in. wide, ft.
in the ground, drive a chest stake & build around
of cauto 1 ft high, with pile of dead $\frac{1}{2}$ block, ft.
wide, as per instructions, for $\frac{1}{4}$ sec. cor. from which
a Mesquite, 4 in. dia. var. N. $9^{\circ} W.$ 85 hrs. dist.

do. 6 " " " $S. 59^{\circ} W.$ 177 " "

80.30 Corro seco 2 & 3, 10 & 11. Rich bottom land
in valley. Some mesquite timber.

Township 23 S. Range 13 E.

Gila & Salt River Meridian

Line North between sec. 33 & 34.

var. 13°30' East

46.00 Set a post, marked 4 ft long, flattened 2 in. wide,
 3 in. in the ground, and build mound of stones
 2 ft high, as per instructions, for 1/4 sec. cor.,
 from which

An Oak, 20 in. dia. br. S. 20° W. 44 lns. dist.

do. 8 " " N. 70° W. 23 " "

48.00 Enter a flat.

53.00 Arroyo, 15 lns. wide, runs N. E.

58.50 Leave flat.

80.00 Set a post, marked & notched, 4 ft long,
 3 in. sq. di. 1 ft. in the ground, and build
 mound of stones 2 ft high, as per in-
 structions, for cor. to secs. 27, 28,

33 and 34, from which

An Oak, 6 in. dia. br. North 44 lns. dist.

do. 6 " " S. 80° W. 28 " "

Flat and rolling grassland.
 Scattering oak timber.

Township 23 S. Range 13 E.

Gila & Salt River Meridian

Twp. East

On random line between sec. 27 & 34
var. 13° 30' East

35.50 Enter flat

40.00 Set temporary 1/4 sec. cor.

48.50 Arroyo, 20 hrs. wide, runs N.

51.00 Leave flat.

80.12 Intersect N. & S. line 10 hrs. S. of cor. to sec.
26, 27, 34 & 35, from which cor. run
S. 89° 56' W.On true line between sec. 27 & 34
var. 13° 30' East40.06 Set a post, marked 1/4 S. 4 ft long flat-
tened 3 in wide, 1 ft in the ground, and
build mounds of stones 2 ft high, as per
instructions, for 1/4 sec. cor. from which
an iron, 12 in. dia. bar. North, 107 hrs. dist.
No. 14 " " " N. 44° W. 61 " "

80.12 Cor. to Secs. 27, 28, 33 & 34.

Rolling & flat grass land. Scattering trees

Township 23 S. Range 13 E.

Gila and Salt River Meridian

No. North between sec. 27 & 28.

var. 13° 30' East

40.00 Set a post, marked 14 S. 4 ft long, flat
tined 3 in. wide, 4 ft in the ground,
drive charred stake and build mound
of earth 2 ft high with pits 4 ft deep,
2 ft long, 4 ft wide, as per instructions
for 1/4 sec. cor. No trees near.

80.00 Set a post, marked E notched, 4 ft
long, 3 in. sq. d. 4 ft in the ground,
and build mounds of stones 2
ft high, as per instructions, for
cor. to sec. 21, 22, 27 and 28.
from which

An Oak, 18 in. diam. S. 33° E. 169 len. dist.

No other trees near.

Rolling grass land.

Scattering trees

Township 23 S. Range 13 E.
Sila and Salt River Meridian

Q. East

A random line between sec. 22 & 27.
var. $13^{\circ}30'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.73 Intersect N. and S. line 18 hrs. S. of
cor. to sec. 22, 23, 26 & 27. from
which cor. I run
 $S. 89^{\circ}52' W.$

A true line between sec. 22 & 27.
var. $13^{\circ}30'$ East.

39.87 Set a granite stone, $14 \times 11 \times 7$ inches,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$ and on
N. build mound of earth 4 ft high
with pits 1 ft deep, 2 ft long. 1 ft wide.
as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.

79.73 Cor to Secs 21, 22, 27 and 28.
Rolling grass land.
No timber of consequence

Township 23 S. Range 13 E.
Gila and Salt River Meridian

Sec. North between sec. 21 & 22.
cor. 13°30' East.

40.00 Set a post, marked 4 S. 4 ft. long, flat-
tined 3 in. wide, 1 ft. in the ground, drive charred
stake and build mound of earth 2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide, as per instructions for 1/4
sec. cor. No trees near.

80.00 Set a post, marked & notched, 4 ft. long,
3 in. sq. d. 1 ft. in the ground, drive charred
stake and build mound of earth 2 ft.
high, with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions, for cor. to sec.
15, 16, 21 and 22, from which
An oak, 7 in. dia. b. N. 82° W. 51 in. dist.
do. 9 " " " N. 5° E. 18 " "
do. 9 " " " S. 4° W. 44 " "
do. 6 " " " S. 79° E. 77 " "
Rolling grass land. Oak timber

Township 23 S. Range 13 E.
Tela & Salt River Meridian

No. Eastwardon line bet. sec. 15 & 22
var. $13^{\circ}30'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.87 Intersect N. and S. line 21 Sec.
N. of cor to Secs. 14, 15, 22 and
23, from which cor. I run
N. $89^{\circ}51' W.$

On true line between sec. 15 & 22,
var. $13^{\circ}30'$ East.

39.94 Set a granite stone $11 \times 7 \times 7$ inches,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and
on N. build mound of earth 1 ft.
high, with pits 1 ft. deep, 2 ft. long, 1 ft.
wide, as per instructions for $\frac{1}{4}$ sec.
cor.

No trees near.

79.87 Cor to Secs 15, 16, 21 and 22.
Rolling grass land.
A few trees.

Township 23 S. Range 13 E.

Sixth & Salt River Meridian

Chs. North between sees. 15 & 16.
var. $13^{\circ}30'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. of flong, flat-
tened 3 in. wide, 1 ft. in the ground,
drill charred stake and build
mound of earth 2 ft. high with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.00 Set a post, marked and notched,
4 ft. long, 3 in. sq. d., 1 ft. in the ground,
drill charred stake and build
mound of earth 2 ft. high with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for cor. to sees.
9, 10, 15 and 16.
No trees near.

Rolling grass land.
But little timber.

Township 23 S. Range 13 E.

Gila and Salt River Meridian

No. East.

On random line bet. sees. 10 & 15.

var. $13^{\circ}30'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.26 Intersect N. and S. line 10 hrs. S. of
cor. to sees. 10, 11, 14 and 15. from
which cor. I run

S. $89^{\circ}56'$ W.

On true line between sees. 10 & 15

var. $13^{\circ}30'$ East.

40.13 Set a post, marked $\frac{1}{4}$ S. off long. flat-
tened 3 in. wide, 4 ft. in the ground,
drive charred stake and build a
mound of earth 4 ft. high, with pits
1 ft. deep, 2 ft. long, 4 ft. wide, as per
instructions, for $\frac{1}{4}$ sec. cor.

Notices near.

80.26 Cor. to sees. 9, 10, 15 and 16.

December 18, 1876

Township 23 S. Range 13 E.
Gila and Salt River Meridian

hr. North between secs. 9 & 10.
var. $13^{\circ}30'$ East.

40.00 Set a post, marked 14 S. 4 ft. long, flat-
tened 3 in. wide, 1 ft. in the ground, and
build mound of stones 2 ft. high, as
per instructions for 14 sec. cor. from which
an Oak, 7 in dia. br. West, 150 hrs. dist.
No other trees near.

51.40 Enter flat.

61.50 Arroyo, 25 hrs. wide, runs N. E.

62.00 Leave flat.

80.00 Set a post, marked & notched, 4 ft. long,
3 in. sq. d. 1 ft. in the ground, drive charred stakes
and build mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per in-
structions for cor. to secs. 3, 4, 9 & 10, from which
a Mesquite, 4 in dia. br. N. 49° E. 144 hrs. dist.
do. 7 4 " " S. 67° E. 179 " "
Rolling grass land. Scattering trees

Township 23 S. Range 13 E.
Gila and Salt River Meridian

No. East on random line bet. secs. 3 & 10.
var. $13^{\circ}30'$ East.

17.60 Enter flat.

28.00 Arroyo 20 hrs. wide, runs N. E.

39.50 Leave flat.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.80 Intersect N. and S. line 13 hrs. N. of cor.

to secs. 2, 3, 10 & 11, from which cor. is run

N. $89^{\circ}54'$ W. on true line bet. sec. 3 & 10.

var. $13^{\circ}30'$ East

39.90 Set a post, marked $\frac{1}{4}$ S. of fl. long
flattened 3 in. wide, 1 ft. in the ground,
and build around a post 2 ft.
high as per instructions for $\frac{1}{4}$ sec.
cor. from which

An Oak, 12 in. dia. 6 ft. N. 40° W. 19 hrs. East

do. 8 " " " S. 35° E. 26 " "

79.80 Cor. to Secs. 3, 4, 9 and 10.

Flat and rolling grass land.

Scattering Oak trees

Township 23 S. Range 13 E.
 6thth Salt River Meridian

In North

On random line between secs. 3 & 4.

var. $13^{\circ}30'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.87 Intersect N. boundary 19 hrs. E of
 cor. to secs. 3 & 4. from which cor. drawn
 $10^{\circ}8'$ E.

On true line between secs. 3 & 4.

var. $13^{\circ}30'$ East

39.87 Set a granite stone, $13 \times 9 \times 6$ inches,
 $\frac{2}{3}$ in the ground, marked 44, and on
 S. build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide,
 as per instructions, for $\frac{1}{4}$ sec. cor.
 No trees near.

79.87 Cor. to secs. 3, 4, 9 & 10.

Rolling grass land.

But little timber

Township 23 S. Range 13 E.
Tila and Salt River Meridian

Chs. North between secs. 32 & 33.
var. $13^{\circ} 30'$ East.

40.00 Set a post, marked 14 S. 4 ft long, flat-
tened 3 in wide, 1 ft in the ground,
drive charred stakes and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions, for 14 sec.
cor. No trees near.

80.00 Set a post, marked E-notched, 4 ft long,
3 in sq. d., 1 ft in the ground, and build a
mound of stones 2 ft high, as per in-
structions, for cor. to secs. 28, 29, 32 and
33, from which

to oak, 15 in. diam., S. 52° W. 99 ls. dist.

do. 8 " " " S. 15° E. 120 " "

do. 7 " " " N. 80° E. 77 " "

No other trees near.

Rolling grass land.

Scattering oak trees.

Township 23 S. Range 13 E.
 6th & Salt River Meridian
 No. East.

On random line between sec. 28 & 33.
 var. $13^{\circ}30'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.36 Intersect N. and S. line 13 lvs. S. of cor.
 to secs 27, 28, 33 and 34, from which
 cor. drawn

$189^{\circ}54'W.$

On true line between secs. 28 & 33.
 var. $13^{\circ}30'$ East.

40.18 Set a granite stone $14 \times 11 \times 5$ inches,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and on
 N. build mound of earth 2 ft high, with
 pits 1 ft deep, 2 ft long, 1 ft wide, as per in-
 structions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.36 Cor. to secs 28, 29, 32 and 33.

Rolling grass land. Scattering
 trees.

Township 23 S. Range 13 E.
Gila & Salt River Meridian

Ths. North between sec. 28 & 29.
var. $13^{\circ} 30'$ East.

40.00 Set a post, marked 74 S. 4 ft long, flat-
tened 3 in wide, 1 ft in the ground,
and build mound of stones 2 ft
high, as per instructions, for 74
sec. cor. from which

An Oak, 13 in. dia. base. N. 45° W. 97 lbs. dist.
No other trees near.

49.00 Enter flat, brs. N. E.

63.50 Leave it.

80.00 Set a post, marked E. notched, 4 ft long,
3 in. sq. d. and set 1 ft in the ground,
with mound of stones built around
it 2 ft high, as per instructions, for cor.
to secs. 20. 21. 28 & 29, from which

An Oak, 12 in. dia. base. N. 18° E. 203 lbs. dist.
No other trees near.

Rolling & flat grass land. Some oak trees

Township 23 S. Range 13 E.
Gila & Salt River Meridian

- Chs. East on random line bet. sec. 21 & 28,
var. $13^{\circ}30'$ East
- 7.50 Enter flat, boro. N. E.
- 18.00 Leave it
- 40.00 Set temporary $\frac{1}{4}$ sec. cor.
- 79.68 Intersect N. and S. line 25 hrs. N. of
cor. to sec. 21. 22. 27 and 28. from
which cor. I run
N. $89^{\circ}49'$ W.
- On true line bet. sec. 21 & 28
var. $13^{\circ}30'$ East
- 39.93 Marked on Oak, in place, $\frac{1}{4}$ S, 12 inches
diameter, for $\frac{1}{4}$ sec. cor. from which
an Oak, 4 in. dia. has N. 35° W. 28 hrs. dist.
do. 4 " " S. 50° E. 26 " "
- 79.68 Cor. to sec. 20. 21. 28 and 29.
Rolling and flat grass land.
Oak timber

Township 23 S. Range 13 E.
Gila & Salt River Meridian

Ln. North between sec. 20 & 21.

var. $13^{\circ}30'$ East

40.00 Set a granite stone, 13 x 12 x 10 inches
 $\frac{2}{3}$ in the ground, marked 14, and
on N. build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions, for
1/4 sec. cor. No trees near.

80.00 Set a post, marked and notched,
2 ft long, 3 in. sq. d. 1 ft in the
ground, drive charred stake
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions, for
cor. to sec. 16, 17, 20 & 21, from which

an oak, 13 in dia. bears S. 4° E. 38 lbs. dist.

do. 8 " " " S. 43° E. 46 " "

do. 12 " " " N. 9° E. 80 " "

Rolling grass land. Oak timber.

Township 23 S. Range 13 E.

Gila and Salt River Meridian

Pr. East on random line bet. sec. 16 & 21
var. 13° 30' East

4.15 Leave flat.

40.00 Set temporary 1/4 sec. cor.

56.50 Enter another flat.

73.80 Arroyo, 20 lvs. wide, runs N. E.,

74.00 Leave flat.

80.17 Intersect N. and S line 20 lvs. S of
cor. to sec. 15, 16, 21 and 22, from
which cor. Run
S. 89° 51' W.

On true line bet. sec. 16 & 21,

var. 13° 30' East.

40.08 Set post marked 1/4 S. of bl. on flattened 3 in. wide,
fl. in the ground, drive charred stake end
build mound of earth 2 ft high for 1/4 sec. cor.
with pits 1 x 2 x 1 ft,
from which
an oak, 7 in. dia. base. South, 71 lvs. dist.
No other trees near.

80.17 Cor. to sec. 16, 17, 20 and 21.

Rolling & flat grassland. Some oak trees.

Township 23 S. Range 13 E.
Gila & Salt River Meridian

Ch. North between secs. 16 & 17.
var. $17^{\circ}20'$ East

40.00 Set a post, marked $9/4$ S. of flong. flat-
tened 3 in wide, 4 ft in the ground, and is
charred stake & build mound of earth 2 ft
high, with pits 4 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $1/4$ sec. cor. No trees near

80.00 Set a post, marked and notched, 4 ft
long, 3 in. sq. d. 1 ft in the ground, and
build mound of stones 2 ft
high, as per instructions, for cor.
to secs. 8, 9, 16, and 17.

from which

On Oak, 8 in dia. by S. $13^{\circ}W$. 126 lbs. dist.

do. 7 " " " N. $42^{\circ}E$. 3.2 " "

No other trees near.

Rolling grass land.

Some oak timber.

December 19, 1876.

Township 23 S. Range 13 E.

Gila and Salt River Meridian

Ch. East a random line bet. sec. 9 & 16.
var. $13^{\circ} 30'$ East.

23.75 Enter flat.

24.00 Arroyo, 25 hrs. wide, runs N.

31.50 Leave flat.

40.00 Set temporary 4 sec. cor.

79.78 Intersect N. and S. line, 30 hrs. S. of sec. 9 & 16.

9.10.15 & 16. from which cor. I run
S. $89^{\circ} 47'$ W. on true line bet. sec. 9 & 16.
var. $13^{\circ} 30'$ East.

39.89 Set a post, marked 44 S. of fl. long, flat-
tened 3 in. wide, 4 ft. in the ground,
and build mound of stones 2 ft. high,
as per instructions, for 4 sec. cor. from which
An. Oak, 6 in. dia. bar, S. 40° W. 132 hrs. dist.
do. 12 " " West. 140 " "

79.78 Cor. to sec. 8, 9, 16 and 17.

Rolling and flat grass land.
Scattering oak timber

Township 23 S. Range 13 E.
Gila & Salt River Meridian

Sec. North between sec. 8 & 9.
var. 13° 30' East.

40.00 Set a post, marked 74 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, driven
churned stake and build mound of
earth 2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions, for
the sec. cor. No trees near.

80.00 Set a granite stone, 12 x 10 x 5 inches,
2/3 in the ground, notched S. and
E. and on N. build mound
of earth 2 ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for cor. to sec.
4, 5, 8 and 9.

No trees near.

Rolling grass land.

No timber of consequence.

Township 23 S Range 13 E.
Gila & Salt River Meridian

No. East.

On random line between secs. 4 & 9.
var. $13^{\circ}30'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.90 Intersect N. and S. line 35 hrs. S.
after to secs. 3, 4, 9 and 10. from
which cor. Run
 $S. 89^{\circ}45' W.$

On true line between secs. 4 & 9.
var. $13^{\circ}30'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground,
drill charred stake and build around
a earth 2 ft. high, with pits 1 ft. deep,
2 ft. long, 1 ft. wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor. No trees near.

79.90 Cor. to secs 4, 5, 8 and 9.
Rolling grass land.
No timber.

Township 23 S. Range 13 E.
Gila & Salt River Meridian

No. North

On random line between secs. 4 & 5.
var. $13^{\circ}30'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.22 Intersect N. boundary 18 lvs. E.
of cor. to secs. 4 and 5. from
which cor. run
 $S. 10^{\circ}8' E.$

On true line between secs. 4 & 5.
var. $13^{\circ}30'$ East

40.22 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground. drive charred stake
and build mound of earth 2 ft high
with pit 1 ft deep, 2 ft long, 1 ft wide,
as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.22 Cor. to secs. 4, 5, 8 and 9.
Rolling grass land. No timber

Township 23 S. Range 13 E.

Gila and Salt River Meridian

Chs. North between sec. 31 & 32.

var. $13^{\circ}30'$ East.

40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground driven charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long 1 ft wide, as per instructions for 74 sec. cor. No trees near

80.00 In little valley, running N.E.

Set a post, marked and notched, 4 ft long, 3 in. sq. d. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions, for cor. to sec. 29, 30, 31 and 32, from which

to Oak, 14 in. dia. S. 26° W. 74 ls. dist.

do. 18 " " N. 48° W. 91 " "

No other trees near.

Rolling grass land. Scattering trees

Township 23 S. Range 13 E.
Gita and Salt River Meridian

No. East on random line bet. sec. 29 & 32.
var. $13^{\circ}30'$ East

4.50 Leave flat, var. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.31 Intersect N. and S. line 28 hrs. N.
if cor to secs. 28-29, 32 and 33.
from which cor. I run
 $N. 89^{\circ}48' W.$

On true line between sec. 29 & 32.
var. $13^{\circ}30'$ East

40.16 Set a post, marked $\frac{1}{4}$ S. $\frac{1}{4}$ S. long. flat
tied 8 in. wide, 4 ft. in the ground, and
build mound of stones 2 ft. high, as
per instructions, for $\frac{1}{4}$ sec. cor. from which
run, 7 in. dia. var. South, 33 hrs. dist.

do. 4 " " N. $20^{\circ} W.$ 32 " "

80.31 Cor to secs. 29, 30, 31 & 32.

Rolling and flat grass land.
Scattering oak timber.

Township 23 S. Range 13 E.

Gila and Salt River Meridian

Chs. West or random line between Secs. 30 & 31.
var. $13^{\circ}30'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.85 Intersect N. boundary 107 lvs. N. of cor.
to Secs. 30 and 31, from which
cor. Draw
N. $89^{\circ}53'$ E.

Or true line between Secs. 30 & 31.
var. $13^{\circ}30'$ East

39.85 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
tired 3 in. wide, 1 ft. in the ground,
drive charred stake and build a
mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide,
as per instructions, for $\frac{1}{4}$ sec.
cor. No trees near

79.85 Cor. to Secs. 29, 30, 31 and 32.
Rolling grass land.
A few trees.

Township 23 S. Range 13 E.
Gila and Salt River Meridian

Ps. North between sec. 29 & 30.
var. 13° 30' East.

6.25 Leave little valley.

40.00 Set a post, marked 1/4 S. 4 ft long, flat-
tined 3 in. wide, 1 ft in the ground,
and build mound of stones 2 ft high,
as per instructions, for 1/4 sec. cor. from which
on bar, 13 in. dia. bar. North 90 lbs. dist.
No other trees near.

70.00 Arroyo, 12 lbs. wide, bar. N.E.

80.00 Set a post, marked & attached 4 ft long,
3 in. sq. 1 ft in the ground, and build
mound of stones 2 ft high as per in-
structions, for cor. to sec. 19, 20, 29
and 30. from which

On bar, 14 in. dia. bar. N. 5° E. 58 lbs. dist.

do. 13 " " " S. 10° W. 77 " "

do. 7 " " " S. 50° E. 113 " "

Rolling grass land. Some oak timber

Township 23 S. Range 13 E.

Gila and Salt River Meridian

1/4 Sec. East

On random line between sec. 20 & 29.

var. $13^{\circ}30'$ East

40.00 Set temporary 1/4 sec. cor.

80.26 Intersect N. & S. line 20 len. N. of cor.
to sec. 20. 21. 28 and 29. from
which cor. I run
 $N. 89^{\circ}05' 1'' W.$

On true line between sec. 20 & 29.

var. $13^{\circ}30'$ East

40.13 Set a granite stone, $14 \times 10 \times 8$ inches
 $2/3$ in the ground, marked 1/4, and
on W. build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft long, 1 ft
wide, as per instructions, for 1/4 sec.
cor. No trees near

80.26 Conto Secs 19. 20. 29 and 30.
Rolling grass land. A few trees

Township 23 S. Range 13 E.
Gila and Salt River Meridian

hs. West on random line between sec. 19 & 30.
var. $13^{\circ} 30'$ East.

30.00 Rocky bluff.

40.00 Set temporary 1/4 sec. cor.

79.80 Intersect N. boundary 23 la. S of
cor. to secs. 19 and 30. from
which cor. Run

$0.89^{\circ} 50' E.$

On true line between sec. 19 & 30.

var. $13^{\circ} 30'$ East.

39.80 Set post, marked 1/4 S. 4 ft long,
flattened 3 in wide, 1 ft in the ground,
drill charred stake and build mound
of earth 2 ft high, with pile of 1/4
2 ft long, 1 ft wide, as per instructions
for 1/4 sec. cor. No trees near.

79.80 Cor. to secs. 19, 20, 29 and 30.

Rolling grass land. No timber.

December 20, 1876.

Township 23 S. Range 13 E.

6th & Salt River Meridian

Chs. North between sees. 19 & 20.

var. $13^{\circ} 30'$ East.

30.00 Rocky bluff.

40.00 Set a post, marked 74 S. 4 ft. long.
flattened 3 in. wide (flat in the ground), drive
sharred stake and build mound of earth
2 ft. high, with pits 4 ft. deep, 2 ft. long, 4 ft.
wide, as per instructions, for 74 sec. com.
No trees near.

80.00 Set a post, marked and notched, 4
ft. long, 3 in. sq. d. flat in the ground,
and build mound of stones 2 ft. high
as per instructions, for com. to sees.
17, 18, 19 and 20, from which
to Oak. 8 in. dia. bar N. 41° W. 66 loc. dist.

do. 8 " " " S. 61° E. 58 " "

do. 7 " " " N. 87° W. 79 " "

Rolling grass land; some broken.
Some Oak timber.

Township 23 S. Range 13 E.
 1st & 2nd Ranges Meridian

Pro. East. on random line bet. sec. 17 & 20.
 was. $13^{\circ}30'$ East.

4.00 Arroyo, 20 lvs. wide, brs. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

75.00 Enter a flat.

79.00 arroyo, 10 lvs. wide, runs N. E.

80.21 Intersect N. and S. line 30 lvs. N.
 of cor. to Secs. 16, 17, 20 and 21 from
 which cor. I run
 N. $89^{\circ}47' W.$

On true line between secs. 17 & 20.
 was. $13^{\circ}30'$ East.

40.10 Set a post, marked $\frac{1}{4}$ S. of fl. lay. flattened
 3 in. wide, 1 ft. in the ground, and build
 mound of stones 2 ft. high, as per in-
 struction, for $\frac{1}{4}$ sec. cor. from which
 on N. 9 in. dia. br. East. 154 lvs. dist.
 do. S. " " " South. 54 " "

80.21 Cor. to Secs. 17, 18, 19 and 20.

Rolling & flat grass land. Some oak timber

Township 23 S. Range 13 E.

Gila and Salt River Meridian

Chs. W. S. on random line bet. secs. 18 & 19.

var. $13^{\circ}30'$ East

20.00 Top of Ridge, cor. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

67.40 Cliff on line.

79.60 Intersect N. boundary 23 Sec. S. of
cor. to Secs. 18 and 19. from which

cor. drawn

$189^{\circ}50'$ E.

On true line between secs. 18 & 19.

var. $13^{\circ}30'$ East

39.60 Set a post, marked 74 S. 4 ft. long, flattened
3 in. wide. 1 ft. in the ground, drive chared stake

and build mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide for $\frac{1}{4}$ sec. cor. from which

do. var., 12 in. dia. by West. 34 Sec. dist.

do. 7 " " " N. 40 W. 14 "

79.60 Cor. to Secs. 17, 18, 19 and 20.

Rolling and broken. Scattering timber

Township 23 S. Range 13 E.

Gila & Salt River Meridian

Line North between sec. 17 & 18. *
var. $13^{\circ} 30'$ East.

40.00 Set a granite stone $12 \times 9 \times 6$ inches,
 $\frac{2}{3}$ in the ground, marked '4, and on
N. build mound of earth 2 ft high
with pits 1 ft deep, 2 ft long, 1 ft wide
as per instructions, for '4 sec. cor.

No trees near.

80.00 Set a post, marked and notched, 4
ft long, 3 in. sq. d. 1 ft in the ground,
and build mound of stones 2 ft high
as per instructions, for cor. to Secs
7, 8, 17 and 18, from which
an oak, 8 in. dia. bears S. 25° E. 99 lbs. dist.

No other trees near.

Rolling grass land.

But few trees.

Township 23 S. Range 13 E
Gila & Salt River Meridian

- Chs. East. on random line bet. sec. 8 & 17
var. $13^{\circ}30'$ East.
- 8.50 High ridge.
- 27.40 Arroyo, 20 hrs. wide, runs N.
- 40.00 Set temporary 4 sec. cor.
- 73.40 Arroyo, 20 hrs. wide, runs N.
- 79.90 Intersect N. & E. line 18 hrs. S. of cor. to Sec.
8.9.16 & 17. from which cor. down
S. $89^{\circ}52'$ true line bet. sec. 8 & 17.
var. $13^{\circ}30'$ East.
- 39.95 Set a post, marked 4 x 8. 4 ft. long, flattened
3 in. wide, 4 ft. in the ground, drive charred
stave & build mound of earth 2 ft. high, with
pile 4 ft. deep, 2 ft. long. 4 wide, as per instructions
for 4 sec. cor. From which
to Oak, Co. in direction N. $60^{\circ}E$ 49 hrs. dist
do. 8 " " S. $25^{\circ}N$ 40 " "
- 79.90 Cor. to Sec. 7, 8, 17 and 18.
Rolling grass land. Scattering Oak.

Township 23 S. Range 13 E.
Gila & Salt River Meridian

13.50 Run W. S. on random line bet. secs. 7 & 18.
var. $13^{\circ}30'$ East.

13.50 Enter flat.

19.25 Arroyo, 50 lbs. wide, runs N. E.

33.00 Leave flat.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.70 Intersect N. boundary 21 lbs. So far to sec.

7 & 18. from which cor. drawn

S. $89^{\circ}51'$ E. on true line bet. secs. 7 & 18.

var. $13^{\circ}30'$ East

39.70 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-

tened 3 in wide, 1 ft in the ground, drive

chewed stakes & build mound of earth 2 ft

high, with pits 4 ft deep, 2 ft long, of beads,

as per instructions, for $\frac{1}{4}$ sec. cor. from which

On Oak, 20 in dia. 6 in S. 30 W. 65 lbs dia 6

do. 8 " " N. 18 W. 113 " "

79.70 Cor. to Secs. 7, 8, 17 and 18.

Rolling & flat grass land. Scattered oak.

Township 13 S. Range 13 E.

1/4 Sec. 5 Salt River Meridian

Ch. North between secs. 7 & 8.

Var. $13^{\circ}30'$ East.

40.00 Set a post marked 74 S. 4 ft long, flattened
3 in wide, 1/2 in the ground, drive charred
stave & build mound of earth 2 ft high,
with pits 1 ft deep, 2 ft long, 1 ft wide, as
per instructions, for 4 sec cor. No trees near.

80.00 Set a porphyry rock, 12 x 10 x 6
inches, 2/3 in the ground, notched
S. E. and on N. build mound
of earth 2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per instruc-
tions for cor. to secs. 5, 6, 7 and 8.
from which

An Oak, 7 in dia. base, S. 60° E. 429 has dia.

No other trees near.

Rolling grass land.

A few trees.

Township 23 S. Range 13 E.
 Gita & Salt River Meridian

No. East on random line bet. secs. 5 & 8.
 var. $13^{\circ}30'$ East

37.50 Enter flat, bss. N. E.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

40.30 Arroyo, 150 lns wide, runs N. E.

50.50 Leave flat.

69.00 Top of Ridge.

80.12 Intersect N. and S. line 20 lns. S.
 of cor. to Secs. 4, 5, 8 and 9, from
 which cor. I run

$1.89^{\circ}51'$ N. on true line bet. secs. 5 & 8.

var. $13^{\circ}30'$ East.

40.06 Set a post, marked 14 in. 4 ft long, flattened 3 in. wide,
 1 ft in the ground, drive charred stake and build mound of
 earth 4 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as
 per instructions, for $\frac{1}{4}$ sec. cor. from which
 a Walnut tree, 8 in. dia. bss. East, 23 lns. dist.

do. 12 in. " " N. 50° E. 100 "

80.12 Cor. to Secs. 5, 6, 7 & 8.

High rolling grass land. Scattering trees

Township 23 S. Range 13 E.
Gila and Salt River Meridian

As. West on random line bet. sec. 6 & 7.
var. $13^{\circ}30'$ East

36.60 High rocky bluff.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

68.00 Ridge runs N. E.

70.00 Arroyo, 15 lbs. wide, runs N. E.

79.40 Intersect N. boundary, 21 lbs. S. of
cor. to sec. 6 and 7. from
which cor. Run
 $189^{\circ}51'$ E.

On true line between sec. 6 & 7.
var. $13^{\circ}30'$ East

39.40 Set a porphyry rock, 12 x 10 x 6
inches, $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$,
and on E. build around a fence
2 ft high, as per instructions, for
 $\frac{1}{4}$ sec. cor. No trees near.

79.40 Cor to Secs. 5, 6, 7 and 8.

Rolling and broken. A few trees.

Township 23 S Range 136 E.
 Tula & Fall Rivers Meridian

Ps. North or random line bet. sees. 5 & 6.
 var. $13^{\circ} 30'$ East.

40.00 Set temporary 14 sec. cor.

80.18 Intersect N. boundary 45 lks.
 W. of cor. to sees. 5 and 6. from
 which cor. drawn
 $S. 0^{\circ} 19' W.$

True line between sees. 5 & 6.
 var. $13^{\circ} 30'$ East.

40.18 Set a granite stone $14 \times 10 \times 5$ inches,
 $\frac{2}{3}$ in the ground, marked 14, and on
 S. build mound of earth 2 ft high,
 with pits 1 ft deep, 2 ft long, 1 ft wide
 as per instructions for 14 sec. cor.
 No trees near.

80.18 Cor. to sees. 5, 6, 7 and 8.
 Rolling grass land.
 No timber.

December 21, 1876.

Township 23^d Range 13^d S.
T14^e Salt River Meridian

General Description.

The extreme northeastern portions of this township lie along the Santa Cruz river and Pateros creek, and in this part are some first class agricultural lands and the water of the rivers is available for irrigation.

The soil is very rich.

The remaining portions of the township are covered by fine rolling grass land, affording excellent grazing facilities.

Theodore F. White
U. S. Deputy Surveyor

List of Names.

BOOK 911

61
No. 911

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of The Subdivision
Lines of Township 23 S.
Range 13 E., of the Gila
and Salt River Meridian
Arizona.

Showing the respective capacities in which they
acted.

Urban Bessard Chainman.

Alfred Grunler Chainman,

P. V. Caldwell Axeman.

Allan Bernard Flagman.

Final Oath of Assistants.

BOOK 911

We hereby certify that we assisted Theodore
F. White U. S. Deputy Surveyor, in
surveying the Subdivision Lines
of Township 23 S. Range
13 E. of the Gila and Salt
River Meridian, Arizona.

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments
planted according to the instructions furnished by
the Surveyor-General.

Hobain Bernard Chainman.


Alfred Fuller Chainman,

P. Walburn Axeman.

Allan Bernard Flagman.

Sworn to and subscribed before me, this 8th
day of January, 1877.

William J. Astor
Notary Public



Final Oath of Deputy Surveyor.

69

BOOK 911

I, Theodore J. White

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 18th day of September

1876. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The Subdivision Lines of
Township 23 S. Range
13 E. of the Gila and
Salt River Meridian
Arizona,

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore F. White
Deputy Surveyor.

Sworn to and subscribed before me, this *5th* day of *January*, 187*7*

William J. Brown
Notary Public



65

U. S. Surveyor General's Office,

TUCSON, ARIZONA, February 19, 1877.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 23 South,
Range 13 East,

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by Theodore F. White

Deputy Surveyor, under his contract of the 18th

day of September, 1876, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved.

John Masson
Surveyor General.