

No. 913

checked
compared
indexed

Field Notes

OF THE SURVEY OF THE

BOOK 913

SUBDIVISION LINES

— OF — No. 913

Township 22 S Range 26 E

Gila and Salt River Base and Meridian

ARIZONA.

By Lewis Wolfley D. S.

under contract dated Nov 11th, 1884

Survey commenced Jan 27th, 1885

Survey completed Jan 30th, 1885

913

2
BOOK 913

Township 22 S. R. 26 E

BOOK 913

S and S. R. N

6	92	5	67	4	49	3	32	2	17	1
90		88		65		48		31		16
7	87	8	64	9	47	10	30	11	14	12
85		84		62		45		28		13
18	82	17	61	16	44	15	27	14	11	13
81		79		60		42		26		10
19	78	20	58	21	41	22	24	23	9	24
76		75		56		39		23		7
30	73	29	55	28	38	27	22	26	6	25
71		70		53		36		20		4
31	69	32	52	33	35	34	19	35	3	36

For preliminary table
and description of instruments
see BOOK No 1

No. 913

BOOK 913

T 22 S R 26 E

Chain Beginning at the
cor. to secs 12, 35 and
36 T 22

R 26 E previously described
by me I run N bet
secs 35 and 36

on a $130^{\circ} 1' E$

38.75
40.00
Cross road bears S E

Deposited a marked stone 12 ins. in
ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 34 feet dist. on raised
a piece of wire 14 ft. high 34 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on W
face.

T22 SR 26E

Chain

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 25-26. ³³⁶ 6 dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. were raised a mound of earth 2 ft. high 4½ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T228 S. 25- on N. E. R26E S36 on S. E. S35- on S. W. and S. 26 on N. W. faces, with | notch on S. and | notch on E. edges.

Land Level

Soil 2nd rate

Good Grass

East on a random line bet secs 25-26

Ta 13' 1" E

40.00

Set temporary 1/4 sec cor

T22 S. R 26E

Chain

80.73 Intersect the E bdy of
 the 78 links S of cor
 to secs 25, 30, 31 and 36
 previously described by
 me

Thence I run
 $S 89^{\circ} 27' W$, on a true
 line bet secs 25 and 36
 with same va

40.36

Deposited a marked stone 12 ins. in dia.
 ground for $\frac{1}{4}$ Sec. Cor. in pits 18 x 18 x 12 ins.
 E and W of stone. A pit was also raised
 a foot out of earth 12 ft. deep. It had over
 it in E pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked S. on N
 face.

80.73

The cor to Secs 25, 26
 34 and 36

T22 SR 26E

chain

Land Level

Soil 2nd rate

Good Grass

North bet secs

25 and 26

@Va 13° 1'E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dig pits 18 x 18 x 12 ins.

W and S of stone $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 ft. high 2 ft. base over it.

In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

face.

T22 SR 26E

Chamie
8000

Deposited a marked stone 12 ins. in the ground for Cor 10 Secs 23, 24, 25 & 26, dug pits 18 x 18 x 12 ins. in each Sec. 51 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 22 S. 24 - N. E. E. 26 S. 25 - N. S. E. S. 26 on S. W. and S. 23 on N. W. faces, with 2 notch ~~es~~ on S. and 1 notch on E. edges.

Land Level

Soil 2nd rate

Good Grass

East on a random line bet secs 24 and 25-

T 13° 1' E

T 22 S R 26 E

- Chain
80.67 Intersect the E
bay of T_p 49 links
S of cor to secs 19, 24
25 and 30 previously
described by me
Thence I run
S 89° 39' W on a true
line bet secs 24 & 25
with same ga
- 40.33 Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor dug pits 18 x 18 x 12 ins.
E and W of stone $\frac{1}{4}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 1 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.
- 80.67 The cor to secs 23, 24, 25 & 26
Land Level

T 22 S R 26 E

Chain

Soil 2nd rate
Good GrassNorth bet secs 23 & 24
@ 13° 1' E

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 1/2 feet dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on W face.

79.51
81.00

~~Cross Road here etc~~
Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 13, 14, 23 & 24 dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked T 22 S 13 on N E R 26 E S 24 on S E S 23 on S W. and S 14 on N W. faces, with 3 notches on S, and 1 notch

T 22 S R 26 E

Chains

Land Level
 Soil 2nd rate
 Good Grass

East on a random
 line bet secs 13 & 24
 @ $130^{\circ} 1' E$

40.00

Set temporary $\frac{1}{4}$ sec cor

80.57

Intersect the East
 body of T_p 50 links
 N of cor to secs
 13, 18, 19 and 24 previously
 described by me

Thence I run
 $N 89^{\circ} 38' W$ on a true
 line bet secs 13 and 24

T 22 SR 26E

Chains

with same Va

40.28

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 54 feet dist and raised a mound of earth 14 ft. high 25 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

80.27 Cross Road bears N. E

80.57 The cor to secs 13, 14, 23, 24

Land Level

Soil 2nd rate

Good Grass

North bet secs 13 & 14

Va 13^o 18

T 22 SR 266

chains

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $2\frac{1}{2}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 4 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on NW face.

56.36

cross road bears S W 1/4 E

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 11, 12, 13 & 14, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 228 S. 12 on N.E., R 266 S. 13 on S.E., S. 14 on S.W. and S. 11 on N.W. faces, with 4 notch $\frac{1}{2}$ on S, and 1 notch on E edges.

Land Level
Soil - 2nd rate

T22 SR 266

Chain

Good Grass

Cast on a random
line bet secs 12 & 13

Va 1301 E

4000

8043

Set temporary $\frac{1}{4}$ sec cor
Intersect the East boundary
of T₂₂ at 42 links S
of cor to secs 7, 12
13 and 18 previously
described by me

Thence Iron

S $89^{\circ} 42' W$ on a true
line bet secs 12 & 13 with
same Va

T. 22 S R 26 E

chains

40.22

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins. E and W of stone 34 feet dist and raised a mound of earth 14 ft. high 34 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

53.22

cross road bears N. E

80.43

The cor to sec 11, 12, 13, 14

Land level

Soil 2nd rate

Good grass

North bet sec 11 and 12

N 13° 1' E

T 22 SR 266

Chamie

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. day with 18 x 18 x 12 ins. N and S of stone 54 feet apart and raised a mound of earth 14 ft. high 2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Set a Granite stone 11 x 8 x 8 ins. 9 ins. in the ground for Cor. to Secs. 12, 11 & 2 marked with 6 notch on S. and 1 notch on E. sides. dug pits 18 x 18 x 12 ins. in each Sec., 54 ft. apart and raised a mound of earth 14 ft. high 2 ft. base. alongside.

Land Level

Soil 2 rate

Good Grass

T 22 S R 26 E

Chain

East on a random line bet secs 1 and 12
@ Va 130° 1' E

40.00

Set temporary 1/4 sec cor

80.51

Intersect the E boundary of Tp 40 links S of cor to secs 1, 6, 7 and 12 previously described by me

Thence I run S 89° 43' W on a true line bet secs 1 and 12 with same Va

40.25

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins E and W of stone 5/8 ft. dist apart - used a mound of earth 1 1/2 ft. high 5/8 ft. base over it. for E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked + S. on N

T22 SR 266

Chain

80.51 The cor to sec 1, 2, 11 and 12
 2 and 2nd level
 Soil 2nd rate
 Good Grass

North on a random
 line bet secs 1 and 2
 Va $13^{\circ} 1' E$

40.00 Set temporary 1/4 sec cor
 79.15 Intersect the N edge of
 the 30 links W of Cor
 to secs 1, 2, 35 and 36
 which is a Volcanic
 rock 8x5 ins above the
 ground marked with
 1 notch on E and 5-

T22 S R 2 6E

Chain

notches on W edges
mound of earth and
pits of required size

Thence I run
80° 14' W on a true
line bet secs 1. & 2
with same wa

39. 15-

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 5/8 foot apart and raised
a mound of earth 18 ft. high 36 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on W
face.

43. 40

to cross road bears NE

79. 15-

The cor to secs 1, 2, 11 and 12
Land Level
Soil 2ⁱⁿ rate

T 22 SR 26 E

Chain

Good Grass

~~Quit~~

From the cor to recs
2, 3, 34 and 35 T₂₂ South
Range 26E previously
described by me on S
bdy of T₂₂. Run N bet
Recs 34 and 35

Q₁ 1301 E

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins.
N and S of stone 24 ft. dist. and raised
a mound of earth 14 ft. high 24 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
dia. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

Sec.

T22 SR 266

Chains
\$0.00

Deposited a marked stone 12 ins. in the ground for Corⁿ to Secs 26, 27, 34³⁵, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T22 S 26 on N. E., R. 26 E 35 on S. E., S. 34 on S. W. and S. 27 on N. W. faces, with 1 notch on S. and 2 notches on E edges.

Land Level

Soil 2nd rate

Good Grass

East on a random
line bet secs 26 + 35 -

Q91301'E

40.00

Set temporary 1/4 sec cor

T 22 S. R 26E

Chain

79.43 Intersect the road line
27 links N of cor to secs
25, 26, 35 and 36

Thence run
N 89° 48' W on a true
line bet secs 26 + 35
with same Va

39.72

Deposited a marked stone 12 ins. in the
ground for 1 Sec. Cor. dug pits 8 x 18 x 12 ins.
E and W of stone as first dist and raised
a mound of earth 14 ft. high 35 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 4 S. on N

79.43

face. The cor to secs 26, 27
, 34 and 35-

Land Level
Soil 2nd rate
Good Grass

T 22 S R 26 E

Chanis
39.99

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 54 feet apart and raised a mound of earth 14 ft. high 14 ft. base over it. In E pit drove a stake 2 ft. long 2 in. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

77.42

Cross Road bears N & E

79.98

The Cor to secs 22, 23
26 and 27

Land Level

Soil ^{one} 2nd rate

Good Grass

North let: secs 22 & 23

W 913' 1'E

522 SR 26E.

Chains
40.00Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. 14, 15, 22 & 23 dug pits 18 x 18 x 12 ins.N and S of stone 54 feet dist. and raised a mound of earth 14 ft. high 14 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 14, 15, 22 & 23 dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 7 ft. high 14 ft. base over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 22 S 14 on N.E., R. 26 E 23 on S.E., S. 22 on S.W. and S. 15 on N.W. faces, with 3 notches on S. and 2 notches on E. edges.

Land Level

Soil 3 $\frac{1}{2}$ rate

Good grass

T22 S R 26E

Chain

East on a random
line bet secs 14 and 23
of a 13' 1'E

40.00

Set temporary 1/4 sec cor

79.91

Entered the N & S
line 19 links S of cor
to secs 13, 14, 23 & 24

Thence I run

S 89° 52' W on a true
line bet secs 14 and 23
with same Va

39.95

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 53 feet dist and raised
a mound of earth 1 1/2 ft. high 1 1/2 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked S. on N
face.

T22 SR 26E

Chain

79.91 The cor to secs 14, 15, 22 & 23
 Land Level
 Soil 3rd rate
 Good Grass

Mark bet secs 14 & 15
 $99^{\circ}13'16''$

9.75 Cross Road bears N. E. and S. W

20.25 Cross " " " " " "

40.00 Deposited a marked stone 12 ins. in the
 ground for 1st Sec. One day pit 18 x 18 x 12 ins.

W and S of stone $\frac{1}{4}$ feet dist. and raised
 mound at north 14 ft. wide 14 ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 face.

T 228 R 26E

Chain

80.00

Deposited a marked stone 18 ins. in the ground for Cor to Secs. 10, 11, 14 & 15, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. wide over it. In S. E. pit drove a stake 9 ins. sq. 2 ft. long 12 ins. in the ground marked T. 228 S. 11 on N. E. R. 26E S. 14 on S. E. S. 15 on S. W. and S. 10 on N. W. faces. with 4 notch u on S. and 2 notches u on E. edges.

Land Level

Soil 3rd rate

Good Grass

Cast on a random line bet Secs 11 & 14

Qr 130' 18"

40.00

Set temporary 1/4 section

T 22 S R 26 E.

Chain

0.01

Intersect the $\frac{1}{4}$ Sec. & S line 10 links N of cor to secs 11, 12, 13 and 14

Thence I run N 89° 56' W on a true line bet secs 11 and 14 with same $\frac{1}{4}$

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dig pits 18 x 18 x 12 ins. E and W of stone 34 feet dist and raised a mound of earth 1 1/2 ft. high 34 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.01

The cor to secs 10, 11, 14 & 15
Land Level
Soil 3rd rate
Good Grass

T 22. S. R. 26 E

Chains

North bet secs 10 and 11

W 130 1 E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 15 feet dist and raised a mound of earth 12 ft. high 24 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 2, 3, 10 + 11, dug pits 18 x 18 x 12 ins. in each Sec. 52 ft. dist. and raised a mound of earth 2 ft. high 44 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 22 S. S. 2. N. E. R. 26 E. S. 11 on S. E. S. 10 on S. W. and S. 3 on N. W. faces. with 5 notches on S. and 2 notches on E. edges.

T 22 SR 26E

Chamns

Land Level

Good Grass

Soil 3rd rate

Cast on a random
 line bet secs 2 and 11

$\theta = 130^{\circ} 16'$

40.00 Set temporary 14 sec cor

79.81 Intersect the N & S
 line 15 links S of cor
 to secs 1, 2, 11 and 12

Thence from
 $S 89^{\circ} 54' W$ on a
 true line bet secs 2
 and 11 with same θ

T 22 S R 26 E

Chains

39.90

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 34 feet dist. and raised a mound of earth 14 ft. high 34 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

79.81

The cor to secs 2, 3, 10 and 11

Land Level

Soil 3rd rate

Good grass

North on a random line bet secs 2 & 3

Va 13⁵ 1⁶ E

40.00

Set temporary $\frac{1}{4}$ sec cor

T 22 S R 26 E

Chains

79.10

Entered the N bay of
T₂₂ S 27 links W of cor
to secs 2, 3, 34 and 35
which is a mound
of earth and put in
S.E. put a stake marked
T₂₂ S S₃₅ on N.E. R 26 E S₂
on S.E. T₂₂ S S₃ on S.W.
and Sec 34 on N.W. with
2 notches on E and 4
notches on W edges

Thence from
S 0° 12' W on a true
line bet secs 2 & 3
with same va

T228 R 268

Chain
39.10Deposited a marked stone 12 ins. in the
ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.N and S of stone 54 feet apart and raised
a mound of earth 11 ft. high, 18 ft. base overit. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 15. on W

79.10

The Cor to Secs 2, 3
10 and 11

Land Level

Soil 3rd rate

Good Grass

I carefully examined the
adjustments of my solar
transit particularly the
reversing and latitude
apparatus and found them
correct Jan 27th 1885

T22 SR 26E

Chain

From the cor to sec
 3. 4. 33 and 34 T22 and
 23 S R 26E previously
 described by me on S
 bay of T₂₂

From & bet
 sec. 33 and 34

QDA 13° E

4000

Deposited a marked stone 12 ins. in
 ground for Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 50 feet d. st. and raised
 a mound of earth 1 1/2 ft. high 3 1/2 ft. base over

it. In 18 pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked S. on SW

face.

T 2 2 S R 2 6 E

Chains

80.00

Deposited a marked stone 12 ins. in dia
 ground for Co^r to Secs 27, 28, 33 & 34
 18 x 18 x 12 ins. in each Sec. 5 ft. dia. and
 raised a mound of earth 2 ft. high 4 ft. dia.
 over it. In S. E. pit drove a stake 2 ins. dia. 2
 ft. long 12 ins. in the ground marked T. 225
 S. 27 on N. E. R 26 E S 34 on S. E. S 23
 on S. W. and S. 28 on N. W. faces, with
 1 notch on S. and 3 notches
 on E. edges.

Land Level

Soil 3rd to 4th

Good Grass

Scattering brush

East on a random
 line bet Secs 27 & 34

Q 9 13' 1" E

T22 S R 26E

Chain

40.00 Set temporary 1/4 sec cor

79.94 Intersect the N-S line

37 links N of cor to secs

26, 27, 34 and 35-

Thence from

N 89° 44' W on a true


line bet secs 27 and 34

with same va

39.97

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

E W

of stone 12 feet dist and raised
a mound of earth 1 1/2 ft. high 3 ft. base overit. In  pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked 1/4 S. on N

79.94

The cor to secs 27, 28, 33

and 34

Land Level

Soil 3rd rate

T 22 S R 26 E

Chamie

Good Grass
Scattering brush

North bet sec 27
and 28

Qva 13° 1' E

40.00

Deposited a marked stone 12 ins. in the
ground for L. Inc. Co. deep pits 18 x 18 x 12 ins.
N ^{1/2} S of stone 64 ft. dist and raised
a mound of earth 12 ft. high 2 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked + S. on ^W

T22SR266

chain
000

Deposited a marked stone 12 ins. in the
ground for Cor. to Secs 21, 22, 27 & 28
18 x 18 x 12 ins. in each sec. 5 1/2 ft. dist. and
raised around it with 3 ft. high 4 ft. base
over it. In S. E. pit set a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 22 S
S. 22 on N. E. & 26 E 27 on S. E. S. 28
on S. W. and S. 21 on N. W. faces, with
2 notch es on S. and 3 notch es
on E edges.

Land Level

Soil 3rd rate

Good grass

Scattering brush

Cast on a random
bet secs 22 & 27

9/13/16

T22 SR 26E

Chains

40.00

79.90

Set a temporary $\frac{1}{4}$ sec cor
 Intersect the N4 line
 15 links S of cor to recs
 22, 23, 26 and 27

Thence I run

$89^{\circ} 54' 11''$ W on a true
 line bet recs 22 and
 27 with same va

39.95

Then set a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. Two m^s 18 x 18 x 12 ins.
 E and W of stone 34 feet dist and raised
 14 ft. high 24 ft. base over
 to by E m^s I set drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
 face.

79.90

The cor to recs 21, 22
 27 and 28
 Low d Level

T22 SR 26 E

Chains

Soil 3rd rate
Good Grass
Scattering brush

North bet secs 21 & 22

33.00
40.00

Cross road bears N 13° 1' E
N 8° + SW

Deposited a marked stone 12 ins. in the
ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 34 feet dist and raised
a mound of earth 14 ft. high 24 ft. base over
it by N pit drove a stake 2 ft. long 2 in.
sq. 12 ins. in the ground marked 1/4 S. on NW
face.

66.75-

cross road bears N. E. & S. W

74.25-

cross road " " " "

T 22 S R 26 E

chain

80.00

Deposited a marked stone 12" in diameter
 in ground for Cor. to Secs 15, 16, 21 & 22
 15' 16' 21' 22' long 12" in the ground marked T 22 S
 R 26 E
 22' N S E. S. 21
 and S. 16' on N. W. corner
 3 notches on S, and 3 notches
 on N. E. edges.

Land Level

Soil 3rd rate

Good Grass

Scattering brush

East on a random line
 bet sec 15 and 22
 or a 13° 1' 6"

522 SR 26 E

chain

40.00

Set temporary 1/4 sec cor

80.00

Intersect the R & S
line at cor to secs
14, 15, 22, and 23

Thence I run

West on a true line
bet secs 15 and 22

18.00

with some 9/8
cross road bears N 88° S W

40.00

Deposited a marked stone 12 ins in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 1/2 feet dis. and raised
a mound of earth 14 ft high 12 ft base diam.
In E pit drove a stake 2 ft long 2 in
sq. 12 ins. in the ground marked S. on N
face.

80.00

The cor to secs 15, 16, 21
and 22

Land Level

T 22 S R 26 E

Chain

Sail 3rd rate
 Good Grass
 Scattering brush

North bet sec 15
 and 16

QA 13° 1' E

H 0.00

Deposited a marked stone 12 ins. in the
 ground for 1 Sec. Cor. 400 pits 18 x 18 x 12 ins.
 Nana S of stone 1/4 ft. distance and used
 a mound of earth 14 ft. high 8 ft. base over
 it. In N pit drove a stake 2 ft. long 2 in.
 sq. 12 ins. in the ground marked 1/5 on SW
 face.

T22 SR 26E

Chain
80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 9, 10, 15 & 16, dug pits 12 x 12 x 12 ins. in each Sec. at 1/4 ft. dist. and raised a mound 2 ft. high at 1/4 ft. dist. over it 1/4 E. pit 4 ft. x 4 ft. x 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 228
 S. 10 on N.E. T. 26E 15 on S.E. S. 16
 on S.W. and S. 9 on N.W. faces with
 4 notch es on S. and 3 notch es on E edges.

Land Level

Soil 3rd rate

Good Grass

Scattering brush

Cast on a random line bet secs 10 and 15

V91301E

T22-S R 268

Chain

40.00

80.20

Set temporary $\frac{1}{4}$ sec cor
I intersect the N & S
line 30 links E of cor
to secs 10, 11, 14 and 15

Thence I run
at $89^{\circ} 37' W$ on a true
line bet secs 10 and 15
with same va

40.10

Deposited a marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 8 x 18 x 12 ins.
E and W of stone 34 ft apart and raised
a mound of earth 24 ft high 24 ft long over
it. In E pit drove a stake 2 ft long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.20

The cor to secs 9, 10
15 and 16

T 22 S R 26 E

Chains

Land Level
Soil 3rd rate
Good Grass

North between 9 & 10
wa 130 / 16

100.00

Deposited a marked stone 12 ins. in the ground for 1st Sec. Cor. dug pits 18 x 18 x 12 ins. N. of S. of stone 2 feet dist. on raised a mound of earth 15 ft. high 34 ft. base over the N. pit drove a stake 2 ft. long 2 ins. sq. 1/2 in. in the ground marked 1/2 S. on W face

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 3, 4, 9 & 10 dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 2 ft. high 44 ft. base over the N. E. pit drove a stake 2 ft. long 2 ins. sq. 1/2 in. in the ground marked 1/2 S. on W face

228
3 268 10 9
4 on N. W. faces with

T 22 S R 26E

Chain

faces with 5 notches on
S and 3 notches on E edge
Land Level

Soil 3 $\frac{1}{2}$ rate

Good Grass

Scattering brush

East on a random
line between 3 & 10

T 913° 1' E

40.00

Set temporary 14 corner

79.80

Intersect the road

S line 20 links S of

cor to sec 2, 3, 10 and 11

thence from

S 89° 5' W. on a line

T 22 SR 26E

Chain

line bet secs 3 and 10
with same va

39.90

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 ft apart and raised
a mound of earth 11 ft high by the same over
it. In E pit drove a stake 2 ft long 2 ins.
sq, 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

79.80

The cor to secs 3, 4, 9 & 10

Land Level

Soil 3rd rate

Good Grass

Scattering brush

North on a random
line bet secs 3 & 4

T22 S R 26E

chains

From the cor to
secs 4, 5, 32 and 33
T22 and 23 R 26E
previously described
by me I run N
bet secs 32 and 33

VA 13° 1'E

40.00

Deposited a marked stone 12 ins in
ground for 1 Sec. Cor. 2nd pt. S. 32 & 33
N and S of stone 24 feet
In N pit above a stake 2 ft
sq. 12 ins. in the ground marked 1 S. on W
face.

T22 SR 26E

Charis
8000

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 28, 29, 32 & 33, dug pits 18 x 18 x 12 ins. in each sec. 52 ft. dist. and raised a wooden stake 2 ft. high 44 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long, 13 ins. in the ground marked T. 22 S. 28 on N. E. R. 26 E. 33 on S. E. S. 32 on S. W. and S. 29 on N. W. faces with 1 notch on S. and 4 notches on E. edges.

Land Level
Soil 4th rate
Grass thin
Dense brush

East on a random line bet secs 28 and 33
Q/A 130' E

T 22 S R 26 E

Chain

40.00

79.80

Set temporary 1/4 sec cor
Intersect the N 1 S
line 18 links S of cor
to secs 27, 28, 33 and 34

Thence from
S 89° 52' W on a true
line bet secs 28 and 33
with same va

38.00

39.95

Cross White River Wash Co. S.

Deposited a marked stone 12 ins in
ground for 1/4 Sec. Cor. The pit is 18 x 12 ins.
E and W of stone at 10 ft from
pit drove a stake 2 ft long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N

68.00 Cross Road bet N. & S.

79.80

The cor to secs 28, 29
32 and 33

Land Level

T22 S R 26 E

chain

Soil 4th rate
 Dense brush
 Grass thin

North lot secs 28 & 29
 of a 1301st E

39.60

1 Chain E. of this point
 roads bearing E & N & S
 cross

40.00

N S

by N pit above a stake 2 ft. long 2 ins.
 sq. 12 in. in the ground marked 1/4 S. on W
 face.

From this point
 Simon milk ranch
 bears N 78° E improvements
 about \$4000

T 22 S R 26 E

Chains

80.00

Deposited a marked stone 12 ins in dia
ground for Co. to Secs 20, 21, 28 & 29

18 x 18 x 18 ins in each Sec. 54 ft. dist. and
radius 200 yds. each 200 yds. 200 yds. 200 yds.
0" 1/2 in S. E. corner of Sec. 20

21 26E 28 S 29

on S. W. corner S. 20 in N. W. corner with

2 notch on S, and 4 notch on
on E edges. from this point

S 24 1/2 E E. Sims Milk ranch base

Land Level

Soil 4th rate

Dense brush

Grass poor

East on a random
line bet. secs 21 and 28

99 13 1/2 E

T22 SR 2.6E.

Chains

40.00
80.00

Set temporary 1/4 sec cor
I returned the N and
S line 10 links S of cor
to secs 21, 22, 27 and 28

Thence I run
S 89° 56' W on a true
line bet secs 21 and 28
with same

40.00

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. size 18 x 18 x 12 ins.
E and W of stone 24 feet apart and raised
a mound of earth 14 ft. high, 24 ft. base over
it. In E pit above a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N
1/400.

63.65

cross White River wash
course S.E

76.52

cross road bears N.W. & S.E

T 22 S R 26 E

Chains

80.00

The cor to secs 20, 21
28 and 29

Land Level

Soil 2nd to 3rd rate

Grass fair

Scattering brush

North lot secs 20 & 21

Q/A 1301 E

28.00

Cross road bear N & W 1/4 E

34.00

" White River Wash
course S.E

37.00

Settler House and
improvements 4 chrs E

T22 SR 26E

Chains

40.00

Deposited a marked stone 12 ins. in the ground for Sec. Cor. dug pits 18 x 18 x 12 in. And S of stone 54 feet dist. and raised a mound of earth 2 ft. high 4 ft. base over it. In N pit drove a stake 2 ins. sq. 12 ins. in the ground marked S on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 16, 17, 20 ~~21~~, dug pits 18 x 18 x 12 ins. in each sec. 54 ft. dist. and raised a mound of earth 2 ft. high 4 ft. base over it. In S E pit drove a stake 2 ins. sq. 12 ins. in the ground marked 1.22 S 16 on NE R 26E 21 on SE S 20 on SW and S 17 on NW faces, with 3 notches on S, and 4 notches on E edges.

Land Level
 Soil 4th rate
 Grass poor

T22 S R 26E

chains

8

Dense mesquite Catalpa
bush

Cast on a random
line bet secs 16 and 21

$\theta = 130^\circ 1' E$

40.00

Set temporary 4/4 sec cor

80.30

Intersect the N-S
line 90 links N of cor to
secs 15, 16, 21 and 22

2

Thence I run

3

N $89^\circ 51' W$ on a true line bet
secs 16 and 21 with same θ

3 40.15

Deposited a marked stone 12 ins. in
ground for a sec. Cor. dug pit 18 x 15 x 12 ins.

E W

E

pit drove a stake 2 ft long 2 ins.
12 ins. in the ground marked 15 on N face

Tr 2 SR 268

Chambers

80.30

The cor to secs 16, 17, 20
21

Land Level

Soil 3rd to 4th rate

Grass fair

Scattering brush

North bet secs 16 & 17

TA 1301'E

40.00

Deposited a marked stone 12 ins. in the
ground at the cor. of secs 16 & 17 & 20 & 21

N and S of stone 58 ft. 10 in. in

a mound of earth 14 ft. high 24 ft. in

10 ft. N of stone a stake 2 ft. long

12 ins. in the ground marked 15. on W

57.50

Cross road bears E & W

T 22 SR 26 E

c
f
chains
80.00

Deposited a marked stone 12 ins. on the ground for Secs 8, 9, 16, 17, and 18. The stone is in Sec 8, 1/2 mile N. of the intersection of Secs 8, 9, 16, 17, and 18. The stone is 12 ins. high and 12 ins. wide. It is marked with the number 9 on the N. E. corner, 16 on the S. E. corner, 17 on the S. W. and S. corner, and 18 on the N. W. corner, with 4 notches on S. and 4 notches on E. edges.

Land Level
Soil 3rd rate
Grass fair
Scattering brush

X
East on a random
line bet secs 9 and 16
at 13' 1" E

T22 SR 26E

Chamie

40.00

Set temporary 1/4 sec cor

80.20

Intersect the N & S
line 10 links N of cor
to secs 9, 10, 15 and 16Thence I run
N 89° 56' W on a true
line bet secs 9 and 16
with same va

40.10

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 2 1/2 feet dist and raised

a mound of earth 1 1/2 ft high 2 1/2 ft base over

it. In E pit drove a stake 9 ft long 2 ins

sq. 12 ins. in the ground marked 1/4 S. on W.

1/4 E.

80.20

The cor to secs 8, 9, 16 & 17

Land Level

Soil 2 to 3 rate

T 22 S R 26 E

Chains

West 40 chains Dense brush
East 40. 20 chs No brush
Grass fair

North bet sec 8 & 9

QA 13' 16"

40.00

Deposited a marked stone 12 ins. in the
ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 50 feet dist and raised
a mound of earth 2 1/2 feet high over
it. In N pit drove a stake 2 1/2 feet long 2 ins.
dia. 12 ins. in the ground marked 1/2 S. on W

219 3008
ECOK 913

T22SR26E

Chama

80.00

45.869

26E

9

5

4

12

Land Level
Soil 2nd rate
Grass fair
no brush

East on a random line
bet secs 4 & 9

va 13° 16'

40.00

Set Temporary 114 sec cor

T22 S R 26 E

Chain

80.10

Intersect the N & S line 15 links N of cor to sec 34.9 and 10

Thence I run N 89° 54' W on a true line bet secs 4 and 9 with camera

40.05

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. and pits 18 x 18 x 12 in. E and W of stone. A marked pit of earth 1 1/2 ft. high, 3/4 ft. base of pit drove a stake 2 ft. long 2 in. sq. 12 ins. in the ground marked 1/4 S. on N

80.10

The cor to sec 41.5.8 and 9

Land Level

Soil 2nd to 3rd rate

Grass Good

no brush

T 22 S R 26 E

Chain

North on a random
line bet secs 4 and 5
N $13^{\circ} 1' E$

140.00 Set temporary 1/4 sec cor

79.00 Intersect the N body of
T₁₉ 90 links West of
cor to secs 4, 5, 32 & 33

which is a mound
of earth and pits in
S.E. pit a stake

marked T 21 S 33 on

N.E. R 26 E S 4 on S.E.

T 22 S 5 on S.W.

and sec 32 on N.W.

with 4 notches on E

and 2 notches on W edges

T22 S R 26E

Chains

Thence I run
 S0°39' W on a true
 line bet secs 4 & 5
 with same Va

39.00

Deposited a ~~red~~ stone 12 ins. in
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 12 x 12 ins.
 N and S of stone $\frac{1}{4}$ feet from each other
 a mound of earth 14 ft. high 15 ft. base
 ft. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 face.

79.00

Thence to secs 4, 5
 and 9

Land Level
 Soil 2nd to 3rd rate
 Good Grass
 Scattering brush
 Jan 29th 1885

T22 SR 26E

Chain

From the cor to Secs
56.31 and 32 T22 and
23 S R 26E previously
described by instrument
N. bet Secs 31 and 32
@ $13^{\circ} 1' E$

40.00

Deposited a marked stone 18 ins. in
ground for 1 Sec Cor. dug pits 18 x 18 x 12 ins.
N S of stone 13 feet dist. and raised
mound of earth 2 ft. high 4 ft. base
t. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 4 S. on ~~SW~~

80.00

Deposited a marked stone 12 ins. in
ground for Cor. to Secs 29.30, 31, 32, dug pits
18 x 18 x 12 ins. in each Sec. 5 ft. dist. and
raised a mound of earth 2 ft. high 4 ft. base
over it. In S E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T22 S
S 29 on N.E. 26E 32 on S.E. S. 31
on S.W. and S. 30 on N.W. faces, with
1 notch on S, and 5 notches on E edge

T 22 S R 268

Chavis

Land Level

Grass Good

Soil 2nd to 3rd rate

Scattering brush

Cast on a random
line bet secs 29 and 32
49 13' 1" 6

40.00

Set temporary 44 sec cor

79.40

Intersect the random
line 40 looks S of cor
to secs 28, 29, 32, 33

Thence I run
S 89° 43' W on a true
line bet secs 29 & 32
with same va.

T22 SR 26E

Chains

39.70

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 64 feet apart and raised a mound of earth 34 ft. high 34 ft. base one ft. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

1 sec.

7940

The cor to secs 29, 30, 31 and 32

Land Level

Grass poor

Soil 4th rate

Dense brush

West on a random
line bet secs 30 & 31

@ a 13° 1' E

4050

Set temporary $\frac{1}{4}$ sec cor

T22 SR 26E

chain

80.48

I intersect the survey
 of T₂₂ S₃₀ R₂₆ E
 to sec 25, 30, 31 & 36
 which is a post 4 ft
 long in mound of
 earth marked T₂₂
 S₃₀ on N.E. R₂₆ E
 S₃₁ on S.E. R₂₅ E S₃₆ on
 S.W. and sec 25 on
 N.W. with 1 notch
 on S and 5 notches
 on N edges

Thence I run
 S₈₉° 47' E on a true
 line bet sec 30 and 31
 with same va

T 22 S R 26 E

chains

40.48

Found iron 3 ft. long 2 in. diam with mark
stone, 12 in. in the ground for 4 Sec. Cor.
marked 1 S. on W. face, dug pits 18 x 18 x 12
in. E and W, 50 ft. dist and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base around
post.

79.18

Cross Road bears N.E

80.48

The cor to secs 29, 30, 31 and 32

Land Level

Soil 3rd to 4th grade

Good Grass

Dense Brush

North bet secs 29 & 30

Qr 130 1'E

30.64

Cross Road bears E & W

T 22 S R 26 E

Chamis
40.00

Set a post 3 ft. long 2 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec, Cor. marked $\frac{1}{4}$ S. on ^W face, dug pits 18 x 18 x 12 ins N and S of post $3\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, around post.

80.00

Set a post 4 ft. long 2 ins. square with marked stone, 18 ins. in the ground for Cor. to Sec.

19.20 29+30 marked T 22 S S. 20 on
R. E. 26 S. 29 on S. T. S. 30 on
S. W. 25 S. 19 on S. W. face, with 2

12 and 5 notch Ed on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base, around post.

Land Level

Soil 4th rate

Grass thin

Dense brush

T 22 SR 26 E

chains

East on a random line
bet secs 20 & 29

va $130^{\circ} 1' E$

40.00

Set temporary 1/4 sec cor

79.90

Intersect the N & S line
12 links S of cor to secs
20, 21, 28 and 29

Thence I run

$S 89^{\circ} 55' W$ on a true
line bet secs 20 and 29
with same va

38.95

Recessed a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pit 18 x 18 x 12 ins
E and W of stone 54 feet dist and raised
a mound of earth 18 ft. high 36 ft. base over
it. To E of mound a stake 2 ft. long 2 ins
sq. 12 ins. in the ground marked 1/4 S. on N
face.

T 22 S R 26 E

chains

79.90

The cor to secs 19.20
29 and 30

Land Level

Soil 3rd to 4th rate

Grass fair

scattering brush

1

West on a random
line bet secs 19 and 30

Pa 12° 31' E

40.00

Set temporary 1/4
sec cor

80.04

Intersect the W body
of the 60 links N of cor
to secs 19.24.25 and 30
which is a mound

T22 S R 26 E

chains

of earth and put in S
E put a stake marked
T20 S. S 19 on N.E. R 26 E
S30 on S.E. R 25. E S 25 on
S.W. and Sec 24 on N.W.
with 2 notches on S and
4 notches on N edges

Thence I run
N 89° 34' E on a true line
between 19 and 30 with same va
7.94 cross Road ^{between} N.E. and S.W.

40.04

Deposited a marked stone 12 ins. in the
ground for 4 Sec. Cor. dug pits 18 x 18 x 12 ins
E W of stone 54 feet N. and W. and
a mound of earth 1 1/2 ft. high, 12 ft. base on
it. In E pit drove a stake 2 ft. long 2 ins
sq. 12 ins. in the ground marked 4 S. on N
face.

80.04

The cor to pces 19, 20, 29 and 30

T 22 S R 268

Cham

Land Level
Soil 4th rate
Grass fair
Dense brush

North bet secs 19 & 20
Fa 12' 31"

34.00
40.00

Cross Road bears E & W

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 54 feet west and raised a mound of earth 10 ft. high 20 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

68.00

Cross Road bears E & W

T22 S R 266.

chain

000

Set a post 4 ft. long 4 ins. square with marked
 17, 18, 19, 20 22 S 17
 268 20 19
 18 3
 es 5 es

Land Level

Soil 3" to 4" rate

Grass thin

Cast on a random line
 bet secs 17 & 20

Pa 120 31'E

000

Set temporary 1/4 sec cor

T 22 S R 26 E

Chain

79.40

Intersect the N & S
line 40 links N of cor
to secs 16, 17, 20 and 21

Thence I run

N 89° 43' W on a true

line bet 17 & 20 with some
cross. white pine corner S

Settlers Home & corner N & S
Cross Road bears N & S

• Deposited a marked stone 12 ins. in the

ground for 1/4 Sec. Cor. dig pit 18 x 18 x 18 ins.

E and W of stone 5 feet deep in ground

a mound of earth 11 ft high to center of

it. In E pit drove a stake 2 ft long 2 ins.

sq. 19 ins. in the ground marked 1/4 S. on N

19.00

21.00

23.00

39.70

79.40

the cor to sec 17 & 19 & 20
and level

Soil 4 ft
Grass thin

Scattering brush

T 22 S R 26 E

chamiz

West on a random line
bet sec 18 and 19

$\gamma 12^{\circ} 31' E$

40.00

Set temporary 1/4 sec cor

80.20

Intersect the W bdy of
The 40 links N of cor to sec
13, 18, 19 and 24 which is
a post 4 ft long in
mound of earth marked

T 22 S S 18 on N.E. R 26 E

S 19 on S.E. R 25 E S 24 on

S W and sec 13 on N.W. with

3 molder on N and S
edges pits of required size

Thence I run

$\gamma 89^{\circ} 43' E$ on a true bet

T22 S. R26E

chains

40.20

sec 18 & 19, with same wa

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18" x 18" x 12 ins.E and W of stone 7 ft. apart and placed
a mound of earth 14 ft. high 25 ft. base overit. In E pit drove a stake $\frac{1}{2}$ ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

sec.

80.20

The cor to secs 17, 18, 19
and 20

Land Level

Soil 4th rate

Grass fair

North bet secs 17 & 18

09 12' 31" E

T 22 S R 26 E

Chain
40.00

Deposited a marked stone 12 ins. in the ground for Sec. Cor. dug pits 8 x 18 x 12 ins. of stone 3/4 feet dia. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on W face.

63.75
80.00

Cross Road bears N 1/2 S E.

Set a post 4 ft. long 4 ins. square, with marked stone 12 ins. in the ground for Cor. to Sec. 7. 8. 17 + 18 marked T 22 S 8 on N. E. N. 26 E 17 on S. E. S. 18 on S. W. W. 7 on N. W. face, with 4 notches on S. and 5 notches on E. edges dig pits 16 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base on each east.

Land Level
Soil 3rd to 4th Rate
Grass fair

T22 S R26E

Chanis

East on a random
line bet secs 8 and 17

C/A 12°31'E

40.00 Set temporary 1/4 sec cor

80.20 Intersect the N & S
line 20 links N of cor
to secs 8, 9, 16 and 17

Thence I run

N 89° 51' W on a true
line bet secs 8 and 17
with same ga

17.00 Cross White River Co. S.E.

32.00 Set then F. name house 50
links N from this
point

T 22 S. R. 26 E

chain

40.10

Deposited a marked stone 12 ins. in diameter for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone $5\frac{1}{2}$ feet dist and raised ground of north 11 ft. high $1\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N sec.

40.20

The cor to secs 78.17 and 18

Land Level

Soil 2nd to 3rd rate

Grass fair

West on a random line bet secs 7 and 18

Va $12^{\circ} 31' E$

40.00

Set temporary $\frac{1}{4}$ sec cor

T 22 S R 26 E

chains

80.10

Intersect the W. end of
 the 85 links N of cor
 to sec 7, 12, 13 and 18 which
 is a post 4 ft long
 in mound of earth
 marked T 22 S 8 on
 N.E. R 26 E S 18 on S.E.
 R 25 E S 13 on S.W. and
 sec 12 on N.W. with 4
 notches on S and 2 notches
 on N edges. Spits of reynolds
 Thence from
 N 89° 24' E on a true
 line bet sec 7 and 18
 with same va

T 22 SR 26E

charme

40.10

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. (lay pit) 18 x 18 ins.

E and W of stone 24 feet distance
a mound of earth 1 1/2 ft. high 24 ft. base

E pit drove a stake 2 ft.

sq. 12 ins. in the ground marked 1/4 S. on N

53.00

87.10

Cross Road bears NW 1/4 SE
The cor to secs 7, 8, 17 and 18

Land Level

Soil 3rd rate

Grass fair

North 1/4 secs 7 & 8

Pa 12.31.06

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. (lay pit) 18 x 18 ins.

N and S of stone 24 feet distance raised a mound of earth 1 1/2 ft. high 24 ft. base over

N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on W

T 22 S R 26 G

chains

80.00

Set a post 4 ft. long 4 ins. square, with marked
stone 12 ins. in the ground for Cor. to Secs,
5-6-7-8 marked T 22 S S on
N. E. of 26 E S on S. E. S 7 on
S. W. and S 6 on N. W. face, with 5 notch
on S. face, 5 notch on E. face, dug
post 18 x 12 ins. in each Sec., 5 ft. dist.
marked a mound of earth 3 ft. high 4 ft.
long, ground post.

Land Level

Soil 3rd rate

Good Grass

Scattering brush

East on a random
line bet sec 5-6-8

Ra 12° 31' E

40.00

Set temporary 1/4 section

T22 SR 26E

Chains

79.80

Intersect the N and S
line 18 links S of cor
to recs 4, 5, 8 and 9

Thence from
S89° 52' W on a true
line bet recs 5 and 8
with same va

39.90

Deposited a marked stone 12 ins. in dia
ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 12 ft. high 24 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S; on W
face.

41.30

Cross Road bears N & S

43.80

Shultz house about 7
chs N from this point

45.80

Cross White River Wash course S

T 22 S R 26 E

Chain

47.80 Cross Road bears N 8 S
 79.80 The cor to secs 5, 6
 7 and 8

Land Level

Soil 2nd to 3rd rate

Grass fair

West on a random
 line bet secs 6 & 7

Pa 12° 31' E

40.00 Set temporary 14 sec cor
 80.15 Intersect the W bdy
 of the 75 links N of
 cor to secs 6, 7 & 12
 which is a post 4
 ft long in mound of

T 22 S R 26 E

Chains

earth marked.

T 22 S S 6 on N.E. R
26 E S 7 on S.E. R 25 E
sec 12 on S.W. and S 1 on
N.W. with 1 notch on N
and 5 notches on S
edges pits of required
size

Thence I run
N 89° 28' E on a true
line bet secs 6 and 7
with same va

40.15

Deposited a marked stone 12 ins. in the
ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.
E W of
pit drove a stake 2 ft. long 2 ins.
ins. in the ground marked S. on N

T 22 SR 26E

Chains

41.95

Cross road bears N.E. Str

80.15

The cor to secs 5, 6, 7

and 8

Land Level

Soil 4th rate

Good Grass

North on a random
line bet secs 5 + 6

Va 12° 31' E

40.00

Set temporary 1/4 sec cor

79.25

Intersect the Nbdy.
of T_p 90 links W of
cor to Secs 5, 6, 31 and 32
which is a mound
of earth and puts in

T22 S R 26 E

Chain

S.E. put a stake, marked
T21 S S32 on N.E. R 26 E
S5 on S.E. T22 S S6 on
S W and S31 on N W
with 5 notches on E and
1 notch on W edges

Thence True

S 00° 39' W on a true
line bet secs 5 and 6
with same va

34.15 Cross Road bears NW + SE

39.25

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 5 1/2 feet dist and raised
16 in N
sq. 12 ins. in the ground marked N on W
face.

T 22 S. R 26 E

chain

42.75

Cross Road near S.E. of NW

79.25

The cor to secs 5, 6, 7 and 8

Land Level

Soil 2nd to 3rd rate

Grass fair

I carefully examined the adjustments of my solar transit particularly the latitude and reversing apparatus and found them correct

Jan 31st 1885

General Description

This township includes the White river and Sulphur Springs Valleys.

The township is well adapted to grazing.

The surface is level and the soil is poor.

Water is easily obtained but not on the surface.

The White river runs through this township from N to S. in some places it has water and other places it is a dry bed.

Stultz Bros house is in the S.W. $\frac{1}{4}$ of Sec 5

BO

BOOK 913

BOOK 913

amin

75-

25-

Simos ranch is in
the NW 1/4 of Sec 28,
a settler house
is in Sec 21 and
another settler in Sec
17 For final Oaths
see Book 150.15-

BOOK 913

97

U. S. Surveyor General's Office,

Tucson, Arizona, May 11 - 1885

The foregoing Field Notes of the Survey of the

subdivisional
lines of T. P. 22 S
R. 26 E -

of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by Lewis Wolfley

Deputy Surveyor, under his contract of the 1st

of November, 1884, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

hereby approved

Rapala Johnson
Surveyor General.