

No. 916

BOOK 916

Field Notes

OF THE SURVEY OF THE

BOOK 916

SUBDIVISION LINES

-OF-

Township *22 S.*, Range *13 E.*,

Gila and Salt River Base and Meridian

ARIZONA.

By *Theodore F. White*, D. S.

under contract dated *Sept. 18, 1876.*

Survey commenced *Dec. 23, 1876.*

Survey completed *Dec. 27, 1876.*

No. 916

916

1A

Preliminary Oaths of Assistants.

We, Urbain Bessard
and Alfred Granler
do solemnly swear that we will faithfully execute
the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally
pins, whether by sticking or dropping the same;
that we will report the true distance to all notable
objects, and the true length of all lines that we as-
sist in measuring, to the best of our skill and
ability.

Urbain Bessard
Alfred Granler

BOOK 916

Sworn to and subscribed before me, this 13th
day of November, 1876

William J. Osborn
Notary Public

1B

1 B

We, P. V. Caldwell and
Allan Bernard

do solemnly swear that we will well and truly per-
form the duties of Aseman and
flagman, respectively
according to instructions given us, and to the best
of our skill and ability.

P. V. Caldwell
Allan Bernard

Sworn to and subscribed before me this 13
day of November, 1876

William J. Astor
Notary Public

11

No. 916

BOOK 118

10

BOOK 916

Township 22 S. R. 13 E.,

Gila and Salt River Meridian.

6	50.	5	32.	4	3	10.	2	*	1	
49.		48.		31.		9.		*	*	
7	47.	8	20.	9	10	11	*	12		
46.		44.		28.			*	*		
18	43.	17	27.	16	19.	15	14	*	13	
42.		41		26.		18.		*	*	
19	40.	20	25.	21	17.	22	23	5	24	
39.		38.		24.		16.		4	3	
80	37.	29	23.	28	14.	27	26	2	25	
36.		35.		22.		13.		*	1	
31	34.	32	21.	33	12.	34	11	35	*	36

117

No. 916

Township 22 S. Range 13 E.
Sila & Salt River Meridian

This subdivision commenced Dec. 23, 1876.

The line between secs. 25 and 26,
is already run, - having been es-
tablished by S. W. Foreman,
D. S., in surveying the Santa
Cruz Guide Meridian.

I therefore commence at the
cor. to secs. 25, 26, 25 & 26, & run thence

East on random line bet. secs. 25 & 26.
var. $13^{\circ}30'$ East.

As per Burt's improved solar compass.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.24 Intersect E. boundary 17 $\frac{1}{2}$ hrs. S. of cor.
to secs. 25 & 26, from which cor. run
S. $89^{\circ}53'$ W.

On true line between secs. 25 & 26.

var. $13^{\circ}30'$ East.

40.12 Set a post, marked $\frac{1}{4}$ S. 4 ft. long,
flattened 3 in. wide, 1 ft. in the ground.

25
Township 22 S. Range 13 E.

Gila Salt River Meridian

Ins. drive charred stake and build a mound of earth 2 ft high with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.24 Cor. to secs 25, 26, 35 & 36.

Rolling grassland. No timber.

North between secs. 25 & 26.

var. 13° 30' East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flattened 3 in wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a granite stone 15 x 10 x 6 inches, 7 in the ground, scratched S. and E. and on

Township 22 S. Range 13 E.
Gila & Salt River Meridian

Ch. N. build around of earth 2 ft high,
with pits 4 ft deep, 2 ft long, 1 ft
wide, as per instructions for
cor. to Secs. 23, 24, 25 and
26. No trees near.
Rolling grassland.
No timber.

East

A random line between Secs. 24 & 25
var. $13^{\circ}30'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80-36 Intersect E. boundary 28 ch. N.
of cor. to Secs. 24 & 25, from
which cor. Run
N. $89^{\circ}48'$ W.

On true line between Secs. 24 & 25.
var. $13^{\circ}30'$ E.

40.18 Set granite stone $13 \times 11 \times 5$
inches $\frac{2}{3}$ in the ground, marked

Township 22 S. Range 13 E.
Gila & Salt River Meridian

Cha 14, and on N. build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. No trees near.

80.36 Cor. to secs. 23, 24, 25 & 26.

Rolling grassland. No timber

~~WEST~~

On random line between secs 23 & 26.

var. $13^{\circ}30'$ East

40.00 Set temporary 1/4 sec. cor.

63.00 Enter Santa Cruz bottom.

80.32 Intersect N. & S. line established by D. W. Foreman in running the Santa Cruz Guide Meridian, 15 hrs. N. of cor. to secs. 22, 23, 26 & 27, from which cor. Run $N. 89^{\circ}54' E.$

On true line between secs. 23 & 26.

Township 22 S. Range 13 E.
Gila & Salt River Meridian

- 40.16 Set a post, marked 1/4 S. 4 ft long flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which
- A Mesquite, 6 in. dia. base S. 30° E. 126 lbs. dist
do. 6 " " S. 75° E. 158 " "
- 80.32 Cor to Seas. 23. 24. 25 & 26.
Rolling grassland. Scattering trees

North between secs. 23 & 24
var. 13° 30' East.

- 40.00 Set a post, marked 1/4 S. 4 ft long flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 1/4 sec. cor. No trees near

Township 22 S. Range 13 E.
Gila & Salt River Meridian

No. Continued
80.00 Set a granite stone 11 X 8 X 7 inches
 $\frac{2}{3}$ in the ground, notched S. and
E. and on N. build mound of
earth 2 ft. high, with feet 1 ft. deep.
2 ft. long, 1 ft. wide, as per instructions
for cor. to secs. 13. 14. 23 & 24.

No trees near.

Rolling grass land. No timber

West

on random line between secs. 14 & 23.

var. $13^{\circ}30'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.43 Intersect Santa Cruz Guide Meridian
12 hrs. S. of cor. to secs. 14. 15. 22 &
23. from which cor. run
S. $89^{\circ}55'$ E.

Prime line bet. secs. 14 & 23.

var. $13^{\circ}30'$ East

Township 22 S. Range 13 E.
Gila & Salt River Meridian

Rs Continued

40.21 Set a post, marked 14 S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build a mound of earth 1 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1/4 sec. cor.

No trees near.

80.43 Cor. to secs. 13, 14, 23 & 24.

Rolling grassland. No timber. Further N. and E. the land is broken and rocky, cannot be cultivated and is worthless so I do not run any further in those directions.

From the cor. to secs. 10, 11, 14 & 15, established in former surveys, I run North between secs. 10 & 11.

Township 22 S. Range 13 E.
Gila & Salt River Meridian

- No. var. 13°30' East.
 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
 tened 3 in. wide, 1 ft. in the ground,
 drive charred stake and build
 mound of earth 2 ft. high,
 with pits 1 ft. deep, 2 ft. long, 1 ft.
 wide, as per instructions for $\frac{1}{4}$
 sec. cor. No trees near.
 80.00 Set a granite stone, 12 x 8 x 7 in-
 ches, $\frac{2}{3}$ in the ground, notched
 S. and E. and on N. build a
 mound of earth 2 ft. high,
 with pits 1 ft. deep, 2 ft.
 long, 1 ft. wide, as per in-
 struction for cor. to Secs.
 2, 3, 10 and 11.
 No trees near.
 Rolling grass land.
 No timber.

Township 22 S. Range 13 E.
Gila & Salt River Meridian

W. West.

On random line bet sees. 3 & 10.
var. $13^{\circ}30'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.90 Intersect Santa Cruz Guide
Meridian 23 lns. N. of cor. to
sees. 3, 4, 9 and 10. Open which cor. from
N. $89^{\circ}50'$ E.

On true line between sees. 3 & 10.
var. $13^{\circ}30'$ East.

39.95 Set a post, marked $\frac{1}{4}$ S. of fl.
long, flattened 3 in. wide, 4 ft.
in the ground, drive charred
stake and build mound of earth
2 ft high, with pits 4 ft deep,
2 ft long, 4 ft wide as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

79.90 Cor. to sees. 2, 3, 10 & 11.

Rolling grassland. No timber

Township 22 S. Range 13 E.
 Tilo & Salt River Meridian

Chs. North.

On random line bet. sec. 2 & 3.
 var. $13^{\circ}30'$ East

40.00 Set temporary $\frac{1}{4}$ sec. cor.

79.76 Intersect N. boundary 16 chs. E.
 of cor. to sec. 2 & 3. from which
 cor. drawn

$S. 11^{\circ} 27' E.$

On true line bet. sec. 2 & 3
 var. $13^{\circ}30'$ East

39.76 Set a granite stone $13 \times 9 \times 7$ inches,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and
 on S. build mound of earth 2 ft
 high, with pile 1 ft deep, 2 ft long, 1 ft
 wide, as for a distinction for $\frac{1}{4}$ sec.
 cor. No tree near.

79.76 Cor. to sec. 2, 3, 10 and 11
 Rolling grass land.
 No timber.

Township 22 S. Range 13 E.
Gila & Salt River Meridian

From the cor. to Secs 34 & 35, on Boundary, from

North on random line bet sec. 34 & 35.
var. $18^{\circ}30'$ East.

34.40 Santa Cruz river, 50 m. wide, runs N.W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

64.85 Santa Cruz river, 40 m. wide, runs N.E.

79.94 Intersect ^{$\frac{1}{2}$ sec. N. of} cor., established in running
the Santa Cruz Guide Meridian, to Secs 26.

27-34 and 35, from which cor. from

S. $0^{\circ}5'$ W. on true line bet sec. 34 & 35.

var. $18^{\circ}30'$ East.

39.97 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in wide, 1 ft
in the ground, drive charred stake
and build mounds of earth
2 ft high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instruc-
tions, for $\frac{1}{4}$ sec. cor.
from which

Township 22 S. Range 13 E.

Gila and Salt River Meridian

Two cottonwood, 12 in. dia. Crs. S. 65° E. 395 lbs. dist.

a Willow, 9 " " " S. 66½° W. 283 " "

79.94 Cor. to Secs. 34 and 35.

Rich bottom land. Scattering trees.

December 23. 1876.

North between secs. 33 & 34

var. 13° 30' East

40.00 Set a post, marked 74 S. 4 ft long, flattened 3 in. wide, 1 ft in the ground, drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. No trees near.

80.00 Set a post, marked and notched, 4 ft long, 3 in. sq. 1 ft in the ground, and build mound of stones 2 ft high, as per instructions, for cor. to Secs. 27. 28. 33 and 34. from which

Township 22 S. Range 13 E.
Gila and Salt River Meridian

From Mesquite, Gila, distance S $53\frac{1}{2}^{\circ}$ W. 92 lvs. dist.
do. 6 " " " S $72\frac{1}{2}^{\circ}$ E. 84 . .

No other trees near.

Rolling grass land. Scattering trees

East.

Arbitrary line between secs. 27 & 34.
var. $13^{\circ}30'$ East

8.50 Arroyo, 20 lvs. wide, runs E.

19.00 Enter Santa Cruz bottom, bos. N.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

42.00 Dry wash, 60 lvs. wide, runs N. E.

80.15 Intersect Santa Cruz Guide Meridian

21 lvs. S. of the place for the cor. to sec.

26-27. 34 & 35. (A witness cor. is 4

chs. N. of the true cor.) from which cor.

run

S $89^{\circ}51'$ W.

On true line between secs. 27 & 34.

var. $13^{\circ}30'$ East.

Township 22 S. Range 13 E.

Gila & Salt River Meridian

This Continued

40.07 Set a post, marked 1/4 S. 4 ft long, flattened 3 in. wide, 1/2 in. the ground, drive charred stake and build mound of earth 1 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 1/4 sec. cor. from which

A. Mesquite, 10 in. dia. br. N. 56 1/2° E. 70 land dist.

B. Hackberry, 9 " " " S. 7 1/2° W. 117 . .

80.15 Cor. to secs. 27, 28, 33 and 34

Rich bottom land in valley.

Scattered trees.

NORTH between secs 27 & 28.

var. 13° 30' East.

40.00 Set a post, marked 1/4 S. 4 ft long flat-

tened 3 in. wide, 1/2 in. the ground, drive charred stake and build mound of earth 1 ft high, with pits 1 ft deep.

Township 22 S. Range 13 E.
Gila Salt River Meridian

No. 2 ft long, 1 ft wide, as per instruction -
Ties for 74 sec. cor. from which
mesquite, 8 in dia. br. S. 86 $\frac{1}{2}$ ° E. 153 hrs. dist.
do. 8 " " " S. 70 $\frac{1}{2}$ ° E. 218 " "

8000 Set post, marked and notched, 4 ft
long. 3 in. sq. d. 1 ft in the ground, drive
chopped stakes and build mound of
earth 2 ft high, with pits 1 ft deep.
2 ft long, 1 ft wide, as per instruction
for cor. to secs. 21, 22, 27 and 28.

from which
mesquite, 10 in dia. br. S. 65° E. 43 hrs. dist.

do. 9 " " " N. 50° E. 67 " "

do. 6 " " " S. 45° N. 86 " "

None near in the other sec.

Rolling grass land.

Scattering mesquite timber.

Township 22 S. Range 13 E.
 Gila & Salt River Meridian

hs. East.

On random line bet. secs. 22 & 27.

var. $13^{\circ}30'$ East

29.25 Enter Santa Cruz bottom cor. N. N.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

43.50 Santa Cruz river, 50 lbs. wide, runs N.

44.85 Ditch runs N.

71.00 Agua Fria Ranch House, about 5 chs. S.

71.50 Road.

80.11 Intersect Santa Cruz Guide Meridian.

14 lbs. S. of cor. to Secs. 22. 23. 26 and

27. from which cor. In run

$N. 89^{\circ}54' W.$

On true line between secs. 22 & 27.

var. $13^{\circ}30'$ East

40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
 topped 3 in. wide, 1 ft. in the ground. Drive
 charred stake and build mound of
 Earth 2 ft. high, with pit 1 ft. deep, 2 ft.
 long, 1 ft. wide, as per instruction

Township 22 S. Range 3 E.
Gila & Salt River Meridian

As for cor to 14 sec. from which
 @ Cottonwood, 30 mi. dis. bearing S. 27° W. 111 les. dist.
 do. 36 " " " N. 18 1/2° W. 142 " "

80.11 Cor. to secs. 21, 22, 27 & 28.

Rich bottom land. Scattering trees

North between secs. 21 & 22.
 var. 13° 30' East

40.00 Set a post, marked 4 S. 4 ft long, flat-
 tened 3 in. wide, 1 ft in the ground,
 drive charred stake and build mound
 of earth 1 ft high, with pits 1 ft deep
 2 ft long, 1 ft wide, as per instruction
 for 14 sec. cor. from which

@ Mesquite, 8 mi. dis. bearing N. 47 1/2° W. 127 les. dist.

do. 14 " " " N. 51 1/2° E. 153 " "

73.00 Enter Santa Cruz valley.

80.00 Set a post, marked and notched, 4
 ft long, 3 in. eq. d. 1 ft in the ground,
 drive charred stake and build

Township 22 S. Range 13 E.

Gila & Salt River Meridian

No. mound $\frac{1}{2}$ ft high, with pits
1 ft deep, 2 ft long, 1 ft wide, as per
instructions, for cor. to sec. 15.

16.21 and 22, from which

a Cottonwood, 30 in dia. h. N. 20° E. 131 hrs. dist.

do. 36 " " S. 57° E. 283 " "

No other trees near.

Last end in valley. Rich soil. Scattering trees

East

Paradise line between 15 & 22

var. 13° 30' East

4.50 Santa Cruz river, 50 hrs wide, runs N.

26.00 Smith's Ranch house about 20 ch. S.

36.00 Swampy place, 100 hrs wide

37.40 Road bet. N. N.

40.00 Set temporary 1/4 sec. cor.

55.00 Arroyo, 10 hrs wide, runs S. N.

59.75 Intersect Santa Cruz Guide Meridian

20 hrs. S. of cor. to sec. 14. 15. 22

Township 22 S. Range 13 E.
Gila & Salt River Meridian

As. and 23, from which cor. Iron
S. $89^{\circ} 51' N$.

On true line between secs. 15 & 22,

var. $13^{\circ} 30' East$

39.88 Set a post, marked 74 S. 4 ft long, flat-
tened 3 in wide, 1 ft in the ground, drive
charred stake and build mound of
Earth 2 ft high with pits 1 ft deep, 2
ft long, 1 ft wide, as per instructions
for 74 sec. cor. from which

A Mesquite, 24 in. dia. bears N. $54\frac{1}{2}^{\circ} E$. 52 lbs. dist.

As. 12 " " " West. 124 " "

79.75 Cor. to secs. 15, 16, 21 and 22.

Rich bottom land. Scattering trees.

North ^{on random line} between secs. 15 & 16.

var. $13^{\circ} 30' East$.

14.00 Ditch.

76.50 Santa Cruz river 40 lbs. mds. runs N.W.

40.00 Set temporary 74 sec. cor.

Township 22 S. Range 13 E.

Gila & Salt River Meridian

Chs. Continued—

40.80 Santa Cruz river, 30 hrs. wide, flows N. W.

44.50 do. 40 " " " E. of N.

61.70 do 50 " " " W. of N.

68.50 Arroyo, 40 hrs. wide, runs E.

80.10 Intersct. ^{15 hrs. E. of} cor. established on Santa Cruz

Guide meridian to secs. 9, 10, 15 and
16, from which cor. runs
S. $0^{\circ} 6'$ E.

Outline line bet. secs. 15 & 16.

var. $18^{\circ} 30'$ East.

40.05 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake

and build mound of earth
2 ft high, with pits 1 ft deep,
2 ft long, 1 ft wide, as per

instructions, for base cor. from which

a Cottonwood, 12 in. dia. has N. $73^{\circ} W.$ 102 hrs. dist.

do. 11 " " " N. $44\frac{1}{2}^{\circ} W.$ 74 " "

No. 916

BOOK 916

21

Township 22 S. Range 13 E.

Gila & Salt River Meridian

Chs. Continued -

80.10 Cor. to secs. 15, 16, 21 and 22.
Rich bottom land along the
river. Scattering trees.

North between sec. 32 & 33.

var. 13° 30' East

40.00 Set a post, marked 14 by long, flat-
tined 3 in. wide, 1 ft in the ground,
drive charred stake and build
mound of earth 2 ft high, with
pits 1 ft deep, 2 ft long, 1 ft wide,
as per instructions for 14 sec.
cor. No trees near.

80.00 Set a post, marked E notched
4 ft long, 3 in. sq d. 1 ft in the
ground, and build mound
of stones 2 ft high, as per
instructions for cor. to Secs.
28, 29, 32 & 33, from which

Township 22 S. Range 13 E.

Sec. 9 Salt River Meridian

No. 16 sec. 16 in dia. brs. N. 55° E. 63 brs. dist.

do. 13 " " N. 75° W. 146 " "

No other trees near -

Rolling grassland. Some oak trees.

East

On random line bet. secs. 28 & 33.

var. 13° 30' East.

16.50 Across, 10 brs. wide, runs S. E.

40.00 Set temporary 1/4 sec. cor.

79.88 Intersect N. and S. line 23 brs. N. of cor.
to secs. 27. 28. 33 and 34, from

which cor. I run

N. 89° 50' W.

On true line between secs. 28 & 33.

var. 13° 30' East

79.94 Set a post, marked 1/4 S. 4 ft. long, flat-
tened 3 in. wide, 1 ft. in the ground,
and build mound of stone
2 ft. high, as per instructions

Township 22 S. Range 13 E.
 Gila & Salt River Meridian

for $\frac{1}{4}$ sec. cor. from which
 arroyo quite, $\frac{1}{2}$ in. dia. N. 45° W. 104 lks. dist.
 do. 6. . . . S. 35° W. 172 " .
 79.88 Cor. to secs. 28, 29, 32 and 33.
 Rolling grass land.
 Scattering trees.

North between secs. 28 & 29.
 sur. 13° 30' East.

40.00 Set a granite stone, 13 x 9 x 5 inches
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$,
 and on N. build mound of
 earth 2 ft high, with pits 1 ft
 deep, 2 ft long, 1 ft wide, as per in-
 structions, for $\frac{1}{4}$ sec. cor.
 No trees near.

80.00 Set a porphyry rock, 12 x 10
 x 6 inches, $\frac{2}{3}$ in the ground,
 notched S. and E. and on
 N. build mound of stones

Township 22 S. Range 13 E.
 Tola & Salt River Meridian

No. 1 ft high, as per instructions for
 cor. to secs. 20. 21. 28 and
 29. No trees near.
 Rolling grass land. A few trees
 December 25. 1876.

East

A random line bet. secs. 21 & 28.
 var. $13^{\circ}30'$ East.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

70.41 Intersect N. and S. line 18 lks. S.
 of cor. to secs. 21. 22. 27 and 28.
 from which cor. draw
 $S. 89^{\circ}52' W.$

A true line between secs. 21 & 28.
 var. $13^{\circ}30'$ East.

40.20 Set a porphyritic stone $14 \times 8 \times$
 6 inches, $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$, and on N. build mound
 of earth 1 ft high, with pits

Township 22 S Range 13 E.
Gila & Salt River Meridian

hs. 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor.
No trees near.

80.40 Cor. to secs. 20, 21, 28 and 29.
Rolling grass land. But few trees.

North between secs. 20 & 21.
var. $13^{\circ}30'$ East

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-topped 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pit 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor. No trees near.

80.00 At foot of mesa. Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, and build mound of stones 2 ft. high, as per instructions for cor. to secs. 16, 17, 20 and 21.

Township 22 S. Range 13 E.
Gila and Salt River Meridian

Pr. From which

Agave, 12 in. dia. base, S. 15° E. 161 lbs. dist.

do. 8 " " " S. 30° W. 117 " "

No other trees near.

Rolling grass land. Scattering trees

East

On random line bet. secs. 16 & 21.

var. 13° 30' East

11.00 Enter flat.

36.75 Arroyo, 20 lbs. wide, runs N. E.

40.00 Set temporary 1/4 sec. cor.

70.00 Leave flat.

73.40 Enter Santa Cruz bottom.

79.87 Dubious at N. and S. line 17 lbs. N. of
cor. to secs. 15, 16, 21 and 22 from
which cor. I run
N. 89° 53' W.

On true line between secs. 16 & 21.

var. 13° 30' East

Township 22 S. Range 13 E.
Gila & Salt River Meridian

39.94 Contoured -

In mouth of little valley, coming down from the mountains. Set a post, marked $\frac{1}{4}$ in. 4 ft. long, flattened 3 in. wide, $\frac{1}{2}$ ft. in the ground, drive charred stake and build a mound of earth 2 ft. high, with pits $\frac{1}{2}$ ft. deep, 2 ft. long, $\frac{1}{2}$ ft. wide, as per instructions, for $\frac{1}{4}$ sec. cor. from which

A Taraxacum tree, 6 in. dia. base, N. 19° W. 83 lbs. dist.

A Hackberry " 7 " " " S. 77° E. 279 " "

79.87 Cor. to secs. 16 & 17, 20 and 21.

Rich land in valley. Scattering trees

North between secs 16 & 17.
var. $13^{\circ} 30'$ East

40.00 Set a porphyry rock, $15 \times 11 \times 6$ inches, $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$, and on N. build mound of

Township 22 S. Range 13E.

Gila and Salt River Meridian

Pro. earth 2 ft. high, with pits 1 ft. deep, 2 ft. long. 4 ft. wide, as per instructions for 1/4 sec. cor. No trees near.

30.00 Set a post, marked Enolated, 4 ft. long. 3 in. sq. d. 1 ft. in the ground and build mound of stones 2 ft. high, as per instructions for cor. to sees 8, 9, 16 and 17, from which a Mesquite, 6 in. dia. br. S. 60° W. 172 lks. dist. do. 4 " " South, 44 " "

No other trees near

Rolling grass land & scattering trees

East

A random line between sees. 9 & 16.

var. 13° 30' East

40.00 Set temporary 1/4 sec. cor.

2.60 Ditch runs N.

7.00 A road runs N.

0.30 Intersect N. and S. line #1 lks. N.

Township 22 S. Range 13 E.
Gila & Salt River Meridian

No. of cor. (established on Santa Cruz Guide
Meridian) to secs. 9, 10, 15 and 16,
from which cor. Run
N. 89.42° W.

On true line between secs. 9 & 16.

Var. 13° 30' East

40.15 Set a post, marked 14 S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground
driv charr'd stake and build mound
of earth 2 ft high, with pits 1 ft deep
2 ft long, 1 ft wide, as per instructions
for 1/4 sec. cor. from which
A Mesquite 12 in. dia. has N. 13 1/2° E. 175 lbs. dia.
No other trees near.

80.30 Cor to secs. 8, 9, 16, and 17.
East half of line in rich bat-
ton land.
Scattering trees

Township 22 S. Range 13 E.
Gila and Salt River Meridian

Ch. North between sec. 8 & 9.
var. $13^{\circ}30'$ East.

40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flat-
tened 3 in. wide, 1 ft. in the ground.
Drive charred stake and build
mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide
as per instructions for $\frac{1}{4}$ sec. cor.
from which

A Mesquite, 10 in. dia. base, N. 12° E. 120 lbs. dist.
do. 8 " " " N. 60° W. 58 " "

48.00 Enter Santa Cruz valley.

59.85 Ditch runs N. W.

78.80 A road runs N. W.

80.00 Set a post, marked and watched, 4
ft. long, 3 in. sq. d. 1 ft. in the ground.
Drive charred stake and build a
mound of earth 2 ft. high, with
pits 1 ft. deep, 2 ft. long, 1 ft. wide, as
per instructions, for cor. to Sec. 8

Township 22 S. Range 13 E.
 Sila & Salt River Meridian

Ths. 4.5.8 and 9. from which
 a mequite, 12 in. dia. S. 77 $\frac{1}{2}$ ° W. 226 lvs. dist.
 do. 14 " " " N. 32° W. 20 " "
 @ Cottonwood. 15. " " " N. 6° E. 100 " "
 An Elder. 8 " " " S. 69 $\frac{1}{2}$ ° E. 49 " "
 Rich bottom land. Scattered trees

East.

On random line betw sec. 4 & 9.
 var. 13° 30' East

16.50 Santa Cruz river, 50 lvs. wide, runs N.W.
 27.70 Road to Sonora, brs. S.E. and N.W.
 29.00 Ranch houses about 18 chs. S.
 40.00 Set temporary 1/4 sec. cor.
 58.50 Leave valley
 72.50 Enter little lateral valley.
 73.50 Arroyo 10 lvs. wide, runs S.W.
 79.72 Intersect Santa Cruz East Meridian
 15 lvs. S. of cor. to secs. 3, 4, 9 and
 10. from which cor. I run

Township 22 S. Range 13 E.
 Gila & Salt River Meridian

Sec. 8. 89° 54' W.

On true line between secs. 4 & 9.

var. 13° 30' East

79.86 Set a post, marked 14 S. 4 ft long,
 flattened 3 in. wide, 4 ft in the
 ground, with charred stake
 and build mound of earth
 2 ft high, with pits 4 ft deep, 2
 ft long, 1 ft wide, as per instru-

tion for 14 sec. cor. from which

Almesquite, *Sida diandra*, N. 10 1/2° E. 235 lbs. dist.

do. 6 " " N. 27° W. 397 " "

79.72 Cor. to secs. 4, 5, 8 and 9.

West half in rich bottom land.

Scattering trees

North.

On random line bet. secs. 4 & 5.

var. 18° 30' East

6.00 Ranch house, about 7 chs. N.

Township 22 S. Range 13 E.
Gila & Salt River Meridian

Ps. Continued

14.34 Santa Cruz river, 30 lvs. wide, runs N.W.

15.80 Road bns. N.W.

22.20 Road to Sonora bns. S.E. and N.W.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

60.00 Leave bottom.

79.60 Intersect N. boundary 35 lvs. N. of
cor. to Secs. 4 and 5. from which
cor. drawn

S. $0^{\circ}15'N$.

On true line bet. secs. 4 & 5.
var. $18^{\circ}30'$ East.

39.60 Set a post, marked $\frac{1}{4}$ S. 4 ft long,
flattened 3 in. wide, 1 ft in the ground.
Drive charred stake and build a
mound of earth 2 ft high, with pit
1 ft deep, 2 ft long, 1 ft wide, as per in-
structions, for $\frac{1}{4}$ sec. cor. from which
a mesquite, 8 in. dia. bns. S. $62^{\circ}E$. 99 lvs. dist
do. 13 " " " S. $76^{\circ}N$. 277 " "

Township 22 S. Range 13 E.

Gila & Salt River Meridian

h. Continued

79.60 Cont. to sec. 4, 5, 8 and 9.
Rich bottom land. Scatter-
ing trees.

North between sec. 31 & 32
var. 13°30' East.

40.00 Set a post, marked $\frac{1}{4}$ S. of flong,
flattened 3 in. wide, 1 ft in the
ground, drive charr'd stake
and build mound of earth 2 ft
high, with pits 1 ft deep, 2 ft
long, 1 ft wide, as per instructions
for $\frac{1}{4}$ sec. cor. No trees near.

80.00 Set a post, marked and
notched, 1 ft long, 3 in. sq'd,
1 ft in the ground, and build
mound of stones 2 ft high,
as per instructions for cor. to
sec. 29, 30, 31 and 32.

Township 22 S. Range 13 E.
Gila Salt River Meridian

Chs. No trees near.
Rolling grass land. But few trees

East

On random line bet. sec. 29 & 32.
var. $13^{\circ}30'$ East.

40.00 Set temporary 1/4 sec. cor.

80.13 Intersect N. and S. line 26
less S. of cor. to sec. 28. 29.
32 and 33, from which cor. run
 $S. 89^{\circ}49' W.$

On true line between sec. 29 & 32.
var. $13^{\circ}30'$ East.

40.06 Set a post, marked 1/4 S. of flong,
flattened 3 in wide, 4 ft from the
ground, and build mound of
stones 2 ft high, as per instruc-
tion, for 1/4 sec. cor. from which
an oak, 8 in. dia. bet. $N. 75^{\circ} W. 45'$ less dist.
do. 13 " " " $S. 50^{\circ} W. 151'$

Township 22 S. Range 13 E.
Gila & Salt River Meridian

hs. Continued

80.13 Cor. to secs. 29, 30, 31 & 32.

Rolling grass land. A few trees

WEST

On random line bet. secs. 30 & 31.
var. $13^{\circ}30'$ East

4000 Set temporary $\frac{1}{4}$ sec. cor.

79.81 Intersect st. boundary 30 west of
cor. to secs. 30 and 31. from
which cor. run
 $S. 89^{\circ}47' E.$

Put true line between secs. 30 & 31.
var. $13^{\circ}30'$ East

39.81 Set a post, marked $\frac{1}{4}$ S. 4 ft.
long, flattened 3 in. wide, flush
the ground, and build mound
of stones 2 ft high, as per in-
structions, for $\frac{1}{4}$ sec. cor.
from which

Township 22 S. Range 13 E.
Gila & Salt River Meridian

Chs. Andan, 15 in dia. base. West, 182 in. dist.
No other trees near.

79.81 Cor. to secs. 29, 30, 31 and 32.
Rolling grass land. Scattered trees.

North between secs. 29 & 30.
var. 18° 30' East

40.00 Set a post, marked W.S. 4 ft long,
flattened 3 in. wide, 3 ft in the
ground, drive charred stake
and build mound of earth 2 ft
high with pits 1 ft deep, 2 ft long,
1 ft wide, as per instructions for
4 sec. cor. No trees near.

80.00 Set a post, marked and notched,
4 ft long, 3 in. sq. d. 3 ft in the
ground, and build mound of
stones 2 ft high, as per instruc-
tions for cor. to secs. 19, 20, 29
and 30. from which

Township 22 S. Range 13 E.
Gela and Salt River Meridian

Ch. subak, 12 inches dia. N. 50° W. 166 links dit.

No other trees near.

Rolling grassland. Scattered trees.

December 26. 1876.

East

On random line bet. sec. 20 E 29.

var. 13° 30' East

1.00 Foot of hill.

12.00 Top of same.

40.00 Set temporary 1/4 sec. cor.

45.00 Arroyo, 10 links wide, bds N. E.

80.32 Intersect N and S line 18 links S.

of cor. to Secs. 20. 21. 29 and 28.

from which cor. run

S. 89° 52' W.

On true line between sec. 20 E 29.

var. 13° 30' East

40.16 Set a granite stone 12 x 8 x 5

Township 22 S. Range 13 E.
Gila & Salt River Meridian

Ch. inches, $\frac{2}{3}$ in the ground, marked
 $\frac{1}{4}$, and on N. build mound of
stone 2 ft high, as per in-
structions, for $\frac{1}{4}$ sec. cor.

No trees near.

80.32 Cor. to secs. 19, 20, 29 & 30.

Rolling grass land.

Scattering trees

West

On random line bet sec. 19 & 30.

var. 18³⁰ East

40.00 Set temporary $\frac{1}{4}$ sec. cor

45.00 Enter little valley, line N. E.

45.50 Across 100⁰⁰ ft. wide, runs N. E.

55.50 Leave valley.

79.82 Intersect N. boundary 41⁰⁰ ft. N.

of cor. to secs. 19 and 30. from
which cor. drawn

N. 89° 42' E.

On true line between sec. 19 & 30.

Township 22 S. Range 13 E.

Gila Salt River Meridian

- Chs. var. $13^{\circ}30'$ East
- 79.82 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep 2 ft. long, 1 ft. wide, as per instructions for $\frac{1}{4}$ sec. cor.
No trees near.
- 79.82 Cor. to secs. 19, 20, 29 and 30.
Rolling grassland. Scattered trees

North between secs. 19 & 20.

var. $13^{\circ}30'$ East

- 40.00 Set a post, marked $\frac{1}{4}$ S. 4 ft. long, flattened 3 in. wide, 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep 2 ft. long, 1 ft. wide, as per

Township 22 S. Range 13 E.
Gila Salt River Meridian

No instructions for 1/4 sec. cor.

No trees near.

80.00 Set a post, marked and notch-
ed, 4 ft. long, 3 in. sq. d. 1 ft. in
the ground and build mound of
stones 2 ft. high, as per in-
structions for cor. to sec.

17, 18, 19 and 20.

No trees near.

Across little valley running
N. E. No timber of consequence.

East

On random line bet. sec. 17^E & 20
var. 13° 30' East.

30.00 Descend from table land.

40.00 Set temporary 1/4 sec. cor.

80.28 Intersect N. and S. line 20

W. N. of cor. to sec. 16, 17, 20
and 21, from which cor. Janu

Township 22 S. Range 13 E.

Sec 9 Salt River Meridian

Sec. N. 89° 51' W.

On true line between sec. 17 & 20.

var. 18° 30' East

40.14 Set a porphyry rock 14 x 7 x 5 inches, $\frac{2}{3}$ in the ground, marked 14, and on N. build a mound of stones 2 ft high, as per instructions, for 1/4 sec. cor. No trees near.

80.28 Cor. to sec. 17, 18, 19 and 20. Good land on E. end. No timber.

WEST

On random line bet. sec. 18 & 19.

var. 18° 30' East

15.00 Descending.

40.00 Set temporary 1/4 sec. cor.

79.83 Intersect N. boundary 32 hrs. N. of cor. to sec. 18 and 19. from

Township 22 S. Range 13 E.

Gila & Salt River Meridian

No. which cor. Dune
N. $89^{\circ}46'$ E.

Distance line between sec. 18 & 19
var. $13^{\circ}30'$ East

79.83 Set a post, marked $\frac{1}{4}$ S. of flong,
flattened 3 in wide, 1 ft in the
ground, drive charred stake
and build mound of earth
2 ft high with pits 1 ft deep, 2
ft long, 1 ft wide, as per in-
structions, for cor. to $\frac{1}{4}$ sec.
No trees near.

79.83 Cor. to sec. 17, 18, 19 and 20.
Smooth rolling grass land.
No timber

North between sec. 17 & 18
var. $13^{\circ}30'$ East

No. 00 Set a granite stone $12 \times 9 \times 9$ inches,
 $\frac{2}{3}$ in the ground, marked $\frac{1}{4}$

Township 22 S. Range 13 E.

Gila & Salt River Meridian

No and on N. build mounds of earth
2 ft. high, with pits 4 ft. deep, 2
ft. long, 1 ft. wide, as per in-
structions for 14 sec. cor.
No trees near.

80.00 Set a granite stone 13x8x6
inches, $\frac{2}{3}$ in the ground,
notched S. and E., and N.
build mounds of stones 2 ft.
high, as per instructions for
cor. to secs. 7, 8, 17 and 18.
No trees near, cor on top of ridge.
Rolling grass land.
Scattering trees.

East.

On random line between secs. 8 & 17.
var. 13° 30' East

9.50 Arroyo, 10 ft. wide, runs N.E. Foot of ridge

18.00 Top of ridge.

Township 22 S. Range 13 E.
Gila & Salt River Meridian

Trs. Continued.

40.00 Set temporary 1/4 sec. cor.

40.60 Arroyo 10 hrs. wide, runs N.E.

68.50 Do. 15 " " " N.E.

80.24 Intersect N. and S. line 19 hrs. S. of
cor. to secs. 8, 9, 16 and 17, from
which cor. In run
S. 89° 52' W.

On true line between secs. 8 & 17.

var. 13° 30' East

40.12 Set a post marked 1/4 S. 1/4 fl long,
flattened 3 in. wide, 1 ft in the
ground, drive charred stake
and build a mound of earth
2 ft high with pits 1 ft deep,
2 ft long, 1 ft wide, as per in-
structions for 1/4 sec. cor. Note run

80.24 Cor. to secs. 7, 8, 17 and 18.

Rolling grass land. No timber

Township 22 S. Range 13 E.

Gila & Salt River Meridian

Sec. West

On random line bet. sec. 7 & 18.
var. $13^{\circ}30'$ East.

9.00 Foot of ridge.

15.50 Arroyo, 30 lbs. wide, runs N. E.

25.00 Top of ridge

40.00 Set temporary $\frac{1}{4}$ sec. cor.

50.00 Foot of ridge

52.00 Arroyo, 60 lbs. wide, runs N. E.

79.78 Intersect N. boundary 21 lbs. N.

of cor. to sec. 7 and 18. from
which cor. Issue

N. $89^{\circ}51'$ E.

On true line between sec. 7 & 18.

var. $13^{\circ}30'$ East.

39.78 Cor. to $\frac{1}{4}$ sec. Set a post, marked

$\frac{1}{4}$ S. 4 ft. long, flattened 3 in.

wide, 1 ft. in the ground and

build mound of stones 2 ft.

high, as per instructions for

Township 22 S. Range 13 E

Gila & Salt River Meridian

79.78
 1/4 sec. cor. No trees near.
 Cor. to secs. 7, 8, 17 and 18.
 Rolling grass land.
 No timber.

North between secs. 7 & 8.
 var. $13^{\circ}30'$ East

40.00 Set a post, marked 14 S. 4 ft. long,
 flattened 3 in. wide, 1 ft. in the
 ground, drive charred stake
 and build mound of earth
 2 ft. high with pits 1 ft. deep,
 2 ft. long, 1 ft. wide, as per in-
 structions, for 1/4 sec. cor.
 No trees near.

80.00 Set a porphyry rock, 14 x 10 x
 10 inches, 2/3 in the ground,
 notched S. and E. and
 on N. build mound of
 stones 2 ft. high, as per

Township 22 S. Range 13 E.
Gila & Salt River Meridian

Ins. instructions, for cor. to secs. 5
6, 7 and 8, from which
a Mesquite, 6 in. dia. br. South, 132 dist.
No other trees near.
Rolling grass land.
A few trees.

East.

On random line bet. secs. 5 & 8
var. $13^{\circ}30'$ East.

4.00 Top of ridge.

25.75 Arroyo, 10 hrs. wide, runs N. E.

35.40 Arroyo, 10 hrs. wide, runs N. E.,
and enters Santa Cruz valley.

40.00 Set temporary $\frac{1}{4}$ sec. cor.

80.15 Intersect N. and S. line 20 hrs.

S. a few cor. to secs. 4, 5, 8 and 9,
from which cor. drawn
 $189^{\circ}51'N$.

On true line between secs. 5 & 8.

Township 22 S. Range 13 E.
Gila & Salt River Meridian

40.07 *Ps.* var. $13^{\circ}30'$ East
Set a post, marked $\frac{1}{4}$ S. 2 ft
long, flattened 3 in. wide, 4 ft
in the ground, and build
around a post stones 2 ft high,
as per instructions, for $\frac{1}{4}$
sec. cor. from which

A Mesquite, 16 in. dia. S. 14° E. 79 lbs. dia.
No other trees near.

80.15 Cor to secs. 5, 6, 7 and 8.
Some good bottom land.
A few trees

West

A random line between secs. 6 & 7.
var. $13^{\circ}30'$ East.

8.00 Ascending ridge.
11.00 Arroyo, 30 lbs wide, bas. N. E.
40.00 Set temporary $\frac{1}{4}$ sec. cor.
59.00 Cross cañon bas. N. E.

Township 22 S. Range 13 E.
Gila Salt River Meridian

As. Continued -

79.80 Intersect N. boundary 17th Sec. N.
of cor. to secs. 6 and 7, from
which cor. I run
N. $89^{\circ} 53' E$.

Between line between secs. 6 & 7.
was. $13^{\circ} 30' E$

79.80 Sclerophyllous rock, $14 \times 8 \times 5$ inches
marked $1/4$, $2/3$ in the
ground, and ^{an E.} build around
of stones 2 ft high, as per
instructions, for 1/4 sec. cor.
No trees near.

79.80 Cor. to secs. 5, 6, 7 and 8.
Rolling grass land.
No timber.

North

On random line bet. secs. 5 & 6.
was. $13^{\circ} 30' E$

Township 22 S. R. 13 E.

Gila & Salt River Meridian

Ps. Continued -

40.00 Set temporary $\frac{1}{4}$ sec. cor.

40.50 Enter Santa Cruz bottom br. N. W.

71.40 Santa Cruz river, 20 lns wide, br. N. W.

80.22 Intersect N. boundary 17 lns. W.

of cor to sec. 5 & 6, from which
cor. I run

S. $0^{\circ} 7' N.$

On true line between sec. 5 & 6.
var. $13^{\circ} 30' East.$

40.22 Set a post, marked $\frac{1}{4}$ S. 4 ft long, flat-
tened 3 in. wide, 1 ft in the ground, & in
charred stone & build mound of earth 4 ft
high, with pile of 2 ft long, 4 ft wide, as
per instructions for $\frac{1}{4}$ sec. cor. from which
a Mesquite, 8 in. dia. br. N. $35^{\circ} E.$ 31 lns. dist.

do. 7 " " N. $40^{\circ} N.$ 182 " "

80.22 Cor. to sec. 5, 6, 7 & 8. Dense Mesquite
growth on N. half, and rich bottom land.

December 27, 1876.

Township 22 S. Range 13 E.
Gila & Salt River Meridian
General Description

The eastern portion of this town-
ship borders on the Santa Rita
mountains. The Santa Cruz river
flows through the Central portion
from S. E. to N. W. the water of
which is available for ir-
rigation. The lands in this
portion are very rich and
there are a number of fine
ranches under cultivation.
There is much good grazing
land in the township.

Theodore J. White
U. S. Deputy Surveyor.

List of Names.

53
BOOK 916

A List of the Names of Individuals employed
to assist in running, measuring, or marking the
lines and corners described in the foregoing Field
Notes of the survey of *The Subdivision*
Lines of Township 27 S.
Range 13 E., of the Gila
and Salt River Meridian
Arizona.

Showing the respective capacities in which they
acted.

Urban Bessard Chainman.

Alfred Gruber Chainman,

P. V. Caldwell Axeman.

Allan Bernard Flagman.

Final Oath of Assistants.

BOOK 916

We hereby certify that we assisted Theodore
F. White U. S. Deputy Surveyor, in
surveying the Subdivision Lines
of Township 22 S Range
13 E. of the Gila and Salt
River Meridian Arizona.

and that said Survey has been in all respects, to
the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments
planted according to the instructions furnished by
the Surveyor-General.

Hebain Brown Chainman.

Alfred Thibault Chainman,

P. W. Caldwell Axeman.

Allan Bernard Flagman.

Sworn to and subscribed before me, this 8th
day of January, 1877.

William J. Osborn
Notary Public

Final Oath of Deputy Surveyor.

55

BOOK 916

I, Theodore J. White

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract with John Wasson, United States Surveyor-General for Arizona, bearing date the 18th day of September

1876. I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General, the Surveying Manual, and the laws of the United States, surveyed all those portions of

The Subdivision Lines of
Township 22 S. Range
13 E, of the Gila and
Salt River Meridian,
Arizona.

as are represented in the foregoing Field Notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements con-

52 BOOK 916
tained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

Theodore H. White

Deputy Surveyor.

BOOK 916

Sworn to and subscribed before me, this 8th day of January, 1877.

William J. Osborn
Notary Public

U. S. Surveyor General's Office,

TUCSON, ARIZONA,

February 19, 1877.

The foregoing Field Notes of the Survey of the

Subdivision Lines of
Township 22 South,
Range 13 East,

Of the Gila and Salt River Base and Meridian, Arizona, executed by Theodore F. White,

Deputy Surveyor, under his contract of the 18th
day of September, 1876, having been

critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Mason,
Surveyor General.