

1897  
BOOK 921

No. 921

Subdivisions  
Book I

4-671

BOOK 921

FIELD NOTES

GENERAL LAND OFFICE.

Tp 22 South R & E East.

Book No. 921

A

# INDEX

Township 22 South R. 8 East


Index for } BOOK 921  
BOOK 922

6	61	5	46	4	36	3	27	2	19	1
60		59		44		35		26		18
7	57	8	43	9	34	10	25	11	17	12
56		54		42		33		24		15
18	52	17	41	16	32	15	23	14	14	13
51		49		39		30		21		12
19	48	20	38	21	29	22	20	23	11	24
9		7		6		4		3		2
30	79	29	77	28	72	27	68	26	64	25
				75		71		67		63
31		32		33	74	34	69	35	65	36

For preliminary Caths see book  
No. 1.

Township No. 22 S Range No. 8 E Q.R.R. Meridian

1A



Poso Verde Range of Mountains

Township Plot.  
 Meridian Line,  
 Base Line,  
 Standard Line,

1B



No. 921

10

Field Notes  
of the Survey of the  
Subdivision Lines  
of  
Township No 22 South Range  
No 8 East.

of the  
Gila and Salt River Meridian  
of  
Arizona Territory

as surveyed by  
Geo J. Roskrutz  
U. S. Dep Surr<sup>r</sup>

Under his Contract No 2

Dated June 16<sup>th</sup> 1886

Survey commenced Dec<sup>r</sup> 9<sup>th</sup> 1886

Survey completed Dec<sup>r</sup> 17<sup>th</sup> 1886.

# Subdivision P. 228. R8E.

Chains.

As the Southern portion of this Township lies in the Republic of Mexico, in accordance with instructions contained in the letter of the Surveyor General of date June 16<sup>th</sup> 1886. I begin at the corner to Secs 19. 24. 25 & 30 on the West boundary of the Township (this cor. being 139 lks North of the National boundary line between the United States and Mexico) and run East on a random line bet secs 19 & 30, 20 & 29 - 21 & 28 - 22 & 27 - 23 & 26 and 24 & 25. the Variation of my Compass being  $12^{\circ} 40' E$ . I set temp  $\frac{1}{2}$  mile and mile corners at each 40 and 80 chs and find the line to be 5 miles 79 chains 80 lks long and the falling to be 30 lks S. of the cor to secs 19. 24. 25 & 30 on

BOOK 921

# Subdivisions P. 22 S. R. 8 E. Continued

Chains

the East boundary of the Township.  
 The correction for the true line  
 will therefore be 5 lks N and 20 lks  
 W. per mile and its course will be  
 $S. 89^{\circ} 58' W.$

From the cor to secs 19, 24, 25 & 30  
 on the East boundary of the Township  
 previously established and described  
 by me I run

$S. 89^{\circ} 58' W.$  on a true line bet Secs 24 & 25

$Var. 12^{\circ} 40' E.$

Over rolling land

- 8.00 Wash 30 lks wide course  $S. 30^{\circ} W.$   
 13.00 Wash 30 lks wide course  $S. 40^{\circ} W.$   
 20.00 Wash 70 lks wide course  $S. 1$   
 40.00 Set a granite stone 15 x 12 x 5 ins  
 10 ins in the ground for  $\frac{1}{4}$  Sec cor.  
 marked  $\frac{1}{4}$  on N. face dug pits 18



Sub-division T. 22 S. R 8 E Continued

Chains

x 18 x 12 ins E & W of stone  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base along side.

80.00

Set a granite stone 17 x 16 x 10 ins  
12 ins in the ground for cor to Secs  
23. 24. 25 & 26 marked with 2  
notches on S and 1 notch on E  
edges and raised a mound of  
stone along side, pits impracticable.

Land rolling

Soil 3<sup>d</sup> and 4<sup>th</sup> rate, good grass.  
No timber.

S.  $89^{\circ}58'$  W. on a true line bet Secs 23 & 26  
Var.  $12^{\circ}40'$  G.

Over rolling land

40.00

Set a granite stone 18 x 16 x 14 ins.  
12 ins in the ground for  $\frac{1}{4}$  Sec cor.

Subdivisions T. 22 S. R. 8 E. Continued  
 Chans

marked  $\frac{1}{4}$  on N. face dry pits 18  
 x 18 x 12 ins E & W. of stone  $5\frac{1}{2}$  ft  
 dist and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside  
 80.00 Set a granite stone 16 x 14 x 12 ins  
 11 ins in the ground for cor to sec  
 22. 23. 26. & 27 marked with 2 notches  
 on S and 2 notches on E edges,  
 dry pits 18 x 18 x 12 ins in each sec  
 $5\frac{1}{2}$  ft dist and raised a mound  
 of earth 2 ft high  $4\frac{1}{2}$  ft base alongside  
 Land rolling  
 Soil 3<sup>d</sup> & 4<sup>th</sup> rate good grass  
 No timber.

S.  $89^{\circ}58'$  W. on a true line bet Secs 22 & 27

Var  $12^{\circ}40'$  E.

Over rolling land.



Subdivision T 22 S. R 8 E - Continued

Chambers

- 40.00 Set a granite stone 12 X 10 X 6 ins 8 ins in the ground for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  on N. face dug pits 18 X 18 X 12 ins E & W. of stone 5  $\frac{1}{2}$  ft diet and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base along side.
- 64.50 Road from Altar to Tucson course N & S.
- 65.00 A monument of stone and lime mortar 4  $\frac{1}{2}$  ft high 3 ft base bears S. 182 lks diet
- 78.00 Wash 20 lks wide course S.
- 80.00 Set a quartz stone 17 X 12 X 8 ins 12 ins in the ground for cor to secs 21, 22, 27 & 28. marked with 2 notches on S and 3 notches on E edges dug pits 18 X 18 X 12 ins in each sec 5  $\frac{1}{2}$  ft diet. and raised a mound of earth 2 ft high 4  $\frac{1}{2}$  ft

Subdivisions T. 22 S. R. 8 E. Continued  
 Chasms

base along side.

Land gently rolling

Soil 1<sup>st</sup> & 2<sup>d</sup> rate, good grass.

No timber.

S.  $89^{\circ} 58' W.$  on a true line bet Secs 21 & 28

Var  $12^{\circ} 40' E.$

Over gently rolling land.

0.50 Wash 20 lks wide course S.  $10^{\circ} E.$

40.00 Set a granite stone 12x12x6 ins  
 8 ins in the ground for  $\frac{1}{2}$  Sec cor  
 marked  $\frac{1}{4}$  on N. face dug pit 18x18  
 x12 ins E & W. of stone  $5\frac{1}{2}$  ft dist  
 and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side

80.00. Set a granite stone 18x12x10 ins 12 ins  
 in the ground for cor to Secs 20, 21, 28  
 & 29 marked with 2 notches on S and

Subdivision T. 22 S. R 8 E continued  
 Chams

4 notches on E edges, dug pits 18 X 18 X 12  
 ins in each sec. 5 1/2 ft dist and  
 raised a mound of earth 2 ft high  
 4 1/2 ft base along side.

From which

A mesquite 6 ins. diam bears N. 23° W  
 104 lbs dist. marked T. 22 S. R 8 E S. 20 BT

A mesquite 10 ins. diam bears N. 11° W.  
 62 lbs dist marked T. 22 S. R 8 E S. 20 BT

A mesquite 18 ins diam bears S. 39° E  
 35 lbs dist. marked T. 22 S. R 8 E S. 28 BT

No other trees within limits

Land gently rolling

Soil 2<sup>a</sup> & 3<sup>a</sup> rate, good grass

Timber scattering mesquite

S 89° 58' W. on a true line bet Secs 20 & 29

Var. 12° 40' E.



## Subdivision T. 22 S. R. 8 E. Continued

Chains

Over gently rolling land.

23.50 Road course N &amp; S.

40.00 Set a quartz stone 15 x 12 x 8 ins 10 ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on N. face, dig pits 18 x 18 x 12 ins  
5 $\frac{1}{2}$  ft dist. E & W. of stone and raised  
a mound of earth 1 $\frac{1}{2}$  ft high 3 $\frac{1}{2}$  ft  
base alongside.

From which

A mesquite 12 ins diam bears N 75° W  
66 lks dist. marked  $\frac{1}{4}$  S B F.

A mesquite 6 ins diam bears S. 43° W  
50 lks dist marked  $\frac{1}{4}$  S B F.

80.00 Set a granite stone 24 x 10 x 10 ins 18 ins  
in the ground for cor to secs 19.20  
29 & 30 marked with 2 notches on  
S and 5 notches on E edge, and  
raised a mound of stone along-  
side, pits impracticable

Subdivision T. 22 S. R. 8 E - Continued

Thams

From which

A mesquite 18 ins diam bears N. 52° E  
133 lks dist marked T. 22 S. R. 8 E S. 20 BT.

No other trees within limits.

Land rolling

Soil 2<sup>d</sup> and 3<sup>d</sup> rate, good grass.

Timber scattering mesquite

S. 89° 58' W. on a true line bet Secs 19 & 30  
Var. 12° 40' E.

Over rolling land

3.50 Wash 50 lks wide, course S. 60° E.

7.50 Same wash 50 lks wide course N 80° E

24.50 Same wash 60 lks wide course S 80° E

25.00 Road from Ortiz's ranch to Altar and  
Tucson road course N 50 W ½ S 81° E

40.00 Set a granite stone 12 x 8 x 8 ins 8 ins  
in the ground for ¼ Sec cor. marked

Subdivisions T. 22 S. R. 8 E. - Continued  
 chains

$\frac{1}{4}$  on N. face, dug pits  $18 \times 18 \frac{1}{2}$  ins  
 E & W. of stone  $5 \frac{1}{2}$  ft dist and  
 raised a mound of earth  $1 \frac{1}{2}$  ft high  
 $3 \frac{1}{2}$  ft base along side.

From which

A ranch house and outbuildings of  
 Ferdinando Perty, all substantially  
 built, bears  $N 7^{\circ} W 15$  chs dist.

79.80 The cor to secs 19. 24. 25 & 30 on  
 the W. boundary of Township established  
 by me.

Land rolling

Soil 3<sup>d</sup> and 4<sup>th</sup> rate, good grass.

No timber

9<sup>th</sup> Dec<sup>r</sup> 1886

Preliminary to commencing this  
 survey I ran  $S. 89^{\circ} 58' W$  on a  
 blank line on the South boundary of  
 Sec 24 and at 40 chs found the  $\frac{1}{4}$  Sec



Subdivision T. 22 S. R. 8 E - continued

chains

cor. and at 80 chs found the Sec cor.  
I ran N. on a flank line on the  
E boundary of Sec 24 and at 40 chs  
found the  $\frac{1}{4}$  Sec cor. and at 80 chs  
found the Sec cor. My compass  
will therefore run the same line as  
the exterior boundaries and the  
chaining agrees.

Survey commenced 10<sup>th</sup> Dec<sup>r</sup> 1886.  
with a Young & Sons Solar Transit  
I commence at the cor to secs 23,  
24, 25 & 26 previously established and  
described by me

Thence I run  
North bet Secs 23 & 24

Var  $12^{\circ} 40' 0''$

Over rolling land.

40.00 Set a granite stone  $14 \times 8 \times 6$  ins  
10 ins in the ground for  $\frac{1}{4}$  Sec cor.

Subdivision T. 22 R. 8 E continued  
Chains

marked  $\frac{1}{4}$  on W. face dug pits 18 x 18 x 12 ins N & S. of ston 5  $\frac{1}{2}$  ft dia and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base along side.

80.00 Set a granite ston 16 x 16 x 10 ins 11 ins in the ground for cor to secs 13, 14, 23 & 24 marked with 3 notches on S and 1 notch on E edges, dug pits 18 x 18 x 12 ins in each sec 5  $\frac{1}{2}$  ft dia and raised a mound of earth 2 ft high 4  $\frac{1}{2}$  ft base along side.

Land rolling

Soil 3<sup>d</sup> rate good grass

No timber

East on a random line to Sec 13 & 24

Var 120° 40' E

# Subdivisions T. 22 S. R. 8 E. Continued

Chains

Over rolling land.

40.00 Set temp  $\frac{7}{4}$  Sec. cor.

61.00 Wash 70 lks wide course S.

79.91 Intersect E boundary of Township  
15 lks N. of the cor to secs 13. 18. 19 & 24  
previously established and described  
by me.

Thence I run

N.  $89^{\circ} 54'$  W. on a true line bet Secs  
13 & 24 with same Var.

39.96 Set a granite stone 18 X 10 X 8 ins 12 ins  
in the ground for  $\frac{7}{4}$  Sec cor. marked  
 $\frac{7}{4}$  on N. face, dug pits 18 X 18 X 12 ins  
E & W. of stone  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base alongside.

79.91 The cor to Secs 13. 14. 23 & 24

Land rolling

Soil 3<sup>d</sup>-rate good, grass



Subdivision T. 22 S. R. 8 E. Continued  
Chains

Timber a few mesquite East end of line

North bet Secs 13 & 14

Var.  $12^{\circ}40'0''$

Over rolling land.

40.00 Set a granite stone  $16 \times 10 \times 8$  ins 11  
ins in the ground for  $\frac{1}{4}$  Sec. cor.  
marked  $\frac{1}{4}$  on W. face, dug pits  $18 \times 18$   
 $\times 12$  ins N & S. of stone  $5\frac{1}{2}$  ft dist.  
and raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base along sides.

From which

A hackberry 12 ins diam bears  $N40^{\circ}0''$

$80$  lbs dist. marked  $\frac{1}{4}$  S.B.P.

No other trees within limits.

80.00 Set a granite  $15 \times 14 \times 4$  ins 10 ins in  
the ground for cor to secs 11. 12. 13 & 14  
marked with 4 notches on S and 1  
notches on E edges, dug pits  $18 \times 18 \times 12$

Subdivision T. 22 S. R. 8 E - Continued

Chains

ins. in each sec  $5\frac{1}{2}$  ft dist. and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft base alongside.

Land rolling

Soil 3<sup>d</sup> rate, good grass

Timber a few mesquite and hackberry trees

East on a random line bet Secs 12 & 13  
 Var.  $12^{\circ}40' E$

Over rolling land

40.00 Set temp  $\frac{1}{4}$  Sec cor.

80.14 Intersect E boundary of Township  
 11 lks. N. of the cor to secs 7. 12. 13 & 18  
 previously established and described  
 by me

Thence I run  
 $N89^{\circ}56' W.$  on a true line bet secs

Subdivision P. 22 S. R 8 E Continued  
chains

12 & 13 with same tree.

40.07 Set a granite stone 13 X 10 X 8 ins  
9 ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on N. face, dug pits 18 X 18  
X 12 ins E & W. of stone  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft base alongside.

From which

A hackberry 8 ins. diam bears S.  $28^{\circ}$  W  
169 lks dist marked  $\frac{1}{4}$  S. B. T.

A mesquite 10 ins diam bears N.  $79^{\circ}$  W  
172 lks dist. marked  $\frac{1}{4}$  S. B. T.

80.14 The cor to sec 11. 12. 13 & 14.

Land rolling

Soil 2<sup>d</sup> & 3<sup>d</sup> rate, good grass

Timber a few mesquite and  
hackberry trees.



Subdivisions P. 22 S. R. 8 E. Continued

Names

North bet Secs 11 & 12.

Var.  $12^{\circ}40' E.$

Over rolling land.

70.00 Set a granite stone  $20 \times 10 \times 10$  ins  
15 ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on W. face dug pits  $18$   
 $\times 18 \times 12$  ins N & S. of stone  $5\frac{1}{2}$  ft  
diam. and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side

80.00 Set a granite stone  $20 \times 12 \times 8$  ins 15 ins  
in the ground for cor to secs 1. 2. 11 &  
12 marked with 5 notches on S and  
1 notch on E edges, dug pits  $18 \times 18 \times$   
 $12$  ins in each sec  $5\frac{1}{2}$  ft diam and  
raised a mound of earth 2 ft high  
 $4\frac{1}{2}$  ft base along side.

Land rolling

Soil 3<sup>d</sup> rate, good grass.

No timber

Subdivision P. 22 S. R 8 E - Continued

Chains

East on a random line bet Secs 1 & 12.

Var.  $12^{\circ} 40' E$ .

Over rolling land.

29.50 Old road bears  $N. 30^{\circ} W$  &  $S. 30^{\circ} E$ .

40.00 Set temp  $\frac{1}{4}$  Sec Cor.

79.84 I intersect E boundary of Township  
14 lks N. of the cor to secs 1, 6, 7 & 12

Thence I run

$N 89^{\circ} 54' W$  on a true line bet Secs  
1 & 12 with same Var.

39.92 Set a volcanic stone  $14 \times 10 \times 5$  ins  
10 ins in the ground for  $\frac{1}{4}$  Sec cor.

marked  $\frac{1}{4}$  on N. face, dug pits  $18$   
 $\times 18 \times 12$  ins E & W. of stone  $5\frac{1}{2}$   
ft dist and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
along side.

79.84 The cor to secs 1, 2, 11 & 12.

Land rolling

Subdivision T. 22 S. R. 8 E - Continued  
 Champs

Soil 3<sup>d</sup> rate, good grass.  
 No timber

North on a random line bet Secs 1 & 2  
 Var.  $12^{\circ} 40' E$ .

Over rolling land.

70.00 Set temp  $\frac{1}{4}$  Sec cor.

79.92 Intersect N. boundary of Township  
 11 kts W. of the cor. to secs 1, 2, 35  
 & 36 previously established and  
 described by me.

Thence I run  
 S.  $0^{\circ} 05' W$ . on a true line bet  
 Secs 1 & 2. with same Var.

39.92 Set a granite stone  $18 \times 10 \times 8$  ins  
 $12$  ins in the ground for  $\frac{1}{4}$  Sec  
 Cor. marked  $\frac{1}{4}$  on W. face, dug  
 pits  $18 \times 18 \times 12$  ins N & S of stone



Subdivision T. 22 S. R. 8 E. Continued  
 Chains

5½ ft dist and raised a mound  
 of earth 1½ ft high 3½ ft base  
 alongside

79.92. The cor to secs 1. 2. 11 & 12

Land rolling

Soil 2<sup>d</sup> & 3<sup>d</sup> rate

Good grass.

No timber

From the cor to secs 22. 23. 26 & 27  
 previously established and described  
 by me

North bet Secs 22 & 23.

Var. 12° 40' E

Over rolling land.

40.00 Set a granite stone 14 x 10 x 8 ins  
 10 ins in the ground for ¼ Sec  
 cor. marked ¼ on W. face dug

Subdivision T. 22 S. R. 8 E. Continued

Chains

80.00

sets 18 x 18 x 12 ins N. & S of stone 5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base along side

Set a granite stone 12 x 12 x 10 ins 8 ins in the ground for cor to secs 14, 15.

22 & 23. marked with 3 notches on S and 2 notches on E edges, dug

sets 18 x 18 x 12 ins in each sec 5 1/2 ft dist and raised a mound of earth 2 ft high 4 1/2 ft base along side

Land rolling

Sail 3<sup>d</sup> rate, no timber

Good grass.

10<sup>th</sup> Dec. 1886.

East on a random line bet Secs

14 & 23

Var. 12° 40' E.

Over rolling land.

Subdivision T. 22 S. R. 8 E - Continued  
 Champs

- 40.00 Set temp  $\frac{1}{4}$  Sec cor.
- 77.00 Wash 60 lks wide course S.
- 80.10 Intersect N & S line 11 lks S. of  
 the cor to secs 13, 14, 23 & 24.  
 Thence I run  
 S.  $89^{\circ}55'$  W. on a true line bet  
 Secs 14 & 23 with same Var.
- 40.05 Set a quartz stone  $12 \times 10 \times 8$  ins 8  
 ins in the ground for  $\frac{1}{4}$  Sec cor.  
 marked  $\frac{1}{4}$  on N. face dug pits  
 $18 \times 18 \times 12$  ins E & W. of stone  $5\frac{1}{2}$  ft  
 dist and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along  
 side
- 80.05 The cor. to secs 14, 15, 22 & 23.  
 Land rolling  
 Soil 3<sup>d</sup> rate, good grass  
 No timber



Subdivision P. 22 S. R 8 E. Crittenden  
Towns

North bet Secs 14 & 15

Var.  $12^{\circ}40' E$ .

Over rolling land.

39.00 Old road course N E & S W.

40.00 Set a quartz stone  $12 \times 10 \times 8$  ins 8 ins  
in the ground for  $\frac{1}{4}$  Sec. cor. marked  
 $\frac{1}{4}$  on W. face, dug pits  $18 \times 18 \times 12$  ins  
N & S. of stone  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base along side.

80.00 Set a granite stone  $15 \times 12 \times 8$  ins  
10 ins in the ground for cor to  
secs 10. 11. 14 & 15 marked with  
4 notches on S and 2 notches  
on E edges, dug pits  $18 \times 18 \times 12$  ins  
in each sec  $5\frac{1}{2}$  ft dist. and  
raised a mound of earth 2 ft  
high  $4\frac{1}{2}$  ft base along side.  
Land rolling

Subdivisions T. 22 S. R. 8 E. Continued  
 Chains

Soil 3<sup>d</sup> rate, good grass  
 No timber

East on a random line bet secs 11 & 14  
 Var.  $12^{\circ} 40' E$ .

Over rolling land.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

80.08 Intersect N & S line  $14$  lbs S of  
 the cor to secs 11, 12, 13 & 14

Thence I run

$S 89^{\circ} 54' W$ . on a true line bet  
 Secs 11 & 14 with same Var.

40.04 Set a granite stone  $15 \times 12 \times 10$  ins  
 10 ins in the ground for  $\frac{1}{4}$  Sec cor.  
 marked  $\frac{1}{4}$  on N. face dig pits  $18$   
 $\times 18 \times 12$  ins E & W. of stone  $5\frac{1}{2}$  ft  
 dist and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside

Subdivisions T. 22 S. R. 8 E. Continued

Chain

80.08 The cor to secs 10. 11. 14 & 15

Land rolling

Said 3<sup>d</sup> rate, good grass

No timber.

North bet Secs 10 & 11

Var. 12° 40' E

Over level land,

40.00

Set a granite stone 16 x 10 x 8 ins  
11 ins in the ground for  $\frac{1}{4}$  sec cor.  
marked  $\frac{1}{4}$  on W. face, dug pits 18  
x 18 x 12 ins. N. & S. of stone 5  $\frac{1}{2}$  ft  
dirt and raised a mound of  
earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base along side

80.00

Set a granite stone 16 x 12 x 10 ins  
11 ins in the ground for cor to  
secs 2. 3. 10 & 11 marked with 4  
notches on S and 2 notches on



Subdivisions T. 22 S. R. 8 E - Continued  
 chains

E edges, dug pits 18 x 18 x 12 ins in each sec 5 1/2 ft dist. and raised a mound of earth 2 ft high 4 1/2 ft base alongside.

Land rolling

Soil 3<sup>d</sup> rate, good grass.

No timber

East on a random line bet Secs 2 & 11  
 Var. 12° 40' E.

Over rolling land

40.00 Set temp 1/4 Sec cor.

79.89 Intersect N & S line 12 lbs S. of the cor. to secs 1, 2, 11 & 12.

Thence I run

N. 89° 55' W. on a true line bet Secs 2 & 11 with same Var.

39.95 Set a volcanic stone 16 x 14 x 5 ins

Sub-divisions T. 22 S., R. 8 E. Continued  
 chains

11 ins in the ground for  $\frac{1}{4}$  Sec cor.  
 marked  $\frac{1}{4}$  on N. face, dug pits 18  
 x 18 x 12 ins E & W. of stone  $5\frac{1}{2}$  ft  
 dist and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side

79.89 The cor to secs 2, 3, 10 & 11  
 Land rolling  
 Soil 3<sup>d</sup> rate, good grass  
 No timber

North on a random line bet Secs 2 & 3  
 Var  $12^{\circ}40' E$ .

Over rolling land.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

79.83 Intersect N. boundary of Township  
 16 tks E. of the cor to Secs 2, 3, 34  
 & 35 previously established and  
 described by me.

Subdivision T. 22 S. R. 8 E. Continued  
 chains

Thence I run

S.  $0^{\circ}07' E$  on a true line bet Secs  
 2 & 3 with same Var.

39.83 Set a granite stone  $12 \times 8 \times 8$  ins  
 8 ins in the ground for  $\frac{1}{4}$  Sec Cor.  
 marked  $\frac{1}{4}$  on W. face, dug pits  
 $18 \times 18 \times 12$  ins N & S. of stone  
 $5\frac{1}{2}$  ft dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 alongside.

79.83 The cor to secs 2. 3. 10 & 11

Land rolling

Soil 2<sup>d</sup>. and 3<sup>d</sup>. rate, good grass

No timber

---

From the cor to Secs 21. 22. 27 &  
 28 previously established and  
 described by me



Subdivisions T. 22 S. R. 8 E Continued

From

North bet Secs 21 & 22

Var  $12^{\circ} 40' E$

Over rolling land

- 10.50 Wash 30 lks wide course  $S. 20^{\circ} E$
- 18.00 Same wash 30 lks wide course  $S. 20^{\circ} W$
- 28.00 Same wash 30 lks wide course  $S. 20^{\circ} E$ .
- 40.00 Set a granite stone  $14 \times 10 \times 6$  ins  
10 ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on W. face, dug pits  $18$   
 $\times 18 \times 12$  ins N & S. of stone  $5 \frac{1}{2}$  ft  
dist. and raised a mound of earth  
 $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft base along side
- 58.00 Road from Alter to Tucson course  
 $N. 10^{\circ} W$  and  $S. 30^{\circ} E$ .
- 78.00 Same road course  $S. 10^{\circ} W$  and  
 $N. 10^{\circ} E$ .
- 90.00 Set a granite stone  $22 \times 12 \times 10$  ins  
16 ins in the ground for cor to sec

Subdivision T. 22 S. R. 8 E - continued  
 chains

15.16-21 & 22 marked with 3 notches  
 on S and 3 notches on E edges, dug  
 pits 18 X 18 X 12 ins in each ecc 5 1/2  
 ft dist and raised a mound  
 of earth 2 ft high 4 1/2 ft base along  
 from which

The ranch house of Nicholas  
 Garcia bears N. 80 lks dist. House  
 outbuildings and corrals substan-  
 tially built

Land rolling

Soil 2<sup>d</sup> rate good grass

No timber

East on a random line bet Secs 15 & 22.

Var 12° 40' E.

Over rolling land.

0.50 Road from Altar to Tucson corner

## Subdivisions T. 22 S. R. 8 E. continued

Chains

S.  $10^{\circ}$  W. and N  $10^{\circ}$  E

2.50 Enter corral (built of posts)

5.00 Leave corral.

40.00 Set temp  $\frac{1}{4}$  Sec. cor.79.96 Intersect N & S line 6 lks S. of  
the cor to secs 14. 15. 22 & 23

Thence I run

S.  $89^{\circ}57'$  W. on a true line bet  
Secs 15 & 22 with same Var.39.98 Set a granite stone  $12 \times 12 \times 6$  ins  
8 ins in the ground for  $\frac{1}{4}$  sec cor  
marked  $\frac{1}{4}$  on N. face, dug pits  $18 \times$   
 $18 \times 12$  ins E & W. of stone  $5\frac{1}{2}$  ft  
diam and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side

79.96 The cor to secs 15. 16. 21 &amp; 22

Land rolling

Soil 2<sup>d</sup> and 3<sup>d</sup> rate good grass.

No timber



Subdivisions T. 22 S. R. 8 E - Continued

Cham

By observation taken this day I find  
the magnetic Variation to be  
 $12^{\circ} 40' E$ . 11<sup>th</sup> Dec 1886.

North bet Secs 15 & 16

Var  $12^{\circ} 40' E$ .

Over rolling land.

16.00 Road from Altar to Ticeon, course  
 $S 10^{\circ} E$  and  $N. 15^{\circ} W$ .

40.00 Set a granite stone  $12 \times 12 \times 6$  ins  
8 ins in the ground for  $\frac{1}{4}$  Sec Cor.  
marked  $\frac{1}{4}$  on W. face, dug pits  $18$   
 $\times 18 \times 12$  ins N. & S of stone  $5 \frac{1}{2}$   
ft dia and raised a mound of  
earth  $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft base aboyard.

80.00 Set a granite stone  $12 \times 10 \times 8$  ins  
8 ins. in the ground for cor to sec  
9. 10. 15 & 16 marked with 4 notches  
on S and 3 notches on E edges

Subdivision T. 22 S. R. 8 E - Continued  
 Chaus

dug pits 18 X 18 X 12 ins in each sec  
 5½ ft dist and raised a mound  
 of earth 2 ft high 4½ ft base along side.

Land gently rolling

Soil 2<sup>d</sup> and 3<sup>d</sup> rate, good grass.

No timber

East on a random line bet Secs 10 & 15

Var. 12° 40' E.

Over gently rolling land.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

79.88 Intersect N & S line 13 lks N. of the  
 cor. to secs 10. 11. 14 & 15.

Fence I run

N. 89° 54' W. on a true line bet  
 Secs 10 & 15 with same Var.

39.94 Set a granite stone 12 X 10 X 8 ins  
 8 ins in the ground for  $\frac{1}{4}$  sec cor.

Subdivisions T. 22 S. R. 8 E. continued  
 chains

- marked  $\frac{1}{4}$  on N. face, dug pits  
 18 x 18 x 12 ins E & W. of stone  $5\frac{1}{2}$  ft  
 dist. and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.
- 79.88 The cor to secs 9, 10, 15 & 16.  
 Land gently rolling.  
 Soil 2<sup>d</sup> & 3<sup>d</sup> rate, good grass.  
 No timber.

North bet Secs 9 & 10

Var.  $12^{\circ}40'E$ .

Over gently rolling land.

- 40.00 Set a granite stone 12 x 10 x 10 ins  
 8 ins in the ground for  $\frac{1}{4}$  sec cor.  
 marked  $\frac{1}{4}$  on W. face, dug pits 18 x 18  
 x 12 ins N & S. of stone  $5\frac{1}{2}$  ft dist.  
 and raised a mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base alongside.



Subdivisions T. 22 S. R. 8 E. Continued  
Chain

80.00 Set a granite stone 14 X 12 X 10 ins 10 ins  
in the ground for cor to secs 3, 4, 9  
& 10 marked with 4 notches on S  
and 3 notches on E edges, dug pits  
18 X 18 X 12 ins in each sec. 5 1/2 ft  
dist and raised a mound of  
earth 2 ft high 4 1/2 ft base alongside.  
Land gently rolling  
Soil 2<sup>d</sup> and 3<sup>d</sup> rate, good grass  
No timber

East on a random line bet Secs 3 & 10  
Var. 12° 40' E

Over gently rolling land

40.00 Set temp 1/4 Sec cor.

80.14 Intersect N & S line 6 lks S. of the  
cor to secs 2, 3, 10 & 11

Thence I run

Subdivisions T. 22 S. R. 8 E - continued  
 chains

- S.  $89^{\circ}57'W.$  on a true line bet Secs  
 3 & 10 with same Var.
- 40.07 Set a granite stone  $12 \times 10 \times 5$  ins  $8$  ins  
 in the ground for  $\frac{1}{4}$  sec cor. marked  
 $\frac{1}{4}$  on N. face, dug pits  $18 \times 18 \times 12$  ins  
 E & W. of stone  $5\frac{1}{2}$  ft dist. and raised  
 a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 here alongside
- 80.14 The cor. to secs 3. 4. 9 & 10.  
 Land gently rolling  
 Soil 2<sup>d</sup> & 3<sup>d</sup> rate, good grass.  
 No timber

North on a random line bet Sec 3 & 4  
 $N 12^{\circ}40' E.$

Over gently rolling land.

- 22.00 Road from Altar to Tinson corner  
 $N 10^{\circ} E$  and  $S 10^{\circ} W.$

Subdivisions T. 22 S. R. 8 E - Continued  
 Chains

- 40.00 Set temp  $\frac{1}{4}$  S. E.
- 79.65 Intersect N. boundary of the Township 15 lks W. of the cor. to secs 3 & 4. 33 & 34 previously established and described by me.
- Thence I run
- S.  $0^{\circ}07'$  W. on a true line bet Secs 3 & 4 with same  $\frac{1}{4}$ .
- 39.65 Set a granite stone 11 x 10 x 10 ins 7 ins in the ground for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  on W. face dug pits 18 x 18 x 12 ins N & S. of stone  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.
- 79.65 The cor to secs 3, 4, 9, & 10  
 Land gently rolling  
 Soil 2<sup>d</sup> and 3<sup>d</sup> rate, good grass  
 No timber



Subdivision T. 22 S. R. 8 E - continued

Chains

From the cor to secs 20-21-28 & 29  
previously established and described  
by me

From

North bet Secs 20 & 21

Var.  $12^{\circ}40'6''$ .

Over rolling land.

21.70 Road course  $N65^{\circ}E$  and  $S65^{\circ}W$ .

40.00 Set a granite stone  $20 \times 14 \times 12$  ins  
15 ins in the ground for  $\frac{1}{4}$  sec cor.  
marked  $\frac{1}{4}$  on W. face dug pits  
 $18 \times 18 \times 12$  ins N & S. of stone  $5\frac{1}{2}$   
ft dist and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
alongside.

From which

A mesquite 12 ins diam bears  $S10W$

100 yds dist marked  $\frac{1}{4}$  S B T.

No other trees within limits.

41.20 Road from Ortiz's ranch to the

Subdivisions T. 22 S. R. 8 E. Continued

chains

80.00 Altar and Tinsow road, course S 88 W.  
 Set a granite stone 18 x 12 x 10 ins  
 12 ins in the ground for cor to secs  
 16, 17, 20 & 21 marked with 3  
 notches on S and 4 notches  
 on E edges, dug pits 18 x 18 x 12  
 ins in each sec 5 1/2 ft dist.  
 and raised a mound of earth  
 2 ft high 4 1/2 ft base alongside.  
 Land gently rolling  
 Soil 3<sup>d</sup> rate, good grass  
 Timber a few mesquite.

East on a random line bet Secs 16 & 21  
 N or 12° 40' E.

Over rolling land.

40.00 Set temp 1/4 Sec cor.

18.70 West-wall of the ranch house of

Subdivision T. 22 S. R. 8 E continued  
 chains

Nicholas Garcia (house substantially  
 built of adobe.)

79.93. Intersect N & S line 11 Mts. N. of the  
 cor to secs 15. 16. 21 & 22.

Thence I run

N. 89° 55' W. on a true line bet  
 Secs 16. & 21 with some var.

39.97 Set a granite stone 12 x 10 x 8 ins 8 ins  
 in the ground for  $\frac{1}{4}$  sec cor. marked  
 $\frac{1}{4}$  on N. face, dug pits 18 x 18 x 12  
 ins E & W. of stone  $5\frac{1}{2}$  ft dist.  
 and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side.

79.93 The cor to secs 16. 17. 20 & 21.

Land rolling.

Soil 2<sup>d</sup> and 3<sup>d</sup> rate, good grass  
 No timber



## Subdivision T. 22 S. R. 8 E Continued

Chains

North bet Secs 16 &amp; 17

Var.  $12^{\circ} 40' E$ .

Over rolling land

- 17.00 Road from Ortiz's ranch to the  
Altar and Tucson <sup>Road</sup> course N 8 & S W.
- 40.00 Set a granite stone  $18 \times 8 \times 6$  ins  $12$   
ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on W. face, dug pits  
 $18 \times 18 \times 12$  ins N & S of stone  $5\frac{1}{2}$  ft  
dirt and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base - along side.
- 80.00 Set a granite stone  $12 \times 12 \times 10$  ins  
 $8$  ins in the ground for cor to  
secs 8-9-16 & 17. marked with  
4 notches on S and E edges  
dug pits  $18 \times 18 \times 12$  ins in  
each sec  $5\frac{1}{2}$  ft dirt and raised  
a mound of earth 2 ft high  
 $4\frac{1}{2}$  ft base along side.

Subdivision T. 22 S. R 8 E - continued  
 Chains

Land gently rolling  
 Soil 2<sup>d</sup> and 3<sup>d</sup> rate, good grass  
 No timber

East on a random line bet Secs 9 & 16  
 Var.  $12^{\circ} 40' E$ .

Over rolling land

- 28.00 Old road N & S.  
 40.00 Set temp  $\frac{1}{4}$  Sec cor.  
 75.50 Road from Altar to Fincorn N & S.  
 79.89 Intersect N & S line  $1\frac{1}{4}$  lks S of  
 the cor to secs 9, 10, 15 & 16  
 Then I run  
 $S. 89^{\circ} 54' W.$  on a true line bet  
 Sec 9 & 16 with same Var.  
 39.95 Set a granite stone  $12 \times 10 \times 10$  ins  
 8 ins in the ground for  $\frac{1}{4}$  Sec cor.  
 marked  $\frac{1}{4}$  on N. face dug pits

Subdivision T. 22 S. R. 8 E - Continued  
 Chain

18 x 18 x 12 ins E & W. of stone  $5\frac{1}{2}$  ft  
 dist and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.

79.89 The cor to secs 8, 9, 16 & 17

Land gently rolling

Soil 2<sup>d</sup> & 3<sup>d</sup> rate good grass.

No timber.

North bet Secs 8 & 9

W.  $12^{\circ}40' E$

Over rolling land

20.00 Old road course E & W.

40.00 Set a granite stone 15 x 8 x 8 ins 10 ins  
 in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on W. face, dug pits 18 x 18 x 12 ins  
 N & S. of stone  $5\frac{1}{2}$  ft dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base alongside.



## Subdivision T. 22 S R. 8 E. Continued

Chains

80.00 Set a granite stone  $16 \times 12 \times 8$  ins  
 11 ins in the ground for cor to  
 secs 4, 5, 8 & 9 marked with 5  
 notches on N and 4 notches on E.  
 edges, dug pits  $18 \times 18 \times 12$  ins in  
 each sec  $5\frac{1}{2}$  ft dia and raised a  
 mound of earth 2 ft high  $4\frac{1}{2}$  ft  
 base along side.

Land rolling

Soil 2<sup>d</sup> and 3<sup>d</sup> rate, good grass

No timber.

By observation taken this day I find  
 the magnetic Variation to be  $12^{\circ} 40' E$ .

East on a random line bet Secs 4 & 9.

Var.  $12^{\circ} 40' E$ .

Over rolling land.

Subdivisions T. 22 S. R. 8 E. Continued

- 40.00 Set temp  $\frac{1}{4}$  Sec cor.  
 46.50 Road from Altar to Fuscon course S.  
 and  $N10^{\circ}E$ .  
 49.95 Intersect N & S line 8 Mts N. of the cor.  
 to secs 3, 4, 9 & 10.

Thence I run

$N. 89^{\circ} 56' W.$  on a true line bet Secs 4  
 & 9 with same  $\frac{1}{4}$  cor.

- 49.98 Set a granite stone  $12 \times 8 \times 6$  ins  $8$  ins in  
 the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  on  
 N. face, dug pits  $18 \times 18 \times 12$  ins E & W.  
 of stone  $5\frac{1}{2}$  ft dia and raised a  
 mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 along side

- 49.95 Thence cor to secs 4, 5, 8 & 9.

Land rolling.

Soil 2<sup>d</sup> & 3<sup>d</sup> rate, good grass

No timber

## Subdivision T. 22 S. R. 8 E - continued

Chains

North on a random line bet Secs 4 &amp; 5

Var.  $12^{\circ}40'E$ .

Over gently rolling land

21.00 Old road course W &amp; NE.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

79.96 Intersect N. boundary of Township  
10 Ws E of the cor. to secs 4, 5, 32 & 33.  
previously established and described  
by me.

Thence I run

S.  $0^{\circ}04'E$  on a true line bet Secs  
4 & 5 with same Var.

39.96. Set a granite stone  $12 \times 10 \times 5$  ins  
8 ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on W. face, dug pits  $18 \times 18$   
 $\times 12$  ins N & S. of stone  $5\frac{1}{2}$  ft dist  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft low alongside



Subdivision P. 22 S. R. 8 E. - Continuation

hams

79.96 The cor to secs 4, 5, 8 & 9.

Land rolling

Soil 2<sup>d</sup> & 3<sup>d</sup> rate, good grass.

No timber

14<sup>th</sup> Dec<sup>r</sup> 1886.

From the cor to secs 19, 20, 29 & 30  
previously established and described  
by me

I run

North bet Secs 19 & 20.

Var.  $12^{\circ} 40' E$

Over rolling land.

0.00 Wash 15 lbs wide, course  $S. 70^{\circ} E$ .

8.00 Road from the Ortiz ranch to Altar  
and Tucson road, course  $S 70^{\circ} W$  &  $N 70^{\circ} E$ .

0.00 Set a granite stone  $16 \times 14 \times 5$  ins  $11$  ins  
in the ground for  $\frac{1}{4}$  Sec. cor. marked  
 $\frac{1}{4}$  on W. face, dug pits  $18 \times 18 \times 12$  ins

Subdivisions T. 22 S. R. 8 E Continued  
 Chains

- N & S. of stone  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side.
- 64.00 Wash 20 lbs wide course S.  $70^{\circ}$  E.
- 64.50. Road from Ortiz's ranch to altar and Tucson road course S  $45^{\circ}$  W. and N  $45^{\circ}$  E; road branches at this point another branch bearing N  $70^{\circ}$  E.
- 80.00 Set a granite stone  $12 \times 8 \times 6$  ins  $8$  ins in the ground for cor to sec 17. 18. 19 & 20 marked with 3 notches on S and 5 notches on E edge, dug pits  $18 \times 18 \times 12$  ins in each sec  $5\frac{1}{2}$  ft dist and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft base along side.
- From which
- A mesquite 8 ins diam bears N  $3^{\circ}$  W  
 110 lbs dist. marked T. 22 S. R. 8 E S. 18 BT  
 A mesquite 8 ins diam bears N.  $22^{\circ}$  W

Subdivisions T. 22 S. R. 8 E. continued  
 Chams

121 lks dist. marked T. 22 S. R. 8 E.

S. 18 BT.

No other trees within limits

Land level

Soil 3<sup>d</sup> rate, good grass.

Timber, scattering mesquite.

East on a random line bet Secs 17 & 20

Var  $12^{\circ}40'E$ .

Over rolling land

9.00 Wash 15 lks course S.  $60^{\circ}E$

11.00 Wash 30 lks course S.  $60^{\circ}E$

15.00 Road from Ortiz's ranch to Alter and  
 Tucson road course S  $40^{\circ}W$  & N  $60^{\circ}E$ .

40.00 Set temp  $\frac{1}{4}$  Sec cor.

47.00 Branch road from Ortiz's ranch to  
 Alter and Tucson road, course N  $30^{\circ}E$   
 and S.  $70^{\circ}W$ .



Subdivisions T. 22 S. R. 8 E. Continued

Chains

80.07 Intersect N & S line 16 ths N. of the  
cor. to secs 16. 17. 20 & 21

Thence S run

N.  $89^{\circ} 53'$  W. on a true line bet  
Secs 17 & 20 with same var.

40.04 Set a granite stone  $14 \times 12 \times 10$  ins  $10$  ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on N. face dug pits  $18 \times 18 \times 12$  ins  
E & W of stone  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base along side.

From which

A mesquite 8 ins diam bears N  $60^{\circ}$  W  
90 ths dist. marked  $\frac{1}{4}$  S B F.

A mesquite 4 ins diam bears N  $87^{\circ}$  E  
185 ths dist. marked  $\frac{1}{4}$  S B F.

80.07 The cor to secs 17. 18. 19. & 20

Land calling

Soil 4<sup>th</sup> rate, good grass

Subdivision of T. 22 S. R. 8 E. Continued

Thames

Timber a few mesquites.

Went on a random line bet Secs 18 & 19

Var.  $12^{\circ}40'E$ .

Over rolling land.

70.00 Set temp  $\frac{1}{4}$  Sec cor.

58.50. Wash 1 ch wide course S.

79.86 Intersect W. boundary of Township  
21 lks N. of the cor. to secs 13, 18, 19 &  
24. previously established and  
described by me.

Thence I run

N.  $89^{\circ}51'E$  on a true line bet Secs 18 &  
19 with same Var.

39.86 Set a granite stone 16x12x8 ins 11 ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on N. face, dug pits 18x18x12 ins  
& W. of stone  $5\frac{1}{2}$  ft dist and raised.

## Subdivision 9.22 S. R&amp;E. Contained

Chains

a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base along side

From which

A mesquite 6 ins diam bears N.  $60^{\circ}$  W  
20 lks dist marked  $\frac{1}{4}$  S B T.

A mesquite 4 ins. diam bears S  $87^{\circ}$   
W. 50 lks dist. marked  $\frac{1}{4}$  S B T.

79.86 The cor to sec 17, 18, 19 &amp; 20

Land rolling

Soil 3<sup>d</sup> & 4<sup>th</sup> rate, good grass.

Timber scattering mesquite

North bet Secs 17 &amp; 18

Var.  $12^{\circ}40' E$ .

Over rolling land

5.00 Wash 20 lks wide course S  $70^{\circ} E$ .22.00 Wash 15 lks wide course N  $70^{\circ} E$ 

40.00 Set a granite stone 18 x 8 x 8 ins 12 ins



Subdivisions T. 22 S. R. 8 E. Continued  
 Chains

in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on N. face dug pits 18 x 18 x 12 ins  
 N & S of stone 5  $\frac{1}{2}$  ft dist and raised  
 a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$   
 ft base alongside.

From which

A catclaw 6 ins diam bears N 56° W  
 108 lks dist marked  $\frac{1}{4}$  S. B. F.

A catclaw 18 ins diam bears N. 87° W  
 145 lks dist marked  $\frac{1}{4}$  S. B. F.

75.00 Wash 40 lks wide and road in wash  
 bears E & W.

80.00 Set a granite stone 16 x 10 x 6 ins  
 11 ins in the ground for cor to sec  
 7. 8. 17 & 18. marked with 4 notches  
 on S and 5 notches on E edges  
 dug pits 18 x 18 x 12 ins. in each  
 sec 5  $\frac{1}{2}$  ft dist and raised a  
 mound of earth 2 ft high 4  $\frac{1}{2}$  ft

Subdivisions T. 22 S. R 8 E. Contained  
Chains

base along side.

From which

A mesquite 6 ins diam bears S.  $15^{\circ}$  W  
115 lks dist marked T. 22 S. R 8 E  
S. 18 BT.

A mesquite 8 ins diam bears S  $47^{\circ}$  W  
174 lks dist. marked T. 22 S. R 8 E.  
S. 18 BT

A mesquite 4 ins diam bears N  $48^{\circ}$  W  
75 lks dist marked T. 22 S. R 8 E.  
S. 7 BT

No other trees within limits  
and rolling.

Soil 3<sup>d</sup> and 4<sup>th</sup> rate, good grass

Timber scattering mesquite and  
catclaw.

East on a random line bet Secs 8 & 17

Var  $12^{\circ} 40' E$

Subdivisions T. 22 S. R. 8 E. - continued  
 chains

Over rolling land.

40.00 Set temp  $\frac{1}{4}$  Sec cor

80.10 Intersect N & S line 20 lks S of the  
 cor to secs 8. 9. 16 & 17

Thence I run

S.  $89^{\circ} 51'$  W. on a true line bet secs 8 &  
 17 with same Var.

40.05 Set a granite stone 16 x 12 x 10 ins 11 ins  
 in the ground for  $\frac{1}{4}$  sec cor marked  
 $\frac{1}{4}$  on N. face dig pits 18 x 18 x 12 ins  
 E & W of stone 5  $\frac{1}{2}$  ft dia and raised  
 a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft  
 base alongside.

80.10 Thence cor to secs 7. 8. 17 & 18

Land rolling

Soil 2<sup>d</sup> & 3<sup>d</sup> rate, good grass

No timber



Subdivisions T. 22 S. R. 8 E - continued

Chain

West on a random line bet Secs 7 & 18  
Var  $12^{\circ}40'E$ .

Over rolling land.

40.00 Set temp  $\frac{1}{4}$  Sec cor

64.00 Wash 50 lks wide course  $S. 70^{\circ}E$ .

79.94 Intersect the W. boundary of the Township 14 lks N. of the cor to Secs 7, 12, 13 & 18. previously established and described by me

Thence I run

$N. 89^{\circ}54'E$  on a true line bet Secs 7 & 18 with same Var.

39.94 Set a granite stone  $14 \times 12 \times 10$  ins 10 ins in the ground for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$  on N. face dug pits  $18 \times 18 \times 12$  ins E & W. of stone  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.

From which

Subdivision T. 22 S. R. 8 E - Continued.  
 Chain

A mesquite 6 ins diam bears  $N 86^{\circ} E$   
 234 lks dist marked  $\frac{1}{4}$  S B T.

A mesquite 4 ins diam bears  $N 30^{\circ} W$ .  
 70 lks dist. marked  $\frac{1}{4}$  S B T.

79.94 The cor to secs 7, 8, 17 & 18.

Land rolling

Soil 3<sup>d</sup> and 4<sup>th</sup> rate, good grass.

Timber scattering mesquite

North bet Secs 7 & 8.

Var.  $12^{\circ} 40' E$ .

Over rolling land.

40.00 Set a granite stone 15 x 10 x 8 ins 10 ins  
 in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on W. face, dig pits 18 x 18 x 12 ins  
 N & S of stone 5  $\frac{1}{2}$  ft dist and raised  
 a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft  
 base alongside

Subdivisions T. 22 S. R 8 E - continued  
 Chains

80.00 Set a granite stone 18 X 12 X 8 ins 12 ins  
 in the ground for cor to secs 5-6-7-8  
 marked with 5 notches on S and E  
 edges, dig pits 18 X 18 X 12 ins in each  
 sec. 5 1/2 ft dist and raised a mound  
 of earth 2 ft high 4 1/2 ft base elongated.

From which

A mesquite 6 ins diam bears N 54° E 210 lbs  
 dist. marked T. 22 S. R 8 E S. 5 BT.

A mesquite 4 ins diam bears S 76° E 72 lbs  
 dist marked T. 22 S. R 8 E S. 8 BT

A mesquite 4 ins diam bears N 76° W 89  
 lbs dist. marked T. 22 S R 8 E. S. 6 BT

A mesquite 6 ins diam bears S 82° W  
 221 lbs dist marked T. 22 S. R 8 E S. 7 1/2 BT

Land rolling

Soil 3<sup>d</sup> rate, good grass.

Timber a few mesquite.



## Subdivisions T. 22 S. R. 8 E. Continues

Chain

East on a random line bet Secs 5 &amp; 8

Var.  $12^{\circ}40' E$ .

Over rolling land.

27.00 Old road course NE &amp; S. W.

40.00 Set temp  $\frac{1}{4}$  Sec cor.80.03 Intersect N & S line 10 Ws S. of the cor  
to secs 4, 5, 8 & 9.

Thence I run

 $S 89^{\circ}56' W$ . on a true line bet Secs 5  
& 8, with same Var.40.02 Set a granite stone  $12 \times 12 \times 8$  ins 8 ins  
in the ground for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$   
on N. face, dug pits  $18 \times 18 \times 12$  ins E  
& W. of stone  $5\frac{1}{2}$  ft dist. and raised  
a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base along side.

80.03 The cor to secs 5, 6, 7 &amp; 8

Land rolling

Soil 2<sup>d</sup> rate, good grass.

## Subdivision 9.22 S. R 8 E - continued

Chains

Timber a few mesquite on West  
of line.

Meet on a random line bet Secs 6 & 7  
Var  $12^{\circ} 40' E$ .

Over gently rolling land.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

43.00 Road from Buena Vista ranch to  
Altav and Tucson road course  $N 45^{\circ} E$   
and  $S 60^{\circ} W$ .

72.00. Enter foot hills of the Paso Verde mountains

80.10 Intersect W. boundary of Township 11 N  
S. of the cor. to secs 1, 6, 7 & 12, previously  
established and described by one

Thence from

$S 89^{\circ} 55' E$  on a true line bet Secs 6 & 7  
with same Var.

40.10 Set a granite stone  $14 \times 10 \times 8$  ins  $10$  ins

# Subdivision 9.22 S. R86. Continued

Chains

in the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  on N. face dug pits 18 X 18 X 12 ins E & W of atom 5  $\frac{1}{2}$  ft dist and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base along side.

80.10 The cor to secs 5. 6. 7 & 8

Land 72% gently rolling, balance <sup>mountainous</sup>  
 Soil 2<sup>d</sup> & 3<sup>d</sup> rate good grass  
 No timber

North on a random line bet Secs 5 & 6

Var. 12° 40' E

Over gently rolling land.

38.60 Road from Buena Vista ranch to Altar and Tucson road course N 6° E & S W.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

59.00 Road course N 70° W and S 70° E.

80.06 Intersect N. boundary of the Township



Subdivision T. 22 S., R. 86 E. - Continued  
Chains.

8. the W. of the cor to secs 5-6. 31 & 32  
previously established and described  
by me.

Thence I run

S. 0° 03' W. on a true line bet secs 5  
& 6 with same Var.

40.06 Set a granite stone 15 X 8 X 8 ins 10 ins  
in the ground for  $\frac{1}{4}$  sec cor. marked  
 $\frac{1}{4}$  on W. face, dug pits 18 X 18 X 12 ins  
N & S. of stone 5  $\frac{1}{2}$  ft dist and  
raised a mound of earth 1  $\frac{1}{2}$  ft high  
3  $\frac{1}{2}$  ft base along side.

80.06 The cor to secs 5. 6. 7 & 8

Land gently rolling

Soil 2<sup>d</sup> and 3<sup>d</sup> rate, good grass

No timber

15<sup>th</sup> Dec<sup>r</sup> 1886.

Concluded, Book 922.