

No. 8.

BOOK 922

No. 922

Subdivisions

Book II

4-671

922

FIELD NOTES

GENERAL LAND OFFICE.

Tp 22 South R 8 East.

Indexed, Book 921.

Township 225 R. 8E 62

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
		15	11	67	63
31	32	33	34	35	36

Subdivision T. 22 S. R. 8 E - Continued

Chains

From the cor. to secs 25. 30. 31 & 36
on the East boundary of the Township
previously established and described by
me

I run

West on a true line bet Secs 25 & 36

Var. $12^{\circ}40'6''$.

Over rolling land.

7.00 Wash 50 lbs wide course $S. 15^{\circ} W.$

40.00 Set a granite stone $12 \times 10 \times 8$ ins 8 ins
in the ground for $\frac{1}{4}$ sec cor marked
 $\frac{1}{4}$ on N face, dug pits $18 \times 18 \times 12$ ins
E & W. of stone $5 \frac{1}{2}$ ft dist and raised
a mound of earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft
base along side.

80.00 Set a quartz stone $20 \times 10 \times 10$ ins 15 ins
in the ground for cor to secs 25. 26. 35
& 36 marked with 1 notch on S and E
edges, dug pits $18 \times 18 \times 12$ ins in each

Subdivision T. 22 S. R 8 E - continued

Chains

sec 5 $\frac{1}{2}$ ft diet and raised a mound
of earth 2 ft high $4\frac{1}{2}$ ft base alongside
Land rolling.

Said 3^d and 4th rate. good grass
No timber.

North on a random line bet Secs 25 & 26
Var $12^{\circ} 40' E$.

Over rolling land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

79.96 Intersect E and W. line 13 lks E of
the cor to secs 23, 24, 25 & 26 previously
established and described by me.

Thence I run

$S 0^{\circ} 05' E$ on a true line bet Secs 25
and 26 with same Var.

39.98 Set a granite stone 15 x 12 x 10 ins 10 ins
in the ground for $\frac{1}{4}$ Sec cor. marked

Subdivisions T. 22 S. R. 8 E - Continued

Chains

$\frac{1}{4}$ on W. face, dug pits 18 X 18 X 12 ins N & S of atom $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside.

79.96 The cor to secs 25. 26. 35 & 36.

Land rolling

Soil 3rd and 4th rate, good grass.

No timber.

From the cor to secs 25. 26. 35 & 36

From

South on a true line bet Secs 35 & 36

Var. $12^{\circ}40'6''$

Over rolling land.

40.00 Set a granite atom 12 X 12 X 6 ins 8 ins in the ground for $\frac{1}{4}$ Sec. cor marked $\frac{1}{4}$ on W. face, dug pits 18 X 18 X 12 ins N & S. of atom $5\frac{1}{2}$ ft dist and raised

Subdivisions T. 22 S. R. 8 E. Continued
 Champs

a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside.

70.87

Intersect the International boundary line between the United States and Mexico at 7 miles $42^{\circ}49'11''$ S $69^{\circ}19'45''$ E from United States boundary monument No 15 on the Pasa Verde mountain. I set for the closing corner of secs 35 & 36 a granite stone $18 \times 16 \times 12$ ins 12 ins in the ground marked U. S. G. C. on N. with 1 notch on E and 5 notches on W. edges, dug pits $18 \times 18 \times 12$ ins N. E and W. of stone $5\frac{1}{2}$ ft dist. and raised a mound of earth 2 ft high $4\frac{1}{2}$ ft base alongside.

Land rolling

Soil 3^d and 4th rate, good grass.

Subdivisions T. 22 S. R. 8 E. - Continued

Chains

No timber

From the cor. to secs 25, 26, 35 & 36, I run

West on a true line bet Secs 26 & 35
Var $12^{\circ} 40' E$.

Over rolling land.

40.00 Set a limestone $16 \times 10 \times 5$ in 11 in in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on N face, dug pits $18 \times 18 \times 12$ in E & W of stone $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside.

80.00 Set a granite stone $17 \times 16 \times 12$ in 12 in in the ground for cor to secs 26, 27, 34 & 35 marked with 1 notch on S and 2 notches on E edges, dug pits $18 \times 18 \times 12$ in in each sec $5\frac{1}{2}$ ft

Subdivision T. 22 S. R. 8 E - continued

Chain

dist. and raised a mound of earth
2 ft high 4½ ft base alongside.
Land rolling
Soil 3^d rate, good grass.
No timber.

North on a random line bet Secs 26 & 27
Var 12° 40' E.

Over rolling land

- 40.00 Set temp $\frac{1}{4}$ Sec Cor.
80.04 Intersect E and W. line 8 lks W
of the cor to secs 22, 23, 26 & 27 pre-
viously established and described
by me.

Thence I run

- S. 0° 04' W. on a true line bet Secs
26 & 27 with same Var.
40.02 Set a granite stone 12 x 10 x 8 ins

Subdivisions T. 22 S. R. 8 E - continued
 Onams

8 ins in the ground for $\frac{1}{4}$ Sec cor.
 marked $\frac{1}{4}$ on W. face, dug pits 18 x 18
 x 12 ins N & S. of stone $5\frac{1}{2}$ ft dist.
 and raised a mound of earth 12 ft
 high $3\frac{1}{2}$ ft base alongside.

80.04 From cor to secs 26. 27. 34 & 35

Land rolling

Soil 2^d and 3^d rate, good grass

No timber

From the cor to secs 26. 27. 34 & 35

Run

South on a true line bet Secs 34 & 35

Var. $12^{\circ} 40' E$.

40.60 Set a granite stone 12 x 12 x 10 ins 8 ins
 in the ground for $\frac{1}{4}$ Sec. cor. marked
 $\frac{1}{4}$ on W. face, dug pits 18 x 18 x 12
 ins N & S of stone $5\frac{1}{2}$ ft dist and

Subdivisions T. 22 S. R. 8 E - continued
 chains

raised a mound of stone $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side

40-90 Intersect the International boundary line between the United States and Mexico at 6 miles 36 chs $97\frac{1}{2}$ S $69^{\circ} 19' 45''$ E from U. S. Boundary monument No 15 on the Poso Verde mountains.

For Closing Corner bet Secs 34 & 35 I set a granite stone $17 \times 12 \times 11$ ins. 11 ins in the ground marked C.C. U. S. on N face with 2 notches on E and 4 notches on W. edges dry pits $18 \times 18 \times 12$ ins N. - E and W. of stone $5\frac{1}{2}$ ft dist and raised a mound of earth 2 ft high $4\frac{1}{2}$ ft base along side.

Land rolling

Soil 3^d and 4th rate, good grass.

Subdivision P. 228 R 8 E - continued.

Chain

No timber

16th Dec^r 1886.

From the cor to Secs 26.27.34 &
35. I run

West on a true line bet Secs 27 & 34
Var. $12^{\circ}40'$ E.

40.00 Set a granite stone $12 \times 12 \times 6$ ins
8 ins in the ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ on N. face, dig pits
 $18 \times 18 \times 12$ ins E & W. of stone $5\frac{1}{2}$
ft dist. and raised a mound
of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side

46.50 Main road from Altav to Fucrowcross
N & S.

80.00 Set a granite stone $18 \times 10 \times 8$ ins 12 ins
in the ground for cor to secs 27.28.33
& 34. marked with 1 notch on S end
3 notches on E edges, dig pits $18 \times 18 \times 12$

Subdivisions T. 22 S. R. 8 E - continued

Chains

ins in each sec $5\frac{1}{2}$ ft diam and raised
a mound of earth 2 ft high $4\frac{1}{2}$ ft
base alongside

From which

A mesquite 6 ins diam bears N. 78° W.

205 lbs dist marked T. 22 S. R. 8 E S. 28 BT

A mesquite 10 ins diam bears S. 32° W.

224 lbs dist marked T. 22 S. R. 8 E S. 33 BT

A mesquite 12 ins diam bears S. 50° E 180

lbs dist marked T. 22 S. R. 8 E S. 34 BT

A mesquite 12 ins diam bears N. 62° E 62

lbs dist. marked T. 22 S. R. 8 E S. 27 BT

Land rolling

Soil 1st and 2^d rate, good grass

Timber a few mesquite W end of line

North on a random line bet Sec 27 & 28

Var. $12^{\circ} 40' E$.

Subdivision T. 22 S. R. 8 E - Continued

Thoms

One rolling land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

79.60 Wash 20 fks wide, course S. 30° E.

79.93 Intersect E and W. line 10 fks E of
the cor to Secs 21. 22. 27 & 28

Fence I run

S. 0° 04' E on a true line bet Secs 27 & 28
with same Var.

39.97 Set a granite stone 12 x 10 x 5 ins 8 ins
in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on W. face, dig pits 18 x 18 x 12 ins
N. & S. of stone 5 $\frac{1}{2}$ ft dia and raised
a mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft
base, along side.

79.93 The cor to secs 27. 28. 33. & 34.

Land rolling

Soil 2^d and 3^d rate, good grass.

Timber a few mesquite.

Subdivisions T. 23 S R. 8 E continued

Chain

From the cor to secs 27, 28, 33 & 34

From

South on a true line bet Secs 33 & 34

Var $12^{\circ}40'6''$.

Over rolling land.

6.00 Road from Ortiz's ranch to the altar
and Tucson road course E & W.10.63. Intersect the International bound-
ary line between the United States
and Mexico at 5 miles 31 ch 39 lks
S. $69^{\circ}19'45''$ E from U. S. Boundary
monument No 15 on the Paso Verde
mountains.For Closing Corner to secs 33 & 34, I
set a granite stone $15 \times 12 \times 10$ ins 10 ins
in the ground marked G. C. U. S. on
N with 3 notches on E & W edges, dug
pits $18 \times 18 \times 12$ ins N. E & W. of stone
 $5\frac{1}{2}$ ft dist and raised a mound

Subdivisions T. 22 S. R. 8 E - Continued

name

of earth 2 ft high $4\frac{1}{2}$ ft base along the
Land rolling

Sail 3^d and 4th rate, good grass

No timber.

From the cor to secs 27. 28. 33 & 34

From

W. on a true line bet Secs 28 & 33

Var. $12^{\circ} 40' 6''$.

Over rolling land

28.36 Intersect the International Bound-
ary line between the United States
and Mexico at 5 miles 01 chs 08 $\frac{1}{4}$ s
S. $69^{\circ} 19' 45''$ E from U. S. Boundary
monument No 15 on the Paso Verde
mountains. I set for closing
corner to secs 28 & 33 a granite
stone 17 x 17 x 13 ins 11 ins in the

Subdivision T. 22 S. R 8 E. Continued

Chaus

ground marked C. C. W. S. on N
face, with 1 notch on S and 4 notches
on E edges. and raised a mound
of stone along side. Pits impracticable

From which

A mesquite 6 ins diam bears N. 37° E
117 lbs dist. marked T. 22 S. R 8 E S. 28 BT

A mesquite 8 ins diam bears N 71° E 145 lbs
dist. marked T. 22 S. R 8 E S. 28 BT

A mesquite 18 ins diam bears N. 78° E 190
lbs dist marked T. 22 S. R 8 E S. 28 BT.

A mesquite 10 ins diam bears S 82° E 112
lbs dist. marked T. 22 S. R 8 E. S. 33 BT.

Land rolling

Soil 3^d and 4th rate, good grass.

Timber, scattering mesquite

Subdivision T. 22 S. R. 8 E - continued

From the cor to Secs 20, 21, 28 & 29
I run

South on a true line bet Secs 28 & 29
Var. $12^{\circ}40' E$.

Over rolling land.

23.00 Wash 10 lks wide, course E.

34.00 Road from Ortiz's ranch to Altor and
Tucson road course $N60^{\circ}W$ & $S.50^{\circ}E$

40.00 Set a granite stone $12 \times 10 \times 8$ ins 8 ins
in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{2}$ on W. face, dug pits $18 \times 18 \times 12$ ins
N & S. of stone $5\frac{1}{2}$ ft dist and
raised a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base along side.

52.00 Wash 10 lks wide course E.

57.00 Wash 20 lks wide course E

60.82 Intersect the International Boundary
line between the United States and
Mexico at 4 miles 26 chs 76 lks

Subdivision F. 22 S. R. 8 E - continued
 Chams

S. $69^{\circ}19'45''$ E from the U. S. Boundary monument No. 15 on the Poso Verde mountains.

For Closing Corner bet Secs 28 & 29 I set a granite stone $24 \times 15 \times 10$ ins 18 ins in the ground marked C.C. U.S. on N with 1 notch on S and 4 notches on E edges, and raised a mound of stone alongside, pits impracticable

From which

A mesquite 6 ins. diam bears $N 73^{\circ}6'$ 122 lks dist marked F. 22 S. R. 8 E S. 28 BT

A mesquite 4 ins. diam bears $N. 52^{\circ}6'$ 220 lks dist. marked F. 22 S. R. 8 E S. 28 BT

No other trees within limits

Land rolling

Soil 3^d and 4th rate

Timber scattering mesquite and

Subdivisions T. 22 S. R. 8 E - continued

ironwood

From the cor to secs 19, 20, 29 & 30

Iron

South on a true line bet Secs 29 & 30

Var. $12^{\circ}40' E$.

Over rocky rolling land.

0.70 Wash 60 lks wide course E and road from Ortiz's ranch to Altar and Tucson road, (in wash) course E & W.

12.70 Wood road course $N40^{\circ}W$ and $S40^{\circ}E$

23.50 Wood road course $N40^{\circ}W$ and $S50^{\circ}E$.

24.00 Wash 30 lks wide course $N60^{\circ}E$.

31.00 Intersect the International Boundary line between the United States and Mexico at 3 miles 21 chs 29 lks S. $69^{\circ}19'45'' E$ from U.S. boundary monument No 15. on the Poso

↓
Now mon. 141

Subdivision T. 22 S. R. 8 E - continued

Chains

Verde mountains.

For Closing Corners to secs 29 & 30
I set a granite stone 20 x 12 x 12 ins
15 ins in the ground marked C.C.
U.S. on N. with 1 notch on S and
5 notches on E edges and raised
a mound of stone along side.

Pits impracticable

Land rocky and rolling.

Sail 4th rate

No timber

17th Dec^r 1886

General Description

This Township is composed of
rolling land covered with nutritious
grasses on which are pastured
numerous herds of cattle.

There are 3 ranches in the Township

Subdivisions T. 22 S. R. 8 E - Continued

hans

the occupiers of which are engaged in stock raising.

In Sec 6. is located the Buena Vista ranch; at this ranch there is a living spring of excellent water and this is the only living water in the Township.

Ferdinando Ortiz has a ranch in Sec 19. Water is obtained by a dam of solid masonry built in the gulch about $\frac{1}{4}$ mile W. of the house. In secs 15. 16. 21 & 22 Nicholas Garcia has a stock ranch. The sec cor. common to these 4 secs is 80 lbs E of his dwelling house. The timber in the Township consists of a few scattering mesquites and iron-wood trees. Secs 31 & 32 and portions of secs 28. 29. 30. 33. 34 &

Subdivision F. 22 S. R 86 - Continued

Onans

35 & 36 are in the State of Sonora,
Mexico.

George H. Kruger
U. S. Dep. Surveyor.

For final oaths. see book no. 27.

U. S. Surveyor-General's Office,

TUCSON, A. T., *June 11* 1888

The foregoing Field Notes of the Surveys of
the subdivision lines of
Township 22 South
Range 8 East.

Gila and Salt River Meridian
in *Arizona* executed by
Geo. J. Roskrug.

U. S. Deputy Surveyor, under his contract dated
June 16th 1886,

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John H. Rice
U. S. Surveyor-General
for the Territory of Arizona.