

No. 14.

BOOK 924

No. 924

Subdivisions  
Book II

4-671

BOOK 924

924

**FIELD NOTES**

GENERAL LAND OFFICE.

*Tp 22 South, Range 10 E. east*

Indexed, Book 923.

Township 225 R. 10E

56

6	95	5	69	4	3	2	1
94		92		68			
7	90	8	67	9	10	11	12
89		87		66			
18	85	17	64	16	15	14	13
83		82		63			
19	80	20	62	21	22	23	24
79		77		61			
30	76	29	59	28	27	26	25
74		72		58			
31	71	32	33	34	35	36	

*Subdivision T. 22 S. R. 10 E. Continued*  
 North lot 32 x 33

- An oak 8 ins diam bears N. 15° E. 55 lbs  
 dist. marked  $\frac{1}{4}$  S. B. T.
- An oak 4 ins diam bears N. 60° E. 43 lbs  
 dist. marked  $\frac{1}{4}$  S. B. T.
- 43.00 Wash 1 ch wide course S. 40° E.
- 40.00 Set a granite stone 20 x 10 x 8 ins 15 ins  
 in the ground for cor to lots 28, 29,  
 32 & 33 marked with 1 notch on S  
 and 4 notches on E edges and raised  
 a mound of stone alongside. Pits  
 impracticable

From which

- An oak 8 ins. diam bears S. 7° E. 20 lbs  
 dist marked T. 22 S. R. 10 E. S. 33 B. T.
- An oak 12 ins. diam bears N. 56° W. 52  
 lbs dist marked T. 22 S. R. 10 E. S. 29 B. T.
- An oak 4 ins diam bears N. 23° E. 98 lbs  
 dist marked T. 22 S. R. 10 E. S. 28 B. T.
- An oak 12 ins diam bears S. 49° E. 60 lbs

## Subdivisions T. 22 S. R. 10 E - continued

Chain

dist. marked T. 22 S. R. 10 E S. 33 135.

Land rough hilly and broken

Soil 4<sup>th</sup> rate, good grass.

Timber scattering mesquite.

East on a random line bet

Secs 28 &amp; 33.

Var  $12^{\circ} 35' E$ .

Over rolling land.

40.00 Set temp  $\frac{1}{4}$  Sec cor.74.00 Wash 50 lks wide course  $S 20^{\circ} W$ .80.20. Intersect N & S line 34 lks N. of  
cor to secs 27-28-33 & 34.

Thence I run

N.  $89^{\circ} 46' W$ . on a true line bet  
Secs 28 & 33 with same Var.40.10 Set a granite stone 14 X 10 X 8 ins  
10 ins in the ground for  $\frac{1}{4}$  Sec cor.

Subdivision T. 22<sup>s</sup>. R. 10<sup>e</sup>. - continued  
 Chain

marked  $\frac{1}{4}$  on N. face and raised a mound of stone alongside Pits impracticable

80.20 The cor to secs 28. 29. 32 & 33.

Land rolling and rough

Soil mineral, good grass.

Timber, scattering oak.

By observation taken this day I find the magnetic Var to be  $12^{\circ} 35' E$ .

North bet Secs 28 & 29

Var.  $12^{\circ} 35' E$ .

Over rough broken land.

3.00 Wash 50 lbs wide course S.  $50^{\circ} W$ .

40.00 Set a granite atom  $18 \times 10 \times 8$  or  $12$  ins in the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  on N. face and raised a mound of

Subdivision T. 22 S. R. 10 E. Continued  
 Chain

stone alongside. Pits impracticable  
 80.00 Set a volcanic stone 16x10x4 ins  
 12 ins in the ground for cor to sec  
 20. 21. 28 & 29 marked with 2 notches  
 on S and 4 notches on E edges and  
 raised a mound of stone alongside  
 Pits impracticable.

From which

An oak 12 ins diam bears N 21° E.  
 35 lbs dist marked T. 22 S. R. 10 E.  
 S. 21 B F.

An oak 8 ins. diam bears N 52° E 40 lbs  
 dist marked T. 22 S R. 10 E. S. 21 B F.

An oak 8 ins diam bears S. 54° E 130 lbs  
 dist marked T. 22 S. R. 10 E. S. 28 B F.

An oak 18 ins. diam bears S. 36° E 65 lbs  
 dist. marked T. 22 S. R. 10 E S 28 B F.

Land rough, rocky and hilly  
 Soil mineral, good grass.

Subdivision F-22 & R10E - continued  
 chains

Timber, scattering oak.

East on a random line bet Secs 21 & 28.

Var.  $12^{\circ}35'E$ .

Over rough rocky hills.

6.50 Wash 20 lks wide course  $S 50^{\circ}E$

18.00 Wash 20 lks wide course  $S 10^{\circ}E$ .

39.00 Wash 18 lks wide course  $S. 20^{\circ}W$ .

40.00 Set temp  $\frac{1}{4}$  Sec cor.

79.94 Intersect N & S line 17 lks S. of the  
 cor to secs 21. 22. 27 & 28

Thence I run

$S. 89^{\circ}53' W$ . on a true line bet Secs  
 21 & 28 with same Var.

39.97 Set a granite stone 16 x 10 x 5 ins 11 ins  
 in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on N. face and raised a mound  
 of stone alongside. Pts impracticable

Subdivision T-22 S. R. 10 E. Continued

Chain

79.94 The cor to secs 20, 21, 28 & 29.

Land rough and rolling.

Soil mineral good grass.

Timber scattering oak.

North bet Secs 20 & 21.

Var  $12^{\circ}35'E$ .

Over rolling land

40.00 Set a volcanic stone  $24 \times 15 \times 12$  in  
 18 in. in the ground for  $\frac{1}{4}$  sec cor.  
 marked  $\frac{1}{4}$  on W. face and raised  
 a mound of stone along side. Pts  
 impracticable

43.00 Commence ascent of South slope  
 of the Fragita hill.

80.00 Set a granite stone  $18 \times 10 \times 8$  in  $12$  in  
 in the ground for cor to secs 16, 17,  
 20 & 21 marked with 3 notches on



Subdivision T. 22 S. R. 10 E - continued

hans

Land 4 rods on E edges and raised a mound of stone along side pits impracticable.

Land rough and mountainous

Soil, mineral

Timber, scattering oak

East on a random line bet Secs 16 & 21

Var  $12^{\circ} 35' E$ .

Descend from corner down E slope of the Fragita hill.

10.00 Set temp  $\frac{1}{2}$  Sec. cor. Foot of hill and gulch 20 ft deep course  $N 30^{\circ} E$ .

80.30 Intersect N & S line 19 lks N. of the cor to Secs 15. 16. 21 & 22.

Thence I run

$N. 89^{\circ} 52' W$  on a true line bet Secs 16 & 21 with same Var.

## Subdivision T. 22 S. R. 10 E continued

Chains.

40.15

Mark a rock in place  $5 \times 3 \times 3$  ft  
above ground with X and raised  
a mound of stone alongside.

From which

An oak 18 ins. diam bears N.  $57\frac{1}{2}^{\circ}$  E  
112 lks dist marked  $\frac{1}{4}$  S B T.

An oak 24 ins. diam bears N  $48^{\circ}$  E 176 lks.  
dist marked  $\frac{1}{4}$  S B T.

80.30

The cor to aces 16.17.20 & 21  
Land rough and mountainous  
Soil mineral, good grass.  
Timber scattering oak.

North bet Secs 16 &amp; 17.

Var.  $12^{\circ} 35' E$ .

Ascending

4.00

Summit of East slope of Fragita  
hill about 800 ft high and descend

Subdivision T. 22 S. R. 10 E - continued

- 40.00 Set a granite stone 18 x 10 x 8 ins. 12 ins in  
the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  on  
W. face and raised a mound of stone  
alongside.
- 52.00 Foot of hill and enter rolling hills.
- 80.00 Set a granite stone 16 x 10 x 8 ins 12 ins  
in the ground for cor to secs 8-9, 16  
& 17. marked with 4 notches on S and  
E edges and raised a mound of  
stone alongside.

From which

An oak 12 ins diam bears N 40° W. 40 lbs  
dist marked T. 22 S. R. 10 E S 8 B T.

No other trees within limits.

Land 52chs mountainous, balance  
rolling.

Soil 52chs mineral balance 3<sup>d</sup> rate  
Timber scattering Oak.

Subdivision T-22 S. R10E - continued  
chain.

East on a random line bet Secs 9 & 16  
Var  $12^{\circ} 35' E$

Over rolling land.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

43.20 Wash 30 lks wide course North.

58.00 Wash 30 lks wide course  $N 15^{\circ} W$ .

80.13. Intersect at  $\frac{1}{4}$  S line 31 lks S. of the  
cor. to Secs 9, 10, 15 & 16.

Thence from

S.  $89^{\circ} 47' W$ . on a true line bet Secs  
9 & 16 with same Var.

40.07 Set a granite stone  $15 \times 10 \times 6$  ins  $10$  ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on N. face and raised a mound  
of stone alongside. Pits impracticable

From which

An oak 8 ins diam bears  $N 36^{\circ} E$  56 lks  
dirt marked  $\frac{1}{4}$  S. B. T.

An oak 4 ins diam bears  $N 67^{\circ} E$  87 lks

Subdivision P. 22 S. R. 10 E - Continued  
 Chaus

dist. marked  $\frac{1}{4}$  S. B. F.

80.13 The cor to secs 8-9. 16 & 17.

Land rolling

Soil 3<sup>d</sup> and 4<sup>th</sup> rate, good grass.

Timber scattering oak.

North bet Secs 8 & 9

Var  $12^{\circ} 35' E$

Over rolling land.

40.00 Set a slate stow  $20 \times 8 \times 6$  ins  $15$  ins  
 in the ground for  $\frac{1}{4}$  sec cor. marked  
 $\frac{1}{4}$  on W. face, dig pits  $18 \times 18 \times 12$  ins  
 S of stone  $5\frac{1}{2}$  ft dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
 base alongside.

From which

An oak 14 ins. diam bears  $S 3^{\circ} W. 210$  lbs  
 dist marked  $\frac{1}{4}$  S. B. F.

Subdivision T. 22 S. R. 10 E - continued  
Chains.

consisting of a half dozen houses  
built of adobe now occupied by some  
prospectors.

62-90 I entered SA side line of the Arizaca  
private land claim at 9.30 chs S. 51° 45'  
W. of Post marked A. P. L. C. No IV  
where I set a stone 24x10x6  
ins 18 ins in the ground for closing  
on to fractional Secs 4 & 5 and Arizaca  
P. L. C. marked on S face  
and A. P. L. C. on N face with  
4 notches on E and 2 notches on W  
edges and raised a mound of  
stone alongside. Pits impracticable  
Land rolling.

Sail 4<sup>th</sup> rate

No timber

Subdivisions T-22 S. R10 E - continued

From the cor to Secs 5, 6, 31 & 32 on the  
S. boundary of Township previously estab-  
lished and described by me I run  
North bet Secs 31 & 32.

Var.  $12^{\circ}35'E$ .

Over rough rolling hills.

- 40.00 Set a granite stone  $12 \times 10 \times 8$  ins 8 ins in  
the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  on  
W. face dry pits  $18 \times 18 \times 12$  ins N. & S  
of stone  $5\frac{1}{2}$  ft dist and raised a  
mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base alongside.
- 41.00 Wash 50 lbs wide course  $S40^{\circ}W$ .
- 56.00 Road from Saric to Arivaca course  
 $N10^{\circ}E$  and  $S30^{\circ}W$
- 57.00 Wash 15 lbs wide course  $S30^{\circ}W$ .
- 80.00 Set a granite stone  $24 \times 18 \times 12$  ins 18 ins  
in the ground for cor to secs 29, 30  
31 & 32 marked with 1 notch on S

Subdivision T. 22 R. 10 E. continued  
chains

and 5 notches on E edge and raised  
a mound of stone along side. Pits  
impracticable.

From which

An oak 8 ins. diam bears S 38° W. 95 lks  
dist marked T. 22 S. R. 10 E. S. 31 1/3 T.

An oak 6 ins diam bears S 42° E 100 lks  
dist marked T. 22 S. R. 10 E. S. 32 1/3 T.

No other trees within limits.

Land rolling

Soil 4<sup>th</sup> rate. Good grass.

Timber, scattering oak.

East on a random line bet Secs 29 & 32.

Dir. 12° 35' E.

Over rolling land

- 2.00 Road from Paris to Orwaca N & S  
3.00 Wash 40 lks wide course South



Subdivision T. 22 S. R. 10 E. - continued  
 Chain

- 38.00 Wash 70 lks wide course South  
 40.00 Set temp  $\frac{1}{4}$  Sec cor.  
 43.00 Wash 20 lks wide course S  $15^{\circ}$  W.  
 58.00 Wash 20 lks wide course S  $30^{\circ}$  W.  
 74.00 Wash 15 lks wide course South  
 79.50 Wash 50 lks wide course S.  $50^{\circ}$  W.  
 80.22 Intersect N & S line 28 lks S. of the  
 cor to secs 28, 29, 32 & 33.

Thence I run  
 S.  $89^{\circ} 48' 9''$  W. on a true line bet Secs  
 29 & 32 with same cor.

- 40.11 Set a granite stone 15 x 8 x 8 ins 10 ins  
 in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on N. face and raised a mound  
 of stone along side. Pits impracticable

From which

An oak 6 ins. diam bears N  $88^{\circ}$  E 115 lks  
 dist. marked  $\frac{1}{4}$  S B T.

An oak 8 ins. diam bears S.  $16^{\circ}$  E 143 lks

Subdivision T. 22 S. R. 10 E - continued  
 chains

dist marked  $\frac{1}{4}$  S.B.T.

80.22. The cor to secs 29. 30. 31 & 32.

Land rolling

Soil 4<sup>th</sup> rate. good grass.

Timber scattering oak

West on a random line bet Secs 30 & 31

Var  $12^{\circ} 35' E$

Over rolling land.

23.00 Wash 12 lks wide course S.  $10^{\circ} W$ .

40.00 Set temp  $\frac{1}{4}$  Sec cor.

45.00 Wash 15 lks wide course S.  $15^{\circ} W$ .

66.00 Wash 20 lks wide course S.  $20^{\circ} W$ .

80.07 Intersect W. boundary of Township  
 26 lks S. of the cor to Secs 25. 30. 31  
 & 36 previously established and  
 described by me.

Thence I run

Subdivision T22S. R10E - Continued  
 Chain

S  $89^{\circ}49'E$  on a true line bet Secs 30 & 31  
 with same var.

40.07 Set a volcanic stone  $12 \times 10 \times 8$  ins  $8$  ins  
 in the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$   
 on N. face dug pits  $15 \times 15 \times 12$  ins E & W  
 of stone  $5\frac{1}{2}$  ft dist and raised a  
 mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 alongside. From which

An oak  $12$  ins diam bears S.  $40^{\circ}$  W.  $45$  lks.  
 dist. marked  $\frac{1}{4}$  S B T.

An oak  $10$  ins diam bears N.  $44^{\circ}$  W.  $85$  lks.  
 dist marked  $\frac{1}{4}$  S B T.

80.07 The cor to secs 29. 30. 31 & 32.

Land rolling

Soil 4<sup>th</sup> rate, good grass.

Timber scattering oak.

Subdivision T22S R10E - continued  
 Chains

North bet Secs 29 & 30

Var  $12^{\circ}35' E$ .

Over rolling land

40.00 Set a quartz stone  $36 \times 20 \times 14$  ins 27 ins  
 in the ground for  $\frac{1}{2}$  Sec cor. marked  
 $\frac{1}{4}$  on W. face and raised a mound  
 of stone alongside. Pit impracticable

From which

An oak 4 ins. diam bears  $S 80^{\circ} E 18$  lks  
 dist. marked  $\frac{1}{4}$  S.B.F.

An oak 6 ins. diam bears  $N 42^{\circ} W$ .  
 43 lks dist. marked  $\frac{1}{4}$  S.B.F.

80.00 Set a granite stone  $30 \times 18 \times 12$  ins 23 ins  
 in the ground for cor to secs 19, 20, 29  
 & 30 marked with 2 notches on S  
 and 5 notches on E edges, and  
 raised a mound of stone alongside  
 Pit impracticable

From which

Subdivision T. 22 S. R. 10 E. - continued  
 ham

An oak 8 ins diam bears  $S 10^{\circ} W. 112$  lbs  
 dist marked T. 22 S. R. 10 E. S. 30 B. T.

An oak 8 ins. diam bears  $S. 22^{\circ} W. 153$  lbs  
 dist marked T. 22 S. R. 10 E. S. 30 B. T.

An oak 4 ins. diam bears  $N. 3^{\circ} W. 82$  lbs  
 dist. marked T. 22 S. R. 10 E. S. 19 B. T.

No other trees within limits

Land rolling

Soil 4<sup>th</sup> rate. good grass.

Timber scattering oak.

East on a random line bet Secs 20 & 29

$NW 12^{\circ} 35' E.$

Over rolling land.

9.00 Wash 30 lbs wide course North and  
 road from Sariic to Divaca course  
 $S$  and  $N 30^{\circ} W.$

32.00 Wash 10 lbs wide course  $S. 40^{\circ} W.$

Subdivision T. 22 S. R. 106 - continued  
Chains.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

80.14 Intersect N & S line at 16 lks N. of the  
cor to secs 20. 21. 28 & 29.

Thence I run  
N.  $89^{\circ}53'$  W. on a true line bet Secs  
20 & 29 with same Cor.

40.07 Set a granite stone 20 x 18 x 8 ins 15 ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on N. face and raised a mound  
of stone alongside.

From which  
An oak 6 ins diam bears S  $50^{\circ}$  E 20 lks  
dist marked  $\frac{1}{4}$  S. B. F.

An oak 8 ins diam bears N  $43^{\circ}$  W 56 lks  
dist marked  $\frac{1}{4}$  S. B. F.

80.14 Th cor to secs 19. 20. 29. 30

Land rolling

Soil 4<sup>th</sup> rate. good grass.

Timber scattering oak.

Subdivision T. 22 S. R. 10 E. - continued

Chains

West on a random line bet Secs 19 & 30

Var  $12^{\circ}35'E$ .

Over rolling land

40.00 Set temp  $\frac{1}{4}$  Sec cor.

65.00 Arroyo 20 lks wide course South

72.00 Arroyo 20 lks wide course  $S 50^{\circ}E$ .

80.21 Intersect W. boundary of Township  
18 lks N. of the cor. to sec 19. 24. 25 & 30  
previously established and described  
by me.

Thence I run  
 $N. 89^{\circ}52'E$  on a true line bet sec 19  
& 30 with same Var.

40.21 Set a granite stone  $20 \times 10 \times 8$  ins  $15$  ins  
in the ground for  $\frac{1}{4}$  sec cor. marked  
 $\frac{1}{4}$  on N. face and raised a mound  
of stone alongside. Pits impracticable.

80.21 The cor to sec 19. 20. 29 & 30

Land rolling

Soil 4<sup>th</sup> rate, good grass

Subdivision T. 22 S. R. 10 E. - continued  
chains

Timber, scattering oak.

North bet Secs 19 & 20

Var.  $12^{\circ} 35' E$ .

Over rolling land.

13.00 Road from Sariic to Arivaca course  
N.  $20^{\circ} W$ . and  $S 30^{\circ} E$  and wash course  
N  $30^{\circ} W$ .

27.00 Wash 20 lks wide course West.

39.00 Wash 10 lks wide course West.

40.00 Set a sandstone  $18 \times 12 \times 8$  ins  $12$  ins  
in the ground for  $\frac{1}{2}$  Sec cor. marked  
from W. face and raised a mound  
of stone alongside. Pits imprac-  
ticable. From which  
An oak 18 ins diam bears  $S 80^{\circ} W$ .  
24 lks dist marked  $\frac{1}{4}$  S P F.  
An oak 12 ins. diam bears  $S 66^{\circ} E$



Subdivision T22 S. R10E Continued  
 same

120 lbs dist marked  $\frac{1}{4}$  S. B. F.

80.00 Set a granite stone 16 X 8 X 6 ins 11 ins  
 in ground for cor to accs. 17. 18. 19  
 & 20 marked with 3 notches on S and  
 5 notches on E edges and raised  
 a mound of stone alongside. Pts  
 impracticable. From which

An oak 10 ins diam bears S. 45° E

55 lbs dist marked T. 22 S. R10E S. 20 B. F.

An oak 6 ins diam bears S. 9° E 95 lbs  
 dist marked T. 22 S. R10E S. 20 B. F.

An oak 16 ins diam bears N. 43° E 100 lbs  
 dist. marked T. 22 S. R10E S. 17 B. F.

No other trees within limits

Land rolling

Soil  $\frac{1}{4}$  rate, good grass.

Timber scattering oak.

7<sup>th</sup> Jan'y 1887.

Sub-divisions T. 22 S. R. 10 E. Continued  
Chains

East on a random line bet Secs 17 & 20

Var  $12^{\circ} 35' E$ .

Over rolling land.

15.00 Walk 1500 ft wide course  $40^{\circ} W$ .

18.00 Commence ascent of hill.

34.00 Summit 300 ft high and descend

40.00 Set temp  $\frac{1}{4}$  Sec. Cor.

50.00 Foot of hill and ravine 10 ft deep  
course South and commence ascent  
of Fragita hill

80.21 Intersect N & S line 3400 ft S. of the  
cor to secs 16, 17, 20 & 21

Thence I run

S.  $89^{\circ} 46' W$  on a true line bet Secs  
17 & 20 with same Var.

40.11 Set a granite stone 20 x 10 x 8 in 15 in  
in the ground for  $\frac{1}{4}$  Sec. cor. marked  
 $\frac{1}{4}$  on N. face and raised a mound  
of stone alongside.

Subdivision T. 22 S. R. 10 E. continued  
Chain

- 80.00 The cor to secs 17. 18. 19. & 20  
Land rough hilly and mountainous.  
Soil mineral, good grass.  
Timber scattering oak
- 
- West on a random line bet Secs 18 & 19.  
Var.  $12^{\circ} 35' E$ .
- Over rolling land.
- 21.00 Wash 40 lks wide course  $N 40^{\circ} W$ .
- 37.75 Road from Saic to Arivaca course  $S 15^{\circ} E$   
and  $N 15^{\circ} E$ . The house at the  
San José ranch bears  $S 17\frac{1}{2}^{\circ} E$  20 ch  
dist. House and outbuildings built  
substantial, of adobe.
- 39.40 Wash 40 lks wide course  $N$ .
- 40.00 Set temp  $\frac{1}{4}$  Sec cor.
- 62.00 Wash 20 lks wide course  $S 80^{\circ} E$ .
- 66.00 Same wash 15 lks wide course  $N 80^{\circ} E$

Subdivision T. 22 S. R. 10 E continued  
 Chain

80.12. Intersect W. boundary of Township 29 Tks.  
 S. of the cor to Secs 13. 18. 19 & 24 previously  
 established and described by me.

Thence I run

S.  $89^{\circ}48'E$  on a true line bet Secs 18 & 19  
 with same Var.

40.12. Set a quartz stone  $20 \times 10 \times 10$  ins  $15$  ins in  
 the ground for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  on N  
 face and raised a mound of stone  
 alongside. Pits impracticable

From which

An oak 8 ins. diam bears S.  $42^{\circ}W$ . 150 Tks  
 dist marked  $\frac{1}{4}$  S B T.

An oak 6 ins diam bears S.  $55^{\circ}W$  190 Tks  
 dist marked  $\frac{1}{4}$  S B T.

80.12. The cor to Secs 17. 18. 19 & 20.

Land rolling

Soil 4<sup>th</sup> rate, good grass

Timber scattering oak

Subdivisions T. 22 S. R. 10 E. - continued

Chain

North bet Secs 17 & 18

Var  $12^{\circ}35'E$ .

Over broken land.

40.00 Set a granite stone  $22 \times 8 \times 8$  ins 16 ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$   
on W. face, dug pits  $18 \times 18 \times 12$  ins N &  
S of stone  $5\frac{1}{2}$  ft dist and raised a  
mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft bear  
alongside.

From which

An oak 6 ins. diam bears  $S66^{\circ}E$  48 lks  
dist. marked  $\frac{1}{4}$  S B T.

An oak 12 ins diam bears  $S74\frac{1}{2}^{\circ}E$  84 lks  
dist marked  $\frac{1}{4}$  S B T.

48.00 Wash 70 lks wide course  $N40^{\circ}W$ .

58.00 Wash 30 lks wide course  $N40^{\circ}W$

66.40 Wash 30 lks wide course  $N50^{\circ}W$ .

70.90 Ranch house and outbuildings  
and corrals of Manuel Miranda

## Subdivision F. 22 S. R. 10 E. - Continued

Chains

bears West 12 chs dist. Buildings permanent and substantial

80.00 Set a granite stone 20 x 10 x 8 in 15 in in the ground for cor to sec 7. 8. 17 & 18 marked with 4 notches on S and 5 notches on E edges and raised a mound of stone alongside. Pits impracticable  
From which

An oak 6 in diam bears N. 70° W. 31 lks dist marked F. 22 S. R. 10 E S. 7 B F.

An oak 10 in diam bears N. 27° E 25 lks dist. marked F. 22 S. R. 10 E S. 8 B F.

An oak 10 in diam bears N 35° E 8 1/2 lks dist marked F. 22 S. R. 10 E S. 8 B F.

An oak 10 in diam bears S. 25° W 33 lks dist marked F. 22 S. R. 10 E S. 18 B F.

Land rolling and broken  
Soil 4<sup>th</sup> rate, good grass

Subdivision T. 22 S. R. 10 E - continued

Chains

Timber, scattering oak.

East on a random line bet Secs 8 & 17

Var  $12^{\circ} 35' E$

Over broken hilly land

- 4.00 Wash 10 lks wide course  $N 20^{\circ} W$ .
- 9.00 Wash 10 lks wide course  $N 20^{\circ} W$ .
- 20.00 House (of adobe) 10 chs N.
- 23.00 Wash 15 lks wide course  $N. 15^{\circ} W$ .
- 40.00 Set temp  $\frac{1}{4}$  Sec cor.
- 53.00 Arroyo 15 lks wide course  $N 40^{\circ} E$  and  
line runs over North slope of hill
- 64.00 Summit of slope 200 ft high and  
descend.
- 80.14 Foot of hill and intersect  $N \frac{1}{4}$  S  
line 26 lks N. of the cor to secs 8, 9, 16  
& 17. Thence I run  
 $N 89^{\circ} 49' W$ . on a true line bet Secs

Subdivision T22 R.10 E. continued

Chains

8 & 17 with same Var.

40.07 Set a volcanic stone 16 x 8 x 6 in 11 in in the ground for  $\frac{1}{2}$  Sec cor. marked  $\frac{1}{4}$  on N. face, and raised a mound of stone alongside.

From which

An oak 4 in. diam bears  $N40^{\circ}E$  15 lbs dist marked  $\frac{1}{2}$  S B F.

An oak 10 in. diam bears  $N88^{\circ}E$  4 lbs dist marked  $\frac{1}{2}$  S B F.

80.14 The cor to secs 7, 8, 17 & 18.  
Land rocky and broken  
Soil, mineral, good grass.  
Timber, scattering oak

---

By observation taken this day I find the magnetic Var. to be  $12^{\circ}35'E$ .

---



Subdivisions F. 22 S. R. 10 E. Continued  
Chain

West on a random line bet Sec 7 & 18

Var.  $12^{\circ} 35' E$ .

Over rolling land

7.00 Wash 50 lks wide course  $N 45^{\circ} E$ .

7.50 Road from Sariic to Arivaca course  
 $N 45^{\circ} E$  and  $S. 45^{\circ} W$

40.00 Set temp  $\frac{1}{4}$  Sec cor.

55.00 Wash 20 lks wide course  $S 50^{\circ} E$ .

61.00 Wash 20 lks wide course  $S. 60^{\circ} E$ .

80.16 Intersect W. boundary of Township  
11 lks  $N$  of the cor to secs 7. 12. 13 & 18  
previously established and described  
by me. Thence I run

$S 89^{\circ} 55' E$  on a true line bet Secs 7 &

40.16 18 with same Var.

40.08 Set a volcanic stone  $16 \times 8 \times 6$  ins 11 ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on  $N$ . face and raised a mound  
of stone alongside. Pits impracticable

Subdivision T. 22 S. R. 10 E - continued  
Chems.

From which

An oak 10 ins diam bears N 41° E 45 lbs  
diat. marked  $\frac{1}{4}$  S B T.

An oak 8 ins. diam bears N 30° W. 40 lbs  
diat. marked  $\frac{1}{4}$  S B T.

- 86.16. The cor to secs 7, 8, 17 & 18  
Land rolling and rocky  
Soil 4th rate good grass.  
Timber, scattering oak.

North bet Secs 7 & 8

Var. 12° 35' E.

Over rough rocky hills

- 5.30 Wash 50 lbs wide course N. 45° E. and  
road from Seric to Arivaca course N 45° E  
and S 45° W. and line runs over slope  
of hill from the West.

- 27.00 Prospect holes 30 lbs E of line

## Subdivision T. 22 S. R. 10 E. Continued

- Chain
- 32.00 Wash 40 lbs wide course  $N70^{\circ}E$  and commence ascent of rough rocky hill
- 40.00 Set a granite stone  $20 \times 10 \times 6$  ins 15 ins in the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  on W. face and raised a mound of stone alongside. Pit impracticable.  
From which
- An oak 10 ins. diam bears  $N70^{\circ}W. 115$  lbs dist. marked  $\frac{1}{4}$  S. B. F.
- An oak 12 ins diam. bears  $N. 57^{\circ}E 96$  lbs dist. marked  $\frac{1}{4}$  S. B. F.
- 42.00 Summit of hill 300 ft high bearing E & W and descend.
- 71.00 Foot and wash 40 lbs wide course East and commence gradual ascent of another hill.
- 80.00 Set a volcanic stone  $16 \times 12 \times 10$  ins 11 ins in the ground for cor to secs 5, 6, 7 & 8. marked with 5 notches

## Subdivision T. 22 S. R. 10 E - continued

Chain

on S and E edges and raised a mound  
of stone alongside, pits impracticable  
Land, rough, rocky and broken  
Soil mineral  
Timber, scattering oak.

East on a random line bet Secs 5 & 8.

Var  $12^{\circ} 35' E$ .

Line runs along S E slope of hill

24.00 Wash 50 lks wide, course  $N. 80^{\circ} E$ . and  
road (in wash) from Saric to Arivaca  
course  $N 80^{\circ} E$  &  $S 50^{\circ} W$ . and line  
runs along N. slope of hill near foot

40.00 Set turnp  $\frac{1}{4}$  Sec cor.

68.00 Leave rough hills and enter rolling land.

80.28 Intersect N & S line at 18 lks S of the cor  
to secs 4, 5, 8 & 9.

Fence I run

## Subdivision T. 22 S. R. 10 E - continued

Chains

S.  $89^{\circ}52'$  W. on a true line bet Secs 5 & 8  
with same bar.

40.14

Set a volcanic stone  $20 \times 15 \times 8$  ins 15 ins  
in the ground for  $\frac{1}{4}$  sec cor. marked  $\frac{1}{4}$   
on N. face and raised a mound of  
stone alongside. Pits impracticable

From which

An oak 6 ins. diam bears S.  $20^{\circ}$  W 53 lbs  
dist marked  $\frac{1}{4}$  S B T.

An oak 8 ins. diam bears S  $23^{\circ}$  E 70 lbs  
dist marked  $\frac{1}{4}$  S B T.

Mountain butte on South side of cañon  
and about 50 lbs South of the road from  
Sarie to Tucson.

80.28

The cor to sec 5. 6. 7 & 8

Land rough and hilly

Soil mineral and 4<sup>th</sup> rate

Timber, scattering oak.

## Subdivision T. 22. R. 10 E - continued

Chain

West on a random line bet Secs 6 &amp; 7

Var  $12^{\circ}35'E$ .Over rolling land and along South base  
of hills from the North.9.00 Wash 10 lks wide course  $S. 20^{\circ}W$ .

14.00 Wash 18 lks wide course South

39.00 Wash 20 lks wide course South.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

48.00 Wash 10 ft wide course South

59.00 Wash 15 ft wide course South

68.00 Wash 20 ft wide course South

80.21 Intersect W. bdy of Township 31 lks N.  
of the cor to secs 1, 6, 7 & 12 previously  
established and described by me.

Thence I run

 $N 89^{\circ}47'E$  on a true line bet Secs 6 & 7  
with same var.40.21  
40.11Set a volcanic stone  $15 \times 10 \times 6$  in  $10$  in  
in the ground for  $\frac{1}{4}$  Sec cor. marked

Subdivisions T. 22 S. R. 10 E. continued  
 hands

$\frac{1}{4}$  on N. face and raised a mound of  
 stone along side.

From which

An oak 10 ins diam bears  $S 66^{\circ} E 55$  lbs  
 dist. marked  $\frac{1}{4}$  S. B. T.

An oak 8 ins diam bears  $S. 13^{\circ} E 72$  lbs  
 dist. marked  $\frac{1}{4}$  S. B. T.

80.21 The cor. to sec 5, 6, 7 & 8.

Land rolling and broken  
 Soil 4<sup>th</sup> rate

Timber, scattering oak.

North on a random line bet Sec 5 & 6

Var.  $12^{\circ} 35' E$ .

Ascending from cor.

19.00 Summit of ridge 300 ft high bearing  
 $E$  and  $W$  and descend.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

## Subdivision T. 22 S R. 10 E - Continued

Chains

- 50.00 Foot and enter rolling land
- 80.32 Intersect N. boundary of Township at  
31 lks E of the cor to secs 5. 6. 31 & 32  
previously established and described by  
me. Thence I run  
S.  $0^{\circ}13'6''$  on a true line bet Secs 5 & 6  
with same Var.
- 40.32 Set a granite stone  $30 \times 15 \times 8$  ins 22 ins  
in the ground for  $\frac{1}{4}$  Sec. cor marked  
 $\frac{1}{4}$  on W. face and raised a mound  
of stone along side. Pits unpracticable
- 80.32 The cor to secs 5. 6. 7. & 8.  
Land rough, broken and hilly  
Soil 4<sup>th</sup> rate  
Timber a few oaks.

8<sup>th</sup> Jan'y 1887.



Subdivision T. 22 S. R 10 E - continued

Chain

### General Description

The most of this Township is covered by rough hills known as the Oro Blanco mountains containing mineral.

Ten years ago there were several mines being worked in the Township but at present most if not all of them are lying idle. The mining village of Oro Blanco containing about a dozen houses is in the SW  $\frac{1}{4}$  of Sec 24. There are several parties engaged in raising stock in different portions of the Township. The mining camp of the Fragita is in the NE  $\frac{1}{4}$  Sec 5. virtually abandoned.

There is very little land in this Tp adapted to agriculture. The unconfirmed Oribaca private land claim covers portions of

Subdivisions T. 22 S. R. 10 E - continued  
Chain

Secs 3, 4 & 5.

The Township is covered by a scattering growth of oaks and in most of it the grass is good and supports numerous heads of cattle. This Township may be classed as mineral.

George Roskruge

U.S. Deputy Surveyor

For final oaths see book no. 27.

U. S. Surveyor-General's Office,

TUCSON, A. T., June 11 1885

The foregoing Field Notes of the Surveys of  
the subdivision lines of  
Township 22 South  
Range 10 East.

Gila and Salt River Meridian  
in Arizona executed by  
George J. Roskrige  
U. S. Deputy Surveyor, under his contract dated  
June 16<sup>th</sup> 1886.

having been critically examined, the necessary correc-  
tions and explanations made, the said Field Notes and  
the surveys they describe are hereby approved.

John Hise  
U. S. Surveyor-General  
for the Territory of Arizona.