

DIVISION
G. S. R. G. O. F.
CONTRACT 87
PHILIP COTTEN
U. S. DEP. SUR

No. 925

BOOK 925

925

4-671

FIELD NOTES
GENERAL LAND OFFICE.

4-671

23, 1901
25, 1901

Field Notes No. 925

of the survey of the
Subdivision Linesof
Township No. 22 South
Range No. 20 East

of the

Gila and Salt River Basins ^{and} Meridianin the
Territory of Arizona
No. Surveyed by
Philip Cantzen
U. S. Deputy SurveyorUnder his contract No. 84
Dated August 24, 1901.Survey commenced October 23, 1901
Survey completed October 25, 1901

Book No. 925

" " "

Index

Township 22 south, Range 20 east.

6	5	4	3	30	2	26	1
+	+	+	31	+	27	+	24
7	8	9	10	28	11	23	12
+	+	+	11	+	22	+	19
13	17	16	15	14	20	13	
19	20	21	22	23	10	24	
+	+	+	+	+	15	+	14
30	29	28	27	26	10	25	
+	+	+	+	+	11	+	10
31	32	33	34	4	35	8	36

The grid contains several handwritten annotations:

- A diagonal dashed line runs from the top-right corner (cell 3) towards the bottom-left corner (cell 34).
- The word "HUACHUCA" is written diagonally across the left side of the grid, from cell 17 to cell 20.
- The word "MILITAR" is written diagonally across the center of the grid, from cell 16 to cell 21.
- The word "RES" is written diagonally across the right side of the grid, from cell 15 to cell 22.

Subdivision of Sec 1, R20 E.

Chains

Survey of fractional Sec 1, R20 E, commenced October 23, 1901, and executed with a W. & L. G. Tinsley light mountain transit, No. 4607, with Burt's solar attachment, as heretofore described.

At the cor of secs 2, 3, 34 and 35 on the S bdy of the Sp, as heretofore described, at 7^h 35^m a.m., I set off 31.28' on the lat arc; 11° 18' S on the decl arc, and determined a true meridian with the solar.

Shiner Drum

No. 01 W, bet. secs. 34 and 35.

Over rolling land.

1.50

Wire fence, bars N. westerly and S. easterly.

20.00

Wash, ^{40 lbs iron} concrete, three W. easterly.

Subdivision of Sec 8, R. 20 E - Continued.

Chains	
21.00	Pyatt house, bars 4 chs E.
24.00	Spring, bars 4 chs E.
28.06	Wire fence, bars N. easterly and S. westerly.
40.00	Set a granite stone, 18x12x6 ins, 12 ins in the ground, for $\frac{1}{4}$ sec cor, marked 434 on W and 35 on E, faces; and raise a mound of stone 2 ft base, 1 $\frac{1}{2}$ ft high, N. of cor.
	Set impracticable.
72.50	Dig mark 20 ft. 0 in wide, course N. easterly.
80.00	Set a sandstone 18x12x5 ins, 12 ins in the ground, for cor of secs 26, 27, 34 and 35, marked with 1 notch on S. and 2 notches on E. edges; dig pits 18x18x12 ins, in each sec, 5 $\frac{1}{2}$ ft dist, and raise a mound of earth 4 ft base, 2 ft high, W. of cor.
	Land, rolling.

Subdivision of P. 22 S, R. 20 E - Continued

Chains

Soil, gravelly; 2^d and 3^d rates.
No timber.

West on a true line bet secs 27
and 34.

Over gently rolling land.

21.14

Intersect E. edge of Brachmea
Military Reservation at a point
from which cor No. 5 of the Bra-
chmea Military Reservation bears
N 34° 30' E, 197.28 chs dist.

Set a granite stone, 18 x 10 x 7 ins, 12
ins in the ground, for closing cor
of fracl secs 27 and 34, marked
C C on E, 34 on S, 27 on N and
H. M. R. on W. faces, and raise
a mound of stone 2 ft base, 1 1/2
ft high, E. of cor. Pits in-
practicable.

Subdivision of Sec 2, R20E-Continued.

Chains

Land, gently rolling.

Soil, gravelly; 2^d and 3^d rates.

No timber

No. 01' W, bet sres 26 and 27.

Over level and gently rolling
land.

31.04

Intersect E. bdy of Winchona
Military Reservation at a point
from which cor No. 5 of the res-
ervation bears $N 34\frac{1}{2}^{\circ} E$, 159.52 chs
dist.Set a granite stone 18 x 8 x 6 ins,
12 ins in the ground for
closing cor of fracl sres 26
and 27, marked CC on S,
27 on W, 26 on E and WMR
on N faces, and raise a
mound of stones 2 ft base,

Subdivision of S 22 S. R 20 E - Continued
 Chances

1/2 ft high, W of cor. pits
 impracticable.

Level, level and gently rolling.
 Soil, gravelly; 2^d and 3^d rates.
 No timber.

N 0.01 W, bet secs 35 and 36.

18.80 Over level and gently rolling land,
 Wash, 40 lbs wide, course easterly,
 thence N. easterly.

20.90 Wash, 40 lbs wide, course N. easterly.

30.00 Wire fence, bars E. and W.

37.00 Road, bars N. westerly and S.
 easterly.

40.00 Set a pine post, 3 ft long, 4 ins
 sq, with marked stone, 24 ins
 in the ground, for $\frac{1}{4}$ sec cor.
 marked $\frac{1}{4}$ S 35 on W and S 36
 on E ~~face~~ ^{face}; dig pits 18x18x12 ins

Subdivision of Sec 1, R. 20 E - Continued
 Chains

- W and S of post, 3 ft dist, and raise a mound of earth $3\frac{1}{2}$ ft base; $1\frac{1}{2}$ ft high, W. of cor.
- 69.00 Road, bars N. easterly and S. westerly.
- 70.00 Proj of roads, bars 1 ch E.
- 80.00 Set a redwood post, 3 ft long, 4 ins sq, with marked stone, 24 ins in the ground, for cor of sec 25, 26, 35 and 36, marked
 S. 25 S, S. 25 on N. E,
 R. 20 E, S. 26 on S. E,
 S. 35 on S. W, and
 S. 26 on N. W. faces; with 1 notch on S. and E. edges; dig pits $18 \times 18 \times 12$ ins in each sec, $5\frac{1}{2}$ ft dist, and raise a mound of earth 4 ft base, 2 ft high, W. of cor.
- Land, level and gently rolling.

Subdivision of T 22 S, R 20 E - Continued
 Chains

Soil, gravelly; 2^d rate.

Timber, a few scattering oaks.

East on a random line bet secs
 25 and 36.

4000 Set temp $\frac{1}{4}$ sec cor.

8000 Intersect E. bdy of T, 12 lbs S. of
 cor of secs 25, 30, 31 and 36, as hereto-
 fore described.

Plumer Bonn

S. 89.55' W, on a true line bet secs
 25 and 36.

Over level and gently rolling land.

4001 Set a wooden post, 3 ft long, 4 ins
 sq, with marked stone, 24 ins in
 the ground, for $\frac{1}{4}$ sec cor, marked
 $\frac{1}{4}$ S. 25 on N. and S. 36 on S. faces;
 dig pits 18 x 18 x 12 ins, E. and W. of
 post, ^{3 ft dist} and raise a mound of earth

Subdivision of P. 20 S. 620 E. Continued

Chains

3 1/2 ft base, 1 1/2 ft high, N. of cor.

71.00 Road, bars N. easterly and S. westerly,

79.70 Road, bars N. N. westerly and S. S. easterly.

80.00 The cor of secs 25, 26, 35 and 36.

Land, level and gently rolling.

Soil, gravelly; 2 mats.

No timber.

Post on a random line bet secs 26 and 35.

40.00 Set tank 1/4 sec cor.

81.00 Intersect Rand Line at cor of secs 26, 27, 34, 35.

Shiner Dam

East on a true line bet secs 26 and 35 -
over gently rolling land

40.00 Set a granite stone 18x10x8 ins, 12 ins
in the ground for 1/4 sec cor,

marked 1/4 26 on N. and 35 on S
faces; dig pits 18x18x12 ins, E and
W. of post, 3 ft dist., and raise a

Subdivision of Sec 8, R 20 E - continued

Chains

44.00
80.00

measured of north $3\frac{1}{2}$ ft base, $1\frac{1}{2}$ ft
high N of cor.
width 40 lbs wide course N. E.
The cor of secs 25, 26, 35 and 36.
Land, gently rolling.
Soil, gravelly; 2^d and 3^d rate.
No timber.

October 23, 1901.

October 24, 1901. At 7^h 45^m a.m., l.m.t.
I set off $31^{\circ}28'$ on the lat arc; $11^{\circ}37'$
on the decl arc, and determine a
true meridian with the solar
at the cor of secs 25, 26, 35 and 36.
Runner P run

N $0^{\circ}01'$ W, bet secs 25 and 26.

Over level and gently rolling
land.

10.20

Road, runs N. easterly and S. westerly

11.20

Rush, 40 lbs wide, course N. easterly.

Subdivision of Sec 5, T20E-Continued.

- Chains
16.60 Road, bears N. W. westerly and S. S. easterly.
- 7.000 Set a granite stone 18x8x6 ins, 12 ins in the ground, for $\frac{1}{4}$ sec cor, marked 26 on W and 25 on E faces, and raise a mound of stone 2 ft base, 1 $\frac{1}{2}$ ft high, W. of cor. Pits impracticable.
- 8.000 Set a quartz stone 18x12x8 ins, 12 ins in the ground, for cor of secs 23, 24, 25 and 26, marked with 2 notches on S and 1 notch on E. edges, and raise a mound of stone 2 ft base, 1 $\frac{1}{2}$ ft high, W. of cor. Pits impracticable.
- Land, level and gently rolling.
Soil, gravelly; a tr. s.
No timber.

East on a random line bet secs

Subdivision of Sec 8, R. 20 E - Continued.

Chain

24 and 25.

40.00

Set trip $\frac{1}{4}$ sec cor.

80.00

Intersect E. bdy of Sp. at the cor.
of secs 19, 24, 25 and 30, as hereinafter described.

Placer Pin

West on a true line bet secs 24
and 25.

Over level land.

5.00

Road bet N. E. + 9. W.

40.00

Set a pine post, 3 ft long, 4 ins sq,
with marked stone, 27 ins in the
ground, for $\frac{1}{4}$ sec cor, marked $\frac{1}{4}$
S. 24 on N. and S. 25 on S. faces.dig pits 18x8x12 ins, E. and W. of post,
3 ft dist and raise a mound of
earth 3 $\frac{1}{2}$ ft base, 1 $\frac{1}{2}$ ft high, N.
of cor.

80.00

The cor of secs 20, 24, 25 and 26.
Land, level and gently rolling.
Soil, gravelly; 2 rates.

Subdivision of Sec 8, R 20 E - Continued.

Chains

No timber.

Restoration true line bet 2225
and 26.

Over gently rolling land.

5.70 Road, bears N. westerly and S.
easterly.

10.40 Road, bears N. westerly and S. easterly.

27.20 Wash, 70 lbs wide, course N. easterly.

40.00 Set a 42 in dia post, 3 ft long, 4
ins sq, with marked steel, 24 ins
in the ground, for $\frac{1}{4}$ sec cor, marked
 $\frac{1}{4}$ S 20 on N. and S. 26 on S faces;
dig pits 18x18x12 ins, E. and W. of
post, 3 ft dist, and raise a mound
of earth $3\frac{1}{2}$ ft base, $1\frac{1}{2}$ ft high, N.
of cor.

46.30 Intersect E bdy of the Unclaimed
Military Reservation at a point

Subdivision of Sec 1, R20E - Continued

Chains

from which cor. No. 5 of the reservation bears $N. 34\frac{1}{2}^{\circ} E$, 100.00 chs. dist.

Set a pine post, 3 ft long, 4 ins sq, with marked stone, 24 ins in the ground for closing cor. of parcel sses 20 and 26, marked

^{22, 23, 24, 25, 26}
C on E, S 26 on S, S 23 on N and N 6 on W faces; dig pits 24 x 18 x 12 ins, crosswise on each line, N 6 and S 23 3 ft, and E of post 7 ft dist, and raise a mound of earth 4 ft diam, 2 ft high
Land, gently rolling.

Soil, gravelly; 2nd rate.

No timber.

N 0.01 W, bet sses 23 and 24.

Over rolling land.

33.20 Wash, so lbs under, course easterly.

40.00 Set a granite stone 18 x 10 x 6 ins, 12 ins in the ground, for cor. marked

Subdivision of T22 S, R20 E - Continued

Chassis

$\frac{1}{4}$ 23 on W and 24 on E faces, dig pits 18x18x2 ins, N and S of post, 3 ft dist, and raised a mound of earth 3 $\frac{1}{2}$ ft base, 1 $\frac{1}{2}$ ft high, N of cor.

6758

Intersect E. bdy. of the Enclosed Military Reservation at a point from which on No. 5 of the reservation ^{trans} N 34 $\frac{1}{2}$ ° E, 17.92 Chs dist.

Set a limestone 18x10x6 ins, 12 ins in the ground, for closing cor of fracl sses 23 and 24, marked C C on S, 23 on W, 24 on E and H. M. R. on N faces, and raise a mound of stone 2 ft base, 1 $\frac{1}{2}$ ft high, S of cor.

Pits impracticable.
sand, rolling.

Soil, gravelly and rocky; 3' natl.
No timber.

From cor of sses 13, 18, 19 and 24 on E

Subdivision of Sec 8, R. 20 E - continued
Chains

- bdy. of the Sp, as hatched described, from
West, on a true line bet. secs. 13 and 27.
Over rolling land.
- 5.00
70.00
Plumch scattering mesquite.
Road) brs. N. W. & S. E.
Set a redwood post, 3 ft long, 4 ins
sq, with marked stone, 4 ins in the
ground, for $\frac{1}{4}$ sec cor, marked $\frac{1}{4}$ S 13
on N and S 24 on S faces; dig pits
18x18x12 ins, E and W of post, 3
ft. dist, and raised a mound of earth
3 $\frac{1}{2}$ ft base, 1 $\frac{1}{2}$ ft high, N of cor.
- 42.00
Scram scattering mesquite, brs
N. easterly and S. westerly.
- 71.53
Enter sec 8 bdy of Unadilla Mili-
tary Reservation at a point from
which cor No. 5 of the reservation
bears N 34 $\frac{1}{2}$ ° E, 3.11 chs dist.
Set a granite stone 18x10x8 ins,
12 ins in the ground for closing

Subdivision of S 22 S. R 20 E - Continued.

Chanis

cor of gravel sres 13 and 24,
marked CC on E, 13 on N, 24 on
S and 16 M R on W faces,
and raise a mound of stone
a ft base, 1 1/2 ft high, E of cor.
Pits unpracticable.

Land, rolling.

Soil, gravelly; 2^d rate.

No timber; no growth, no mesquite.

From cor of sres 7, 12, 13 and 18 on E
edge of the S₂₂, as here described, from
Post, on a true line bet. sres 12 and
13.

Over rolling land.

4000

Set a granite stone 18x10x8 ins, 12 ins
in the ground, for 1/4 s₂₂ cor.
marked 1/4 12 on N and 13 on S
faces; dig pits 18x18x12 ins, E and

Subdivision of T22 S, R20 E - Continued.

Chairs

W of ^{Stone-} ~~foot~~, 3 ft dist, and raised at
ground of earth 3 $\frac{1}{2}$ ft base, 1 $\frac{1}{2}$ ft
high, N of cor.

68.50

Wash, 40 lbs wide, course N. westerly.

80.00

Set a granite stone 18 x 12 x 8 ins, 12
ins in the ground, for cor of secs
11, 12, 13 and 14, marked with 4
notches on S and 1 notch on E
edges, and raised at ground of stone
3 ft base, 1 $\frac{1}{2}$ ft high, W of cor. Sets
impracticable.

Land rolling.

Soil, gravelly and stony; 3^d and
4th rates.

No timber.

S 0.01 E, on a true line bet secs
13 and 14.

Over rolling land.

Subdivision of T22 S 30 E - Continued.

Chains

15.50

Road, 70 lbs wide, course N eastraly.

40.00

Set a redwood post, 3 ft long, 4 ins sq, with marked stone, 27 ins in the ground, for $\frac{1}{4}$ sec cor, marked $\frac{1}{4}$ S 14 on W and S 13 on E faces; dig pits 18x18x12 ins, N and S of post, 3 ft dist, and raise a mound of earth $3\frac{1}{2}$ ft base, 1 $\frac{1}{2}$ ft high, W of cor.

54.70

Road, course N westerly and S eastraly.

66.85

Intersect E. bdy. of Anaclema Military Reservation at a point from brass S 43° 36' E, 14.75 chs dist. Set a granite stone, 18x12x8 ins in the ground for closing cor of brack sees 13 and 14, marked C C on N, 13 on E, 14 on W, and H M R on S faces; dig pits 18x18x12 ins corners on each line, 21 W and S 3 ft and N of stone 7 ft dist, and raise a mound of earth $4\frac{1}{2}$ ft base, 2 ft high, N of cor.
Land, nothing. - Soil, gravelly; 2 trns. No timber!

Not on a true line but sees

Subdivision of Sec 8, R20 E - continued.
 Chain

11 and 14.

Over rolling land.

4.000 Set a granite stone 18 x 8 x 6 ins, 12 ins in the ground, for $\frac{1}{4}$ sec cor, marked # 11 on N and 14 on S faces, dig pits 18 x 18 x 12 ins E and W of ~~stone~~ ^{stone}, 3 ft dist, and raise a mound of earth 3 $\frac{1}{2}$ ft base, 1 $\frac{1}{2}$ ft high, N of cor.

64.021 Intersect E. bay of Winachmea Military Reservation at a point from which cor No. 4 of the reservation bears N 43° 36' W, 63.82 chs dist.

Set a granite stone 18 x 8 x 8 ins, 12 ins in the ground, for closing cor of fractional secs 11 and 14, marked C C on E, 11 on N, 14 on S and H M R on W faces, and raise a mound of stone 2 ft base,

Subdivision of Sec. 1, P. 20 E. - Continued.

Chains

E.
 1½ ft high ^{E.} W of cor. Pits impracticable.
 Land rolling.
 Soil, gravelly; 2^d and 3^d rates.
 No timber.

October 24, 1901.

October 26, 1901. At 8^h 10^m a.m., l.m.t.,
 Post off 37.32' on the lat. arc, 122° 00' S,
 on the decl. arc, and determine a
 true meridian with the solar,

Bluner Gun

No. 1 N, bet secs 11 and 12.

Over level and rolling land.

8.00 Draw, 3 chs wide, course N. westerly

33.00 Wash, 30 lbs wide, course northerly
 three N. westerly.40.00 Set a granite stone, 18 x 10 x 8 ins, 12
 ins in the ground, four sec cor.

Subdivision of Sec 8, R. 20 E - Continued
Chains.

marked $\frac{1}{4}$ 11 on W and 12 on E
sides; dig pits 18x18x12 ins, W
and S of stone, 3 ft dist, and raise
a mound of earth $3\frac{1}{2}$ ft base, $1\frac{1}{2}$
ft high, W of cor.

3.000 Set a granite stone 18x9x6 ins, 12
ins in the ground, for cor of
secs 1, 2, 11 and 12, marked with 5
notches on S and 1 notch on E
edges; and raise a mound of stone,
2 ft base, $1\frac{1}{2}$ ft high, W of cor.
Pits impracticable.

Land, rolling.

Soil, gravelly and rocky; 2 and
4" water.

No timber.

Cast on a random line bet secs
1 and 12.

Subdivision of Sec 8, T20 E - continued.

Chronis

- 4.00 Set temp $\frac{1}{4}$ sec cor.
- 79.96 Intersect E bdy of the $\frac{1}{4}$ sec 8
of cor of secs 1, 6, 7 and 12, as heretofore
described
Thence $\frac{1}{4}$ sec
S $89^{\circ}58'W$, on a true line bet
secs 1 and 12.
Over level and rolling land.
- 6.00 Wash, 50 lbs wide, course $\frac{1}{4}$ easterly.
- 3.00 Set a draw, course easterly.
- 39.98 Set a granite stone, $18 \times 8 \times 6$ ins, 12
ins in the ground, for $\frac{1}{4}$ sec cor,
marked $\frac{1}{4}$ 1 on N and 12 on S
faces, dig pits $18 \times 18 \times 12$ ins, E
and W of stone, 3 ft. dist, and
raise a mound of earth $3\frac{1}{2}$ ft
base, $1\frac{1}{2}$ ft high, N of cor.
- 79.96 The cor of secs 1, 2, 11 and 12.
Land, level and rolling.

Subdivisions of P.S.S. R 20 E - Continued
 Chains

Soil, sandy and gravelly, 2^d
 and 3^d rates.
 No timber.

N. 0.1 W, on a random line bet sres
 1 and 2.

40.00 Set 1/4 sec cor.

80.00 Intersect N. bdy. of the S. 1/4 Sec
 E of cor of sres 1, 2, 35 and 36, as
 heretofore described.

Placer Run

S. 0.2 E, on a true line bet sres
 1 and 2.

Over level land.

40.00 Set a granite stone 18x12x10 ins
 12 ins in the ground, for 1/4 sec
 cor, marked 1/4 2 on W and 1 on
 E faces, dig pits 18x18x12 ins N
 and S of stone, 3 ft dist, and raise

Subdivision of Sec 8 Rec 6 - Continued.

Chains

a mound of earth $3\frac{1}{2}$ ft base, $1\frac{1}{2}$ ft high, W of cor.

77.00 Beyond to drum, course easterly.

8.006 The cor of secs 1, 2, 11 and 12.

Level land.

Soil, gravelly, & 3' water.

No timber.

From cor of secs 1, 2, 11 and 12, S
run

West on a true line bet secs 2
and 11.

Over level land.

40.00 Set a redwood post, 3 ft long, 4
in sq, with marked stone, 24 in
in the ground, for $\frac{1}{4}$ sec cor.

marked $\frac{1}{4}$ S on N and S 11 on

S faces; dig pits 18 x 18 x 12 in, E
and W of post, 3 ft dist, and raise

Subdivision of T22 S. R20 E. Continued

Chauis

a mound of earth $3\frac{1}{2}$ ft base, $1\frac{1}{2}$ ft high, N of cor.

8.000

Set a granite stone, $18 \times 10 \times 10$ ins, 12 ins in the ground, for cor of secs 2, 3, 10 and 11, marked with 5 notches on S and 2 notches on E edges; and raise a mound of stone 2 ft base, $1\frac{1}{2}$ ft high, W of cor. Pits impracticable.
Land, level.

Soil, gravelly; 2^d and 3^d rates.
No timber.

S. 0.01 E, on a true line bet secs 10 and 11.

Over level land.

4.000

Set a granite stone $18 \times 8 \times 8$ ins, 12 ins in the ground, for $\frac{1}{4}$ sec cor, marked $\frac{1}{4}$ 10 on W and 11 on E faces; dig pits $18 \times 18 \times 12$ ins, N and S of stone,

Subdivision of S 22, T 20-E-Continued.

Chains

3 ft dist, and raise a mound of earth 3 1/2 ft base, 1 1/2 ft high, N of cor.

68.24

Intersect E bdy Waukegan Military Reservation at a point from which cor No. 4 of the reservation bears N 43° 36' E, 40.68 chs dist.

Set a granite stone 18x7x7 ins, 12 ins in the ground, for closing cor of parcel nos 10 and 11, marked CC on N, 11 on E, 10 on W and N on S faces; and raise a mound of stone 2 ft base, 1 1/2 ft high, N of cor. Pits impracticable.

Land, level and rolling.

Soil, gravelly; 2 D water.

No timber.

No. 10, on a random line bet

Subdivision of T 22 S R 20 E - continued

secs 2 and 3.

40.00 Set trap $\frac{1}{4}$ sec cor.

80.05 Intersect N bdy of T 21 S R 20 E of
cor of secs 2, 3, 10 and 11, as here to far described
Prun

S 0° 03' E, on a true line bet secs
2 and 3.

Over level land.

40.05 Set a quartz stone 18x8x6 ins, 12 ins
in the ground, for $\frac{1}{4}$ sec cor, marked
 $\frac{1}{4}$ on W and E on E faces; dig
pits 18x18x12 ins, N and S of stone,
3 ft dist,
and raise a mound of earth $2\frac{1}{2}$ ft
base, $1\frac{1}{2}$ ft high, W of cor.

80.05 The cor of secs 2, 3, 10 and 11.

Land, level.

Soil, gravelly; 2 sand & 1 rate.

No timber.

Prun cor of secs 2, 3, 10 and 11, Prun

Subdivision of Sec 8, R 20 E Continued.

Well on a true line bet sec 9
and 10.

Over level land.

39.89 Road to Knackna, bears N. N. westerly
and S. S. westerly.

40.00 Set a granite stone, 18 x 10 x 10 ins.
12 ins in the ground, for $\frac{1}{4}$ sec
cor, marked 4 & on N and 10 and S
faces, and raise a mound of stone
8 ft base, 12 ft high, N of cor. *
It's impracticable!

41.30 Intersect E bdy of Knackna Mili-
tary Reservation at a point from
which cor No. 4 of the reservation
bears S 21° 22' E, 56.26 chs dist.
(See page 33 for description of clearing corner.)
Ground, level and rolling.

Soil, gravelly; a^d natv.

No timber.

* From which a junco is in drain, bears S 72° E, 5.28 chs dist.
marked 2, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100.
No other trees near, October 25, 1906.

Subdivision of T 22 S R 20 E - Cannelton

General Description.

The greater portion of this township is covered by the Wabash National Military Reservation. The subdivided portion is level and rolling land, covered with rich and nutritious grasses and is valuable for grazing purposes. There is a spring in sec 34 near the Post house. Along the washes are a few sycamore and oaks. There are several settlers in the township.

Philip Contzer

U. S. Deputy Surveyor.

(Note = Continued from page 31 this book)

Set a granite stone, $18 \times 8 \times 6$ ins., 12 ins. in the ground for closing corner of fractional sections 3 and 10, marked C. L. on E., 3 on N., 10 on S., and H. M. R. on W. faces and raise a mound of stone 2 ft. base, $1\frac{1}{2}$ ft. high, E. of cor. Pits unpracticable.

Land, level & rolling

sc. sc. sc.

APPROVAL.


OFFICE OF U. S. SURVEYOR GENERAL,

Tucson, Arizona, Feby. 5, 1902.

The foregoing field notes of survey of

Subdivisions, T_p 22 S, R. 20 E.

Gila & Salt River Meridian,
executed by Philip Cortzen, Dep. Sur.
under his Cont. No. 87 - dated Aug. 24 - 1901
having been critically examined, and the
necessary corrections and explanations made,
the said field notes and the surveys they
describe, are hereby approved.



U. S. Surveyor General for Arizona.