

SUBDIVISION  
TRISREE  
CONTRACT 8/  
PHILIP CONZ  
U.S. DEP. SUR

1

No. 926

BOOK 926

4-671

BOOK 926

FIELD NOTES  
GENERAL LAND OFFICE.

926

Field Notes

of the survey of the

Subdivision Lines

of

Township No. 31 South,

Range No. 20 East,

of the

Gila and Salt River Basins and Meridia,

in the

Territory of Arizona,

As Surveyed by

Philip Cantzen,

U. S. Deputy Surveyor.

Under his contract No. 87.

Dated August 27, 1901.

Survey commenced November 1, 1901.

Survey completed November 10, 1901.

No. 926

Index for } BOOK 926  
              } BOOK 927  
              } Index.

Annals of the Smithsonian Institution

4TH STANDARD PAR. SOUTH

6	41	5	66	4	52	3	32	2	17	1
69	←	65	—	63	—	50	—	31	—	16
7	67	8	61	9	49	10	29	11	15	12
—	+	60	—	58	—	47	—	28	—	13
18	—	17	57	16	46	15	27	14	12	13
—	+	56	—	54	—	45	—	25	—	10
19	—	20	55	21	43	22	24	23	9	24
—	+	—	—	42	—	40	—	22	—	8
30	—	29	—	38	39	27	21	26	7	25
—	+	—	—	35	—	34	—	20	—	6
31	—	32	—	33	35	34	19	35	4	36

Subdivision of T<sub>21</sub>S, R<sub>20</sub>E.

Chains

Survey of the subdivision of T<sub>21</sub>S, R<sub>20</sub>E, commenced November 1, 1901, and executed with a W. & L. E. Inby light mountain transit No. 4607, with Burt's solar attachment, as heretofore described.

At 7<sup>h</sup> 40<sup>m</sup> a.m. cont. I set off 31° 33' on the lat arc; 14° 20' on the decl. arc, and determined a true meridian with the solar at the cor of secs 1, 2, 35 and 36, on the S. side of the Sp, as heretofore described.

Thence S, 70° 00' W

N. 0° 01' W, bet secs 35 and 36.

Over level and rolling land.

22.60 Wash, 60 lbs wide, course N  
easterly.

40.00 Set a pine post, 3 ft long, 4 ins  
sq, with marked stone, 24 ins in

Subdivision of P 21 S, R 20 E - continued.

Chains

the ground, for  $\frac{1}{4}$  sec cor, marked  
 $\frac{1}{4}$  S 35 on W end S 36 on E faces;  
 dig pits 18x18x12 ins. N and S of  
 post, 3 ft dist, and raise a mound  
 of earth 3 $\frac{1}{2}$  ft base, 1 $\frac{1}{2}$  ft high,  
 N of cor.

80.00

Set a reclaimed post, 3 ft long, 4  
 ins sq, with marked stone, 24 ins  
 in the ground, for cor of secs  
 25, 26, 35 and 36, marked  
 P 21 S, S 25 on N E,  
 R 20 E, S 36 on S E,  
 S 35 on S W, and  
 S 26 on N W faces; with 1 notch  
 on S and E edges; dig pits 18x18x12  
 ins, in each sec, 5 $\frac{1}{2}$  ft dist, and  
 raise a mound of earth 4 ft base,  
 2 ft high, N of cor.  
 Land, level and rolling.

Subdivision of T 21 S, R 20 E - continued  
 Chances

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rates.  
 No timber.

East on a random line bet secs  
 25 and ~~26~~<sup>26</sup>.

4000 Set temp  $\frac{1}{4}$  sec cor.

8002 Intersect E bdy of Sp at cor of secs  
 25, 30, 31 and 36, as heretofore described.  
 Shiner Burn

West on a true line bet secs 25  
 and 36. Over level land.

4001 Set a pine post, 3 ft long, 4 ins sq,  
 with marked stone, 24 ins in the ground  
 for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  S 25 on N  
 and S 36 on S faces; dig pits 18 x 18 x 12  
 ins, E and W of post, 3 ft dist, and  
 raise a mound of earth  $3\frac{1}{2}$  ft base,  
 1 $\frac{1}{2}$  ft high, N of cor.

8002 Run cor of secs 25, 26, 35 and 36.

## Subdivision of T. 21 S., R. 20 E. - Continued

Chains

Land, level and gently rolling.  
 Soil, gravelly; 2 pat.  
 No timber.

N. 0.01 W., bet secs 25 and 26.

Over level and rolling land.

4.76 Road, bears N. easterly.

4.000 Set a redwood post, 3 ft long, 4  
 ins sq, with marked stone, 24 ins  
 in the ground, for  $\frac{1}{4}$  sec cor, marked  
 $\frac{1}{4}$  Sec 26 on W and 25 on E faces; dig pits  
 18 x 18 x 12 ins, N and S of post, 5 ft dist, -  
 raise a mound of earth 3  $\frac{1}{2}$  ft base,  
 1  $\frac{1}{2}$  ft high, W of cor.

8.000 Set a granite stone, 18 x 8 x 8 ins, 12 ins  
 in the ground, for cor of secs 23, 24, 25  
 and 26, marked with 2 notches on  
 S and 1 notch on E edges; dig pits  
 18 x 18 x 12 ins, in each sec, 5  $\frac{1}{2}$  ft dist,  
 and raise a mound of earth 4 ft

Subdivision of Sec 1, T. 20 S. R. 20 E. Continued.

Chairs

base, 2 ft. high, W of cor.  
Land level and rolling.

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rates.  
No timber.

East on a random line bet sees  
24 and 25.

4.000 Set 1/4 sec cor.

8.000 Intersect E bdy of Sp 5-lks S of  
cor of sees 19, 24, 25 and 30, as here-  
tofore described.

Marker D, mm

S 89.58' W, on a true line bet sees  
24 and 25.

Over level land.

4.000 Set a granite stone, 18x7x6 ins, 12 ins  
in the ground, for 1/4 sec cor, marked  
1/4 24 on N and 25 on S faces; dig  
pits 18x18x12 ins E and W of post.



## Subdivision of Sec 1 S, R 20 E - continued.

Chains

3 ft dist, and raise a mound of earth,  $3\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high, N. of cor.

80.00

The cor of secs 23, 24, 25 and 26.  
Land level.

Soil, gravelly, 2<sup>d</sup> rate.  
No timber.

N. or W. but secs 23 and 24.

Over level and rolling land.

40.00

Set a pine post, 3 ft long, 4 ins sq, with marked stone, 24 ins in the ground, for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  S 23 on W and S 24 on E faces; dig pits  $18 \times 18 \times 12$  ins, N and S of post, 3 ft dist, and raise a mound of earth  $3\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high N of cor.

43.00

Edge of dense mesquite, haws & up w.

80.00

Set a recurved post, 3 ft long, 4 ins

## Subdivision of Sec 1 S, R 20 E - Continued.

Chains

sq. with marked stone, 24 ins in the ground, for ea of sees 13, 14, 23 and 24, marked

Sec 1 S, S 13 on N E,

R 20 E, S 24 on S E,

S 23 on S W and

S 14 on N W faers, with 3 notches on S and 1 notch on E edgrs; dig pits 18 x 18 x 12 ins; in each see, 5 1/2 ft dist, and raise a mound of earth 4 ft base, 2 ft high, 1/2 of cor.

Land level and rolling.

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rates.

No timber; undergrowth, mosquito.

Dense undergrowth, 37.00 chs.

November 1, 1901.

N 89° 58' E, on a random line bet sees 13 and 24.

4000. Set tank 1/4 see cor.

Subdivision of T 21 S, R 20 E - continued.

Chronics  
8.000 Intersect E bdy of Sp at cor of secs  
13, 18, 19 and 24, as heretofore described.  
Turner Dam

S 89° 58' W. ~~Run~~ on a true line bet secs 13  
and 24.

Over rolling land.

40.110 Through dense brush and mesquite,  
Set a redwood post, 3 ft long, 4 ins sq,  
with marked stone, 24 ins in the  
ground, for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  S 13  
on N and S 24 on S faces, dig pits  
18x18x12 ins, E and W of post, 3 ft  
dist, and raise a mound of earth  
3 $\frac{1}{2}$  ft base, 1 $\frac{1}{2}$  ft high, N of cor.

45.000 Wash, 40 lbs wide, course easterly,  
Turner N easterly.

8.000 The cor of secs 13, 14, 23 and 24.

Land, rolling.

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rate.

## Subdivision of P 31 S. R 20 E - Continued

Chains No timber; undergrowth, mesquite and tesota.

Dense undergrowth, 8000 chs.

November 1, 1901.

No. 01 W, bet sres 13 and 14.

Over level and rolling land.

40.00 Set a pine post, 3 ft long, 4 ins sq, with marked stones, 24 ins in the ground, for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  S 14 on W and S 13 on E faces; dig pits 18x18x12 ins, N and S of post, 3 ft dist, and raise a mound of earth 3 $\frac{1}{2}$  ft base, 1 $\frac{1}{2}$  ft high, W of cor.

65.00 Enter dense mesquite, bars N easterly and S westerly.

80.00 Set a redwood post, 3 ft long, 4 ins sq, with marked stones, 24 ins in the ground, for cor of sres 11, 12,

Subdivision of T<sub>21</sub>S, R<sub>20</sub>E - Continued.

Chains

13 and 14, marked

T<sub>21</sub>S, S<sub>12</sub> on NE,R<sub>20</sub>E, S<sub>13</sub> on SE,S<sub>14</sub> on SW and

S<sub>11</sub> on NW face, with 4 notches  
on S and 1 notch on E edges; dig  
pits 18x18x12 ins. in each sec, 5 1/2  
ft dist, and raise a mound of  
earth 4 ft base, 2 ft high, W  
of cor.

Land, level and rolling.

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rate.

No timber; undergrowth, mesquite.  
Kend undergrowth, 15.00 chs.

N. 89° 58' E on a random line bet secs  
12 and 13.

40.00 Set time 1/4 sec cor.

80.03 Intersect E bay of Sp ~~2~~<sup>7</sup> chs 11

Subdivision of S 21 S. R 20 E - continued.

Chains

of ev of sres 7, 12, 13 and 18, as heretofore described.

Prince's Run.

789.<sup>59</sup> ~~789.00~~ N, and true line bet sres 12 and 13.

Over level and rolling land.

Plough, dense undergrowth.

32.50 Draw, 1 ch wide, course N easterly

40.01 $\frac{1}{2}$  Set a wooden post, 3 ft long, 4 ins sq, with marked stone, 24 ins in the ground, for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  S 12 on N and S 13 on S faces; dig pits 18x18x12 ins, E and W of post, 3 ft dist, and raise a mound of earth  $3\frac{1}{2}$  base, 16 high, N of ev.

52.60

~~80.03~~  
~~80.00~~

Wash, 30 lks wide, course N easterly. This ev of sres 11, 12, 13 and 14.

Land level and rolling.

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rates.

Subdivision of T<sub>2</sub>S, R<sub>20</sub>E - Continued.

Chairs

No timber, undergrowth, mesquite,  
trout, sagebrush and greasewood.  
Dense undergrowth, 80<sup>.03</sup> chs.

N<sup>o</sup> 01' N, bet secs 11 and 12

Over level and gently rolling land  
through dense undergrowth.

19.40 Road to Fairbank, bears NE and SW

4000 Set a redwood post, 3 ft long, 4 ins sq, 24 ins in  
the ground, with marked stone, for  $\frac{1}{4}$  sec cor,  
marked  $\frac{1}{4}$  S 11 on W and S 12 on E faces; dig  
pits 18 x 18 x 12 ins, N and S of post, 3 ft dist and  
raise a mound of earth 3  $\frac{1}{2}$  ft base, 1  $\frac{1}{2}$  ft high,  
W of cor.

8000 Set a redwood post, 3 ft long, 4 ins sq with marked  
stone, 24 ins in the ground, for cor of secs 11,  
11 and 12, marked

T<sub>2</sub>S, S<sub>1</sub> on NE

R<sub>20</sub>E, S<sub>12</sub> on SE

## Subdivision of Sec 1, T21 S, R20 E - Continued

Chains

In cor SW and

SE on NW faces, with 5 notches on S and 1  
 notch on E edges; dig pits 18 x 18 x 12 ins; in each  
 see, 5 ft dist, and raise a mound of earth  
 4 ft base, 2 ft high, 11 of cor.  
 level and gently rolling.  
 Soil, gravelly; ad and 3' rate.  
 No timber; undergrowth, mesquite.  
 Dense undergrowth, 8000 lbs.

189<sup>59</sup> 4' Cor a random line bet sees 1 and 12.

4000 Set temp'n see cor.

79.86 Intersect E bdy of the SW & the S of cor of  
 sees 1, 6, 7 and 12, as heretofore described.

Normal Drain

West on a true line bet sees 1 and 12.

Over level and gently rolling land.

Through dense undergrowth.

39.93

Set a random post, 3 ft long, 4 ins sq, with marked



Subdivision of Sec 21 S. R 20 E. continued.

Chains

- stone, 24 ins in the ground, for  $\frac{1}{4}$  sec cor.  
 marked  $\frac{1}{4}$  S on N and S on E faces, digits  
 18x18x12 ins, E and W of post, 3 ft dist, and raise  
 a mound of earth 3 $\frac{1}{2}$  ft base, 1 $\frac{1}{2}$  ft high, N of cor.
- 4440 Road to Fairbunk, bears N E and S W
- 55.00 Center of draw, 2 chs wide, course N. e. a st. ly.
- 79.86 Chs cor of secs 1, 2, 11 and 12.  
 Land, level and gently rolling.  
 Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rate.  
 Timber, mesquite, magnolia, locust and sage.  
 Dense undergrowth, 79.86 chs.

North end timber bet secs 1 and 2.  
 - Level and gently rolling land.  
 Through dense undergrowth.

- 4000 Set a redwood post, 3 ft long, 4 ins sq, with  
 marked stone, 24 ins in the ground, for  $\frac{1}{4}$  sec cor.  
 marked  $\frac{1}{4}$  S on W and S on E faces, dig-  
 its 18x18x12 ins, N and S of post, 3 ft dist, and  
 raise a mound of earth 3 $\frac{1}{2}$  ft base, 1 $\frac{1}{2}$  ft high, W of cor.

Hydromission S 21 S. 16 20 E - continued.

Chains

84.80

Old road, bears 1, westerly and 2, easterly.

86.78

Intersect South Standard Parallel South at a point

2.36 chs N of Standard  $\frac{1}{4}$  sec. cor. of S 35°

Set a redwood post, 3 ft long, 4 in sq, with marked stone,  
2 in in the ground, for closing cor. of ores 1 and 2, marked,

C. 7° 15', 16° 20', and S. 1 on E and 2 on W faces,  
with ground on E and 3 grooves on N faces; dig

hole 24 x 18 x 12 in, excavated on each line E and W, 3  
ft, and S of post, 7 ft dist, and raised a mound  
of earth 4 ft base, 2 ft high, S. of cor.

Land level and gently rolling.

Soil, gravelly; 2 water.

No timber; undergrowth, mesquite, sage and locust.

Trace undergrowth, 86.78 chs.

November 2, 1901.

November 3, 1901. At 8<sup>h</sup> 30<sup>m</sup> a.m.,  
l m t, I set off 31° 33' on the  
lat arc; 14° 40' S on the decl arc,  
and determine a true meridian

Subdivision of S 21 S, R 20 E - Continued.

Chains

with the solar at the cor of secs  
2, 3, 34 and 35, on the S. bdy. of  
the Sp. as heretofore described.

Thence Run

N. 0.01 W, bet secs 34 and 35.

Over rolling land.

14.000 Set a granite stone 18 x 10 x 8 ins,  
12 ins in the ground, for  $\frac{1}{4}$  sec  
cor, marked  $\frac{1}{4}$  34 on W and 35  
on E faces, and raise a mound  
of stone 2 ft base, 1 $\frac{1}{2}$  ft high,  
W of cor. Pits impracticable.

58.10 Road, bears N. easterly and S.  
westerly.

64.95 Road, bears N. easterly and S.  
westerly.

8.000 Set a granite stone 18 x 12 x 7 ins,  
12 ins in the ground, for cor of  
secs 26, 27, 34, and 35, marked

Subdivision of P. S. R. 208 - Continued  
 Chains

with 1 notch on S. and 2 notches  
 on E. edges; dig pits 18x18x12 ins.  
 in each sec, 5 1/2 ft dist, and raise  
 a mound of earth 4 ft base, 2 ft  
 high, W of ev.

Band, level and rolling.

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> water.

No timber; undergrowth, scattering  
 mesquite.

East on a random line bet secs  
 26 and 35.

40.00 Set trap 1/4 sec ev.

80.00 Enter bet N and S line 3 lts S  
 of ev of secs 25, 26, 35 and 36.

Shiner Run

S 89° 59' W, on a true line bet  
 secs 26 and 35.

Over level land.

14.00 Road E. & W.

## Subdivision of 221 S. R20 E - continued

Chairs

40.00

Set a granite stone 18 x 10 x 8 ins, 12 ins in the ground, for  $\frac{1}{4}$  sec cor, marked 426 on N and 35 on S faces, and raise a mound of stone 2 ft base,  $1\frac{1}{2}$  ft high, N of cor.

80.00

~~Pits impracticable~~

The cor of secs 26, 27, 34 and 35.

Land level.

Soil, gravelly; 2 water.

No timber.

N $0^{\circ}01'$ W, bet secs 26 and 27.

Over level and rolling land.

40.00

Set a redwood post, 3 ft long, 4 ins sq, with marked stone, 27 ins in the ground, for  $\frac{1}{4}$  sec cor, marked 427 on N and 26 on E faces, dig pits 18 x 18 x 12 ins, N and S of post, 3 ft dist, and raise a mound of earth 3 $\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high, N of cor.

Subdivision of T<sub>21</sub>S, R<sub>20</sub>E - Continued

Chains  
44.25 Road, bears N. easterly and S. westerly.  
80.00 Set a redwood post, 3 ft long, 4 ins  
sq., with marked stone, 24 ins in  
the ground, for cor of secs 22, 23, 26  
and  
27, marked  
T<sub>21</sub>S, S<sub>23</sub> on N.E.,  
R<sub>20</sub>E, S<sub>26</sub> on S.E.  
S<sub>27</sub> on S.W. and  
S<sub>22</sub> on N.W. faces, with a notch  
on S and E edges, dig pits 18x18x12  
ins, in each sec, 5 1/2 ft dist, and  
raise a mound of earth 4 ft base,  
2 ft high, W of cor.  
Land level and rolling.  
No timber, undergrowth, scattering  
mosquito.

N<sub>89°59'E</sub>, on a random line bet  
secs 23 and 26.

Subdivision of Sec 1 S. R 20 E - Continued

Chain

40.00

Set temp  $\frac{1}{4}$  sec cor.

80.06

Intersect N and S line 6 chs  
N of cor of secs 23, 24, 25 and 26.

Shiner Run

N 89° 59' W, on a true line bet  
secs 23, and 26.

Over level and gently rolling land

40.00

Set a redwood post, 3 ft long, 4  
ins sq, with marked stone, 24  
ins in the ground, for  $\frac{1}{4}$  sec cor,  
marked 7 S 23 on N and S 23 on  
S faces; dig pits 18 x 18 x 12 ins, E  
and W of post, 3 ft dist, and  
raise a mound of earth 3  $\frac{1}{2}$  ft  
base, 1  $\frac{1}{2}$  ft high, N of cor.

53.00

Road, bears N. westerly and S.  
westerly.

80.06

The cor of secs 22, 23, 26  
and 27.

Subdivision of P 21 S, R 20 E - Continued

Stratus

Level, level.

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> mats.

No timber.

110.01 W, bet secs 22 and 23.

Over level and rolling land.

40.00 Set a pine post, 3 ft long, 4 ins sq, with marked stone, 24 ins in the ground, for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  Sec on W and S 23 on E faces, dig pits 18 x 18 x 12 ins, N and S of post, 3 ft dist, and raise a mound of earth 3  $\frac{1}{2}$  ft base, 1  $\frac{1}{2}$  ft high N of cor.

65.90

Hand, 60 ins up and 8 in.

80.00

Set a redwood post, 3 ft long, 4 ins sq, with marked stone, 24 ins in the ground, for cor of secs 14, 15, 22, and 23, marked

P 21 S, S 14 on NE,

R 21 E, S 23 on SE,



Exp. division of Sec 1, T. 20 S. R. 20 E. - Continued.

S 22 on S W and

S 15 on NW faces, with 3 notches  
on S and 2 notches on E edges;

dig pits 18x18x12 ins, in each  
sec, 5 $\frac{1}{2}$  ft. dist, and raise a  
mound of earth 4 ft base, 1 $\frac{1}{2}$  ft  
high, W of cor.

Land, level and rolling.

Soil, gravelly; 3<sup>d</sup> rate.

No timber; undergrowth, scattering  
mosquito.

S 89.59' E, on a random line  
bet secs 14 and 23

4,000 Set trap  $\frac{1}{4}$  sec cor.

8,000 Intersect N and S line at cor  
of secs 13, 14, 23 and 24.

Thence S - run

N 89.59' W, on a true line bet secs

Subdivision of T 21 S, 20 E - Contained  
Chains

- 14 and 23.  
Over level land.
- 40.00 Set a pine post, 3 ft long, 4 ins sq,  
with marked stone, 24 ins in the  
ground, for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  S  
14 on N, and S 23 on S faces, dig  
pits 18 x 18 x 12 ins, E and W of  
post, 3 ft dist, and raise a mound  
of earth  $3\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high,  
N of cor.
- 68.15 Road bars N, westerly, and S,  
westerly.
- 80.00 The cor of secs 14, 15, 22 and 23.  
Level, level.  
Soil, gravelly;  $3\frac{1}{4}$  rate.  
No timber.

November 3, 1901.

November 4, 1901.

Subdivision of S 21 S, R 20 E - Continued  
 Chains!

No. 01 W, bet sees 14 and 15  
 Over level land.

Through scattering mesquite  
 undergrowth.

140.00 Set a limestone 18 x 10 x 2 ins, 12  
 ins in the ground, for  $\frac{1}{4}$  sec cor,  
 $\frac{1}{4}$  15 on W, and 14 on E faces;  
 dig pits 18 x 18 x 12 ins, N and S  
 of post, 3 ft dist, and raise a  
 mound of earth  $6\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft  
 high, W of cor.

8.000 Set a redwood post, 3 ft long, 4 ins  
 sq, with marked stones, 24 ins in  
 the ground, for cor of sees 10, 11,  
 14 and 15, marked

S 21 S, S 11 on N E,

R 21 E, S 14 on S E,

S 15 on S W and

S 10 on N W faces, with 4 notches

Subdivision of S 21 S. R 20 E - Contours

Contours

on Sand & notches on E edges;  
dig pits 18x18x12 ins, in each sec,  
5 1/2 ft. dist, and raise a mound  
of earth 4 ft base, 2 ft high, W  
of cor.

Land, level.

Soil, gravelly; Sand & S. Yates.

No timber; undergrowth, scattering  
mosquito

S 89° 59' E, on a random line bet  
secs 11 and 14.

4000 Set temp 7 sec cor.

80.12 Intersect N and S line & the S.  
of cor of secs 11, 12, 13 and 14.

Shaner & Gunn

West, on a true line bet  
secs 11 and 14.

Over level land.

Subdivision of Sec. 1, R. 20 E. - Continued

Chain

Through dense undergrowth.

9.95 Road to Fairbank bears N.  
easterly and S. Westerly.

4006 Set a pipe post, 5 ft long, 4 ins  
sq, with marked stone, 24 ins in  
the ground, for  $\frac{1}{4}$  sec cor, marked  
 $\frac{1}{4}$  S 11 on N and S 14 on S faces,  
dig pits 18 x 18 x 12 ins, E and W  
of post, 5 ft dist, and raise a  
mound of earth  $5\frac{1}{2}$  ft base,  $1\frac{1}{2}$   
ft high, N of cor.

8012 The cor of secs 10, 11, 14 and 15.  
Level.

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rates.

No timber, undergrowth, mesquite.

Dense undergrowth, 8002 chs.

N. cor W, but secs 10, and 11.

Over level and gently rolling land.

## Subdivision of S. 2, S. R. 20 E. Continued

- Chains Through dense undergrowth.
- 4000 Set a granite stone  $18 \times 7 \times 5$  ins, 12 ins in the ground, for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  sec 10 on W and 11 on E faces, dig pits  $18 \times 18 \times 12$  ins, N and S of stone, 3 ft dist, and raise a mound of earth  $3\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high, W of cor.
- 6300 Enter dense *trisetia* and sags.
- 8000 Set a granite stone,  $18 \times 10 \times 7$  ins, 12 ins in the ground, for cor of secs 2, 3, 10 and 11, marked with 5 notches on S and 2 notches on E edges; dig pits  $18 \times 18 \times 12$  ins in each sec,  $5\frac{1}{2}$  ft dist, and raise a mound of earth 4 ft base, 2 ft high, W of cor.
- Land, level and gently rolling  
Soil, gravelly; 2<sup>nd</sup> and 3<sup>rd</sup> rates.

Subdivision of Sec 1, R 20 E - continued

Chains No timber, undergrowth, mesquite, yucca and sage.  
Dense undergrowth, 8.00 chs.

Crust on a random line bet  
secs 2 and 11.

40.00 Set temp  $\frac{1}{4}$  sec cor.

80.04 Intersect N and S line at cor  
of secs 1, 2, 11 and 12.

Plumer Dunn

West on a true line bet secs  
2 and 11.

Over level and gently rolling land.  
Through dense undergrowth.

40.02 Set a round post, 3 ft long, 4 ins. sq.,  
with marked stone, 24 ins in the ground, for  
 $\frac{1}{4}$  sec cor, marked N S on N and S on S faces,  
dig pits 18 x 18 x 12 ins, E and W of post, 3 ft dist,  
and raise a mound of earth 3  $\frac{1}{2}$  ft base, 1  $\frac{1}{2}$  ft  
high, N of cor.

Subdivision of A. S. L. Res E-Continued  
 Chains

80.04 The cor of secs 2, 3, 10 and 11  
 Land, level and gently rolling.  
 Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rates.  
 No timber; undergrowth, mes-  
 quite, trestle and sage.  
 Dense undergrowth, 80.04, Chs

N 001<sup>W</sup> on a true line bet secs  
 2 and 3.

Over rolling land.

Through dense undergrowth.

40.00 Set a redwood post, 3 ft long, 4  
 ins sq, with marked stone, 2 1/4  
 ins in the ground, for 1/4 sec cor,  
 marked 1/4 S 3 on W and S on  
 E faces; dig pits 18 x 18 x 12 ins.



Subdivision of T 21 S, R 20 E - Continued

Chain

N and S of post, 3 ft dist, and raised a mound of earth  $3\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high, W of cor.

8676

Intersect Smith Standard Parallel  
South a point 2. 44 chs W of Standard  
to sec ev of S 34, as heretofore described.

Set a redwood post, 3 ft long, 4 ins sq, with  
marked stem, 24 ins in the ground for  
closing ev of secs 2 and 3, marked  
C C, T 21 S, R 20 E, on S,

S 2 on E, and

S 3 on W faces, with grooves on E and 4 grooves  
on W faces; dig pits 24 x 18 x 12 ins, crosswise on  
each line, E and W, 3 ft, and S of post 7 ft  
dist, and raise a mound of earth 4 ft base, 2 ft  
high, S of cor.  
E and, rolling.

Soil, gravelly; 2 D rats.

No timber; undergrowth mesquite and brush.

Raise undergrowth, 86.76 chs.

November 4, 1901.

Submission of S 21 S. R 20 E - Continued

Chains November 5, 1901. At 8<sup>h</sup> 05<sup>m</sup> a.m., l.m.t.,  
I set off 31° 34' on the lat arc, 15° 36' S  
on the decl arc and determine a  
true meridian with the solar at  
the cor of sres 26, 27, 34 and 35.

Planes Drum

West on a true line bet sres 27  
and 34.

Over level and rolling land.

- 18.110 Road, bears N. easterly and S. westerly.  
40.000 Set a wooden post, 3 ft long, 4 ins sq,  
with marked stone, 24 ins in the  
ground, for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  S 27  
on N and S 34 on S faces; dig pits  
18 x 18 x 12 ins, E and W of post, 3 ft dist,  
and raise a mound of earth 3 $\frac{1}{2}$  ft  
base, 1 $\frac{1}{2}$  ft high, N of cor.  
114.50 Mc Lan's house, bears 10 chd N.  
46.48 Road, bears N. westerly and southerly.

Subdivision of A 21 S, R 20 E - Continued  
 Chassis

- 50.50 Raily wash, 70 lbs wide, course  
 naturally
- 61.90 Wire fence, bars N. westerly and S.  
 westerly.
- 80.00 Set a granite stone, 18x10x8 ins, 12  
 ins in the ground, for cor of secs  
 27, 28, 33 and 34, marked with 1  
 notch on S and 3 notches on E edges,  
 and raise a mound of stone 2 ft base,  
 1 1/2 ft high, W of cor. Site impracticable.  
 Land, level and rolling.  
 Soil, gravelly; 2<sup>d</sup> rate.  
 Sink, seep more along wash; under-  
 growth, scattering mesquite.

S 0.02 E, on a true line bet secs  
 33 and 34.

Over rolling land.

## Subdivision of S 21 S, R 20 E - continued.

Chains

29.95

Wire fence, bears N. N. westerly and S. S. easterly.

30.00

Road to Waukegan Siding, bears N. N. westerly and S. S. easterly.

40.00

Set a redwood post 3 ft long, 4 ins sq, with marked stone, 24 ins in the ground, for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  S 33 on W and S 34 on E faces; dig pits  $18 \times 18 \times 12$  ins, N and S of post, 3 ft dist, and raise a mound of earth  $3\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high, W of cor; from which a sycamore 7 ins diam bears  $S 86\frac{1}{4}^{\circ} E$  381 lbs dist. <sup>marked  $\frac{1}{4}$  S 34-13.7.</sup> From this point the N E cor of the Reilly house bears  $N 82.15^{\circ} W$  4.45 chs dist; S E cor of stable bears  $N 58\frac{3}{4}^{\circ} W$  2.25 chs dist; windmills and slaughter pens bear  $S 60^{\circ} W$  6 chs dist.

41.40

Road, bears N. easterly and S. westerly.

Subdivision of Sec 1, R 20 E - Continued.

Chains

47.60 Road to Onaemea, bears N. easterly  
and S. westerly

59.50 Wash, 2 chs wide, runs S. westerly.

61.48 Outermost E bay of Onaemea Military  
Reservation at a point from which  
an N. 4 of the reservation bears  
S 21° 24' E, 142.53 chs dist.

Set a quartz stone, 18 x 11 x 6 ins, 12 ins  
in the ground, for closing cor of  
frac 20s 33 and 34, marked C C on  
N, 34 on E, 33 on W and U. M. R. on  
S faces, and raise a mound of stone  
2 ft base, 1½ ft high, N of cor. Sets  
impracticable. From this cor back-  
berry, 5 ins diam, bears N 30° E, 31  
chs dist, marked S 21 S, R 20 E, S 34, B. 71  
A backberry, 5 ins diam, bears N 84½ E,  
21½ chs dist, marked, S 21 S, R 20 E, S 34, B. 71  
Land, level and rolling.

## Subdivision of Sec 1, R 20 E - Continued.

S 1

Chains

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rate.  
Timber, a few hackberry.

Summary of sees 27, 28, 33 and 34.

Point

West on a true line bet sees 28 and 33.  
Over level and rolling land.

5.55 Wire fence, bears N. westerly and S.  
westerly.

10.95 Road to Winchelsea Siding, bears  
northwesterly and southerly.

24.14 Entrance E. body of Winchelsea Mili-  
tary Reservation at a point from  
which cor N. 3 of the reservation  
bears N 21° 24' W, 302.63 chs. dist.  
Set a granite stone, 18 x 10 x 8 ins, 12  
ins in the ground, for closing  
cor of parcel sees 28 and 33, marked  
W M Row N, 28 on N, 33 on S

## A division of S 21 S, R 20 E - Continued.

Chain

and C on E faces, and raise a mound of stone 2 ft base,  $1\frac{1}{2}$  ft high, E of ev. Pits impracticable.

Land, level and rolling.

Soil, generally sand rocky; 3 rats.

No timber.

N. 0.00 W, but sees 27 and 28.

Over level and rolling land.

4.48 Wire fence, bars N. easterly and S. westerly.

37.00 Enter scattering mesquite.

41.00 Set a granite stone 18x8x7 ins, 12 ins in the ground, for  $\frac{1}{4}$  sec ev, marked  $\frac{1}{4}$  28 on W and 27 on E faces; dig pits 18x18x12 ins, N and S of stone, 3 ft dist, and raise a mound of earth  $3\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high, W of ev.

67.00 Gran scattering mesquite and enter dense tsota.

Subdivision of P 21 S, R 20 E - Continued  
 Chains

8000 Set a granite stone,  $18 \times 7 \times 6$  ins, 12 ins in  
 the ground, for cor of sses 21, 22, 27  
 and 28, marked with 2 notches on S  
 and 3 notches on E edges; dig pits,  
 $18 \times 18 \times 12$  ins, in each sse, 5 1/2 ft dist,  
 and raise a mound of earth 4 ft base,  
 2 ft high, W of cor.

Land, level and rolling.

Soil, gravelly; 2? natr.

No timber; undergrowth, fescue and  
 mesquite.

Dense undergrowth, 10.00 chs.

East on a random line bet sses  
 22 and 27.

4000 Set temp'ry sse cor.

8000 Intersect N and S line at cor of  
 sses 22, 27, 26 and 27.

Thence Down



## Subdivision of Secs 21, 22, 27 &amp; Continued.

Chains

Went on a true line bet secs 22  
and 27.

Over level and rolling land.

- 40.00 Set a granite stone 18 x 10 x 8 ins, 12 ins  
in the ground, for  $\frac{1}{4}$  sec 22, marked  
 $\frac{1}{4}$  22 on N and 27 on S faces; dig pits  
18 x 18 x 12 ins, E and W of stone, 3 ft  
dist, and raise a mound of earth  
 $3\frac{1}{2}$  ft base, 12 ft high, N of cor.
- 62.00 Enter Reilly draw, course northerly.
- 67.50 Dry wash, 40 lbs wide, course N.  
westerly.
- 61.00 Dry wash, 12 lbs wide, course N.  
westerly.
- 65.00 Leave Reilly draw, and enter course  
total and meagrite, bears N. westerly  
and S. westerly
- 80.00 The cor of secs 21, 22, 27 and 28.  
Land, level and rolling.

Subdivision of Secs 1, 16, 20 & Continued.

Chains

Soil, generally; 2<sup>d</sup> and 3<sup>d</sup> hats.

Timber, sycamore and oak along wash;  
undergrowth, tsetse and mosquito.

Dense undergrowth, 15.00 chs.

West on a true line bet secs 21  
and 28.

Over rolling land.

10.00 Enter dense tsetse and sage, brush  
northerly and southerly.

20.50 Dry wash, 60 lbs wide, course N.  
westerly.

28.60 Road to Waachina Siding, course N.  
westerly and S. westerly.

40.00 Set a granite stone, 18x8x6 ins, 12 ins  
in the ground, for  $\frac{1}{4}$  sec cor, marked  
421 on N, and 28 on S faces, and  
raise a mound of stone 2 ft base,  
1 $\frac{1}{2}$  ft high, N of cor. Site impracticable.

## Subdivision of S 21 S, R 20 E - Continued.

Chains

5518

Intersect E. edge of Winchona Military Reservation at a point from which cor. No. 3 of the reservation bears  $T 24^{\circ} W$ , 216.70 chs. dist.

Set a granite stone  $18 \times 10 \times 8$  ins, 12 ins in the ground, for closing cor. of fractional acres 21 and 22, mark C on E, 21 on N, 22 on S, and T M R on W face, and raise a mound of stone, 2 ft base,  $1\frac{1}{2}$  ft high, E of cor. This impracticable ground, polling.

Soil, gravelly; 3<sup>d</sup> rate.

No timber, undergrowth, tesota, and sage.

Dense undergrowth, 55,18 chs.

November 5, 1901.

November 6, 1901.

No. 02' W, but surs 21 and 22.

## Subdivision of S 21 S R 20 E - continued.

Chains

- Over level and gently rolling land.
- 40.00 Set a granite stone,  $18 \times 10 \times 7$  ins, 12 ins in the ground, for  $\frac{1}{4}$  sec cor, marked  $\frac{1}{4}$  21 on W and 22 on E faces; dig pits  $18 \times 18 \times 12$  ins, N and S of stone, 3 ft dist, and raise a mound of earth 3 ft base,  $1\frac{1}{2}$  ft high, W of cor.
- 58.00 Empty claim undergrowth, bears chesty and mostly
- 80.00 Set a granite stone,  $18 \times 7 \times 6$  ins, 12 ins in the ground, for cor of secs 15, 16, 21 and 22, marked with 3 notches on S and E edges, dig pits  $18 \times 18 \times 10$  ins, in each sec,  $5\frac{1}{2}$  ft dist, and raise a mound of earth 4 ft base, 2 ft high, W of cor.
- Land, level and gently rolling.  
Soil, gravelly; N and E. rats.  
No timber; undergrowth, broom, sage and mesquite.

Subdivision of S 21 S, R 20 E - Continued.  
Chain

Druse underground, 22.00 chs.

East on a random line bet sres 15 and 22.

41.00 Set  $\frac{1}{4}$  s/c cor

8.00 4 Entwret N and S line 5 chs N of cor of sres 14, 15, 22 and 23.

Plumer Druse

N 89° 38' W on a true line bet sres 15 and 22.

Over level and rolling land.

4.00 2 Set a granite stone, 18 x 8 x 6 ins, 12 ins in the ground, for  $\frac{1}{4}$  s/c cor, marked  $\frac{1}{4}$  15 on N and 22 on S faces, and raise a mound of stone 2 ft base, 1 1/2 ft high, N of cor. Pits impracticable.

42.00 Descend to Rilly draw, course westerly.

48.40 Dry wash, 30 chs wide, course N. easterly.

Subdivision of T21 S, R20 E - Continued.  
Chains.

50.00 Brass, draw.

63.00 Enter dense trestle and sage, brass  
westerly and southerly.

80.04 Three of sres 15, 16, 21 and 22.

Level and rolling.

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rate.

Timber, a few sycamores along wash;  
undergrowth, trestle, sage and mesquite.

Dense undergrowth, 17.04 chs.

No. 02 W, bet sres 15 and 16.

Over level and rolling land.

Through dense undergrowth.

40.00 Set a granite stone, 18 x 8 x 6 ins, 12 ins

in the ground, for  $\frac{1}{4}$  sec cor, marked

$\frac{1}{4}$  16 on W and 15 on E faces, and

raise a mound of stone, 2 ft base,

1 1/2 ft high, No. 02 W, Pts impracticable.

43.00 Dry wash, 50 lbs wide, course W.

## Subdivision of Sec 1 S, R20 E - Continued.

59

rd.

11 of

es

11.

rasterly.

44.00 Center of draw, 4 chs wide, course

rasterly.

80.00 Set a sandstone 18x10+6 ins, 12 ins in

the ground, for cor of secs 9, 10, 15

and 16, marked with 4 notches on

S and 3 notches on E edges, and raise

a mound of stone 2 ft base, 1 1/2 ft

high, N of cor. Pits impracticable.

Sand, level and rolling.

Soil, gravelly; sand &amp; silt.

No timber; undergrowth, tesota, sage

and mesquite.

Dense undergrowth, 80.00 chs.

S 8958' E on a random line bet secs

10 and 15.

40.00 Set temp 1/4 sec cor.

80.06 Intersect N and S line at cor of

Subdivision of S 21 S; R 20 E continued.

Chains

secs 10, 11, 14 and 15.

Turner Dam

N 89° 58' W, on a true line bet secs  
10 and 15.

Over level land.

32.00 Enter rolling and broken land.

40.03 Set a granite stone, 18 x 10 x 8 ins, 12 ins  
in the ground, for  $\frac{1}{4}$  sec cor, marked  
 $\frac{1}{4}$  10 on N and 15 on S faces, and  
raise a mound of stone, 2 ft base,  
 $1\frac{1}{2}$  ft high, N of cor. Site imprac-  
ticable.

58.30 Dry wash, 50 lbs wide, course northing.

59.00 Enter of Raily draw, 7 chs wide, course  
northing.

80.06 N of cor of secs 9, 10, 15 and 16.

Land, level, rolling, and broken.

Soil, gravelly; 2 and 3 rats.

No timber.



Subdivision of P 21 S, R 20 E - continued.

Chain

November 6, 1901.

November 7, 1901. At 7<sup>h</sup> 56<sup>m</sup> a.m., met at  
Port off 8.36 in the lat arc, 16° 30' S  
on the decl arc, and determine a  
true meridian with the solar at  
the eve of sses 9, 10, 15 and 16.

Placer D, run

No 02 W, bet sses 9 and 10.

Over rolling land.

Through dense undergrowth.

9.50 Draw, 3 chs wide, course N. easterly.

4.00 Set a redwood post, 3 ft long, 4 ins  
sq, with marked stone, 24 ins in  
the ground, for  $\frac{1}{4}$  sec cor, marked  
 $\frac{1}{4}$  S 9 on W and S 10 on E faces; dig  
pits 18 x 18 x 12 ins, N and S of post,  
3 ft dist, and raise a mound of  
earth 3  $\frac{1}{2}$  ft base, 1  $\frac{1}{2}$  ft high, W of cor.

Subdivision of S 21 S, R 20 E - continued.

Chains

8000

Set a granite stone 18 x 10 x 8 ins, 12 ins in the ground, for cor of sees 3, 4, 9 and 10, marked with 5 notches on S and 3 notches on E edges, from which a mesquite 7 ins diam, bears  $N 30^{\circ} W, 261$  lbs dist, marked P 21 S, R 20 E, S 4, B. 7.

A mesquite 6 ins diam, bears  $S 8^{\circ} 4' E, 337$  lbs dist, marked S 21 S, R 20 E,

S 10, B. 7; no other trees within limit, and raise a mound of stone 2 ft base,  $1\frac{1}{2}$  ft high, W of cor. Pits impracticable.

Dand, rolling,

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rats.

No timber; undergrowth, mesquite, sage and grasswood.

Dense undergrowth, 8000 chs.

$S 89^{\circ} 58' E$ , on a random line bet sees 3 and 10.

## Subdivision of T 21 S, R 20 E - Continued.

Chains

40.00 Set trap  $\frac{1}{4}$  sec cor80.10 Intersect N. and S line 12 lbs S of  
cor of secs 2, 3, 10 and 11.

Thence Run

S 89° 57' W, on a true line bet secs 3  
and 10.

Over level and rolling land.

Through dense undergrowth.

80.00 Enter Reilly draw, course N. easterly.

85.00 Dry wash, 70 lbs wide, course N. easterly.

40.05 Set a sandstone 18 x 7 x 6 ins, 12 ins in  
the ground, for  $\frac{1}{4}$  sec cor, marked  
 $\frac{1}{4}$  S on N. and 10 on S corners; dig pits  
18 x 18 x 12 ins, E and W of stone, 3 ft  
dist, and raise a mound of earth  
3  $\frac{1}{2}$  ft base, 1  $\frac{1}{2}$  ft high, N of cor.

44.00 Leave Reilly draw.

80.10 The cor of secs 3, 4, 9 and 10.

Band, level and rolling.

## Subdivision of S 21 S, R 20 E - Continued

Chains

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rates.No timber, undergrowth, mesquite, to-  
sota and sage.

Draw undergrowth 70.00 chs.

7000' W, on a true line bet sees 3  
and 4.

Over level, and rolling land.

Through dense undergrowth.

5.00 Enter draw, course N. W. easterly.

32.00 Leave draw.

40.00 Set a redwood post, 3 ft long, 4 in  
sq, with marked stony 24 in in  
the ground, for  $\frac{1}{4}$  sec ev, marked  
 $\frac{1}{4}$  S 4 on N, and S 3 on E faces; dig  
pits 18 x 18 x 12 in, N and S of post,  
3 ft dist, and raise a mound of  
earth  $3\frac{1}{2}$  ft base,  $1\frac{1}{2}$  ft high, NW  
of ev.

Adjournment of P 21 S, R 20 E - Continued.

Claims

- 57.50 Draw, 1 ch wide, course N. easterly.
- 56.72 Intersect Smith's Standard Parallel South at a point 2.48 chs W of Standard  $\frac{1}{4}$  sec cor. of 133, as heretofore described. Set a rounded post, 3 ft long, 4 ins sq, with marked stone, 24 ins in the ground, for showing cor. of secs 3 and 4, marked C C, P 21 S, R 20 E on S, S 3 on E, and S 4 on W faces, with 3 grooves on E and W faces; dig pits 24 x 18 x 12 ins, crosswise on each line, E and W 3 ft, and S of post, 7 ft dist; and raise a mound of earth, 4 ft base, 2 ft high 3 ft on E and level and nothing.
- Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rate.
- No timber; undergrowth, mesquite, tobacco and sage.
- Dense undergrowth, 56.72 chs.

## Subdivision of P 21 S, R 20 E - Continuous

Chains

- From the cor of sres 15, 16, 21 and 22, Run  
West on a true line bet sres 16 and 21.  
Over rolling land.
- 3.00 Enter dense tsetse undergrowth, cross N. westerly and S. westerly.
- 22.80 Dig wash, 50 lbs wide, course N. N. westerly.
- 40.00 Set a granite stone, 18 x 12 x 8 ins, 12 ins in the ground, for  $\frac{1}{4}$  sse cor. marked  $\frac{1}{4}$  16 on N and 21 on S faces, and raise a mound of stone 2 ft base, 1  $\frac{1}{2}$  ft high, N of cor. It is impracticable.
- 60.00 Cross dense tsetse, cross N. westerly and S. westerly.
- 67.00 Dig wash, 20 lbs wide, course N. westerly.

Submission of Secs 19, 20 & 21 - Continued.

Chains

71.00 Enter scattering mesquite.

80.00 Set a granite stone, 18x10x7 ins, 12 ins  
in the ground, for cor of secs 16, 17, 20  
and 21, marked with 3 notches on S  
and 4 notches on E edges; dig pits,  
18x18x12 ins, in each sec, 5<sup>1</sup>/<sub>2</sub> ft dist,  
and raise a mound of earth 4 ft  
base, 2 ft high, W of cor.

Land, rolling.

Soil, gravelly; 5<sup>th</sup> rate.

No timber, undergrowth, trees and  
mesquite.

Dense undergrowth, 57.00 chis.

November 7, 1901.

Secs 20 & 21 on a true line but secs  
20 and 21.

Overgrowth rolling land.

17.10 Interior E bdy of *Hemlock*

## Subdivision of Sec 1, R 20 E - Continued.

6.68

Military Reservation at a point from which cor No. 3 of the reservation bears  $N 21^{\circ} 24' W$ , 148.76 chs dist. Set a red round post, 3 ft long, 4 ins sq, with marked stone, 24 ins in the ground, for closing cor of parcel 20 and 21, marked C C, Sec 1, R 20 E, on N, S 21 on E, S 20 on W, and W. M. R. on S, facing dig pits, 24 x 18 x 12 ins, acrosswise on each line, NW and SE 3 ft, and N of post 1 ft dist, and raise a mound of earth 4 ft base, 2 ft high, N of cor. Land, gently rolling.  
Soil, gravelly; 3<sup>rd</sup> rate.  
No timber.

West on a true line bet secs 17 and 20.

Over level sura.

6.68 Intersect E bdy of Unclaimed Military Reservation at a point from



Subdivision of P 21 S, R 20 E - Continued.

Chain

which are No. 3 of the reservation  
bearing  $N 21^{\circ} 24' W$ , 130.42 chs. dist.

Set a quartz stone  $18 \times 12 \times 8$  ins, 12 ins  
in the ground, for closing cor. of  
frac. sres 17 and 20, marked C C  
on E, 17 on N, 20 on S, and T M K  
on W faces, and raise a mound of  
stone 2 ft base,  $1\frac{1}{2}$  ft high, E. of cor.  
Pits impracticable.

Land, level.

Soil, gravelly; 2<sup>d</sup> and 3<sup>d</sup> rates.

No timber.

$N 00^{\circ} 21' W$ , but sres 16 and 17.

Over level and rolling land.

40.00

Set a granite stone  $18 \times 7 \times 6$  ins, 12 ins  
in the ground, for  $\frac{1}{4}$  sse cor, marked  
 $\frac{1}{4}$  17 on W and 16 on E faces, and  
raise a mound of stone 2 ft base,

## Subdivision of Sec 1 S, R 20 E - Continuation.

Chains

 $\frac{1}{2}$  ft high, 11 of ea. Pits unpracticable.

49.60 Dig wash, 30 lbs rick, course N &amp; easterly.

72.00 Clear scattering and enter chains  
undergrowth, grass easterly and westerly.80.00 Set a granite stone, 18 x 10 x 8 ins, 12 ins  
in the ground, for ea of secs 8, 9,  
16 and 17, marked with 4 notches  
on S and E edges; dig pits 18 x 18 x 12  
ins, in each sec, 5  $\frac{1}{2}$  ft dist, and  
raise a mound of earth 4 ft base,  
2 ft high, 1 W of ea.

Land level and rolling.

Soil, gravelly; 2 S and 3 N.

No timber; undergrowth, mesquite  
and trestle.

Dense undergrowth, 8 cochs.

East on a random line bet secs 9  
and 16.

## Subdivision of P 21 S, R 20 E - Continued.

Chairs

4000 Set trap  $\frac{1}{4}$  sec cor.

8000

Intersect. N and S line 6 chs N of  
cor of sees 9, 10, 15 and 16.

Wmmer B. mnd

N 89° 57' W, on a true line bet sees  
9 and 16.

Corr rolling and broken land.

Through dense undergrowth.

1600

Center of drain, 3 chs wide, course N.  
easterly.

3800

Center of drain, 4 chs wide, course N.  
easterly.

14000

Set a granite stone, 18 x 10 x 7 ins, 12  
ins in the ground, for  $\frac{1}{4}$  sec cor,  
marked  $\frac{1}{4}$  9 on N and 16 on S faces  
from which a mosquito, 4 ins diam,  
bears N 71 $\frac{1}{2}$ ° E, 38 chs dist, marked  
 $\frac{1}{4}$  S 9, B. T.A mosquito 6 ins diam, bears S 113 $\frac{1}{4}$ ° W,

Subdivision of S 21 S, R 20 E - Continued.

Chains.

- 149 Chs dist, marked  $\frac{1}{4}$  S 16, B. T.  
 64.00 Wash, 15 Chs wide, course N. easterly.  
 8000 The cor of secs 8, 9, 16, and 17.  
 Land, rolling and broken.  
 Soil, gravelly; 2 and 3<sup>d</sup> rate.  
 No timber, undergrowth, mesquite  
 and trees.  
 Dense undergrowth, 8,000 Chs
- 
- Not on a true line bet secs 8  
 and 17.  
 Very rolling land.  
 Through dense undergrowth.  
 11.00 Drain dense undergrowth, course  
 N. easterly and S. westerly.  
 27.00 Dry wash, 20 Chs wide, course  
 N. easterly.  
 37.98 Intersect Ely Archaena Military  
 Reservation at a point from which

Concluded, Book 927

*[Faint handwritten mark]*