

No. 16

No. 930

BOOK 930

Subdivisions

Book II

4-671

FIELD NOTES

GENERAL LAND OFFICE.

Tp 22 S. R 11 E

930

Indexed Book 929.

Township 22S R. 11E

56

6	84	5	63	4	3	2	1
83		82		62			
7	81	8	61	9	10	11	12
79		78		59			
18	77	17	58	16	15	14	13
75		74		57			
19	73	20		21	22	23	24
71		70					
30	69	29		28	27	26	25
67		66					
31	65	32		33	34	35	36

Subdivision T. 22 S. R. 11 E. Continued

East on a random line bet Secs 16 & 21

Var. $12^{\circ}35' E$.

Line runs up over West slope of hill.

28.00 Summit 600 ft high and descend. Ground very rough and steep.

40.00 Set temp $\frac{1}{4}$ Sec. Cor.

48.00 Cedar creek $\frac{1}{4}$ Ch. wide course N. and ascend S. W. slope of rocky hill.

80.46. Intersect N and S line 24 lks S. of the cor to Secs 15. 16. 21 & 22. Thence run S. $89^{\circ}50' W$. on a true line bet Secs 16 & 21 with same Var.

40.23. Set a granite stone $16 \times 8 \times 6$ ins. 12 ins in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ on N. face, and raised a mound of stone $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base, along side. Pts impracticable.

80.46. The cor to secs. 16. 17. 20 & 21. Land rough and hilly.

Subdivision T. 22 S. R. 11 E. Continued
 Chams

Soil worthless.

Timber scattering oak and cedar

North bet Secs 16 & 17.

Var. $12^{\circ} 35' E.$

- 3.00 Wash 50 lks wide course $N 30^{\circ} E.$
 and line runs over East side of
 rocky hill.
- 21.00 Same wash 60 lks wide course $N. 45^{\circ} W$
 and line runs along E. slope of rough
 hills
- 40.00 Set a granite stone $14 \times 10 \times 8$ ins 10 ins
 in the ground for $\frac{1}{4}$ sec. cor. marked
 $\frac{1}{4}$ on W face, and raised a mound
 of stone $1\frac{1}{2}$ ft high, $3\frac{1}{2}$ ft base
 along side. Pits impracticable
- 80.00 Set a granite stone $16 \times 14 \times 4$ ins
 12 ins. in the ground for cor. to

Subdivision T. 22 S. R. 11 E. Continued

Secs. 8, 9, 16 & 17 marked with 4 notches
on S and E edges, and raised a mound
of stone alongside. Pits impracticable.
Land, rough, broken and hilly
Soil, worthless

Timber a few oak

East on a random line bet Secs 9 & 16.

Dir. $12^{\circ} 35' E$.

Over rough broken hills. Commence descent
from cor. Foot of hill and

22.00 Cedar creek 50 yds wide course $N. 30^{\circ} W$ and
commence ascent of another hill

32.00 Summit 500 ft high bears $N \& S$ and descend

40.00 Set temp. $\frac{1}{4}$ Sec Cor.

06.00 Foot of hill and ravine 10 ft deep course
 $N 50^{\circ} E$ and commence ascent of another
hill.

Submersus T. R. S. R. 11 E. Continued
 Charns

- 69.00 Summit 200 ft high and descend.
- 77.00 Ravine 10 ft deep course N. 60° E.
- 80.36 Intersect N and S line 19 tks N. of the cor to secs 9, 10, 15 & 16. the road runs N. 89° 52' W. on a true line bet secs 9 & 16. with same bar.
- 40.18 Set a granite stone 14 x 10 x 8 ins 10 ins in the ground for $\frac{1}{4}$ sec. cor marked $\frac{1}{4}$ on N. face, and raised a mound of stone alongside, pits impracticable from which
- An oak 6 ins. diam bears N. 87° E 20 tks dist. marked $\frac{1}{4}$ S. B. T.
- An oak 8 ins. diam bears N. 73° W. 55 tks dist. marked $\frac{1}{4}$ S. B. T.
- 80.36 The cor to secs 8, 9, 16 & 17.
 Land, rough, rocky and mountainous
 Soil, worthless.
 Timber, scattering oak.

Subdivisions T. 22 S. R. 11 E. Continued

Chains

North bet secs 8 & 9.

Var. $12^{\circ} 35' E$

Line descending and running over NE slope of rough mountain.

22.00 Cedar creek 40 lks wide, course N. $30^{\circ} W$

Line continues over rough rolling hills

40.00 Set a granite stone $20 \times 10 \times 6$ ins 15 ins in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on W. face and raised a mound of stone $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side. Pits impracticable.55.00 Wash 20 lks wide course S. $40^{\circ} W$.76.00 Wash 15 lks wide course S. $45^{\circ} W$.80.00 Set a Granite stone $16 \times 12 \times 10$ ins 12 ins in the ground for cor to secs. 4, 5, 8 & 9 with 5 notches on S and 4 notches on E edges. and raised a mound of stone alongside, Pits impracticable
Land, rough, broken and mountainous

Subdivision T. 22 S. R. 11 E. Continued

Chains

Soil worthless.

No timber

East on a random line bet Secs 4 & 9
 Var. $12^{\circ}35' E$.

Over rough rolling land.

- 2.00 Wash 15 lks wide course S. $45^{\circ} W$.
- 11.00 Wash 20 lks wide course S. $40^{\circ} W$.
- 26.00. Line passes immediately south of a bluff about 200 ft high. "
- 35.00 Wash 20 lks wide course S. $30^{\circ} E$.
- 40.00 Set temp. $\frac{1}{4}$ Sec. Cor.
- 48.00 Wash 30 lks wide, course S. $40^{\circ} W$.
- 79.60 Wash 50 lks wide course S. $45^{\circ} W$.
- 80.11 Intersect N & S line at 41 lks S of cor to Secs 3, 4, 9 & 10. Thence I run S $89^{\circ}43' W$ on a true line bet. Secs. 4 & 9 with same Var.

Subdivision T. 22 S. R. 11 E. Continued
 chains

- 40.06 Set a Granite stone 16x12x10 ins 12 ins
 in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$
 on N. face, and raised a mound of
 stone $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base, along side
- 80.11 The cor. to secs 4, 5, 8 & 9.
 Land rolling and broken.
 Soil 4th rate
 No timber.
- North on a random line bet Secs 4 & 5
 Var. $12^{\circ}35'E$.
- Over rough hills
- 1.00 Ravine 10 ft deep, course $S50^{\circ}W$ and
 commence ascent of rocky hill
- 18.00 Summit 400 ft high, bearing $E \& W$
 and descend.
- 37.00 Ravine 5 ft deep, course $N.45^{\circ}E$.
- 40.00 Set temp $\frac{1}{4}$ Sec. Cor.

Subdivisions T. 22 S R. 11 E. Continued

Chains.

- 46.00 Foot of rocky hill and enter rolling and broken land.
- 64.00 Ravine 30 ft deep, course $N 60^{\circ} E$.
- 80.15. Intersect North boundary of Township 11 lks W. of the cor to Secs 4, 5, 32 & 33 previously established and described by me. Thence I run $S. 0^{\circ} 05' W$ on a true line bet Secs 4 & 5 with same Var.
- 40.15 Set a granite stone $18 \times 10 \times 8$ ins 12 ins in the ground for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ on W face. From which An oak 4 ins diam bears $S. 80^{\circ} W. 66$ lks dist. marked $\frac{1}{4}$ S.B.T.
An oak 8 ins diam bears $N 84^{\circ} W. 149$ lks dist. marked $\frac{1}{4}$ S.B.T.
- 80.15 The cor to secs 4, 5, 8 & 9.
Land, rough, broken and mountainous
Soil, worthless.

Subdivisions T. 22 S. R. 11 E. Continued

Name

Timber a few oaks at N. end of line.

From the cor to Secs. 5, 6, 31 & 32 previously established and described by me

From

North bet Secs 31 & 32

Var. $12^{\circ}35'E$.

Line runs over broken land

40.00 Set a volcanic stone $16 \times 10 \times 10$ ins 12 ins in the ground for $\frac{1}{4}$ Sec. cor. marked $\frac{1}{4}$ on W. face, and raised a mound of stone alongside. Pits impracticable

76.00 Ravine 5 ft deep Course N. $70^{\circ}E$.

80.00 Set a volcanic stone $15 \times 10 \times 10$ ins 10 ins in the ground for cor to Secs 29, 30, 31 & 32. marked with 1 notch on S and 5 notches on E. edges and raised a mound of stone alongside.

Subdivision T. 22 S. R. 11 E. Continued
 Chain

Pite impracticable

Land rough and broken

Soil, 4th rate, indications of mineral.

Timber a few oaks.

East on a random line bet Secs 29 & 32
 var $12^{\circ} 35' E$.

Over rough broken land descending
 from cor.

6.00 Ravine 5 ft deep. Course $N. 40^{\circ} E$.

15.00 Ravine 6 ft deep Course N and
 commence ascent.

40.00 Set temp $\frac{1}{4}$ Sec. Cor.

41.50 Ravine 10 ft deep, course $S. 30^{\circ} W$
 and line runs up steep side hill.

80.26 Intersect $N.$ & S line 26 lks $N.$ of the
 cor. to Secs. 28. 29. 32 & 33. Thence I
 run $N 89^{\circ} 49' W$. on a true line
 bet secs 29 & 32 with same var.

Subdivisions T. 22 S. R. 11 E Continued

- 40.13. Set a volcanic stone 20x10x8 ins 15 ins in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ on N. face and raised a mound of stone alongside, pits impracticable
- 80.26. The cor to secs 28.29. 32 & 33.
Land rough, broken and mountainous
Soil, worthless.
Timber a few oaks.
- West on a random line bet Secs 30 & 31
Var. $12^{\circ}35'E$.
- Over rough hill commencing ascent from Cor.
- 36.00 Ridge 500 ft high and line continues through hills.
- 46.00 Ravine 10 ft deep course N.
- 74.00 Ravine 10 ft deep course $N10^{\circ}W$.
- 76.00 Ravine 18 ft deep course $N20^{\circ}W$

Subdivisions T. 22 S. R. 11 E. Continued

- 77.00 Summit of highest ridge of hills 600 ft high, bearing N & S and com mence decuss
- 79.60 Intersect W. bdy of Township 25 lks S. of cor to secs 25. 30. 31 & 36 previously established and described by me. Thence run S. $89^{\circ}49'$ E with same var.
- 39.60 Set a Granite stone $30 \times 18 \times 12$ ins 22 ins. in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N. face and raised a mound of stone alongside. Pits impracticable. From which An oak 6 ins. diam bears S. 10° W. 38 lks dist marked $\frac{1}{4}$ S. B. F. An oak 10 ins. diam. bears N 18° E 30 lks. dist. marked $\frac{1}{4}$ S. B. F.
- 79.60. The cor to secs 29. 30. 31 & 32. Land, rough and mountainous soil, worthless.

Subdivision T. 22 S. R. 11 E. Continued
 chains

Timber, some few oaks.

14th Jan'y 1887.

North bet Secs 29 & 30.

Var. $12^{\circ} 35' E$.

Pine runs along East slope of rocky hill

- 9.50. Ravine 5 ft deep, course N. $40^{\circ} E$.
- 40.00 Set a granite stone $30 \times 20 \times 20$ ins 22 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on W. face, and raised a mound of stone alongside. Pits impracticable
- 41.00 Ravine 6 ft deep course East and commence ascent of high hill.
- 80.00. On S. W. slope and near summit of hill 1000 ft high I set a Granite stone $18 \times 8 \times 8$ ins 12 ins in the ground for cor to secs 19, 20, 29 & 30. marked with 2 notches on S and 5 notches on E edges and raised a mound of

Subdivisions T. 22 S. R. 11 E. Continued
 Chain.

stone alongside, Pits impracticable
 Land, rough, rocky and broken.
 Soil worthless.
 Timber, a few oaks.

East on a random line bet Secs 20 & 29
 Var $12^{\circ} 35' E$.

Pine runs along and down West slope
 of hill.

28.00 Foot of hill and wash 30 lks wide course
 N and commence ascent of another hill

40.00 Set. temp $\frac{1}{4}$ Sec cor.

62.00 Summit of hill 500 ft high and descend

79.00 Wash 30 lks wide, course $N 40^{\circ} W$.

80.20. Intersect N & S line 18 lks N. of cor.
 to Secs 20, 21, 28 & 29. Thence run
 $N. 89^{\circ} 52' W$. on a true line bet. Secs
 20 & 29 with same Var.

Subdivisions T. 22 S. R. 11 E. Continued

- 40.10 Set a granite stone 15 x 10 x 6 ins 10 ins in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on N. face, and raised a mound of stone along side, pits impracticable.
From which
An oak 5 ins. diam bears S 47° W. 30 lks dist. marked $\frac{1}{4}$ S. B. T.
An oak 6 ins diam bears S. 75° W. 45 lks dist. marked $\frac{1}{4}$ S. B. T.
- 80.20 The cor to secs 19. 20. 29 & 30.
Land rough and mountainous.
Soil worthless.
Timber scattering oak.
- West on a random line bet Secs 19 & 30.
Var. $12^{\circ} 35' E$.
Commence descent from cor.
- 87.50 Foot of hill and ravine 10 ft deep course

Subdivision T. 22 S. R. 11 E. Continued
 Chain.

- North and commence ascent of range of hills bearing N & S.
- 40.00 Set temp $\frac{1}{4}$ Sec Cor
- 73.00 In summit of range of hills 800 ft high bearing N & S.
- 80.12. Intersect W. boundary of Township 17 lks N. of cor. to secs 19. 24. 25 & 30 previously established and described by me.
 Thence I run N. $89^{\circ} 53' E$ on a true line bet Secs 19 & 30. with same var.
- 40.12. Set a volcanic stone 18 x 12 x 10 in 12 in in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N. face and raised a mound of stone alongside. Pitts impracticable
- 80.12. The cor to secs 19. 20. 29 & 30.
 Land rough, rocky and mountainous
 Soil worthless.
 Timber a few oaks.

Subdivisions T. 22 S. R. 11 E. - Continued

North bet Secs 19 & 20.

Var. $12^{\circ}35' E$.

Line runs along and down North slope of hill.

23.00 Foot & gulch 10 ft deep course $N60^{\circ}E$ and line runs over broken ridges.

38.00 Ravine 10 ft deep course $N40^{\circ}E$.

40.00 Set volcanic stone $16 \times 12 \times 8$ ins and raise mid of stone along side

53.00 Leave broken ridges and enter rolling hills

66.00 Wash 1 ch wide course $N. 50^{\circ} E$.

77.00 Wash 1 ch wide course $N. 45^{\circ} W$.

78.50. Old road course $E \& W$.

80.00 Set a volcanic stone $16 \times 12 \times 8$ ins 11 ins in the ground for Cor to Secs.

17-18-19 & 20, marked with 3 notches on S and 5 notches on E edges, dug pits $18 \times 18 \times 12$ ins. $5\frac{1}{2}$ ft dist in each sec. and raised a mound of earth 2 ft high $4\frac{1}{2}$ ft base along side.

Subdivision T. 22 S. R. 11 E. Continued
Chains

Land rough and mountainous first
 $\frac{1}{2}$ mile, then rolling.

Soil 4th rate

Timber a few oaks.

East on a random line bet Secs 17 & 20
Var. $12^{\circ} 35' E$.

Over rolling land.

- 40.00 Set temp $\frac{1}{4}$ Sec cor.
- 40.30 Little ravine course $N 45^{\circ} W$ and line
runs over rocky broken ridges
- 46.00 Summit of main ridge 300 ft high
bearing NW & SE and descend over
broken ridges.
- 79.88 Intersect N & S line 31 lks N . of cor.
to secs 16, 17, 20 & 21. Thence I run
 $N 89^{\circ} 47' W$ on a true line bet secs
17 & 20 with same var.

Subdivisions T. 22 S. R. 11 E. Continued

- 39.99 Set a granite stone 32x14x8 ins 24 ins
in the ground for $\frac{1}{4}$ Sec cor marked
 $\frac{1}{4}$ on N. face and raised a mound
of stone along side. Pits impracticable
- 79.88 The cor to secs 17. 18. 19. & 20.
Land rolling $\frac{1}{2}$ mile West - on East
rough and broken
Soil 4th rate
Timber a few oaks

West on a random line bet Secs 18 & 19
Var. $12^{\circ}35'E$.

Over rolling hills

- 2.50 Wash 1 ch wide, course N. $50^{\circ}W$.
- 18.00 Wash 30 lks wide course North
- 40.00 Set temp $\frac{1}{4}$ Sec cor. and enter
range of hills, bearing N & S.
- 60.00 Ravine 10 ft deep course N $50^{\circ}W$.

Subdivisions T. 22 S. R. 11 E. - Continued
 Chans.

80.10 Intersect West boundary of Township 19 lks S. of the cor to Secs 13. 18. 19 & 24 previously established and described by me. Thence I run S. $89^{\circ}52'E$. on a true line bet Secs 18 & 19 with same Var.

40.10 Set a volcanic stone $12 \times 10 \times 8$ ins 8 ins in the ground for $\frac{1}{4}$ sec. cor. marked $\frac{1}{4}$ on N. face, and raised a mound of stone alongside, pits impracticable from which

An oak 10 ins diam bears South 144 lks dist. marked $\frac{1}{4}$ S. B. T.

An oak 8 ins. diam bears West 130 lks dist. marked $\frac{1}{4}$ S. B. T.

80.10 The cor. to Secs 17. 18. 19 & 20.

Land $\frac{1}{2}$ mile East, rolling - $\frac{1}{2}$ mile W. rocky and mountainous.

Soil. $\frac{1}{4}$ the rate

Timber: scattering oak

Subdivisions T. 22 S. R. 11 E. - Continued

Chains

North bet Secs. 17 & 18.

Var. $12^{\circ}35'E$.

Over rocky hills, commence ascent from Cor.

- 16.00 Line runs across East slope of hill
- 30.00 Foot of rocky hill
- 40.00 Set a volcanic stone $14 \times 10 \times 8$ ins 10 ins in the ground for $\frac{1}{4}$ Sec Cor. marked $\frac{1}{4}$ on W. face and raised a mound of stone along side. From which an oak 12 ins. diam bears S. $45^{\circ}E$ 100 lbs dist marked $\frac{1}{4}$ S.B. T. and commenced ascent of another rocky hill
- 80.00 On East slope, I set a Granite stone $20 \times 10 \times 6$ ins 15 ins in the ground for Cor. to Secs 7. 8. 17 & 18 marked with 4 notches on S and 5 notches on E edges, and raised a mound of stone along side. Pits impracticable

Subdivision T. 22 R. 11 E. Continued
Chans.

Land, rough broken and mountainous.
Soil. worthless
Timber a few oaks.

East on a random line bet Secs 8 & 17.

Var. $12^{\circ} 35' E$.

Descending from cor. over rough hillside

29.00 Foot and wash 50 lks wide, course North.

40.00 Set temp $\frac{1}{4}$ Sec Cor.

43.00 Wash 50 lks wide course N. and
commence ascent of rough rocky hill

63.00 Summit 700 ft high and descend.

80.31 Intersect N & S line at 21 lks N of
cor. to secs 8, 9, 16 & 17. Thence I run
N $89^{\circ} 51' W$. on a true line bet. secs.

8 & 17 with same Var.

40.16 Set a Granite stone 16 x 8 x 8 ins 11 ins
in the ground for $\frac{1}{4}$ Sec Cor. marked

Subdivisions T. 22 S. R. 11 E. Continued
 Thence

$\frac{1}{2}$ on N. face and raised a mound of
 stone alongside. Pits impracticable

80.31 The cor to Secs 7, 8, 17 & 18

Land rough, broken and mountainous
 Soil, worthless.

Timber, a few oaks.

By an observation taken this day I
 find the magnetic Variation to be $12^{\circ}35'E$.

Went on a random line bet Secs 7 & 18.

Var $12^{\circ}35'E$.

Ascend from cor.

12.00 Summit of hill 500 ft high and descend

26.00 Foot and enter rolling hills

40.00 Set temp $\frac{1}{4}$ Sec Cor.

48.00 Wash 20 lks wide course S. $20^{\circ}E$.

75.00 Wash 20 lks wide course S.

Subdivisions T. 22 S. R. 11 E. Continued

Chains

- 79.94 Intersect N. boundary of Township
21 lks S. of cor. to Secs 7, 12, 13 & 18
previously established and described
by me. Thence Run S. 89° 51' E.
on a true line bet Secs 7 & 18. with
same Var.
- 39.94 Set a Volcanic stone 24 x 12 x 10 ins
18 ins in the ground for $\frac{1}{4}$ Sec Cor
marked $\frac{1}{4}$ on N. face and raised
a mound of stone along side.
Site impracticable
- 79.94 The cor to secs 7, 8, 17 & 18.
Land, rocky and hilly $\frac{1}{2}$ mile East
balance rolling.
Soil 4th rate
Timber, a few oaks.

Subdivisions T. 22 S. R. 11 E. - Continued

Main

North bet Secs 7 & 8.

Var. $12^{\circ}35'E$.

Descending from cor over rough hillside

23.00 Foot and enter rolling land.

32.00 Cedar creek 50 lbs wide course $N35^{\circ}W$ 40.00 Set a volcanic stone $18 \times 12 \times 10$ ins 12 ins
in the ground for $\frac{1}{2}$ Sec Cor. marked
 $\frac{1}{4}$ on W. face. From whichAn oak 6 ins diam. bears $N. 20^{\circ}W$. 55 lbs
dist marked $\frac{1}{4}$ S.B.F.An oak 6 ins diam bears $S 8^{\circ}W$. 63 lbs
dist marked $\frac{1}{4}$ S.B.F.80.00 Set a Granite stone $24 \times 8 \times 6$ ins 18 ins
in the ground for cor to secs 5. 6. 7. &
8. marked with 5 notches on S and
E edges and raised a mound of
stone along side. Pits impracticable
Land, rough and mountainous.
first 23 chs then rolling.

Subdivisions T. 22 S. R. 11 E. Continued

Chains

Soil 4th rate

Timber, some few oaks.

East on a random line bet Secs 5 & 8
 Var. $12^{\circ}35'E$.

Over rolling land.

20.00 Gutch 10 ft deep course South

38.00 Gutch 10 ft deep course South

40.00 Set temp. $\frac{1}{4}$ Sec Cor.50.00 Gutch 10 ft deep course S. $15^{\circ}W$.70.00 Gutch 8 ft deep course S. $30^{\circ}W$.76.50 Gutch 5 ft deep course S. $60^{\circ}W$.

80.05. Intersect N & S line at 18 lks S.

of the cor to Secs 4, 5, 8 & 9. Hence
 Run S. $89^{\circ}52'W$. on a true line
 bet. Secs. 5 & 8 with same Var.

40.03. Set a Granite $20 \times 14 \times 8$ ins 15 ins in
 the ground for $\frac{1}{4}$ Sec Cor. marked

Subdivisions T. 22 S. R. 11 E. Continued

- $\frac{1}{4}$ cor N. face, and raised a mound of stone along side, *Pits impracticable*
- 0.05. The cor to Secs 5. 6. 7 & 8.
 Land rolling and broken.
 Soil 4th rate.
 No timber.

Went on a random line bet Secs 6 & 7.

Var. $12^{\circ}35'E$.

- 35.00 Over granite ridges rough and broken.
 Wash 25 lks wide course South.
- 40.00 Set temp $\frac{1}{4}$ Sec Cor.
- 50.00 Leave rocky granite ridges and enter rolling land.
- 79.86 Intersect W. boundary of Township 18 lks N. of the cor. to Secs 1. 6. 7 & 12 previously established and described by me, from which Maloney's stone

Subdivisions T. 22 S. R. 11 E. Continued
 chains.

cabin bears S. 62° E. 4-90 chs dist.

Thence I run N. $89^{\circ} 52'$ E on a true line bet secs 6 & 7 with same Var.

39.86 Set a Volcanic stone $16 \times 10 \times 8$ ins
 11 ins in the ground for $\frac{1}{4}$ Sec Cor.
 marked $\frac{1}{4}$ on N. face and raised
 a mound of stone alongside. Pits
 impracticable.

Land first 50 chs rough and broken,
 balance rolling.

Soil 4th rate

Timber, a few oaks.

North on a random line bet Secs 5 & 6.

Var $12^{\circ} 35'$ E.

Over rolling land.

40.00 Set temporary $\frac{1}{4}$ Sec Cor. and
 enter rocky granite hills.

Subdivision T. 22 S. R. 11 E. Continued

Chains

- 80.34 Intersect N. boundary of Township 26th
E of cor to secs 5-6. 31 & 32 previously
established and described by me
Thence I run S. $0^{\circ} 11'$ E on a true
line bet Secs 5 & 6 with same var.
- 40.34 Set a granite stone $18 \times 6 \times 6$ ins 12 ins
in the ground for $\frac{1}{4}$ Sec Cor. marked
 $\frac{1}{4}$ on W. face and raised a
mound of stone along side. Pits
impracticable
- 80.34 The cor to secs 5-6-7 & 8.
Land rough and broken
Soil worthless.
No timber.

15th Jan'y 1867.

Subdivision T. 22 S. R. 11 E. Continued

General Description

This township is composed of rough and rocky hills of granite formation. Some portions of it are covered by nutritious grasses on which numerous cattle and horses are pastured.

Maloney has a stone Cabin in N. W. cor. sec 7 but was not occupying it at the time I made the survey. I found very little indication of mineral except in the S. W. cor. of the Township. The township contains no living springs that I saw. It is covered with a scattering growth of oak together with some cedar and piñon.

George Proskruge

U. S. Deputy Surveyor

For final oaths see Book No. 27.

U. S. Surveyor-General's Office,

TUCSON, A. T., June 11 1888

The foregoing Field Notes of the Surveys of
the subdivision lines of
Township 22 South
Range 11 East.

Gila and Salt River Meridian
in Arizona executed by

George J. Roskrug.

U. S. Deputy Surveyor, under his contract dated

June 16 1886

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John H. Rice
U. S. Surveyor-General
for the Territory of Arizona.