

Book 3

BOOK 932

Subdivisions

T 21 S. R 7 E.

Contzen

4-671

No. 932

FIELD NOTES

GENERAL LAND OFFICE.

932

Indexed, Book 936.

Township 215 R. 7E 118

6	146	5	4	3	2	1
142	140					
7	137	8	9	10	11	12
136	133					
18	130	17	16	15	14	13
129	126					
19	124	20	21	22	23	24
122	119					
30	29	28	27	26	25	
31	32	33	34	35	36	

Subdivision of T. 21. S. R. 7. E. continued.

chains.

T. 21. S. R. 7. E. S. 29. B.T. no other trees within limits, and raise a mound of stone $2\frac{1}{2}$ ft. base, $\frac{1}{2}$ ft. high, N. of Cor. Pits impracticable.

Land mountainous.

soil, gravelly and rocky; 4th rate. No timber.

undergrowth, - ocotillo and giant cactii.

Mountainous land 80 chs.

East, on a random line bet. secs. 20 and 29.

40.00 set temp. $\frac{1}{4}$ sec. Cor.

79.88 Intersect N. and S. line at cor. of secs. 20, 21, 28 and 29.

Thence I run

West, on a true line

Subdivision of T. 21. ©

chains.

bet. sec. 20 and 29.
over mountainous land;
descending.

17.50 Gulch 20 kts. wide, course N. Easterly,
foot of descent; ascend S. slope
of mt.

25.00 Top of slope, "summit 3. chs. N.;
descend

34.60 Same gulch 6 kts. wide, course S. Easterly.

39.94 Set a Granite Stone, 18 x 12 x 8 ins.
12 ins. in the ground for $\frac{1}{4}$ sec.
Cor. marked $\frac{1}{4}$ 20. on N. face,
29 on S. face, and raise a
mound of stone 2 $\frac{1}{2}$ ft. base
1 $\frac{1}{2}$ ft. high, N. of Cor. Pits
impracticable.

41.50 Gulch 4 kts. wide, course S. Westerly;
ascend.

44.00 Top of ridge, bears N. and S.

- hairs.
 44.50 Descend, over bluffs.
 50.00 Gulch 4 lks wide, Course Southerly;
 ascend
 54.50 Top of ridge, bears N. and S.; descend.
 60.40 Cañon 20 lks wide, Course Southerly;
 ascend steep.
 66.50 Top of ridge, bears N. and S.;
 descend steep.
 70.30 Gulch, 20 lks wide, Course Southerly;
 ascend.
 79.88 The cor. of secs. 19, 20, 29 and
 30.

Land Mountainous,

soil, gravelly and rocky; 2nd
 and 4th rate.

Timber; Oak and a few mes-
 quite. undergrowth, ocotilla,
 Yucca, and Giant Cactus.

Mountainous Land 79.88 chs.

Subdivision of T. 21. E.

chains	
	N 89° 57' W, on a random line bet, secs. 19 and 30.
40.00	set temp. ¼ sec. cor.
78.12	Intersect W. bdy. of the Tp. 7 lks. N. of cor. of secs. 19, 24, 25 and 30. which is a Granite stone 6x8x4 ins. above ground, marked and witnessed as hereto- fore described by me. Thence I run East, bet. secs 19 and 30. Through dense Palourde
1.00	Enter Ironwood.
12.40	Draw, 30 lks. wide course S. Westerly.
17.00	Leave Ironwood
29.00	Wash 30 lks. wide, Course S. Westerly; ascend
31.50	Top of ridge, bears N. and S.; descend.

R. T. E.

Continued

chains.

- 32.10 Dry wash, 6 lks. wide; ascend
- 38.12 Set a Granite stone 18x12x10 ins.
12 ins. in the ground, for $\frac{1}{4}$ sec.
Cor. marked $\frac{1}{4}$ 19. on N face
30. on S. face, and raise a
mound of stone 2 $\frac{1}{2}$ ft. base
1 $\frac{1}{2}$ ft. high, N. of cor. Pits
impracticable.
- 42.50 Wash 20 lks. wide, Course S.W.
- 44.00 Wash 30 lks. wide, Course N.W.
- 50.00 Gulch 20 lks. wide, course S.W.; ascend
very steep and high ridge.
- 77.20 Top. bears N. and S.; descend
- 78.12 The cor. of secs. 19, 20, 29 and
30.
Land rolling and mountainous.
soil, gravelly and rocky; 2nd 3rd and
4th rate
Timber, Palourde and Ironwood.

Subdivision of T. 21, R.

chains.

Undergrowth, - Palourde and
Ocotilla.

Mountainous land and dense
undergrowth, 78.12 chs.

$N 0^{\circ} 03' W$. bet secs. 19 and 20
over mountainous land;
ascend.

1.00 Top bears NE and S.W.; descend.

5.50 Gulch 10 lks. wide, course Westerly;

9.30 Top; descend

10.00 Gulch 10 lks. wide, course Westerly;
ascend.

14.50 Top; descend.

23.00 Gulch 10 lks. wide, Course Westerly, ascend

28.00 Top of ridge, bears E. and W.

set a Granite stone $18 \times 8 \times 8$ ins.

12 ins. in the ground, for witness
Cor. to $\frac{1}{4}$ sec. Cor. marked W. C.

$\frac{1}{4}$ 19, on W. face, 20 on E. face

R. Y. E.

continued

- and raise a mound of stone
2½ ft. base, 1½ ft. high, W. of Cor.
Pits impracticable.
- 32.00 Gulch, course, Westerly; ascend.
steep slope.
- 40.00 The point for ¼ sec. cor. falls
on bluff.
- 42.50 Top of ridge, bears E. and W.;
descend.
- 55.60 Cañon 2000 wide, course Westerly;
ascend.
- 77.00 Top; descend
- 80.00 Set a Granite Stone 24x8x8 ins.
18 ins. in the ground for cor. of
secs. 17, 18, 19 and 20.
marked with 3 notches on S.
and 5 notches on E. edges. and
raise a mound of stone
2½ ft. base, 1½ ft. high, W. of Cor.

Subdivision of T. 21. 2.

chains

Pits impracticable.

Land mountainous
sail, rocky, worthless.

No timber.

Undergrowth, ocotilla, + yucca.

Mountainous Land 80. chs.

Oct 27, 1899.

East, on a random line
bet. secs 17 and 20.40.00 set temp. $\frac{1}{4}$ sec. cor.

80.04 Intersect N. and S. line 9 lks.

N. of Cor. of secs. 16, 17, 20 and 21.

Thence I run

N $89^{\circ} 56' W$, on a true line
bet. secs. 17 and 20.

over mountainous land.

3.30 Gulch 10 lks. wide, course Northerly;
ascend. along S. slope of ridge.

12.10 Gulch 10 lks. wide, course Southerly;

R. Y. E. Continued

chains

ascend.

20.50 Top of ridge, bears N.W. and S.E.;
descend.

23.80 Gulch, 600 yds wide, Course Southwesterly;
ascend.

25.50 Top of S. slope; descend.

27.50 Head of cañon about $2\frac{1}{2}$ chs. S.;
foot of descent,
ascend.

29.65 Top; descend.

30.00 set a Granite stone, $18 \times 12 \times 6$ ins.
12 ins. in the ground for witness
Cor. to $\frac{1}{4}$ sec. cor. Marked W.C.
 $\frac{1}{4}$ 17, on N. face, 20 on S. face.
An Oak 12 ins. diam. bears $S 81^\circ W$.
185 yds. dist. marked.
W.C. $\frac{1}{4}$ S. 20, B.T. no other tree
within limits; and raise a mound
of stone $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high, N of
Cor. Pits. impracticable

Subdivision of T. 21. 2.

chains.

31.90 Gulch 20 fts wide, Course Southerly;
ascend along N. bank of Cañon.

40.00 Cañon course N. Westerly.

40.02 The point for $\frac{1}{4}$ sec. cor. falls
in cañon.; ascend

45.00 Top of N. slope; descend

50.00 Cañon; ascend course N. W.

57.00 Top of S. slope; descend

65.00 Cañon, course N. Westerly;
ascend.

80.04 The cor. of secs. 17, 18, 19 and
20.

Land mountainous.

Soil, gravelly and rocky; 3rd
rate.

Timber, a few oak; Undergrowth
Ocotillo, Yucca and Giant Cactus
on W. $\frac{1}{2}$.

Mountainous Land 80.04 chs.

R. Y. E. Continued

chains.

West, on a random line
bet. secs. 18 and 19.

40.00 set temp. $\frac{1}{4}$ sec. Cor.

78.00 Intersect W. bdy. of the Tp. 9 lks.
N. of Cor. of secs. 13, 18, 19 and
24.

Thence I run

$N^{89^{\circ}}86^{\circ}56'E$; on a true line
bet. secs. 18 and 19.

over mountainous land;
ascending.

22.50 Top of ridge, bears N. and S.;
descend

29.40 Gulch 20 lks. wide, Course Southwly

38.00 set a Granite stone $18 \times 12 \times 8$ ins.
12 ins. in the ground for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ 18. on N. face, 19 on
S. face; and raise a mound
of stone, $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft. high,

Subdivision of T. 21 @.

chains.

- N. of Cor. Pits impracticable.
- 39.50 Enter Cañon,
- 40.50 Leave Cañon, course S. Westaly.
- 49.00 Gulch 8 lks. wide, Course, N. Westaly
- 49.80 Trail, bears N. and S.; ascend steep rocky Mt.
- 68.00 Top, bears E. & W.; descend gradually.
- 78.00 The Cor. of secs. 17, 18, 19 and 20. Land Mountainous, soil, gravelly and rocky; 3rd and 4th rate. Timber, a few mesquite. Undergrowth, Yucca - Octillo and giant cactii.
- Mountainous Land 78, chs.
-
- N. 0° 03' W, bet. sec. 17 and 18. over mountainous land.

R. Y. E. Continued

chains

Descending.

- 10.50 Trail, bears E, and W.
- 11.00 Cañon 40 lks wide, Course Westerly;
ascend.
- 17.60 Well, with good water 14.80 chs.
West.
- 18.25 Gulch, course Westerly;
ascend.
- 24.75 Top of high ridge, bears E, and W.;
descend.
- 31.00 Gulch 12 lks wide, Course Westerly;
ascend
- 38.00 Gulch, 6 lks wide, course Westerly,
- 40.00 Set a Granite stone, 18x18x8 ins,
12 ins. in the ground for $\frac{1}{4}$ sec,
cor. marked $\frac{1}{4}$ 18, on W. face,
17, on E. face,
a Mesquite 8 ins. diam, bears
S. 74. E, 30 $\frac{1}{2}$ lks. dist. marked

Subdivision of T. 21.0.

chains

- 4 S. 17, B. T. no
other tree within limits,
and raise a mound of
stone 2½ ft. base, 1½ ft. high,
W. of cor. Pits impracticable.
- 42.50 Top of slope, bears W.; descend.
- 45.00 Gulch, 30 lbs. wide, Course Westerly
- 57.00 Foot of descent, and enter
bottom of cañon.
- 58.00 Leave Cañon, course S. S. West,
and ascend along E. slope
of mt.
- 80.00 set a Granite stone 18x6x6 ins,
12 ins. in the ground, for cor.
of secs. 7, 8, 17 and 18, marked
with 4 notches on S. and 5 notches
on E. edges.
a mesquite 6 ins. diam. bears
S. 56° E. 90 lbs. dist. marked

R. 7. E. continued

chains

T. 21. S., R. 7. E., S 17., B.T. no other
trees within limits, and raise
a mound of stone $2\frac{1}{2}$ ft.
base, $1\frac{1}{2}$ ft. high, W. of cor.
Rits impracticable.

Land Mountainous.

soil, gravelly and rocky;
3rd and 4th rate.

Timber, a few mesquite
and ash.

Undergrowth, ocotillo, Yucca
and giant cactus.

Mountainous Land 80, Chs.

OCT 28, 1899.

S. $89^{\circ}56'$ E. on a random line
bet. secs. 8 and 17.

40.00 set Temp. $\frac{1}{4}$ sec. Cor.

80.00 Intersect N. and S. line 10 lks,
S. of cor. of secs. 8, 9, 16 and 17.

Subdivision of T. 21, R.

chains.

Thence I run
West, bet. secs. 8 and 17.
over mountainous land.

1.20 Dry wash course, N. Easterly .

2.15 Leave Wash and ascend

2.23 Oak 20 ins. diam. on line, marked
with 2 notches on E. and W. sides

5.50 Low ridge, bears N. and S.; descend

13.00 Gulch 30 lks. wide, Course S. Easterly

16.00 Dry wash 6 lks. wide, Course S. Easterly
and ascend gradually.

28.60 Top of ridge bears N. and S.;
descend. "Pass 4 chs. S"

30.50 Draw 4 lks. wide, Course S.; enter
flat.

40.00 Set a Granite Stone, $18 \times 10 \times 8$ ins.
12 ins. in the ground, for $\frac{1}{4}$ sec
Cor. marked $\frac{1}{4}$ 8 on N. face,
17. on S. face, and dig pits.
 $18 \times 18 \times 12$ ins. E. and W. of Cor.

R. T. C. Continued

chains

3 ft. dist. and raise a mound
of earth $3\frac{1}{2}$ ft. base $1\frac{1}{2}$ ft high
N. of Cor.

49.00 ascend steep rocky point

49.80 Top of point, bears E. and W.

54.00 Descend abruptly.

69.50 Bottom of Cañon, 80 lks. wide,
course, Southerly. water hole 5 lks.
S.

70.00 ascend steep

78.50 Gulch 20 lks. wide, course,
N. Easterly.

80.00 The Cor. of secs. 7, 8, 17 and 18.
Land mountainous.

Soil, gravelly and rocky;

1st, 2nd and 4th rate.

Timber, a few oak and ash.
good grass.

Mountainous Land 60.50 chs.

Subdivision of T. 21, R.

chains.

- S. $89^{\circ}56'W$, on a random line
bet. secs. 7 and 18.
- 40.00 Set Temp. $\frac{1}{4}$ sec. cor.
- 77.90 Intersect W. bdy. of the T. p. 9 lks
S. of cor. of secs. 7, 12, 13 and
18.
- Thence I run
East, on a true line
bet. secs. 7 and 18,
over mountainous land;
ascending.
- 8.50 Top of slope; descend
- 12.00 Ramon Cacharas "Papago Indian" wells
N. 7 lks.
- 21.50 Gulch, 4 lks. wide, Course N. Westerly.
- 37.90 set a Granite Stone $20 \times 14 \times 7$ ins.
14 ins. in the ground, for $\frac{1}{4}$ sec. cor.
marked $\frac{1}{4}$ 7. on N. face, 18. on
S. face, and raise a mound

R. T. E. continued.

chains.

of stone $2\frac{1}{2}$ ft. base, $1\frac{1}{2}$ ft.
high, N. of Cor. Pits impracticable.

41.00 Top of Mt.;
descend.

50.60 Bottom of Cañon, 20 lks, wide,
course N. Westerly;
ascend.

71.50 Top; descend

77.90 The cor. of secs. 7, 8, 17 and 18.
Land mountainous.

No Timber.

soil,

undergrowth, yucca, Scotilla

Giant Cactii.

Mountainous Land 77,90 chs.

N $0^{\circ}03'$ W. bet. secs. 7 and 8,
over mountainous land,
ascending.

Subdivision of T. 21. 0.

- | chains. | |
|---------|--|
| 5,00 | Top of ascent;
descend along E. slope |
| 15,00 | descend abruptly. |
| 39,15 | Gulch 10 lks. wide, course
Westwly; ascend. |
| 40.00 | Set a Granite stone 18x10x6 ins,
12 ins. in the ground, for $\frac{1}{4}$
sec. cor. marked, $\frac{1}{4}$ 7. on
W. face, 8. on E. face,
a mesquite 8 ins. diam, bears
S. $53\frac{1}{4}^{\circ}$ W. 183 lks. dist. marked
$\frac{1}{4}$ S. 7, B.T. no other
tree within limits; and raise
a mound of stone $2\frac{1}{2}$ ft. base,
$1\frac{1}{2}$ ft. high, W. of cor. |
| 43,00 | Top of ridge, bears E. and W.;
descend. |
| 48,90 | Gulch 10 lks. wide, Course Westwly;
ascend |

R. 7, E. continued.

chains

- 59.00 Top of high ridge, ;
descend.
- 75.50 Gulch 10 lks. wide, Course Westwly.
- 76.00 Gulch 10 lks. wide, Course S. Westwly;
ascend.
- 80.00 a Granite Boulder in place,
4 ft. x 2 ft. x 1 1/2 ft. above ground.
marked with a + ^{for} the cor. of
of secs. 5, 6, 7 and 8.
marked with 5 grooves on
S. and 5 grooves on E. faces.
A mesquitt 7 ins. diam. bears
S. 21 1/4° E., 85 lks. dist. marked
T. 21, S., R. 7, E. S. 8., B. T.
An oak 16 ins. diam. bears
S. 77 3/4° W. 271 lks. dist. marked
T. 21, S., R. 7, E., S. 7., B. T., no other
trees within limits. and raise
a mound of stone 2 1/2 ft. base

Subdivision of T. 21. S.

chains.

$1\frac{1}{2}$ ft. high, W. of cor. Pits
impracticable.

Land Mountainous
soil, Gravelly and Rocky;
3rd and 4th rate. worthless.
Timber, a few scattering
oak and mesquite.
Undergrowth, Yucca and
Ocotillo

Mountainous Land 80. chs.

OCT 29, 1899.

East, on a random line
bet. secs. 5, and 8.

40.00 set Temp. $\frac{1}{4}$ sec. cor.

80.06 intersect N. and S. line 4 lks. S. of
cor. of secs. 4, 5, 8 and 9.

Thence I run

N. $89^{\circ}58'W$, on a true line
bet. secs. 5 and 8.

R. Y. E. Continued.

- chains
- over mountainous land;
ascend.
- 0.50 Top of small ridge; descend
- 7.00 Foot, Gulch 6 lks. wide, course
S. Easterly; and ascend.
- 9.50 Top of ridge, bears N.E. and S.W.;
descend.
- 13.20 Gulch 6 lks. wide, Course Southerly;
junction with gulch 5 lks. S.
- 13.80 Gulch 20 lks. wide, Course S. Easterly;
ascend E. slope of Mt.
- 37.00 Top of ridge, bears N.W. and S.E.;
thence along S. slope
- 40.03 A Granite Stone, in place,
24 x 18 x 18, ins. above ground
marked with a +, for $\frac{1}{4}$ sec. Cor.
marked $\frac{1}{4}$ 5. on N. face 8 on
S. face; and raise a mound of
stone 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,

Subdivision of T. 21. S.

chains.

- N. of Cor. Pits impracticable.
- 42,00 Bottom of Cañon, 50 lks. wide,
course southerly; ascend along
S. slope.
- 47,50 Top, bears N and S; descend
- 55,00 Bottom of Cañon, 20 lks. wide, course
southerly; ascend
- 61,00 Ridge bears N and S; descend.
- 80.06 The cor. of secs. 5, 6, 7 and 8.
Land mountainous.
soil, gravelly and rocky;
4th rate,
good grass.
Timber, a few mesquite and oak,
undergrowth, Yucca.
Mountainous Land 80,06 chs.

West, on a random line
bet. secs. 6 and 7.

R. T. C

continued

No. 932

chains.

40.00

Set Temp $\frac{1}{4}$ sec. cor.

77.86

Intersect N. bdy. of the Tp. at the
 cor. of secs. 1, 3, 7 and 12, which
 is a granite stone 6 x 12 x 8 ins.
 above ground marked and
 witnessed as heretofore described
 by me.

Thence I run

East, on a true line

bet. secs. 6. and 7.

over mountainous land
 ascending along S. slope.

31.50

Gulch 10 lbs. wide, course,
 S. Westerly; and ascend.

37.86

Set a Granite Stone 18 x 8 x 6 ins.
 12 ins. in the ground, for $\frac{1}{4}$ sec. Cor.
 marked $\frac{1}{4}$ 6. on N. face, 7. on
 S. face.

a Paloverde 5 ins. diam. bears

Subdivision of T. 21, R.

chains.

N 15° E, 21 lks. dist. marked

¼ S. 6, B.T.

a Palo Verde 6 ins. diam. bears S 51° W,

74 lks. dist. marked

¼ S. 7, B.T.

43.00 Top of ascent, descend.

46.00 Enter Gulch, 30 lks. wide, course
S. Westerly.

50.00 Leave Gulch, and ascend.

55.50 Same Gulch, 60 lks. wide, course
N. Westerly.65.00 Same Gulch, 30 lks. wide, course
Southerly.77.86 The Cor. of Secs. 5, 6, 7 and 8,
Land mountainous.Soil, Gravelly and rocky; 4th rate.Timber, a few mesquite, Palo-
verde, and oak.

Undergrowth, Yucca, ocotilla and.

R. Y. E., continued.

chains.

Giant Cactus.

Good grass.

Mountainous Land. 77.86 chs.

Oct 30. 1899

N 0° 03' W., bet. sect. 5 and 6.

over mountainous land.

ascending.

1.25 Top of ridge, bears E. and W.;
descend.2.50 Gulch 10 lbs. wide, Course S. Westerly;
and ascend steep rocky Mt.18.00 Top; apex 50 lbs. E.; descend
along N. slope40.00 Set a Granite stone 20x8x8 ins.
14 ins. in the ground for $\frac{1}{4}$ sec. cor,
marked, $\frac{1}{4}$ 6 on W. face, 5 on
E. face; and raise a mound
of stone 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high,
W. of Cor. Pits impracticable

Subdivision of T. 21. S.

chains

77.84 Intersect 4th Standard Parallel South, 1.86 ~~chs.~~^{chs.} E of Standard Sec. cor. of Secs. 31 and 32, which is a black rock 18x18 ins. above ground, marked and witnessed, as described by the surveyor general.

Set a Granite stone 18x10x0 ins. 12 ins. in the ground for closing Cor. marked C.C. on S. face; with 1 groove on W. face; 5 grooves on E. face, and raise a mound of stone 2 $\frac{1}{2}$ ft. base, 1 $\frac{1}{2}$ ft. high S. of Cor.

Land Mountainous.

Soil, Gravelly & rocky loam, 4th rate.
Timber, scattering mesquite and oak.
Undergrowth, Yucca and ocotillo.

Mountainous Land 77.84 chs.

Oct 31, 1899

R. T. E. concluded.

General Description.

This township is mostly mountainous and rolling, a great many portions of this township are covered with an abundant growth of rich and nutritious grasses. There is some good oak timber scattered throughout the eastern portion of this township; while on the western portion there is some scattering mesquite and paloverde and various kinds of cacti. There is water in secs. 23, 26, 4, 18 and 7, which is of great value to the ranchers. There are some small but good strips of agricultural land throughout the township. There are a

number of settlers of the arcos
 family in secs 23 and 26, also
 sec 10; Ramon Cachora a wealthy
 papago indian has a ranch in
 the SW⁴ of sec. 7.

Philip Cortzen
 U. S. Deputy Surveyor

A List of the Names of the Individuals
employed by

Philip Couzner

U. S. Deputy Surveyor, to assist in running, meas-
uring and marking the lines and corners described

in the foregoing Field Notes of the survey of the

exterior & subdivisional

lines of T. 21 S. R. 7 E

and T. 24 S. R. 13 E and

the E & W. boundaries

of T. 24 S. R. 14 E

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, showing the respective
capacities in which they acted.

J. O. Hays Chainman.

Charles Clark Chainman.

Martin Rainey Chainman.

Frank Davis Chainman.

Manuel Salazar Axeman.

Axeman.

Charles Bent Flagman.

BOOK 932

Final Oath of Assistants.

We hereby certify that we assisted *Philip
Crotzen* U. S. Deputy Surveyor, in
surveying all those parts or portions of the *exterior
& subdivisinal lines*

*of T. 21 S. R. 7 E
and T. 24 S. R. 13 E and
S. W. boundary of T. 24 S. R. 14 E*

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, as are represented in the
foregoing field notes as having been surveyed by him
and under his direction; and that said Survey has
been in all respects, to the best of our knowledge
and belief, well and faithfully surveyed, and the
corner monuments established according to the
instructions furnished by the United States Surveyor
General for Arizona.

J. J. Jones Chainman.

Charles Clark Chainman.

Martin Ranzy Chainman.

Frank Davis Chainman.

Manuel Salazar Axeman.

..... Axeman.

Charles Bent Flagman.

Sworn to and subscribed before me, this *26*

day of *Dec*, 189*9*

W. D. Purcell
Notary Public.

My Comm. 31 3/7/1900

[SEAL.]

Final Oath of U. S. Deputy Surveyor.

I, *Philip Contzen*

U. S. Deputy Surveyor, do solemnly swear that in
pursuance of a contract received from ~~Royal A.~~^{George}
~~Johnson~~, United States Surveyor-General for Ari-
zona, bearing date of the *23rd* day of

July 189*7*, I have well, faith-
fully, and truly, in my own proper person, and in
strict conformity with the instructions furnished by
the United States Surveyor-General for Arizona,
the Manual of Surveying Instructions, and the
laws of the United States, surveyed all those parts

or portions of the *exterior + sub-*
divisions of T. 21 S. R. 7 E
and T. 24 S. R. 13 E and the
E + W. boundary of T. 24 S. R. 14

of the Gila and Salt River Base and Meridian, in
the Territory of Arizona, as are represented in the
foregoing Field Notes as having been surveyed by
me and under my direction; and I do further
solemnly swear that all the corners of said surveys
have been established and perpetuated in strict
accordance with the Manual of printed instructions,
the special instructions of the United States Sur-
veyor-General for Arizona, and in the specific

manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

Philip Contzen
U. S. Deputy Surveyor.

Sworn to and subscribed before me this ~~21~~ ²⁶

day of *Dec* *April*, ¹⁹⁰⁰ ~~1899~~

Geo Russell
Notary Public

My Comm. 27 May 1901
George Christ
U. S. Surveyor General
For Arizona

BOOK 932

U. S. Surveyor-General's Office,
Tucson, Arizona, Aug. 4, 1900.

The foregoing field notes of the sur-
vey of *Subdivision Lines*
of T. 21 S. R. 7 E.
.....

of the G. & S. R. B. & M. Arizona,
executed by P. Contzen, D. S., under
his contract No. 55, dated June 23,
1899, having been critically examined,
and the necessary corrections and ex-
planations made, the said field notes
and the surveys they describe are here-
by approved.

George Christ
U. S. Surveyor-General.

Filed Feb 9-1901.

Commr. approved Feb 4-1901.