

No 11

No. 938

938

*Book I*

4-671

FIELD NOTES

GENERAL LAND OFFICE.

*Tp 21 South R 8 East*

Index for } BOOK 937  
 } BOOK 938

# INDEX

Township 21 South R. 8 East

6	79	5	58	4	44	3	30	2	15	1
77		76		57		43		29		17
7	75	8	55	9	42	10	27	11	12	12
74		73		54		40		26		11
18	72	17	53	16	39	15	25	14	10	13
70		69		52		38		24		9
19	67	20	51	21	37	22	22	23	7	24
66		65		49		36		21		6
30	63	29	48	28	35	27	19	26	4	25
62		61		47		33		28		3
31	60	32	46	33	32	34	17	35	2	36

For preliminary oaths see Book.  
 No. 1.

No. 938

10

Field Notes  
of the Survey of the  
Subdivision Lines  
of  
Township No 21 South Range 8 East  
of the  
Gila and Salt River Meridian  
of  
Arizona Territory  
as surveyed by  
George J. Koskruse  
U. S. Dep. Survr

Under his Contract No 2

Dated June 16<sup>th</sup> 1886

Survey Commenced 18<sup>th</sup> Dec 1886.

Survey Completed 23<sup>rd</sup> Dec 1886.

# Subdivisions T. 21 S. R. 8 E.

Chains

On the night of December 17<sup>th</sup> 1886, I took an observation of the Star Polaris in accordance with instructions contained in the Manual of Surveys, and drove pickets on the line thus established. Survey commenced Dec<sup>r</sup> 18<sup>th</sup> 1886, with a Young & Sons Solar Transit. Before commencing this Survey I test my compass on the line established last night and find it correct Var  $12^{\circ} 40' E$ .

Preliminary to commencing the Survey I ran West on a blank line on the South boundary of Sec 36 and at 40 chs found the  $\frac{1}{4}$  Sec cor, and at 80 chs found the Sec cor. I ran N on the E boundary of Sec 36 and at 40 chs found the  $\frac{1}{2}$  Sec cor. and at 80 chs found the sec. cor. My compass will therefore run the same

Subdivisions T. 21 S. R. 8 E Continued  
 chains

line as the exterior boundaries and the chaining agrees.

I commence at the cor to secs 1, 2, 35 & 36 on the South boundary of the Township previously described and established by me.

Thence I run  
 North bet Secs 35 & 36

Var.  $12^{\circ}40' E$

Over gently rolling land

40.00 Set a granite stone  $16 \times 8 \times 8$  ins  
 11 ins in the ground for  $\frac{1}{4}$  Sec cor.  
 marked  $\frac{1}{4}$  on W. face, dug pits  $18 \times 18$   
 $\times 12$  ins. N & S. of stone  $5\frac{1}{2}$  ft dist.  
 and raised a mound of earth  $1\frac{1}{2}$  ft  
 high  $3\frac{1}{2}$  ft base along side.

67.00 Old road course NN & SE - (very dim)

80.00 Set a volcanic stone  $18 \times 12 \times 5$  ins  
 12 ins in the ground for cor to secs

Subdivisions T. 21 S. R. 8 E. - continued  
 Chain

25. 26. 35 & 36. marked with 1 notch on  
 Sand & edges, dry pits 18 X 18 X 12 ins  
 in each sec.  $5\frac{1}{2}$  ft dist. and raised  
 a mound of earth 2 ft high  $4\frac{1}{2}$  ft  
 base alongside.

Land gently rolling  
 Soil 2<sup>d</sup> rate, good grass  
 No timber.

East on a random line bet Secs 25 & 36  
 Var.  $12^{\circ}40' E.$

Over gently rolling land

28.00 Arroyo 1 ch wide, course  $N 50^{\circ} W.$

40.00 Set temp to Sec cor.

0.06 Intersect E boundary of Township  
 12 lks S. of the cor to secs 25. 30. 31 &  
 36 previously established and described  
 by me.

## Subdivisions T. 21 S. R. 8 E - Continued

Chains

Thence I run

S.  $89^{\circ}55'W$  on a true line bet Secs  
25 & 36 with same Var.

40.03 Set a quartz stone  $18 \times 10 \times 10$  ins  
12 ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on N. face dug pits  $18 \times 18$   
 $\times 12$  ins E & W. of stone  $5\frac{1}{2}$  ft dia  
and raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base alongside.

80.06 The cor to secs 25.26.35 & 36  
Land gently rolling  
Soil 2<sup>d</sup> rate, good grass  
No timber

North bet Secs 25 & 26

Var  $12^{\circ}40'E$

Over gently rolling land

40.00 Set a quartz stone  $14 \times 10 \times 8$  ins

Subdivision T. 21 S. R. 8 E. Continued

Chain

10 ins. in the ground for  $\frac{1}{4}$  Sec. cor.  
marked  $\frac{1}{4}$  on W. face, dug pits 18 x  
18 x 12 ins N & S of stone  $5\frac{1}{2}$  ft  
distant and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side.

53.50 Arroyo 20 lks wide course N  $40^{\circ}$  W

80.00 Set a granite stone 16 x 14 x 8 ins 11  
ins. in the ground for cor to sec 23  
24. 25 & 26 marked with 2 notches on  
S and 1 notch on E edges, dug pits  
18 x 18 x 12 ins in each sec  $5\frac{1}{2}$  ft distant  
and raised a mound of earth 2 ft  
high  $4\frac{1}{2}$  ft base along side

From which

A mesquite 12 ins diam bears S  $1^{\circ}$  E  
25 lks distant marked T. 21 S. R. 8 E S. 25 BT

A mesquite 8 ins. diam bears S.  $39^{\circ}$  E  
122 lks distant. marked T. 21 S. R. 8 E S. 25 BT

A mesquite 12 ins diam bears S  $70^{\circ}$  E 36 lks



## Subdivision T. 21 S. R. 8 E. Continued

Chains

dist marked T. 21 S. R. 8 E S. 25 BT.

A mesquite 6 ins diam bears N. 64°

W. 80 lks dist. marked T. 21 S. R. 8 E S. 23 BT

Land gently rolling

Soil 2<sup>d</sup> rate, good grass.Timber a few scattering mesquite  
at North end of line.

East on a random line bet Secs 24 &amp; 25

Var  $12^{\circ}40' E$ .

Over gently rolling land.

40.00 Set temp  $\frac{1}{4}$  Sec Cor.80.11 Intersect E boundary of Township  
14 lks S. of the cor. to Secs 19, 24, 25  
& 30. previously established and  
described by me.Thence I run  
S.  $89^{\circ}54' W$ . on a true line bet

Subdivisions T. 21 S. R. 8 E - continued

- Secs 24 & 25 with same var.
- 40.06 Set a quartz atom  $18 \times 8 \times 6$  ins  $12$  ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on N. face dug pits  $18 \times 18 \times 12$  ins  
E & W. of atom  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base along side.
- 80.11 The cor to secs 23. 24. 25 & 26.  
Land gently rolling  
Soil 2<sup>d</sup> rate, good grass.  
Timber, scattering mesquite W end  
of line.

North lot Secs 23 & 24

Var.  $12^{\circ} 40' E$ .

Over gently rolling land.

- 10.50 Road from St Louis ranch to Pedro  
Aguirre's course E & W.

## Subdivision T. 21 S. R. 8 E - continued

Chains

40.00

Set a granite stone  $14 \times 8 \times 6$  ins  $10$  ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on W. face dug pits  $18 \times 18 \times 12$  ins  
N & S of stone  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base along side.

59.00

Arroyo 10 lks wide course  $N 30^{\circ} W$ .

68.00

Arroyo 20 lks wide course  $N. 30^{\circ} W$ .

80.00

Set a quartz stone  $20 \times 15 \times 10$  ins  
 $15$  ins in the ground for cor to secs  
13, 14, 23 & 24 marked with 3 notches  
on S and 1 notch on E edges, dug  
pits  $18 \times 18 \times 12$  ins in each sec  $5\frac{1}{2}$  ft  
dist and raised a mound of  
earth 2 ft high  $4\frac{1}{2}$  ft base along side  
Land gently rolling  
Soil 2<sup>d</sup> rate, good grass  
No timber

Subdivisions T. 21 S. R. 8 E. Continued

chains

East on a random line bet Secs 13 & 24

Var  $12^{\circ}40' E$ .

Over gently rolling land.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

47.00 Arroyo 15 lks wide course  $S. 40^{\circ} W$ .

49.89 Intersect E boundary of Township

11 lks N. of the cor to Secs 13. 18. 19

& 24 previously established and described by me

Thence I run

$N 89^{\circ} 55' W$  on a true line bet Secs 13 & 24 with same Var.

39.95 Set a quartz stone  $14 \times 10 \times 8$  ins  $10$  ins in the ground for  $\frac{1}{4}$  Sec cor marked

$\frac{1}{4}$  on N. face dug pits  $18 \times 18 \times 12$  ins

E & W. of stone  $5 \frac{1}{2}$  ft dist and

raised a mound of earth  $1 \frac{1}{2}$  ft high  $3 \frac{1}{2}$  ft base alongside.

49.89 The cor to secs 13. 14. 23 & 24

## Subdivisions T. 21 S. R. 8 E - continued

Chain

Land gently rolling  
 Soil 2<sup>d</sup> rate, good grass.  
 No timber

North bet Secs 13 &amp; 14

Var  $12^{\circ}40'E$ 

Over rolling land.

28.00 Old road bears E &amp; W.

40.00 Set a quartz stone  $12 \times 10 \times 8$  ins  
 8 ins in the ground for  $\frac{1}{4}$  Sec cor.  
 marked  $\frac{1}{4}$  on W. face dug pits  $18$   
 $\times 18 \times 12$  ins N & S. of stone  $5\frac{1}{2}$  ft  
 dist. and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along-  
 side

From which

An old House bears  $S 81\frac{1}{2}^{\circ} W. 150$  rods  
 dist.

Subdivision T. 21 S. R. 8 E Continued.

80.00

Set a granite stone  $22 \times 10 \times 6$  ins 16 ins in the ground for cor to secs 11, 12, 13 & 14. marked with 4 notches on S and 1 notch on E edges, dry pits  $18 \times 18 \times 12$  ins in each sec  $5\frac{1}{2}$  ft dist. and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft base alongside. Land gently rolling. Soil 2<sup>d</sup> rate, good grass. No timber

East on a random line bet Secs 12 & 13

Nor  $12^{\circ} 40' E$

Over gently rolling land

40.00

Set temp  $\frac{3}{4}$  Sec cor.

79.98

Intersect E boundary of Townships 18 lks N. of the cor to secs 7, 12, 13 & 18 previously established and described

## Subdivisions T. 21 S. R. 8 E - Continued

Chains

by me

Thence I run

N.  $89^{\circ}52'$  W. on a true line bet Secs  
12 & 13. with same Var.

39.99 Set a volcanic stone  $14 \times 12 \times 8$  ins  
10 ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on N. face, dug pits  $18$   
 $\times 18 \times 12$  ins E & W. of stone  $5\frac{1}{2}$  ft  
dist and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.

79.98. The cor to Secs 11, 12, 13 & 14.

Land gently rolling

Soil 2<sup>d</sup> rate, good grass.

No timber.

North bet Secs 11 & 12.

Var.  $12^{\circ}40' E$

Over level land.

Subdivision T. 21 S. R. 8 E - Continued

Chains

- 27.50 Road from Arivaca bears E & W. and runs into the main Altar & Tucson road 7 chs W.
- 39.00 Main Altar and Tucson road course N 30° E & S 30° W.
- 40.00 Set a volcanic stone 18 x 15 x 8 ins 12 ins in the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  on W. face, dig pits 18 x 18 x 12 ins N & S. of stone 5  $\frac{1}{2}$  ft dist and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base alongside.
- 80.00 Set a granite stone 12 x 12 x 10 ins 8 ins in the ground for cor to secs 1, 2, 11 & 12 marked with 5 notches on S and 1 notch on E edges, dig pits 18 x 18 x 12 ins. in each sec. 5  $\frac{1}{2}$  ft dist and raised a mound of earth 2 ft high 4  $\frac{1}{2}$  ft base alongside  
Land rolling



Subdivisions T. 21 S. R 8 E - continued

Chains

Soil 2<sup>d</sup> rate, good grass  
No timber.

East on a random line bet Secs 1 & 12  
Var.  $12^{\circ}40' E$ .

Over rolling land.

25.00 Main Altar & Fucson road corner  
 $N 30^{\circ} E$  &  $S 30^{\circ} W$ .

40.00 Set temp  $\frac{1}{4}$  Sec cor.

79.88. Intersect E boundary of Township  
20 lks N. of the cor. to Secs 1, 6, 7 & 12  
previously established and described  
by me

Thence I run

$N. 89^{\circ} 51' W.$  on a true line bet Secs  
1 & 12 with same Var.

39.94 Set a granite atom  $14 \times 10 \times 10$  ins  
10 ins in the ground for  $\frac{1}{4}$  Sec cor.

Subdivision T. 21 S. R. 8 E - Continued

Chains

marked  $\frac{1}{4}$  on N. face dry pits 18 x 18 x 12  
ins E & W. of stone  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base alongside.

79.88 The cor to secs 1, 2, 11 & 12.

Land rolling

Soil 2<sup>d</sup> rate, good grass.

No timber.

North on a true line bet Secs 1 & 2.

Var  $12^{\circ}40'$  E.

Over level land.

40.00 Set a granite stone 14 x 12 x 5 ins 10  
ins. in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on W. face, dry pits 18  
x 18 x 12 ins. N & S of stone  $5\frac{1}{2}$  ft  
dist and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.

## Subdivision T. 21 S. R. 8 E - Continued

Chains

79-75 Intersect N. boundary of Township  
 1.10 chs. E of the Standard corner  
 to ~~see~~ 35 & 36 on the Fourth Standard  
 Parallel South which is a granite  
 stone 16 X 10 X 8 ins firmly set in  
 the ground with pits 18 X 18 X 12 ins  
 N. E & W. of stone 5 1/2 ft diam and  
<sup>raised</sup> mound of earth 2 ft high 4 1/2 ft  
 base along side and 1 notch on E & 5 notches  
<sup>on W. edge.</sup>  
 For Closing Corner I set a granite  
 stone 17 X 13 X 12 ins 12 ins in the  
 ground marked C. C. on S with  
 1 notch on E and 5 notches on W edges dug pits  
 18 X 18 X 12 ins S. E & W. of stone  
 5 1/2 ft diam and raised a mound  
 of earth 2 ft high 4 1/2 ft base along  
 side.

Land level

Soil 2<sup>d</sup> rate, good grass

## Subdivisions T. 21 S. R. 8 E - continued

chain

No timber.

18<sup>th</sup> Dec<sup>r</sup> 1886

From the cor to Secs 2, 3, 34, & 35  
on the South boundary of the Town-  
ship previously established and  
described by me I run  
North bet Secs 34 & 35

Var  $12^{\circ}40'6''$ .

Over gently rolling land.

40.00 Set a granite stone  $16 \times 10 \times 6$  ins  
11 ins. in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on W. face dig pits  
 $18 \times 18 \times 12$  ins N. & S. of stone  
 $5\frac{1}{2}$  ft dist. and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along  
side

80.00 Set a granite stone  $20 \times 12 \times 8$  ins  
15 ins in the ground for cor to

## Subdivisions T. 21 S. R. 8 E. - Continued

Chains

Secs 26-27-34 & 35 marked with  
1 notch on S and 2 notches on E  
edges, dug pits 18x18x12 ins in  
each sec.  $5\frac{1}{2}$  ft dist and raised  
a mound of earth 2 ft high  $4\frac{1}{2}$  ft  
base along side.

Land gently rolling.

Soil 2<sup>d</sup> rate, good grass.

No timber.

East on a random line bet Secs 26 & 35

Var.  $12^{\circ}40' E$ .

Over gently rolling land

40.00 Set temp  $\frac{1}{4}$  Sec Cor.

30.16 Intersect N & S line 18 lks. N. of  
the cor. to secs 25-26-35 & 36

Then I run

N.  $89^{\circ}52' W$  on a true line bet

Subdivisions T. 21 S. R. 8 E. - Continued

Chain

Secs 26 & 35 with same Var.

40.08 Set a quartz stone  $12 \times 8 \times 5$  ins 8 ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on N. face, dug pits  $18 \times 18 \times 12$  ins  
E & W. of stone  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base along side.

80.16 The cor to secs 26. 27. 34 & 35  
Land gently rolling.  
Soil, 2<sup>d</sup> rate good grass.  
No timber.

North bet Secs 26 & 27

Var.  $12^{\circ} 40' E.$

Over gently rolling land.

40.00 Set a granite stone  $13 \times 9 \times 6$  ins  
9 ins in the ground for  $\frac{1}{4}$  Sec Cor  
marked  $\frac{1}{4}$  on W. face, dug pits

Subdivision P. 21 S. R8E - Continued  
 Charis

18 x 18 x 12 ins N. & S of atom  $5\frac{1}{2}$  ft  
 dist and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side.

From which

The ranch house of Pedro Aguirre  
 bears 10 chs W. House substantially  
 built of adobe with shingle roof.  
 Ranch is named "Buenos Ayres."

80.00 Set a granite stone 16 x 12 x 10 ins  
 11 ins in the ground for cor to  
 secs 22, 23, 26 & 27 marked with  
 2 notches on S and E edges, dug  
 pits 18 x 18 x 12 in each sec.  $5\frac{1}{2}$  ft  
 dist and raised a mound  
 of earth 2 ft high  $4\frac{1}{2}$  ft base  
 alongside

Land gently rolling  
 Soil 2<sup>nd</sup> rate, good grass  
 No timber

Subdivisions T. 21 S. R. 8 E - Continued  
 Chain

East on a random line bet Secs 23 & 26

Var.  $12^{\circ}40'E$ .

Over gently rolling land.

40.00 Set Temp  $\frac{1}{4}$  Sec Cor.

79.94 I intersect N & S line 21 lks N. of  
 the cor. to secs 23, 24, 25 & 26

Thence I run  
 N.  $89^{\circ}51'W$ . on a true line bet  
 Secs 23 & 26. with same Var.

39.97 Set a granite stone  $14 \times 10 \times 6$  ins  
 10 ins in the ground for  $\frac{1}{4}$  Sec  
 cor. - marked  $\frac{1}{4}$  on N. face dug  
 pits  $18 \times 18 \times 12$  ins E & W. of stone  
 $5\frac{1}{2}$  ft dia. and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 alongside.

9.94 The cor to secs 22, 23, 26 & 27.

Land gently rolling

Soil 2<sup>d</sup> rate, good grass



## Subdivisions T. 21 S. R. 8 E - Continued

Chains

No timber

North bet Secs 22 &amp; 23.

Var.  $12^{\circ}40' E$ .

Over gently rolling land

15.00 Ditch (dry) bears E &amp; W.

21.00 Main road from Altar to Tucson  
course N.  $15^{\circ} E$  & S.  $10^{\circ} W$ .40.00 Set a quartz stone  $17 \times 12 \times 12$  ins  
12 ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on W. face dug pits  $15 \times 18$   
 $\times 12$  ins N & S. of stone  $5\frac{1}{2}$  ft dia  
and raised a mound of earth  
 $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside

From which

An adobe house now in course  
of construction by M. R. Wise  
bears S.  $18^{\circ} E$  - 8.60 chs dia.

Subdivision T. 21 S. R8E - Continued

Charno

55.00 Enter NE cor. of large Charco or  
Waterhole.

63.00 Leave the Charco bearing SW. This  
Charco covers about 100 acres and is  
formed by water collected from  
neighboring lands. The ditch crossed  
at 15 chs being constructed to carry  
water to the charco. In very dry  
seasons the charco is perfectly dry.

80.00 Set a granite stone 16 x 12 x 10 ins  
11 ins in the ground for cor to  
secs 14, 15, 22, & 23. marked with  
3 notches on S. and 2 notches on  
E edges, dry pits 18 x 18 x 12 ins  
in each sec 5 1/2 ft dist. and  
raised a mound of earth 2 ft  
high 4 1/2 ft base along side.  
Land gently rolling  
Soil 2<sup>d</sup> rate, good grass.

## Subdivision T. 21 S. R. 8 E. continued

On line

No timber.

East on a random line bet Secs 14 & 23  
 Var  $12^{\circ}40' E$ .

Over gently rolling land.

26.00 Main road from Altar to Fincorn  
 course  $N 25^{\circ} E$  &  $S. 25^{\circ} W$

40.00 Set temp  $\frac{1}{4}$  Sec cor.

80.16 Intersect N & S line 9 lks S. of  
 the cor to secs 13, 14, 23 & 24

Thence I run

$S. 89^{\circ} 56' W$ . on a true line bet Secs  
 14 & 23 with same Var

40.08 Set a granite stone  $14 \times 8 \times 8$  ins  
 10 ins in the ground for  $\frac{1}{4}$  Sec  
 cor. marked  $\frac{1}{4}$  on N. face  
 dug pits  $18 \times 18 \times 12$  ins E & W.  
 of stone  $5\frac{1}{2}$  ft dia and raised

Subdivision T. 21 S. R. 8 E - continued

80.00

a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.

80.16

The cor to secs 14, 15, 22 & 23.

Land gently rolling.

Soil 2<sup>d</sup> rate, good grass.

No timber

North bet Secs 14 & 15

Var  $12^{\circ}40'E$ .

Over gently rolling land.

40.00

Set a quartz stone  $16 \times 12 \times 8$  ins 11 ins in the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  on W. face dry pits  $18 \times 18 \times 12$  ins N. & S. of stone  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.

80.00

Set a quartz stone  $15 \times 12 \times 10$  ins 10 ins in the ground for cor to

# Subdivisions T. 21 S. R. 8 E - Continued

Chains

Secs 10, 11, 14 & 15 marked with 4 notches  
on S and 2 notches on E edges,  
dug pits 18 X 18 X 12 ins in each sec  
5 1/2 ft dist. and raised a mound  
of earth 2 ft high 4 1/2 ft base along  
side.

Land gently rolling

Soil 2<sup>d</sup> rate, good grass.

No timber

East on a random line bet Secs 11 & 14

Ver 12° 40' E

Over gently rolling land.

40.00 Set temp  $\frac{1}{4}$  Sec Cor.

57.00 Main road from Altar to Tucson  
course N 25° E & S. 25° W.

80.39 Intersect N & S. line 1/4 m S of  
the cor to secs 11, 12, 13 & 14

Subdivisions T-21 S. R8 E. Continued

Chains

Hence I run

S.  $89^{\circ}54'$  W. on a true line bet  
Secs. 11 & 14 with same Var.

40.20. Set a volcanic stone  $12 \times 10 \times 6$  ins  
& ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on N. face, dug pits  $18$   
 $\times 18 \times 12$  ins E & W. of stone  $5\frac{1}{2}$  ft  
diam and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along  
side.

80.39 The cor. to secs 10. 11. 14 & 15.  
Land gently rolling  
Soil 2<sup>d</sup> rate, good grass  
No timber.

North bet Secs 10 & 11

Var.  $12^{\circ}40'$  E.

Over gently rolling land

## Subdivisions T. 21 S. R. 8 E. - continued

Chains

40.00 Set a quartz stone  $12 \times 12 \times 4$  ins 8 ins in the ground for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  on W. face, dig pits  $18 \times 18 \times 12$  ins N & S of stone  $5\frac{1}{2}$  ft dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.

80.00 Set a granite stone  $16 \times 10 \times 10$  ins 11 ins. in the ground for cor to secs 2, 3, 10 & 11 marked with 5 notches on S and 2 notches on E edges dig pits  $18 \times 18 \times 12$  ins in each sec.  $5\frac{1}{2}$  ft dist and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft base alongside.

Land gently rolling

Soil 2<sup>d</sup> rate, good grass

No timber.

Subdivision T. 21 S. R. 8 E - Continued

chains

East on a random line bet Secs 2 & 11

Var.  $12^{\circ}40'E$ .

Over level land.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

80.02 Intersect N & S line 17ths N  
of the cor to secs 1, 2, 11 & 12.

Thence I run

N.  $89^{\circ}52'W$ . on a true line bet Secs  
2 & 11 with same Var.

40.01 Set a quartz stone  $13 \times 12 \times 5$  ins  
9 ins. in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on N. face dug pits  
 $18 \times 18 \times 12$  ins E & W. of stone  
 $5\frac{1}{2}$  ft dist and raised a  
mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base alongside

80.02 The cor to secs 2, 3, 10 & 11  
Land gently rolling.  
Soil 2<sup>d</sup> rate good grass



Subdivisions T. 21 S. R. 8 E - continued

Chains

No timber.

North on a true line bet Secs 2 & 3.

Var.  $12^{\circ}40' E$ .

Over level land.

40.00 Set a granite stone  $11 \times 10 \times 10$  ins  
8 ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on W. face, dug pits  
 $18 \times 18 \times 12$  ins N & S of stone  
 $5\frac{1}{2}$  ft dist and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
alongside.

79.13 Intersect N boundary of Town-  
ship at 1.18 chs E of the Standard  
cor to secs 34 & 35 on the Fourth  
Standard Parallel South which  
is a granite stone  $15 \times 12 \times 8$  ins  
firmly set in the ground with

## Subdivision T. 21 S. R. 8 E Continued

hans

2 notches on E and 4 notches on W  
edges, with pits 18 x 18 x 12 ins N. E  
& W of stone and mound of earth  
2 ft high 4½ ft base along side

For Closing Cor to Secs

2 & 3 I set a granite stone 12  
x 12 x 10 ins. 8 ins in the ground  
marked C.C. on S with 2 notches  
on E and 4 notches on W. edges  
dig pits 18 x 18 x 12 ins S. E & W  
of stone 5½ ft dist and raised  
a mound of earth 2 ft high  
4½ ft base along side

Land level

Soil 2<sup>d</sup> rate, good grass  
No timber.

From the cor to secs 3. 4. 33 & 34

## Subdivisions T. 21 S. R. 8 E - Continued

Chain

on the South boundary of the Township previously established and described by me

I run

North bet Secs 33 &amp; 34

Var.  $12^{\circ} 40' E$ 

Over gently rolling land.

- 40.00 Set a granite stone  $18 \times 6 \times 6$  ins  
12 ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on W. face, dig pits  $18$   
 $\times 18 \times 12$  ins N & S. of stone  $5\frac{1}{2}$  ft  
diam. and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside
- 75.00 Road from the Buena Vista Ranch  
to Pedro Aguirre's ranch and the  
Purson and Altar road corner  $N 55^{\circ} E$   
and  $S 55^{\circ} W$ .
- 80.00 Set a granite stone  $18 \times 12 \times 8$  ins  
12 ins in the ground for cor to sec

Subdivisions T. 21 S. R. 8 E. Continued

Chains

27, 28, 33 & 34 marked with 1 notch on S and 3 notches on E edges, dug pits 18 x 18 x 12 ins in each sec and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft base along side.

Land level

Soil 2<sup>d</sup> rate, good grass.

No timber

20<sup>th</sup> Dec<sup>r</sup> 1886.

By observation taken this day I find the magnetic Var to be  $12^{\circ}40'E$

East on a random line bet Secs 27 & 34

Var.  $12^{\circ}40'E$

Over gently rolling land

9.00

Road from Bulna Vista ranch to P. Aguirre's and the Tucson and Altar road, course  $N55^{\circ}E$  &  $S55^{\circ}W$ .

## Subdivision T. 21 S. R. 8 E - continued

Chains

- 40.00 Set temp  $\frac{1}{4}$  Sec cor.
- 40.50. Main road from Altar to Tucson course  
N.  $20^{\circ}$  E & S.  $20^{\circ}$  W.
- 79.93 Intersect N. & S. line 10 lks N. of the  
cor to secs 26. 27. 34. & 35  
Thence I run  
N  $89^{\circ} 56'$  W. on a true line bet Secs  
27 & 34 with same line.
- 39.97 Set a granite stone 15 X 12 X 8 ins 10 ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on N. face, dug pits 18 X 18 X 12 ins  
E & W. of stone  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base alongside.
- 79.93 The cor to secs 27. 28. 33 & 34  
Land gently rolling  
Soil 2<sup>d</sup> rate good grass  
No timber

Subdivision T. 21 S. R. 8 E - Continued

Chains

North bet Secs 27 & 28

Var.  $12^{\circ}40' E$ .

Over gently rolling ground

70.00 Set a volcanic stone  $14 \times 12 \times 7$  ins 10 ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on W face dug pits  $18 \times 18 \times 12$  ins  
N & S. of stone  $5\frac{1}{2}$  ft dia and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base along side

54.00 Wood road course  $N 80^{\circ} W$  &  $S 70^{\circ} E$

80.00 Set a granite stone  $18 \times 10 \times 6$  ins  
12 ins in the ground for cor to  
secs 21-22-27 & 28 marked with  
2 notches on S and 3 notches on  
E edges, dug pits  $18 \times 18 \times 12$  ins  
in each sec  $5\frac{1}{2}$  ft dia and  
raised a mound of earth 2 ft  
high  $4\frac{1}{2}$  ft base along side.  
Land gently rolling

BOOK 938

## Subdivisions T. 21 S. R. 8 E - Continued

Chains

Soil 2<sup>d</sup> rate, good grass  
No timber

East on a random line bet Secs 22 & 27  
Var.  $12^{\circ} 40' E$

Over gently rolling land.

40.00 Set temp  $\frac{1}{4}$  Sec. Cor.

77.00 Main road from Altar to Tucson,  
course N & S.

79.89 Intersect N & S line 15 lks N. of  
the cor to secs 22, 23, 26 & 27

Thence I run

$N 89^{\circ} 53' W.$  on a true line bet Secs  
22 & 27 with same Var.

39.95 Set a volcanic stone  $14 \times 10 \times 7$  ins  
10 ins in the ground for  $\frac{1}{4}$  sec  
cor. marked  $\frac{1}{4}$  on N. face, dug  
pits  $18 \times 18 \times 12$  ins E & W. of stone

Subdivision T. 21 S. R. 8 E - Continued

Cham

- 79.89 5 ½ ft dist. and raised a mound of earth 1 ½ ft high 3 ½ ft base along side. The cor to secs 21, 22, 27 & 28  
 Land gently rolling  
 Soil 2<sup>a</sup> rate, good grass  
 No timber.

North bet Secs 21 & 22

Var. 12° 40' E

- 40.00 Over gently rolling ground  
 Set a volcanic stone 13 x 12 x 8 ins 9 ins in the ground for ¼ Sec. cor. marked ¼ on W. face, dug pits 18 x 18 x 12 ins N & S. of stone 5 ½ ft dist. and raised a mound of earth 1 ½ ft high 3 ½ ft base along side.  
 80.00 Set a granite stone 17 x 10 x 10 ins



## Subdivisions T. 21 S. R. 8 E - Continued

Chain

12 ins in the ground for cor to secs  
15, 16, 21 & 22. marked with 3 notches  
on S and E edges, dug pits 18 X 18  
X 12 ins in each sec 5 1/2 ft dia and  
raised a mound of earth 2 ft  
high 4 1/2 ft base alongside  
Land gently rolling  
Soil 2<sup>d</sup> rate, good grass  
No timber

East on a random line bet Secs 15 & 22

Var.  $12^{\circ} 40' E$

Over gently rolling land.

70.00 Set temp  $\frac{1}{4}$  Sec cor.

80.11 Intersect N & S line at 11 lks N. of  
the cor to secs 14, 15, 22 & 23.

Thence I run

$N 89^{\circ} 55' W$ . on a true line bet

# Subdivisions T. 21 S. R. 8 E - Continued

- 40.06 Secs 15 & 22 with same Var.  
 Set a granite stone 14x10x6 ins 10  
 ins in the ground for  $\frac{1}{4}$  Sec cor.  
 marked  $\frac{1}{4}$  on N. face dug pits 18x18  
 x12 ins E & W. of stone 5  $\frac{1}{2}$  ft dist  
 and raised a mound of earth 1  $\frac{1}{2}$   
 ft high 3  $\frac{1}{2}$  ft base alongside.
- 80.11 The cor to secs 15, 16, 21 & 22.  
 Land gently rolling.  
 Soil 2<sup>d</sup> rate, good grass  
 No timber

North bet Secs 15 & 16

Var 12° 40' E

Over gently rolling land.

- 40.00 Set a granite stone 15x10x4 ins  
 10 ins in the ground for  $\frac{1}{4}$  Sec cor  
 marked  $\frac{1}{4}$  on W face, dug pits

## Subdivision T. 21 S. R. 8 E. continued

Chains

18 x 18 x 12 ins N & S. of stone 5 1/2 ft  
dial. and raised a mound of earth  
1 1/2 ft high 3 1/2 ft base along side.

80.00 Set a volcanic stone 18 x 12 x 5 ins  
12 ins in the ground for cor to secs  
9, 10, 15 & 16. marked with 4 notches  
on S and 3 notches on E edges  
dig pits 18 x 18 x 12 ins in each sec.  
5 1/2 ft dial. and raised a mound  
of earth 2 ft high 4 1/2 ft base,  
along side

Land gently rolling  
Soil 2<sup>d</sup> rate, good grass.  
No timber

East on a random line bet Secs 10 & 15  
Nor. 12° 40' E.

Over gently rolling land

Subdivision T. 21 S. R. 8 E. Continued

Chains

40.00 Set temp  $\frac{1}{4}$  Sec. cor.

80.04 Intersect N & S line 20 ths S of the cor to secs 10. 11. 14 & 15.

Thence I run

S.  $89^{\circ}51'$  W. on a true line bet secs 10 & 15 with same Var.

40.02 Set a granite stone 18 X 12 X 8 ins 12 ins in the ground for  $\frac{1}{4}$  Sec. cor. marked  $\frac{1}{4}$  on N. face, dug pits 18 X 18 X 12 ins E & W. of stone 5  $\frac{1}{2}$  ft dia and raised a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft base alongside.

80.04 The cor to secs 9. 10. 15 & 16.

Land gently rolling

Soil 2<sup>d</sup> rate, good grass

No timber.

## Subdivisions T. 21 S. R. 8 E - continued

Chains

North bet Secs 9 &amp; 10

Var.  $12^{\circ}40'E$ 

Over gently rolling land.

38.00 Arroyo 10 lbs wide course E.

40.00 Set a granite stone  $14 \times 10 \times 8$  ins  
 10 ins in the ground for  $\frac{1}{4}$  Sec  
 cor. marked  $\frac{1}{4}$  on W. face, dug  
 pits  $18 \times 18 \times 12$  ins N & S. of stone  
 $5\frac{1}{2}$  ft dist. and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 along side

80.00 Set a granite stone  $15 \times 13 \times 8$  ins  
 10 ins in the ground for cor to  
 secs 3, 4, 9 & 10 marked with  
 5 notches on S and 3 notches on  
 E edges, dug pits  $18 \times 18 \times 12$  ins  
 in each Sec  $5\frac{1}{2}$  ft dist and  
 raised a mound of earth 2 ft  
 high  $4\frac{1}{2}$  ft base along side.

Subdivision T. 21 S. R. 8 E - Continued

Chains

Land gently rolling  
Soil 2<sup>d</sup> rate, good grass  
No timber.

East on a random line bet Secs 3 & 10  
Var.  $12^{\circ}40' E$ .

Over gently rolling land.

40.00 Set temp  $\frac{1}{4}$  Sec. cor.

79.96 Intersect N & S line 14 lks N. of  
the cor to secs 2, 3, 10 & 11

Thence I run

N.  $89^{\circ}54' W$ . on a true line bet  
Secs 3 & 10 with same Var.

39.98 Set a granite stone  $12 \times 10 \times 8$  ins  
8 ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on N. face, dug pits  
 $18 \times 18 \times 12$  ins E & W. of stone  $5\frac{1}{2}$  ft  
diam and raised a mound of

## Subdivisions T. 21 S. R. 8 E. Continued

Chains

earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside  
 Land gently rolling  
 Soil 2<sup>d</sup> rate, good grass  
 No timber.

North on a true line bet Secs. 3 & 4  
 Var.  $12^{\circ}40'E$

Over level land.

- 40.00 Set a granite stone  $22 \times 8 \times 6$  ins  
 17 ins in the ground for  $\frac{1}{4}$  Sec  
 cor. marked  $\frac{1}{4}$  on W. face dug  
 pits  $18 \times 18 \times 12$  ins N & S. of stone  
 $5\frac{1}{2}$  ft dia and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 alongside.
- 78.66 Intersect N. boundary of Township  
 126 lks E. of the Standard Corner  
 to secs 33 & 34 on the Fourth

Subdivisions T. 21 S. R. 8 E. Continued

Chains

Standard Parallel South which is a granite stone 18 x 12 x 6 ins firmly set in the ground marked S. 6 on N. with 3 notches on E & W. edges, with pits 18 x 18 x 12 ins N. E & W. of stone 5½ ft diet and mound of earth 2 ft high 4½ ft base alongside. I set for Closing Corner to Secs 3 & 4 a granite stone 18 x 12 x 8 ins 12 ins in the ground marked C. C. on S face with 3 notches on E & W edges, dug pits 18 x 18 x 12 ins S. E & W. of stone 5½ ft diet. and raised a mound of earth 2 ft high 4½ ft base alongside.

Land level

Soil 2<sup>nd</sup> rate, good grass.

No timber



## Subdivisions T. 21 S. R. 8 E. Continued

Chains

From the cor to Secs 4, 5, 32 & 33 on  
the S. boundary of the Township  
previously established and described  
by me

From

North bet Secs 32 &amp; 33

Var.  $12^{\circ} 40' E.$ 

Over gently rolling land.

12.00 Road from Altar to Tucson corner  
 $N 50^{\circ} E$  and  $S 50^{\circ} W.$

40.00 Set a granite stone  $12 \times 8 \times 8$  ins  
8 ins in the ground for  $\frac{1}{4}$  Sec  
cor. marked  $\frac{1}{4}$  on W. face dry  
pits  $18 \times 18 \times 12$  ins N & S. of stone  
 $5\frac{1}{2}$  ft dia and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
along side

80.00 Set a granite stone  $18 \times 12 \times 8$  ins  
12 ins in the ground for cor. to

# Subdivisions T. 21 S. R. 8 E. - Continued

Chains

secs 28-29-32 & 33. marked with 1 notch on S and 4 notches on E edges, dug pits 18 x 18 x 12 ins in each sec 5 1/2 ft dist. and raised a mound of earth 2 ft high 4 1/2 ft base along side.

Land gently rolling  
Soil 2<sup>d</sup> rate, good grass.

No timber.

East on a random line bet Secs 28 & 33

Var. 12° 40' E

Over gently rolling land.

40.00 Set temp 1/4 Sec. cor.

80.14 Intersect N & S line 16 lks N. of the cor to secs 27-28-33 & 34

Thence I run

N 89° 53' W. on a true line bet Secs 28 & 33 with same Var.

## Subdivision T. 21 S. R. 8 E Continued

Chains

40.07

Set a granite stone  $12 \times 12 \times 10$  ins 8 ins  
in the ground for  $\frac{1}{4}$  Sec cor. marked  
 $\frac{1}{4}$  on N. face dug pits  $18 \times 18 \times 12$  ins  
E & W. of stone  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base alongside.

80.14

The cor to secs 28, 29, 32 & 33

Land gently rolling

Soil 2<sup>d</sup> rate, good grass

Timber, none.

North bet Secs 28 & 29.

Var.  $12^{\circ} 40' E$

Over gently rolling land

40.00

Set a granite stone  $15 \times 11 \times 10$  ins  
10 ins in the ground for  $\frac{1}{4}$  Sec  
cor marked  $\frac{1}{4}$  on W. face, dug  
pits  $18 \times 18 \times 12$  ins N & S. of stone

# Subdivisions T. 21 S. R. 8 E. Continued

Chains

80.00  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside. Set a granite stone  $15 \times 10 \times 8$  ins  $10$  ins in the ground for cor to secs 20, 21, 28 & 29 marked with 2 notches on S and 4 notches on E edges, dug pits  $18 \times 18 \times 12$  ins in each sec  $5\frac{1}{2}$  ft dist and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft base alongside.

Land gently rolling.  
Soil 2<sup>d</sup> rate, good grass.  
No timber.

East on a random line bet Secs 21 & 28  
Var.  $12^{\circ} 40' E$ .

Over gently rolling land

15.00 Wood road course  $N 80^{\circ} W$  &  $S 70^{\circ} E$ .

## Subdivisions T. 21 S. R. 8 E - Continued

Chains

- 34.00 Branch of same road course  
N 70° W and S. 70° E.
- 40.00 Set temp  $\frac{1}{4}$  Sec cor.
- 80.10 Intersect N & S line 21 lks N. of  
the cor to secs 21. 22. 27 & 28.  
Thence I run  
N 89° 51' W. on a true line bet Secs  
21 & 28 with same bar.
- 40.05 Set a granite stone 12 X 10 X 10 ins  
8 ins in the ground for  $\frac{1}{4}$  Sec  
cor marked  $\frac{1}{4}$  on N. face, dug  
pits 18 X 18 X 12 ins E & W. of  
stone 5  $\frac{1}{2}$  ft dist and raised  
a mound of earth 1  $\frac{1}{2}$  ft high 3  $\frac{1}{2}$  ft  
base along side
- 80.10 The cor to secs 20. 21. 28 & 29.  
Land gently rolling  
Soil 2<sup>d</sup> rate, good grass.  
No timber

21<sup>st</sup> December 1886.

Subdivision P. 21 S. R. 8 E - continued

Chains

North bet Secs 20 & 21

Var.  $12^{\circ}40'E$ .

Over gently rolling land

2.00 Wood road, course E & W.

13.00 Branch of same road course  $N60^{\circ}W$   
and  $S.60^{\circ}E$ .

40.00 Set a granite stone  $15 \times 8 \times 8$  ins  $10$  ins  
in the ground for  $\frac{1}{4}$  Sec cor marked  
 $\frac{1}{2}$  on W. face dig pits  $18 \times 18 \times 12$  ins  
 $N \& S$  of stone  $5\frac{1}{2}$  ft dist and  
raised a mound of earth  $1\frac{1}{2}$  ft  
high  $3\frac{1}{2}$  ft base alongside.

80.00 Set a granite stone  $16 \times 8 \times 6$  ins  
 $11$  ins in the ground for cor to  
secs 16. 17. 20 & 21 marked with 3 notches  
on S and 4 notches on E edges, dig  
pits  $18 \times 18 \times 12$  ins in each sec  
 $5\frac{1}{2}$  ft dist. and raised a mound  
of earth 2 ft high  $4\frac{1}{2}$  ft base

## Subdivisions T. 21 S. R. 8 E - Continued

Chains

alongside

Land gently rolling

Soil 2<sup>d</sup> rate good grass

No timber

By observation taken this day I  
find the magnetic Var to be  $12^{\circ}40'E$

East on a random line bet Secs 16 & 21  
Var  $12^{\circ}40'E$ .

Over gently rolling land

40.00 Set temp  $\frac{1}{4}$  Sec cor.80.04 Intersect N & S line 13 lks S. of  
the cor to Secs 15, 16, 21 & 22.

Thence I run

S.  $89^{\circ}54'W$ . on a true line bet  
Secs 16 & 21 with same Var.40.02 Set a granite stone  $16 \times 12 \times 9$  ins

Subdivisions T. 21 S. R. 8 E - Continued.

Chains

11 ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on N. face, dug pits 18  
x 18 x 12 ins E & W. of stone  $5\frac{1}{2}$  ft  
dist and raised a mound of  
earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side

50.04 The cor. to secs 16, 17, 20 & 21.

Land gently rolling

Soil 2<sup>d</sup> rate, good grass.

No timber

North bet Secs 16 & 17

Var.  $12^{\circ}40' E$ .

Over gently rolling land.

40.00 Set a granite stone 16 x 12 x 10 ins  
11 ins in the ground for  $\frac{1}{4}$  Sec cor.  
marked  $\frac{1}{4}$  on W. face dug pits  
18 x 18 x 12 ins N & S. of stone  $5\frac{1}{2}$  ft  
dist and raised a mound of



## Subdivision T. 21 S. R. 8 E - Continued

Chains

- earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side
- 80.00 Set a granite stone  $18 \times 14 \times 12$  ins  
 $12$  ins in the ground for cor to  
 secs 8-9-16 & 17 marked with 4 notches  
 on S and E edges, dug pits  $18 \times 18$   
 $\times 12$  ins in each sec.  $5\frac{1}{2}$  ft dia  
 and raised a mound of earth 2 ft  
 high  $4\frac{1}{2}$  ft base along side.  
 Land gently rolling  
 Soil 2<sup>d</sup> rate, good grass  
 No timber

East on a random line bet Secs 9 & 16

Var.  $12^{\circ} 40' E$

Over gently rolling land.

- 40.00 Set temp  $\frac{1}{4}$  Sec cor.
- 79.96 Intersect N & S line 9ths N. of  
 the cor. to secs 9-10-15 & 16.

Subdivision T. 21 S. R. 8 E - Continued

Chains

Thence Iron

N  $89^{\circ}56'$  W. on a true line bet Secs 9 & 16  
with same Var.

39.98 Set a granite stone 13 X 10 X 8 ins 8 ins  
in the ground for  $\frac{1}{4}$  Sec. cor. marked  
 $\frac{1}{4}$  on N. face, dug pits 18 X 18 X 12 ins  
E & W. of stone  $5\frac{1}{2}$  ft dist and raised  
a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base alongside

79.96 The cor. to secs 8, 9, 16 & 17  
Land gently rolling  
Soil 2<sup>d</sup> rate, good grass.  
No timber.

North bet Secs 8 & 9.

Var.  $12^{\circ}40'E$

Over gently rolling land

40.00 Set a granite stone 16 X 14 X 10 ins

## Subdivision T. 21 S. R. 8 E - continued

Chains

- 11 ins in the ground for  $\frac{1}{4}$  Section  
 marked  $\frac{1}{4}$  on W. face dug pits 18  
 x 18 x 12 ins N & S. of stone  $5\frac{1}{2}$  ft  
 diam and raised a mound of  
 earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base alongside.
- 80.00 Set a granite stone 16 x 12 x 5 ins  
 11 ins in the ground for cor to  
 sec 4, 5, 8 & 9 marked with 5 notches  
 on S and 4 notches on E edges,  
 dug pits 18 x 18 x 12 ins in each  
 sec  $5\frac{1}{2}$  ft diam and raised a  
 mound of earth 2 ft high  $4\frac{1}{2}$  ft  
 base alongside.
- Land gently rolling  
 Soil 2<sup>d</sup> rate, good grass  
 No timber

Subdivisions T.21S. R.8E - Continued

Chains

East on a random line bet Secs 4 & 9

Var.  $12^{\circ}40'E$ .

Over level land.

40.00 Set temp  $\frac{1}{4}$  Sec cor.

80.15 Intersect N & S line 8 lks S. of the cor to secs 3, 4, 9 & 10.

Thence I run

S.  $89^{\circ}57'W$ . on a true line bet Secs 4 & 9 with same Var.

40.08 Set a granite stone  $14 \times 10 \times 10$  ins 10 ins in the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  on N face. dug pits  $18 \times 18 \times 12$  ins E & W. of stone  $5\frac{1}{2}$  ft dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base along side

80.15 In cor. to secs 4, 5, 8 & 9.

Land gently rolling

Soil 2<sup>d</sup> rate, good grass.

No timber

Subdivision T. 21 S. R. 8 E. Continued

Chains

North on a true line bet Secs 4 & 5  
 Var.  $12^{\circ} 40' E$ .

Over level land

- 40.00 Set a granite stone  $15 \times 12 \times 5$  ins  
 10 ins in the ground for  $\frac{1}{4}$  Sec.  
 cor. marked  $\frac{1}{4}$  on W. face dug  
 pits  $18 \times 18 \times 12$  ins N & S. of stone  
 $5\frac{1}{2}$  ft dist and raised a mound  
 of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base  
 along side.
- 78.50 Intersect N. boundary of Township  
 1.33 lks E of the Standard Corner  
 to secs 32 & 33 on the 4<sup>th</sup> Standard  
 parallel South which is a granite  
 stone  $14 \times 10 \times 8$  ins. 10 ins firmly  
 set in the ground marked S. E.  
 on N. with 4 notches on E and 2 notches  
 on W. edges, with pits  $18 \times 18 \times 12$  ins  
 N-E & W. of stone  $5\frac{1}{2}$  ft dist