

No 10.

BOOK 940

No. 940

BOOK 940

Subdivisions

Book II

4-671

940

FIELD NOTES

GENERAL LAND OFFICE.

Tp 21 South R 9 East

Indexed, Book 939.

Township 21 S R. 9 E 58

6	96	5	75	4	58	3	2	1
95		94		73				
7	93	8	72	9		10	11	12
91		90		70				
18	89	17	69	16		15	14	13
88		86		68				
19	85	20	66	21		22	23	24
84		82		65				
30	81	29	63	28		27	26	25
79		78		61				
31	77	32	60	33		34	35	36

Subdivision T. 21 S. R 9 E - Continued

and 4th Standard Parallel South 85 Ws
E of the cor to sec 33 & 34 which is a
post firmly set in the ground and
marked

S. C. T. 20 S. R 9 E on N.

S. 34 on E and

S. 33 on W. face, with 3
notches on E & Wedges, with pits 18 x 18
x 12 ins. N - E and W. of post and
mound of earth 2 ft high 4 1/2 ft long
alongside.

From which

A mesquite 12 ins diam bears N. 79° W
96 Ws dist marked T. 20 S. R 9 E S 33 BT.
No other trees within limits

For Closing cor to sec 3 & 4 I.
set a granite stone 16 x 10 x 8 ins 11 ins
in the ground marked CC on S with
3 notches on E & W. edges dry pits

Subdivisions T. 21 S. R. 9 E. continued
 Chains

18 x 18 x 12 ins S. E & W. of stone 5 1/2 ft
 dist and raised a mound of earth
 2 ft. high 4 1/2 ft base alongside.
 Land in bottom level, balance
 gently rolling.
 Soil 2^d rate.
 Timber a few mesquites.

From the cor to secs 4. 5. 32 & 33
 on the South boundary of the Township
 previously established and described
 by me I run
 North bet Secs 32 & 33.

Var. 12° 40' E

Over rolling land

40.00 Set a granite stone 18 x 12 x 10 ins
 12 ins in the ground for 1/2 Sec cor
 marked 1/4 on W. face, dug pits

Subdivision T. 21 S. R. 9 E. - Continued

Trains

18x18x12 in N & S of stone 5 1/2 ft dia
and raised a mound of earth 1 1/2 ft
high 3 1/2 ft base alongside.

80.00 Set a limestone 15x12x5 in 10 in
in the ground for cor to secs 28, 29,

32 & 33. marked with 1 notch on
S and 4 notches on E edges, and
raised a mound of stone along
side pits impracticable

Land rolling

Soil 3^d rate

Timber scattering oak and mesquite

29th Dec^r 1886.

East on a random line bet Secs 28 & 33

Var. 12° 40' E.

Over rolling land.

6.50 Wash 10 lks wide course N 70° E

16.60 Wash 10 lks wide course N 30° W

Subdivisions T. 21 S. R. 9 E. continued

Chains

- 30.00 P. R. Tully's ranch house and corral
8 chs N. House and corral substantially
built.
- 32.00 Wash 15 lks wide course N.
- 40.00 Set temp $\frac{1}{4}$ Sec Cor.
- 41.00 St Louis wash 50 lks wide course $N 20^{\circ} W$
- 57.00 Wash 300 lks wide course $N. 40^{\circ} W.$
- 77.00 Wash 30 lks wide course $S 70^{\circ} W$
- 80.06 Intersect N & S line 17 lks N. of the cor-
to sec 27, 28, 33 & 34
- Thence I run
- $N. 89^{\circ} 53' W.$ on a true line bet Secs 28
& 33 on the same Var.
- 40.03 Set a granite stone $18 \times 10 \times 6$ ins 12 ins
in the ground for $\frac{1}{4}$ Sec Cor. marked
 $\frac{1}{4}$ on N face and raised a mound
of stone alongside pits impracticable
From which
A mesquite 10 ins. diam bears $N. 56^{\circ} W$

Subdivisions T. 21 S. R. 9 E - continued
 chains

180 lbs dist. marked $\frac{1}{4}$ S.K.F.

A mesquite 8 ins diam bears S. 50° W. 81 lbs
 dist marked $\frac{1}{4}$ S.K.F.

80.66 The cor to secs 28, 29, 32 & 33.

Land rolling

Soil 3^d and 4th rate.

Timber scattering mesquite

North bet Secs 28 & 29.

Var. $12^{\circ} 40' 6''$.

Over rolling land.

40.00 Set a slate stone $18 \times 10 \times 8$ ins 12 ins
 in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$
 on W. face dug pits $18 \times 18 \times 12$ ins N. & S
 of stone $5 \frac{1}{2}$ ft dist and raised a
 mound of earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft base
 alongside

41.20 St Louis wash 2 chs wide, course N 30° W.

Subdivision F. 21 S. R 9 E - continued

Main

- 49.00 Wash 30 lks wide course West
- 80.00 Set a quartz stone 30 x 10 x 10 ins
22 ins in the ground for cor to sec
20, 21, 28 & 29 marked with 2 notches
on S and 4 notches on E edges, and
raised a mound of stone alongside
Pits impracticable. From which
- A mesquite 6 ins diam bears S 36° E 218
lks dist marked F. 21 S. R 9 E S. 28 BT
- A mesquite 8 ins diam. bears S 28° E 195
lks dist marked F. 21 S. R 9 E S. 28 BT
- A mesquite 8 ins diam bears S 25° E 280
lks dist marked F. 21 S. R 9 E S. 28 BT
- A mesquite 6 ins diam bears S. 1° W. 204
lks dist marked F. 21 S. R 9 E S. 29 BT
- Land rolling and rocky
Soil 3^d and 4th rate
Timber scattering mesquite

Subdivisions T. 21 S. R. 9 E. Continued
chain

East on a random line bet Secs 21 & 28

Var $12^{\circ}40'E$.

Over rough rocky land.

0.20 Wash 20 lbs wide course $N70^{\circ}W$.

40.00 Set temp $\frac{1}{4}$ Sec cor.

47.00 Wash 50 lbs wide course $S.25^{\circ}W$.

62.50 Old road course $N.60^{\circ}E$ and $S60^{\circ}W$.

67.00 Commence ascent of rocky hill

80.16 Intersect N & S line 13 lbs N. of the
cor to secs 21. 22. 27 & 28.

Thence I run

$N.89^{\circ}54'W$ on a true line bet Secs 21 &

28 with same Var

40.08 Set a slate stone $18 \times 8 \times 5$ ins 12 ins in
the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on
N. face dug pits $18 \times 18 \times 12$ ins E & W.
of stone $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
alongside

Subdivisions F. 21 S. R 9E - continued

Chain

80. 16 The cor to secs 20-21. 28 & 29.

Land rough and rocky

Soil worthless.

Timber a few mesquites.

North bet secs 20 & 21

Nor $12^{\circ}40'6''$

Over rough rocky rolling land.

0. 30. Wash 20 lbs wide course $N40^{\circ}W$.

40. 00 Set a volcanic stone $14 \times 12 \times 6$ ins
 10 ins in the ground for $\frac{1}{4}$ Sec cor.
 marked $\frac{1}{4}$ on W. face and raised
 a mound of stone alongside. Pit
 impracticable From which
 A mesquite 6 ins diam bears $N35^{\circ}6'$
 96 lbs dist marked $\frac{1}{4}$ S.B.F.
 A mesquite 6 ins diam bears $N55^{\circ}6'$
 90 lbs dist marked $\frac{1}{4}$ S.B.F.

Subdivision F. 21 S. R9 E - Continued

Chain

67.00 Wash 100 lks wide course $N30^{\circ}W$.80.00 Set a granite stone $16 \times 8 \times 8$ ins 11 ins in the ground for cor to secs 16, 17, 20 & 21 marked with 3 notches on S and 4 notches on E edges and raised a mound of stone alongside, pits impracticable

From which

A mesquite 12 ins diam bears $S89^{\circ}E74$ lks dist marked F. 21 S. R9 E. S. 21 BTA mesquite 6 ins diam bears $N70^{\circ}E94$ lks dist marked F. 21 S. R9 E. S. 16 BTA mesquite 6 ins diam bears $N44^{\circ}E86$ lks dist marked F. 21 S. R9 E S. 16 BTA mesquite 8 ins diam bears $N7^{\circ}W.223$ lks dist marked F. 21 S. R9 E. S. 17 BTLand rough rocky and broken
Soil 4th rate

Timber, scattering mesquite.

Subdivision F. 21 S. R 9 E - Continued

Chairs

East on a rounder line bet Secs 16 & 21

Var $12^{\circ} 40' E$.

Over rough rocky ground.

40.00 Set temp $\frac{1}{4}$ Sec cor.45.00 Wash 30 lks wide course $S 50^{\circ} W$.57.00 Wash 25 lks wide course $S. 50^{\circ} W$.64.00 Wash 18 lks wide course $S. 60^{\circ} W$.

80.09 Intersect N & S line 21 lks S of the cor to secs 15, 16, 21 & 22.

Thence I run

 $S 89^{\circ} 51' W$ on a true line bet sec 16 & 21 with same Var.40.05. Set a lime stone $20 \times 12 \times 5$ ins 15 ins in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on N. face and raised a mound of stone alongside, pits impracticable

80.09 Th cor to secs 16, 17, 20 & 21

Land rough and rocky
Soil worthless

Subdivision T. 21 S. R. 9 E - continued

Chains

Timber a few mesquite.

North bet Secs 16 & 17

Var. $12^{\circ}40'E$.

Over rough rolling land.

10.00 Wash 60 lks wide course $N.40^{\circ}W$.

13.00 Wash 60 lks wide course $N.40^{\circ}W$.

26.00 Wash 50 lks wide course $N.60^{\circ}W$

39.00 Wash 50 lks wide course $N.40^{\circ}W$.

40.00 Set a limestone $17 \times 12 \times 5$ ins 12 ins
in the ground for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on W-face dug pits $18 \times 18 \times 12$ ins
 $N \& S$ of stone $5\frac{1}{2}$ ft dist and
raised a mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base alongside

62.00 Wash 2 chs wide course $N.40^{\circ}E$ and
line runs up little valley

80.00 Set a quartz stone $18 \times 12 \times 6$ ins 12 ins

Subdivision F. 21 S. R 9 E - continued
 chains

in the ground for cor to secs 8-9. 16x17
 marked with 4 notches on S and E edges
 dug pits 18x18x12 ins in each sec 5½
 ft dist and raised a mound of earth
 2 ft high 4½ ft base along side

From which

An old well about 50 ft deep (dry) bears
 N. 83° W. 350 lks dist.

Land rough and rocky for 60 chs balance
 in little valley level.

Soil for 60 chs 4th rate, balance 2^d rate

Timber a few mesquites

East on a random line bet Secs 9 & 16

Var. 12° 40' E.

Over rolling land.

1.00 Leave little valley and enter rolling land

40.00 Set temp ¼ sec cor.

Subdivision F. 21 S. R. 9 E - Continued

Main

- 60.00 Commence ascent of West end of rocky hills
 79.93 Intersect N & S line 16 lks S. of the cor to
 secs 9. 10. 15 & 16

Thence I run

S. $89^{\circ} 53'$ W. on a true line bet secs 9 &
 16 with same bar.

- 89.97 Set a volcanic stone $22 \times 14 \times 10$ ins 16 ins
 in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on
 N. face dug pits $18 \times 18 \times 12$ ins E & W. of stone
 $5\frac{1}{2}$ ft diam and raised a mound of
 earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside

From which

A mesquite 8 ins diam bears N. 70° W. 171 lks
 dist. marked $\frac{1}{2}$ S. B. F.

No other trees within limits

- 79.93 The cor to secs 8. 9. 16 & 17
 Land rolling for 60 chs, balance hilly
 Soil for 60 chs 3^d rate balance worthless
 Timber scattering mesquite.

Subdivision F. 21 S. R. 9 E. continued

Chains

North bet secs 8 & 9

Var. $12^{\circ}40' E$.

Over level land

20.00 Old brush-house (decected) 6 chs W. of line

33.00 St Louis wash 2 chs wide course $N 30^{\circ} E$.40.00 Set a granite stone 15 X 12 X 10 ins 10 ins in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on W.face dug pits 18 X 18 X 12 ins N & S of stone $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side

From which

A mesquite 14 ins diam bears $N 19^{\circ} W 235$ ths dist marked $\frac{1}{4}$ S B F.A mesquite 8 ins. diam bears $N 86^{\circ} W 280$ ths dist marked $\frac{1}{4}$ S B F.69.00 Road from Orivaca to the Tucson & Altar road course W and $N 60^{\circ} E$, leaves Valley and enter rolling land.

80.00 Set a volcanic stone 18 X 14 X 10 ins 12 ins

Subdivision F. 21 S. R 9 E - continued

main
in the ground for cor to secs 4, 5, 8 & 9
marked with 5 notches on S and 4 notches
on E edges, dug pits 18 x 18 x 12 ins in
each sec 5 1/2 ft dia and raised a
mound of earth 2 ft high 4 1/2 ft base
along side.

Land for 69 cho level, balance rolling.

Soil for 69 cho 2^d rate balance 3^d rate.

Timber a few mesquites along valley.

East on a random line bet Secs 4 & 9.

Ver. 12° 40' E

Over rolling land.

8.00 Enter little valley.

8.30 Road running down valley course
S and N 10° E

21.50 St Louis wash 75 ft wide, course N.

26.00 Road from Arivaca to Tucson and Altamira

Subdivision F. 21 S. R. 9 E - continued

Chains

road course S. 30° W and N 30° E.

31.00 Leave valley and enter rolling land.

40.00 Set temp $\frac{1}{4}$ sec cor.

57.00 Wash 30 lbs wide, course N.

80.21 Intersect N & S. line 21 lbs S. of the
cor to secs 3, 4, 9 & 10

Thence I run

S. $89^{\circ} 51'$ W. on a true line bet secs
4 & 9 with same bar.40.11 Set a volcanic stone $14 \times 10 \times 8$ ins 10 ins
in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on N. face dug pits $18 \times 18 \times 12$ ins
E & W. of stone $5\frac{1}{2}$ ft dist. and raised
a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft
base along side.

From which

A mesquite 3 ins diam bears N. 72° E
64 lbs dist marked $\frac{1}{4}$ S. B. T.A mesquite 6 ins. diam bears S. 81° E

Subdivision F. 21 S. R 96 - continued
 chain

98 lbs dist marked $\frac{1}{4}$ S B T.

80.21 The cor to secs 4, 5, 8 & 9.

Land level for 31 chs balance rolling
 Soil in valley 2^d rate balance 4th rate
 Timber scattering mesquite.

North on a true line bet Secs 4 & 5

Var $12^{\circ} 40' E$.

Over gently rolling land.

40.00 Set a volcanic stone 16 x 10 x 8 ins 11 ins
 in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$
 on W. face, dug pits 18 x 18 x 12 ins N &
 S of stone 5 $\frac{1}{2}$ ft dist and raised a
 mound of earth 1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft long
 alongside.

65.00 Road from Arivaca to the Tucson
 and Altar road course N. $60^{\circ} W$ & S. $60^{\circ} E$.

80.00 Intersect 4th Standard Parallel

Subdivision F. 21 S. R. 9 E - continued
Chain

South on N. boundary of Township
70 lbs E of the standard corner to
secs 32 & 33 which is a granite stone
7 x 12 x 6 ins. above ground marked
S. E. on N. with 4 notches on E and
2 notches on W. edges and mound
of stone alongside.

For closing corner to secs 4 & 5
I set a granite stone 15 x 15 x 12 ins
10 ins in the ground marked CC
on S face with 4 notches on E and
2 notches on W. edges, dug pits 18 x 18
x 12 ins S - E and W. of stone
5 1/2 ft dist and raised a mound
of earth 2 ft high 4 1/2 ft base alongside.
Land gently rolling
Soil 2^d rate
No timber.

Subdivisions T. 21 S. R. 9 E - continued

Name

From the cor to secs 5. 6. 31 & 32 on
the South boundary of the Township
previously established and described by
me I run

North bet Secs 31 & 32.

Var. $12^{\circ} 40' E$

Over gently rolling land

25.00 Wash 50 lbs wide course $N 40^{\circ} W$.

25.00 Road course $N 30^{\circ} E$ and $S 40^{\circ} W$.

40.00 Set a granite stone $18 \times 14 \times 10$ ins 12 ins in
the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$ on W
face dug pits $18 \times 18 \times 12$ ins N & S of stone
 $5\frac{1}{2}$ ft dist. and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side

80.00 Set a slate stone $15 \times 8 \times 6$ ins 10 ins in
the ground for cor to secs 29. 30. 31 & 32
marked with 1 notch on S and 5 notches
on E edges, dug pits $18 \times 18 \times 12$ ins in each
sec $5\frac{1}{2}$ ft dist and raised a mound

Subdivisions T. 21 S. R. 9 E - continued
chain

of earth 2 ft high 4 1/2 ft base alongside

Land gently rolling

Soil 3^d rate, good grass.

No timber.

East on a random line bet Secs 29 & 32.

Nor 12° 40' E

Over gently rolling land.

6.00 Wash 60 lbs wide course N 40° W.

28.00 Old road course N E & S W.

40.00 Set temp 1/4 Sec cor.

42.00 Wash 10 lbs wide course N 50° W.

48.00 Wash 15 lbs wide course N 70° W.

59.70 Wash 10 lbs wide course N 70° W.

80.10 Intersect N & S line 21 lbs S. of the cor.
to Secs 28, 29, 32 & 33

Fence & run

S 89° 51' W. on a true line bet Sec 29

Subdivisions T. 21 S. R. 9 E. - continued
Main

and 32 with same Var.

40.05 Set a slate stone 18 x 10 x 5 ins 12 ins
in the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$
on N. face, dug pits 18 x 18 x 12 ins E & W
of stone $5\frac{1}{2}$ ft dist and raised a
mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
alongside.

50.10 The cor to secs 29. 30. 31 & 32.

Land gently rolling

Soil 3^d rate good grass.

No timber.

30th Dec^r 1886.

West on a random line bet Secs 30 & 31

Var $12^{\circ} 40' E$.

Over rolling land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

58.00 Hack 50 lks wide course N. 60° W.

79.84 Intersect W. boundary of Township at

Subdivisions T. 21 S. R. 9 E. - Continued

Chains

20. Wcs S. of the cor to secs 25. 30. 31 & 36.
previously established and described
by me

Thence I run

S $89^{\circ} 51' E$ on a true line bet Secs 30 & 31
with same Var.

39.84 Set a granite stone $16 \times 10 \times 8$ ins 11 ins
in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on N. face; dug pits $18 \times 18 \times 12$ ins
E & W. of stone $5\frac{1}{2}$ ft dist and
raised a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base along side.

79.84 The cor to secs 29. 30. 31 & 32.

Land rolling.

Soil 3^d rate, good grass

No timber

By observation taken this day I find

Subdivision F. 21 S. R. 9 E - continued

Chains

the magnetic Var to be $12^{\circ}40' E$.

North bet Secs 29 & 30

Var $12^{\circ}40' E$

Over rolling land

9.00 Wash 1 ch wide corner $N. 40^{\circ} W.$

40.00 Set a quartz stone $14 \times 12 \times 8$ ins
10 ins in the ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on W. face, dug pits 18×18
 $\times 12$ ins N & S of stone $5\frac{1}{2}$ ft dia and
raised a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base alongside.

80.00 Set a volcanic stone $12 \times 12 \times 5$ ins
8 ins in the ground for cor to secs 19, 20.

29 & 30 marked with 2 notches on S and
5 notches on E edges, dug pits $18 \times 18 \times 12$
ins in each sec $5\frac{1}{2}$ ft dia and raised
a mound of earth 2 ft high $4\frac{1}{2}$ ft base
alongside.

Subdivisions T. 21 S. R. 9 E - continued
 Chains

Land rolling

Soil 3^d rate good grass.

No timber

East on a random line bet Secs 20 & 29.

Var. $12^{\circ}40'E$.

Over rolling rocky land.

16.50 Road from St Louis ranch in Sec 20
 to Tucson and Altar road course $N80^{\circ}W$
 and $S80^{\circ}E$.

40.00 Set temp $\frac{1}{4}$ Sec cor.

41.00 Same road course $S.80^{\circ}W$ & $N30^{\circ}E$.

60.00 House and outbuildings of the St Louis
 ranch Co bears $N8^{\circ}30'W$. 30 chs dist.

67.00 St Louis wash 300 yds wide course $N20^{\circ}W$

80.25 Intersect N & S line 16 yds S . of the cor to
 Secs 20. 21. 28 & 29.

Thence Iron

Subdivisions F. 21 S. R. 9 E - Continued
 Chain

S $89^{\circ} 51' W.$ on a true line bet Secs 20 & 29
 with same Var.

40.13 Set a granite stone $15 \times 12 \times 8$ ins 10 ins
 in the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$
 on N. face dug pits $18 \times 18 \times 12$ ins E & W
 of stone $5\frac{1}{2}$ ft dia and raised a
 mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 along side.

From which

A mesquite 4 ins diam bears $N 71^{\circ} E 142$
 lbs dia marked $\frac{1}{4}$ S. B. F.

A mesquite 6 ins diam bears $N 48^{\circ} E$
 182 lbs dia marked $\frac{1}{4}$ S. B. F.

80.25 The cor to secs 19. 20. 29 & 30

Land, rough, rocky and broken
 Soil worthless

Timber scattering mesquite.

Subdivisions T. 21 S. R. 9 E. - Continued

Chains

Went on a random line bet Secs 19 & 30

Var $12^{\circ} 40' E$

Over rolling land.

40.00 Set temp $\frac{1}{4}$ Sec cor

60.00 Wash 100 lks wide, course $N 40^{\circ} W$.

79.90 Intersect N. boundary of Township 18 lks
S. of the cor to secs 19, 24, 25 & 30 previ-
ously established and described by me

Thence I run

S. $89^{\circ} 52' E$ on a true line bet Secs 19 &
30 with sand Var.

39.90 Set a granite stone $18 \times 16 \times 8$ ins 12 ins
in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on N. face dug pits $18 \times 18 \times 12$ ins
E & W. of stone $5\frac{1}{2}$ ft dia and
raised a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base along side.

79.90 The cor to secs 19, 20, 29 & 30

Land rolling

Subdivisions F. 21 S. R 9 E continued

Cham

Soil 3^d rate, good grass.

No timber

North bet Secs 19 & 20

Nor $12^{\circ} 40' E$.

Over gently rolling land

5.80 Road from St Louis ranch to Tucson
and Altar road course $N 80^{\circ} W$ and $S 80^{\circ} E$

16.50 Wash 20 ft wide course $N. 45^{\circ} W$

32.50 Road from St Louis ranch comes into
last road about $\frac{3}{4}$ of a mile West bearing
 $E \& W$.

40.00 Set a volcanic stone $15 \times 8 \times 8$ ins 10 ins in
the ground for $\frac{1}{4}$ Sec cor. marked $\frac{1}{4}$ on
W. face, dug pits $18 \times 18 \times 12$ ins $N \& S$.
of stone $5 \frac{1}{2}$ ft dist and raised a mound
of earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft base alongside.

67.00 Wash 30 ft wide, course $N. 45^{\circ} W$.

Subdivision F. 21 S. R 9 E continued
Chains

72.00 Old road course E & W.

80.00 Set a volcanic stone 15 X 12 X 12 ins
10 ins in the ground for cor to secs
17, 18, 19 & 20. marked with 3 notches
on S and 5 notches on E edge, and
raised a mound of stone along side
land rolling.

Said 3^d rate, good grass

No timber.

East on a random line bet Secs 17 & 20.

Var $12^{\circ} 40' E$.

Over rolling land.

24.00 Old road course N & S.

35.00 Wash 100 lbs wide course N $10^{\circ} E$.

40.00 Set temp $\frac{1}{4}$ Sec cor.

49.00 St Louis wash 100 lbs wide course N $10^{\circ} W$

73.00 Wash 100 lbs wide course N $40^{\circ} W$.

Subdivisions T. 21 S. R. 9 E. - Continued
 Chain

80.16 Intersect N & S line 30 Vks N. of the cor
 to secs 16. 17. 20 & 21

Thence S run

N. $89^{\circ} 47'$ W. on a true line bet secs
 17 & 20 with same Var.

40.08 Set a volcanic stone 14 x 8 x 6 ins 10 ins
 in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on N. face, dug pits 18 x 18 x 12 ins
 E & W. of stone $5\frac{1}{2}$ ft dist and raised
 a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base
 alongside.

From which

A mesquite 8 ins diam bears N 70° W
 93 Vks dist marked $\frac{1}{4}$ S B F.

A mesquite 10 ins. diam bears N. $86^{\circ} E$ 157
 Vks dist marked $\frac{1}{4}$ S B F.

80.16. The cor to secs 16. 17. 20. & 21.

Land rolling and rocky
 Soil worthless.

Subdivisions T. 21 S. R. 9 E - continued
 Chain

Timber a few mesquite.

West on a random line bet Secs 18 & 19
 Var. $12^{\circ} 40' E$.

Over rolling land.

40.00 Set temp $\frac{1}{4}$ Sec cor.

79.61 Intersect W. boundary of Township 15th S
 S of the cor to secs 13. 18. 19 & 24 previously
 ously established and described by me

Thence I run

S. $89^{\circ} 54' W$. on a true line bet Secs 18 &
 19 with same Var

39.61 Set a granite stone $18 \times 12 \times 8$ ins 12 ins
 in the ground for $\frac{1}{4}$ sec cor. marked $\frac{1}{4}$
 on N. face, dug pits $18 \times 18 \times 12$ ins E & W.
 of stone $5\frac{1}{2}$ ft dia and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along a line

79.61 The cor to secs 17. 18. 19 & 20.

Subdivision F. 21 S. R. 9 E - continued
chain.

Land rolling.

Soil 3^d rate, good grass.

No timber.

North bet Secs 17 & 18

Var $12^{\circ}40'E$

Over rolling land.

40.00 Set a volcanic stone $16 \times 10 \times 5$ ins 11
ins in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on W face, dug pits $18 \times 18 \times 12$ ins
N & S of stone $5\frac{1}{2}$ ft diam. and
raised a mound of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base along side.

48.50 Wash 30 lks wide across N. $45^{\circ}W$.

80.00 Set a volcanic stone $17 \times 12 \times 10$ ins 12
ins in the ground for cor to secs 7, 8.
17 & 18 marked with 4 notches on S
and 5 notches on E edge, dug pits $18 \times$

Subdivisions T. 21 S. R. 9 E Continued

Chain

18 x 12 ins in each sec 5 1/2 ft dist and
raised a mound of earth 2 ft high
4 1/2 ft base along side.

Land rolling

Soil 3^d rate, good grass.

No timber.

East on a random line bet secs 8 & 17

Var 12° 40' E.

Over rolling land

7.00 Wash 30 ths wide course N.

38.00 Old road course N & S W.

40.00 Set temp 1/4 Sec cor.

68.00 Enter little valley.

68.50 St Louis wash, ch wide course N.

80.11 Intersect N & S line 8 ths N. of the cor
to secs 8, 9, 16 & 17.

Theresa I run

Subdivision F-21 S. R 9E - Continued
 chains

- N. $89^{\circ}56'$ W. on a true line bet secs
 8 & 17 with same Var.
- 40.06 Set a volcanic stone $16 \times 8 \times 6$ ins 11 ins
 in the ground for $\frac{1}{4}$ sec cor marked $\frac{1}{4}$
 on N. face, dug pits $18 \times 18 \times 12$ ins E &
 W. of stone $5 \frac{1}{2}$ ft dist and raised
 a mound of earth $1 \frac{1}{2}$ ft high $3 \frac{1}{2}$ ft
 base alongside.
- 80.11 The cor to secs 7, 8, 17 & 18.
 Land rolling for 68 chs balance level.
 Soil for 68 chs 3^d rate balance 2^d rate
 good grass.
 No timber
-
- West on a random line bet Secs 7 & 18
 Var $12^{\circ}40' E$.
- Over rolling land.
- 40.00 Set temp $\frac{1}{4}$ Sec cor.

Subdivision P. 21 S. R 9 E - continued

Chain

79.97 Intersect W. boundary of Township
11.1/4 S. of the cor to secs 7. 12. 13 & 18
previously established and described
by me.

Thence I run

S $89^{\circ}55'E$ on a true line bet Secs 7 & 18
with same Var.

39.97 Set a granite stone 12 x 12 x 10 ins
8 ins in the ground for $\frac{1}{4}$ Sec cor.
marked $\frac{1}{4}$ on N. face dug pits 18 x 18
x 12 ins E & W. of stone $5\frac{1}{2}$ ft dist
and raised a mound of earth
 $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside

79.97 The cor to secs 7. 8. 17 & 18

Land rolling

Soil 3^d rate, good grass

No timber

Subdivision T. 21 S. R. 9 E - continued

Chains

North bet Secs 7 & 8.

Var. $12^{\circ}40' E$.

Over rolling land.

25.00 Wash 10 lbs wide course $N40^{\circ}W$.

40.00 Set a volcanic stone $15 \times 10 \times 8$ ins 10 ins in the ground for $\frac{1}{2}$ sec cor. marked $\frac{1}{4}$ on W face, dug pits $18 \times 18 \times 12$ ins N & S of stone $5\frac{1}{2}$ ft dist and raised a mound of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base alongside.

50.00 Road from Arivaca to Tucson and Altar road course E & W.

80.00 Set a quartz stone $20 \times 16 \times 15$ ins 15 ins in the ground for cor to secs 5, 6, 7 & 8 marked with 5 notches on S and E edges, dug pits $18 \times 18 \times 12$ ins in each sec $5\frac{1}{2}$ ft dist and raised a mound of earth 2 ft high $4\frac{1}{2}$ ft base alongside.

Subdivision F. 21 S. R 9 E - continued

Chairs

Land rolling

Soil 3^d rate, good grass

No timber.

East on a random line bet Secs 5 & 8.

Var $12^{\circ}40'E$.

Over rolling land

40.00 Set temp $\frac{1}{4}$ sec cor.80.03 Intersect N & S line 11ths N. of the
cor to secs 4. 5. 8 & 9.

Thence I run

N. $89^{\circ}55'W$. on a true line bet Secs
5 & 8 with same Var.40.02 Set a volcanic stone $16 \times 10 \times 6$ ins 11 ins
in the ground for $\frac{1}{4}$ sec cor. marked
 $\frac{1}{4}$ on N. face, dug pits $18 \times 18 \times 12$ ins
E & W. of stone $5\frac{1}{2}$ ft dist and
raised a mound of earth $12\frac{1}{2}$ ft

Subdivisions P. 21 S. R. 9 E. - continued.

Trams

- 80.03 high $3\frac{1}{2}$ ft base along edge.
The cor to secs 5, 6, 7 & 18.
Land rolling
Soil 2^d & 3^d rate, good grass.
No timber

West on a random line bet Secs 6 & 7
Var $12^{\circ}40' E$.

Over rolling land

- 40.00 Set temp $\frac{1}{4}$ Sec cor.

- 79.93 I intersect W. boundary of Township
15 lks S. of the cor to Secs 1, 6, 7 & 12
previously established and described
by me

Thence I run

S. $89^{\circ}54' E$ on a true line bet
Secs 6 & 7 with same Var.

- 39.93 Set a granite stone $15 \times 10 \times 8$ ins

Subdivision T. 21 R. 9 E. continued
chains

10 ins in the ground for $\frac{1}{4}$ sec cor.
marked $\frac{1}{4}$ on N. face, dry pits 18x18
x12 ins E & W. of stone $5\frac{1}{2}$ ft dist.
and raised a mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base alongside.

79.93 The cor to secs 5. 6. 7 & 8.

Land rolling

Soil 2^d and 3^d rate good grass

No timber.

North on a true line bet Secs 5 & 6.

Var. $12^{\circ} 40' E.$

Over gently rolling land.

40.00 Set a volcanic stone 12x10x8 ins
8 ins in the ground for $\frac{1}{4}$ Sec cor.
marked $\frac{1}{4}$ on W. face dry pits
18x18x12 ins N & S. of stone $5\frac{1}{2}$
ft dist and raised a mound

Subdivisions T. 21 S. R. 9 E - Continued

Chaus

79.50. of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$ ft base along side
Intersect 4th Standard Parallel
South on N. boundary of Township
90 lks E of the Steer to secs 31 & 32.
which is a granite stone $15 \times 10 \times 8$
ins above ground marked S.C. on
N. with 5 notches on E and 1 notch
on W. edges and with mound of
stone alongside.

For Closing Corner to secs 5
& 6 I set a granite stone $18 \times 10 \times 10$
ins 12 ins in the ground marked
C.C. on S with 5 notches on E and
1 notch on W. edges, dug pits 18×18
 $\times 12$ ins S. - E and W of stone
 $5\frac{1}{2}$ ft dist and raised a mound
of earth 2 ft high $4\frac{1}{2}$ ft base along
side

Land, gently rolling

Subdivisions F. 21 & R 9 E - continued

Soil 2^d & 3^d rate, good grass

No timber.

31st Dec^r 1886

General Description

The Western tier of secs. in this Township is covered by rolling grassy hills, the balance of the Township consists of rough, rocky hills in some portions of which mineral was observed.

In the NE portion which is covered by the Gijas hills some prospecting is being done. In Secs 10. 11. 13 20. 28. 34 & 35 there are ranches the owners of which are engaged in stock raising. The timber in the Township consists of a scattering

Subdivisions P. 21 S. R 9 E. Continued

growth of mesquite and some few oak in the highest hills.

The Arivaca (unconfirmed) Private Land Claim covers portions of Secs 11, 13, 23, 24 & 25.

The Arivaca Creek flows through Secs 11 & 13 and then sinks.

In Sec 19, there is a spring of good water. There is a little land in the Arivaca bottom that could be cultivated if water was conducted on to it

George Proskruge
U. S. Deputy Surveyor.

For final oaths see book No.
27.

U. S. Surveyor-General's Office,

TUCSON, A. T. June 11 1888

The foregoing Field Notes of the Surreys of
the subdivision lines of
Township 21 South
Range 9 East

Gila and Salt River Meridian

in Arizona executed by

George J. Roskrug.

U. S. Deputy Surveyor, under his contract dated

June 16th 1886

having been critically examined, the necessary corrections and explanations made, the said Field Notes and the surveys they describe are hereby approved.

John Hise
U. S. Surveyor-General
for the Territory of Arizona.