

*Subdivisions*  
*of*

*Tp. 18 S., R 25 E.*

*No. 943*

4-978

943

**FIELD NOTES**  
**GENERAL LAND OFFICE.**

*James A. Rockyellow*

*Indexed Book 942.*

Township 185 R. 25E 63

|    |     |    |    |    |    |    |    |
|----|-----|----|----|----|----|----|----|
| 6  | 100 | 5  | 78 | 4  | 3  | 2  | 1  |
| 7  | 91  | 8  | 75 | 9  | 10 | 11 | 12 |
| 96 | 94  | 74 |    |    |    |    |    |
| 18 | 93  | 17 | 72 | 16 | 15 | 14 | 13 |
| 92 | 90  | 71 |    |    |    |    |    |
| 19 | 89  | 20 | 70 | 21 | 22 | 23 | 24 |
| 87 | 86  | 68 |    |    |    |    |    |
| 30 | 85  | 29 | 67 | 28 | 27 | 26 | 25 |
| 83 | 82  | 66 |    |    |    |    |    |
| 31 | 80  | 32 | 64 | 33 | 34 | 35 | 36 |

Tp. 18 S. R. 25 E. No. 943

marked  $\frac{1}{4}$  S 4 on W + 3  
 on E face dig pits 18 x 18 x 3  
 12 in N + S 3 ft dist: raise  
 a mound of earth  $3\frac{1}{2}$  ft.  
 base  $1\frac{1}{2}$  ft. high W of cor.  
 9.50 Road to Pearce bears N. - W  
 & S. E.

9.88 Cor secs. 3, 4, 9 + 10.

Land gently rolling slop-  
 ing N. + E.

Soil sandy loam 1 + 2 grade.  
 Good grass, little brush.

---

From the cor. of secs 4, 5, 32 + 33.  
 on S bdy of Tp heretofore des-  
 cribed

El run

N. 0° - 9' E bet secs 32 + 33

1.79 Wife road bears W. S. W + E. N. E. 0

0.00 Set a sandstone 18 x 5 x 4 ins

65 Subdivision

Tp. 18, S R 25 E.

Chairs 12 ins in ground for  $\frac{1}{4}$  sec.  
 cor. marked  $\frac{1}{4}$  on W. face  
 dig pits 18 X 18 X 12 in N.E.  
 3 ft dist; raise a mound  
 of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft high  
 West of corner.

Cor. is in low spot surround-  
 ed by high grass.

51.55 Abrupt descent 10 ft. E + W.

52.00 Enter flat E + W.

53.00 Draw: ascend gently.

80.00 Set a porphyry rock 19 X 16  
 X 5 ins. 12 ins. in ground  
 for cor. sec. 28, 29, 32 +  
 33, marked with one  
 notch on 5 + 4 on E. edges:  
 dig pits 18 X 18 X 12 ins in  
 each sec  $5\frac{1}{2}$  ft dist: raise  
 a mound of earth 4 ft  
 base 2 ft high W. of cor.

Twp. 18 S. R 25 E.

Chains Land rolling.  
Soil gravelly + sandy loam 2 + 3  
rate. Good grass.

---

N. 89° - 41' E on a random  
line bet. secs. 28 + 33

40.00 Set temp  $\frac{1}{4}$  sec. cor.

80.08 Intersect N. + S. line at cor  
secs 27, 28, 33 + 34.

Thence I run

S. 89° - 41' W. on a true line  
bet. secs. 28 + 33 over flat  
+ rolling ground.

3.00 Enter broad flat bears  
W. N. W. + E. S. E.

40.00 Set a limestone 19 x 8 x 8 ins  
13 ins. in ground for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on N  
face: dig pits 18 x 18 x 12 ins  
E + W. 3 ft. dist: raise a mound

Op. 18 S. R 25 E.

Chains of earth  $3\frac{1}{2}$  ft base  $2\frac{1}{2}$  ft high  
N. of cor.

41.00 leave flat ascend along  
slope + over rolling ground

80.08 Cor secs. 28, 29, 32 + 33.

Land flat + rolling.  
Some brush.

Heavy bottom land +  
gravelly mesa 1, 2, 3 grade.  
Good grass.

N. 0° - 9' E. bet secs 28 + 29  
over rolling ground.

1.50 Enter section flat bears W.N.W + ESE

4.50 Leave flat ascend gently.

40.00 Set a porphyry rock  $18 \times 6$   
 $\times 4$  ins. 12 ins. in ground  
for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$   
on W. face: dig pits N. + S.  
3 ft. dist. raise a mound

Subdivision

BOOK 943

68

7p. 185.7R. 25 E.

chains of earth  $3\frac{1}{2}$  ft base  $1\frac{1}{2}$  ft. high.  
W. of cor.

80.00 Set a porphyry rock  $18 \times 7 \times 4$  ins.  
12 ins. in ground for corner  
20, 21, 28 & 29 marked with  
2 notches on the S and 4  
on N edges: dig pits in each  
sec.  $5\frac{1}{2}$  ft. dist: raise a  
mound of earth 4 ft. base.  
2 ft. high W. of cor.

From cor U.S. mineral  
monument on Pearce Hill  
bears  $N. 2^{\circ} - 41' W.$

Land rolling.

Soil gravelly + sandy loam 2<sup>nd</sup> rate  
Some brush, good grass.

---

$N. 89^{\circ} - 41' E.$  on a random  
line bet. secs. 21 + 28.

40.00 Set temp  $\frac{1}{4}$  sec. cor.

69 Subdivision

Tp. 18 S R 25 E

BOOK 943

- Chs.  
80.03 Intersect N. + S. line 3 l. S  
of cor. sec. 21, 22, 27 + 28  
thence I run.  
S.  $89^{\circ}-40'$  W on a true  
line bet sec. 21 + 28.  
ascend gently + over rolling  
ground.
- 40.01 $\frac{1}{2}$  Set a porphyry rock  
22 X 10 X 6 ins. 15 ins in  
ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face: dig  
pits 18 X 18 X 12 ins E. + W. 3 ft.  
dist. raise a mound  
of earth 3 $\frac{1}{2}$  ft. base 1 $\frac{1}{2}$  ft.  
high N. of cor.
- 80.03 cor. sec. 20, 21, 28 + 29.  
Land rolling.  
Soil sandy + gravelly loam  
2<sup>nd</sup> rate.  
Good grass, little brush  
Aug. 25, 1898.



Tp. 18 S R 25 E.

Chains

Aug. 26, 1898.

N. of 9' E. bet. secs. 20 + 21.

4.28

Turquoise Road bears N.N.E + S.S.W.

40.00

Set a porphyry rock 17 X 5 X 5 ins  
12 ins. in ground for  $\frac{1}{4}$  sec.cor. marked  $\frac{1}{4}$  on W face:

dig pits 18 X 18 X 12 ins N + S.

3 ft. dist: raise a mound

of earth  $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft high

W. of cor.

Said cor is 68 l W. of Turquoise  
Road.

0.00

Set a porphyry rock 18 X 6 X  
6 ins 12 ins in the ground  
for cor. of secs. 16, 17, 20 + 21.

marked with 3 notches

on S and 4 on E edges

dig pits 18 X 18 X 12 ins in

each section  $5\frac{1}{2}$  ft. dist.

raise a mound of earth

71 Subdivision

BOOK 943 Twp. 18 S R 25 E.

C @hs. 4 ft. base 2 ft. high w. of cor.

Land rolling very gently  
Soil sandy loam 1st 2 rate  
Good grass + little brush.

---

N 89° - 40' E on a random  
line bet. secs. 16 + 21

40.00 Set temp  $\frac{1}{4}$  sec. cor.

79.98 Intersect N + S line 4 l N  
of cor. secs. 15, 16, 21 + 22.  
Thence I run.

S. 89° 42' W on a true  
line bet secs. 16 + 21 over  
gently rolling ground.

39.99 Set a porphyry rock 16 X 7  
X 6 ins. 10 ins. in ground  
for  $\frac{1}{4}$  sec. cor: marked  
 $\frac{1}{4}$  on N. face: dig pits  
18 X 18 X 12 ins. E. + W. 3 ft.

Subdivision

Tp. 18 S. R. 25 E.

the. dist: raise a mound of  
earth  $3\frac{1}{2}$  ft base  $1\frac{1}{2}$  ft high  
N. of cor.

17.05 Turquois Road bears N. N. E +  
S. S. W.

78.98 Cor. sec. 16, 17, 20 + 21  
Land nearly level.  
Soil Sandy loam 1+2 rate  
Good grass, little brush.

40.00 N  $0^{\circ}$  - 9' E bet. sec. 16 + 17  
Set an Ore. pine post 3  
ft long 4x4 ins sq. with  
marked rock 24 inches  
in the ground for  $\frac{1}{4}$  sec.  
cor: marked  $\frac{1}{4}$  S 17 on W  
+ 16 on E faces: dig pits.  
18x18x12<sup>in</sup> N + S. 3 ft. dist: raise  
a mound of earth  $3\frac{1}{2}$  ft.  
base  $1\frac{1}{2}$  ft. high W. of cor.

73. Subdivision

BOOK 943 Sp. 18 S-R. 25 E.

- C 54.30 Hudsons bay road bears S.W. & N. E.
- 74.05 Ascend conical shaped hill about 100 ft. high.
- 78.30 On E slope of hill descend gently.
- 80.00 Cor falls upon a limestone 2 x 2 x 2 ft above the ground, upon which I mark a cross (+) for cor. sec. 8, 9, 16, & 17. and cut 4 notches on the S & 4 on E. Build a stone monument 3 ft. base 2 ft. high W. of cor. pits impracticable. Land level & hilly Soil sandy loam & rocky 1, 2, 3 & 4 note. Grass on level ground. Some brush.

Subdivision

BOOK 943

74

Tp. 18 S. R 25 E.

- | chain.              |  |
|---------------------|--|
|                     | N. $89^{\circ}-42'$ E on a random line bet. secs 9 & 10  |
| 40.00               | Set temp $\frac{1}{4}$ sec. cor.   |
| 79.95               | Intersect N & S line 8 l. S. of cor. secs. 9, 10, 15 & 16.<br>Thence I run<br>S $89^{\circ}-39'$ W on a true line bet. secs. 9 & 16.   |
| 89.97 $\frac{1}{2}$ | Set a limestone $18 \times 5 \times 4$ ins<br>12 ins. in ground for $\frac{1}{4}$ sec<br>cor. marked $\frac{1}{4}$ on N. face<br>dig pits $18 \times 18 \times 12$ ins E &<br>W. 3 ft. dist: raise a<br>mound of earth $3\frac{1}{2}$ ft.<br>base $1\frac{1}{2}$ ft. high W. of cor. |
| 74.40               | Jurquois Road bears<br>N. N. E + S. S. W.  |
| 15.75               | Ascend conical hill  |
| 79.95               | Cor. secs. 8, 9, 16 & 17.<br>Land gently rolling + hilly   |

Ch. Soil gravelly & sandy loam  
& rocky 1, 2, 3 & 4 rates  
Little bush, good grass on  
level.

---

N. 0° - 9' E bet sees. 8 & 9  
down hill & overrolling  
ground

4. 60 Foot of hill.

5. 19 Trail N.W. & S.E.

40.00 Set a limestone 18x6x5  
ins 12 ins in ground

for  $\frac{1}{4}$  sec. cor. marked

$\frac{1}{4}$  on W. face: dig pits  
 $8 \times 1, 8 \times 1, 2$   
N. & S. 3 ft. dist: raise a  
mound of earth  $3\frac{1}{2}$  ft.

base  $1\frac{1}{2}$  ft. high w. of cor.

41.00 Ascend E slope of hill  
200 ft. high.

42.50 Descend.

Subdivision

BOOK 943 76.

Sp 18.S. R 25 E.

- Chs.  
45.00 Enter flat.
- 71.50 Turquoise road bears N. N. W. + S. S. E.
- 80.00 Set a lime quartz rock 220  
X 8 X 6 ins. 15 ins in ground  
for cor. of sec. 4, 5, 8, + 9  
marked with 5 notches  
on S + 4 on E edge dig  
pits 18 X 18 X 12 ins in  
each sec.  $5\frac{1}{2}$  ft. dist:  
raise a mound of earth  
4 ft. base, 2 ft. high W. of cor.  
Land hilly + level  
Soil rocky + sandy loam  
1, 2, 3, + 4 rate.  
Some grass, little brush.  
N. 89° 39' E on a random  
line bet. sec. 4 + 9.
- 40.00 Set temp 4 sec. cor.
- 79.88 Intersect N. + S. line at cor.

17 Subdivision

BOOK 943 T.P. 18.S. R. 25 E.

C

Che. sees 3, 4, 9 & 10.

Thence I run  
S 89° - 39' W. on a true line  
bet. sees. 4 & 9.

39.94 Set a porphyry rock 17 X 6  
X 5 ins. 11 ins. in ground  
for 1/4 sec. cor. marked  
1/4 on N. face: dig pits E  
& W 3 ft. dist: raise a  
mound of earth 3 1/2 ft.  
base 1 1/2 ft high 1/2 of cor.

66.00 ascend round hill about  
50 ft. high.

71.00 Top of hill.

~~74.00~~ 78.88 Enter flat.  
cor. sees 4, 5, 8 & 9

Land gently rolling & hilly.  
Soil gravelly & rocky 2, 3, 4  
rate, considerable grass  
& grease-wood underbrush.



Subdivision

BOOK 943 78.

Sp. 18 S. R 25 E.

- hs. N.  $0^{\circ}$  - 9' E on a random line bet. secs. 4 + 5.
- 0.00 Set temp  $\neq$  sec cor.
- 0.09 Intersect the N. bdy of Sp 7 l. W. cor. secs. 4, 5, 32 + 33 which cor. is a granite rock 10 X 10 X 5 in above the ground. marked + witnessed as described by the Surveyor General Thence I run
- S  $0^{\circ}$  - 12' W. on a true line bet. secs 4 + 5 over level ground + high ridge
- 5.95 Ditch from Commonwealth Mill bears W.S. W + E. N. E.
- 7.00 Ascend ridge 50 ft high which bears W + E.
- 23.79 Trail bet Commonwealth mine bears W + E.

79 Subdivision

BOOK 943 Tp. 18 S. R. 25 E

- C
- Chs. A shaft bears E about 4  
chains cross croppings of  
24.60 commonwealth ledge  
bears W.N.W. & E.S.E.  
25.00 descend  
39.45 A small shaft bears W  
about 20 l.  
40.09 Set a porphyry rock 16 X 8  
X 6 ins. 10 ins in ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N face: dig pits 18 X  
18 X 12 ins N. & S 3 ft dist:  
raise a mound of earth  
3  $\frac{1}{2}$  ft base 1  $\frac{1}{2}$  ft high  
W of cor.  
53.10 Foot of ridge N.W. & S.E.  
A cabin bears E about  
5 ch.  
55.57 A road bears SE and N.W.  
57.18 " " " " " "

Subdivision

BOOK 943 80.

Sp. 18 S. R 25 E.

Chs.  
80.09

Cor secs. 4, 5, 8 + 9.

Land level & mountainous  
Soil sandy loam & rocky  
1, 2, 3 + 4 rate

No timber or brush.

Some grass.

Aug. 20, 1898.

Aug 27, 1898. at <sup>to main</sup> 9-10 limit  
I set of  $31^{\circ}-49'$  on lat. arc  
and  $9^{\circ}-57'$  on decl arc: &  
determine a true meridian  
with the solar at the cor  
of secs. 5, 6, 31 + 32 on S body  
of Sp. cor heretofore des-  
cribed.

Thence I run

N  $0^{\circ}-8'$  E bet secs 31 + 32

Over rolling ground

Descend gently

## 81 Subdivision

BOOK 943 p. 18 S R 25 E

chs.

13.79 Bottom of draw W & E  
ascend

40.00 Set a limestone  $18 \times 5 \times$   
5 ins 12 ins in ground  
for  $\frac{1}{4}$  sec. cor marked

$\frac{1}{4}$  on W. face: dig pits  
 $18 \times 18 \times 12$  ins.

$\wedge$   $11 + 5.3$  ft. dist: raise  
a mound of earth  
 $3\frac{1}{2}$  ft. base  $1\frac{1}{2}$  ft high  
W of cor.

43.00 Descend gently.

59.00 South Pass Wash 3 ch  
wide bears S.W. + N.E.

80.00 Set a limestone  $18 \times 8 \times$   
4 ins 12 ins in ground  
for cor. of secs 29, 30, 31  
+ 32 marked with 1 notch  
on  $5 + 5$  on E faces: dig  
pits  $18 \times 18 \times 12$  ins.  
 $\wedge$  in each sec.  $5\frac{1}{2}$  dist  
raise a mound of

Subdivision

BOOK 943 82

Tp. 18, S R 25 E.

Chs.

earth 4 ft base 2 ft high  
W. of cor.

Land rolling sloping  
E. Soil gravelly loam  
2<sup>nd</sup> rate: some brush  
Good grass

N. 89° - 41' E on a random  
line bet. secs. 29 & 32.

40.00 Det. temp.  $\frac{1}{4}$  sec. cor.

79.88 Intersect N & S line at  
cor. of secs 28, 29, 32 & 33

Thence I run

S. 89° - 41' W on a true  
line bet secs. 29 & 32  
over rolling ground

ascend gently

10.53 Furquois Road bears N & S.

39.08 Descend gently

39.94 Det a limestone 14' x 8'

83 Subdivision

BOOK 943 Tp. 18, S. 7R 25 E.

Che.

8 ins 9 ins in ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on N. face: dig pits  
18 x 18 x 12 ins e + w.

3 ft. dist: raise a  
mound of earth  $3\frac{1}{2}$   
ft base  $1\frac{1}{2}$  ft high

79 88

N. of cor.  
cor. sec. 29, 30, 31 + 32.  
Land rolling sloping N.E.

Soil gravelly loam  
2<sup>nd</sup> rate.

Little brush  
Good grass

---

S. 89°-41' W. on a random  
line bet. sec. 30 + 31

40.00 Set temp  $\frac{1}{4}$  sec. cor.

76.02 Intersect W. bdy of Tp.  
52 N. cor sec. 26, 30,  
31 + 36 heretofore de-

Subdivision.

BOOK 943 84

Sp. 1-8 STR 25 E

chs.

cribed

Thence I run  
N 89°-39' E on a true line  
bet. sec 30 + 31 over  
broken ground.

7.67 Cross Wash 4 l<sup>width</sup> bears  
~~S.W.~~ + N. E.

36.02 Set a sandstone 18 X 6 X 6  
ins 12 ins in ground  
for 1/4 sec. cor. marked  
1/4 on N. face: dig pits  
18 X 18 X 12 ins. E + W. 3  
ft. dist: raise a mound  
of earth + stones 3 1/2 ft  
base 1 1/2 ft high N. of cor.

42.07 Hudson hay road bears  
N. E. + S. W. descend gently.

76.02 Cor. sec. 29, 30, 31 + 32  
Land broken + rocky  
Soil 2 + 3 rate.

85 Subdivision

BOOK 943

Tp. 18 S. R 25 E.

C Che. Some brush  
Fair grass.

N. 0° - 8' E. bet. sec 29 + 30  
40.00 Set a sandstone 18 X 6 X 5  
ins. 12 ins in ground  
for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$   
on N. face: dig pits 18 X 18  
X 12 ins N. + S. 3 ft dist:  
raise a mound of  
earth  $3\frac{1}{2}$  base  $1\frac{1}{2}$  ft high  
W. of cor.

48.67 Hudson hay road bears N.E. + S.W.

80.00 Set a sandstone 18 X 6  
X 6 ins. 12 ins in ground  
for cor. of secs. 19, 20  
29 + 30 marked with  
2 notches on S + 5 on  
E. edges: dig pits 18 X 18  
X 12 ins in each sec.



Subdivision

BOOK 943 86.

Sp. 18, S R 25 E.

Chs.  
Chs.

5½ ft. dist. raise a wd.  
of earth 4 ft base 2 ft.  
high W. of cor.

Land rolling.

Soil gravelly loam 203  
rate. Some brush.

Good grass.

---

N. 89° - 41 E on a random  
line bet secs. 20 & 29

40.00 Det temp ¼ sec. cor.

80.01 Intersect N. + S. line cor  
secs. 20, 21, 28 & 29.

Thence I run

S. 89° - 41 W on a true  
line bet secs. 20 & 29

1.72 Turquois Road bears N. + S.

40.00 Set an Ore pine post  
3 ft. long 4 x 4 ins sq.  
with marked rock

87 Subdivision

BOOK 943 Tp. 18S R. 25E.

Chs. 24 ins. in ground  
marked on N. face  $\frac{1}{4}$  S.  
20 on S, 29 dig pits  
18x18x12 ins. E. + W. 3  
ft. dist: raise a mound  
of earth  $3\frac{1}{2}$  ft. base 2 ft.

62.00

80.01

<sup>high N. of cor.</sup>  
Fuchson's hay road bds. N.E + S.W.  
Cor. sec. 19, 20, 29 + 30.

Land rolling

Soil gravelly + sandy  
loam 2<sup>d</sup> rate.

Little brush

Good grass.

S. 89° - 39' W. on a random  
line bet sec. 19 + 30.

40.00

Set temp + sec. cor.

76.11

Intersect W. bdy. of Tp.  
4th S. cor sec 19, 24, 25 + 30  
Heretofore described.

Thence I run

Subdivision

BOOK 943 88

Sp. 18 S. 7R 25<sup>th</sup> E.

- Chs. N 89° - 4' E on a true line  
bet. secs. 19 & 20
- 61 Draw 2 ch. wide bears  
S. W.  $\frac{1}{4}$  N. E.  
Enter brush - ascend.
- 29.91 Top & over <sup>broken</sup> ground.
- 36.11 Set a limestone 14 X 10  
X 10 ins. 9 ins in ground  
marked  $\frac{1}{4}$  on N face  
dig pits E. + W. 3 ft. dist  
raise a mound of  
earth 3  $\frac{1}{2}$  ft base 1  $\frac{1}{2}$  ft  
high N. of cor.
- 68.00 Leave brush bears S.W. + N.E.
- 69.78 Draw bears S.W. + N. E  
ascend gently.
- 76.11 Cor. secs. 19, 20, 29 & 30  
Land rolling & broken  
Soil gravel & sandy loam  
2 + 3 rate. Much brush  
grease wood + mesquite + grass  
Aug 27, 1898.

- C
- Chs. Aug 29, 1898.  
N. 0° - 8' E. bet. secs. 19 + 20
- 1.30 Draw W & E.  
40.00 Set a limestone 18 X 6 X 5  
ins. 12 ins in ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on W. face dig pits  
18 X 18 X 12 ins N + S 3 ft  
dist: raise a mound  
of earth  $3\frac{1}{2}$  ft. base 2 ft  
high W. of cor.
- 60.00 Enter dense greasewood  
underbrush
- 80.00 Set a limestone 20 X 8  
X 4 ins. 15 ins in ground  
for cor of secs 17, 18, 19 + 20  
marked with 3 notches  
on S + 5 on E edges. dig pits  
18 X 18 X 12 ins in each  
section  $5\frac{1}{2}$  ft. dist: raise

Subdivision

BOOK 943 90

Sp. 18 S. R 25 E.

Chains

a mound of earth 4  
ft base 2 ft high W of cor.  
Land rolling.

Soil sandy loam & hard  
gravel. 1, 2, & 3 grade.

Much brush.

Grass in open places  
are found

---

N.  $89^{\circ} 41' E$ . on a random  
line bet secs. 17 & 20

40.00 Set temp.  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. & S. line at cor  
secs. 16, 17, 20 & 21

Thence I run

S  $89^{\circ} - 41 \frac{1}{2} E$  on a true  
line bet secs. 17 & 20 over  
rolling ground

25.00 Descend into draw  
bears S.W. & N.E

91 Subdivision

BOOK 943 Tp. 18 S. R. 25 E.

Chs.

- C
- 28.23 Hudsons hay road leave S.W. + N.E.
- 29.50 Enter flat leave S.W. + N.E.
- 34.00 Leave flat ascend gently.
- 40.00 Set a limestone  $16 \times 6 \times 6$  ins 10 ins. in ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N. face. dig pits  $18 \times 18 \times 12$  ins E + W 3 ft dist raise a mound of earth  $3\frac{1}{2}$  ft. base 2 ft high W. of cor.
- 41.00 Top + descend.
- 60.00 Enter draw course S.W. + N.E.
- 65.00 Leave draw + ascend.
- 76.43 Enter level ground + dense brush.
- 80.00 cor. secs.  $17, 18, 19 + 20$   
Land rolling,  
Broad Draws covered with  
dense grass.  
Soil 1, 2, + 3 note from

Chs sandy loam to hard ground  
 Much brush last 5 chs.

S. 89°-41' W. on a random  
 line bet. sec. 18 + 19.

40.00 Set temp  $\frac{1}{4}$  sec. cor.

76.18 Intersect W. bdy line of  
 Tp. 31 N. of cor. sec. 13, 18,  
 19 + 24, heretofore describ-  
 ed.

Thence I run.

N 89°-40' E on a true line  
 bet. sec. 18 + 19. over roll-  
 ing ground.

14.39 Road South Pass to Peavee  
 bears S. W + N. E

36.18 Set a limestone 20 X 6 X 5  
 ins. 15 inches in ground  
 for  $\frac{1}{4}$  sec. cor marked  $\frac{1}{4}$   
 on N. face: dig pits

## 93 Subdivision

BOOK 943 Sp. 18 S. R. 25 E.

C

chs. 18 x 18 x 12 ins E + W 3  
ft. dist. raise a mid.  
of earth  $3\frac{1}{2}$  base  $1\frac{1}{2}$  ft  
high N. of cor.

76.18 Cor. secs. 17, 18, 19 + 20

Land rolling.

Soil gravelly 2 + 3 rate  
much brush.

Some grass.

N 0' - 8' E.E bet. secs 17 + 18

40.00 Set a sandstone 18 x 6 x 5  
ins. 12 ins ground for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on W  
face. dig pits 18 x 18 x 12 ins  
N + S 3 ft. dist. raise a  
mound of earth  $3\frac{1}{2}$  ft.  
base  $1\frac{1}{2}$  ft. high W of  
cor.

80.00 Set a limestone 18 x 6 x 5



Chs. ins 12 ins. in ground  
 for cor of secs; 7, 8, 16 & 17  
 marked with 4 notches  
 on S & N on E edges.  
 dig pits 18 X 18 X 12 ins  
 in each section  $5\frac{1}{2}$   
 ft. dist. raise a mound  
 of earth 4 ft. base 2 ft.  
 high W. of cor.  
 Land level: Soil hard  
 3<sup>d</sup> grade.  
 Much brush  
 Little grass.

N 89° - 41' E on a random  
 line bet. secs. 8 & 17.

40.00 Set temp  $\frac{1}{4}$  sec. cor.  
~~secs. 8, 9, 16 & 17.~~

80.03 Intersect N. & S. line  
 at cor. secs. 8, 9, 16 & 17

## 95 Subdivision

BOOK 943 Sp. 1.8 S. 72-25 E.

- C
- Chs. These I run  
S 890-41' W on a true  
line bet. secs. 8 & 17.  
Ascend
- 3.50 Summit of hill-descend  
8.78 Enter flat.  
39.20 ascend ridge 150 ft high  
Course N & S.
- 40.01½ Set a limestone 17x10x  
3 ins. 11 ins in ground  
for ¼ sec. cor. marked  
¼ on N. face: raise a  
monument of stones  
3 ft. base 2½ ft high -  
N of cor. pits impracticable
- 54.45 Summit of ridge bears  
N & S. - descend.
- 67.00 Enter flat  
80.03 Cor secs 7, 8, 17 & 18.  
Land rolling & mountainous

Subdivision

BOOK 943

96.

Tp. 18 S. R. 25-E.

Chains Soil 2 + 4 rate  
Some brush  
Grass.  
Mountainous land  
27.80 chains.

---

S  $89^{\circ}-40'$  W on a  
random line bet secs 7+18

40.00 Set temp  $\frac{1}{4}$  sec. cor.  
70.40 Intersect w. bdy of Tp  
5 l S of cor. secs 7, 12  
13 + 18 heretofore described

Thence I run  
N  $89^{\circ}-42'$  E on a true  
line bet secs 7+18

Descend gently

24.6 Enter flat.

10.90 Center of draw 2 lks wide  
course S.W. + N.E.

30.34 Road South pass to Pearce

97 Subdivision

BOOK 943 Tp. 18 S. R. 25 E

Chs. bears S.W. + N.E.

36.40 Set a limestone  $16 \times 6 \times 6$  ins. in ground for  $\frac{1}{4}$  sec. cor. marked  $\frac{1}{4}$  on N face: dig pits  $18 \times 18 \times 12$  ins. E. + W. 3 ft. dist. raise a mound of earth  $3\frac{1}{2}$  ft base 2 ft. high N. of cor.

76.40 Cor. secs. 7, 8, 17 + 18

Land rolling.

Soil gravelly + sandy loam  
2<sup>nd</sup> grade.

Much brush.

Grass in open places

Aug 29, 1898.

---

Aug 30, 1898.

N  $0^{\circ}$ - $18^{\circ}$  E. bet. secs 7 + 8.

leave dense brush

T<sub>1</sub>p. 18 S. R. 25 E.

- ch.  
39.95<sup>-</sup> over point of ridge  
E + W.
- 40.00 Set a porphyry rock 18 X 6  
X 5 ins. 12 ins. in ground  
for  $\frac{1}{4}$  sec. cor. marked  
 $\frac{1}{4}$  on W. face. dig pits  
18 X 18 X 12 ins N + S 3 ft  
dist. raise a mound  
of earth  $3\frac{1}{2}$  ft. base  
 $1\frac{1}{2}$  ft high W. of cor.
- 40.10 Enter flat course N.W. + S.E.
- 62.00 Ascend Mountain  
known as "Six Mile Mt"  
course N. W. + S. E.
- 80.00 Fall upon rock in  
place which I mark  
with cross (+) for cor.  
secs 5, 6, 7 + 8 I also  
mark 5 notches S +  
5 E: build a monument

99. Subdivision

BOOK 943

Tp. 18 S. R 25 E.

C Chs. of rocks  $3\frac{1}{2}$  ft. base 3 ft.  
high. W of cor. pits  
impracticable.

Land level & mountain-  
ous. Soil sandy loam  
& rocks 1, 2 & 4 rate  
Some brush,  
No timber

Grass.

Mountainous land 18 ch.

---

At this point the land  
is exceedingly rough &  
mountainous & not  
agricultural land in  
any sense of the word  
hence I do not ~~do~~ run  
either E. or W. but con-  
tinue N in order to  
reach the grassy flat

- Chains N. of "Six mile Mt".
- N.  $0^{\circ} - 8' E$  on a random line bet sees 5 + 6
- 40.00 Set temp  $\frac{1}{4}$  sec. cor.
- 80.26 I intercept N. bdy line of Tp. 12~~th~~ W. of cor. sees 5, 6, 31 + 32
- Thence I run S.  $0^{\circ} - 13' W$  on a true line bet sees 5 + 6 over flat + mountains
- 33.27 Road bears W. + E.
- 34.00 Ascend mountain
- 40.26  $\frac{1}{4}$  sec. cor. falls upon a huge granite boulder or portion of bed rock exposed. I mark a cross  $\oplus$  +  $\frac{1}{4}$  on W. raise a monument of rocks with  $3\frac{1}{2}$  ft

## 101. Subdivision

BOOK 943  $\bar{Q}$ p. 18 S. R 25 E.

- c chs. base  $2\frac{1}{2}$  ft high W of cor.  
 Very steep ascent.
- 45.31 Mining shaft bears W  
 18 l.
- 46.46 Cedar tree bears E 30 l.  
 Summit of ridge.  
 Steep descent.
- 52.25 bottom of narrow gulch  
 - 130 ft deep.  
 $\bar{I}$  steep ascent.
- 65.00 ascent less steep
- 80.26 Cor. sees 5, 6, 7 + 8  
 Land flat & mountainous  
 Soil sandy loam &  
 rocks 2 + 4 rate  
 No timber.  
 $\bar{I}$  some grass.  
 Mountainous land 46.26  
 ch.

Aug 30 1898



Chs. General Description  
This Township is  
great mesa or up-  
land ~~mesa~~ prairie.  
The northern portion  
is crossed by a series  
of isolated mountains  
or high hills rising  
like islands out of  
a grassy ocean.  
While it is spoken  
of as a portion of Sul-  
phur Springs Valley  
is really a watershed  
separating the Alkali  
Lake region from  
the waters that flow  
South in rainy sea-  
son, into Mexico.  
The soil is generally

C. Chs. a sandy loam: would produce good crops could water be placed upon it. Water at Pearce is found in ~~unlimited~~ <sup>quite</sup> ~~abundant~~ <sup>quantities</sup> about 280 ft. below the surface.

The town of Pearce contains about 300 people.

The mines are at present among the greatest wealth producers in America. Twp. 18, S. R. 26 E is quite similar only that lying lower water is found much nearer the surface: It contains three ranches with quite extensive im-

chs. improvements belonging  
to the Chiri-cahua Cattle  
Company.

This township should  
be subdivided.

Sp 19 S R. 25 E contains  
the mining district  
of Turquoise. Probably  
one half of the area  
would be regarded  
as mineral land.

The eastern one half  
is fine grazing land  
very similar to the  
grassy portions of  
Sp 18 S. R. 25 E & might  
be subdivided  
advantageously.

John A. Proffellow  
U.S. Deputy Surveyor

BOOK 943

# Final Oath of Assistants.

We hereby certify that we assisted *John A. Rockwell* U. S. Deputy Surveyor, in surveying all those parts or portions of the *Subdivision of Twp 16 S., Range 20 East*

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing field notes as having been surveyed by him and under his direction; and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully surveyed, and the corner monuments established according to the instructions furnished by the United States Surveyor General for Arizona.

*Tom Jose* Chainman.  
*Looteh Juan* Chainman.  
 Chainman.  
 Chainman.  
*M. H. O'connor* Axeman.

*Guy Emmons* Flagman.

Sworn to and subscribed before me, this *15* day of *September*, 189*8*.

*John A. Rockwell*  
 U. S. Deputy Surveyor, Notary Public.

[SEAL.]

No officer authorized to administer being available without great si

Final Oath of U. S. Deputy Surveyor.

BOOK 943

107

I, *John A. Rockfellow*

U. S. Deputy Surveyor, do solemnly swear that in pursuance of a contract received from *George*

*Christ*, United States Surveyor-General for Ari-

zona, bearing date of the *21* day of

*May* 189*4*. I have well, faith-

fully, and truly, in my own proper person, and in strict conformity with the instructions furnished by

the United States Surveyor-General for Arizona, the Manual of Surveying Instructions, and the

laws of the United States, surveyed all those parts

or portions of the *Subdivision*

*of Twp. 18 South*

*Range 25 East*

of the Gila and Salt River Base and Meridian, in the Territory of Arizona, as are represented in the foregoing Field Notes as having been surveyed by me and under my direction; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Manual of printed instructions, the special instructions of the United States Surveyor-General for Arizona, and in the specific


*oaths other than myself*  
*convenience, delay & expense*

BOOK

108

manner described in the field notes, and that the foregoing are the true Field Notes of such survey; and should any fraud be detected I will suffer the penalty of perjury, under the provisions of an act of Congress approved August 8, 1846.

*John A. Rockfield*  
U. S. Deputy Surveyor.



Sworn to and subscribed before me this 14<sup>th</sup>

day of *December*, 1898.

*Chas. E. Johnston*  
Notary Public

Commission Expires Apr. 13, 1899.

sur  
of the  
the  
fore  
and  
been  
and  
corn  
instr  
Gene

BOOK 943

day of

[SE

No of  
bur

U.S. Surveyor General's Office.

Tucson, Arizona, *May 23, 1899.*

The foregoing field notes of the survey of

*The Subdivisions of  
Tp. 18 S. R. 25 E.*

of the Gila and Salt River Base and Meridian, Arizona, executed by *John A.*

*Rockfellow* D. S., under his contract of the *21<sup>st</sup>* day of *May* 1898, having been critic-

ally examined and the necessary corrections

and explanations made, the said Field Notes

and the surveys they describe, are hereby

approved.

*George Christ*

U. S. Surveyor General.