

used
compart
referred

11

BOOK 957

No. 957

Field Notes

BOOK 957

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF- No. 957

Township 21 S Range 26 E

Gila and Salt River Base and Meridian

ARIZONA.

By Lewis Wolfley D. S.

under contract dated Nov 11th 1878

Survey commenced Feb 4th 1878

Survey completed Feb 7th 1878

957

x

2

Township 21 S. R. 26 E

BOOK 957

Grand S. R. M

6	82	5	59	4	45	3	30	2	15	1
80		79		58		43		29		14
7	78	8	56	9	42	10	28	11	13	12
76		75		55		41		26		11
18	73	17	54	16	40	15	25	14	10	13
72		70		53		39		24		9
19	69	20	52	21	37	22	23	23	8	24
68		66		50		36		21		6
30	65	29	49	28	35	27	20	26	5	25
63		62		48		34		19		4
31	61	32	47	33	32	34	18	35	3	36

For preliminary outline and description see Book No. 1

T 21 S. R 26 E

Chain

Beginning at the
 Cor to Secs 12. 35 & 36
 T 21 S. R 26 E. on S. bdy. of
 Tpk previously described by me
 I run N. bet Secs
 35 and 36.

Sta 11045 E

40.00

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N and S of stone $5\frac{1}{4}$ feet dist and raised
 a mound of earth $1\frac{1}{2}$ ft. high $3\frac{3}{4}$ ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 face.

80.00

Deposited a marked stone 12 ins. in the
 ground for Cor to Secs 25; 26. 35-36 dug pits
 18 x 18 x 12 ins. in each Sec. $5\frac{1}{4}$ ft. dist. and
 raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base
 over it. In S E. pit drove a stake 2 ins. sq. 2
 ft. long 12 ins. in the ground marked T. 21 S
 S. 25 on N. E. R. 26 E. S. 36 on S. E. S. 35
 on S. W. and S. 26 on N. W. faces, with
 / notch on S, and / notch
 on N edge.

T 21 S, R 26 E

chain

Surface level
 Soil 2nd & 3rd rate
 Grass fair
 No. bluish

Cast on a random
 line bet Sec 25 & 36

Qa 110 45' E

40.00

80.10

Set temporary 14 Sec cor
 Intersect the E. side of Tp.
 30 links N. of Cor to Secs
 25, 30, 31 & 36. Previously
 described by me.

Hence I run

N 89° 47' W. on a true
 line bet Secs 25 & 36 with
 same Qa.

T21 S. R 26 E

No. 957

Chains
40.05

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

80.10

The cor to Secs 25, 26, 35 & 36
Surface level
Soil 2nd & 3rd rate
Grass fair
No. bush

North bet Secs 25 & 26
Ta. 11° 45' E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

T21 S. R 26E

chains

49.00

80.00

Cross road bears N. W. S. E

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 23, 24, 25 & 26, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/4 ft. dist. and raised a mound of earth 2 ft. high 4 1/4 ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 21 S. 24 on N. E., R. 26 E. S. 25 on S. E., S. 26 on S. W. and S. 23 on N. W. faces, with 2 notch es on S, and 1 notch on E edges.

Surface level

Soil 2 ^{mo}/_n + 3 rd/_n rate

Grass fair

No. Bush

East on a random line bet Secs 24 and 25
 Wall 1045-E

40.00

Set Temporary 1/4 Sec cor

T21 SR 26E

chains
80.15

Intersect the East ldy. of Tp.
24 links N. of cor to Secs
19. 24. 25 and 30. previously
described by me.

Thence run

N 89° 50' W. on a true
line bet Secs 24 & 25 with same Va.

40.07

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.15

The cor to Secs 23. 24. 25 & 26

Surface level

Soil 2nd & 3rd rate

Good grass

or. brush

T21 SR26E

chains

North bet Secs 23 + 24

T₁₁ 11045th E

36.00

Cross road bears E + W

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

81.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 13 14, 23 + 24 dug pits

18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base

over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T21 S

S. 13 on N.E., R26E S. 24 on S.E. S. 23

on S.W. and S. 14 on N.W. faces, with

3 notches on S, and 1 notch on E edges.

Surface level
Soil 3 $\frac{1}{4}$ rate

T21 SR 26E

Chains

Grass good
No. brushCast on a random line bet
Secs 13 and 24

Wa 11° 45' E

40.00

80.28

Set temporary $\frac{1}{4}$ Sec cor
Intersect the E. bdy of T₂₁.
40 links N. of cor to Secs
13, 18, 19 & 24. Previously
described by me.Thence I run
N 89° 44' W. on a true
line bet Secs 13 & 24 with same Wa.

T21 S. R26E

Chains
40.14

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{4}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{4}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.28

The cor to Secs 13, 14, 23+24

Surface level

Soil 2nd + 3rd rate

Grass fair

No. brush

North bet Secs 13 + 14

Wall 45-E

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 5 $\frac{1}{4}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{4}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

T21 S. R26E

Chains
80.00

Deposited a marked stone 12 ins. in dia. ground for Cor to Secs 11, 12, 13 + 14 dug pits 18 x 18 x 12 ins in each Sec. 5 1/4 ft. dist and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 21 S. 12 on N.E. R. 26 E S. 13 on S.E. S. 14 on S.W. and S. 11 on N.W. faces, with 4 notch  on S, and 1 notch  on E edges.

Surface level

Soil 3rd rate

Grass fair

Scattering brush

East on a random line
bet Secs 12 + 13

Nail 45° E

40.00

Set temporary 1/4 Sec cor

80.10

Intersect the E bdy. of Sp.

T21 SR 26E

Chain

8 links N. of cor to Secs
7, 12, 13 & 18 previously
described by me.

Thence from

N 89° 56' W. on a true
line bet Secs 12 & 13 with
same @/A.

40.05

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

80.10

face.

The cor to Secs 11, 12, 13 & 14

Surface level

Soil 3 $\frac{1}{2}$ rate

Good grass

W. bush

T21 SR 26E

Chains

North bet Secs 11 & 12

Va 11045E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

and $\frac{1}{2}$ of stone $5\frac{1}{4}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{4}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 1, 2, 11 & 12, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{4}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T21 S 1 on N.E. R. 26 E S 12 on S.E. S. 11 on S.W. and S. 2 on N.W. faces, with 5 notch $\frac{1}{2}$ on S, and 1 notch on E edges.

Surface level

Soil 3rd rate

Good grass

No. bush

T21 SR26E

Chains

Cast on a random line
bet Secs 1 & 12

wa 170° 45' E

40.00

Set temporary $\frac{1}{4}$ Sec cor

80.05

Intersect the E bdy. of Tpk
10 links N. of cor to Secs
16.7 & 12 previously described
by me.

Thence from

N 89° 56' W, on a true
line bet Secs 1 & 12 with some wa.

40.02

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone $5\frac{1}{4}$ feet dist and raised
a mound of earth $1\frac{1}{4}$ ft. high $5\frac{1}{4}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

62.05

face
cross road bears N 70° S E

721 SR 266

Chains

80.05

The cor to Secs 1, 2, 11 & 12

Surface level.

Soil 3rd rate

Grass fair

No brush

North on a true line
bet Secs 1 & 2

W 110 45° E

137.70

Cross road bears N.W. & S.E

40.00

Deposited a marked stone 12 ins. in
ground for $\frac{1}{4}$ Sec. Cor. dug pits 8 x 18 x 12 ins
N and S of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{3}{4}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.

75.57

Intersect the 4th Stand South
11.80 chs West. of stand 11/4 Sec

T21 S. R 26E

chain

cor on S. ldy of sec 35
T20 S. R 26E which is a
mound of earth and pits
in E pit a stake marked.
S.C. 14 S on N. face.

at the point of intersection
I deposited a marked
stone 12 ins in the ground
for closing cor to Secs 1 & 2
dug pits 18x18x12 ins S.E
and W. of cor $5\frac{1}{2}$ ft. dist.
and raised a mound of
earth 2 ft. high $4\frac{1}{2}$ ft base
over it in E. pit drove a
stake 2 ft. long 2 ins sq.
12 ins in the ground
marked C.C. T21 S. R 26E. m.S.
S. 1 on E and S. 2 on W.

T21 SR26E

chains

faces with 1 notch on E and 5
notches on W. faces

Surface level

Soil 3% rate

Grass fair

no. brush

I carefully examined the
adjustments of my solar
transit... to day particularly
the latitude and reversing
apparatus and found them
correct.

Feb 5th 1885

T21 S. R 26 E

chain

From the cor to Secs
2, 3, 34 & 35 T21 S. R 26 E
on S. side of T₁ - previously
described by me. Dunt r
bet Secs 34 & 35

Val 10 45 E

40.00

Set a Granite stone, 12 x 10 x 6 ins., 7 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on W
face, dug pits 18 x 18 x 12 ins. N and S
of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
1 $\frac{1}{2}$ ft. high 2 $\frac{1}{2}$ ft. base, alongside.

80.00

Deposited a marked stone 12 ins. in the
ground for Cor to Secs. 26, 27, 34 & 35, dug pits
18 x 18 x 12 ins in each Sec. 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base
over it. In S E pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T21 S
S. 26 on N.E., R26 E S 35 on S.E. S. 34
on S.W. and S. 27 on N.W. faces, with
1 notch on S, and 2 notches
on E sides.

Surface level

T21 SR26E

chains

Soil 2nd + 3rd rate
 Good grass
 Scattering brush

Cast on a random line
 bet Secs 26 + 35

On $110^{\circ}45'E$

40.00 Set temporary $1/4$ Sec cor
 80.10 Intersect the N + S line 30 links
 N. of cor to Secs 25, 26, 35 + 36.

Thence I run

$N 89^{\circ}47'W$. on a true line
 bet Secs 26 + 35 with same \varnothing

40.05 Deposited a marked stone 12 ins. in ~~the~~
 ground for $1/4$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 1/2 feet dist and raised
 a mound of earth 1 1/2 ft. high 30 ft. base over
 it. In E pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $1/4$ S. on N
 face.

921 SR 26E

Chains
80.10

The cor to Secs 26, 27, 34 & 35
 Surface level
 Soil 2nd/₁₁ + 3rd/₁₁ rate
 Grass good
 Scattering brush

North bet Secs 26 & 27
 @ 911 045'E

40.00

Deposited a marked stone 12 ins. in
 sand for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N and S of stone 5 $\frac{1}{2}$ feet apart and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked N S on *SW*
 face.

T 21 S R 26 E

Chain
80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 22, 23, 26 + 27. Ring pits 12 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 5 ft. high 12 ft. in dia. over it. In S E pit use a stone 2 ins. sq. 2 ft. long 12 ins. in the ground marked T 21 S. 23 on N.E., R. 26 S. 26 on S.E., S. 27 on S.W. and S. 22 on N.W. faces, with 2 notch es on S, and 2 notch es on N edges.

Surface level
Soil 2nd/₁₁ + 3rd/₄ rate
Grass good
Scattering brush

Cast on a random line
bet Secs 23 + 26

Wa 11045° E

40.00

Set temporary 14 Sec cor

79.95

Intersect the N & S line 12 links

T21 S, R 26 E

chain

N of cor to Secs 25 + 26.
Thence I run

N 89° 55' W. on a true line
bet secs 23 + 26 with
same Va

39.97

Set a Granite stone, 12 x 6 x 7 ins., 7 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth
1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{4}$ ft. base. alongside.

75.95

Cross Road bears N W. + S E

79.95

The cor to Secs 22, 23, 26 + 27

Surface level
Soil 2 $\frac{1}{2}$ $\frac{1}{2}$ + 3 $\frac{1}{2}$ rate
Grass good
Scattering brush

T21 SR 26E

Chains

North bet Secs 22 & 23
 Val 11° 45' E

85 Cross road bears N. 41° 5' E
 33.10 " " " " E 8 W.

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{2}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on N face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 14, 15, 22 & 23 dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T 218 S. 14 on N. E., R. 26 E S. 23 on S. E., S. 22 on S. W. and S. 15 on N. W. faces, with 3 notches on S, and 2 notches on E edges.

Surface level

921 SR 26E

chains

Soil 2nd & 3rd rate
 Good grass
 Scattered brush

Cast on a random line
 bet Secs 14 and 23

wa 110° 45' E

40.00

Set temporary 1/4 Sec cor

80.00

Intersect the N + S. line &
 make S. of cor to Secs 13, 14
 23 & 24.

Thence I run

S 89° 56' W., on a true
 line bet Secs 14 & 23 with
 same wa

921 S. R 26E

Chains

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

80.00

The cor to Secs 14, 15, 22 & 23

Surface level

Soil 2nd & 3rd rate

Grass good

Scattering brush

North bet Secs 14 & 15

Wall 045 E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

T21 S. R 26E

Chains
80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 10, 11, 14 & 15, and pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high | 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins sq | 2 ft. long 12 ins. in the ground marked T. 21 S. 11 on N. E., R. 26 E. S. 14 on S. E., S. 15 on S. W., and S. 10 on N. W. faces, with 4 notches on S, and 2 notches on E edges.

Surface level
Soil 2nd & 3rd rate
Grass good
Scattering brush

East on a random line
bet Sec 11 & 14

of a 11° 45' E

40.00

79.90

Set Temporary 1/4 Sec cor
Intersect the N & S line 14

T 21 S R 26 E

BOOK 957

Chains

links N of cor to Secs 11, 12, 13 & 14.
Thence I run
N 89° 54' W. on a true
line bet Secs 11 & 14 with same
Wa.

39.95

Deposited a marked stone 12 ins. in sq.
ground for $\frac{1}{2}$ Sec. Cor. dug pits 18 x 28 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on N
faces.

79.90

The cor to Secs 10, 11, 14 & 15

Surface level

Soil 2nd 3rd rate

Good grass

Scattering brush

T21 S. R 268

Chains

North bet Secs 10 & 11
T21 S. R 268

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.

80.00

Deposited a marked stone 12 ins. in the
ground for Cor to Secs 2, 3, 10 & 11. dug pits
18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist and
raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base
over it. In S. E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 218
S. 2 on N. E, R268 S. 11 on S. E. S. 10
on S. W, and S. 3 on N. W. faces, with
5 notches on S, and 2 notches
on N. edges.

Surface level
Soil 2 $\frac{1}{2}$ in. & 3 $\frac{1}{2}$ in. rate
Good grass

721 SR 26E

BOOK 957

Chains

Scattering brush

Cast on a random line
bet Secs 2 + 11

Oral 11° 45' E

40.00 Set temporary 1/4 Sec cor

81.00 Intersect the A & B line 5
links S of cor to Secs 1, 2, 11 + 12.
Thence I run

S 89° 57' W. on a true
line bet Secs 2 + 11 with same
Oral.

40.00

Deposited a marked stone 12 ins. in
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on A
face.

T2/S. R26E

Chains
80.00

The cor to Secs 2, 3, 10 + 11
 Surface level
 Soil good rate
 Good grass
 Scattering brush

North on a true line
 bet Secs 2 + 3

@ Va 11045E

40.00

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins.
 N and S of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on SW
 face.

76.20

Intersect the 4 Stand S.
 12.10 chs. W. of Std 4, Sec
 cor on S. bdy of Sec 34

T21 S R 26 E

Chains

Sp. 20 S. R 26 E which is
 a mound of earth and
 pits in E. put a stake marked
 S.C. 1/4 S on N. face.

At the point of intersection
 I deposited a marked
 stone 12 ins in the ground
 for closing cor to Secs 9 & 3
 dug pits 18x18x12 ins
 S. E & W. of cor $5\frac{1}{2}$ ft. dist.
 and raised a mound of
 earth 2 ft high $4\frac{1}{2}$ ft base
 over it. in E pit drove a
 stake 2 ft long 2 ins sq 12
 ins in the ground marked
 C.C. T21 S. R 26 E. on S. 2 on E
 and S 3 on W. faces with
 2 notches on E and 4

T21 S. R 26E

chains

matches on W. faces
 Surface level
 Soil 2nd + 3rd rate
 Good grass
 Scattering brush

Feb. 6th 1885.

From the cor to Secs
 3, 4, 33 & 34, T21 S. R 26E
 on S. bay of Tp. previously
 described by me. I must
 let Secs. 33 & 34
 Val 24th

T21 SR 26E

No. 957

Chain

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{4}$ feet dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{4}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 27, 28, 33 & 34 dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{4}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{4}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long. 12 ins. in the ground marked T21S S. 27 on N.E., R26E S. 34 on S.E. S. 33 on S.W. and S. 28 on N.W. faces, with 1 notch on S, and 3 notches on E edges.

Surface level
Soil 2nd + 3rd rate
Good grass
Scattering brush

T 21 S. R 26 E

Chains

Cast, on a random line
bet. Secs. 27 & 34

Wa 11045' E

40.00

Set temporary $\frac{1}{4}$ Sec cor

80.25

Intersect the N & S line
10 links S of cor to Secs 26
27, 34 and 35.

Thence from

S 89° 56' W. on a true
line bet Secs 27 & 34 with
same Wa.

40.12

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{4}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.25

The cor to Secs 27, 28, 33 & 34
Surface level

chain

Soil 2nd & 3rd rate
Good grass
Scattering brush

North bet Secs 27 & 28
T 21 S. R 26 E

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 5 $\frac{1}{2}$ ft base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.

0.00

Deposited a marked stone 12 ins. in the
ground for Cor. to Secs 21, 22, 27 & 28, dug pits
18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and
raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base
over it. In S. E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T 21 S
S. 22 on N. E., R 26 E S. 27 on S. E., S. 28
on S. W. and S. 21 on N. W. faces, with
2 notch es on S, and 3 notch es on E edges

T 21 S. R 26 E

Chains

Surface level
 Soil 2nd & 3rd rate
 Good grass
 Scattering brush

East on a random line
 bet Secs 22 & 27

Val 11° 45' E

40.00 Set temporary 1/4 Sec cor
 80.05 Intersect the N & S line
 10 links N. of cor to Secs
 22, 23, 26 & 27.

Thence Run

N 89° 56' W. on a true
 line bet Secs 22 & 27 with
 same Va.

31
3
T21 SR 26E

BOOK 957

Chains

40.02

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet apart and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 in. sq. 12 ins. in the ground marked S. on N face.

80.05

The cor to Secs 21, 22, 27 & 28
Surface level
Soil 2nd & 3rd rate
Good grass
Scattering brush

North bet Secs 21 & 22
T21 SR 26E

41.50

Cross Road bears N. W. S. E

T 21 S. R 26 E

Chains
40.00

Deposited a marked stone 12 ins. in the ground for Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 1/2 feet apart and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/2 S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 15, 16, 21, 22, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 21 S. 15 on N.E., R 26 E S. 22 on S.E. S. 21 on S.W. and S. 16 on N.W. faces, with 3 notches on S, and 3 notches on W edges.

Surface level
Soil 3rd rate
Good grass
Scattering brush

T21 S. R26 E

BOOK 957

chains

East on a random line
bet Secs 15 & 22

Wa 11°45' E

40.00
79.95

Set temporary 1/4 Sec cor
Intersect the N & S line 15
links N. of cor to Secs 14, 15
22 & 23

Thence from

N 89°54' W. on a true
line bet Secs 15 and 22 with
same Wa.

39.97

Deposited & marked stone 12 ins. in dia.
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 1/4 feet dist and raised
a mound of earth 1 1/4 ft. high 3 1/4 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N
line.

79.95

The cor to Secs 15, 16, 21 & 22
Surface level

T21 S. R 26 G

Chains

Soil 2nd + 3rd rate
Good grass
Scattering brush

North bet Secs 15 & 16
Twa 11 045 10/6

40.00

Deposited & marked stone 12 ins. in ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 1/2 feet dist. and raised a mound of earth 1 1/2 ft high 4 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 9, 10, 15 & 16, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 2 S S. 10 on N.E., R. 26 S. 15 on S.E., S. 16 on S.W. and S. 9 on N.W. faces, with 4 notch ee on S, and 3 notch ee on E edge

921 S. R 26 E

BOOK 957

Chains

Surface level
Soil $2\frac{1}{2}$ to $3\frac{1}{2}$ rate
Grass good
Scattering brush

Cast on a random line
bet Secs 10 & 15

$\text{Mag } 110^{\circ} 45' - E$

40.00

79.90

Set temporary 44 Sec cor
Intersect the N & S line 5 links
N. of cor to Secs 10, 11, 14 & 15
Thence from

$N 89^{\circ} 58' W.$ on a true line
bet Secs. 10 & 15 with same Mag .

T21 S. R 26 E

chains

S of cor to Secs 2, 3 + 10 + 11,

Thence I run

S 89° 50' W. on a true
line bet Secs 3 + 10 with same
Qa.

39. 98

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

79. 97

The cor to Secs 3, 4, 9 + 10

Surface level

Soil 2nd & 3rd rate

Good grass

Scattering brush

T21 SR26E

BOOK 957

Chain

North on a true line bet
Secs 3 + 4

Yan 45 E

40.00

Deposited a marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 5 $\frac{1}{4}$ feet apart and raised
a mound of earth 1 $\frac{1}{4}$ ft. high 3 $\frac{1}{4}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked S. on W
face.

77.05

Intersect the 4 Sta. S. 12 1/8 Chas
W. of Stand 44. sec cor on S
bay of S. 33. T20S. R26E
which is a mound of earth
and pits in E pit a stake
marked S. C. 114 S. on N. face.
at the point of intersection
I Deposited a marked stone
12 ins. in the ground for
closing cor to Secs. 3+4

T21 S.R. 26 E

Chain

Surface level
 Soil 2nd + 3rd rate
 Good grass
 Scattering brush

East on a random
 line bet Secs 28 + 33

Va $110^{\circ} 45' E$

40.00

Set temporary 1/4 Sec cor

80.08

Intersect the N + S line

7 links N. of cor to Secs 27.28
 .33 + 34.

Thence from

$N 89^{\circ} 57' W$ on a true
 line bet Secs 28 + 33 with
 same Va.

921 SR 268

BOOK 957

hains
40.04

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

80.08

The cor. to Secs 28, 29, 32 + 33

Surface level

Soil 2nd + 3rd rate

Grass good

Scattering brush

Stork bet Secs 28 + 29

W 111° 45' E

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

T21 SR 26E

Chains

80.05 Intersect the N + S line 15 links
N. of cor to Secs 21, 22, 27 + 28.
Thence run
N 90° 54' W. on a true line
bet Secs 21 and 28 with same ga.

40.02

Deposited a marked stone 12 ins. in dia.
ground for $\frac{1}{2}$ Sec. Cor. dug pits 18 x 18 x 22 ins.

E and W of stone 5 $\frac{1}{2}$ feet dia. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 34 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on N

80.05

The cor to Secs 20, 21, 28 + 29

Surface level

Soil 2nd and 3rd rate

Good grass

Scattering brush

T21. S. R 26 E

chain

North bet Secs 20 + 21
Wall 45° E

40.00

Set a Granite stone, 10 x 9 x 7 ins., 5 ins. in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$. on NW face, dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high, 3 $\frac{1}{2}$ ft. base, alongside.

69.00

Cross Road bears NW + S.E

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 16, 17, 20 + 21, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, 4 ft. base over it. In S.E. pit above a stone 2 ins. on 2 ft. long 12 ins. in the ground marked T21 S. 16 on N.E., R. 26 E S. 21 on S.E., S. 21 on S.W. and S. 17 on N.W. faces, with 3 notches on S, and 4 notches on N & edges.

Surface level
Soil 2 $\frac{nd}{th}$ + 3 $\frac{rd}{th}$ rate
Good grass

T21 SR 26E

Chain

Scattering brush

East on a random line
bet Secs 16 + 21

Va 110 45 E

40.00 Set temporary $\frac{1}{4}$ Sec cor
80.15 Intersect the N + S line 40 links
N of cor to Secs 15, 16, 21 + 22.
Thence from

N 89° 51' W. on a true line
bet Secs 16 + 21 with same Va.

40.07

Deposited a marked stone 12 ins. in dia.
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 inc.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

T21 S. R 26 E

chains
So. 15-

The cor. to Secs 16, 17, 20 + 21
 Surface level
 Soil 2nd + 3rd rate
 Grass good
 Scattering brush

North bet. Secs 16 + 17
 T21 S. R 26 E

40.00

Deposited a marked stone 12 ins. in the
 ground for 1st Sec. Cor. dug pits 18 x 18 x 12 ins.
 N and S of stone 5 1/2 feet dist and raised
 a mound of earth 1 1/2 ft high 5 1/2 ft diam over
 it. In N pit drove a stake 2 ft long 2 ins.
 sq. 12 ins. in the ground marked 1/2 S. on W
 face.

921 S. R 26E

BOOK 957

Chambers
80.00

Deposited a marked stone 12 ins. in the
ground for Cor. to Secs 8, 9, 16 & 17, dug pits
18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and
raised a mound of earth 2 ft. high 4 1/2 ft. base
over it. In S. E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T 21 S
S. 9 on N. E. R. 26 E S. 16 on S. E. S. 17
on S. W. and S. 8 on N. W. faces, with
4 notches on S, and 4 notches

Surface level

Soil 2.00% + 3.00% rate

Good grass

Scattering brush

East on a random line
bet Secs 9 & 16

Q/A 11045-E

40.00

79.98

Set temporary 1/4 Sec cor
Intersect the N & S line 21 links

T21 S. R 26 E

Chains

N. of cor to Secs 9, 10, 15 + 16,
Thence I runN 89° 57' W. on a true line
bet Secs 9 + 16 with same Va.

39.99

Deposited a marked stone 12 lbs. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 54 feet dist. and raised
a mound of earth $1\frac{1}{2}$ ft. high 34 ft. diam over
it. In E pit drove a stake 2 ft. long 2 in.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
100.

79.98

The cor to Secs 8, 9, 16 + 17

Surface level

Soil 2nd + 3rd rate

Good grass

Scattering brush

North bet Secs 8 + 9

Va 11045-6

T21 S, R 26E

Shams
40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 4, 5, 8 & 9, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T21 S. 4 on N.E., R26E S. 9 on S.E. S. 8 on S.W. and S. 5 on N.W. faces, with 5 notches on S, and 4 notches on E edges.

Surface level
Soil 2 $\frac{1}{4}$ + 3 $\frac{1}{4}$ rate
Good grass
Scattering brush

T21 S.R268

chains

East on a random line bet Secs
4 + 9
wa 110 45-18

40.00

Set temporary $\frac{1}{4}$ Sec cor

80.10

Intersect the N+S line & divide
of cor to Secs 3, 4, 9 + 10.
Thence from

N 89° 5' 1" W. on a true line
bet Secs 4 + 9 with same wa.

40.05-

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 54 feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 34 ft. base over

it. In E pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

face.

80.10

The cor to Secs 4, 5, 8 + 9

Surface level

Soil 2nd + 3rd rate

Good grass

T21 S. R 26 E

BOOK 957

Chains

Scattering brush

North on a true line bet
Secs 4 & 5

Wa $11^{\circ} 45' E$

40.00

Deposited a marked stone 12 ins. in
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 54 feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high 34 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.

70.00

Corral bears S $87^{\circ} W$. about 30 chs dist.

77.95

Intersect the 4 Stand S. 12.50 chs W.
of Stand 14 sec cor on S leg of S
32. T20 S. R 26 E. which is a
post 3- $\frac{1}{2}$ ins sq. for Stand 14 Sec
cor marked S.E. $14 S.$ on N. face
and mound of earth & pits of

T 21 S. R 26 E

Chains

required size.

At the point of intersection I deposited a marked stone 12 ins. in the ground for closing cor to Secs 4 & 5. dug pits 18 x 18 x 12 ins S.E. & W. of cor $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft high $4\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ins sq 2 ft long 12 ins in the ground marked. C.C. T 21 S. R 26 E. on S. S 4 on E and S 5 on W. faces with 4 notches on E and 2 notches on W edges.

Surface level

Soil 2nd & 3rd rate

Good grass

Scattering brush

Feb 5th 1885

T21 S. R26E

chans

From the cor to Secs
516.31 and 32 T21 S.
R26E on S. ldy. of the
previously described by me.
From N. bet Secs 31 & 32
07911045E

40.00

Deposited & marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on *SW*
face.

80.00

Set a *Quartz* stone 12 x 9 x 8 ins, 5 ins. in
the ground for Cor, to Secs, 29, 30, 31 & 32 marked
with / notch on S. and 5 notches on E. edges.
dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft.
dist. and raised a mound of earth 2 ft. high.
 $4\frac{1}{2}$ ft. base. alongside.

Surface level

T21 S. R. 26E

Name

Soil 2nd/₁₁ + 3rd/₁₁ rate
 Good grass
 Scattering brush

Cast on a random
 line bet Secs 29 & 32
 Wa $11^{\circ} 45' E$

40.00 Set temporary 1/4 Sec cor
 0.20 Intersect the N + S line
 10 links N. of cor to Secs
 28, 29, 32 & 33.

Thence I run
 $N 89^{\circ} 56' W.$ on a true
 line bet Secs 29 & 32 with
 same Wa.

0.20 Enter White River bottom
 2.20 Cross road bears N + S

T21 S. R 26E

chain

24.20

Cross Road bears N + S

27.20

" " " N 68 S W

37.70

Cross White river course

40.10

Deposited a marked stone 12 ins. in ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins E and W of stone 5 1/2 feet dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on N face.

81.20

The cor to Secs 29, 30, 31 + 32

Surface level

Soil 3 1/2" + 4 1/2" rate

Good grass

Scattering brush

West on a random line bet Secs 30 and 31

N 110 45' E

T21 S. R 26^{Co}

Chains
40.00
80.40

Set temporary 1/4 Sec cor
Intersect the W. bay. of
T^h 20 links N. of cor to
Secs 25, 30, 31 & 36 which is
a mound of earth and
pits in S.E. Put a stake
marked T21 S. S30 on N.E
R26 E S31 on S.E R25 E S36
on S.W and S25 on N.W
faces with 5 notches on N. and 1
notch on S edges.

Thence I run
N89° 51' E on a true

line bet Secs 30 & 31 with same
Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N face

40.40

T21 S. R 26 E

chains

80.40

The cor to Secs 29, 30, 31 + 36
 Surface level
 Soil 2^{on 9}/₁₁ & 3^{on 11}/₁₁ rate
 Good grass
 Scattering brush

North bet Secs 29 + 30
 Wall 045 E

40.00

Deposited & marked stone 12 ins. in ~~the~~
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N and S of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{4}$ ft. high 3 $\frac{3}{4}$ ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
 face.

From this cor ^{to} cabin bears
 E 12 chains dist

T21 S. R 26E

Chains
80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 19, 20, 29 & 30, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/4 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft base over it. In S. E. pit drove a stake 2 ins sq 2 ft. long 12 ins. in the ground marked T. 26 S. S. 20 on N. E., R. 26 E. S. 29 on S. E., S. 30 on S. W. and S. 19 on N. W. faces. with 2 notches on S, and 5 notches on E edges.

Surface level

Soil 2nd & 3rd rate

Good grass

Scattering brush

Cast on a random line
bet Sec 20 and 29

Q 11045-18

40.00
80.30

Set temporary 1/4 Sec cor
Intersect the T & S line 35 links

T21 S. R26 E

chains

S of cor. to Secs 20, 21, 28 & 29,
Thence I run

S $89^{\circ} 45'$ W. on a true line
bet Secs 20 & 29. with same Pa.

30.65-

Cross White river course S

40.13-

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

78.05-

face. Cross road bears N & S

From this point a corral
bears 4 chains N

80.30-

The cor. to Secs 19, 20, 29 & 30

Surface level

Soil 2nd rate

Good grass

No. bush

T21 S, R 26 E

Chains

West in a random line
bet Secs 19 & 30

Wall 145 E

40.00

Set temporary 1/4 Sec cor

80.20

Intersect the W. bdy. of Tpi.
10 links S. of cor to Sec 19

24 25 & 30. which is a mound
of earth and pile in S E

put a stake marked T21 S
S 19 on N-E R 26 E S 30 on S E

R 25 E S 25 on S.W. & S 24

on N.W. faces with 2 notches
on S and 4 notches on N
edges.

Thence I run
S 89° 56' E. on a true line bet
Secs 19 & 30 with same Wa

T21. S. R26E

Chains

40.20

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{4}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

80.20

The cor to Secs 19.20. 29+30
Surface level
Soil 4th rate
Grass poor
Dense brush

North bet Secs 19+20
T11 045 E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{4}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

T21 S. R 26E

Claims
80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 17, 18, 19 & 20, dug pits 18 x 18 x 12 ins in each Sec. 5 1/2 ft. dist. & raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E. pit drove a stake 2 ins. sq 2 ft. long 12 ins. in the ground marked T. 21 S. 17 on N.E., R. 26E S. 20 on S.E., S. 19 on S.W. and S. 18 on N.W. faces, with 3 notches on S, and 5 notches on E edges.

Surface level
Soil 2nd & 3rd rate
Grass fair
Scattered brush

East on a random line bet Secs 17 and 20

W 1/4 45 E

40.00
79.90

Set temporary 1/4 Sec cor. Intersect the T & S line 15 links

chains

S of cor to Secs 16, 17, 20 & 21
Thence I run

S 89° 54' W. on a true line
bet Secs 17 & 20 with same Va.

25.90 Cross road bears N 77° E

31.40 " White river course S

39.95 Set a Granite stone, 10 x 8 x 8 ins., 5 ins.
in the ground for $\frac{1}{4}$ Sec, Cor, marked + on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 $1\frac{1}{2}$ ft. high, $3\frac{1}{2}$ ft. base, alongside.

61.00 Cross road bears N + S

79.90 The cor to Secs 17, 18, 19 & 20

Surface level

Soil 2nd rate

Good grass

no brush

T21 S. R 268

Chains

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs. 7 & 17 & 18, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 21 S. 8 on N.E. R. 268 S. 17 on S.E. S. 18 on S.W. and S. 7 on N.W. faces, with 4 notches on S, and 5 notches on E edges.

Surface level

Soil 2 $\frac{1}{2}$ in. rate

Good grass

Scattering brush

R21 S R26 E

chains

East on a random line
bet Secs 8 & 17

Va 110° 45' E

40.00. Set temporary 1/4 Sec cor

80.30 Intersect the N & S line 20
links S. of cor to Secs 8, 9, 16 & 17.

Thence from

889° 57' W. on a true line
bet Secs 8 & 17 with same Va.

40.15

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

East W of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N
face.

54.30 Cross White river Course S

76.30 Cross road bears N & S

80.30 The cor to Secs 7, 8, 17 & 18

Surface level

chains

Soil 2nd & 3rd rate
 And some Alkali
 Grass fair
 no. brush

West on a random
 line bet Secs. 7 & 18

Val 11°40'E

40.00

80.10

Set temporary 1/4 Sec cor
 Intersect the W. bdy of Tp.
 25-links links N. of cor
 to Secs 7, 12, 13 and 18 which
 is a mound of earth and
 put in S.E. put a stake
 marked T21 S. S7 on N.E. R
 26E S18 on S.E. R25E. S13
 on S.W and S. 12 on N.W

T21 SR26E

BOOK

957

faces with 4 notches on S and
2 notches on N. edges.

Thence from

N 89° 49' E. on a true
line bet Secs 7 & 18 with same $\frac{1}{4}$ in.

20.10

Cross road bears N + S

40.10

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

Abbothy a Cole house &
corral bears N. about 20.00
the dist

67.10

Cross road bears N + S

80.10

The cor. to Secs 7, 8, 17 & 18

Surface level

Soil 3 $\frac{1}{2}$ rate

T21 S R26E

Chains

Grass fair
Scattering brushNorth bet Secs 7 & 8
T11 S 45 E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs. 6, 7 & 8, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 26 S. 5 on N.E. R26E S. 8 on S.E. S. 7 on S.W. and S. 6 on N.W. faces, with 5 notches on S, and 5 notches on E edges.

T21 S. R 26E

BOOK 957

Chain

Surface level
Soil 2nd & 3rd rate
Grass fair
Scattering brush

East on a random line
bet Secs 5 & 8

@ Va 11045-E

40.00

Set temporary 4th Sec cor

79.85

Intersect the N + S line 18
links S of cor to Secs 4, 5, 8 & 9,
Thence from

S 89° 52' W. on a true line
bet Secs 5 & 8 with same @ Va.

36.55

cross @ White river Wash
course S.

T21 SR 26 E

Chains

39.92

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 in. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

79.85

The cor to Secs 5, 6, 7 & 8
Surface level.

Soil 2nd & 3rd rate

Good grass

Scattering brush

West on a random line
bet Secs 6 & 7

Val 1045-16

40.00

79.90

Set temporary $\frac{1}{4}$ Sec cor
Intersect the W. bdy. of
T₂₁. 30 links N. of cor to

T21 S R 26 E

Chain

Sec. 1, 6, 7 & 12 which is a
 frost 4 ins sq. in mound
 of earth marked. T21 S
 T6 on N.E. R 26 E. S7 on S.E.
 R 25 E S 12 on S. Wand S1 on
 N.W. faces with 5 notches on
 S and 1 notch on N. edges
 and fits of required size.

Thence from

N 89° 47' E, on a true line
 bet. Secs. 6 & 7 with same Va.
 Cross road bears N 44° S E

24.90
 39.90

Deposited & marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 E and W of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In E pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
 face. abbot's House bears S 2 $\frac{1}{2}$ ° W
 from this point

T21 S.R. 26E

Chains

79.90

The cor to Secs 5, 6, 7 & 8
 Surface level
 Soil 2nd + 3rd rate
 Grass fair
 Scattering brush

North on a true mer
 line bet Secs 5 & 6
 Va 11043-E

40.00

Deposited & marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N and S of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 face.

78.70

Intersect the 4th Stand S
 12.75 chs. N. of Stand $\frac{1}{4}$ Sec
 cor. on S bay. of S. 31st R

521 S R 26 E

Chains

20 S. R 26 E. which is a post
3 ins sq in mound of
earth marked S.C. 4 S. on
N face. and pits of required
size.

At the point of intersection
I deposited a marked stone
12 ins. in the ground for
closing cor to Sec 5 and 6
dug pits 18 x 18 x 12 ins S.E
and W. of cor 5 1/2 ft. dist
and raised a mound of earth
2 ft high 4 1/2 ft. base over
it In E. pit drove a stake
2 ins sq. 2 ft. long 12 ins
in the ground marked
cc. 521 S. R 26 E. on S
Sec 5 on E and S 6 on W

T 21 S. R 26 E

faces with 5 notches on
E and 1 notch on W faces

Surface level

Soil $2\frac{1}{2}$ + $3\frac{1}{4}$ rate

Good grass

Scattering brush

I carefully examined the
adjustments of my solar
transit to day particularly
the latitude and reversing
apparatus and found them
correct.

Feb 7th 1885

T 21 S R 26 E

General Description

This Tp. is in the center of the white river valley.

The white river runs S.E. through the Tp. also Sulphur springs creek is in the Tp.

water can be had at 7 ft to 30 or 40 ft below the surface. The surface is level soil 2nd rate and grazing good. There is more or less mesquite brush the roots of which supplies the fire wood.

A number of cattle ranches are located in it also a number of Desert claims Jacob Scherrer desert claim N.W. 1/4 of Sec 5

T21 SIR 26E

Chas W Brown claim

N.E. 1/4 of Sec 5

Fred W Ward S.W. 1/4 of Sec 5
Muelial D Gaffings S.E. 1/4
of Sec 5Fred H Powers N.E. 1/4 of Sec
31 and W 1/2 of N.W. 1/4 of Sec 32
no improvements aboutFred H Powere desert
claim S 1/2 of N.E. 1/4 and S.E. 1/4
of Sec 30 and W 1/2 of S.W. 1/4
of S.W. 1/4 and S.W. 1/4 of
N.W. 1/4 of S 29.

no improvements

about T Jones desert
claim N 1/2 of N.E. 1/4 of Sec 30
no improvements

about T Jones desert

T21 S. R 26E

claim E $\frac{1}{2}$ of NE and SE $\frac{1}{4}$
and SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of sec 19
no improvements W $\frac{1}{2}$
S20 and N.W $\frac{1}{4}$ of NW $\frac{1}{4}$ of
sec 29.

Herbert B mason desert claims
NE $\frac{1}{4}$ of sec 18
and NW $\frac{1}{2}$ of NW $\frac{1}{4}$ of sec 17
no improvements
H B Mason SE $\frac{1}{4}$ of sec 7
abbots house in sec 8

Fred W Ward desert claims
NE $\frac{1}{4}$ of SW $\frac{1}{4}$ and NW $\frac{1}{4}$ of sec 8
Michael D Gaffney desert
claim NE $\frac{1}{4}$ of sec 8 no
improvements

J T Hiller desert claim NW $\frac{1}{4}$
of sec 6 no improvements

Jacob Scheerer NE 1/4 of Sec 6
For final Oaths See
Book No 15

H B Mason W 1/2 of S W 1/4
of Sec 8

U. S. Surveyor General's Office,

Tucson, Arizona, May 11 - 1885

The foregoing Field Notes of the Survey of the

subdivisional lines
of T. 21 S. R. 26 E

Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by Lewis Wolfley

Deputy Surveyor, under his contract of the 11th

day of November, 1884 having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved

Royce Johnson
Surveyor General.