

958

Platton
Copied
corrected
Indexed

10

No. 958 1

BOOK 958

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

BOOK 958

-OF-

No. 958

Township 21 S Range 27 E

Gila and Salt River Base and Meridian

ARIZONA.

By Lewis Wolfley D. S.

under contract dated Nov 11th 1884

Survey commenced Jan 31st 1885

Survey completed Feb 3rd 1885

2

Township 21S R. 27E

BOOK 958

Grand Survey

6	94	5	68	4	52	3	35	2	19	1
92		91		66		50		34		17
7	89	8	65	9	49	10	32	11	16	12
88		86		63		48		31		14
18	85	17	62	16	46	15	30	14	13	13
83		82		61		45		28		11
19	80	20	59	21	43	22	27	23	9	24
78		77		58		42		25		7
30	75	29	57	28	41	27	24	26	6	25
73		72		56		39		22		4
31	70	32	54	33	37	34	21	35	3	36

For preliminary oaths
 and description of
 Instrument see book
 18001

T 21 S R 27 E

Beginning at the
 cor to secs 32, 35 and 36
 T 21 S R 27 E
 on S bdy of Tp previously
 described by me. Run
 north bet secs 35 & 36

Pa. $11^{\circ}40'E$

4000

... set a marked stone 12 ins. in the
 ground for 1 Sec. Cor. ... 15 x 12 x 12 ins.
 N S of stone 34 feet dist. and raised
 ...
 N ...
 sq. 12 ins. in the ground marked 1/2 S. on W

...

...

T 21 SR 27E

Chains
80.00

Deposited a marked stone
ground for Cor to Secs 25, 26, 35, 36
18 x 15 x 12 ins. in each Sec. 54 ft. of
raised a mound of earth 2 ft. high
over it. In S. E. pt. a 200 ft
facing 190 deg. in the corner marked T. 21 S
S. 25 on N. E. R. 27E 36
on S. W. and S. 26
1 notch on S. and 1 notch

Land Level

Soil 3 rate

Grass fair

Dense brush

East on a random
ht pccs 25 + 36

wa 11° 40' E

T21 S, R27E

chain

40.00

40.65

Set temporary 1/4 sec cor
 I intersect the E bdy
 of Twp 40 links S of cor
 to secs 25, 30, 31 and 36
 which is a lime stone
 10x5 ins. above ground
 marked with 1 notch
 on S and 5 notches on
 N edge puts and amount
 of required size.

Thence I run
 $S 89^{\circ} 43' W$ on a true
 line bet secs 25 & 36 with same

40.32

E W

it. In E

N face

T21st SR 27E

Chain

80.65

The cor to secs 25-26
35 and 36

Land Level

Soil 3 rate

Grass fair

Dense brush

North bet secs 25 & 26

9a 11° 40' E

40.00

Deposited a marked stone 12 ins. in dia
ground for 1 Sec. 4 or 100 ft. dia. 12 ins. dia.
N and S of stone 36 feet dist. and placed
12 ins. dia. of stone 12 ft. from N. base of
12 ins. dia. N. of stone 36 feet dist. 2 ins.
dia. 12 ins. in the ground marked 1 S. on
Jack.

T 21 S R 27 E

Chain
8000

Deposited a marked stone 12 ins. in the ground for C^o to Secs 23-24-25+26, dug pits 18 x 18 x 18 ins. in each Sec. 51 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base overall. In S. E. pit drove a stone 2 ins. sq. 2 1/2 ft. long 12 ins. in the ground marked T-218 S. 24 on N. E. E. 218 S. 25 on S. E. S. 26 on S. W. and S. 23 on N. W. faces with 2 notch ~~es~~ on S. and 1 notch on E. edges.

Land Level

Soil 2nd to 3rd rate

Grass fair

Scattering brush

East on a random line
bet pccs 24 and 25-

QVA 11040 E

4000

Set temporary 1/4 sec cor

T 21 S R 27E

Chain
4000

Deposited a marked stone 12 lbs. in the
ground for Sec. Cor. on pit 18 ins. deep
N S of stone 12 feet dist. and raised
a mound of earth 18 ft. high 4 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1 W

75.30
8000

Cross Road bears E & W

Deposited a marked stone 12 lbs. in the
ground for Cor. to Secs. 13, 14. 27E 24
18 x 18 x 18 ins. in each Sec. 54 ft. dist. and
raised a mound of earth 2 ft. high 4 ft. base
over it. In S E pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T. 21 S
13 on N. E. 27E 24 on S. E. S 23
on S. W. and S. 14 on N. W. faces with
3 notches on S and 1 notch
on E edges.

Land Level
Soil 2ⁱⁿ to 3ⁱⁿ rate
Grass fair

T 21 SR 27E

Chain

Scattering brush

East on a random line
bet pccs 13 and 24

W 110° 40' E

40.00

Set temporary 14 pcc cor

80.10

Intersect the E body of
sp 40 links S of cor to pccs
13, 18, 19 and 24 which is a
Limestone 9x8 ins. above
the ground marked
with 3 notches on N & S
edges and mound of
stone alongsideThence from
S 89° 43' W on a true

T21 S R 27E

Chains

line bet secs 13 & 24
with same va

40.05-

Demarcated a marked stone 18 ins. in
ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins.
E and W of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $6\frac{1}{2}$ ft. base
ft. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.10

The Cor to secs 13, 14
23 and 24

Land level
Soil 2nd to 3rd rate
Grass fair
scattering brush

T 21 SR 27E

Chain

North let pccs 13 & 14
@ val 10 40 E

4000

Deposited a marked stone 12 ins. in the
ground for A Sec. Cor. dug pits 18 x 18 x 12 ins
North S of stone 54 feet dist and raised
mound of earth 1 1/2 ft high 34 ft. base over
In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on W
face.

8000

Deposited a marked stone in
ground for bar in Secs 11, 12, 13 & 14
18 x 18 x 12 ins. distance Sec 11
raised a mound of earth 2 ft. high 34 ft. base
over it in S. E. pit drove a stake 2 ins. sq. 12
ft. long 12 ins. in the ground marked T. 21 S
S. 12 on N. E. 27E 13 on S. E. S. 14
on S. W. and S. 11 on N. W. faces, with
4 notches on S. and 1 notch
on edges.

Land Level

J 21 S R 27E

chamni

Soil 3 to 4 rate
 Grass fair
 Scattering brush

East on a random
 line bet secs 12 & 13
 Va $11^{\circ} 40^{\circ} E$

4 0-00
 80 5-0

Set Temporary 44 sec cor
 Intersect the E bdy
 of T_p 60 links S of
 cor to secs 7, 12, 13 & 18
 which is a lime ston
 12 x 5 in above the
 ground marked
 with 4 notches on S
 and 2 notches on N

T 21 S R 27 E

Chain

edges mound of stone
alongside

Thence from
S 89° 34' W on a true
line bet secs 12 & 13
with same cu

Descend slope at an angle
of 3 1/2° and

1025

Set a Quartz ~~stone~~ 12" x 10" x 6" (ins.) 7" dia.
in the ground for 1/2 Sec. Cor. marked 1/2 on N
face, dug pit 18 x 18 x 12 ins. E and W
of stone 50 ft. dist. and raised a mound of earth
11 ft. high, 24 ft. base, alongside

8050

The cor to secs 11, 12, 13 & 14
Land Level 4050
E 1/2 mountainous 4050
Soil 3rd to 4th rate
Grass fair

T 21 S R 27E

Chamis

North bet sec 11 & 12

@ N 11' 40' E

40.00

Deposited a marked stone 12 ins. in the ground for Sec. Cor. dug pits 18 x 18 x 12 ins.

N S

in N lot drove a stake 2 ft long 2 1/2 sq. ins. in the ground marked S. W. N.

80.00

Deposited a marked stone 17 ins.

ground for Cor. to Sec. 10-11+12

1 N E 27E S 12' N S E S 11'

on S W and S 2 on N W faces with 5 notches on S and 1

Land Level

Sail 3 1/2 rate

T 21 SR 27E

Chamie

Good Grass
Dense brush

Cast on a random
line bet secs 1 and 12

Val 1040' E

1000

Set Temporary 1/4 sec cor

8047

Intersect the East bdy
of T 21 SR 27E S of cor
to secs 16.7 and 12 which
is a lime stone 10x8 in
above ground marked
with 5 notches on S and
1 notch on N edges put
and mound of earth
of required size

T21 SR 22E

Chain

Thence Iron

S 89° 30' W. on a
true line bet pccs 1.12
with same va

40.23

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 12 x 12
E and W of stone 50 feet apart
a mound of earth 14 ft. high 24 ft. base
ft. In E pit drove a stake 2 ft. long 2 inc.
sq. 12 ins. in the ground marked 1/4 on N
face

8047

The cor to pccs 1.2.11 & 12

Land rolling

Soil 3rd to 4th rate

Grass fair

Dense brush

T21SR27E

Chain

North on a true line
bet secs 1 & 2

Va 11°40'E

10.00

Set a Granite stone 12" x 10" x 6" in
in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$ on W
face, dug pits 18" x 18" x 12" ins. N and S
of stone 5 ft. dist. and raised a mound of earth
12 ft. high 8 ft. base alongside.

71.90

Cross Dry Wash 15-20 links
wide course W

75.50

Intersect the 4th Std S
11 chs W of std 114 sec cor
on S B dy sec 35. T20W
R27E. which is a
porphyry stone 14 x 8 ins
above the ground
marked S. C 114 on N
face mound of stone

T 21 SR 27E

Charris

alongside

At the point of
 Intersection I set a
 boulder $10 \times 9 \times 8$ ins. 5
 ins in the ground
 for closing cor to
 secs 1 and 2 marked
 l.b with 1 notch on E
 and 5 notches on W
 faces and raised a
 mound of stone along-
 side

Land rolling
 Soil 3rd to 4th nat
 Grass fair
 Dense brush

T21 SR27E

Chain

From the cor
to secs 2, 3, 34 and 35
T21 SR27E on
S. E. of T.P. previously
described by me from
N. W. Secs 34 & 35
V911°40'E

4000

Deposited a marked stone 12 ins. in the
ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 34 feet dist. and raised
a mound of earth 14 ft high 31 ft base
N. to N. - N. W. - N. E. - N. E. - N. E. - N. E.
N. W. - N. W. - N. W. - N. W. - N. W. - N. W.
39. 12 ins. in the ground marked 4 S on W

5-9-10

Cross Road bears N. W. 80° E

T 21 S R 27 E

chains

80.00

Deposited a marked stone 12 ins. in
ground for Cor to Secs 26, 27, 34, 35
to 270 272 280. In each sec. 2 1/2 ft. deep
raised a mound of earth 2 ft. high 12 ft.
diam. In S. E. pit drove a stake 2 ins.
1/2 ft. long 12 ins. in the ground marked T 21 S
26 and T 27 E 35 E S. 34
on S. W. and S. 27 on N. W. faces
1 post on S. and 2 notches
on E. edges.

Land Level

Soil 2nd to 3rd rate

Grass fair

No. brush

Cast on a random
line secs 26 & 35

4000

Set Temporary 4 sec cor

T 21 SR 27E

Chamiz

80.10

Intersect the N & S
line 15 links S of cor
to secs 25, 26, 35 and 36

Thence I run
S $89^{\circ}54'$ W on a true
line bet secs 35 & 26
with same va.

40.05

Set a Granite stone, 8 x 8 x 8 ins. 5 ins.
in the ground for 1 Sec, Cor, marked 1 on N
- Sec. 500 pits 18 x 18 x 12 ins. E and W
of stone 5 1/2 ft. dist. and raised a mound of earth
14 ft. high, 3 1/2 ft. base, alongside.

80.10

The cor to secs 26, 27
34 and 35

mesa gradually descended
to N.E

T21 SR 27E

Chambers

Soil 2nd rate
 Grass fair
 Scattering brush

North bet secs 26 & 27
 @ Va 11° 40'E

40.00

Deposited a marked stone 12 ins. in the
 ground for 1 Sec. Cor. Aug 1871. 12 ins.
 N and S of stone 12 ft. N and S of stone
 a distance of 12 ft. N and S of stone over
 it. In N pt drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked S. on W
 face.

T 21 SR 27E

Chains

T. 000

Deposited a marked stone 12 ins. in the ground for Co. to Secs 22, 23, 26, 27 dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 9 ft. high 12 ft. base over it in S.E. pit drove stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 21 S 23 on N.E. 27 E S 26 on S.E. S. 27 on W. and S. 22 on N.W. faces with 2 notches on S. and 2 notches on N. edges.

Land Level

Soil ^{mo} 2nd rate

Grass fair

No. brush

East on a random line
bet secs 23 and 26
Qr 11° 40' E

T₂ SR 27E

Chamis

4000

80.15

Set Temporary 1/4 sec cor
Intersect the N & S
line 20 links S of
cor to secs 23, 24, 25
& 26

Thence I run
S 89° 51' W on a true
line bet secs 23 & 26
with same va

40.07

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W in same pit feet apart and placed
stone in center 11 ft. apart. The boundary
line in E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N
face.

80.15

The cor to secs 22, 23
26 and 27

Land Level

T21 SR 27E

Chains

Soil 2nd to 3rd rate

Grass fair

Scattering brush

North bet secs 22 & 23

wa 11° 40' E

1.75

Cross dry wash course S W

40.00

N S

44.00

Cross Road bears N.E

2.25

"

"

"

E W

T 21: SR 27E

Chamie
80.00

Deposited a marked stone 12 in. in dia.
 groups for Cor. to Secs. 14, 15, 22 & 23 in T. 21 S.
 18' x 18' ins. in each Sec, 50 ft. dist. and
 raised a mound of earth 2 ft. high, 4 ft. base,
 over it, in S. E. pt. above a circle 3 ins. dia.
 18' x 18' ins. in the ground marked T. 21 S.
 14 on N. E. H 27E 23 on S. E. S. 22
 on S. W and S. 15 on N. W. faces, with
 3 notch ∞ on S, and 2 notch ∞
 on E edges.

Land Level

Soil 2nd to 3rd rate

Good Grass

Scattering brush

East on a random
 line bet secs 14 and 23
 @ $11^{\circ} 40' E$

40.00

Set Temporary 1/4 sec cor

T21 SR 27E

Chain

80.10 Intersect the N & S line
15 links N of cor to secs
13, 14, 23 and 24

Thence I run
N 89° 54' W on a true
line bet secs 14 & 23
with same ga

40.05 Set a granite stone 12 x 10 x 8 in
in the ground for $\frac{1}{4}$ Sec, Cor, marked N
from dug pits 18 x 18 x 12 ins. E and W
of stone by ft. disk and raised a mound of earth
14 ft. high, 34 ft. base, alongside.

80.10 The cor to secs 14, 15, 22
& 23

Land Level
Soil 3rd rate
Grass fair
Scattering brush

T21 SR 27E

Charis

starch bet secs 14 & 15
 Va 11° 40' E

40.00

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{2}$ Sec. Cor. dug pits 18" x 18" x 12 ins.
 N and S of stone 54 ft. from stone used
 a mound of earth 18 ft. high x 5 ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked S on W
 face.

80.00

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{2}$ Sec. Cor. to Secs. 10 11, 14 & 15
 dug pits 18" x 12 ins. in each Sec. 54 ft. from
 stone used a mound of earth 2 ft. high on 4 ft.
 base. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked S on W face
 21 S
 11 on NE, R 27E, S 14 on SE, S 15
 on S 14 and S 10 on N W faces.
 4 markers on E, and 9 on W.

T2 SR 27E

Chain

Land Level

Soil 2nd to 3rd rate

Grass fair

Scattering brush

East on a random
line bet secs 11 and 14

Va 110°40'E

4000

Set temporary 1/4 sec cor

80.00

Intersect the N. & S line

20 links S of cor to secs

11, 12, 13 and 14

Thence run

S 89°51'W on a true

line bet secs 11 and 14

with same Va.

T21 SR 27E

Chain

40.00

Deposited a marked stone 12 ins. in
ground for 1 Sec. Cor. and placed a 12 in.
E and W
11. In E on 11. 27 Aug 2 1915.
sq. 12 ins. in the ground marked 12 on N
face.

80.00

The cor to secs 10, 11, 14, 15-

Land Level

Soil 4th rate

Grass poor

Dense Brush

North bet secs
10 and 11

C/A 11° 40' E

T 21 SR 27E

main
0.00

Deposited a marked stone 12 ins. in the ground for 1 Sec. Cor. dia. 18 x 18 x 18 ins. N and S of stone 1 1/2 ft. dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. long over it. In N pit drove a stake 2 ins. sq. 12 ins. in the ground marked 1 S on W face.

0.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 2, 3, 10, 11, dia. 18 x 18 x 18 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. long over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T 21 S S. 2 on N.E. E 27E S. 11 on S.E. S. 10 on S.W. and S. 3 on N.W. faces. with 5 notches on S. and 2 notches on E edges.

Land Level
Soil 3rd rate
Grass fair

T21 S R 27E

chains

Dense brush

East on a random
line bet secs 2 & 11

wa $11^{\circ} 40' E$

40.00

Set Temporary 1/4 sec cor

80.10

Intersect the N & S
line 15 links S of cor
to secs 1, 2, 11 and 12

Thence I run
 $S 89^{\circ} 54' W$ on a true
line bet secs 2 & 11 with same

40.05

Deposited a marked stone 12 ins in ~~the~~
ground for 1/4 Sec. Cor. dug pits 8 x 12 x 12 ins.

E and W of stone 5 1/2 feet dist. and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on N
face

T 21 S. R 27 E

Name

70.10

The cor to secs 2, 3, 10 and 11
 Land Rolling
 Soil 3rd rate
 Grass fair
 Dense brush

North ^{on a true line} set secs 2 & 3

on a 110° 40' E

70.00

Set a Lime stone, 14 x 12 x 12 ins. 9 ins.
 in the ground for 1/2 Sec, Cor, marked 1/2 on W
 face, dug pits 15 x 18 x 12 ins. N and S
 of stone 5 1/2 ft. dia. and raised a mound of earth
 1 1/2 ft. high, 3 1/2 ft. base, alongside.

75.25

I intersect the 4 stand S
 11.11 chs W of stand 1/4 sec
 cor on S body of Sec 34
 T 20 S. R 27 E, which is a

T21 S R 27E

Chains

Line stone 826 ins
above the ground
marked S.C. 1/4 on N
face and mound of
stone alongside.

At the point
of intersection set
a post 4 ft. long
4 ins sq. with
marked stone 12 ins
in the ground for
closing cor to sec
2 and 3 marked
C.C. T21 S R 27E on S
S2 on E S3 on W
face with 2 notches
on E and 4 notches

T 21 S R 27 E

Chairs

on west faces dug
 pits 18x18x12 ins S
 E & W of post 5 1/2 ft
 dist and raised a
 mound of earth 2 ft high
 4 1/2 ft base around post

Land Rolling

Grass fair

Soil 3rd rate

Dense brush

From the cor to
 secs 33 and 34. 3 and 4

Tp 21 S R 27 E
 on S bdy of Tpk previously
 described by me

T 21 S. R 27 E

Chain

I run North bet secs
33 and 34Va 11^d 40^e

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 10 x 10 x 12 ins.
N and S of stone 5 $\frac{1}{2}$ feet apart and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.00

Deposited a marked stone 12 ins. in the
ground for Cor. to Secs 27, 28, 33 & 34 dug pits
18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ feet apart and
raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base
over it. In S. E. corner drove a stake 2 ft. long
12 ins. in the ground marked T 21 S
S. 27 on N. E. R 27 E 34 on S. E. S. 33
on S. W. and S. 28 on N. W. faces, with
1 notch on S. and 3 notches
on E edges.

T21. SR 27E

chains

Land Level

Soil 2nd Rate

Grass fair

Ct. Brush

East on a random line
 bet secs 27 & 34

Wall $11^{\circ} 40' E$

40.00 Set temporary $\frac{1}{4}$ sec cor

80.05 Intersect the ct & line
 20 links ct of cor to
 secs 26, 27, 34 and 35-

Thence I run

ct $89^{\circ} 51' W$ on a true
 line bet secs 27 & 34 with
 same va

T21 SR 27E

Chains

- 13.05- Cross Road bears N 81
 40.02 Set a Granite stone
 6x4x4 ins 2 ins in the
 ground for $\frac{1}{4}$ sec cor
 marked $\frac{1}{4}$ on N face
 and raised a mound
 of stone alongside
- 55-05- Cross Road bears
 N 81 and SE
- 80.05- The cor to Secs 27, 28
 33 and 34
 Surface rolling & Level
 Soil 2nd ^{and} rate
 Grass fair
 or brush
-

T21 SR 27&

Chain

North let secs 27 & 28
@ Va $11^{\circ} 40' E$

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. $\frac{1}{4}$ sq pits 18 x 18 x 12 ins. And $\frac{1}{4}$ of line $5\frac{1}{2}$ feet dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on S face.

45.00

Cross Dry Wash course SW

51.00

N9W

71.10

N.E.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 21, 22, 27 & 28 $\frac{1}{4}$ sq pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T21 S. S 22 on N.E. R 27 & S 27 on S.E. S 28 on S.W. and S 21 on N.W. faces, with 2 notches on S. and 3 notches

T21 SR 22E

Chain

Land Level

Soil 2nd to 3rd rate

Grass fair

East on a random
line bet secs 22 & 27
@ $110^{\circ} 40' E$

40.00

Set temporary 1/4 sec cor

80.20

Intersect the rd
line 10 links S of
cor to secs 22, 23, 26
and 27

Thence run
 $S 89^{\circ} 56' W$ on a true
line bet secs 22 & 27
with same va

T 21 S, R 27 E

Chains
1.00
40.10

Cross Hay Wash Co. SW

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone by feet dist. and raised a mound of earth 11 ft. high 21 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

44.00
68.70
85.20

face. Cross road bearing N. E. & S. W

The cor to Recs 21. 22. 27. 28

Land Level

Soil 2nd rate

Grass fair

North bet secs 21 & 22

N 110° 40' E

T 21 S R 27 E

Chains

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits $18 \times 18 \times 12$ ins. N and S of stone 54 feet dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $1\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

43.00

Cross Road bears N. 90° E

62.75

" " " N. E. S. W

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 15-16, 21 & 22 dug pits $18 \times 18 \times 12$ ins. in each. Sec. 6 ft. dist. and raised a mound of earth 2 ft. high $1\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked $1 \frac{2}{3}$ S. $1\frac{1}{3}$ on N. E. R 27 E 22 on S. E. S 21 on S. W and S. 16 on N. W. faces, with 3 notches on S, and 3 notches on E edges.

Land Level
and
Soil grate

T21 S, R 27E

Chains

Very little brush
grass fair

Cast on a random
line bet secs 15 and 22
ova 11040'E

40.00 Set temporary 44 sec cor
79.95 Intersect the N+S line
10 links S of cor to sec
14, 15, 22 and 23

Thence from
S 89° 56' W on a true
line bet secs 15 and 22
with same va

T 21 SR 27E

Chains

39.97

300 Quartz stone, 8 ft x 8 in 5
 in the ground for $\frac{1}{2}$ Sec, Cor, marked $\frac{1}{2}$ on N
 face. dig pits 18 x 18 x 12 ins. E and W
 of stone at ft. dist. and raised a mound of dirt
 14 ft. high 31 ft. base alongside.

64.00

7.9.95

Opp road bears N + S
 The cor to secs. 15, 16

21 and 22

Land Level

Soil 2nd rate

Grass fair

North bet secs 15, 16

Va 11th 40E

T 21 S R 27 E

chains

4000

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 54 feet apart and raised a mound of earth 12 ft. high 2 ft. wide over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

8000

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 2, 10, 15 & 16, dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 2 ft. high 12 ft. wide over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T 21 S S. 10 on N.E. R. 27 E 15 on S.E. S. 16 on S.W. and S. 9 on N.W. faces with 4 notches on S. and 3 notches on E edges.

Land Level

Soil 2nd to 3rd rate

Grass fair

T₂ S R 27E

chain

East on a random line
bet secs 10 & 15

@ Va 10° 40' E

4000

Set temporary 114 rec cor

8000

Intersect the N & S

line 5 links N of cor
to secs 10, 11, 14 and 15

Thence I run

N 89° 58' W on a true
line bet secs 10 & 15

with same va

4000

Set a granite stone 10 x 8 x 8

in the ground for 1/2 Sec; Cor, marked
fuse, dig pits 18 x 18 x 12 ins. E Nof stone 5 ft. dist. and raised a monument
12 ft. high, 31 ft. base, alongside: W

6600

cross road bears N. W. 8 E

T21 SR 27E

Chamir

8000

The cor to sec 9, 10, 15 and 16
 Land Level
 Soil 2nd to 3rd rate
 Good Grass

North lot sec 9 & 10

V 110 40 E

23.40

Cross Road bears N W 1/4 E

40.00

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins.

N and S of stone 5 1/2 feet apart and raised
 a mound of earth 1 1/2 ft. high on N side over
 it. In N rd drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 face.

921 SR 27E

chains
80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 34, 9+10. The stone is 18 x 18 x 12 ins. in size. The stone is raised a mound of earth 2 ft. high by 12 ins. over it. In S. E. pt. above a stake 2 ins. x 2 ft. long 12 ins. in the ground marked 1218 S. 3 on N. E. R 27E 10 on S. E. S. 9 on S. W. and S. 4 on N. W. faces, with 5 notches on S. and 3 notches on E. edges.

Land level

Soil 2nd to 3rd rate

grass fair

East on a random line
bet secs 3 & 10

Qa 11° 45'E

40.00

Set temporary 1/4 sec cor

T21 SR 27E

Claims

79.75-

Intersect the N & S line
18 links S of cor to secs
2, 3, 10 and 11

Thence I run
S 89° 52' W on a true
line bet secs 3 & 10 with
same va

39.87

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins
E and W of stone 5 $\frac{1}{2}$ feet apart and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 2 ft. diameter
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

79.75-

The cor to secs 3, 4, 9 and 10
Land Level
Soil 3rd rate
Gross fair

T21 S R 27E

Chamir

Dense Brush

North on a town
line bet secs 3 & 4
Va 110 40E

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

Hand $\frac{1}{2}$ of stone in center of mound
a mound of earth 12 ft. high in the center
it. In center pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

67.10

Cross Dry Wash course or

74.90

Intersect the 4th std
S 1121 chs w of std 44
sec cor on S side of sec
33 T20 S R 27E which

T21 SR 27E

Chain

is a mound of earth
 and put in E put a
 stake marked S.C 145 on face
 at the point of intersection
 I deposited a marked
 stone 12 ins in the
 ground for closing on
 to sec 3 & 4 aug put 15 x 15 ft
 S.E & W of cor 5 1/2 ft
 dist. and raised a
 mound of earth 2 ft high
 4 1/2 ft base over it. in E
 put drove a stake 2 ft
 long 2 ins sq. 12 ins
 in the ground marked
 CC T21 SR 27E on S
 S3 on E on S4 on W face

T21 SR 27E

Chains

East on a random line
bet secs 28 and 33
9A 110 40 E

40.00
79.90

Set temporary 1/4 sec cor
Intersect the N & S
line 20 links S of cor
to secs 27. 28. 33 and 34

Thence from
S 89° 51' W on a true
line bet secs 28 and
33 with same 9A

39.95

Deposited a marked stone 12 ins in dia
for 1/4 sec. Cor. dug pit 18 x 12 ins.
E and W sides 7 ft. deep and raised
a mound of earth 1 ft. high on base over
it. In E side drove a stake 12 ft. long 2 in.
dia. 12 ins. from edge of mound 45 in N
face.

79.90

The cor to secs 28. 29. 31. and 32

T21 SR 27E

Chamiz

2 and level
 soil ^{3/4} rate
Good error

North between 28 & 29
 9911040E

31.00
 40.00

Cross road bears E or W

Deposited a marked stone 12 ins. in the ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins. A and S of stone 3/4 feet dist. and raised a mound of earth 2 ft. high 4 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked + S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 20, 21, 28 & 29 dug pits 18 x 18 x 12 ins. in each Sec. 3/4 ft. dist. and raised a mound of earth 2 ft. high 4 ft. base over it. In S. E. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked T21S S. 21 on N.E., R. 27E S. 28 on S.E., S. 29 on S.W. and S. 20 on N.W. faces, with 2 notch 10 on S. and 4 notch on S.E. face.

Land Level

T21 SR 22E

Chain

Soil 2nd to 3rd rate
Grass fairEast on a random
line bet secs 21 & 28
Val 11' 40E40.00 Set temporary 1/4 sec cor
79.80 Intersect the N-S line
10 links S of cor to Secs
21, 22, 27 and 28Thence I run
S 89° 56' W on a true
line bet secs 21 & 28
with same va

421 SR 2762

Chamiz

39.90

Set a Quartz stone, 10 x 8 x 7 ins. 6' 18.
in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on N
face, dug pits 18 x 18 x 12 ins. E and W
of stone 54 ft. dist. and raised a mound of earth
11 ft. high 31 ft. base alongside.

79.80

The Cor to pces 20, 21, 28
and 29

Land Level

Soil 2nd to 3rd rate

Grass fair

North bet pces 20, 21

99 110 40 E

40.00

Deposited a marked stone 12 ins. in the

N S

N

sq. 12 ins. in the ground marked $\frac{1}{4}$ Sec on W face

T 21 S R 27 E

Chain

53.00

80.00

Cross Road bears E & W

Deposited a marked stone in the
ground for Cor to Sec 16. 17. 2 & 21

18 x 18 x 18 ins

raised a marked stone 16. 17. 2 & 21

Chain 16. 17. 2 & 21

ft. long 12 ins in the N. and marked 21/8

S. 16 on N.E. R 27E 21

21/8

on S.W. and S. 17 on N.W. faces, with

3 notches on S. and 4 notches

on E edges.

Land Level

Soil 2nd to 3rd rate

Grass fair

T 21 SR 27E

No. 958

chain

East on a random
line bet secs 16 & 21

@ Va 110408

40.00 Set temporary 1/4 sec cor
79.85 Intersect the N & S line
10 links S of cor to secs
15, 16, 21 and 22

Thence from

S 89° 56' W on a true line
bet secs 16 & 21 with
same va

39.92

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits to a depth of 12 ins.

E and W

of stone 5 ft. apart and

a mound of earth 13 ft. high

at E pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked S on N

face.

T21 SR27E

Chains

44.92 Cross Road bears N.W. 8E
 79.85 The cor to secs 16, 17, 20
 and 21 -

Land Level
 Soil 2nd rate
 Grass fair

North bet secs 16 & 17
 @ Val 110° 40' E

27.00 Cross Road bears N.W. 8E

40.00 Deposited a marked stone 12 ins
 ground for 1/4 Sec. Cor. dug pits 18 x 18 x
 and 8 of stone 24 feet dist. from
 a mound of earth 14 ft. high by 24 ft. long
 it. In N. pt. drove a stake 2 ft. long
 sq. 12 ins. in the ground marked 1/4 S. on W
 face.

T 21 S R 27 E

Chambers

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 8, 9, 16 & 17. dug pits 18 x 18 x 12 ins. in each Sec. on N. side and raised a mound of earth 2 ft. high 4 ft. long over it. In S. E. pt. drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 21 S. 19 on N. E. R. 27 E. 16 on S. E. S. 17 on S. W. and S. 8 on N. W. faces, with 4 notches on S. and 4 notches on E. edges.

Land Level

Soil 3rd rate

Good Grass

Cast on a random
line bet secs 9 & 16

@ 911040 E

T21 S R 27 E

C Chain

40.00

80.15

SW temporary 1/4 sec cor
Intersect the N & S
line 20 links N of
Cor to secs 9, 10, 15 and 16

Thence I run

N 89° 51' W on a
true line bet secs
9 & 16 with same va

4
7

40.07

Deposited a marked stone 12 ins in the
ground for 1/4 Sec. Cor. dug pits 18 x 15 x 12 ins
E and W of stone 45 feet apart and raised
mound of earth 18 ft high 25 ft diam over
it. I set down a stake 2 ft long 2 ins
sq. 12 ins. in the ground marked 1/4 S. on N
face.

80.15

The cor to secs 8, 9, 16
and 17

Land Level

T21 SR 27E

Chain

Soil 3rd Rate
Grass fair

North bet secs 8 & 9
@ Va 11° 40' E

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of corner. 1 ft. high and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. back over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 4, 5, 8 & 9. dug pits 18 x 18 x 12 ins. in each Sec. 1 1/2 ft. high and raised a mound of earth 2 ft. high 4 1/2 ft. back over it. In S 5 pit drove a stake 2 ins. sq. 3 ft. long 12 ins. in the ground marked 1/4 S. S. 4 on N.E. R27E 9 on S.E. S 8 on S.W. and S. 5 on N.W. faces, with 5 notch es on S, and 4 notch es on E edge

T21 SR27E

Chamis

Land Level

Soil 2nd to 3rd rate

Grass fair

Scattering brush

East on a random
line bet secs 4 & 9

N 91° 16' 40" E

40.00

Set temporary 1/4 sec cor

80.12

Intersect the N & S
line 18 links N of cor
to secs 3, 4, 9 and 10

Thence I run

N 89° 52' W. on a true
line bet secs 4 & 9
with same va

T21 SR 27E

Chain

31.62 Cross road bears

N 90° SE

40.06

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 12 x 12 in. E and W of stone - 5 ft. deep and raised a mound of earth 1 1/2 ft. high 34 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ Sec. on N face.

80.12

The cor to Recs 415-8 and 9

Land Level

Soil 3rd rate

Good grass

Scattering brush

North on a true line

5 68

T21 S R 27 E

E chain

bet secs 465

9011°408

40.00

Deposited a marked stone
ground for 1/4 Sec. Cor. dug pits
N and S of stone 1/4 face
a mound of earth 11 ft high
it. In N pit drove a stake 2 ft long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on W
face.

4 75.00

7

Intersect the 4 old
S. 11.28 chs W of std
44 sec cor on S day of
sec 32. T20 S R 27 E
which is a mound
of earth and pits in
E pit a stake marked
S.E. 44 S on N face
at the point of
intersection I deposited

T 21 S R 27 E

Chain

a marked stone 12 in
 in the ground for
 closing cor to pccs 4 and 5
 dug pits 18 x 18 x 12 in.
 S.E. and W of cor 5 1/2 ft
 dist. and raised a
 mound of earth 2 ft high
 4 ft base over it in E pit
 drove a stake 2 ft long
 2 in. sq. 12 in. in the
 ground marked

C.C. T 21 S. R 27 E on S
 S 4 on E S 5 on W
 faces with 4 notches on
 E and 2 notches on W wedges
 Land Level

T21 SR 27E

c Cham

Soil 2nd rate

Good Grass

I carefully the adjustments
of my solar transit
particularly the latitude
and reversing apparatus
and found them
Correct

From the cor to
secs 5. 6. 31 and 32
T21 SR 27E
on S bay of Dk
previously described by

T21 SR 27E

Chain

me I run N bet secs 31, 32

40.00

Deposited a marked stone 12 ins in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 ft. dist and raised a mound of earth 1 1/2 ft. high 1 1/2 ft. diam over it. In N pit drove a stake 2 ft. long 2 ins sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

60.85

cross Road bears NE, SW

80.00

Deposited a marked stone 12 ins in the ground for Cor. to Secs 29, 30, 31, 32. 18 x 18 x 12 ins in each Sec, 5 ft. dist on raised a mound of earth 2 ft. high 4 ft. diam over it. In S.E. pit drove a stake 2 ins sq. 2 ft. long 12 ins in the ground marked T21 S. 29 on N.E. R. 27E S 32 on S.E. S. 31 on S.W. and S. 30 on N.W. faces, with 1 notch on S, and 5 notch on E edges.

T 21 S R 27 E

C. Chamis

Land Level

Soil 2^{mg} to 3rd rate

Grass fair

Cast on a random line
bet secs 29 & 32

@ $11^{\circ} 40' E$

40.00

Set temporary 1/4 sec cor

80.10

Intersect the N & S
line & mark N of cor
to secs 28, 29, 32 and 33

Thence I run

N $89^{\circ} 57' W$ on a

true line bet secs
29 & 31 with same θ

921 SR 27E

Chambers

40.05

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pit 18" x 12" x 12" E and W of stone 1/2 ft. from a brand of earth 12" sq. in. In Ee pit above a marked stone 12 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

49.00

80.10

face. Grass Road bears N. 28.5 W
The cor to secs 29.30. 31 & 32

Land Level

Soil ^{ground} to 3rd state

Grass fair

West on a random line bet secs 30 and 31

Pa. $11^{\circ}40'E$

40.00

79.85

Set Temporary $\frac{1}{4}$ Sec cor
Intersect the W bay of 9th 20 links N of cor

T 21 S R 27E

C. Chains

to secs 25, 30, 31 and 36
 which is a mound
 of earth and fits in
 SE with a stake
 marked T 21 S. S 30 on
 N.E., R 27E sec 31
 on S.E. R 26E S 36 on
 S.W. and Sec 25 on
 N.W. marked with
 1 notch on S and
 5 notches on N edges
 Thence I run
 at $89^{\circ} 51'E$ on a
 true line bet secs
 30 and 31 with same
 or

T 21 S R 27 E

Chambers

39.85

Deposited a marked stone 12 ins. in the ground for $\frac{1}{2}$ Sec. Cor. dug pits 8 x 18 x 12 ins. E and W of stone on 1st sec. on 1st sec. a mound of earth 15 ft. long by 12 ft. wide. In E pit drove a stake 2 ft. long 12 ins. sq. 12 ins. in the ground marked + S. on N face.

42.07

Cross Road bears NW SE

43.07

" Dry Wash course SW

79.85

The cor to secs 29, 30, 31

and 32

Land Level

Soil 2nd to 3rd rate

Grass fair

North bet secs 29 & 30

W. a. 11° 40' E

T2, S-R 278

C chains
40.00

Deposited a marked stone
ground for 1/2 Sec. Cor. dug 18" x 18"
N and S of stone
a mound of earth 24" high
it. In N pit dug 12" x 12"
sq. 12 ins. in the ground
face.

W

80.00

Deposited a marked stone
ground for Cor. to Sec. 19.20.29 & 30
18 x 18 x 12 ins. in each
raised corner of
over it. In S E pit
ft. long 12 ins. in
S. 20' on E 27E 29
on S W 19

2/S

30

2 notches on S. and 5 notches
on E edges.

Land Level
Soil 2nd to 3rd rate
Grass fair

T21 S R 27 E

Chains

Cast on a random
line bet secs 20 + 29

Va. $11^{\circ}40'E$ 40.00 Set temporary $1/4$ Rec cor79.85 Intersect the N. and S
line 10 links N. of cor
to secs 20, 21, 28 and 29

Fence Run

$N 89^{\circ} 56' W$ on a true
line bet secs 20 and 29
with same Va

17.30 Cross Road bears N. W. S. E

50 78

T21 SR27E

Chains

39.92

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. aug pit 1 ft. in E and W of stone. In front of stone a mound of earth 1 1/2 ft. high with base over it. In E pit drove a stake 2 ft. long 1 1/2 sq. 12 ins. in the ground marked 1/4 Sec. on N face.

79.85

The cor to secs 19, 20
29 & 30

Land Level
Soil 2nd to 3rd rate
Grass fair

Nest on a random
line bet secs 19 & 30
W 11' 40" E

T21 SR 27E

Chain

40.00 Set temporary $1/4$ corner
 80.10 Intersect the West side
 of the 40 links N of
 cor to secs 19, 24, 25
 and 30 which is a
 mound of earth and
 put in I.E. put a
 stake marked.

T21 S 19 on NE
 R 27E S 30 on SE
 R 26E S 25 on SW
 and sec 24 on NW
 faces with 2 notches
 on S and 4 notches
 on N edges

Fence Run
 N $89^{\circ} 43' E$ on a true line

T 21 S R 27E

C. chain

bet secs 19 & 30 with
same va

40. 10

Deposited a marked stone 12 in
ground for $\frac{1}{4}$ Sec. Cor'd a pit 3 x 17 in
E and W. of stone in 1st 10' from
a mound of earth 14 ft high
th. in E pit drove a stake 2 ft from
sq. 12 ins. in the ground marked $\frac{1}{4}$ Sec. N
face.

80. 10

The cor to secs
19, 20, 29 & 30

Land Level
Soil 2nd to 3rd rate
Grass fair

North bet secs 19 & 20
Va 11° 40' E

T21 SR 27E

Chains
40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $\frac{1}{2}$ ft. apart and raised a mound of earth 12 ft. high over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 17, 18, 19 ~~20~~
18 x 18 x 12 ins. in each Sec. dug pits and raised a mound of earth 12 ft. high over it. In S E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S on W face. In S W pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S on E face. In N E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S on W face. In N W pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S on E face. 3 notches on S, and 5 notches on E edges.

218
17 278 20 19
18 on S W, and S 18 on N W faces with

Land Level
S ml 2nd to 3rd rate
Grass fair

Tr. S.R. 27E

chain

East on a random line bet secs 17 & 20

Pa 11°40'E

40.00 Set temporary 1/4 sec. cor

80.00 I intersect the N & S line 20 links N of Cor to secs 16, 17, 20 & 21

Thence I run at 89° 57' W on a true line bet secs 17 & 20 with same Pa

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 8 x 12 x 12

E and W of stone 12 feet

a mound of earth 12 ft. high

it. In E pit trace a line 12 ft. long

sq. 12 ins. in the ground marked 1/4 Sec. N

face.

T 21 S R 27 E

Chain
80.00

The cor to Secs 17, 18, 19 + 20
2nd Level

Soil 2^{over} to 3rd rate

Grass fair

West on a random
line bet secs 18 + 19

Va 11° 40' E

40.00

Set temporary 44 sec cor

80.20

Intersect the Wbdy
of Twp. 50 N. 1/4 of
Cor to secs 13, 18, 19 + 24
which is a mound
of earth and puts in
S.E. pit a stake
marked T 21 S. S 18 on 18 E
R 27 E S 19 on S.E. R 26 E

T21 SR 27E

chains

S 24 on S.W. and
 Sec 13 on N.W.
 with 3 notches out
 of edges.

Fence Iron
 at $89^{\circ} 39' E$ on a true
 line bet secs 18 & 19
 with same va

40.20

Deposited a marked stone
 ground for $\frac{1}{4}$ Sec. Cor. d. 10 pits 18, 18, 18
 E and W of stone 5 ft apart
 a mound of earth 14 ft high
 it. In E pit drove a stake 2 ft long
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on A
 face.

74.20

Cross Road bears S-E-NW

80.20

The cor to secs 17, 18
 19 and 20

521 SR 27E

chain

Land Level

Soil 2nd to 3rd rate

Grass fair

Month between 17 & 18

Wa. 11° 40' E

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pit 18 x 18 x 12 in.

N and S of stone 1/4 ft. distance
a mound 18 x 20 x 12 in. high 3/4 ft. high over

stone. N. pit dug a stone 12 x 12 x 12 in. sq. 12 ins. in the ground marked 1/4 S. on

face. W

T21 S R 27E

Chumir

80.00

Deposited a marked stone
 ground for Cor. to Secs 7 S. 17 & 18
 18 x 18 x 12 ins. in each sec
 raised a mound of earth 2 ft
 over it. In S. E. pt. of sec a stake 3 ins
 ft. long 12 ins. in diam. and marked 21 S
 S. 8 on N. E. 27E 17 18
 on S. W. and S. 7 on N. W. faces. with
 4 notches on S, and 5 notches
 on E edges.

Land Level

Soil 3rd rate

Good Grass

Cast on a random
 line bet sec 8 & 17

of a 11° 40' E

40.00 Set temporary 1/4 sec cor

T21 S R27E

Chains

79.95- Intersect the cr. & S line
15-links N of cor to secs
8, 9, 16 and 17

Thence Iron
N $89^{\circ} 54' W$ on a true
line bet secs 8 & 17 with
same va

39.97 Set a Quartz stake 9 9 9 6
in the ground for a Sec. Cor. marked
free dug pits 18 x 18 x 12 ins. E and W
of the 9 9 9 stake and raised a mound of earth
12 1/2 ft high, 24 ft. diam. along side

61.95- Cross road bears N W 1/4 SE

72.95- " " " "

79.95- The corner to secs 7, 8, 17, 18
Land Level
Soil 3rd rate

T 21 SR 27E

chain

Grass Good

West on a random
line bet secs 7 & 18

Val 110 40E

40.00 Set temporary 1/4 sec cor

80.26 Intersect the W body
of Twp 56 links N of
cor to secs 7, 12, 13 and 18
which is a mound
of earth and put
in S.E. pit a stake

T 21 S 87 on N.E. R 27E
S. 18 on S.E. R 26E S 13 on
and S 12 on N 27
S.W. face with 4 notches
on S and 2 notches

T 21 S R. 27 E

Cham on Wedges,

Thence from

N 89° 36' E, on a true
line bet secs 7 & 18 with
same Va

40.26

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins.

E and W

a mound of earth 12 ft. high x 4 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face

80.26

The cor to Secs 7, 8, 17 and 18

2 and Level

Soil 3rd rate

Grass good

North bet secs 7 & 8

Va 11040 E

T 21 S. R 22 E

Chains
27.00
40.00

Cross Road bears N 20 + SE

Deposited a marked stone 12 ins. in ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 in. N and S of stone 25 feet apart. In N pit raised a mound of earth 12 ft. high 12 ft. diam. In S pit drove a stake 2 ft. long sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in ground for Cor. 10 Sec. 56.76 8-

18 x 18 x 18 ins. on E. Sec. 53.76 18 raised a mound of earth 9 ft. high 12 ft. diam. In S pit drove a stake 2 ft. long 12 ins. in the ground marked 218 S 5- on N E. 22E S 8 on S E. S 7 on S W and S 6 on N W faces, with 5 notches on S, and 5 notches on E edges.

Land Level
Soil 3rd Rate
Grass Good

T21 S R 27E

Chain

East on a random line
bet secs 5 & 8

9a11°40'E

40.00 Set temporary 114 sec cor

79.90 Intersect the N & S line
5 links N of cor to secs
4, 5, 8 and 9.

Thence I run

N 89° 58' W on a true
line bet secs 5 & 8 with compass

39.95

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins

E and W of stone 54 feet apart and raised
a mound of earth 14 ft high 74 ft base over
it. In E pit drove a stake 2 ft long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face

79.90

The cor to secs 5, 6, 7 and 8
2 and Level

T21 SR 27E

Chamie

Soil 3rd rate

Good grass

West on a random
line bet secs 6 & 7

40.00

Set Temporary ^{on 11040° E} 1/4 sec cor

80.38

Intersect the NW body
of Tpe 7 links S of
Cor to secs 1, 6, 7 and 12
which is a mound of
earth and pits in
SE. put a stake
marked T21 S. 86 on SE
R 27E 87 on SE R 26E
812 on SW. and Sec
1 on NW. with 5 notches

T21 SR 27E

chain

on S and 1 notch on S
edges

Thence Iron

S 89° 57' E on a true
line bet secs 6 & 7 with
same va

13.83 Cross Road bears N.W. SE

40.38

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 in
E and W of stone 24 feet from the corner
a mound of earth 14 ft. high 24 ft. diam. and
it. In E pit drove a stake 2 ft. long 2 ins
sq. 12 ins. in the ground marked + S. on N
face.

80.38

The cor to secs 5-6, 7 and 8
Land Level
Soil 3rd rate
Grass Good

T 21 S R 27E

Chain

North on a true
line bet rec 5 & 6
Va 11°40'E

40:00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pit 5' x 10' S. of S.
N and S of stone 5' feet apart and raised
a mound of earth 14 ft. high to place a
stake. In N pit drove a stake 2 ft. long, 2 in.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.

75:70

Intersect the 4th std
S. 11.32 chs W of std
14 sec corner S body of
rec 31 T 20 S R 27E which
is a mound of earth
and put in $\frac{1}{4}$ sec a
stake marked S. E $\frac{1}{4}$
S on N face at the

T21-SR-27E

point of intersection
 set a post 4 ft long
 4 in dia. with marked
 stone 12 in in the
 ground for doing
 cor to pces 5 and 6
 marked 66 T21-SR

27E on S 85 on E and
 Sec 6 on W face with
 5 notches on E and 1
 notch on W face aug
 pits 18 x 18 x 12 in S.E. and W
 of post 5 1/2 ft dist. and
 raised a mound of earth
 2 ft high 4 1/2 ft base
 around post

Land Level

of survey

For final oaths
see Book No. 157

U. S. Surveyor General's Office,

Tucson, Arizona, May 11 1885

The foregoing Field Notes of the Survey of the

subdivisional lines
of T. & S. R. & C.

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by Lewis Wolfley

Deputy Surveyor, under his contract of the 11th

day of November, 1884, having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved.

Royal A. Johnson
Surveyor General.