

BOOK 968

No. 968

# Field Notes

OF THE SURVEY OF THE

BOOK 968

*SUBDIVISION LINES*

-OF- No. 968

Township 20 S Range 17 E

*Gila and Salt River Base and Meridian*

**ARIZONA.**

By Theo. F. White D. S.

under contract dated Aug. 21 1874.

Survey commenced October 12 1874.

Survey completed October 17 1874.

968

Contract of Aug 21

1A

BOOK 968

**PRELIMINARY OATHS OF ASSISTANTS.**

WE, R. A. Vasquez

and L. D. Burton

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

R. A. Vasquez

L. D. Burton

Sworn to and subscribed before me, this 3<sup>rd</sup> day of October . 1874

William Bohm  
Notary Public



W.E. W. H. Aubury, H. G. Morse  
and C. S. Leon

do solemnly swear that we will well and truly perform the duties of Flagman, Axeman  
and mound builder, respectively,  
 according to instructions given us, and to the best of our skill and ability.

W. H. Aubury,  
H. G. Morse  
C. S. Leon

Sworn to and subscribed before me this 3<sup>o</sup>  
 day of October 1874

William Babson  
Notary Public



10

4-674.

Township **20 S**, R **17 E**, *Secs. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12*

BOOK 968

6	60	5	44	4	33	3	22	2	11	1
59	58		43		32		21		10	
7	57	8	42	9	31	10	20	11	9	12
56	55		41		30		19		8	
18	54	17	40	16	29	15	18	14	7	13
53	52		39		28		17		6	
19	51	20	38	21	27	22	16	23	5	24
50	49		37		26		15		4	
30	48	29	36	28	25	27	14	26	3	25
47	46		35		24		13		2	
31	45	32	34	33	23	34	12	35	1	36

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

to Beginning on S. boundary at cor. to secs. 35 and  
36. Same

North between secs. 35 & 36.  
var.  $14^{\circ}06'$  East

As per East boundary.

17.00 Road to Santa Cruz has. S. E.

20.00 Set a granite stone  $12 \times 8 \times 6$  inches

$\frac{1}{2}$  in the ground, marked 44, and outside,  
build mound of earth 2 ft high, with pit  
1 ft deep, 2 ft long, 1 ft wide, as per instructions for  
44 sec. cor. Notice near.

21.00 Drive charred stake and build mound  
of earth 2 ft high, with pit 1 ft deep, 2 ft long,  
1 ft wide, and in center of pit S. E. of cor. drive  
a stake, marked and notched, 2 ft long,  
2 in. sqd. 1 ft in the ground, as per in-  
structions for cor. to secs. 25, 26, 35  
and 36. Remote from stone & timbers.  
Sand smooth, slightly ascending N. Small  
Good grass. No timbers.

2  
#

BOOK 968

Township 20 S Range 17 E  
Gila and Salt River Meridian

hs East.

Curved line between sec. 25 & 36.  
bear.  $14^{\circ}06'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.12 Intersect E. boundary S. 1/4 N. of cor.  
to sec. 25 & 36. from which cor.

Draw

N.  $89^{\circ}57'$  W.

Anticline line between sec. 25 & 36.  
bear.  $14^{\circ}06'$  East

40.06 Drive charred stake and build  
mound of earth 2 ft high, with pile  
1 ft deep, 2 ft long, 1 ft wide, as per  
instructions, for  $\frac{1}{4}$  sec. cor.

Remote from stone and timber.

80.12 Cor. to sec. 25, 26, 35 & 36.

Soil smooth, descending a little  
E. Good grass. No timber.

Township 20 S Range 17 E.  
Gila and Salt River Meridian

To North between sec. 25 & 26.  
cor. 14° 06' East

40.00 Drive charred stake and build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions, for 74 sec. cor. Remove from stone & timber.

80.00 Set a granite stone 10 x 10 x 8 inches,  $\frac{2}{3}$  in the ground, notched S. & E. and on N. side build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor. to secs. 23, 24, 25 and 26.

No trees near.

Sand smack. Good grass.  
No trees.

Township 20 S. Range 17 E.

Gila and Salt River Meridian

hs East

On random line between sec. 24 & 25.  
 cor.  $14^{\circ}06'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.81 Intersect E. boundary 18 hrs. N.  
 of cor. to sec. 24 and 25, from  
 which cor. Run  
 $N. 89^{\circ}52' W.$

On true line between sec. 24 & 25  
 cor.  $14^{\circ}06'$  East

39.90 Saw charred stake and could  
 mound of earth 2 ft high, with  
 pit 1 ft deep, 2 ft long, 1 ft wide,  
 as per instructions for  $\frac{1}{4}$  sec. cor.  
 Remove from stone and timber.

79.81 Cor. to sec. 23, 24, 25 & 26.  
 Land smooth. Good grass.  
 No timber.



Township 20 S. Range 17 E  
 6th and Salt River Meridian

- As North between sec. 23<sup>rd</sup> & 24<sup>th</sup>  
 cor. 14° 06' East.
- 40.00 Set a granite stone 10 x 8 x 4 inches,  
 $\frac{2}{3}$  in the ground, marked 14,  
 and on N. side, build mound  
 of earth 2 ft high, with pit  
 1 ft deep, 2 ft long, 1 ft wide, as  
 per instructions, for 14 sec. cor.  
 No trees near.
- 80.00 Set a granite stone 12 x 12 x 8 inches,  
 $\frac{2}{3}$  in the ground, marked S. & E.  
 and on N. side, build mound  
 of earth 2 ft high, with pit 1 ft  
 deep, 2 ft long, 1 ft wide, as per in-  
 structions for cor. to sec. 13,  
 14, 23 and 24. No tree near.  
 Land descending a little S. E.  
 Good soil and grass.  
 No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian  
T<sub>1</sub>s East.

On random line between sec. 13 & 24  
var. 14° 06' East

110.00 Set temporary 1/4 sec. cor.

79.93 Intersect E. boundary at cor. to sec.  
13 and 24 from which cor. Run  
West

On true line between sec. 13 & 24  
var. 14° 06' East

39.96 Set a granite stone 12 x 8 x 6 inches  
2/3 in the ground, marked "14"  
and on W. side, build mound  
of earth 2 ft high, with pits 1 ft  
deep, 2 ft long, 1 ft wide, as per  
instructions for 1/4 sec. cor.  
No trees near.

79.93 Cont. to sec. 13, 14, 23 & 24.  
Land smooth, slightly undulating.  
Good soil excellent pasturage.  
November.

Township 20 S. Range 17 E.  
 Gila and Salt River Meridian

to North between sec. 13 & 14.  
 cor. 14° 06' East

40.00 Set a granite stone 10x8x6 inches  
 $\frac{2}{3}$  in the ground, marked 74,  
 and on N. side, build mound  
 of stones 2 ft high, as per  
 instructions for 74 sec. cor.  
 No trees near.

80.00 Set a granite stone 10x10x10  
 inches,  $\frac{2}{3}$  in the ground, notched  
 S.  $\frac{1}{4}$  E, and on N. side build  
 mound of stones 2 ft high as  
 per instructions, for cor. to  
 sec. 11, 12, 13 and 14.  
 No trees near.

Land rolling. Good pasturage  
 No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

To East.

On random line between sec. 12 & 13.  
var. 14° 06' East.

40.00 Set temporary 1/4 sec. cor.

79.90 Intersect E. boundary 12 hrs. S. of  
cont. sec. 12 and 13, from which  
cor. drawn

S. 89° 55' W.

On true line between sec. 12 & 13.  
var. 14° 06' East.

39.95 Set a granite stone 14 x 8 x 6 inches  
2/3 in the ground, marked 1/4,  
and on W. side, build a mound  
of stones 2 ft high, as per in-  
structions, for 1/4 sec. cor.

Notes near

79.90 Cont. to sec. 11, 12, 13 and 14.  
Sand rolling. Good grazing  
no timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

Co. North between sec. 11<sup>th</sup> & 12<sup>th</sup>  
cor. 14° 06' East

34.00 Dry creek, 40 lbs. wide, bas. N. W.

40.00 Set a granite stone 10 x 10 x 6 inches  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ ,  
and on N. side, build mound  
of earth 2 ft high, with pile  
1 ft deep, 2 ft long, 1 ft wide, as  
per instructions, for  $\frac{1}{4}$  sec. cor.  
No trees near.

50.00 Set a granite stone 12 x 10 x 6 inches  
 $\frac{2}{3}$  in the ground, notched S. & E.  
and on N. side, build mound  
of stone 2 ft high, as per  
instructions, for cor. to sec.  
1, 2, 11 and 12, No trees near.  
Sand hilly and stony.

Good pasturage. No timber.  
October 12 1874

Township 20 S. Range 17 E.  
 Gila Salt River Meridian  
 No East

On random line between secs. 1 & 12  
 cor.  $14^{\circ}06'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.31 Intersect E. boundary 8 lvs. N. of  
 cor. to secs. 1 and 12, from  
 which cor. from  
 $N. 89^{\circ}54' W.$

On true line between secs. 1 & 12  
 cor.  $14^{\circ}06'$  East

40.15 Set a granite stone  $12 \times 10 \times 5$  inches,  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$  sec.,  
 and on N. side, build mound  
 of stones 2 ft high, as per in-  
 structions for  $\frac{1}{4}$  sec. cor.  
 No trees near.

80.31 Cor. to secs. 1, 2, 11 and 12.  
 Sand hilly and stony.  
 Good grazing. No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

Sec. North

On random line between sec. 1 & 2  
cor.  $14^{\circ}06'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.83 Intersect N. boundary 32 lbs.  
N. of cor. to sec. 1 and 2, from  
which cor. down  
 $S. 0^{\circ}14' W.$

On true line between sec. 1 & 2  
cor.  $14^{\circ}06'$  East.

39.83 Set a granite stone  $16 \times 8 \times 6$  inches  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ ,  
and on S. side, build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees near.

79.83 Cor to sec. 1, 2, 11, & 12.  
Land hilly and stony. Good grazing.  
No timber.

# Township 20 S. Range 17 E.  
Gila and Salt River Meridian

Sec. North between sec. 34 & 35.  
cor. 14° 06' East

- 40.00 Set a Porphyry rock 12 x 12 x 12  
inches,  $\frac{2}{3}$  in the ground, marked  
 $\frac{1}{4}$ , and on N. side, build mound  
of earth 2 ft high with pits 1 ft deep,  
2 ft long, 1 ft wide, as per in-  
structions for  $\frac{1}{4}$  sec. cor. Notes near
- 60.00 Road hrs. S. E.
- 80.00 Drive charred stake and build  
mound of earth 2 ft high, with pits  
1 ft deep, 2 ft long, 1 ft wide, and in  
center of pit S. E. of cor. drive  
a stake, marked and notched,  
2 ft long, 2 in. sq. d. from the ground  
as per instructions for cor. to sec.  
36 & 37, 34 and 35. No stone or timber  
Land smooth, descending E. gradually.  
Good grass. No timber.



Township 20 S. Range 17 E.  
Gila and Salt River Meridian.

Sec East

On random line between sec. 26 & 35.  
var.  $141^{\circ}06'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.84 Intersect N. and S. line of  $\frac{1}{4}$  sec. N. of  
cor. to sec. 25, 26, 35 and 36 from  
which cor. I run  
N.  $89^{\circ}05'$  W.

On true line between sec. 26 & 35.  
var.  $141^{\circ}06'$  East

39.92 Set a granite stone  $16 \times 7 \times 5$  inches  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ , and  
on W. side build mound of earth  
2 ft high, with pits 1 ft deep, 2 ft long,  
1 ft wide, as per instructions, for  
 $\frac{1}{4}$  sec. cor. No trees near.

79.84 Cor. to sec. 26, 27, 34 & 35.  
Land smooth. Good grass.  
No timber.

Township 20 S. Range 17 E.  
Sita and Salt River Meridian

Go North between sec. 26 & 27  
var. 14° 06' East.

40.00 Drive charred stake 12 in. down,  
and build mound of earth 2  
ft high, with pit 4 ft deep, 2 ft  
high, 1 ft wide, as per instruc-  
tions, for 14 sec. cor.

Remote from stone and timber.

80.00 Seta granite stone 9x8x8 inches  
2/3 in the ground, notched S. & E.  
and on N. side, build mound  
of earth 2 ft high, with pit 4 ft  
deep, 2 ft long, 1 ft wide, as per  
instructions, for cor to sec.  
22, 23, 26 and 27.

No trees near.

Land smooth. Good grass.

No timber.

Township 20 S Range 17 E.  
 Elk and Salt River Meridian  
 to East

On random line between sec. 23 & 26.  
 var.  $14^{\circ}06'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.98 Intersect N. and S. line  $\frac{1}{4}$  sec. S. of  
 cor. to sec. 23, 24, 25 and 26,  
 from which cor. run  
 S.  $89^{\circ}57'$  W.

On true line between sec. 23 & 26.  
 var.  $14^{\circ}06'$  East.

39.99 Drive charred stake and build  
 mound a foot  $\frac{1}{2}$  ft high, with  
 pit  $\frac{1}{2}$  ft deep,  $\frac{1}{2}$  ft long,  $\frac{1}{2}$  ft wide,  
 as per instructions, for  $\frac{1}{4}$  sec.  
 cor. Remote from stone & timber.

79.98 Cor. to sec. 22, 23, 26 & 27.  
 Land smooth, a little rolling.  
 Good soil. Grass. No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

- hs North between sec. 22 & 23  
var. 14° 16' East
- 40.00 Set a granite stone 16 x 6 x 6 inches,  
2/3 in the ground, marked 74,  
and on N. side, build mound  
of earth 2 ft high, with pits 1 ft  
deep, 2 ft long, 1 ft wide, as per  
instructions, for 74 sec. cor.  
No trees near.
- 80.00 Set a post, marked and notched,  
4 ft long, 3 in. sq'd. 4 ft in the  
ground, drive charred stake and  
build mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions, for cor.  
to sec. 14, 15, 22 and 23.  
No trees near.  
Land smooth, gently rolling. Excellent  
grazing. No timber.

Township 20 S. Range 17 E.

Sixth and Salt River Meridian

to East

An random line between sec. 14 & 23  
 var.  $14^{\circ}06'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.15 Intersect N. and S. line  $\frac{1}{4}$  sec. N. of  
 cor. to sec. 13, 14, 23, and 24, from  
 which cor. drops  
 N.  $89^{\circ}57'$  W.

On true line between sec. 14 & 23  
 var.  $14^{\circ}06'$  East

40.07 Set a granite stone,  $12 \times 12 \times 5$  inches,  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ ,  
 and on W. side build mounds of  
 earth 2 ft high, with pits 1 ft deep,  
 $\frac{1}{2}$  ft long, 1 ft wide, as per instructions  
 for  $\frac{1}{4}$  sec. cor. No trees near.

80.15 Cor. to sec. 14, 15, 22 & 23.

Land, hilly, stony and gravelly.  
 Good pasturage. No timber.

Township 20 S. Range 27 E.  
Gila and Salt River Meridian

- Sec North between sec. 14 & 15  
cor. 14° 06' East.
- 40.00 Set a granite stone 16 x 10 x 4 inches  
2/3 in the ground, marked 14,  
and on N. side, build mound  
of earth 2 ft high, with pit 1 ft  
deep, 2 ft long, 1 ft wide, as per  
instructions, for 14 sec. cor.  
No trees near.
- 80.00 Set a granite stone 10 x 8 x 4 inches  
2/3 in the ground, marked S. & E,  
and on N. side, build mound  
of earth 2 ft high, with pit 1 ft  
deep, 2 ft long, 1 ft wide, as per  
instructions, for cor. to sec.  
10, 11, 14 and 15. No trees near.  
Sand rolling and gravelly.  
Good grass. No timber.

Township 30 S. Range 17 E.  
 Gila and Salt River Meridian  
 to East

On random line between sec. 11 & 14  
 var.  $14^{\circ} 06'$  East

40.00 Set temporary 4 sec. cor.

79.80 Intersect N. and S. line 10 hrs. N.  
 of cor. to secs. 11, 12, 13 and 14,  
 from which cor. I run  
 N.  $89^{\circ} 56'$  W.

On true line between sec. 11 & 14  
 var.  $14^{\circ} 06'$  East

39.90 Set granite stone  $12 \times 10 \times 8$  inches  
 $\frac{2}{3}$  in the ground, marked 4-1,  
 and on N. side build mound  
 of earth 2 ft high, with pits 4 ft deep,  
 2 ft long, 1 ft wide, as per instructions  
 for 4 sec. cor. No trees near.

79.80 Cor. to secs. 10, 11, 14 and 15.  
 Land hilly, descending W.  
 Good grass. No timber.

October 13, 1874

Township 20 S. Range 17 E.  
Cedar and Salt River Meridian.

- As North to course ca. 10<sup>o</sup> 11.  
var. 14<sup>o</sup> 06 East.
- 40.00 Set a granite stone 12x10x6 inches  
2/3 in the ground, marked 14, and  
on N. side, build mound of earth  
2 ft high, with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instruction for 14 sec. cor.  
No trees near.
- 63.00 Dry creek 20 ft wide, on N.W.
- 80.00 Set a conglomerate rock 12x9x  
7 inches, 2/3 in the ground, marked  
S. 1/4 E. and on N. side, build  
mound of earth 2 ft high, with pits  
1 ft deep, 2 ft long, 1 ft wide, as per in-  
structions for cor. to sec. 2, 3, 10  
and 11. No trees near.  
Sand somewhat rolling; gravelly.  
Good grass. No timber.



Township 20 S. Range 17 E.

Gila and Salt River Meridian

to East

Meridian line between sec. 2 & 11,

var.  $14^{\circ}06'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.55 Intersect N. and S. line 42 lbs.

S. of cor to sec. 1, 2, 11, and 12,

from which cor. drawn

S.  $89^{\circ}42'$  W.

Original line between sec. 2 & 11

var.  $14^{\circ}06'$  East

39.47 Set a granite stone  $10 \times 8 \times 7$  inches

$\frac{2}{3}$  in the ground, marked "H",

and on W. side, build mound

of stones 2 ft high, as per in-

structions, for  $\frac{1}{4}$  sec. cor.

No trees near.

79.55 Cor. to sec. 2, 3, 10 and 11.

Land hilly and stony.

Good grass. No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

To North

On random line between sec. 2 & 3.

var.  $14^{\circ}06'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.70 Intersect N. boundary 10 lbs.  
E. of cor. to sec. 2 and 3, from  
which cor. down  
 $S. 0^{\circ}44'$  E.

On true line between sec. 2 & 3.

var.  $14^{\circ}06'$  East

39.40 Set granite stone  $12 \times 8 \times 8$  inches  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ ,  
and on S. side, build mound  
of earth 2 ft high, with pits 1 ft deep,  
2 ft long, 1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor. No trees near.

79.70 Cor. to sec. 2, 3, 10 and 11  
Land in valley. Soil good.  
Grass. No timber.

Township 20 S. Range 17 E.  
Sela and Salt River Meridian

Line North between sec. 33 & 34,  
cor. 141° 06' East

40.00 Set a post marked 44 S. 11 ft long,  
flattened 3 in. wide, 1 ft in the ground,  
drive charr'd stake and build mound  
of earth 2 ft high, with pit 1 ft deep, 2  
ft long, 1 ft wide, as per instructions,  
for 44 sec cor. No trees near.

80.00 Drive charr'd stake and build  
mound of earth 2 ft high, with pit  
1 ft deep, 2 ft long, 1 ft wide, as per in-  
struction, and in center of pit S. E.  
of cor. drive a stake, marked and  
notched, 2 ft long, 2 in. sq. d. 1 ft in the  
ground, as per instructions for  
cor. to sec. 27, 28, 33 and 34.  
No stone or timber.

Land rolling, hilly on S. end.  
Soil st. rate. Good pasturage.  
Some oak timber.

# Township 20 S. Range 17 E.  
Gila and Salt River Meridian

to East

On random line between sec. 27 & 34.  
var. 121° 06' East

40.00 Set temporary 1/4 sec. cor.

43.00 Road to Santa Cruz bar. S. E.

79.78 Intersect N. and S. line 5 hrs. N. of

cor. to sec. 26, 27, 34 and 35,

from which cor. down

N. 89° 58' 21"

On true line between sec. 27 & 34

var. 121° 06' East

39.89 Drive charred stake and build

mound of earth 2 ft high, with

pit 4 ft deep, 2 ft long, 1 ft wide,

as per instructions for 1/4 sec.

cor. No trees near.

79.78 Cor. to sec. 27, 28, 33 and 34.

Land smooth, descending slightly E.

Good grass. No timber.

Township 20 S. Range 17 E.

Gila and Salt River Meridian

As North between sec. 27 & 28.

cor. 14° 16' East.

40.00 Drive charred stake 12 in. down,  
and build mound of earth 2 ft high  
with pit 1 ft deep, 2 ft long, 4 ft  
wide, as per instructions for  
these cor. No stone or timber.

59.00 Road to Santa Cruz Co. S. E.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide, and  
in center of pit S. E. corner drive  
a stake, marked and notched, 2 ft  
long, 2 in. sq. d. 4 ft in the ground,  
as per instructions, for cor. to see  
21.2 2.2 7 and 28.

No stone or timber.

Sand smooth and rolling.

Excellent pastureage. No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian  
to East

On random line between sec. 22<sup>nd</sup> & 27<sup>th</sup>  
var. 14° 06' East

40.00 Set temporary 4<sup>th</sup> sec. cor.

80.00 Intersect N. and S. line of 1/2 sec. N.  
of cor. to sec. 22, 23, 26 and  
27, from which cor. I run  
N. 89° 57' W.

On true line between sec. 22<sup>nd</sup> & 27<sup>th</sup>  
var. 14° 06' East

40.00 Set a granite stone 16 x 6 x 6 inches  
2/3 in the ground, marked W. and  
on W. side, build mound of earth  
2 ft high, with pit 4 ft deep, 2 ft long,  
4 ft wide, as per instructions for  
4<sup>th</sup> sec. cor. No trees near.

80.00 Cor. to sec. 21, 22, 27 and 28.  
Sand smooth, a little rolling.  
Good grazing. No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

In North between sec. 21 & 22,  
on  $124^{\circ} 06'$  East

40.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 4 ft deep, 2 ft long, 1 ft wide,  
as per instruction for 14 sec. cor.  
No stone or timbers.

75.00 Dry creek 20 lbs. wide flows N. E.

80.00 Set a granite stone 14 x 4 x 6 inches  
 $\frac{2}{3}$  in the ground, marked S & E,  
and on N. side, build mound of  
earth 2 ft high, with pits 4 ft deep,  
2 ft long, 1 ft wide, as per instruction  
for cor to sec. 15, 16, 21 and  
22. No trees near.

Sand a little rolling,  
Fine grazing. No timbers.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

to East

On random line between sec. 15 & 22.  
var.  $114^{\circ} 06'$  East

3.00 Set corner 30 yards, flows N. E.  
40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
80.00 Intersect. A. and B. line 5 Cts. N.  
of cor. to Secs. 14, 15, 22 and 23  
from which cor. drawn  
N.  $89^{\circ} 58'$  W.

On true line between sec. 15 & 22  
var.  $114^{\circ} 06'$  East

40.00 Set a Fieldspathic rock  $12 \times 8 \times 2$   
inches,  $\frac{2}{3}$  in the ground, marked  
 $\frac{1}{4}$ , and on W. side build mound  
of earth 2 ft high, with pit  
1 ft deep, 2 ft long, 1 ft wide, as per  
instruction for  $\frac{1}{4}$  sec. cor. No trees near.  
80.00 Cor. to sec. 15, 16, 21 & 22.  
Land rolling Good pasturage  
No timber.



Township 20 S Range 17 E.  
Gila and Salt River Meridian

to North between sec. 15 & 16,  
cor. 14° 06' East.

40.00 Drive charred stake and build mound  
of earth 2 ft high with pits 1 ft deep,  
2 ft long, 1 ft wide as per instructions for  
1/4 sec. cor. No stone or timber.

80.00 Drive charred stake and build  
mound of earth 2 ft high, with  
pits 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S.E. of cor.  
drive a stake, marked and  
notched, 2 ft long, 2 in. sq'd,  
1 ft in the ground, as per in-  
structions for cor. to sec.

9, 10, 15 and 16.

No stone or timber.

Land smooth, a little rolling.  
Good pasturage. No timber.

Township 20 S Range 17 E.  
Gila and Salt River Meridian

No. <sup>E</sup> East meridian line bet sec. 10 & 15,  
var. 114° 06' East

27.00 Enter valley kn. N. E.

31.00 Dug out 50 lbs. wide flows N. E.

40.00 Set temporary 1/4 sec. cor.

38.00 Leave valley.

79.92 Intersect N. and S. line 10 lbs. N.  
of cor. to sec. 10, 11, 14 and 15,  
from which cor. down  
N. 89° 56' W.

On true line between sec. 10 & 15,  
var. 114° 06' East.

39.96 Set a granite stone 12 x 10 x 4 inches, 2/3  
in the ground, marked W, and on  
W side, build mound of earth 2 ft high,  
with pit 1 ft deep, 2 ft long, 4 ft wide,  
a full instruction for 1/4 sec. cor. N. & S. lines.

49.92 Cor. to sec. 9, 10, 15 & 16.

Sand rolling and gravelly.

Good grass. Not timber. October 14, 1894

Township 20 S. Range 17 E.

Gila and Salt River Meridian

Line North between sec. 9 & 10

var.  $144^{\circ}06'$  East.

40.00 Drive charred stakes, and  
build mound of earth 2  
ft. high, with pit 1 ft. deep, 2 ft.  
long, 1 ft. wide, as per instruc-  
tion, for  $\frac{1}{4}$  sec. cor.

No stone or timbers.

80.00 Set a granite stone  $14 \times 8 \times 8$   
inches,  $\frac{2}{3}$  in the ground,  
notched S.  $\frac{1}{2}$  E., and on N. side,  
build mound of earth 2 ft.  
high, with pit 1 ft. deep, 2 ft.  
long as per instructions, for  
cor. to sec. 3, 4, 9 and 10.  
No trees near.

Sand smooch ascending N.W.  
Good grass. No timbers.

Township 20 S. Range 17 E.  
Cedar and Salt River Meridian.

3<sup>d</sup> East on round hill bet sec. 3<sup>d</sup> & 10.  
bear. 14° 06' East

25.00 Enter valley bet. N. E.

26.00 Dry creek 50 lbs. wide, bet. N. E.

40.00 Set temporary 1/4 sec. cor.

79.94 Intersect N. and S. line 5 lbs. N.  
of cor. to sec. 2, 3, 10 and 11, from  
which cor. I run  
N. 89° 58' W.

On true line bet sec. 3<sup>d</sup> & 10.  
bear. 14° 06' East

39.97 Set granite stone 12 x 8 x 8 inches  
2/3 in the ground, marked 1/4,  
and on N. side, build mound of  
stones 2 ft high, as far westward  
toward 1/4 sec. cor. No trees near.

79.94 Cor. to sec. 3, 11, 9 and 10.

Sand rolling. Much grass.  
No timber.

Township 20 S. Range 17 E.

Gila and Salt River Meridian

to North

On random line between sec. 3 & 4,  
 var.  $14^{\circ}06'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.30 Intersect N. boundary 15 hrs E. of  
 cor. to sec. 3 and st. from  
 which cor. from  
 $S. 0^{\circ}06'$  E.

On true line between sec. 3 & 4,  
 var.  $14^{\circ}06'$  East

39.30 Drove charred stake and  
 build mound of earth 2 ft  
 high, with pits 1 ft deep, 2  
 ft long, 1 ft wide, as per in-  
 structions, for  $\frac{1}{4}$  sec. cor.  
 No stone or timber.

79.30 On to sec. 3, st. 9 and 10.  
 Land somewhat rolling.  
 Good grass. No timber.

# Township 20 S. Range 17 E  
Gila and Salt River Meridian

is North between sec. 32 & 33.

var. 14° 06' East

40.00 Set a post, marked 4 ft. 4 ft. long, flattened 3  
in. wide, 1 ft. in the ground, drive charred stake  
and build mound of earth 2 ft. high, with  
pits 4 ft. deep, 2 ft. long, 1 ft. wide, as per in-  
structions for 1/4 sec. cor. of run which  
An oak 9 in. dia. br. S. 13 1/2° W. 30 br. dist.

do 9 " " " N. 14 1/2° W. 32 " "

46.00 Enter valley br. N. E.

53.00 Leave same

71  
80.00 Set a post, marked and notched,  
4 ft. long, 3 in. sq. d. 1 ft. in the ground,  
drive charred stake and build mound  
of earth 2 ft. high, with pits 4 ft.  
deep, 2 ft. long, 1 ft. wide, as per  
instructions for cor. to sec. 28,  
29, 32 and 33. No trees near.  
Land hilly. Fine grazing  
Heavy oak timber on S. end.

Township 20 S Range 17 E.

Gila and Salt River Meridian

As East

On random line between sec. 28 & 33  
 cor.  $14^{\circ}06'$  East.

5.00 Enter valley cor. N. E.  
 11.00 Leave it  
 40.00 Set temporary  $\frac{1}{4}$  sec. cor.  
 79.84 Intersect N. and S. line 5 tes. S of  
 cont. sec. 27, 28, 33 and 34.  
 from which cor. I run  
 $S. 89^{\circ}58' N.$

On true line between sec. 28 & 33.  
 cor.  $14^{\circ}06'$  East.

39.92 Set a granite stone  $13 \times 8 \times 6$  inches  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ , and  
 on N. side, build mound of earth 2 ft high,  
 with pits 1 ft deep, 2 ft long, 1 ft wide as  
 per instruction, for  $\frac{1}{4}$  sec. cor. Notes.  
 79.84 Cor. to sec. 28, 29, 32 and 33.  
 Land smooth & rolling. Good grass.  
 No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

to North between sec. 28 & 29  
cor. 14° 06' East

40.00 Set a granite stone 12 x 10 x 6 inches,  
2/3 in the ground, marked 74, and  
N. side build mound of earth 2  
ft high, as per instruction with pit  
1 ft deep, 2 ft long, 1 ft wide, for 74 sec  
cor. No trees near.

73.00 Road cor. S. E.

80.00 Set a Porphyritic rock 10 x 10 x 10  
in. 2/3 in the ground, marked  
S. 7 E. and on N. side, build  
mound of earth 2 ft high, with  
pit 1 ft deep, 2 ft long, 1 ft wide, as  
per instruction for cor. to sec.  
20, 21, 28 and 29. No trees near.  
Land selling.

Excellent grazing.  
No timber.



Township 20 S. Range 17 E.  
Sola and Salt River Meridian

Chis East

On random line between sec. 21 & 28.  
bear.  $14^{\circ}06'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.80 Intersect N. and S. line at cor to  
secs 21, 22, 27 and 28, from  
which cor. Run  
West

On true line between sec. 21 & 28.

bear.  $14^{\circ}06'$  East

39.90 Set a granite stone  $10 \times 8 \times 7$  inches  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$   
and on W side, build mound of  
earth 2 ft high, with pit 4 ft deep,  
2 ft long, 1 ft wide, as per instruc-  
tion for  $\frac{1}{4}$  sec. cor. No trees near.

79.80 Cor. to Sec. 20, 21, 28 & 29.

Sand rolling surface, and crossing  
little valley bet. N. Excellent grass.  
No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

To North between sec. 20 & 21.

var.  $14^{\circ}06'$  East.

40.00 Set a granite stone  $10 \times 8 \times 7$  inches  
 $\frac{2}{3}$  in the ground, marked "H" and  
on N. side build mound of earth  
2 ft high, with fut. 4 ft deep, 2 ft long  
4 ft wide, as per instruction for "H"  
sec. com. No trees near.

50.00 Dry creek 40 lbs. wide, bas. N. E.

80.00 Drive charred stake and build  
mound of earth 2 ft high with fut.  
4 ft deep, 2 ft long, 4 ft wide, as per  
instruction, and in center of fut.  
S. E. of pair drive a stake, marked  
and notched, 2 ft long, 2 in. sq. d.  
1 ft in the ground, for cor. to sec.  
16 & 17, 20 and 21. No stone or timber.  
Sand rilling. Good grass.  
No timber

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

to East

On random line between sec. 16 & 21.

var.  $114^{\circ}06'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.00 Intersect N. and S. line 6 lts. S  
of con. to sec. 15, 16, 21 and  
22. from which cor. from  
S.  $89^{\circ}05'$  N.

On true line between sec. 16 & 21.

var.  $114^{\circ}06'$  East

40.00 Drive charred stakes 12 in.

down and build mounds of earth  
2 ft. high, with pits 1 ft. deep,  
2 ft. long, 1 ft. wide, as per in-  
structions for  $\frac{1}{4}$  sec. cor.  
No stone or timber

80.00 Cor. to sec. 16, 17, 20 & 21.

Land smooth, descending N. E.  
Good soil. Excellent grass.  
No timber.

Township 20 S Range 17 E.  
Gila and Salt River Meridian

No North between sec. 16 & 17,  
cor.  $14^{\circ}06'$  East.

140.00 Sd a Gneiss rock  $10 \times 8 \times 8$  inches,  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ ,  
and on N. side, build mound  
of earth 2 ft high, with pits  
1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.00 Drive charred stake 12 in. down  
and build mound of earth 2  
ft high, with pits 1 ft deep, 2 ft  
long, 1 ft wide, and in center of pit S. E. of  
cor. drive a stake, marked and notched  
2 ft long, 1 ft wide, as per instructions for  
cont. sec. 8, 9, 16 and 17,  
No stone or timber.

Land somewhat rolling. Good  
grass. No timber.

October 15, 1874

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

As East

On random line between sec. 9 & 16.  
bear.  $14^{\circ} 06'$  East

40.00 Set temporary 1/4 sec. cor.

79.90 Intersect N. and S. line 5' S. N.  
of cor. to sec. 9, 10, 15 and 16. from  
which cor. down  
N.  $89^{\circ} 58'$  W.

On true line between sec. 9 & 16.  
bear.  $14^{\circ} 06'$  East.

39.95 Drive charred stake 12 in. down  
and build mound of earth 2  
ft high, with pile 1 ft deep, 2 ft  
long, 1 ft wide, as per instruction  
for 1/4 sec. cor.

No stone or timbers.

79.90 Cor. to sec. 8, 9, 16 and 17  
Land rolling - Good grass.  
No timbers.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

Secs North between sec. 8 & 9  
cor. 14006 East.

31.00 Enter valley bas. N. E.

40.00 Set a Gneiss rock 12 x 8 x 6  
inches,  $\frac{2}{3}$  in the ground, marked  
M, and on N. side build mound  
of earth 2 ft high, with pit 1 ft deep,  
2 ft long, 1 ft wide, as per instruc-  
tion for M sec cor. No trees near.

49.00 Leave valley.

80.00 Set a granite rock 12 x 8 x 4 inches  
 $\frac{2}{3}$  in the ground, marked S. & E.  
and on N. side, build mound of earth  
2 ft high with pit 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions  
for the cor. to Sec. 4. 5. 8 & 9.  
No trees near.

Sand rolling. Good ground.  
Soil 1st rate. No timber.

Township 20 S. Range 17 E.  
 Gila and Salt River Meridian  
 S. East

On random line between sec. 4<sup>th</sup> & 9<sup>th</sup>  
 ans. 14° 06' East.

40.00 Set temporary 1/4 sec. cor.

79.96 Intersect N. and S. line 7/8 mi. S. of cor.  
 to secs. 3, 4, 9 and 10, from which  
 cor. drawn  
 N. 89° 05' W.

On true line between sec. 4<sup>th</sup> & 9<sup>th</sup>  
 ans. 14° 06' East.

39.98 Iron charred stake 12 in down,  
 and build mound of earth  
 2 ft high, with pit 1 ft deep 2 ft  
 long, 1 ft wide, as per instructions  
 for 1/4 sec. cor. No stone or  
 timber

79.96 Cor to sec. 4, 5, 8 & 9.  
 Sand somewhat rolling.  
 Good grass. No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian  
to North

On random line between sec. 4 & 5,  
cor. 14° 06' East

140.00 Set temporary 1/4 sec. cor.  
79.60 Intersect N. boundary 14 hrs. E.  
of cor. to sec. 4 and 5. from  
which cor. from  
S. 0° 6' E.

On true line between sec. 4 & 5,  
cor. 14° 06' East.

39.60 Drive charred stake 12 in.  
down and build mound of earth  
2 ft high, with pits 1 ft deep, 2  
ft long, 1 ft wide, as per in-  
structions for 1/4 sec. cor.  
No stone or timber.

79.60 Cor. to sec. 4, 5, 8 and 9.  
Land somewhat rolling. Gravelly.  
Good grass. No timber.



Township 20 S. Range 17 E.  
Gila and Salt River Meridian

to North between sec. 31 & 32,  
cor. 14° 06' East.

40.00 Set a post, marked 14 S. 4 ft long, flattened 3 in wide  
in the ground, driven charred stake and built mound  
of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide,  
as per instructions for 14 sec. cor. from which  
An oak 7 in dia. hor. North 74 cor. dist.  
do 8 " " " N. 14 1/2° W. 97 " "

80.00 Set a post, marked and notched, 4 ft long, 3 in high  
in the ground, driven charred stake and built  
mound of earth 2 ft high, with pit 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions for cor. to sec.  
29, 30, 31 and 32, from which  
An oak 6 in dia. hor. S. 69° E. 26 cor. dist.  
do 9 " " " S. 8 3/4° W. 44 " "  
do 12 " " " N. 7 3/4° E. 54 " "  
do 14 " " " N. 54 1/2° E. 123 " "

Land hilly and erosech.

Good grass, thick oak timber

46  
#

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

Sec East

On random line between sec. 29 & 32.  
var.  $14^{\circ}06'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.27 Intersect N. and S. line 6 lvs. N. of  
cor. to sec. 28. 29. 32 and 33, from  
which cor. In run  
 $N. 89^{\circ}57' W.$

On true line between sec. 29 & 32  
var.  $14^{\circ}06'$  East.

40.13 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long,  
flattened 3 in. wide, 1 ft. in the ground,  
drive charred stake and build mound  
of earth 2 ft high, with pit 1 ft deep, 2 ft  
long, 1 ft wide, as per instructions for  
 $\frac{1}{4}$  sec. cor. No trees near.

80.27 Cor. to sec. 29. 30. 31 and 32.  
Sandy rolling and hilly. Oak timber  
on extreme W. end.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

- 40.00 West on random line bet. sec. 30 & 31  
cor.  $14^{\circ}06'$  East.
- 40.00 Set temporary  $\frac{1}{4}$  sec. cor.
- 49.78 Intersect N. boundary at cor. to sec.  
30 and 31 from which cor. from  
East  
On true line between sec. 30 & 31  
cor.  $14^{\circ}06'$  East
- 39.78 Set a post, marked  $\frac{1}{4}$  S. 4 ft. long, flattened  
3 in. wide, 1 ft. in the ground, drive charred  
stake and build mound of earth 2 ft. high  
with pile of 1 ft. deep, 2 ft. long, 1 ft. wide, as per  
instructions for  $\frac{1}{4}$  sec. cor. from which  
An oak 12 in. dia. br. S  $29^{\circ}$  E. 35 br. dist  
do. 13 " " " N.  $74\frac{1}{2}$  W. 41 " "
- 79.78 Cor. to sec. 29, 30, 31 and 32.  
Sand rolling. Good grass.  
Oak timber

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

Line North between sec. 29 & 30.  
az.  $14^{\circ}06'$  East.

40.00 Set a porphyritic rock, 16x8x4 inches,  $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ , and on N. side, build mound of earth 2 ft high with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for  $\frac{1}{4}$  sec. cor. No trees near.

80.00 Set a porphyry rock 10x10x10 inches,  $\frac{2}{3}$  in the ground, notched S and E. and on N. side, build mound of earth 2 ft high, with pit 1 ft deep, 2 ft long, 1 ft wide, as per instructions for cor to secs. 19, 20, 29 and 30. No trees near.

Land smooth and rolling.  
Good fracturing. Some salt on S. end.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

to East

On random line between secs. 20 & 29.  
dir.  $14^{\circ}06'$  East

34.00 Road to Santa Cruz Pass, S. E.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

80.20 Intersect N. and S. line 10 lbs. N. of  
cor. to secs. 20, 21, 28 and 29.  
from which cor. Run  
N.  $89^{\circ}56'$  W.

On true line between secs. 20 & 29  
dir.  $14^{\circ}06'$  East

40.10 Alongside road to Santa Cruz, going up a  
little ravine. Set a porphyry rock,  $10 \times 10 \times 10$   
inches,  $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$ , and on W. side, built  
mound of earth 2 ft high, with pit 1 ft deep, 2 ft  
long, 4 ft wide, as per instructions for  $\frac{1}{4}$  sec. cor.  
No trees near.

80.20 Cor. to Secs. 19, 20, 29 and 30.  
Land smooth & rolling. Good grass.  
No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

No West

On random line between sec. 19<sup>th</sup> & 30.  
bear. 14° 06' East

40.00 Set temporary 1/4 sec. cor.

79.65 Intersect N. boundary 7/16<sup>th</sup> N. of cor.  
to sec. 19<sup>th</sup> & 30. from which cor. Run  
N. 89° 57' E.

On true line between sec. 19<sup>th</sup> & 30.  
bear. 14° 06' East.

39.65 Set a granite stone 16 x 10 x 5 inches  
2/3 in the ground, marked 1/4 and  
on E. side, build mound of  
earth 2 ft high, with pit 1 ft deep,  
2 ft long, 1 ft wide, as per instruc-  
tions, for 1/4 sec. cor.

No trees near.

79.65 Cor. to sec. 19, 20, 29 and 30.  
Land undulating. Good grass.  
No timber.

October, 16, 1874.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

to North between sec. 19 & 20  
cor.  $14^{\circ}06'$  East.

- 14.00 Road to Santa Cruz Cas. S. E.
- 18.00 Old road bears S. N.  $\frac{1}{2}$  N. E.
- 40.00 Drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for 1st sec. cor. No stone or timber.
- 80.00 Set a post, marked and notched, 4 ft. long, 3 in. sq. d. 1 ft. in the ground, drive charred stake and build mound of earth 2 ft. high, with pits 1 ft. deep, 2 ft. long, 1 ft. wide, as per instructions for cor. to sec. 17, 18, 19 and 20. No trees near. Sand smooth and rolling. Good soil. No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

Sec East

On random line between sec. 17<sup>th</sup> & 20.  
bear.  $14^{\circ} 06'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.93 Intersect N. and S. line at cor. to sec.  
16. 17. 20 and 21. from which  
cor. Survey  
West.

On true line between sec. 17<sup>th</sup> & 20.  
bear.  $14^{\circ} 06'$  East

39.96 Drive charred stake and build  
mound a few ft. high,  
with pits 1 ft. deep, 2 ft. long, 1 ft.  
wide, as per instructions for  
 $\frac{1}{4}$  sec. cor. No stone or timber.

79.93 Cor. to sec. 17. 18. 19 and 20.  
Sand rilling & smooth.  
Good soil. Good grass.  
No timber



Township 20 S. Range 17 E.  
Gila and Salt River Meridian  
to West

On random line between sec. 18<sup>th</sup> & 19<sup>th</sup>  
var.  $14^{\circ}06'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.62 Intersect N. boundary 6 hrs. N.  
of cor. to sec. 18 and 19, from  
which cor. I run  
N.  $89^{\circ}54'$  E.

On true line between sec. 18<sup>th</sup> & 19<sup>th</sup>  
var.  $14^{\circ}06'$  East

39.62 Drive charred stake and build  
mound a least 2 ft high,  
with pits 1 ft deep, 2 ft long,  
1 ft wide, as per instructions  
for  $\frac{1}{4}$  sec. cor.

No stone or timber.

79.62 Cor. to sec. 17, 18, 19 and 20.  
Sand smooth, descending E.  
Good grass. No timber.

Township 20 S Range 17 E.  
Gila and Salt River Meridian

- North between sec. 17 & 18,  
var. 14° 06' East
- 40.00 Drive charred stake and  
build mound of earth 2 ft  
high, with pit 1 ft deep, 2 ft  
long, 1 ft wide, as per instruc-  
tions for 1/4 sec. cor.  
No stone or timber.
- 80.00 Drive charred stake 12 in. down  
and build mound of earth 2 ft high,  
with pit 1 ft deep, 2 ft long, 1 ft wide,  
and in center of pit S.E. of cor. drive  
a stake, marked and notched  
2 ft long, 2 in. sq. d. 1 ft in the  
ground, as per instructions for  
cor. to sec. 7, 8, 17 & 18.  
No stone or timber  
Land rolling on S. end. Good  
soil. Good grass. No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian  
As East

On random line between sec. 8<sup>th</sup> & 17<sup>th</sup>  
as.  $14^{\circ}06'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.96 Intersect N. and S. line 20 lbs. S. of  
cor. to sec. 8, 9, 16 and 17, from  
which cor. down  
S.  $89^{\circ}51'$  N.

On true line between sec. 8<sup>th</sup> & 17<sup>th</sup>  
as.  $14^{\circ}06'$  East.

39.98 Set a granite stone  $14 \times 8 \times 6$  inches  
 $\frac{2}{3}$  in the ground, marked  $\frac{1}{4}$  sec. and  
on W. side build mound of earth 2 ft.  
high, with pit 1 ft deep, 2 ft long,  
1 ft wide, as per instructions for  $\frac{1}{4}$   
sec. cor. No trees near.

79.96 Cor. to sec. 7, 8, 17 and 18.  
Land descending E. rich soil.  
Good grass. No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

Es West

On random line between secs. 7<sup>th</sup> & 18.  
var.  $14^{\circ} 06'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

53.00 Road to Crittenden Crs. S.

79.60 Intersect W. boundary 5 hrs. N.  
of cor. to secs. 7 and 18, from  
which cor. Run  
N.  $89^{\circ} 58'$  E.

On true line between secs. 7<sup>th</sup> and 18.  
var.  $14^{\circ} 06'$  East

39.60 Drive charred stake 12 mi. down,  
and build mound of earth 2  
ft high, with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for  $\frac{1}{4}$  sec.  
cor. No stone or timber.

79.60 Cor. to secs. 7, 8, 17 and 18.  
Land smooth, sloping a little E.  
Good grass. No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

- to North between sec. 7 & 8.  
 cor.  $114^{\circ} 06'$  East
- 40.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide, as per instructions for 74 sec. cor. No stone or timber.
- 80.00 Drive charred stake and build mound of earth 2 ft high, with pits 1 ft deep, 2 ft long, 1 ft wide and in center of pit S. E. of cor. drive a stake, marked and notched, 2 ft long, 2 in. sqd, 1 ft in the ground, as per instructions, for cor. to sec. 5, 6, 7 and 8. No stone or timber.  
 Sand gently rolling.  
 Good soil and grass. No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian  
to East

On random line bet. sec. 5 & 8.

var.  $14^{\circ}06'$  East

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.92 Intersect N. and S. line 6 ls. N.  
from to sec. 4, 5, 8 and 9 from  
which cor. from  
N.  $89^{\circ}05'$  W.

On true line between sec. 5 & 8.

var.  $14^{\circ}06'$  East

39.96 Drive charred stake and  
build mound a few ft. high  
with pits 1 ft. deep, 2 ft. long, 1 ft.  
wide, as per instructions for  
 $\frac{1}{4}$  sec. cor. No stone or timbers.

79.92 Cor. to sec. 5, 6, 7 and 8.  
Land rolling, Good grass.  
No timbers.

Township 20 S. Range 17 E.  
 6th and Salt River Meridian

to West

On random line between secs. 6<sup>th</sup> & 7<sup>th</sup>  
 var.  $14^{\circ} 06'$  East

179.00 Road to Crittenden base S.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.70 Intersect N. boundary 50 lbs. N.  
 of cor. to secs. 6<sup>th</sup> & 7<sup>th</sup> from which  
 cor. drawn

N.  $89^{\circ} 38'$  E.

On true line between secs. 6<sup>th</sup> & 7<sup>th</sup>

var.  $14^{\circ} 06'$  East

39.70 Set apart marked  $\frac{1}{4}$  S.  $\frac{1}{4}$  fl. long,  
 flattened 3 in. wide, 1 ft in the ground,  
 drive charred stake and build mound  
 of earth 2 ft high, with pt. 1 ft dia,  
 2 ft long, 1 ft wide, as per instructions  
 for  $\frac{1}{4}$  sec. cor. No trees near.

79.70 Cor. to secs. 5, 6, 7 and 8.

Sand rolling & broken. Some grass.  
 No timber.

Township 20 S. Range 17 E.  
Gila and Salt River Meridian

hs. North

On random line bet sec. 5 & 6.  
var.  $114^{\circ}06'$  East.

40.00 Set temporary  $\frac{1}{4}$  sec. cor.

79.65 Intersect N. boundary 10 lbs. E.  
of cor. to sec. 5 & 6 from which cor. drawn  
 $80^{\circ}44'$  E.

On true line between sec. 5 & 6.  
var.  $114^{\circ}06'$  East.

39.65 Drive charred stake, and  
build mound of earth 2 ft high,  
with pits 1 ft deep, 2 ft long, 1 ft  
wide, as per instructions for  
 $\frac{1}{4}$  sec. cor. No stone or timber.

79.65 Cont. sec. 5, 6, 7 and 8,  
Sand rilling.  
Grass. No timber.

October 17, 1874



Township 20 S. Range 107 E.  
Gila & Salt River Meridian

### General Description

This township covers some very fine grazing land. There is abundant and rich grass over the whole extent.

There is no running water but it can be procured any where in the township by digging wells.

There is not much timber except in the S. W. cor. where the oak is quite heavy.

Theodore F. White  
U.S. Deputy Surveyor

---

**LIST OF NAMES.**

---

A List of the Names of Individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing Field Notes of the survey of

The Subdivision Lines of Town-  
ship 20 S. R. 17 E. of the  
Gila and Salt River Meridian  
Arizona.

Showing the respective capacities in which they acted.

R. A. Vasquez Chairman.

L. D. Benton Chairman.

H. G. Morse Axeman.

W. H. Aubrey Flagman.

C. S. Leon, Wood Builder

FINAL OATH OF ASSISTANTS.

WE hereby certify that we assisted Theo. F. White U. S. Deputy Surveyor, in surveying the subdivision lines of Township 20 S. Range 17 E. of the Gila and Salt River Meridian

and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor-General.

P. A. Casper Chainman.

J. T. Burton Chainman.

H. G. Morse Axeman.

W. H. Aubrey Flagman.

C. S. Lyon Mound Builder.

Sworn to and subscribed before me, this 17<sup>th</sup>

day of December, 1874

William Osborn  
Notary Public



## FINAL OATH OF DEPUTY SURVEYOR.

I, Thos. S. White

U. S. Deputy Surveyor do solemnly swear that,  
in pursuance of a contract with John Wasson,  
United States Surveyor-General for Arizona, bear-  
ing date the 21<sup>st</sup> day of August  
1874 I have well, faithfully and truly, in my  
own proper person, and in strict conformity with  
the instructions furnished by the Surveyor-Gener-  
al, the Surveying Manual, and the laws of the  
United States, surveyed all those portions of

The Subdivision lines of townships  
20 S. Range 17 E. of the Gila  
and Salt River Meridian Arizona

as are repre-  
sented in the foregoing Field Notes as having

been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the Surveying Manual and printed instructions, and also in accordance with the additional requirements contained in circular instructions from the U. S. Surveyor-General for Arizona, dated September 1, 1873, regarding the establishment of corner boundaries of public surveys, and that the foregoing are the true and original Field Notes of such surveys.

*Theodore F. White*

Deputy Surveyor.

Sworn to and subscribed before me, this *11<sup>th</sup>*  
day of *December*, 187*4*

*William Brown*  
Notary Public



U. S. Surveyor General's Office,  
Tucson, Arizona, December 15, 1874

The foregoing Field Notes of the survey of

The Subdivision Lines of  
Township 20 S. Range  
17 E.

the Gila and Salt River Base and Meridian, Arizona,  
executed by Theo. F. White,

U. S., under his contract of the twenty first day of  
August, 1874, having been critically ex-

amined and the necessary corrections and explanations  
made, the said Field Notes and the surveys they de-  
scribe, are hereby approved.

John Masson

Surveyor General.