

55  
ed  
in part  
indexed

14

BOOK 969

No. 969 1

969

# Field Notes

OF THE SURVEY OF THE  
BOOK 969

*SUBDIVISION LINES*

- OF -

No. 969

Township 20 S. Range 26 E

Gila and Salt River Base and Meridian

**ARIZONA.**

By Lewis Wolfley D. S.

under contract dated Nov 11<sup>th</sup> 1884

Survey commenced Feb. 11<sup>th</sup> 1885

Survey completed Feb 15<sup>th</sup> 1885

2

Township 20 S R. 26 E

BOOK 969

Grand S. R. M.

6	84	5	60	4	45	3	30	2	16	1
83		81		59		44		29		14
7	80	8	58	9	43	10	28	11	13	12
78		77		57		42		27		12
18	75	17	55	16	41	15	26	14	11	13
74		72		54		40		24		9
19	71	20	53	21	38	22	23	23	8	24
69		68		52		37		22		7
30	67	29	51	28	36	27	21	26	6	25
65		64		49		34		19		4
31	62	32	47	33	32	34	17	35	3	36

For preliminary oaths  
and description of instruments  
see BOOK No. 1

T20 S. R26 E

No. 969

Chains

Beginning at the Stand for  
to Secs 35 + 36. T20 S.  
R26 E. which is a mound  
of earth and pits in E. pit  
a stake marked S.C T20 S.  
R26 E. on S. S36 on E and  
S35 on W. faces with 1 notch  
on E and 5 notches on W.  
edges.

From N bet Secs 35 + 36  
Wa 12° 15' E

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 24 in  
N and S of stone 5 1/2 feet dist and raised  
a mound of earth 1 1/2 ft. high 36 ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

T20 S. R 26E

chain  
80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 25+26.35+36 dug 18 x 18 x 12 ins. in each Sec. 54 ft. dist. you raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S.E. pt. drove a stake 200 sq. 2 ft. long 12 ins. in the ground marked T20 S. 25 on N.E. R. 168 S 36 on S.E. S. 35 on S.W. and S. 26 on N.W. faces, with 1 notch on S, and 1 notch on R edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

Cast on a random line  
bet Secs 25 + 36

Va 12015'E

Set temporary 1/4 Sec cor  
Intersect the E bdy of

40.00  
80.05



T20 S. R26E

Chain

The 10 links S. of cor to Secs 25, 30, 31 + 36. previously described by me.

Thence run

S 89° 56' W on a true line bet Secs 25 + 36. with same  $\frac{1}{4}$

40.02

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5  $\frac{1}{2}$  feet dist and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

80.05

The cor to Secs 25, 26, 35 + 36  
Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

T20 S, R26E

chain

North bet Secs 25 & 26

Wa 12015E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5  $\frac{1}{2}$  feet dist and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 23, 24, 25 & 26 dug pits 18 x 18 x 12 ins in each Sec. 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4  $\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T20 S. 24 on N.E. R. 26 E. S. 25 on S.E. S. 26 on S. W. and S. 23 on N. W. faces. with 2 notches on S, and 1 notch on E edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Good grass

T20 S. R26E

chains

Scattering brush

Cast on a random line  
bet Secs 24 & 25Va  $12^{\circ} 15' E$ 

40.00

Set temporary  $\frac{1}{4}$  Sec cor

80.00

Intersect the East bdy of T<sub>h</sub>.  
at cor to Secs 19, 24, 25 & 30  
previously described by me.

Thence from

West on a true line bet  
Secs 24 & 25 with same Va.

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone  $\frac{1}{4}$  fert dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $\frac{1}{4}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.



8

BOOK 969  
T20 S, R26E

Chain  
80.00

The cor. to Secs 23, 24, 25 & 26  
Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

---

North bet Secs 23 & 24  
Cva 2° 30' E

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor dug pits 18 x 18 x 12 ins.  
N and S of stone  $\frac{1}{4}$  ft dist and raised  
a mound of earth 1  $\frac{1}{2}$  ft high  $\frac{1}{4}$  ft base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on NW  
face.



T20 SR268

Chain  
8000

Deposited a marked stone 12 ins. in the ground for Cor to Secs 13, 14, 23 & 24, dug pits 18 x 18 x 12 ins in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 2 on S. 13 on N.E. R. 268 S. 24 on S.E. S. 23 on S.W. and S. 14 on N.W. faces, with 3 notch ~~ee~~ on S, and / notch on E edges.

Surface level

Soil 2<sup>on</sup>/<sub>7</sub> rate

Good grass

Scattered brush

Cast on a random line  
bet Secs 13 & 24

79 12 0/15 E

40.00

Set temporary 44 Sec cor

T20 S, R26E

Chains

79.87

Intersect the East bdy of  
T<sub>15</sub> bdy N. of cor to Secs  
B. 18, 19 & 24 previously  
described by me.

Thence I run

N 89° 54' W. on a true line  
bet Secs 13 & 24 with corner.

39.93

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone 5 $\frac{1}{2}$  feet dist and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. or N

79.87

<sup>face</sup>  
The cor to Secs B. 14, 23 & 24  
Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

T20 S. R 26 E

Chain

Notch bet Secs 13 & 14  
T9 12° 15' E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$  feet dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on NW face.

50.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 7/12, 13 & 14, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins sq. 2 ft. long 12 ins. in the ground marked T20 S. 2 on N. E. R. 26 E S. 13 on S. E. S. 14 on S. W. and S. 11 on N. W. faces, with 4 notches on S, and 1 notch on E edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Good grass



P 20 S R 26 E

chains

Scattering grassCast on a random line  
bet Secs 12 & 13Va  $12^{\circ}15'E$ 

40.00

80.10

Set temporary  $\frac{1}{4}$  Sec cor  
Intersect the E. bdy of Tpi  
19 links S of cor to Secs  
7, 12, 13 & 18 previously described  
by me.Thence I run  
S  $89^{\circ}52'W$ . on a true  
line bet Secs 12 & 13 with  
same Va.



T20 S. R 26E

Chamiz

40.05-

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5  $\frac{1}{4}$  feet dist and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

80.10

The cor to Secs 11, 12, 13 + 14

Surface level

Soil 2<sup>nd</sup> rate

Good grass

Scattering brush

North bet Secs 11 + 12

T20 S 30'E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 5  $\frac{1}{4}$  feet dist and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face

T20 S. R 26 E

Chain  
80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 1, 2, 11 & 12, dug pits 18 x 18 x 12 ins. in each Sec. 5½ ft. dist. and raised a mound of earth 2 ft. high 4½ ft. base over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 208 S. 1 on N.E., R. 26 E. S. 12 on S.E. S. 4 on S.W. and S. 2 on N.W. faces, with 5 notches on S, and 1 notch on E edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

---

East on a random line  
bet Secs 1 & 12

Wa 12° 30' E

Set temporary 44 Sec cor

40.00

T20 SR26E

Chain

80.15 Intersect the E. bdy. of T<sub>20</sub> 17  
links S. of cor to Secs 1, 6, 7 & 12  
previously described by me.

Thence from

S 89° 53' W. on a true line  
bet Secs 1 and 12 with same va.

34.15 Cross Dry bed of White river  
course S. 40 links wide

40.07

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In  $\text{E}$  pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $\text{W}$   
face.

80.15 The cor to Secs 1, 2, 11 & 12  
Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush



T20 S. R 26 E

chains

North on a random  
line bet Secs 1 & 2

$\theta$  120° 30' E

40.00

80.45

Set temporary 1/4 Sec cor  
Intersect the N. bdy of T<sub>p</sub>.  
57 links W. of cor to Secs  
1 & 2, 35 and 36. which is a  
mound of earth and pits  
in S.E. pit a stake marked  
T19 S. S. 36 on N.E.

R 26 E. S 1 on S.E.

T20 S. S2 on S.W. and  
S35 on N.W. faces with  
1 notch on E and 5 notches  
on W edge.

Thence I run

S 80° 22' W. on a true line



T20 S. R26E

Chains

bet Secs 1 &amp; 2 with same wa.

40.45-

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.45-

The cor to Secs 1, 2, 11 &amp; 12

Surface level

Soil 2<sup>nd</sup> rate

Good grass

Scattering brush

I carefully examined the adjustments of my solar transit to day particularly the latitude and reversing apparatus and found them correct  
Feb 11<sup>th</sup> 1885

T20 S. R26E

Chains

From the Stand bar to  
 Secs 34 & 35. T<sub>20</sub> S R26E  
 which is a mound of earth  
 and pit in E pit a stake  
 marked. S.C. T<sub>20</sub> S R26E  
 on N. S 35 on E. and S. 30 on W  
 faces with 4 notches on W  
 and 2 notches on E.

Run N bet Secs 34 & 35  
 W 12° 10' E

40.00

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 N and S of stone  $5\frac{1}{2}$  feet dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
 it. In N pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W

48.15

Cross road bears N W

T20 SR26E

Chain  
50.00

Deposited a marked stone 12 ins. in ea.  
ground for Cor to Secs 26, 27, 34 & 35, dug pits  
18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and  
raised a mound of earth 2 ft. high 4 1/2 ft. base  
over it. In S. E. pit drove a stake 2 ins. sq. 2  
ft. long 12 ins. in the ground marked T. 208  
S. 26 on N. E. R. 268 S. 35 - on S. E. S. 34  
on S. W. and S. 27 on N. W. faces, with  
1 notch on S. and 2 notches  
on E. edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

---

Cast on a random line bet  
Secs 26 & 35

71° 12' 15" E

40.00

Set temporary 1/4 Sec cor



T20 S, R26 E

chain

80.10

Intersect the N + S line 33  
links N. of cor to Secs 25, 26, 35-  
+36.

Thence from

N 89° 46' W. on a true  
line bet Secs 26 + 35 with  
same Va.

40.05-

Deposited a marked stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 $\frac{1}{2}$  feet dist and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

80.10

face.

The cor to Secs 26, 27, 34 + 35-

Surface level

Soil 2<sup>nd</sup> rate

Good grass

Scattering brush



T20 SR26E

Chains

North bet Secs 26 + 27  
W 12° 15' E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{4}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Deposited a marked stone 12 ins. in ground for Cor. to Secs 22, 23, 26 + 27 dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{4}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 20 S. 23 on N. E. R. 26 S. 26 on S. E. S. 27 on S. W. and S. 22 on N. W. faces, with 2 notch es on S, and 2 notch es on E edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

T20 S. R 26 E.

Chains

Cast on a random line  
bet Secs 23 & 26.

On a  $12^{\circ} 15' E$

40.00

80.15

Set temporary  $1/4$  Sec cor  
Intersect the N & S line 27  
links N. of cor to Secs 23, 24  
25 & 26.

Thence I run

$89^{\circ} 48' W.$  on a true  
line bet Secs 23 & 26 with 2 corners.

40.07

Deposited a marked stone 12 ins. in the  
ground for  $1/4$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 54 feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high 30 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $1/4$  S. on N

80.15

The cor to Secs 22, 23, 26 & 27  
Surface level

T20 SR26E

Chains

Soil 2<sup>nd</sup> rate  
 Good grass  
 Scattering brush

---

North bet Secs 22 + 23  
 N 12° 15' E

40.00

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 at  $\frac{1}{4}$  and  $\frac{1}{2}$  of stone  $5\frac{1}{2}$  feet dist and raised  
 a mound of earth 14 ft. high 34 ft. base over  
 it. In  $\frac{1}{4}$  pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $\frac{1}{4}$   
 face.

47.00

Cross road bears N. E



T20 S. R 26 E

Chains  
80.00

Deposited a marked stone 12 ins. in the ground for (see) Secs 14, 15, 22 & 23, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/4 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T20 S. 14 on N. E., R. 26 E S. 23 on S. E. S. 22 on S. W. and S. 15 on N. W. faces, with 3 notches on S, and 2 notches on W edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

---

Cast on a random line  
bet Secs 14 & 23

Va 12/15/8

40.00 Set temporary 1/4 Sec cor

T20 S. R 26 E

chain

80.21 Intersect the N+S line 32 links  
 Sof cor to Secs 13, 14, 23 & 24,

Thence run  
 S 89° 46' W. on a true line  
 bet Secs 14 & 23. with same Pa.

40.10

Dep. siled & marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

Canal W of stone  $\frac{1}{4}$  feet dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $\frac{1}{2}$  ft. base over  
 it. In E pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
 face.

80.21

The cor to Secs 14, 13, 22 & 23.

Surface level

Soil 2<sup>nd</sup> rate

Good grass

Scattered brush

T20 S. R26 E

Chain

North bet Secs 14 & 15  
Qa 12° 15' E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{4}$  feet dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. to Secs 10, 11, 14 & 15, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{4}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T20 S. 11 on N. E., R26 S. 14 on S. E., S. 15 on S. W. and S. 10 on N. W. faces, with 4 notches on S, and 2 notches on W edges.

Surface level  
Soil 2 $\frac{1}{2}$ % rate  
Good grass  
Scattering brush



T20 S. R 26E

Chamie

Cast on a random line bet  
Secs. 11 & 14

va  $12^{\circ} 15' E$

40.00

Set temporary 1/4 Sec cor

80.15-

Intersect the N + S line 27 links  
S. of cor to Secs 11, 12, 13 + 14.

Thence I run

$S 89^{\circ} 48' W.$  on a true line  
bet Secs 11 & 14 with same va

40.07

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 1/2 feet dist and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked 1/4 S. on N  
face.

80.15-

The cor to Secs 10, 11, 14 & 15-

Surface level

Soil 2<sup>00</sup>/<sub>11</sub> rate

T20 S. R26E

chain

Good grass  
Scattering brush

North bet Secs 10 & 11  
T<sub>20</sub> S. R<sub>26</sub> E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$  feet dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W

60.75

cross road bears S. E

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 2, 3, 10 & 11, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 2 N S. 2 on N, E, R. 26 E S. 11 on S. E. S. 10 on S. W. and S. 3 on N. W. faces, with 5 notches on S. and 2 notches on E. edges

T20 S R 26 E

Chamie

Surface level

Soil 2<sup>nd</sup> rate

Good grass

Scattering brush

Cast on a random line bet  
Secs 2 & 11

Wa 12° 15' 0"

40.00

Set temporary 1/4 Sec cor

80.10

Intersect the N + S line 10 links  
S. of cor to Secs 1, 2, 11 & 12

Thence run

S 89° 56' W. on a true line  
bet Secs 2 & 11 with same Wa



T20 S.R. 26E

chains

40.05-

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5  $\frac{1}{2}$  feet dist and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.10

The cor to Secs 2, 3, 10 + 11

Surface level

Soil 2<sup>nd</sup> rate

Good grass

Scattering brush

North on a random line  
bet Secs 2 + 3

7/12/15 E

40.00

Set temporary  $\frac{1}{4}$  Sec cor

80.00

Intersect the N. bdy of Tp.  
35 miles W. of cor to Secs

T20 S. R 26 E

Chain

2.3, 34 + 35. which is a mound  
of earth and pit in S.E. part  
a stake marked. T19 S. S35-  
on N.E. R26 E. S2 on S.E

T20 S. S3 on S.W. and S.34  
on. N.W. faces with 2 notches  
on E and 4 notches on W. edges.

Thence I run

S $0^{\circ}$  15' W. on a true line  
bet Secs 2 + 3 with same Va.

24.60

Cross road bears N.E

40.00

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

80.00

The cor to Secs 2, 3, 10 + 11  
Surface level

T20 S. R 26 E

Chain

Soil 3<sup>rd</sup> rate  
 Good grass  
 Scattering brush

---

I carefully examined the  
 adjustments of my solar  
 transit to day, particularly  
 the latitude and reversing  
 apparatus and found them  
 correct

Feb. 12<sup>th</sup> 1885

---

From the Stand bar to  
 Secs 33 & 34. T20 S. R 26 E.  
 which is a Post 4 mi. Sq.  
 in mound of earth marked



T 20 S. R 26 E

chains

St. T 20 S R 26 E. on N S 34  
on E and S 33 on W. faces with  
3 notches on E & W. edges and  
pits of required size.

From N bet Secs 33 & 34  
of T 20 S E

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. or W  
face.

Jas. E. Lassater's well and  
location notice bears S. 58° E  
about 6 chs. dist from this point  
cross road bears S. E

71.50

T20 S. R26E

chains  
80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 27, 28, 33 + 34, dug pits 18 x 18 x 12 ins. in each. Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base. In S-E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 20 S. 27 on N.E. R26E S. 34 on S.E. S. 33 on S.W. and S. 28 on N.W. faces, with notch on S, and 3 notches on E faces.

Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

Cast on a random line bet  
Secs 27 + 34.

Pa 120 15-18

40.00 Set temporary 1/4 sec cor

T20 S. R26E

Chains

79.84

Intersect the N + S line 15 links  
S. of cor to Secs 26.27.34 + 35.

Thence from

S  $89^{\circ} 54'$  W. on a true line  
bet Secs 27 + 34 with same W.

29.84

Cross road bears bears N. W

39.92

Deposited & marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18 x 18 x 12 ins.E and W of stone 54 feet dist and raised  
a mound of earth  $1\frac{1}{4}$  ft. high 34 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

79.84

The cor to Secs 27.28.33 + 34

Surface level

Soil  $2\frac{1}{4}$  rate

Good grass

Scattering brush



T20 S. R26E

chain

North bet Secs 27 & 28  
T20 S. R26E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 24 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W

52.00

Cross road bears N.W. + S.E

64.50

" " " N.E. + S.W

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 21, 22, 27 & 28 dug pits 18 x 18 x 12 ins. in each. Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 20 S S. 22 on N.E., R26E S 27 on S.E., S. 28 on S.W. and S. 21 on N.W. faces, with 2 notches on S, and 3 notches on E edges.

Buckles house bears

720 S. R268

chains

S 18 1/2° W. 20. chs dist,  
Wm. Sanders's house bears  
N 40 1/2° E.

Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

Cast on a random line bet  
Secs 22 & 27

N 12° 15' E

40.00 Set temporary 1/4 Sec cor  
80.15 Intersect the N. line 27 links  
S. of cor to Secs 22, 23, 26 & 27.

Thence from

S 89° 48' W. on a true line  
bet Secs 22 & 27 with same Va.

T20 S. R 26 E

Chains  
40.07

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 8 x 18 x 12 ins. E and W of stone 5  $\frac{1}{2}$  feet dist and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

48.15 Sandersons house bears N 48 W

72.15 Cross road bears N. E.

80.15 The cor to Secs 21, 22, 27 & 28

Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

North bet Secs 21 & 22  
T20 S 15 E



T20 S. R26 E

Chain

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

Hand S of stone  $5\frac{1}{4}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs. 16, 16.21 & 22, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{4}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T.2 of S. 15 on N. E. R. 26 E S. 22 on S. E. S. 21 on S. W. and S. 16 on N. W. faces, with 3 notches on S, and 3 notches on E edges.

Surface level

Soil 2<sup>nd</sup> rate

Good grass

Scattering brush

T20 S. R 26 E

Chains

East on a random line  
bet Secs 15 & 22

W 120° 15' E

40.00

80.21

Set temporary 1/4 Sec cor  
Intersect the N + S line 37 links  
S. of cor to Secs 14, 15, 22 & 23.

Thence from

S 89° 44' W. on a true line  
bet Secs 15 and 22 with same  $\theta$ .

40.10

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone 5 1/2 ft. dist and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked 1/4 S. on N  
face.

80.21

The cor to Secs 15, 16, 21 & 22  
Surface level  
Soil 2<sup>nd</sup>/<sub>11</sub> rate  
Good grass

T20 S, R26E

chains

Scattering brush

North bet Secs 15 & 16  
T<sub>20</sub>S R<sub>26</sub>E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{4}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 4 $\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 9, 10, 15 & 16, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{4}$  ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 20 S. 10 on N. E. R. 26 E S. 15 on S. E. S. 16 on S. W. and S. 9 on N. W. faces, with 4 notches on S, and 3 notches on E edges.



T20 S. R 26E

chains

Surface level  
 Soil 2<sup>04</sup> rate  
 Good grass  
 Scattering bush

---

Cast on a random line bet  
 Secs 10 + 15

Wa 12° 15' E

40.00

Set temporary 1/4 Sec cor

79.98

Intersect the N + S line

31 links S of cor to Secs 10.11

.14 + 15.

Thence from

S 89° 47' W. on a true  
 line bet Secs 10 + 15 with same

Wa.

T20 S. R26E

Chamis  
39.99Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.E and W of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N79.98 <sup>face</sup> The cor to Secs 9, 10, 15 & 16

Surface level

Soil 2<sup>nd</sup> rate

Good grass

Scattering brush

North bet Secs 9 and 10  
Qr 12<sup>o</sup> 15<sup>o</sup> EDeposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.N and S of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins.sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face

40.00

T20 S, R 26 E

Chains

57.50

80.00

Cross road bears E

Deposited a marked stone 12 ins. in the ground for cor. to Secs 3, 4, 9 & 10. dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 20 S S. 3 on N.E. R26E S. 10 on S.E. S. 9 on S.W. and S. 4 on N.W. faces, with 5 notches on S, and 3 notches on E edges.

Surface level

Soil 2<sup>nd</sup> rate

Good grass

Scattering brush

East on a random line bet  
Secs. 3 & 10

of a 120 15' E

40.00

Set temporary 44 Sec cor



T20 SR26E

Chamiz

80.05 Intersect the N + S line 15 links S  
of cor to Secs 2, 3, 10 + 11

Thence Run.

S  $89^{\circ} 5' 41''$  W. on a true line  
bet Secs 3 + 10 with same Va

40.02

Set a Granite stone, 12 x 7 x 6 ins., 7 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$ . on N  
face, dug pits 18 x 18 x 12 ins. E and W  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

80.05 The cor to Secs 3, 4, 9 + 10

Surface level

Soil 2<sup>nd</sup> rate

Good grass

Scattering brush

North on a random line  
bet Secs 3 + 4

T20 S. R 26 E

chains

Va 12° 15' E

40.00

Set temporary 14 Sec cor

80.10

Intersect the N. ldy. of Tpi.  
15 miles W. of cor to Secs3, 4, 33 & 34. which is a mound  
of earth and pits in S.E.  
pit a stake marked.

T19 S. S 34 on N.E

R 26 E. S 3 on S.E, T20 S S 4 on

S.W. and S. 33 on N.W. faces  
with 3 notches on E & Wedges

Thence from

S 0° 6' W. on a true line  
bet Secs 3 & 4 with same Va.

32.85

Cross road bears N.E

T20 S. R268

Chavis  
40.10

Deposited a marked stone 12 ins. in the  
ground for 1/2 Sec. Cor. dug pits 18 x 18 x 12 ins.  
From S of stone 5 1/2 feet dist and raised  
a mound of earth 1 1/2 ft high 3 1/2 ft. base over  
it. In N pit drove a stake 2 ft. long 2 in.  
sq. 12 ins. in the ground marked 1/2 S. on W  
face.

80.10

The cor to Secs 3, 4, 9 & 10  
Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

---

Feb. 1<sup>st</sup> 1885

From the Stand cor to Secs  
32 + 33. T20 S. R268. which  
is a post 4 ins in mound  
of earth marked

4/8

T20 S. R 26 E

Chains

S.C. T20 S. R26 E on N  
S. 33 on E. and S 32 on W  
face with 4 notches on  
E and 2 notches on wedges  
and pits of required size.

Run N bet Secs 32+33  
9/20/15-16

48.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
N and S of stone 5  $\frac{1}{2}$  feet dist and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{4}$  ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

58.00

cross road bears N. W



T20 S. R26 E

Cham  
80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 28, 29, 32 & 33 dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq 2 ft. long 12 ins. in the ground marked T20 S. 28 on N. E. R26 E S33 on S. E. S. 32 on S. W. and S. 19 on N. W. faces, with 1 notch on S. and 4 notches on E. edges.

Lyall's well No. 1 bears  
N 31° W.

Surface level  
Soil 2 1/2" rate  
Good grass  
No. bush

East on a random line bet  
Secs 28 & 33  
Q 12° 15' E

T20 S. R 26E

chains

40.00

Set temporary 1/4 Sec cor

79.84

Intersect the N + S line 21 links  
S. of cor to Secs 27, 28, 33 + 34,  
Hence I runS 89° 57' W. on a true line  
bet Secs 28 + 33 with same Va.

39.92

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.E and W of stone 5 1/2 feet dist and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked 1/4 S. on N

79.84

face. The cor to Secs 28, 29, 32 + 33

Surface level

Soil 2<sup>nd</sup> rate

Good grass

Scattering brush

T20 S. R26E

chain

North bet Secs 28 + 29  
Va 12° 15' E

39.00

Ligall well No. 1 bears S. 37° W  
" " " 2 " E. 30 links

dist

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.N and S of stone  $5\frac{1}{4}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

80.00

Deposited a marked stone 12 ins. in the  
ground for Cor. to Secs 20, 21, 28 + 29 dug pits  
18 x 18 x 12 ins. in each Sec.  $5\frac{1}{4}$  ft. dist. and  
raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base  
over it. In S. E. pit drove a stake 2 ins. sq. 2  
ft. long 12 ins. in the ground marked T. 20 S  
S. 21 on N. E., R. 26 E S. 25 on S. E., S. 29  
on S. W. and S. 20 on N. W. faces, with  
2 notches on S, and 2 notches  
on E edges.

Surface level

5-2

BOOK 969

T20 S. R 26E

chains

Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

---

Cast on a random line  
bet Secs 21 & 28

$79^{\circ} 20' 15'' E$

40.00

Set temporary 1/4 Sec cor

79.90

Intersect the N + S line, 0  
links S. of cor to Secs 21, 22  
27 and 28.

Thence from

$S 89^{\circ} 56' W.$  on a true line  
bet Secs 21 and 28 with camera.

24.65

cross road bears N W



T 20 S. R 26 E

No. 969

Main  
39.95

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

69.90  
79.90

Cross road bears N W  
The cor. to Secs 20, 21, 28 + 29  
Surface level  
Soil 2<sup>nd</sup> rate  
Grass good

40.00

North bet Secs 20 + 21  
W  $12^{\circ} 15' E$

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face

T20 S, R 26E

Chains  
58.00  
80.00

Cross road bears N. W  
Deposited a marked stone 12 ins. in the ground for Cor. to Secs 16, 17, 20 & 21, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft high 4 1/2 ft base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 20 S. 16 on N. E., R. 26 E. S. 21 on S. E., S. 20 on S. W. and S. 17 on N. W. faces, with 3 notches on S, and 4 notches on E edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Grass good

East on a random line bet  
Secs 16 & 21

Q 12015-18

40.00  
79.93

Set temporary 1/4 Sec cor  
Intersect the T & S line 27 links

T20 S. R26E

Chains

N. of cor to Secs 15, 16, 21 & 22,  
Thence from

N 89° 48' W. on a true line  
bet Secs 16 & 21 with same Va.

39.96

Placed a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18 x 18 x 12 ins.  
E and W of stone  $\frac{1}{4}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
7 sec.

79.93

The cor to Secs 16, 17, 20 & 21  
Surface level  
Soil 2<sup>nd</sup> rate  
Good grass

North bet Secs 16 & 17  
Va 120° 15' E

T 20 S. R. 26 E

chains

40.00

Deposited a marked stone 12 ins. in the ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 5 1/2 feet dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/2 S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 19, 16 & 17, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 20 S. 9 on N.E., R 26 E S. 16 on S.E., S. 17 on S.W. and S. 8 on N.W. faces, with 4 notches on S, and 4 notches on E edges.

Surface level  
Soil 2<sup>nd</sup> rate  
Good grass

---



T20 S. R26E

Chain

Cast on a random line bet  
Secs 9 + 16

Va 12° 15' E

40.00

Set temporary 1/4 Sec cor

80.15

Intersect the N + S line 15 links  
N. of cor to Secs 9, 10, 15 + 16.

Thence I run

N 89° 54' W. on a true line  
bet Secs 9 + 16 with same Va.

40.07

Deposited & marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone 5 1/2 feet dist and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked 1/4 S. on N

80.15

The cor to Secs 8, 9, 16 + 17

Surface level

Soil 2<sup>nd</sup> rate

Good grass

T20 S. R26 E

Chains

North bet Secs 8 & 9

Or 120 15' E

40.00

Deposited a marked stone 12 ins. in the ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 54 feet dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/2 S. on N face.

54.00

cross road bears E or W

67.00

" " " "

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 4/15: 8 & 9, dug pits 18 x 18 x 12 ins. in each. Sec. 54 ft. dist and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 2 S S. 4 on N. E, R26 E S. 9 on S. E. S. 8 on S. W and S. 5 on N. W. faces, with 5 notches on S, and 4 notches on E edges.

Surface level  
Soil 2<sup>nd</sup> rate

T20 S. R26 E

Chains

Good grassEast on a random line  
bet Secs 4 & 9

Qa 2° 15' E

40.00

Set temporary 1/4 Sec cor

39.94

Intersect the N & S line 10 links  
S. of cor to Secs 3, 4, 9 & 10.

Thence run

S 89° 56' W. on a true line  
bet Secs 4 & 9 with same @ va

39.97

Set a marked stone 12 ins. in  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12  
E and W of stone 5 1/2 feet dist. and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins  
sq. 12 ins. in the ground marked 1/4 S. on N  
face.



T20 S. R 26 E

Chains

49.94

Cross road bears N.E

79.94

The cor to Secs 4, 5, 8 + 9

Surface level

Soil 2<sup>nd</sup> rate

Good grass

North on a random line  
bet Secs 4 + 5

Wa 12° 15' E

40.00

Set temporary 1/4 Sec cor

80.20

Intersect the N. bdy. of T<sub>19</sub>

15 links W. of cor to Sec

4, 5, 32 and 33 which is a

mound of earth and pits  
in S.E. put a stakemarked. T<sub>19</sub> S. S. 33 on N.E

R26 E. S4 on S.E. T20 S. S5

on S.W. and S. 32 on N.W



T20 S. R26 E

Chamie

faces with 4 notches on E and  
2 notches on W. edges.

Thence I ran  
S0°6' W. on a true line  
bet Secs 4 and 5 with same Va

40.20

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone  $\frac{1}{4}$  ft. dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $\frac{1}{4}$  ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

40.45°

Cross road bears N. E

80.20

The cor to Secs 4, 5, 8 & 9

Surface level

Soil 2<sup>nd</sup> rate

Good grass

Scattering brush

---

920 S. R 26 E

Chain

I carefully examined the adjustments of my solar transit to day particularly the latitude and reversing apparatus and found them correct

Feb 14<sup>th</sup> 1885

From the Stand Cor to Sec 31 and 32 T2S R26E. which is a mound of earth and sits in E. part a stake marked S.C

T2S R26E. on N. S. 32 on E and S. 31 on W faces with 5 notches on E and 1 notch on W. edges.

From N. bet Secs 31 & 32

T 20 S. R 26 E

Shawin

N $\frac{1}{2}$  12 $^{\circ}$  15' E

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{4}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. 28, 29, 31 & 32, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{4}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 20 S. S. 29 on N. E. R. 26 E S. 32 on S. E. S. 31 on S. W. and S. 30 on N. W. faces, with notch on S, and 5 notches on E edges.

Davis Cabin bears S 61 $^{\circ}$  E  
 Surface level  
 Soil 2 $^{\text{nd}}$  rate  
 Good grass

N 20 S R 26 E

chains

East on a random  
line bet Secs 29 & 32  
Va 120°15' E

40.00  
79.97

Set temporary  $\frac{1}{4}$  Sec cor  
to intersect the N & S line  
5 links S of cor to Secs  
28, 29, 32 & 33.

Thence from  
S 89°58' W. on a true line  
bet Secs 29 & 32 with same  
Va.

39.98

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone 5  $\frac{1}{2}$  feet dist and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

Davis cabin bears S 70  $\frac{1}{2}$ ° W



T20 S. R26E

chains

78.97 Cross White rice course S.W.

79.97 The cor to Secs 29, 30, 31 &amp; 32

Surface level

Soil 2<sup>nd</sup> rate

Good grass

West on a random line  
bet Secs 30 & 31

On  $12^{\circ}15'E$

40.00 Set temporary  $\frac{1}{4}$  Sec cor

82.70 Intersect the W. bdy of T<sub>20</sub>  
24 links S. of cor to Secs  
25, 30, 31 and 36, which is a  
mound of earth and puts in  
S.E. put a stake marked  
T20 S. S.30 on N.E. R26E  
S.31 on S.E. R25E S36 on S.W.

T20 S R26 E

Chains

and S25 on N.W. faces with  
1 notch on S. and 5 notches  
on N. edges.

Thence I run

S89° 50' E, on a true  
line bet Sec 30 + 31 with same doc.

42.70

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 1/2 feet dist and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W

51.70

<sup>cross</sup> Sulphur Springs Creek  
course S.

71.50

cross road bears N + S

82.70

The cor to Sec 29 30. 31 + 32

Surface level

Soil 2<sup>nd</sup> rate

Grass good

T20 S R26E

Chains

North bet Secs 29 & 30  
W 120° 15' E

40.00

Deposited a marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.Nana S of stone 5  $\frac{1}{2}$  feet dist and raised a mound of earth 1  $\frac{1}{2}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.arterian well bears S 66° W  
about 10 chs. dist.

80.00

Deposited a marked stone 12 ins in a ground for Cor to Secs 19.2 a 29 & 30, dug pits 18 x 18 x 12 ins. in each Sec. 5  $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high 4  $\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 2 a S. 20 on N. E., R. 26 E S. 29 on S. E., S. 30 on S. W. and S. 19 on N. W. faces, with 2 notch es on S, and 5 notch es on E edges.a corral bears S. 35° W about  
2 chs. dist.

Chains

Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

---

Cast on a random line  
bet Secs 20 + 29

Sta 12 + 15 + E

40.00  
79.81

Set temporary 1/4 sec cor  
Intersect the T + S line  
37 links S. of cor to Secs  
20, 21, 28 + 29.

Thence I run  
S 89° 44' W. on a true  
line bet Sec 20 + 29 with same  
wa.



T20 S. R26E

Chains  
39.90

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 54 feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high 34 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

79.81

The cor to Secs 19.20.29+30

Surface level

Soil 2<sup>nd</sup> rate

Good grass

West on a random line  
bet Secs 19+30

Va 120/15 E

40.00

Set temporary  $\frac{1}{4}$  Sec cor

85.93

Intersect the W. bdy. of the  
70 links S. of cor to Secs 19.24  
25+30. which is a mound

T20 S. R 26 E

chain

of earth and pits in S.E.  
 Put a stake marked.

T20 S 819 on N.E. R 26 E  
 S30 on S.E. R 25 E. S25 on  
 S.W. and S. 24 on N.W. face  
 with 2 notches on S and  
 4 notches on N. edges.

Thence I run

S89° 32' E. on a true line  
 bet Secs 19 & 30 with same Va.

45:93

Deposited a marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 54 feet dist and raised  
 a mound of earth 14 ft. high 34 ft. base over  
 it. In E pit drove a stake 2 ft. long 2 ins.  
 sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

face. a cabin bears S. 56° E and  
 an artesian well bears S 83 1/2° E

70.93

a cabin bears S. 36° W.

an artesian well bears S 74° W

T20 S. R26 E

Chamis

81.93 Cross Sulphur Springs Creek  
course S.

85.93 The cor to Secs 19, 20, 29 & 30  
Surface level  
Soil 2<sup>nd</sup> rate  
Good grass  
Scattering brush

North bet Secs 19 & 20  
Va 12° 15' E

40.00

Described a marked stone 12 ins. in the  
ground in Sec. Cor. 127 p. 175 x 18 x 19 ins.  
N S of stone 24 feet dist and raised  
a mound of earth 14 ft. high 24 ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.



T20 S. R 26E

Claims

\$0.00

Deposited a marked stone 12 ins  
 on the corner of Secs 17, 18, 19 & 20  
 1/4 sec. 12 ft. high in front Sec. 19 ft. dist  
 from a mound of earth 2 ft. high 2 1/2 ft. base  
 starting in S. E. pt. across a stake 2 ins sq. 2  
 ft. long 12 ins. in the ground marked T20S  
 S. 17 on N.E., R26E S. 20 on S.E., S. 19  
 on S.W. and S. 18 on N.W. faces, with  
 3 notches on S. and 5 notches  
 on E. edges.

Surface level  
 Soil 2<sup>nd</sup> rate  
 Good grass

East on a random  
 line bet Secs 17 & 20

N 12° 15' E

\$40.00

Set temporary 1/4 Sec cor



720 S. R 26E

chains

80.05 Intersect the N + S line 4  
mike S. of cor to Secs 16, 17  
20 + 21.

Thence from  
S 89° 58' W. on a true  
line bet Secs 17 + 20 with  
same Va.

20.30 Cross Road bears N.W.

40.02

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18 x 18 x 12 ins.  
E and W of stone 34 feet dist and raised  
a mound of earth 12 ft. high 34 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

80.05 The cor to Secs 17, 18, 19 + 20  
Surface level  
Soil 2<sup>nd</sup> rate  
Good grass

T20 S. R26E

Chains

West on a random  
line bet Secs 18 + 19

Sta 12015<sup>0</sup>

40.00

Set temporary 1/4 Sec cor

88.73

Intersect the West bdy.  
of T<sub>65</sub> line S. of cor  
to Secs 13, 18, 19 + 24 which  
is a mound of earth  
and put in S.E. pt  
a stake marked T20S  
S 18 on N.E. R26E S 19 on  
S.E. R25E S 24 on S.W.  
and S 13 on N.W. face  
with 3 notches on S & wedges.

Thence run  
S 89° 35' E. on a true

T20 S. R26E

Chamis

17.48 line bet Secs 18 + 19 with same Va  
cross road bears N + S

48.73 Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 54 feet dist and raised a mound of earth 14 ft. high 34 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

60.63 <sup>face</sup> cross road bears N + S

88.73 The cor to Secs 17. 18. 19 + 20  
Surface level  
Soil 2<sup>nd</sup> rate  
Good grass

North bet Secs 17 + 18  
Va 12 + 15 - E

32.20 cross road bears N + W



T20 S. R 26 E

Chains

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W

70.25

Cross road bears N.W

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 7, 8, 17 + 18, dug pits 18 x 18 x 12 ins. in each Sec.  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T20 S. 8 on N. E., R26 E S. 17 on S. E., S. 18 on S. W. and S. 7 on N. W. faces, with 4 noteh  $\frac{1}{4}$  on S, and 5 noteh  $\frac{1}{4}$  on N sides.

Surface level

Soil 2<sup>nd</sup> rate

Good grass



T20 S. R26E

Chain

East on a random line  
bet Secs. 8 & 17Va  $120^{\circ} 15' E$ 

40.00

Set temporary  $1/4$  Sec cor

79.71

Intersect the N & S line  
31 links S. of cor to Secs 8, 9, 16 & 17

Thence Run

S  $89^{\circ} 47' W$ . on a true  
line bet Secs 8 & 17 with  
same Va.

39.86

Dug a marked stone 12 ins. in the  
ground for  $1/4$  Sec. Cor. dug pit 18 x 18 x 12 ins.E and W of stone  $2\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

79.71

The cor to Secs 7, 8, 17 & 18  
Surface level

T20 S. R26E

Chains

Soil 2<sup>nd</sup> rate  
 Good grass

West on a random  
 line bet Secs 7 & 18

On 120 15<sup>th</sup> E

40.00 Set temporary 1/4 Sec cor

91.47 Entered the W. bay of  
 Twp. 83 links S. of cor  
 to Secs 7, 12, 13 & 18

which is a mound of  
 earth and pits in S.E.  
 put a stake marked

T20 S. S7 on N.E.

R26E S18 on S.E.

R25E S13 on S.W. and

T20 S. R26E

Chambers

S/2 on N.W. faces with  
4 notches on S and 2  
notches on N edges.

Hence from

S89°29'E. on a true line bet  
Secs 7+18 with same Va.

43.97

Cross road bears N.E

57.47

Deposited & marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

57.72

Cross Sulphur Springs creek courses

80.47

" road bears N.W

91.47

The cor to Secs 7, 8, 17 & 18

Surface level

Soil 2<sup>nd</sup> rate



80

BOOK 969

No. S. R 26 E

Chains

Good grass

North bet Sec 7 + 8  
T 9 12 1/2 E

37.00

Cross road bears N.E

40.00

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 1/2 feet dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. cor. W sec.

54.75

Cross road bears N.E



S20 S. R26E

Chains

80.00

Deposited a marked stone 12 ins. in dia. in the ground at the corner of Secs 5, 6, 7 & 8, dug pits 18 x 18 x 22 in. at each Sec. 5 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T 2 as S. 5 on N.E., R26E S. 8 on S.E., S. 7 on S.W. and S. 6 on N.W. faces, with 5 notches on S, and 5 notches on N faces.

Surface level  
Soil 2<sup>nd</sup> rate  
Good grass

East on a random line  
bet Secs 5 & 8

1/2 120 15 E

40.00

Set temporary 1/4 Sec cor

T20 S R26E

Chains

79.80

Entered the N + S line  
30 links N. of cor to  
Secs 4, 5, 8 + 9.

Thence I run

N 89° 47' W. on a true  
line bet Secs 5 & 8 with  
same W.

39.90

Described a marked stone 12 ins. in the  
ground for  $\frac{1}{2}$  Sec. Cor. dug pits 8 x 18 x 12 ins.

E and W of stone 54 feet dist and raised  
a mound of earth 14 ft. high 34 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{2}$  S. on W  
face.

49.05

Cross road bears NE

79.80

The cor to Secs 5, 6, 7 &amp; 8

Surface level

Soil 2<sup>nd</sup> rate

Good grass

T20 S R26E

chain

West on a random line  
bet Secs 6 & 7

Va 12015'E

40.00

Set temporary 1/4 Sec cor

94.00

Intersect the W. bdy. of T<sub>16</sub>  
79 links S. of cor to Secs  
16 7 & 12 which is a mound  
of earth and pits in SE  
pit a stake marked.

T20 S. S6 on NE

R26 E. S7 on S.E. R25 E

S12 on SW. and S1 on N.W.  
face with 5 notches on S  
and 1 notch on N. edges.

Thence Iron

S89° 32' E. on a true line



T20 S. R 26 E

Chains

15.00

54.00

bet Secs 6 & 7. with camera  
Cross road bears N. W.

deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone 34 feet dist. and raised  
a mound of earth 14 ft. high 34 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

62.00

Cross road bears N E

94.00

The cor to Secs 5, 6, 7 &amp; 8

Surface level

Soil 2<sup>nd</sup> rate

Good grass

North on a random  
line bet. Secs 5 & 6

Va 12015 E

T20 S. R26 E

chains

40.00

Set temporary  $1\frac{1}{4}$  sec cor

80.50

Entered the N. bay of  
T<sub>19</sub> 40 links N. of Corto  
Secs 5-6-31 and 32 which  
is a mound of earth and  
pits in S.E. pit a stake  
marked. T<sub>19</sub> S. S32 on N.E.  
R26 E S. 5 on S.E. T<sub>20</sub> S  
S6. on S. W. and S31  
on N.W. faces with 5  
notches on E and 1  
notch on W. edges.

Thence I run

S $0^{\circ}$  17' W. on a true  
line bet Secs 5 & 6 with  
same W. a.

T20 S. R 26E

chains

40.50

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 in. N and S of stone 54 feet apart and covered a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.50

The cor to Secs 5-6-7-8

Surface level

Soil 2  $\frac{m}{y}$  rate

Good grass

I carefully examined the adjustments of my solar transit to day particularly the latitude and reversing apparatus and found them correct  
Feb. 15<sup>th</sup> 1885



T 20. S. R 26 E

## General Description

Claims

This township is in the middle of Sulphur Springs Valley. The soil is mostly 2<sup>nd</sup> rate but there is a good deal of alkali along Sulphur Springs Creek and at the time of the survey the land border-  
said creek was quite wet

There are a number of so called artesian wells in the township owned mostly by Lyall and Sanderson Buckles house is in Sec 28. Sandersons house is in sec 22. Lyall has two wells in Sec 29. and 1 in Sec 8 Davis cabin is in Sec 32. 4 wells and a cabin in

Sec 30. a house in the middle of sec 19. The well known station of Soldiers hole is in Sec 7 from which radiate a number of roads many of which are only local.

White river the channel of which is quite wide where it crosses the N bay. spreads out and loses it self entirely in Sec 12.

The following have taken claims in this Tp  
Jacob Scheerer  
SE<sup>1</sup>/<sub>4</sub> of Sec 31 and SW<sup>1</sup>/<sub>4</sub>  
of Sec 32

---

Jerome J Hill  
SW<sup>1</sup>/<sub>4</sub> of Sec 31

---

Chas W. Brown  
S. E <sup>1</sup>/<sub>4</sub> of Sec 32

---

E<sup>1</sup>/<sub>2</sub> of W<sup>1</sup>/<sub>2</sub> and S.E<sup>1</sup>/<sub>4</sub> of N.E<sup>1</sup>/<sub>4</sub>  
and E<sup>1</sup>/<sub>4</sub> of Sec 18  
is taken by W. J. Sanders

---

Wm Lyall  
S.E<sup>1</sup>/<sub>4</sub> of Sec 19 and S<sup>1</sup>/<sub>2</sub> of  
N.E<sup>1</sup>/<sub>4</sub> of Sec 19. and N.E<sup>1</sup>/<sub>4</sub> of  
Sec 30.



Ambrose Lyall  
Sec 29

---

Jerome L Ward  
SE<sup>1</sup>/<sub>4</sub> of Sec 30 and NE<sup>1</sup>/<sub>4</sub>  
of Sec 31

---

Andrew Davis  
NE<sup>1</sup>/<sub>4</sub> of Sec 32

---

For final plathe see:  
Book No 15

U. S. Surveyor General's Office,

Tucson, Arizona, *May* 11-1885

The foregoing Field Notes of the Survey of the

*subdivisional line*  
*of T<sub>1</sub> 20 S. R 26 E*

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by *Lewis Wolfley*

Deputy Surveyor, under his contract of the *11<sup>th</sup>*

day of *November*, 188~~4~~<sup>5</sup> having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved

*Royala Johnson*  
 Surveyor General.