

N<sup>o</sup> 2

SUBDIVISIONS

Township N<sup>o</sup> 19 S. — Range N<sup>o</sup> 28 E

971

No. 971

BOOK 971

4-671

FIELD NOTES  
GENERAL LAND OFFICE.

Indexed, Book 904.

Capitol

compared. T. & L.

Township 199 R. 28E

60

6	105	5	77	4	61	3	2	1
103		102		76				
7	100	8	75	9	10	11	12	
98		97		74				
18	95	17	72	16	15	14	13	
93		92		71				
19	90	20	69	21	22	23	24	
88		87		68				
30	84	29	66	28	27	26	25	
83		81		65				
31	80	32	63	33	34	35	36	

Subdivisions T. 19S. R. 28E

Land rolling  
 Soil 3<sup>rd</sup> rate  
 Not timber No. 971

N. 0° 2' W. bet secs 3 and 4,  
 on random line

40.00 Sit temp  $\frac{1}{4}$  sec cor

91.25 Intersect N. Bdy of Tfr  
 25.85 chains W. of cor  
 secs 2, 3, 34 and 35.

Sit granite 20X10X6 ins, 14  
 ins in ground for C.C.  
 of secs 3 and 4, marked  
 C.C. on S. face with 3  
 notches on E + W. edges  
 dig pits 24X18X12 ins cross  
 wise on each line, E + W  
 3ft and S. of stone 7ft dist  
 raise a mound of earth  
 4ft-base 2ft high S. of cor.

## Subdivisions

dis

I change cor of secs  
2, 3, 34 + 35 - to cor secs 34 + 35  
there being stone conven-

ient I set granite  
18x10x8 ins for C.C. secs  
34 + 35, with mark

C.C. on N. face; depth the  
fits N.E. + NW and with  
mound to N. as stake  
is well preserved I oblit-  
erate marks referring  
to secs. 2 + 3 and T. 19 S.  
and drive stake in  
N. E. pit.

From C.C. secs 3 and 4

I run

S. 0° 2' E on true line  
bet secs 3 and 4

29.65 Road brs E. and W.

57.25 Set granite 20x10x6 ins

Tfr 19 S. R 28 E.

chs

for  $\frac{1}{4}$  sec cor marked  
 $\frac{1}{4}$  on W. face; dig pits  
 18X18X12 ins N + S. of stone  
 3 ft dist + raise mound  
 of earth  $3\frac{1}{2}$  ft base  $1\frac{1}{2}$  ft-  
 high W. of cor.

91.25 cor secs 3, 4, 9 + 10

Land rolling  
 soil 2<sup>d</sup> rate

No timber

February 28<sup>th</sup> 1902

From the cor secs 4, 3, 32  
 and 33 on S. Bdy, I run  
 N.  $0^{\circ}2'$  W. bet secs 32 + 33

Descend

2.60 Gulch 20 ft wide course N.E.

3.00 Ascend

8.50 Top of ascent on E. slope of hill

16.00 Descend

## Subdivisions

- chs  
 26.50 Enter White River valley  
 brs S. E. and N. W.
- 40.00 Set limestone boulder  
 18X10X8 ins for  $\frac{1}{4}$  sec. cor  
 set 12 ins in ground,  
 marked  $\frac{1}{4}$  on W. face  
 dig pits 18X18X12 ins N. & S.  
 of stone 3 ft dist and  
 raise mound of earth  
 3 $\frac{1}{2}$  ft base 1 $\frac{1}{2}$  ft high  
 W. of cor.
- 42.80 Gulch 20 ft wide, 12 ft deep  
 course N. W.
- 47.05- Moore's wire fence brs S. E. & N. W.  
 Leave pasture
- 49.75- Road brs S. E. & N. W.
- 80.00 Set limestone boulder  
 20X10X6 ins, 14 ins in grd  
 for cor secs 28, 29, 32 & 33  
 marked 1 notch on S. and

Tpi 19 S. R 28 E.  
 chs

4 on E. edges; dig pits  
 18X18X2 ins in each sec  
 5 1/2 ft dist, and raise a  
 mound of earth 4 ft base  
 2 ft high W. of cor.

Land level + hilly  
 Soil 3<sup>rd</sup> + 1<sup>st</sup> rate

No timber ripen along  
 river + gulches

Mountainous land

26.50 chains

---

S. 89°39'E on random  
 line bet. sec 28 + 33

40.00 Set temp 1/4 sec. cor.

80.04 Intersect N. + S. line

14 lks S. of cor sec

27, 28, 33 and 34

Thence I run

N. 89°45' W on true line

## Subdivisions

chs

- bet secs 28 and 33
- 17.40 Road Rucker Cañon  
to Pearce brs S. 60° E +
- 40.02 Set volcanic stone 18x  
10x8 ins, 12 ins in ground  
for  $\frac{1}{4}$  ecc. cor. marked  
 $\frac{1}{4}$  on N. face; dig pits  
18x18x12 ins E + W. of stone  
3 ft dist. and raise  
mound of earth  $3\frac{1}{2}$  ft  
base,  $1\frac{1}{2}$  ft high N. of cor.
- 80.04 Cor secs 28, 29, 32 + 33.  
Land level  
soil 1<sup>st</sup> rate  
No timber
- 
- N. 0° 2' W. bet secs 28 + 29
- 17.80 Road Rucker to Pearce  
brs N. 60° W +
- 20.00 Enter dense undergrowth

Tr 195 R 28E

chs

- 25.00 Enter timber brs S.E. + NW
- 31.00 White River 1 ch wide (Dry)  
crs N. 75° W.
- 37.10 One fork White River 2 ch wide  
(Dry) course N 70° W.
- 38.50 Ascend rocky bluff.
- 40.00 Top of bluff brs S. 60° E +  
set white boulder 24x12x6 ins  
18 ins in ground for 1/4 cor  
set 18 ins in ground, marked  
1/4 on W. face; raise end  
of stone 3 ft base 2 ft high  
W. of cor. Pits impracticable.
- 48.00 Descend
- 56.80 Gulch 1 ch. wide course N. 75° W
- 59.00 Ascend
- 80.00 Set granite 24x10x6 ins, 18 ins  
in ground for cor secs  
20, 21, 28 + 29 marked  
2 notches on S. + 4 on E. edges

## Subdivisions

che

dig pits 18X18X12 ins in  
each sec. 5 1/2 ft dist, raise  
a mound of earth 4 ft  
base 2 ft high N. of cor.  
Soil 2<sup>d</sup> + 3<sup>d</sup> rate

Mountainous land +  
timbered 60.00 chains

---

S. 89° 45' E on random line  
bet. secs 21 and 28

40.00 Set temp 1/4 sec. cor.  
80.24 Intersect N. + S. line 22 lks  
S. of cor. secs 21, 22, 27 + 28  
Thence down  
N. 89° 55' W on true line  
bet secs 21 and 28

Ascend

9.24 Ridge brs N.E. and S. W.  
Descend

31.04 Gulch 60 lks wide course

Tfr 19 S R 28 E

- chs S. 60° W. Ascend
- 40.12 Set granite 18x8x6 ins, 1/2 ins  
in ground for 1/4 sec. cor.  
marked 1/4 on N. face; dig  
pits 18x18x12 ins E+W. of stone  
3 ft dist, raise mound of  
earth 3 1/2 ft base 1 1/2 ft high  
N. of cor. Descend
- 71.24 Gulch 30 lks wide course S.W.  
Ascend
- 80.24 Cor sees 20, 21, 28 and 29  
Soil 3<sup>rd</sup> rate  
No timber  
Mountainous land  
80.24 chairs
- 
- N. 0° 2 W bit sees 20 and 21  
One mountainous land
- 9.80 Gulch 20 lks wide course S. 60° W  
Ascend

70

BOOK 971

## Subdivisions

ch

- 23.00 Ridge brs. N.E. and S.W.  
Descend
- 32.00 Gulch 40 lks wide, course W.
- 33.00 Ascend
- 40.00 Ridge brs E. and W.  
Set granite 20X12X6 ins  
14 ins in ground for  
1/4 sec cor marked 1/4 on  
W. face. dig pits 18X18X  
12 ins N. + S. of stone  
3ft dist + raise mound  
of earth 3 1/2 ft base, 1 1/2 ft  
high W. of cor.  
Descend
- 48.30 Gulch 50 lks wide course S. 60° W
- 49.00 Ascend
- 60.00 Top of bank
- 70.00 Top of ridge brs E. and W.
- 80.00 Set granite 24X10X6 ins, 18 ins  
in ground for cor sec

chc Tfr 19 S. R 28 E

16, 17, 20 and 21, marked  
3 notches on S + 4 on E. edges  
dig pits 18x18x12 ins in each  
sec.  $5\frac{1}{2}$  ft dist and raise  
mound of earth 4 ft base  
2 ft high W. of cor.  
Soil 3<sup>rd</sup> rate  
No timber

Mountainous land

80.00 chains  
February march 1<sup>st</sup> 1902

---

S.  $89^{\circ} 53' E$ . on random line  
bet secs 16 and 21

40.00 Set temp 1/4 sec. cor.

80.12 Intersect N. + S. line 5 lks N.  
of cor secs. 15, 16, 21 and 22.

Thence I run

N.  $89^{\circ} 53' W$ . on true line  
bet. secs 16 and 21.

Descend

72

BOOK 971

## Subdivisions

- chs  
 40.06 Set concrete stone 18x8x6 ins  
 12 ins in ground for  
 1/4 sec. cov. marked 1/4 on  
 N. face; dig pits 18x18x12 ins  
 E. and W. of stone 3 ft dist  
 and raise mound of  
 earth 3 1/2 ft base 1 1/2 ft high  
 N. of cov.
- 80.12 Cov secs. 16, 17, 20 and 21.  
 Land descending to West.  
 Soil 3<sup>rd</sup> rate  
 No timber
- 
- N 0° 2' W. bet. secs 16 and 17  
 Descend
- 7.50 Gulch 30 lks wide course N. 60° W  
 Ascend  
 Ridge brs. E. and W.  
 Descend
- 15.00 Gulch 60 lks wide course S. 75° W

the Tfr 19 S. R 28 E

Ascend

Ridge brs E. and W.

40.00

Set granite boulder 20X10x6 ins  
14 ins in ground for  $\frac{1}{4}$  cor  
marked  $\frac{1}{4}$  on W. face

dig pits 18X18X12 ins N. & S. of  
stone 3ft dist & raise mound  
of stone <sup>& earth</sup>  $3\frac{1}{2}$  ft base  $1\frac{1}{2}$  ft high  
W. of cor. Descend

52.00 Gulch 30 lks wide course W.

57.00 Gulch 40 lks wide course S. 60° W.

59.60 Gulch 20 lks wide course S. 60° W.

Ascend

Top of ridge brs E. and W.

80.00

Set limestone boulder 24X10x6 ins  
18 ins in ground for cor secs  
8, 9, 16 and 17 marked 4 notches  
on S. and E. edges; dig pits  
18X18X12 ins in each sec  
 $3\frac{1}{2}$  ft dist & raise mound

74

BOOK 971

## Subdivisions

cls

of earth 4 ft base 2 ft high  
N. of cor.

Land broken

Soil 3<sup>rd</sup> rate

No timber

Mountainous land

80.00 chains

---

S.  $89^{\circ}53'E$  on random  
line bet secs 9 and 16

40.00 Set trip 1/4 sec cor.

80.10 Intersect N. + S. line 24 lks

N. of cor secs 9, 10, 15 + 16

Thence I run

N.  $89^{\circ}43'W$  on true line  
bet secs 9 and 16

Over rolling land

40.05 Set granite 14X8X6 ins.

10 ins in ground for

1/4 sec cor marked 1/4 on

Tfr 19 S. R 28 E

cls

N. face; dig pits 18X18X12 ins  
E. and W. of stone 3 ft dist  
and raise mound of earth  
3 1/2 ft base, 1 1/2 ft high N. of cor.  
Gulch course N.W.

Ascend

80.10

Cor secs 8, 9, 16 and 17

Land rolling  
Soil stony 2<sup>d</sup> rate  
No timber

N0°2' W bet secs 8 and 9

On rolling land

Descend

40.00

Set boulder 24X10X5 ins, 18 ins  
in ground for 1/4 sec. cor.  
marked 1/4 on N. face; dig  
pits 18X18X12 ins N & S. of stone  
3 ft dist + raise mound  
of earth 3 1/2 ft base 1 1/2 ft

## Subdivisions

- chs
- 45.90 high W. of cor.  
Wash 1 ch wide course West.
- 55.00 Ascend gentle slope
- 80.00 Set granite 20X12X6 ins  
14 ins in ground for  
course 8, 9, 4 + 5, mark  
5 notches on S. and 4 on  
E. edges; dig pits 18X18X12 ins  
in each sec. 3 1/2 ft diam,  
and raise mound of  
earth 4 ft base 2 ft high  
W. of cor.  
Land rolling  
soil 2<sup>d</sup> rate  
No timber

- 
- S. 89° 43' E on random line  
hit sec 4 and 9.
- 40.00 Set temp 1/4 sec. cor.
- 80.16 Intersect N. and S. line

Twp 19 S. R 28 E.

chs

5-lks N. of cor secs 3, 4, 9 + 10

Thence I run

N.  $89^{\circ}41'W$  on true line  
bet. secs 4 and 9.

40.08 Set granite  $18 \times 12 \times 8$  ins, 12 ins  
in ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face; dig  
pits  $18 \times 18 \times 12$  ins E and W. of  
stone 3 ft dist, and raise  
mound of earth  $3\frac{1}{2}$  ft base  
2 ft high N. of cor.

80.16 Cor secs 4, 5, 8 and 9.

Land rolling

Soil 2<sup>d</sup> rate

No. timber

March 2<sup>d</sup> 1902N.  $0^{\circ}2'W$  on random  
line bet secs 4 and 5-40.00 Set temp  $\frac{1}{4}$  sec. cor.

91.30 Intersect N. Bdy of Twp

## Subdivisions

chs

25-65 chs W of cor secs

~~33~~, 33 and 34. S. Body. T18S. R28E.

Set granite boulder

18x10x8 ins 12 ins in ground

for C.C. secs 4 and 5;

marked C.C. on S. face

with 2 notches on W. &amp; 4 on E. edges

dig pits 24x18x12 ins

across line E and W. 3 ft.

and S. of stone 7 ft dist.

raise mound of earth

4 ft base 2 ft high S. of cor.

Set granite 24x10x8 ins

18 ins in ground for C.C.

secs 33 and 34, <sup>on S. Body</sup> T18S. R28E.

marked C.C. on N. face with

3 notches on W &amp; 3 on E. edges.

dig pits N.E. and N.W. of

stone 5 1/2 ft dist, raise

mound of earth 4 ft base 2 ft

high N. of cor. No

clus Tfr 19 S. R 28 E

trace of old stake.

From C.C. secs 4 and 5 just  
established by me I run  
S. 0° 2' E on true line  
bet secs 4 and 5

Our rolling land

- . 75 Road brs N.E. and S.W.  
18. 70 Road brs N.E. and S.W.  
45. 90 Gulch 50 lks wide course N.  
57. 30 Sit granite 24 X 14 X 5 ins  
18 ins in ground for 1/4 sec  
cor marked 1/4 on N. face  
dig pits 18 X 18 X 12 ins N + S. of  
stone 3 ft dist + raise mid  
of earth 3 1/2 ft base 1 1/2 ft high  
W of cor.  
91. 30 Cor secs 4, 5, 8 and 9  
Land rolling  
Soil 2<sup>d</sup> + 3<sup>d</sup> rate  
No timber

ch2 Subdivisions

- From cor sec 5, 6, 31 & 32  
on S. Bdy of Twp Iron  
N.  $0^{\circ} 3'$  W bet sec 31 and 32  
Descendary steep moun-  
tain
- 20.30 Gulch 20<sup>lks</sup> wide course N.E.  
Thence along E. slope of ridge
- 32.00 Descend steep N. slope
- 40.00 Set granite 17x 8x 6 ins, 12  
ins in ground for  $\frac{1}{4}$   
sec. cor. marked  $\frac{1}{4}$  on  
W. face
- An Oak 12 ins diam br  
S.  $82^{\circ}$  E. 69 lks dist marked  
 $\frac{1}{4}$  S. B. Y.
- An Oak 12 ins diam br  
N.  $25^{\circ}$  W. 19 lks dist marked  
 $\frac{1}{4}$  S. B. T.
- Moore's wire fence br S.E. + N.W.
- 60.00 Bottom of mountain

Tfr 19 S. R 28 E.

che

Enter wash course N. E.

80.00

Set limestone boulder  
 18X10X6 ins 12 ins in ground  
 for cor sec 29, 30, 31 and 32  
 marked 1 notch on S. and  
 5 on E. edges; dig pits  
 18X18X12 ins in each sec  
 5-1/2 ft dist, and raise  
 mound of earth 4 ft base  
 2 ft high N. of cor.

Land mountainous  
 soil 3<sup>d</sup> + 4<sup>th</sup> rate

Timber Oak + Juniper on  
 mountain.

Mountainous land  
 80.00 chains

S. 89° 39' E on random  
 line bet sec 29 and 32

40.00

Set temp. 1/4 sec. cor.

## Subdivisions

chs

- 79.72 Intersect N. and S. line  
at the cor secs 28, 29, 32 + 33  
Thence I run  
N 89° 39' W on true line  
bet secs 29, and 32
- 31.35 Road brs S.E. and N.W.
- 37.80 Moors fire fence brs S.E. + N.W.  
Enter pasture
- 39.86 Set boulder 20x14x6 ins  
14 ins in ground for 1/4  
sec. cor marked 1/4 on N. face  
raise mound of stone  
2 ft base 1 1/2 ft high N. of cor.
- 42.00 <sup>Gulch</sup> <sup>NE</sup> <sup>NE</sup> Pits impracticable.
- 63.00 Lean White River valley  
ascend steep ridge
- 67.50 Ridge brs S.E. + N.W. Descend.
- 69.00 Bottom of ridge
- 79.72 Cor secs 29, 30, 31 and 32  
Land level

chs

Tfr 19 S. R 28 E

Soil 2<sup>d</sup> rate

No timber.

N 89° 39' W on random  
line bet secs 30 and 31.

40.00 Set temp 1/4 sec. cov.

97.87 Intersect N. Bdy of Tfr 34 E

S. of cov secs 25, 30, 31 & 36

Thence I run

S. 89° 24' E on true line  
bet secs 30 and 31

Ascend

15.87 Low saddle bet. two high  
mountains bcs N. & S.

37.37 Descend

38.17 Gulch 60 lks wide course N.

5-7.87 Volcanic rock in place  
2x2x 1 1/2 ft - above ground  
mark 1/4 on N. face

Raise mound of stone

chs

## Subdivisions

- 2 ft base  $1\frac{1}{2}$  ft high  
N. of cor. Pits impracticable  
Ascend
- 58.87 Volcanic ridge brs S.E. + N.W.  
Descend
- 70.12 Gulch 15-20 ft wide course N.  
Ascend
- 78.87 Ridge brs N. and S.  
93.87 Descend steep ridge  
Enter pasture
- 96.00 Moors wire fence brs N. + S.  
97.87 Cov. secs 29, 30, 31 and 32  
Land mountainous  
soil 4<sup>th</sup> rate  
no timber  
Mountainous land
- 
- 97.87 *Chairs*  
March 3<sup>d</sup> 1902
- N. 0° 3' W bit secs 29 & 30
- 8.00 Enter White River valley

## Twp 19 S. R 28 E

- | chs   |   |
|-------|---|
|       | brs S.E. and N.W.   |
| 35.95 | Moore's wire fence brs S.E. + N.W.  |
| 38.00 | Gulch 1 ch. wide course N. 60° W  |
| 40.00 | Set granite boulder 18x10x6 ins<br>12 ins in ground for 1/4 sec.<br>cov. marked 1/4 on N. face<br>Ash 10 ins diam brs N 86 1/4 E<br>87 lbs dist marked 1/4 S. B. T.<br>Willow birch diam brs S. 74 3/4 W<br>20 lbs dist marked 1/4 S. B. T.<br>Moore's well + windmill brs<br>S. 70° W. about 5-chs dist. |
| 47.70 | Road Pearce to Ricker<br>cañon brs S.E. and N.W.  |
| 53.50 | White River 1 ch mile (Dry)<br>course N.W.  |
| 55.20 | Road Pearce to Ricker cañon<br>brs N.E. and S.W.  |
| 68.50 | Ascend steep bank   |
| 70.00 | Top of bank brs S.E. + N.W.   |

## Subdivisions

chs

72.70

Road Pearce to Rucker  
Cañon

73.00

Lean White River valley  
brs S.E. + N.W. ascend

80.00

Set granite 24x12x8 ins  
18 ins in ground for  
cor. sec. 19, 20, 29 and 30  
marked 2 notches on S.  
and 5 on E edges; dig  
pits 18x18x12 ins in each  
sec. 5 1/2 ft dist & raise a  
mound of earth 4 ft  
base 2 ft high W. of cor.  
N.W. Cor Frank Moor's house  
which is also Rucker P.O.  
and the old J. H Powers  
ranch brs S. 20° E about 12 chs  
Land rolling  
Soil 2<sup>d</sup> and 3<sup>d</sup> rate.  
Timber Oak, Sycamore

clus  
Twp 19 S. R 28 E

and Willow along river

S 89° 39' E ~~S. 89° 38' E~~ on random  
line bet secs 20 and 29

40.00 Set temp 1/4 sec. cor

79.80 Intersect N. and S. line

3 ~~3~~ lks ~~N.~~ of cor secs 20, 21, 28 & 29

Thence I run

N. 89° 38' W on true line  
bet secs 20 and 29.

Descend

12.80 Gulch 25 lks wide course S. W.

24.80 Ascend

39.90 Set granite 16X12X8 ins, 10 ins  
in ground for 1/4 sec cor.

marked 1/4 on N. face

dig pits 18X18X12 ins E & W  
of stone 3 ft dist & raise  
mound of earth 3 1/2 ft base

1 1/2 ft high N. of cor.

88

BOOK 971

## Subdivisions

- chs  
67.80 Top of ridge brs S.E. + N.W.  
Descend
- 79.80 Cor secs 19, 20, 29 and 30  
Land rolling  
Soil 3<sup>rd</sup> rate  
Timber Oak along gulches
- 
- N. 89° 24' W on random  
line bet secs 19 and 30
- 40.00 Set temp 1/4 sec. cor.
- 104.98 Intersect W. Bdy of Twp 144<sup>th</sup>  
S. of cor secs 19, 24, 25 and 30.  
Thence Iron  
S. 89° 18' E on true line bet  
secs 19 and 30  
Descend
- .93 Gulch 10 ft wide course N. 13° W
- 28.98 Ascend ridge brs N + S.  
Descend steep ridge
- 43.98 Enter White River valley

Twp 19 S. R 28 E.

cls

- and timber brs S.E. & N.W.
- 53.48 One fork White River 1 ch wide (Dry)  
course N.W.
- 64.98 Set granite boulder 20x12x10  
ins, 14 ins in ground for  
1/4 sec. cor, marked 1/4 on N. face  
Oak 10 ins diam brs N. 82° 1/4 E  
marked 1/4 S. B. T.  
Ash 8 ins diam brs S. 62° 3/4 E  
marked 1/4 S. B. T.
- 73.48 White River 1 ch wide (Dry)  
course N.W.
- 76.98 Lean timber brs S.E. & N.W.  
Lean white River vally  
and mesquite brush.
- 96.48 Road brs N. and S.  
Ascend
- 104.98 Cor secs 19, 20, 29 and 30  
Land rolling & mountainous  
Soil 2<sup>d</sup> + 4<sup>th</sup> rate

90

BOOK 971

chs

## Subdivisions

Timber Oak, Sycamore  
Juniper, Ash, Willow  
along river

Mountainous & timbered land

104.98 chains

---

N.  $0^{\circ}3'$  W. bet secs 19 and 20

Ascend

10.00

Ridge bet S. E. and N. W.

Descend

14.75

Gulch 30 lks wide course N.  $60^{\circ}$  W.

15.00

Ascend

22.00

Ridge bet S. E. & N. W.

Descend

28.00

Gulch 30 lks wide, course N.  $60^{\circ}$  W.

30.00

Ascend

40.00

Set granite 18X10X8 ins

12 ins in ground for  $\frac{1}{4}$

sec. cor. marked  $\frac{1}{4}$  on

W. face; dig pits 18X18X12 ins

dis T<sub>p</sub> 19 S. R 28 E.

N. and S. of stone 3 ft dist  
and raise mound of  
earth 3 1/2 ft base 1 1/2 ft high  
N. of cov.

47.00 Ridge brs E. and W.

Descend

53.25 Gulch 30 lks wide course N 60° W

54.00 Ascend

61.00 Ridge brs S.E. and N.W.

Descend

73.50 Gulch 20 lks wide course N.W.

Ascend

80.00 Set granite 20X10X8 ins

14 ins in ground for  
cov. sees. 17, 18, 19 and 20

marked 3 notches on S.

and 5 on E. edges. dig

fits 18X18X12 ins in each

sec 5 1/2 ft dist + raise

mound of earth 4 ft base

92

BOOK 971

chs

## Subdivisions

2 ft high N. of cor.

Land broken

Soil 3<sup>d</sup> rate

Mountainous land

80.00 chains

March 4<sup>th</sup> 1907S.  $89^{\circ}38'E$  on random line  
bet. secs 17 and 2040.00 set temp  $\frac{1}{4}$  sec. cor

79.82 Intersect N. and S. line

5 lks N. of cor. secs 16, 17, 20 + 21

Thence I run

N.  $89^{\circ}36'W$  on true line  
bet secs 17 and 20.Descend 3<sup>d</sup> slope

39.91 set granite 18x14x8 ins, 12 ins

in ground for  $\frac{1}{4}$  sec. cor.marked  $\frac{1}{4}$  on N. face

dig pits 18x18x12 ins N.

+ E of stone 3 ft dist and

chs Twp 19 S, R 28 E.

79.82 raise mound of earth  
 3 1/2 ft base 1 1/2 ft high N. of cor  
 Cor secs. 17, 18, 19 and 20  
 Land sloping West  
 Soil 2<sup>d</sup> rate  
 No timber

40.00 N. 89° 39' W on random  
 line bet secs 18 and 19  
 112.00 Set temp 1/4 sec. cor.  
 Intersect W. Bdy of Twp  
 217 lks S of cor secs. 13, 18, 19 & 24.  
 I set granite boulder 20 x 8 x 6 ins  
 14 ins in ground for C.C. of  
 secs 18 and 19 marked C.C.  
 with 3 nolets on N. and S. edges  
 on E. face; dig pits 24 x 18 x  
 12 ins crosswise each line  
 N. and S. 3 ft and E. 7 ft dist;  
 raise mound of earth 4 ft  
 base 2 ft high E of cor.

cls

## Subdivisions

I change cor of secs 13, 18, 19 + 24  
to cor secs 13 and 24 by  
digging pits in the two secs  
and raise mound N. of cor.  
From cor secs 18 and 19  
just established by me  
Iron S.  $89^{\circ}39'E$  on true line  
bet secs 18 and 19.

- 3.00 Ascend through dense  
mesquite undergrowth.
- 38.50 Road Pearce to Rucker  
brs S.E. and N.W.
- 39.00 Leave mesquite undergrowth  
Ascend rocky hill
- 47.00 Top of rocky hill  
Ascend gentle slope
- 72.00 Set granite  $24 \times 12 \times 8$  ins, 18 ins  
in ground for  $\frac{1}{4}$  sec cor.  
marked  $\frac{1}{4}$  on N. face; dig  
pits  $18 \times 18 \times 12$  ins E and W.

cls  
Tfr 19 S. R. 28 E.

of stone 3 ft dist, and  
raise mound of earth  
3 1/2 ft base 1 1/2 ft high N. of cor

82.00 Ridge slopes S.W. Descend

100.00 Bottom of descent + edge of  
gulch course S.W. brs S.E. Ascend

112.00 Cor. secs 17, 18, 19 and 20

Land ascending East  
Soil 2<sup>d</sup> and 3<sup>d</sup> rate

No timber

Mountainous + undergrowth

74.00 chains

---

N. 0° 3' W. bet secs 17 and 18

Ascend

7.00 Ridge brs E. and W.

Descend

12.60 Gulch 30 ft wide course N. 60° W.

13.00 Ascend

25.00 Top of rocky hill

96

BOOK 971

## Subdivisions

chs

- 34.00 Descend
- 40.00 Set granite 24X10X6 ins, 18 ins  
in ground for  $\frac{1}{4}$  sec. cor  
marked  $\frac{1}{4}$  on W. face  
raise mound of stone  
3 $\frac{1}{2}$  ft base, 2 ft high W. of cor.  
Pits impracticable
- 47.60 Gulch 30 lks wide course N.W.
- 49.00 Ascend rocky hill
- 64.00 Ridge brs S.E. and N.W.  
Descend very steep bank
- 70.00 Bottom
- 71.00 Gulch 40 lks wide course N. 60° W.
- 74.50 Gulch 15 lks wide course W.  
Ascend
- 80.00 Set granite boulder 24X10X6 ins  
18 ins in ground for cor.  
secs 7, 8, 17, and 18  
marked 4 notches on S. and  
5 on E. edges. dig pits

Pls 145. R. 28E.  
 chs

18X18X12 ins in each sec  
 5½ ft dist and raise a  
 mound of earth 4 ft base  
 2 ft high W. of cor.

Land broken

Soil 3<sup>rd</sup> rate

No timber

Mountainous land

80.00 chains

---

S. 89°36'E on random line  
 bet. secs 8 and 17

40.00 Set temp ¼ sec. cor.

79.82 Intersect N. and S. line 18 lks

N. of cor sec 8, 9, 16 and 17

Thence Iron

N. 89°28'W. on true line  
 bet. secs 8 and 17

One rolling land

39.91 Set limestone 18X12X8 ins

98

BOOK 971

## Subdivisions

chs

12 ins in ground for  $\frac{1}{4}$  sec. cor.  
marked  $\frac{1}{4}$  on N. face; dig  
pits 18X18X12 ins E. and W. of stone  
3 ft dist + raise mound of  
earth Stone 3  $\frac{1}{2}$  ft base, 1  $\frac{1}{2}$  ft  
high N. of cor.

5-300 Descend.

79.82 Cor. secs. 7, 8, 17 and 18

Land rolling  
soil 3<sup>d</sup> rate

No timber

March 25<sup>th</sup> 1902

---

N. 89° 39' W on random  
line bet secs 7 and 18

40.00 Sit temp  $\frac{1}{4}$  sec. cor.

119.13 Intersect W. Bdy of Twp  
196 blks S. of cor secs 7, 12, 13 + 18  
Sit granite 14X8X6 ins, 9 ins  
in ground for C.C. secs  
7 and 18, marked C.C.

Tfr 19 S. R. 28 E.

cls

on E. face, with 2 notches  
on N. and 4 on S. edges.

dig pits 24X18X12 ins N+S.  
3 ft. and E. 7 ft dist and  
raise mound of earth  
4 ft base 2 ft high E. of cor.  
I change cor. sees 7, 12, 13 & 18  
to cor. sees 12 and 13 by dig-  
ging pits N.W. and S.W. of  
cor. raise mound W.

From cor sees 7 and 18  
just established by me  
I run S. 89° 39' E on true  
line bet sees 7 and 18

69.13 Learn dense undergrowth  
of mesquite

79.13 Set granite 18X8X6 ins, 12  
ins in ground for 1/4 sec  
cor marked 1/4 on N. face  
dig pits 18X18X12 ins E+W.

100

BOOK 971

chs

## Subdivisions

- of stone 3 ft dist + raise mound of earth  $3\frac{1}{2}$  ft base 2 ft high N. of cor.  
Gulch N. E.  
Ascend along N. side of wash.
- 80.00
- 119.13 Cor. secs. 7, 8, 17 and 18  
Land rolling E.  $4^\circ$  - slope  
Soil 2<sup>d</sup> rate  
No timber  
Dense undergrowth  
69.13 chains
- 
- N.  $0^\circ 3' W.$ , bet secs 7 and 8.  
Ascend
- 10.00 Ridge bet E. and W.  
Descend
- 20.90 Gulch 25 lks wide, course  
N.  $60^\circ W.$
- 27.50 Ascend
- 37.00 Ridge bet S.E. and N.W.  
Descend  $4^\circ$  - slope

T<sub>1/2</sub> 19 S. R 28 E.

chs

40.00

Set granite 24X10X6 ins 18 ins  
in ground for 1/4 sec cor  
marked 1/4 on W. face  
dig pits 18X18X12 ins N. and S.  
of stone 3 ft dist & raise  
mound of earth 3 1/2 ft base  
1 1/2 ft high W. of cor.

80.00

Set limestone 24X8X6 ins, 18 ins  
in ground for cor sec  
5, 6, 7, and 8 marked 5-  
notches on S. and 5- on E.  
edges; dig pits 18X18X12 ins  
in each sec 5 1/2 ft dist &  
raise mound of stone  
& earth 4 ft base 2 ft high  
W. of cor.

Land hilly & rolling  
soil 2<sup>d</sup> rate

No timber

Mountainous land 40.00 chs

102

BOOK 971

## Subdivisions

- chs  
 ✓ 589° 28' E  
~~N. 89° 28' E~~ on random  
 line bet secs 5 and 8.
- 40.00 Set temp  $\frac{1}{4}$  sec. cor.  
 79.84 Intersect N. & S. line 14 lks S. of  
 cor secs 4, 5, 8 and 9.  
 Thence I run  
 N. 89° 34' W on true line  
 bet secs 5 and 8  
 Through dense under-  
 growth of mesquite
- ✓ 36.00 Wash/ch wide course N. W.  
 39.92 Set granite 18X10X8 ins 12 ins  
 in ground for  $\frac{1}{4}$  sec cor  
 marked  $\frac{1}{4}$  on N. face  
 dig pits 18X18X12 ins E & W.  
 of stone 3 ft dist + raise  
 mound of earth  $3\frac{1}{2}$  ft base  
 $1\frac{1}{2}$  ft high N. of cor.
- 70.00 Lean mesquite brs S.E. & N.W.  
 79.84 Cor. secs. 5, 6, 7 and 8

Twp 19 S. R. 28 E.

chs

Land almost level  
soil 1<sup>st</sup> + 2<sup>d</sup> rate

No timber

Dense undergrowth

70.00 chains

March 6<sup>th</sup> 1902N. 89° 39' W on random  
line bet secs 6 and 7

40.00 set temp 1/4 sec. cor.

126.13 Intersect N. Bdy of Twp  
2.39 chs S. of cor secs  
1, 6, 7 and 12

Set granite 18x10x8 ins

12 ins in ground for  
C.C. secs 6 and 7, markedC.C. on E face, with 5-  
notches on S. and 1 on

N. edges, dig pits 24x

18x12 ins crosswise each

line, N+S. 3 ft + E. 7 ft dist.

chs

## Subdivisions

raise mound of earth  
4 ft base 2 ft high E. of cor.  
I change cor secs 1, 6, 7 + 12  
to cor of secs. 1 and 12 by  
digging pits N.W. + S.W.  
of stone + raise mound  
W. of cor.

From C.C. secs 6 and 7  
just established by me  
I run S. 89-39 E on  
true line bet secs 6 + 7.

- 42 . 23 Road brs N + S.  
72 . 23 Road brs N 30° E +  
78 . 43 Road brs N.E. and S.W  
86 . 13 Set limestone boulder  
16x8x6 ins 10 ins in grd  
for  $\frac{1}{4}$  sec cor marked  $\frac{1}{4}$   
on N. face; dig pits 18x  
18x12 ins E and W of stone  
3 ft dist, raise mound

dis Tfr 19 S. R. 28 E.

of earth  $3\frac{1}{2}$  ft base  $1\frac{1}{2}$  ft  
high N. of cor.  
126.13 Col. secs 5, 6, 7 and 8  
Land almost level  
Soil granully 2<sup>d</sup> rate  
no timber

---

N  $0^{\circ} 3'$  W bet secs 5 and 6  
Descend

5.00 Enter flat brz S.E. + N.W.  
30.00 Wash 2 chs side, the same  
that heads near the 4-2  
cor on E Bdy and goes out  
of W. Bdy. near N.W. cor  
Course N  $60^{\circ}$  W

34.10 Old road brz N.E. + S.W.

40.00 Set Malpais  $18 \times 10 \times 6$  ins  $12$  ins  
in ground for  $\frac{1}{4}$  sec  
cor marked  $\frac{1}{4}$  on W face  
dig pits  $18 \times 18 \times 12$  ins N + S.

## Subdivisions

chs

of stone 3 ft diet + raise  
mound of stone 3 1/2 ft base  
1 1/2 ft high N. of cor.

90.79 Intersect N. Body of Tr 25, 23 chs

N. of cor sees 4, 5, 32 and 33

I set malpais 20x8x6 for <sup>cor</sup>

of sees 5 and 6, marked C.C. on  
with 1 notch on N. and .5 on E. edges  
S. face; dig pits 24x18x12 ins  
crosswise on each line

E. and N. 3 ft and S. 7 ft diet  
raise mid of earth 4 ft base  
2 ft high S. of cor.

I change cor sees 4, 5, 32 + 33  
to cor sees 32 and 33 by

setting granite boulder 16x12x10  
ins, 10 ins in ground, marked  
4 notches on E + 2 on N. edges

Dig pits in each see NE + NW.  
of stone + raise mound of  
earth N. of cor.

Twp 19 S. R 28 E.

chw

I also change the corner  
 5-6, 31 + 32 to corner 31 + 32  
 by digging pits in each corner  
 N.E. + N.W. and raise mud  
 over corner paint + drive the  
 original marked stake in N.E.  
 pit. I deface marks referring  
 to sections 5 and 6.

Land rolling  
 Soil 2<sup>d</sup> rate

No timber  
 March 7<sup>th</sup> 1902

---

### General Description

The Township is mountainous on the East and numerous gulches with steep rocky banks run out of the mountains

## Subdivisions

on the East making  
the land mostly broken  
also that portion West  
and South of White River  
Valley is mountainous.

There is timber as stated  
in notes along the River  
and gulches.

There are three settlers on  
the Township

Mr. O'Keefe in sec 26

Mr. Moore in sec 27

Mr. Frank Moore in sec 29

There is no water on  
the Township, only  
in wells and one  
reservoir.

There is good grass  
throughout the  
Township

Twp 19 S. R 28 E

chs

Township 20 S. R 28 E  
should be subdivid-  
ed.

Francis B. Jacobs  
US Deputy Surveyor

See Tps. 1 S, R. 13 E. & Twp. 20 S, R. 7 E.  
for Oaths

APPROVAL.

BOOK 971

110

OFFICE OF THE U.S. SURVEYOR GENERAL.

Phoenix, Arizona.

Dec. 10-1902.

The foregoing field notes of the survey of Subdivisions of  
Sp. 19 South Range 28 East  
executed by F. B. Jacobs, D.S.  
under his contract No. 81 dated May 23  
1901. having critically  
examined, and the necessary corrections,  
and explanations made, the said field  
notes, and the surveys they describe,  
are hereby approved.

*Hugh H. Rice*

U.S. Sur. Gen. for Arizona.