

BOC

atted compared
Indexed

7- No. 996

Field Notes

OF THE SURVEY OF THE

SUBDIVISION LINES

-OF-

No. 996

Township 23 S Range 25 E

Gila and Salt River Base and Meridian

ARIZONA.

By Lewis Wafley D. S.

under contract dated Nov 11th 1884

Survey commenced Jan 26th 1885

Survey completed Jan 29th 1885

996

BOOK 996

Township 23 S. R. 25 E

BOOK 996

S & S R. M

6	112	5	77	4	56	3	37	2	20	1
110	108	75	54	36	19					
7	105	8	74	9	53	10	34	11	17	12
103	100	72	52	33	15					
18	98	17	70	16	50	15	32	14	13	13
96	94	69	49	30	11					
19	91	20	67	21	48	22	29	23	10	24
90	88	65	46	27	8					
30	86	29	63	28	44	27	26	26	7	25
84	81	61	42	24	5					
31	79	32	58	33	40	34	35	3	36	36

For preliminary oaths
and description of
instrument see Book 1101

No. 996 BOOK 996

3

T 23 S, R 25 E

chains

Beginning at the
cor to Secs 1, 2, 35 and 36

T₂₃ and 24 S
R 25 E which is
a lime stone 12x6 ins
above the ground,

marked with 1 notch
on E. and 5 notches on
W. edges and

a mound of stone
alongside and fits

From this
point I run N bet sec
35 and 36

Q 12° E

923 SR 25E

Chains

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long, 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on NW face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 25, 26, 35, 36, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 23 S. S. 25 on N.E., R. 25 E S 36 on S.E. S. 35 on S.W. and S. 26 on N.W. faces, with 1 notch on S, and 1 notch on E edges.

Surface level
Soil 2nd to 3rd rate
Good grass
Mesquite brush

T 23: S. R 25 E

Chains

East on a random
line bet Secs 25nd and 36
@ $9/12^{\circ}$ E

- 10.00 Set temporary $1/4$ Sec cor
 20.47 Intersect the E. bdy of
 township at cor to
 Secs 25, 30, 31 and 36
 which is a Granite
 stone 10×6 ins above the
 ground, marked
 with 1 notch on S and
 5 notches on N. edges.
 fut^s and mound of
 earth of required size.
 Hence I run
 W. on a true line

T 23 S R 25 E

chains

bet Secs 25 and 36
with same. *wa*

40.23

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet distance
a mound of earth 1 $\frac{1}{2}$ ft. high
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

70.63

Cross Road bears N.W.

80.47

The cor to Secs 25, 26
35 and 36

Land level

Soil 2nd and 3rd rate

Good grass

Mesquite bush

923 SR 25 E

Chains

North bet Secs 25 + 26
Q/a 12' E

7.90

Cross Road bears N.W.

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 54 feet dist and raised
a mound of earth 14 ft. high 34 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on NW

58.00

face. Cross Dry Wash 10
links Wide Course E

80.00

Set a Boulder 10 x 10 x 10 ins
6 ins. in the ground
for cor to Secs 23, 24, 25
and 26 marked with
2 notches on S and 1
notch on E edges and
raised a mound of

T 23 S R 25 E

Chains

stone alongside.

Land level

Soil 2nd + 3rd rate

Good grass

Mesquite bush

East on a random
line bet Secs 24. & 25@ $110^{\circ} 45' E$ 40.00 Set temporary $\frac{1}{4}$ Sec cor80.10 Intersect the E. boundary of
township 15 links N
of cor to Secs 19, 24, 25
and 30, which is a
granite stone 12 x 5 ins
above the ground

T23 S R 25-E

chains

marked with 4 notches
on N and 2 notches
on S edges pits and
mound of earth of
required size.

Thence I run
N $89^{\circ} 54' W$. on a
true line bet Secs 24 + 25
with same \varnothing va.

40.05

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

St. 10

The cor to Secs 23, 24, 25
and 26
Land level

T 23 S R 25 E

Chains

Soil 2nd/₄ and 3rd/₄ rate
 Good grass
 Mesquite. Brush

North bet Secs 23 + 24
 T 23 S R 25 E

40.00

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N and S of stone 5 $\frac{1}{2}$ feet dist. a mound
 of earth 1 $\frac{1}{2}$ ft. high 1 $\frac{1}{2}$ ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 face.

T23 S R 25 E

Chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 13, 14, 23, 24 dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S E pit drove a stake 2 ins. sq 2 ft. long 12 ins. in the ground marked T23 S S. 13 on N.E., R25 E, 24 on S.E. S. 23 on S.W. and S. 14 on N.W. faces, with 3 notches on S, and 1 notch on E edges.

Land level

Soil 2nd to 3rd rate

Good grass

Mesquite & Brush

Cast on a random line bet Secs 13 + 24

Q/a 120 32 E

T23 SR 25E

Chains

40.00

Set temporary 1/4 Sec cor

80.30

Entered the East
 bay of Township 19
 broke Sof cor to Secs
 13, 18, 19 and 24.

which is a Granite
 rock 10x3 ins. above
 ground marked with
 3 notches on all four
 edges, pits and
 mound of earth of
 required size.

Thence I run
 S89° 52' W. on a
 true line bet Secs
 13 and 24 with same
 wa.

T23 S.R 25E

Chains

40.15

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 53 feet dist. and raised a mound of earth $1\frac{1}{2}$ ft. high 34 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

80.30

The cor to Secs 13, 14, 23 and 24

Surface level

Soil 2nd to 3rd rate

Good grass

Mesquite

Brush

North bet Secs 13 + 14

Ora 12° 32' E

T23 S R 25E

Chains

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 in. N and S of stone 5 $\frac{1}{2}$ feet distance and a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 4 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 11/12, 13, 14 marked T. 23 S. 12 on N. E. R. 25 E S. 13 on S. E, S. 14 on S. W. and S. 11 on N. W. face with 4 notches on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base around post.

Surface level
Soil 2nd 3rd rate
Good grass
Mesquite brush

723 SR 25-E

Chain

East on a random
line bet Secs 12 and 13
@ a $12^{\circ}32'E$

40.00 Set temporary 1/4 Sec cor
20.00 Intersect the E bdy of
Twp. 25 links S of Cor
to Secs 7, 12, 13 and 18
which is a mound of
earth and pit in
S.E. pit a stake marked
Pp 23 S. 87 on N.E
R26E S18 on S.E
R25E S13 on S.W.
and S12 on N.W.
face with 4 notches
on S and 2 notches
on N. edges.

T23 SR 25E

Chain

Thence I run
S 89° 49' W. on
a true line bet Secs
12 and 13 with camera

40.00

Deposited a marked stone 12 in. in dia
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 in.
E and W of stone 5 $\frac{1}{2}$ feet dist and
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 in.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.00

The cor to Secs 11, 12
13 and 14

Surface level

Soil 2nd to 3rd rate

Good grass

Mesquite brush

T23 S R 25 E

Chains

North bet Secs 11+12
C₁ Va 12' 30" EF. 20 Cross Dry wash course
East 35 Links Wide

40.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins, in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on $\frac{1}{4}$ W. face, dug pits 18 x 18 x 12 ins. N and S of post $5\frac{1}{2}$ ft. dist. and raised a mound of earth $1\frac{1}{2}$ ft. high. $3\frac{1}{2}$ ft. base. around post.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 19 ins, in the ground for Cor. to Secs. 1, 2, 11, 12 marked T. 23 S. 1 on N. E. R. 25 E S. 12 on S. E, S, 11 on S, W, and S, 2 on N, W, face, with 5 notch on S, and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high. $4\frac{1}{2}$ ft. base. around post.

Surface level

T23 SR 25E

Chains

Soil 2nd & 3rd rate
Good grass
Mesquite brush

I carefully examined
the adjustments of
my solar transit
to-day particularly the
latitude and re-
vising apparatus and found
them to be correct

Jan 22nd / 1885

T 23. S R 25-E

chain

East on a random
line bet Secs 1 and 12
Va $12^{\circ} 48' E$

40.00 Set temporary $\frac{1}{4}$ Sec cor

79.87 Intersect the E ldy of
T_{p.} 33 links N of cor
to Secs 1, 6, 7 and 12
which is a Granite
stone 8×8 ins above
the ground marked
with 1 notch on N and
5 notches on S edges
pit and mound of
earth of required size.

thence I run
N $89^{\circ} 45' W$ on a
true line bet Secs 1 and 12

923 S R 25E

chains

with same. wa.

39.93

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 34 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

79.87

face.

The cor to Secs 1, 2
11 and 12

Surface level
Soil 2nd to 3rd rate
Good grass
Mesquite brush

North on a
random line bet
Secs 1 and 2

T 23 S, R 25 E

Chains

Va 12°48'E

10.00 Set temporary 114 Sec cor

9.81 Intersect the N. bdy
of township 28 miles
W. of cor to Secs 1, 235 and 36. which
is a Granite stone
18 x 8 in above the
ground marked with
1 notch on E and 5
notches on W. edges
mound of earth and
pits of required size.Thence I run
S 0° 12' W. on a true
line bet Secs 1. and 2
with same Va.

T23, S R 25E

Chains

39.81

Set a lime stone, 10 x 8 x 6 ins., 6 ins.
 in the ground for $\frac{1}{4}$ Sec, Cor, marked $\frac{1}{4}$ on W.
 Rec. dug pits 18 x 18 x 12 ins. N and S
 of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth
 14 ft. high, $3\frac{1}{2}$ ft. base, alongside.

79.81

The cor to Secs 1, 2, 11 & 12

Surface level

Soil 2nd to 3rd rate

Mesquite Brush

From the cor to
 Sec 2, 3, 34 and 35
 on S. side of Sp
 which is a granite
 stone 10 x 10 ins. above
 the ground marked
 with 2 notches on

923 SR 23E

Chains

E and 4 notches on W
edges. mound of earth
and pits of required
size.

Trim of bet. Secs 34+35 -
QA 12° 14' E

40.00 Set a Quartz stone 14x8x5 ins
10 ins. in the ground
for 14 Sec cor marked
14 on W. face and
raised a mound of
stone alongside

Pits impracticable
65.25 Cross ravine 5 ch wide
course E

T. 23 S. R. 25 E

Chain

80.00

Deposited a marked stone 12 ins. in
ground for Cor to Secs 26, 27, 34, 35
18 x 18 x 12 ins. in each Sec. 5 1/4 ft. dist. and
raised a mound of earth 2 ft. high 4 1/2 ft. base
over it. In S. E. pit drove a stake 2 ins. sq 2
ft. long 12 ins. in the ground marked T. 23 S
S. 26 on N. E., R. 25 E S. 35 on S. E., S. 34
on S. W. and S. 27 on N. W. faces, with
1 notch on S, and 2 notches
on E edges.

Surface level

Soil 2nd + 3rd rate

Grass fair

Scatter'g mesquite brush

East on a random
line bet Secs 26 & 35

Va 12' 40" E

T 23 S. R 25 E

chains

40.00 Set temporary 1/4 Sec cor

79.71 Intersect the N and S
line 19 links N of cor
to Secs 25; 26. 35 + 36Thence I ran
N 89° 52' W. on a
line bet Secs
26 and 35 with same va.39.85 Deposited a marked stone 12 ins in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 inE and W of stone 3 1/2 feet dist and
a mound of earth 14 ft. high 24 ft. base
at. In E pit drove a stake 2 ft. long 2 ins
sq. 12 ins. in the ground marked 1/4 S. on N79.71 The cor to Secs 26. 27
34 and 35

Land level

Soil 2nd to 3rd rate

T 23 S R 25 E

Chain

Grass fair
 Scattering mesq. brush

North bet Secs
 26 and 27

Qa 12' 32' E

40.00 Set a Granite stone
 16 x 8 x 5 ins 10 ins in
 the ground for 1/4
 Sec cor marked 1/4 on
 W. face and raised
 a mound of stone
 alongside.

Pits impenetrable

T23 SR 25E

chain
\$0.00

Deposited a marked stone 12 ins. in dia. in the ground for Cor to Secs. 22, 23, 26 & 27, dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 23 S. S. 23 on N.E. R. 25 E. 26 on S.E. S. 27 on S.W. and S. 22 on N.W. faces, with 2 notches on S, and 2 notches on E edges.

Land level

Soil 2nd to 3rd rate

Grass fair

Scattering brush

East on a random line bet Secs 23 & 26

Pa 120.31'E

40.00

Set temporary 1/4 Sec cor

T 23 S R 25 E

Chains

80.15 Intersect the N and S line 41 links S of cor to Secs 23, 24, 25 and 26.

Thence I run $89^{\circ}42'W$. on a true line bet Secs 23 and 26. with same pa.

40.07

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 2 $\frac{1}{2}$ ft. base 600 ft. In E pit drove a stake 2 ft long 2 ins sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on N

80.15

face. The cor to Secs 22, 23, 26 and 27
Land level
Soil 2nd to 3rd rate

T 23 S R 25 E

Claims

Grass fair
 Scattering brush

North bet Secs 22+23
 - Wa 12031 E

38.00

Cross Road bears N.W.

40.00

Deposited & marked stone 12 ins in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12
 and S of stone 34 feet dist and a
 mound of earth 14 ft. high 34 ft. base
 at. In N pit drove a stake 2 ft. long 2 ins
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 face.

T 23 S R 25 E

chains

S. 0 0

Deposited a marked stone 12 ins.
 ground for Cor. to Secs. ^{14, 15, 22, 23}
 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and
 raised a mound of earth 2 ft. high 4 1/2 ft. base
 over it. In S. E. cut drove a stake 2 ins. sq. 2
 ft. long 12 ins. in the ground marked T, 23 S
 S. 14 on N.E. E. 25 E S. 23 on S.E. S. 22
 on S.W. and S. 15 on N.W. faces, with
 3 notches on S, and 2 notches
 on E edges.

Surface level

Soil 2nd to 3rd rate

Grass fair

Scattering brush

East on a random
 line bet Secs 14 + 23
 N 12° 30' E

T 23 S R 25 E

Chains

40.00

Set temporary $\frac{1}{4}$ Sec. cor

79.54

Intersect the N and S line 37 links S of cor to Secs 13, 14, 23 and 24.

Thence I run S $89^{\circ} 44'$ W. on a true line bet sec 14 and 23 with same Va.

39.77

Deposited & marked stone 12 ins. in ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 18 E and W of stone 5 1/2 feet dist. and a mound of earth 14 ft. high 34 ft. base sq. ft. In E pit drove a stake 2 ft. long 2 ins sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

79.54

The cor to Sec. 14, 15, 22 and 23

Soil 2 to 3 rate
Land level

T23 SR 25E

Chains

Grass fair
Scatterbig mesqr brush

North bet Secs 14 & 15
@ $120^{\circ} 30' E$

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{2}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet dist and raised a mound of earth 4 ft high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on W face.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs, 10, 11, 14, 15 marked T.238 S. 11 on N. E. E. 25E. 14 on S. E. S. 15 on S, W, and S. 10 on N. W. face, with 16 notch on S, and 2 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base around post

T 23 S R 25 E

Name

Land level
 Soil 2nd to 3rd rate
 Grass fair
 Scattering Mesquite brush

East on a random
 line bet Secs 11 + 14
 Qa 12° 30' E

0.00 Set temporary 1/4 Sec cor
 9.94 Intersect the N + S
 line 15 links S of cor
 to Secs 11, 12, 13 + 14.

Thence I run
 S 89° 54' W on a
 true line bet Secs 11 + 14
 with same Qa.

T 23 S. R 25 E

Chamie
39.97

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 1/2 feet dist. and raised
a mound of earth 1 1/2 ft. high 2 1/2 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

79.94

The cor to Secs 10
11, 14 and 15-

Land level
Soil 2nd to 3rd rate
Grass fair
Scattering mesq or brush

North bet Secs 10 + 11
Q/a 125 45 E

T 23 S R 25 E

Chains

H 0.00

Set a post 3 ft. long 3 ins. diam with marked stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. marked $\frac{1}{4}$ S. on W face, dug pits 18 x 18 x 12 ins. N and S of post 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high. 3 $\frac{1}{2}$ ft. base. around post.

E 0.00

Deposited a marked stone 12 ins. in ground for Cor. to Secs 2, 3, 10, 11, dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 3 $\frac{1}{2}$ ft. base over it. In S E pit drove a stake 2 ins. sq. ft. long 12 ins. in the ground marked T. 23 S. 2 on N, E, R. 23 E S. 11 on S. E. S. 10 on S. W. and S. 3 on N. W. faces, with 5 notch es on S, and 2 notch es on E edges.

Land level

Soil 2nd and 3rd rate

Grass fair

Scattering Mesquite brush

T23 SR 25E

Chains

East on a random
line bet Secs 2+11

$\text{Ra } 12^{\circ} 45' \text{ E}$

40.00 Set temporary $\frac{1}{4}$ sec cor

80.27 Intersect the N. + S
line 19 links N of
cor to Secs 1, 2, 11 & 12.

Thence I run
N $89^{\circ} 52'$ W. on a
true line bet Secs
2+11 with same Ra

40.13 Set a sand stone 8×8
 $\times 6$ ins 4 ins in the
ground for $\frac{1}{4}$ sec cor
marked $\frac{1}{4}$ on N
face and raised a

T 23 SR 25.00

chain

mound of stone
alongside,

Pits unfracturable

0.27

The cor to Secs 2, 3, 10 & 11

Land level

Soil 2nd/₄ to 3rd/₄ rate

Grass fair

Scattering musquite

North on a random
line bet Secs 2 & 3

Pa 12° 45' - E

40.00

Set temporary 1/4 Sec cor

29.85-

Intersect the N bdy
of Twp. 4 line East
of cor to Secs 2 & 3

723 SR 25^E

Chains

34 and 35 which
is a Ironite stone
10 x 6 ins above the
ground marked
with 2 notches on
E and 4 notches on
W. edges, pit and
mound of earth of
required size.

Then I run
80° 2'E on a true
line bet Sta 2+3
with same wa.

34.95 Cross Road bears E or W

923 S R 25E

Chairs
39.85-

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pit 8 x 12 ins. N and S of stone 34 feet and raised a mound of earth 11 ft. high on base over it. In N pit drove a stake 3 ft long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

79.85-

face. The cor to Secs 2, 3, 10 + 11
Land level
Soil 2nd + 3rd rate
Grass fair
Scattering brush

I carefully examined the adjustments of my solar transit to day particularly the latitude and reversing apparatus and found them correct
Jan 25th 1885

T23 SR 25-E

Chain

From the cor
to Secs 34.33 and 34.

On S. side of
township, which is a
sandstone 10x8 ins above
the ground marked
with 3 notches on E
and W. edges mound
of stone alongside.

Run N bet Sec 33 & 34
N 12° 30' E

Descend slope at an
angle of 10°

1600
cross Dry wash 30 ^{wide} ~~limbs~~ ⁱⁿ course E
and ascend slope
at an angle of 30°

T 23° S R 25 E

Chains

- 40.00 After making the correct allowances. A Rock in place $3 \times 3 \times 2$ ft above the ground which I ^{marked} $\frac{1}{4}$ on W. face with a cross (+) at each corner for 49 sec cor and raised a mound of stone alongside.
- 62.50 Cross Gulch bears E 50 links wide
- 80.00 Set a Quartz stone $10 \times 8 \times 8$ ins 6 ins in the ground for cor to Secs 27, 28, 33 + 34 marked with 1 notch on S and 3 notches on E edges and raised a mound of stone

S 23 S R 25 E

Chamis

alongside.

From which a
mesquite tree 3 ins. in
diam bears S 87° E
10 links dist. marked
T 23 S. R 25 E. S 34.

B. T.

Land mountainous
Soil 3rd to 4th rate
Good grass
Scattering brush

East on a random
line recs 27 and 34
of a 12° 30' E

923 S & 25 E

Chains

40.00 Set temporary ¹⁴ Sec cor
 80.10 Intersect the N + S line
 27 links N of cor to
 Sec 26, 27, 34 and 35.

Hence I run
 N 89° 48' W on a true
 line bet Sec 27nd 34
 with same ¹⁴ Va.

40.05 Set a Granite stone 90 x 6
 x 4 ins 12 ins in the
 ground for ¹⁴ Sec cor
 marked "4" on N face
 and raised a mound
 of stone alongside

54.00 Run alongside till
 and ascend at an
 angle of 12°

T 23 S R 25 E

Chain

57.10

Descend slope at
an angle of 15°

60.30

Cross Dry wash
course N.E. 1 ch. wide

80.10

The cor to Secs 27
28.33 and 34

Land rolling

Soil 2nd to 3rd rateGood grass
scattering brushNorth bet Secs 27
and 28

Q 12° 31' E

7.00

Cross Gulch 1 chain wide
course E

T 23 S R 25 E

Chains

- 19.00 Cross Gulch 1 chain wide
Course E.
- 26.50 Cross Gulch 1 chain wide
Course E
- 28.20 Cross Gulch 1 chain wide
Course E
- 40.00 Set a Granite stone 12 x 10
x 4 ins. 8 ins. in the
ground for 1/4 Sec cor
marked 1/4 on surface
and raised a mound
of stone alongside
- 42.25 Cross Gulch 30 links
Wide Course E
- 80.00 Set a Granite stone 14 x 8 x 5
ins 10 ins. in the
ground for cor to Sec

T23 S. R 25 E

Chain

21, 22, 27 and 28
 marked with 2
 notches on S and
 3 notches on E edges
 and raised a mound
 of stone alongside.
 Land rolling
 Soil 2nd to 3rd rate
 Good grass
 Scattering brush

East on a random
 line bet Secs 22 + 27

Qa 12° 45' E

40.00 Set temporary 44 Sec cor

T 23 S. R 25 E

Chains

79.84 Intersect the N and S
line 17 links S of cor.
to Sec. 22, 23, 26 and 27.

Thence I run
S 89° 53' W. on a true
line bet Sec 22 and
27 with same Co.

39.92

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 6 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet distance and
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

79.84

The cor to Sec 21, 22, 27 ^{and 28}
Land rolling
Soil 2nd and 3rd $\frac{1}{4}$ rate
Good grass
Scattered brush

T23 S R 25 E

chains

North bet Secs 21 & 22
QVA 12° 45' E

40.00

Set a Quartz stone
12 x 8 x 8 ins. 8 ins in
the ground for ¹⁴
Sec cor marked ¹⁴
on W. face and raised
a mound of stone
alongside.

80.00

Set a Granite 13 x 7
x 6 ins 9 ins in the
ground for cor to
Secs 15, 16, 21 & 22
marked with 3 notches
on S and E edges
and raised a mound

T 23 S R 25 E

chain

of stone alongside
 Land rolling
 Soil 2nd and 3rd rate
 Good grass
 Scattering brush

East on a random
 line bet Secs 15 and 22
 @ $12^{\circ} 45' E$

40.00

50.15

Set temporary 1/4 Sec cor
 Intersect the N-S line
 17 links N of cor to Secs
 14, 15, 22 + 23.

Thence I run
 $N 89^{\circ} 53' W$. on a true
 line bet Secs 15 + 22

T 23 S R 25 E

chains

with same wa.

40.07

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pit 12 x 15 x 12 ins.
 E \swarrow
 mound of earth 1 1/2 ft. high 3 ft. base over
 In E pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on \swarrow
 acc.

80.15

The cor to Secs 15, 16
21 and 22

Land rolling
Soil 2nd + 3rd rate
Good grass
Scattering brush

North bet Secs
15 and 16

Wa 2'45"E

T 23 S R 25-E

chains

40.00

Set a Granite stone, 10 x 9 x 6 ins., 6 ins. in the ground for $\frac{1}{4}$ Sec. Cor., marked $\frac{1}{4}$ on W face, dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $3\frac{1}{2}$ ft. base. alongside.

47.25

Cross Road bears S.E. + N.W.

0.00

Set a Granite stone 16 x 11 x 10 ins., 12 ins. in the ground for Cor. to Secs 9, 10, 15, + 16 marked with 4 notches S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high, $4\frac{1}{2}$ ft. base. alongside.

Land rolling
Soil 2nd to 3rd rate
Grass good
Scattering Mesquite brush

D 23 S R 25 E

Chains

East on a random
line bet Secs 10 + 15

$\text{Ra. } 12^{\circ} 45' \text{ E}$

40.00 Set temporary $\frac{1}{4}$ Sec cor

79.31 Intersect the N + S line
62 links N. of cor to
Secs 10, 11, 14 and 15.

Thence I run

$N 89^{\circ} 33' W$. on a
true line bet Secs
10 and 15 with same Ra.

39.65

Set a post 3 ft. long 3 ins. diam with marked
stone, 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor,
marked $\frac{1}{4}$ S. on N face, dug pits 18 x 18 x 12
ins. E and W of post 5 1/2 ft. dist. and raised
a mound of earth 1 1/2 ft. high, 3 1/2 ft. base. around
post.

79.31

The cor to Secs 9, 10, 15 + 16

T23 S R 25 E

Chains

Land rolling

Soil 2nd & 3rd rate

Grass fair

Scattering Mesquite brush

North bet Sec 9 & 10

Qr 12° 30' E

10.00

Deposited & marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 1/2 feet dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on W

11.10

face cross Dry bed of creek course E. 40 links wide

0.00

Set a Granite stone 14 x 10 x 10 ins 10 ins in the

T 23 S R 25 E

Chains

ground for cor. to Secs
3, 4, 9 and 10 marked
with 5 notches on S
and 3 notches on E
edges. and raised a
mound of stone alongside.

Land rolling
Soil 2nd and 3rd rate
Grass good
Scattering brush

East on a random
line bet Secs 3 and 10
Va 12° 30' E

40.00

Set temporary 1/4 Sec cor

80.41

Intersect the N and S

T 23 S R 25 E

Chambers

line 33 links S of cor to
Secs 2, 3, 10 and 11.

Thence I run

S 89° 46' W. on a true line bet
Secs 3 + 10 with same. Va.

40.20

Set a Granite stone 17x9x7
viz 12 ins. in the
ground for 1/4 Sec cor
marked "4" on N face.and raised a mound of
stone alongside

50.41

Cross Gulch course N. E. 50 links wide

0.41

The cor to Secs 3, 4, 9 & 10

Land rolling

Soil 2nd + 3rd rate

Grass good

Scattering Mesquite brush

T23 SR 25E

Chamiz

North on a random
line bet Secs 3 + 4

$71^{\circ} 30' E$

40.00

Set temporary $\frac{1}{4}$ Sec cor

79.87

Intersect the N. bdy
of T₁₅ - line E of cor
to Secs 3, 4, 33 and 34
which is a Granite

stone 10x10 ins above
the ground marked
with 3 notches on E
and W. edges, pits
and mound of earth
of required size
Thence Turn

$80^{\circ} 6' E$ on a true line

T 23 S R 25 E

chain

9.87 bet Secs 3 & 4 with same Va
Cross Dry Wash 300 links
Wide course E

39.87 Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone $\frac{1}{4}$ ft. dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $\frac{1}{4}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.

42.47 Cross R road bears N. E

76.17 " " " "

79.87 The cor to Secs 3, 4, 9 & 10

Land rolling
Grass good
Soil 2nd to 3rd rate
Scattering brush

T23 SR 25E

Chain

I carefully examined
 the adjustments of
 my solar transit
 to-day particularly
 the latitude and
 reversing apparatus
 and found them
 to be correct

Jan 26th 1885

From the cor to
 Secs 4, 5, 32 and 33
 on S. 1/2 of T4E
 which is a Granite
 stone 10x6 ins above
 the ground.

T23 SR 25E

Cham

marked with 2 notches
on W and 4 notches
on E edges and mound
of stone alongside.

I run

At bet Secs 32 + 33

Ta 12° 30' E

ascending over broken
ground

10.00 Foot of ridge bears
S.E. and ascend at an
angle of 25°

40.00 After making the
correct allowances I set
a Granite stone 17 x 7 x 9
ins. 11 ins in the
ground for 1/4 Sec cor

T23 SR 25E

Chairs

marked 44 on W.
face and raised a
mound of stone
alongside.

45.00

Top of ridge and
descend slope at an
angle of 30°

58.00

cross Gulch course S.E.
and ascend slope at
an angle of 25°

80.00

Top of ridge bear
S.W. after making the
correct allowance I
set a line stone
12x10x6 ins. 6 ins
in the ground
for cor to Secs 28, 29

T23 SR25E

Chain

32 and 33. marked with
 1 notch on S and 4
 notches on E. edges
 and raised a mound
 of stone alongside
 of Land Monument
 Soil $4\frac{1}{2}$ rate & rocky
 Good grass

East in a random
 line bet Sec 28 & 33

T9N1058E

40.00 Set temporary $1/4$ Sec cor
 50.19 Intersect the N + S line
 32 links S of cor to Sec
 27. 28. 33 and 34.

T23 SR 25E

Chains

Thence I run

S89°46'E on

a true line bet Secs
28 and 33 with same ga.

16.19

Ascend slope at an
angle of 15° bears SW

21.19

Descend slope at an
angle of 18° and
cross Gulch courses

40.09

A Rock in place
30 x 12 x 14 ins above the
ground. which I
marked "4" on its face
with a cross (+) at
exact cor point for
"4" Sec cor and raised
a mound of stone

T 23 S R 24 E

Chain

alongside and ascend
slope at an angle of 20°
over broken ground

80.19 The cor to Secs 28, 29,
32 and 33

Land mountainous
Soil 4th rate & rocky
Good grass

North bet Secs 28+29
by $11^{\circ} 58' E$

Descend slope at an
angle of 27°

5.00 cross Gulch course W.
and ascend slope at
an angle of 31°

T 23 SR 25 E

chains

11.00

Top of ridge bears N. E.
and S. W. and descend
slope at an angle
of 30° along side
hill sloping N. W.

40.00

After making the correct
allowance I set a
granite stone 19×17
 $\times 6$ ins. in the
ground for $\frac{1}{4}$ Sec
corner marked $\frac{1}{4}$ on
W. face and raised
a mound of stone
alongside. and
descend slope at
an angle of 10° over
broken ground.

T23 SR 25 E

chain

80.00 After making the correct allowance I set a granite stone 15x11x7 in 11 in in the ground for cor to Secs 20, 21, 28 + 29 marked with 2 notches on S and 4 notches on E edges and raised a mound of stone alongside.

Land mountainous
Soil 4th rate + rocky
Good grass

East on a random
line bet Secs 21 + 28
T21 + 45 E

923 SR 25E

Chains

40.00

Set temporary $1/4$ Sec cor

79.40

Intersect the N + S line

63 links S. of cor

to Secs 21, 22, 27 and 28.

Thence I run

$S 89^{\circ} 33' W.$ on a

true line bet Secs 21

and 28 with same ga.

39.70

Deposited a marked stone 12 ins. ~~in~~

ground for $1/4$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 1/2 feet dist and raised

a mound of earth 1 1/2 ft. high 12 ft. base over

it. In E pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked $1/4$ S. on N

face.

and ascending along
Gulch over broken ground

79.40

The cor to Secs 20, 21

28 and 29

923 SR 25E

chains

Land mountainous
 Soil 4th rate
 Grass good

North bet Secs 20 + 21
 @ Val 1045'E

- 10.00 Cross creek with
 running water course E
 and ascend slope at an
 angle of 35°
- 30.00 Top of ridge bears E
 and descend slope at
 an angle of 28°
- 40.00 Set a granite stone
 11 x 10 x 5 ins 7 ins in
 the ground for 14 Sec

T23 SR 258

chains

Cor marked $\frac{1}{4}$ on W
face and raised
a mound of stone
alongside.

72.00 Cross Gulch course E
and ascend rocky hill

80.00 Top of hill after
making the correct
allowance I set a
granite stone $16 \times 14 \times$
 10 ins 10 ins in the
ground for cor to
Secs 16, 17, 20 and 21
marked with 3 notches
on S and 4 notches
on E edges and
raised a mound of

T 23 S R 25 E

Chain

stone alongside.

Land mountainous

Soil 4th rate

Good grass

Cast on a random
line bet Secs 16 + 21

wa 110 45' E

40.00 Set temporary 1/4 Sec cor

79.5-7 Intersect the N + S
line 33 links N of cor
to Secs 15, 16, 21 and 22.

Thence I run

N 82° 46' W. on a
true line bet Secs 16 +
21 with same. wa.

T23 SR 25E

chains

39.78

I set a
granite stone $11 \times 10 \times 8$ in
7 ins in the ground
for 114 Sec cor marked
14 on N. face and
raised a mound of
stone alongside.

79.57

The cor to Secs 16, 17,
24 and 20.

Land rolling
Soil 3rd rate
Good grass

North - bet Secs 16 & 17
of a $120^{\circ} 45' E$

T23 SR 25E

Chain

- Over broken ground
- 40.00 Set a Granite stone
16x12x10 ins 12 ins in
the ground for "4 Sec
cor marked "4 on W
face and raised a
mound of stone alongside
- 47.00 Descend slope at an
angle of 23°
- 52.70 Cross Dry wash course N.E
- 58.30 " " " " " "
- 68.25 " " " " " "
- 75.50 " " " " " "
- 80.00 after making the
correct allowance I
set a Granite stone

T23 S R 25 E

Chains

18x8x8 ins, 12 ins
in the ground
for cor to Secs 8, 9
16 and 17 marked
with 4 notches on S
and E edges, and
raised a mound of
stone alongside.

Land mountainous

S oil 3rd & 4th rate

Good grass

East on a random
line bet Secs 9 & 16

Q/a 12° 45' E

T23 S R 25 E

Chains

- 40.00 Set temporary $\frac{1}{4}$ Sec cor
 79.63 Intersect the N+S line
 30 links S of cor to Secs
 9, 10, 15+16.

Thence I run
 $S 89^{\circ} 46'$ W. on a true
 line bet Secs 9+16
 with same va.

- 39.81 Set a Granite stone
 stone $12 \times 9 \times 7$ ins. δ
 ins. in the ground
 for $\frac{1}{4}$ Sec cor. marked
 $\frac{1}{4}$ on N. face and
 raised a mound of
 stone alongside.
- 79.63 The cor to Secs 8, 9, 16+17
 Land nearly level

923 SR 25 E

Chain

Soil mostly 3rd rate
Good grass

North bet Secs 8 & 9
Qa 12° 45' E

- 34.00 Cross Dry wash course E
400 links wide.
- 40.00 Set a Granite stone
22 x 12 x 5 ins. 16 ins
in the ground for
"4 Sec cor marked "4
on W. face and raised
a mound of stone
alongside.
House and corral rec

923 SR 25E

chain

of Henry Forrest bears
 S87° W. from this point
 40 chs dist.

44.75 cross Road bears ESW

46.75 " " " N+E

80.00

Set a Granite stone 18 x 9 x 4 ins, 16 ins. in
 the ground for Cor. to Secs. 4, 5, 8, 9 marked
 with 5 notch on S. and 4 notch on E. edges.
 dug pits 18 x 18 x 12 ins. in each Sec., 50 ft.
 dist. and raised a mound of earth 2 ft. high
 4 ft. base. alongside.

Land nearly level

Soil mostly 3rd rate

Good Grass

Cast on a random
 line bet Secs 4+9

T23 SR 25E

Chain

Pa 12°45'E

40.00

Set temporary 1/4 Sec cor

79.87

Entered the N+S line 31 links S of cor to Secs 3, 4, 9+10.

Thence from

S89°47'W. on a

true line bet Secs

4 and 9 with same ga.

6.87

cross road bears N.E. & S.W.

39.93

Set a granite stone 18 x 8 x 8 ins 14 ins in the ground for 1/4 Sec, Cor, marked 1/4 Sec on N face. dug pits 18 x 18 x 12 ins. E and W of stone 5 1/2 ft. dist. and raised a mound of earth 1 1/4 ft. high. 3 1/4 ft. base alongside.

79.87

The cor to Secs 4, 5, 8+9

Land nearly level

Soil mostly 3rd rate

T 23 S R 25 E

Chain

Good grass

North on a random
line bet Secs 4 + 5

N 91° 45' E

40.00 Set temporary $\frac{1}{4}$ Sec cor80.09 Intersect the N. vdy of Twp.
71 links E. of cor to Secs
4, 5, 32 + 33 which is a
granite stone 10x6 ins
above the ground marked
with 4 notches on E and
2 notches on N. edges
mound of earth and
pits of required size.

T 23 S R 25 E

Chains

- Thence I run
 $S 0^{\circ} 30' E$ on a
 true line bet Secs
 4 & 5 with same *Qva.*
- 40.09 Set a Granite stone
 $18 \times 9 \times 5$ ins 14 ins in
 the ground for "4
 Sec. cor. marked "4
 on W. face. and raised
 a mound of stone
 alongside
- 53.79 Cross Dry Wash Course N-E
 57.79 " Road bears N-E + S-W
 59.29 " Dry Wash course N-E
 61.29 " Road bears N-E + S-W
 80.09 The cor to Secs 4, 5, 8 + 9

923 SR 25E

Chain

Land nearly level
 Soil mostly 3rd rate
 Good grass.

From the cor to Secs
 5.6.31 and 32 on Sdy
 of Tpt. which is a
 granite stone 10x6 ins
 above the ground marked
 with 5 notches on E and
 1 notch on W. edges and
 mound of stone alongside.

From N bet Secs
 31 and 32

of a 12°30'E

1.50

Cross Ravine course E.

T 23 S R 25 E

Chain

50 links wide and
ascend slope at an
angle of 15°

40.00

after making the
correct allowance I
set a Limestone 10×8
 $\times 6$ ins 6 ins in the
ground for $\frac{1}{4}$ Secor
marked $\frac{1}{4}$ on W. face
and raised a mound
of stone alongside.

56.00

Top of hill and
descend slope at an
angle of 15°

61.00

Foot of slope

80.00

after making the
correct allowance

T 23 S R 25 E

Chain

I set a Granite stone $10 \times 8 \times 7$
 ins 6 ins in the ground
 for cor to Secs 29, 30, 31 + 32
 marked with 1 notch
 on S and 5 notches
 on E edges and raised
 a mound of stone
 alongside

Land Mountainous
 Soil $4\frac{1}{2}$ rate
 Good grass
 Scattering brush

East on a random
 line bet Secs 29 + 32
 @ $12^{\circ}30' E$

T23 SR 25E

Chains

40.00

80.50

Set temporary $\frac{1}{4}$ Sec cor
Intersect the N & S line
67 links S of cor to Secs
28, 29, 32 & 33.

Thence I run
 $S 89^{\circ} 31' W$ on a true
line bet Sec 29 & 32
with same Va.

40.25

Set
a granite stone 10 x 8
x 8 ins 6 ins in the
ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ on N. face
and raised a mound
of stone alongside
on N side of bulch

T 23 S R 25 E

chain

45.25

Descend gradually

49.25

ascend slope at an
angle of 17° and along
side hill

61.86

Descend slope at an
angle of 19°

71.00

cross gulch course S. and
ascend slope at an angle
of 20°

80.50

The cor to Secs 29.30
31 and 32

Land mountainous

Soil 4th rate

Good grass

Scattering brush

923 SR 25E

Chain

West on a
random line bet Secs 30+31

4000
79.63

Set temporary ^{29 12° 30' E} 14 Sec cor
Intersect the W. vdy.
of Twp. 19 links N of
cor to Secs 25, 30, 31, +36

which is a lime stone
10x10 in above the ground
marked with 1 notch on S
and 5 notches on N edges a
mound of stone alongside.

Thence I run
N 89° 52' E on a true
line bet Secs 30+31
with same tra.

17.63

Center Valley bears N. W. S. E.

T 23. S R 25 E

Chains

39.63 Boulder in place 8x8x6
ins above the ground
which I mark 114 on N. face
with a cross (+) at exact
cor point and raised a
mound of stone alongside.

42.63 Cross Gulch course S
and descend over broken
ground.

79.63 The cor to Secs 29.30
31 and 32

Land mountainous
Soil 4th rate
Good grass
Scattering brush

T23 SR 25-E

Chains

North bet Secs 29 & 30

Qpa 12° 30' E

1.70

Cross dry wash course SW
15 links wide.and ascend slope at
an angle of 18°

40.00

After making the
correct allowance a
granite rock in place
which I mark "4"
on N. face with a cross
(+) at exact cor point
for "4" Sec. cor
and raised a mound
of stone alongside.

48.00

Top of hill and
descend slope at an
angle of 19°

T23 S R 25 E

chains

60.00

Foot of hill and cross
Gulch Course E

80.00

after making the correct
allowance I set a Granite
rock 12x10x7 ins 8 ins,
in the ground for cor
to Secs. 19, 20, 29 and 30
marked with 2 notches
on S and 5 notches on
E edges and raised
a mound of stone alongside.

Land mountainous

Soil 4th rate

Good grass

Scattering brush

T23 SR 25E

Chain

Cast on a random
line bet Secs 28 + 29
Va 12031'E

40.00

Set temporary 1/4 Sec cor

80.53

Intersect the N+S
line 49 links S of cor
to Secs 20, 21, 28 + 29.

Thence I run
S89° 39' W. on a true
line bet Secs 20 + 29
with same Va.

40 26

a rock in place
which I mark 1/4 on
N. face with a cross
(+) at exact cor
point for 1/4 Sec cor
and raised a mound

T23 SR 25 E

Chains

of stone alongside.

From which an Oak
14 ins. in diam. bears
E. 100 links dist. marked
"4 S. B. T

an Oak 3 ins in diam.
bears N. 25 links dist.
marked "4 S. B. T

19.76

Foot of ridge

6.53

ascend slope at an angle
of 18°

6.53

Top of slope + descend along
steep side hill at an
angle of 20°

80.53

The corrs Secs 19.20.29+30

Land mountainous
Soil 4th rate

923 SR 25E

Chain

Good grass
 Scattering brush

West on a random
 line bet Secs 19 + 30

On 120 30E

40.00

Set temporary 1/4 Sec cor

79.34

Intersect the W. bdy.
 of T_h 27 links S
 of cor to Secs 19.24
 25 and 30. which is
 a sand stone 12 x 8
 ins above the ground
 marked with 2 notches
 on S and 4 notches
 on N edges and

923 SR 25 E

Shams

mound of stone along
side.

Thence I run
S 89° 48' E on a true
line bet Secs 19 & 30
with same Sta.

39.34

I set a
Granite stone 16 x 12 x 6
ins 8 ins. in the
ground for $\frac{1}{4}$ Sec cor
marked $\frac{1}{4}$ on N face.
and raised a mound
of stone alongside.

44.34

ascend slope at an
angle of 20° top of
ridge and descend

T23 SR 25E

chain

79.34

The cor to Secs 19.20
29+30

Land mountainous

Soil 4th rate

Good grass

Scattering brush

North bet Secs 19
and 20

On 12° 30' E

4.00

Cross Gulch course
E and ascend
slope at an angle of
27°

35.00

Top of hill and

T23 SR 25-E

Chain

descend slope at an
angle of 35°

10.00 after making the correct
allowance Rock in
place $12 \times 10 \times 4$ ins above
the ground, which I
marked "4" on W. face
with a cross (+) at
exact cor point for
"4" Sec cor and raised
a mound of stone
alongside. From which
an oak 10 ins in
diam bears $N 45^{\circ} W$

27 links dist marked "4" S.B.T
on oak 10 ins in diam. bears
2031 links dist marked "4" S.B.T

15.00 Foot of hill and

T23 SR 25E

Chains	ascend slope at an angle of 20°
80.00	Top of hill bears N.E. & S.W. after making the correct allowance a rock in place $15 \times 12 \times 10$ ins above the ground which I mark with a cross (X) at exact corner point for cor to Secs 17, 18, 19 and 20 marked with 3 notches on S and 5 notches on E edges and raised a mound of stone alongside

523 S R 25 E.

name

Land mountainous
Soil 4th rate
Grass good
Scattering brush

East on a random
line bet Secs 17 and 20
Cra 12° 30' E

10.00

0.41

Set temporary 1/4 Sec cor
Intersect the N + S
line 32 links S of cor
to sec 16, 17, 20 + 21.

Thence run
S 89° 46' W. on a
true line bet Secs 17 + 20
with same Cra -

T 23 S R 25 E

Chains

40.20 Set a Granite stone
 19x10x8 in 15 in in
 the ground for ¹¹⁴
 Sec cor marked ¹¹⁴
 on N. face and raised
 a mound of stone
 alongside.

ascending side
 hill sloping S at an
 angle of 20°

80.41 The cor to Secs 17, 18, 19
 and 20

Land mountainous
 Soil 4th rate
 Good grass

T 23 SR 25 E

Chamiz

Scattering brush

West on a random
line bet Secs 18 + 19

$N 12^{\circ} 30' E$

40.00 Set temporary "4 Sec cor

79.32 Intersect the W bdy
of T_h. 41 links N. of
cor to Secs 13, 18, 19 + 24

which is a Sandstone
10 x 5 ins above the ground
marked with 3 notches
on N and S edges and
mound of stone alongside

Thence from

$N 89^{\circ} 42' E$ on a tree

T23 SR 25E

Chain

line bet pces 18 + 19
with same Cva. 29.32 Descend slope at an
angle of 20° and³²
39.42 cross gulch courses S. E.
after making the correct allowance
Set a granite $16 \times 12 \times 3$ ins 12 ins in the
ground for "4 Sec cor
marked "4 on N.
face and raised a
mound of stone
alongside and
ascend slope at an
angle of 23° 79.32 The cor to Secs 17, 18
19 and 20

Land Mountains

BOOK 996

T23 SR 25-E

Chain

Soil 4th/₂ rate
Grass good
Scattering brush.

North bet Secs 17+18
Q/A 12° 30' E

Descend slope at an
angle of 23°

41.00

after making the
correct allowance I set
a Granite stone 14x12x7
viz 10 viz in the ground
for 1/4 Sec cor marked
1/4 on W. face and
raised a mound of
stone alongside.

T23 SR 25E

Chains on W. side of gulch
 50.00 Cross Gulch course S. 90°
 and ascend slope at
 an angle of 15°
 80.00 after making the
 correct allowance I
 set a Granite stone
 17x9x4 ins 12 ins
 in the ground for
 cor to Sec 7, 8, 17 and 18
 marked with 4 notches
 on S and 5 notches
 on E edges and raised
 a mound of stone
 alongside on W
 side of hill sloping W.
 Land Mountainous

923 SR 258

chain

Soil 4th rate
Grass good
Scattering brush

Cast on a random
line bet Secs 8 + 17

φ_a 12°30'E

10.00 Set temporary 114 Sec cor

20.71 Intersect the random
line 43 make 1st cor
to Secs 8, 9, 16 + 17.

Thence I run
889° 42' W on a true
line bet Secs 8 + 17
with same φ_a .

923 S. R 25 E

chain

11.71

Foot of hill

40.35

after making the
correct allowance

at a granite rock
in place $20 \times 20 \times 6$
ins above the ground
which I mark "4 on
N face. with a cross
C+D at exact cor
point for "4 sec cor
and raised a mound
of stone alongside.

41.35

Descend along side
hill at an angle
of 10° sloping N and
cross Gulch course

T23 S, R 25 E

Chain

N.E

68.71

ascend slope at an angle
of 18°

73.71

Descend slope at an angle
of 17°

78.71

Cross Gulch course N.E and
ascend slope at an angle
of 20° top of ridge and
descend slope at an
angle of 15° 79.8-179.75

80.71

The cor to Secs 7, 8, 19 + 20

Land mountainous

Soil 4th rate

Good grass

Scattered brush

T23 SR 25E

chains

West on a random
line bet Secs 7 and 18
Va $12^{\circ}31'E$

40.00

Set tem. 14 Sec cor

79.32

Intersect the W. Bdy.
of Sp. 29 links S of cor
to Secs 7, 12, 13 & 18.

which is a granite
stone 14×8 ins above
the ground marked
with 4 notches on S
and 2 notches on N
edges and mound of
stone alongside.

Thence I run
 $S89^{\circ}48'E$ on a true
line bet Secs 7 and

T23 SR25E

chain

- 18 with same Va.
- 9.32 After making the correct allowance I set a granite stone $17 \times 10 \times 7$ in 13 in in the ground for $1/4$ Sec cor marked $1/4$ on N. face and raised a mound of stone alongside.
- 54.80 Descend slope at an angle of 15° and cross Dry wash course N. E
- 58.80 cross Road to Butee bear N.W. & S.E
- 64.32 cross Creek 10 links wide course N.W.
- 79.32 The cor to Secs 7, 8, 17 & 18

T 23 1 R 25 E

Chains

Land Mountainous
 Soil 4th rate
 Good grass
 Scattering brush

at orth bet Secs 7 & 8
 @ $12^{\circ} 30' E$

ascend at an angle
 of 21°

13.00 Top of ridge bears N. W
 and descend at

an angle of 19°

28.00 Cross Creek, course E
 15 links wide

30.20 Cross Road to Bieber
 bear E. W.

923 SR 25E

chain

- 38.00 ascend slope at an angle of 21°
- 40.00 after making the correct allowance a Boulder in place 20 ins. in diam. which I mark "4 on N. face with a cross (+) at exact cor point for "4 Sec. cor. and raised a mound of stone alongside.
- 45.00 Top of Spur bears ESW and along steep side hill sloping E.
- 80.00 after making the correct allowance a Volcanic rock in place

923 S R 258

Chain

18x16 vis above the ground which I mark with a cross (+) at exact cor point for cor to Sec 5, 6, 7 and 8 marked with 5 notches on S and 5 notches on E edges and raised a mound of earth alongside.

Land mountainous
Soil 4th rate
Grass good
Scattering brush

923 SR 25E

Chains

East on a random
line bet Secs 5 & 8

On $12^{\circ} 30' E$

40.00 Set temporary $1/4$ Sec cor

80.30 Intersect the N and S
line 43 links N. of cor to
to Secs 4, 5, 8 and 9.

Thence I run
N $89^{\circ} 42' W$. on a true
line bet Secs 5 and 8
with same On.

40.15 after making the correct
allowance I set a Granite
stone $16 \times 12 \times 8$ ins 14
ins in the ground
for $1/4$ Sec cor marked
 $1/4$ on N. face and

T23 SR 25E

chains

raised a mound of stone alongside.

61.30

ascend over mesa at
and angle of 10°

65.30

Top of rocky hill + descend
angle of 20°

72.30

Foot of slope + cross

Dry wash course of.

80.30

The cor to Secs 5, 6, 7 + 8

2 and 30 ch rolling

" 40 " mts

Soil 3rd/₄ and 4th/₄ rate

Good grass

T23 SR 25E

chain

West on a random line
bet Secs 6 & 7

Qpa $12^{\circ}30'E$

0.00

Set temporary $\frac{1}{4}$ Sec cor

0.13

Intersect the W. bdy. of
Twp. 61 line N. of cor to
secs 6, 7 and 12 which
is a granite stone 10×8
ins above the ground
marked with 5 notches
on S and 1 notch on
N. edges and mound
of stone alongside.

Thence run

$89^{\circ}34'E$ on a true
line bet Secs 6 and 7
with same Qpa.

T23 SR25E

chain

40.13

Set a Granite stone
 10x8x7 ins 6 ins in
 the ground for 44
 Sec cor. marked 44
 on N. face, and
 raised a mound of
 stone alongside, and
 ascend

57.73

Top of rocky mountain
 spur bears S.E. and
 descend slope at an
 angle of 30°

80.13

The cor to Sec 5, 6, 7
 and 8

Land mountainous
 Soil 4th rate & rocky
Some grass

T23 SR 25E

chain

North on a random line
bet Secs 5 and 6Pa $12^{\circ}30'E$

0.00

Set temporary 1/4 Sec cor

0.40

Intersect the N. Wdy. of Tpc 79 line
E of cor to Sec 56. 31 + 32 which
is a granite stone 10x6 in above
the ground marked with 5
notches on E and 1 notch on W.
edges and a mound of stone ^{along side}

Thence I run

 $S0^{\circ}34'E$ on a true line
bet Secs 5 and 6 with same Pa.

5.07

Cross Dry Wash course E

19.40

Foot of hill and ascend

38.40

Top of ridge 20 ft. high

20

S231R 25E

Chain

40.40

after making the correct allowance a Rock in place 24x36x12 ins above the ground which I mark 44 on W. face with a cross (+) at exact cor point for $\frac{1}{4}$ Sec cor. and raised a mound of stone along side.

47.40

Cross Gulch course N.E. and ascend at an angle of 23°

59.40

Top of hill & descend gradually

80.40

The cor to Secs 5, 6, 7 & 8
Land mountainous
Soil 4th rate
Some grass

923 SR 256

charm

I carefully examined the
adjustments of my solar
compass to-day particularly
the latitude and rising
apparatus and found them
correct Jan 29th 1885

General Description

The Eastern part of
this Tp. is level.

The soil nearly all 2nd rate

The Western part is in
the mule mountains.

There are a good many
mineral locations, and a
number of prospecting
holes, but no developed
mines as far as known.

The entire Tr. is good
for grazing.

Henry Forrest has a
ranch in Sec 8 improvements
valued at not less than
\$3000 consisting of House
corrals. water pipe
line &c.

For final Oath see
Book No. 15.

U. S. Surveyor General's Office,

Tucson, Arizona, May 11 - 1885

The foregoing Field Notes of the Survey of the

subdivision lines
of T₁ 23 S. R 25 E.

Of the Gila and Salt River Base and Meridian, Arizona, execu-
ted by Berrie Wolfley

Deputy Surveyor, under his contract of the 11th

day of November, 1884, having been

critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe

are hereby approved

Royce Johnson
Surveyor General.