

5
1 X
ECOK 997

No. 997
Field Notes

OF THE SURVEY OF THE
BOOK 997

SUBDIVISION LINES

- OF -

Township 23 S Range 26 E

Gila and Salt River Bas. and Meridian

ARIZONA. No. 997

By Lewis Wolfley D. S.

under contract dated Nov 11th 1884

Survey commenced Jan 19th 1885

Survey completed Jan 22nd 1885

997

Township 23 S. R. 26 E

BOOK 997

Grand SRM

6	86	5	63	4	48	3	32	2	17	1
84		83		62		46		31		15
7	81	8	61	9	45	10	30	11	14	12
80		79		59		44		28		12
18	77	17	58	16	43	15	27	14	11	13
76		75		57		41		26		10
19	74	20	55	21	40	22	24	23	8	24
72		71		54		39		23		7
30	70	29	53	28	37	27	22	26	6	25
69		67		51		36		20		4
31	66	32	50	33	34	34	19	35	3	36

For preliminary oaths
and description of
instrument see Book No. 1

No. 997

BOOK 997 3

T23 S. R26E

Chain

Beginning at the cor
to Secs 1, 2, 35 and 36

T23 S. + R26E
previously described by
me I run N. bet Secs
35 and 36

@ Va 12° E

40.00

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pit 18 x 18 x 12 ins.

N and S of stone 34 feet dist and raised
a mound of earth 1 1/4 ft. high 34 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on @W
face.

T23 R 26 E

Chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 25, 26, 35 + 36, dug pits 15 x 15 x 12 ins in each. Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 238 S. 25 on N. E., R. 26 S. 36 on S. E., S. 35 on S. W. and S. 26 on N. W. faces, with 1 notch on S. and 1 notch on E edges.

Surface level
Soil 2nd rate
Good grass

East on a random
line bet Secs 25 & 36
11/20 E

40.00

Set Temporary 1/4 Sec cor

T23 S. R 26 E

chain

80.44 Intersect the E. ldy of Tpc
at cor to Sec^s 25, 30
31 and 36 previously
described by me.

Thence I run
West on a true line
bet Sec^s 25 and 36 with
same cva.

40.22 Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

80.44 The cor to Sec^s 25, 26
35 and 36

Surface level
Soil 2nd rate

T 23 S R 25 E

chains

Good grassNorth bet Secs
25 and 26

W 12° E

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.N and S of stone 5 $\frac{1}{4}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 5 $\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

face.

80.00

Deposited a marked stone 12 ins. in the
ground for Cor to Secs 23, 24, 25 + 26, dug pits18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{4}$ ft. dist. and
raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. baseover it. In S. E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T 23 S

S. 24 on N. E., R. 26 E. S. 25 on S. E. S. 26

on S. W. and S. 23 on N. W. faces, with

2 notch es on S. and 1 notch on

T23 & R26E

chains

E edges

Land level

Soil 2nd rate

Good grass

Cast on a random line
bet Secs 24 and 25

Q 12° 17' E

40.00 Set temporary 1/4 Sec cor

80.65 Intersect the E. vdy. of
T₂₃ at 10 links N of cor to
Secs 19, 24, 25 and 30

previously described by me.

Thence I run

N 89° 56' W. m. a true
line bet Secs 24 + 25 with

T 23 S R 26 E

Chains

Wa

40.32

Deposited a marked stone 12 ins. in
ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 34 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

80.65

face. The cor to Secs 23, 24
25 and 26

Surface level
Soil 2nd rate
Good grass

North bet Secs

23 & 24

Wa 2' 17"

P23 SR 26E

chain

10.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{2}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 4 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on W face.

10.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs. 13, 14, 23 & 24, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T23 S. 13 on N. E., R26E S. 24 on S. E., S. 23 on S. W. and S. 14 on N. W. faces, with 3 notch on S, and 1 notch on E edges.

Surface level
Soil 2nd rate
Good grass

923 S R 26E

Chains

Cast on a random
line bet Secs 13 + 24
Va 12 + 8

40.00

Set temporary 1/4 Sec cor

80.30

Intersect the E. Edy. of
Tpk. at cor to Secs
13, 18, 19 and 24 previously
described by me.

Thence I run
West. on a true line
bet Secs 13 and 24 with
same Va.

40.15

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor dug pits 18 x 18 x 12 in.
E and W of stone 54 feet dist and raised
a mound of earth 1 1/2 ft. high 54 ft. base over
it. In E pit drove a stake 2 ft. long 2 in.
sq. 12 ins. in the ground marked 1/4 S. on N
face.

923 SR 26E

Chain

80.30

The cor to Secs 13, 14, 25 + 26

Surface level

Soil 2nd rate

Good grass

North bet Secs 13 + 14

QVA 12° E

40.00

Deposited a marked stone 12 ins in
ground for $\frac{1}{4}$ Sec. Cor dug pits 18 x 18 x 12 ins
E and W of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high on ft. base over
it. In E pit drove a stake 2 ft. long 2 ins
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

923 S R 268

chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs. 11, 12, 13 & 14, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 238 S. 12 on N. E., R 268 S 13 on S. E., S. 14 on S. W. and S. 11 on N. W. faces, with 4 notches on S, and 1 notch on E edges.

Surface level

Soil 2nd rate

Grass good

Cast on a random line bet Sec. 12 & 13
 @ Va 12th E

40.00

Set temporary 4th Sec cor

80.65

Intersect the East. bay

523 SR 26

chains

of Tp. 38 links S. of
Cor to Secs 7, 12, 13 & 18
previously described by
me.

Thence from
S89°41' W. on a true
line bet secs 12 and 13
with same Va.

19.65 cross White river course S.E

34.15 cross Road bears S.E

40.32 Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

80.65 The cor to Secs 11, 12, 13 and 14
Surface level

T23 S R 26 E

Chains

Soil 2nd rate
Good grassNorth bet Sec 11 & 12
T23 S R 26 E

40.00

Deposited a marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 20 x 12 ins.N and S of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.from this point a
cabin bears N. W

44.00

Cross White river course
S. E.

57.00

Cross Road bears N. W & S E

T 23 S R 26 E

Chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs. 1, 2, 11 & 12, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 23 S S. 1 on N. E., R 26 E S. 12 on S. E. S. 11 on S. W. and S. 2 on N. W. faces, with 5 notches on S, and 1 notch on E edges.

from this point a cabin bears S 40° W. about 40 chains dist.

Surface level

Soil 2nd rate

Good grass

East on a random line bet Secs 1 and 12

T 23 S R 26 E

Chains

Va 12 ° E

40.00 Set temporary $\frac{1}{4}$ Sec cor80.57 Intersect the E bdy of
T_{p.} 47 links N. of cor
to secs 16, 7 and 12
previously described
by me.

thence I run
N 89° 45' W. on a
true line bet Sec 1
and 12 with same Va.

40.23

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins.
E and W of stone 54 ft. 1 d st and raised
a mound of earth 14 ft. high 34 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

923 SR 26E

Chains

0.57

The cor to Secs 1, 2, 11 + 12

Surface level

Soil 2nd rate

Good grass

North on a random
line bet Secs 1 + 2

Qr 120 East.

40.00 Set temporary 1/4 Sec cor

79.94

Intersect the N side of
the 15-link E of Cor to
Secs 1, 2, 35 and 36 which
is a mound of earth
and pits in S.E. pit
a stake marked

T22 S. S36 on N. E

T23 S R 26 E

Chains

R26E S1 on SE

T23S S2 on S. Grand

S 35 on N.W. faces
with 1 notch on E and
5 notches on W. edges.

Thence I run

S⁰ 6° E. on a true line
bet Secs 1 and 2 with
same Va.

39.94

Deposited a marked stone 12 ins. in ~~the~~
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.N and S of stone $\frac{1}{4}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 4 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

79.94

face. The cor to Secs. 1, 2, 11 & 12

Surface level

Soil 2nd rate

T23SR26E

Chains

Good grass

From the cor to Secs
2.3.34 & 35 on S bay of
T^h 23SR 26E previously
described by me from
N bet Secs 34 and 35
Q/A 12°E

4000

Deposited & marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 54 feet dist. and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
Secs.

923 SR 26 E

chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 26-27-34 & 35, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 27 S. 26 on N. E., R. 26 E. S. 35 on S. E., S. 34 on S. W. and S. 27 on N. W. faces, with 1 notch on S, and 2 notches on E edges.

Surface level

Soil 2nd rate

Good grass

East on a random line bet Secs 26 & 35

O.A. 12° E

40.00

Set temporary 1/4 Sec cor

80.10

Intersect the N + S

923 S R 26 E

chains

line 15 links N. of cor
to Secs 25, 26, 35 & 36.

Thence run

N $89^{\circ} 54'$ W. on a true
line bet Secs 26 and 35
with same Va.

40.05-

Deposited a marked stone 12 ins in dia.
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 in.
E and W of stone 54 feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on A
secs.

80.10

The cor to Secs 26 & 27, 34 & 35

Surface level

Soil 2nd rate

Good grass

T23 S. R 26E

chain

North bet Secs 26 & 27
T23 1208

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{4}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 22-23-26 & 27 dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{4}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T238 S. 23 on N.E. R. 26E S. 26 on S.E. S. 27 on S.W. and S. 22 on N.W. faces, with 2 notch ss on S, and 2 notch ss on E edges.

Surface level
Soil 2nd rate

923 SR 26

chain

Good grass

Cast on a random
line bet Secs 23 & 26

$\text{Q} \backslash \text{A} 12^{\circ} \text{E}$

40.00 Set temporary $1/4$ Sec cor
79.84 Intersect the N & S line
20 links S. of cor to Sec
23, 24, 25. End 26.

Thence run

$S 89^{\circ} 41' \text{W}$. on a true
line bet Secs 23 and 26

T23 S R 26 E

Chamie

39.92

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 54 feet dist. and built a mound of earth $1\frac{1}{2}$ ft. high 34 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

79.84

The cor to Secs 22.23
26 and 27

Surface level
Soil 2nd rate
Good grass

North bet Secs 22 + 23

Q/a 12° E

T23 S. R 26E

chains

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 14, 15, 22 & 23, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T23 S. 14 on N. E., R. 26E S. 23 on S. E., S. 22 on S. W. and S. 15 on N. W. faces, with 3 notch es on S, and 2 notch es on E edges.

Surface level
Soil 2nd rate
Grass good

T23 SR 26E

Chain

East on a random
line bet Secs 14 & 23
Va 12 '26 E

40.00

Set temporary $\frac{1}{4}$ Sec cor

79.64

Intersect the N & S line
17 links S. of cor to
Secs 13, 14, 23 & 24,

Thence run
S $89^{\circ} 53'$ W. on a true
line bet secs 14 and 23
with same Va.

39.82

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pit 18 x 18 x 12 ins.
E and W of stone 54 feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high 24 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
line.

79.64

The cor to Secs 14, 15, 22 & 23

923 SR 26E

Chain

Surface level
Soil 2nd rate
Grass good

North bet. Secs 14 + 15
VA 12026'E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 54 feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 in. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

T23 S. R 26E

Chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 10, 11, 14 + 15. dug pits 18 x 18 x 12 ins. in each Sec. 5 1/4 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 23 S. 11 on N. E. R. 26 S. 14 on S. E. S. 15 on S. W. and S. 10 on N. W. faces, with 4 notch ~~ee~~ on S, and 2 notch ~~ee~~ on E edges.

Surface level
Soil 2nd rate
Grass good

Cast on a random line bet Secs 11 + 14

@ Va 12° 26' E

40.00 Set temporary 1/4 Sec cor

T23 S R 26 E

Chains

79.91 Intersect the N + S line
18 links N of cor to Secs
11, 12, 13 and 14.

Thence run

N 89° 52' W. on a true line
bet Secs 11 and 14 with
same Va.

39.95

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 5 $\frac{1}{2}$ ft. base over

it. In E pit drove a stake 2 ft long 2 ins.

sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

79.91

¹⁰⁰⁰ The cor to Secs 10, 11, 14 & 15

Surface level

Soil 2nd rate

Grass good

T23 S. R 26 E

Chains

North bet Secs 10 & 11
QVa 12 26 E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 54 feet dist. and raised mound of earth $1\frac{1}{2}$ ft. high $4\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 23, 10 & 11, dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S E pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 23 S. 2 on N.E. R. 26 E S. 11 on S.E. S. 10 on S.W. and S. 3 on N.W. faces, with 5 notches on S, and 2 notches on N edges.

Surface level
Soil 2nd rate
Grass good.

923 S. R 268

Main

East on a random
line bet Secs 2 and 11
@ Va 12° 26'E

40.00

Set temporary ¹⁴ Sec cor

80.10

Intersect the random
line 37 links S of cor
to Secs 1, 2, 11 and 12,

Thence run
S 89° 46' W on a true
line bet Secs 2 and 11
with same Va.

38.10

Cross White river course S.E

40.05

Deposited a marked stone 12 ins in
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

On a W of stone 54 feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on

1/4 sec.

T23 SR 26E

Chains

56.00

Cross road bears N.W. & S.E.

80.10

The cor Secs 2, 3, 10 and "

Surface level

Soil 2nd rate

Good grass

North on a random
line bet Secs 2 + 3

Va 12° 15' E

40.00

Set temporary "4 Sec cor

80.05

Intersect the N. bdy of Twp
73 links W. of cor to Secs 2, 3, 34
and 35 which is a mound
of earth and puts in S.E.
put a stake marked.

T22 S 835 on N.E. R26E

T 23 S. R 26 E

chains

S2 on S.E T 23 S. S3 on S.W
and S34 on N.W faces
with 2 notches on E and
4 notches on W edges.

Thence I run
S 0° 31' W. on a true
line bet Secs 2 and 3
with same Pd.

40.05

Deposited a marked stone 12 ins. in the
ground for Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 54 feet dist. and raised
a mound of earth 1½ ft. high 34 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked ¼ S. on W
face.

44.10

Cross White river course S.E

67.67

Cross Road bears N.W + S.E

80.05

The cor to Secs 2, 3, 10 and 11

Surface level

T23 S R266

chains

Soil 2nd rate
Grass good

I carefully examined
the adjustments of my
solar transit today
particularly the latitude
and reversing apparatus
and found them correct
Jan 20th 1885

From the cor to
Secs 3, 4, 33 & 34 on S
bdy of T₂₃ S. R 266
previously described
by me. I run N

923 SR 26 E

Chains

bet Secs 33 and 34

@ 11' 58" E

1000

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.W and S of stone $5\frac{1}{2}$ feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

80.00

face. Deposited a marked stone 12 ins. in the ground for Cor to Secs 27, 28, 33 & 34, dug pits 18 x 18 x 12 ins. in each Sec $5\frac{1}{2}$ ft. dist and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 23 S. S. 27 on N.E., R 26 S. 34 on S.E., S. 33 on S.W. and S. 28 on N.W. faces, with 1 notch on S, and 3 notches on E edges.

Surface level

Soil good rate

Good grass

723 SR26E

Chain

Scattering Mesquite

Cast on a random
line bet Secs 27 and 34

$\text{Va } 11^{\circ} 58' \text{E}$

40.00

Set temporary 1/4 Sec cor

79.79

Intersect the N & S line

15 links N. of cor to

Secs 26, 27, 34 and 35.

Thence I run

$\text{N } 89^{\circ} 54' \text{ W.}$ on a true

line bet Secs 27 & 34

with same Va.

T23 S, R 26 E

Main

39.89

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 6 x 6 x 12 ins. E and W of stone 5 1/2 feet dist. and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In E pit drove a stake 2 ft. long 2 in. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N sec.

79.79

The cor to Secs 27, 28, 33 + 34

Surface level

Soil 2nd rate

Good grass

Scattering brush

North bet Secs 27 + 28

Wa 11058 E

T23 SR 26E

Chains

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{4}$ feet dist and raised a mound of earth 1 $\frac{1}{4}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 21, 22, 27, 28 dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{4}$ ft. dist and raised a mound of earth 2 ft high 4 $\frac{1}{2}$ ft base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 25 S. 22 on N. E, R. 26 S. 27 on S. E. S. 28 on S. W. and S. 21 on N. W. faces, with 2 notch π on S, and 3 notches π on W edges.

Surface level
Soil 2nd rate
Good grass

923 SR 26E

Chains

Cast on a random
line bet Secs 22 & 27
@ $110^{\circ} 58' E$

40.00 Set temporary $\frac{1}{4}$ Sec. cor

79.80 Intersect the Rand S
line 30 links N. of cor
to Secs 22, 23, 26 & 27.

Thence I run
 $N 89^{\circ} 47' W$. on a true
line bet Secs 22 and 27
with same W .

39.90 Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

T23 SR 26E

chains

79.80

The cor to Secs 21.22.27²⁵

Surface level

Soil 2nd rate

Good grass

Scattering brush

North bet Secs 21 & 22



QV 12° E

40.00

Deposited & marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 54 feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on $\frac{1}{2}$ face.

923 SR 26E

Maine
\$0.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 15+16, 21+22, and pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 2 ft. high 4½ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 258 S. 15 on N.E. R. 26E S. 22 on S.E. S. 21 on S.W. and S. 16 on N.W. faces, with 3 notch  on S, and 3 notch  on E edges.

Surface level

Soil good rate

Good grass

Scattering mesquite

Cast on a random
line bet Secs 15+22

Wa 12015'E

\$0.00 Set temporary ¼ Sec cor

T23 SR 26E

Chains

79.90

Intersect the N and S
line 17 links N. of Cor
to Secs 14, 15, 22 and 23.

Thence I run.

N $89^{\circ} 53'$ W. on a
true line bet Secs 15
and 22 with same Va.

39.95

Deposited & marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 8 x 18 x 12 ins.
E and W of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth 14 ft. high 24 ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

79.90

The cor to Secs 15 & 16, 21 & 22
Surface level
S. Soil 2nd rate
Good grass
Scattering Mesquite

T23SR26E

Chains

Notch bet Secs 15 and 16
 Va 12° 15' E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs. 9, 10, 15 & 16, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 238 S. 10 on N. E. R. 266 S. 15 on S. E. S. 16 on S. W. and S. 9 on N. W. faces, with 4 notch es on S, and 3 notch es on E edges.

923 SR 26E

Chamis

Surface level
 Soil 2nd rate
 Good grass
 Scattering Mesquite

Cast on a random
 line bet Secs 10 & 15
 Va. 12°34'E

40.00 Set temporary 1/4 Sec cor
 79.85 Intersect the N+S
 line 19 links S. of cor
 to Secs 10, 11, 14 and 15.

Thence I run
 S 89° 52' W. on a
 true line bet Sec 10
 and 15 with same Va.

923 S. R 26 E

Chamiz

39.92

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

79.85

The cor to Secs 9, 10, 15 & 16
 Surface level
 Soil 2nd rate
 Scattering Mesquite

North bet Secs 9 & 10
 $\frac{1}{4}$ 120 34' E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

T 23 S R 26 E

chains

80.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 3, 4, 9 & 10, dug pits 18 x 18 x 12 ins in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins sq 2 ft long 12 ins in the ground marked T 23 S S. 3 on N.E. R 26 E S. 10 on S.E. S. 9 on S.W. and S. 11 on N.W. faces, with 5 notches on S. and 3 notches on N.W. edges

Surface level

Soil 2nd rate

Good grass

Scattering Mesquite

East on a random
line bet Secs 3 & 10

Sta. 12 34 E

40.00 Set temporary 1/4 Sec cor

T 23 S R 26 E

chain

79.91 Intersect the N and S line
37 links S. of cor to Secs
2, 3, 10 & 11.

Thence I run
S 89° 44' W. on a true
line bet Secs 3 and 10
with same Va.

39.95-

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 54 feet dist and raised
a mound of earth 14 ft. high 36 ft. base over
it. In E pit drove a stake 2 ft. long 2 in.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on ^{sec.} N

79.91

The cor to Secs 3, 4, 9 & 10
Good grass
Surface level
Soil 2nd rate
Scattering brush

T23 SR 26E

Chain

North on a random
line bet Secs 3 & 4

VA 12° 34' E

40.00

Set temporary 1/4 Sec cor

79.85

Intersect the N. bdy.
of T₂₃ 60 lms W. of
cor to Secs 3, 4, 33 & 34

which is a mound
of earth and pits in
S.E. pit a stake

marked. T23. S 34 on N.E

R 26.E. S3. on S.E

T23 S. S4 on S.W and
S. 33 on N.W. face
with 3 notches on E & W.
edges.

P 23 S P. 26 E

chains

Thence I run

80° 26' W. on a true line
bet Secs 3 and 4 with same Pa.

9.00 Cross White river wide

13.25 " Road bears E + W

18.60 " " " S.E + N.W

18.85 Enter Corral a House
bears N. 25° W. 9 chains dist.

21.89 Leave Corral

39.85

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.N and S of stone $5\frac{1}{2}$ feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over
it. In N pit drove a stake 2 ft. long 2 ins
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W79.85 ^{Sec.} The cor to Secs 3, 4, 9 and 10
Surface level
Soil 2^{nd} _" rate

923 S R 26E

chains

Good grass
Scattering bush

Jan 21st 1885

From the cor to Sec
4, 5, 32 and 33 923 S
R 26E. on Stag. of
Tp. previously described
by me. I was N
bet Secs 32 and 33
Q 12'E

40.00

Deposited a marked stone 12 ins. in the
ground for 1/2 Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 1/2 feet dia and used
a mound of earth 1 1/2 ft high 3 1/2 ft base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/2 S. on W

T23 S. R26E

Chains

80.00

Deposited a marked stone 12 ins. in dia. ground for Cor. to Secs 28, 29, 32 & 33, dug pits 18 x 18 x 12 ins. in each. Sec. 54 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T23 S 28 N.E. R26E S 33 on S.E. S. 32 on S.W. and S. 29 on N.W. faces, with / notch on S, and 4 notches

Surface level
Soil 2nd rate
Good grass
Scattering brush

East on a random line
bet Secs 28 and 33.

T4120E

40.00

Set temporary "4 Sec cor

T23 S. R. 126 E

Chain

80.00

Intersect the N & S
line 5 links S of cor
to Secs 27. 28. 33 & 34.

Hence run
S89° 58' W. on a true
line bet Secs 28 and 33
with same Va.

40.00

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 in.
E and W of stone $\frac{1}{4}$ feet dist and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over
it. In E pit drove a stake 2 ft long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.00

The cor to Secs 28. 29. 32 & 33
Surface level
Soil 2nd rate
Good grass
Scattering brush

D23 S. R 26E

Chains

North bet Secs 28 & 29
T 9 120E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.A and S of stone $5\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 20, 21, 28 & 29, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 21 S S 21 on N. E. R. 26 E S. 28 on S. E. S. 29 on S. W. and S. 20 on N. W. faces, with 2 notch ee on S, and 4 notch ee x eges.Surface level
Soil 2nd rate

T 23 S. R 26 E

chains

Good grass
Scattering brush

East on a random
line bet secs 21 + 28

$\nabla 12^{\circ} E$

40.00 Set temporary $\frac{1}{4}$ Sec cor.

79.85 Intersect the N & S line
19 links S of cor to
secs 21, 22, 27 + 28.

Thence I run
 $S 89^{\circ} 52' W$ on a true line
bet secs 21 and 28 with same
C/A.

T 23 S. R 26 E

chains

39.92

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 54 feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 34 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked S on N face.

79.85

The cor to Secs 20, 21, 28 & 29

Surface level

Soil 2nd rate

Good grass

Scattering brush

North bet Secs 20 & 21

Q 12th E

T23 S. R 26E

Chains

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $5\frac{1}{2}$ feet dist. and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W. face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 16, 17, 20 & 21, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $4\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T23 S. 16 on N. E. R. 26 S. 21 on S. E. S. 20 on S. W. and S. 17 on N. W. faces, with 3 notches on S, and 4 notches on E edges.

Surface level

Soil 2nd rate

Good grass

Scattering brush

923 S. R 26E

chains

East on a random
line bet Secs 16 + 21

On $12^{\circ}E$

40.00 Set temporary $\frac{1}{4}$ Sec cor
80.25 Intersect the N + S line
31 links S of cor to Secs
15; 16, 21 and 22,

Thence run

$S 89^{\circ} 47' W$. on a line
bet Secs 16 + 21 with
same On.

40.12

Deposited & marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 54 feet dist and raised
a mound of earth 14 ft. high 24 ft. base over
it. In E pit drove a stake 2 ft. long 2 inc.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

923 S. R 26E

chains

80.25

The cor to Secs 16, 17, 20 & 21
 Surface level
 Soil 2nd rate
 Good grass
 Scattering brush

North bet Secs 16 & 17
 94/20E

40.00

Deposited & marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 N and S of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
 face.

T23 S. R 268

chains

80.00

Deposited a marked stone 12 ins. in dia. ground for Cor. to Secs 8, 9, 16 & 17, dug pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 238 S. 9 on N. E. R. 268 S. 16 on S. E. S. 17 on S. W. and S. 8 on N. W. faces, with 4 notches on S, and 4 notches on E edges.

Surface level

Soil 2nd rate

Good grass

Scattering brush

East on a random
line bet Secs 9 & 16

of a 12° E

10.00

Set temporary 1/4 Sec cor

T 23 S. R 26 E

Chamis

79.95

Intersect the N + S line
27 links S. of cor to Secs
9, 10, 15 + 16.

Thence I run

$89^{\circ}48'W$. on a true line
bet Secs 9 + 16 with same Pa

39.97

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

79.95

The cor to Secs S. 9, 16 + 17

Surface level

Soil 2 $\frac{1}{4}$ rate

Good grass

Scattering brush



923 SR 26E

Chairs

North bet Secs 8 & 9

T238

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 54 feet dist and raised a mound of earth 14 ft. high 34 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 4, 5, 8 & 9, dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 2 ft. high 44 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T238 S. 4 on N.E., R. 26E S. 9 on S.E. S. 8 on S.W. and S. 5 on N.W. faces, with 5 notch es on S, and 4 notch es on E edges.

Surface level
Soil 2nd rate

T2S, R26E

Chain

Good grass
Scattering brush

East on a random
line bet Secs 4 & 9

99° 12' E

40.00

Set temporary 1/4 Sec cor

80.34

Intersect the N & S line
27 links S of cor to Secs
3, 4, 9 and 10.

Thence I run

89° 48' W on a true
line bet Secs 4 & 9 with
same Va.

T23 S. R 26 E

chains

40.17

Deposited a marked stone 12 ins. in dia.
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone $5\frac{1}{2}$ ft. dist and raised
a mound of earth $1\frac{1}{2}$ ft. high on ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

80.34

The cor to Secs 4, 5, 8 & 9
Surface level
Soil 2nd rate
Good grass
Scattering brush

North on a random
line bet Secs 4 & 5

@ Va 12° E

40.00

Set temporary $\frac{1}{4}$ Sec cor

79.53

Intersect the N. end of

T23 S R26E

Chain

Th. 61 links W. of cor
to Secs 4, 5, 32 & 33,
which is a Limestone
9x9 ins above the ground
marked with 4 notches
on E and 2 notches
on W. edges and
mound of earth + pits
of required size.

Thence run
S⁰ 26' W. on a true
line bet Secs 4 & 5 with
same Va.

39.53

Deposited & marked stone 12 ins. in
ground for Sec. Cor. dug pits 18 x 18 x 12 ins
N and S of stone 5 1/2 feet dist and raised
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins
dia. in the ground marked S on W side

T23 S. R 26E

Chains

79.53

The cor to Secs 4, 5, 8 + 9

Surface level

Soil 2nd rate

Good grass

Scattering brush

I carefully examined
the adjustments of my
solar transit - particularly
the latitude and rearing
apparatus and found them
correct

Jan 22nd 1885

T23 S. R26 E

Chains

From the cor to
Secs 5, 6, 31 and 32
T23 S. R26 E. on S
1/4 of T4. previously
described by me I
run N bet Secs 31 & 32
of a 12° E

40.00

Deposited a marked stone 12 ins. in the
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.
N and S of stone 5 1/4 feet dist and raised
a mound of earth 1 1/2 ft. high 3 1/4 ft. base over
it. In N pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked 1/4 S. on W
face.

80.00

Deposited a marked stone 12 ins. in the
ground for Cor to Secs 29, 30, 31 & 32. dug pits
18 x 18 x 12 ins. in each Sec. 5 1/4 ft. dist. and
raised a mound of earth 2 ft. high 4 1/2 ft. base
over it. In S. E. pit drove a stake 2 ins. sq. 2
ft. long 12 ins. in the ground marked T23 S
S. 29 on N. E. R. 26 E S. 32 on S. E. S. 31

T23 S, R26E

Chains

on S90 and S30 on N.W. faces
with 1 notch on S and 5
notches on E. edges

Surface level

Soil 2nd rate

Good grass

Scattering brush

East on a random line
bet Secs 29 and 32

Va 120°E

40.00 Set temporary 1/4 Sec cor
79.94 Entered the N & S line
10 links N. of cor to Secs 25
29 32 & 33.

Thence I run

T23 S. R 26E

Chains

A 89° 56' W. on a true
line bet Secs 29 & 32 with
same W.

39.97

Deposited a marked stone 12 ins in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 54 feet dist and raised
a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{4}$ ft. dist bet
st. In E pit drove a stake 2 ft. long 2 ins
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

79.94

The Cor to Secs 29, 30, 31 & 32

Surface level

Soil mostly 2nd rate

Good grass

and considerable Mesquite
bush

T23 S, R26E

Chains

West on a random
line bet Secs 30 and 31

Ca 120E

40.00 Set temporary $\frac{1}{4}$ Sec cor

80.40 Intersect the W. bdy. of $\frac{1}{4}$ Sec
20 links S. of cor to Secs
25, 30, 31 and 36 previously
described by me.

Thence run
S89° 51' E on a true
line bet Secs 30 and 31 with
same Ca.

40.40

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 5 $\frac{1}{2}$ feet dist. and raised
a mound of earth 1 $\frac{1}{4}$ ft. high 3 $\frac{1}{4}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W
face.

T 29 S. R 26 E

Chains

80.40

The cor to Secs 29, 30, 31 & 32
 Surface level
 Soil 2nd rate
 Good grass
 Scattering brush

North bet Secs 29 & 30
 W 12° E

40.00

Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins
 N and S of stone 5 $\frac{1}{2}$ feet dist and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In N pit drove a stake 2 ft. long 2 ins.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

T23 S, R26E

Chains

20.00

Deposited a marked stone 12 ins. in the ground for Cor to Secs 19, 20, 29 & 30, dug pits 18 x 18 x 12 ins. in each Sec. 51 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ft. in the ground marked T. 238 S 20 on N. E. R 26 E S. 29 on S. E. S. 30 on S. W. and S. 19 on N. W. faces, with 2 notches on S, and 5 notches on E edges.

Surface level

Soil mostly 2nd rate

Good grass

Scattering brush

Cast on a random line
bet Secs 20 + 29

Va 120E

40.00

Set temporary 1/4 Sec cor

T23 S. R26E

79.79 Intersect the N&S line 15 links
 S. of cor. to Secs 20, 21, 28 & 29,
 S 89° 57' W for a stone line bet Secs
 Deposited a marked stone 12 ins. in the
 ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
 E and W of stone 5 $\frac{1}{2}$ feet apart and raised
 a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
 it. In E pit drove a stake 2 ft. long 2 in.
 sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
 face.

79.79 The cor to Secs 19, 20, 29 & 30
 Surface level
 Soil mostly 2nd rate
 Good grass
 considerable mesquite brush

West on a random
 line bet Secs 19 & 30
 Va 110 E

40.00 Set temporary $\frac{1}{4}$ Sec cor
 81.00 Intersect the W. ldy of

T23 SR 266

Chain

The 15 links S. of cor to Secs 19, 24, 25 & 30 previously described by me.

Thence I

S89° 54' E. on a true line bet Secs 19 and 30 with same Pa.

\$1.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N face.

\$1.00

The cor to Secs 19, 20, 29 & 30

Surface level

Soil mostly good rate

Good grass

Considerable Mesquite bush

T23 S. R 26 E

claims

North bet Secs 19 & 20
T 110 E

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 $\frac{1}{2}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs. 17, 18, 19 & 20 dug pits 18 x 18 x 12 ins. in each Sec. 5 $\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S. E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T 23 S. 17 on N. E. R 26 E S. 20 on S. E. S. 19 on S. W. and S. 18 on N. W. faces, with 3 notches on S, and 5 notches on E edge.

Surface level
Soil mostly 2nd & 3rd rate

Q23 S. R. 26 E

Chains

Good grass

Scattering brush

Cast on a random
line bet Secs 17 & 20

Q 4 110 E ✓

40.00 Set temporary $\frac{1}{4}$ Sec cor

80.10 Intersect the N + S line

17 links S. of cor to Secs 16, 17, 20

Thence ^{to} ~~brush~~ S. 890 53 ^{to} ~~the~~ ^{true} ~~line~~ ^{line} bet. Secs. 17 + 20 with
same ~~va.~~

40.05

Deposited a marked stone 19 ins. in dia.
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
E and W of stone 54 feet dist and raiseda mound of earth 14 ft. high 34 ft. base over
it. In 6th pit drove a stake 2 ft. long 2 ins.sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N
face.

T 23 S, R 26 E

Claims

80.10

The cor to Secs 17, 18, 19 & 20
 Surface level
 Soil mostly 2nd rate
 Good grass
 Scattering brush

West on a random
 line bet Secs 18 & 19
 Va 11° E

40.00.

Set temporary 1/4 Sec cor

80.39

Intersect the W. ldy of
 the 25 links S. of cor to
 Secs 13, 18, 19 & 24, previously
 described by me.

Hence I run
 S 89° 49' E on a true line

T23 SR 26 E

Chains

bet Secs 18+19 with same Va

40. 39

Deposited a marked stone 12 ins in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins E and W of stone 5 $\frac{1}{2}$ feet dist and raised a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 in sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

80. 39

The cor to Secs 17, 18, 19 + 20

Surface level

Soil mostly 2nd rate

Good grass

Scattering mesquite

North bet Secs 17+18

Va 11th E

T23 SR 268

Chassis

40.00

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone $3\frac{1}{2}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high $1\frac{1}{2}$ ft. base over it. In 'N. pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W

80.00

Set a post 4 ft. long 4 in. square, 12 ins. in the ground for Cor. to $8\frac{1}{2}$ ft. 75.17 + 18 marked T. 23 S. 8 on N. E. R 268 5.17 on S. 2.5 18 on W, and S. 7 on N. W, just a 4 notch es on S, and 5 notch es on E. edges dug pits 18 x 18 x 12 ins. in each Sec. $8\frac{1}{2}$ ft. dist. and raised a mound of earth 2 ft. high $2\frac{1}{2}$ ft. base around post

Surface level
Soil mostly 2nd rate
Good grass
Scattering mesquite

023 SR 26 E

Chains

Cast on a random
line bet Secs 8 + 17

Q911⁰⁸E40.00 Set temporary $\frac{1}{4}$ Sec cor

79.83 Intersect the N+S line
27 links S. of cor to Secs
8, 9, 16 + 17.

Thence run

889.48' W. on a true
line bet Secs 8 + 17 with
same Q9

39.92

Deposited a marked stone 12 ins. in the
ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.

Q and W of stone 54 feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 2 $\frac{1}{2}$ ft. base over
it. In E pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

9.83

The cor to Secs. 7, 8, 17 + 18

T23 S. R26E

Prains

Surface level
 Soil mostly 2nd rate
 Good grass
 Scattering mesquite

West on a random
 line bet Secs 7 & 18
 Y9110E

40.00

80.50

Set temporary $\frac{1}{4}$ Sec cor
 Intersect the West edge
 of the 32 links S of cor
 to Secs 7, 12, 13 and 18
 previously described by me.
 Thence run
 S89° 46'E on a true
 line bet Secs 7 & 18

T25 SR 26E

Chains

with same Ga.

40.50

Deposited & marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins.E and W of stone 54 feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins.sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on N

face.

41.50

Cross Dry Wash course N
5 links wide.

80.50

The cor to Secs 7, 8, 17 & 18

Surface level

Soil mostly 2nd rate

Good grass

Scattering brush

North bet Secs 7 & 8

Wg 12015-E

82

BOOK 997

T23 R. R 26E

Chairs

4000

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. and $\frac{1}{4}$ of stone $5\frac{1}{4}$ feet dist. and raised a mound of earth 1 $\frac{1}{2}$ ft. high $5\frac{1}{4}$ ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on W face.

80.00

Deposited a marked stone 12 ins. in the ground for Cor. to Secs 5, 6, 7 & 8, dug pits 18 x 18 x 12 ins. in each Sec. $5\frac{1}{4}$ ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$ ft. base over it. In S.E. pit drove a stake 2 ins. sq. 2 ft. long 12 ins. in the ground marked T. 23 S. 5 on N.E., R26E S. 8 on S.E. S. 7 on S.W. and S. 6 on N.W. faces, with 5 notches on S, and 5 notches on E edges.

Surface level

Soil mostly 2nd grade

Good grass

T 23 S. R 26 E

Chain

Scattering brush

Cast on a random
line bet Secs 5 & 8

Q 111° E

40.00

Set temporary 1/4 Sec cor

79.91

Intersect the N end
line 37 links S of cor to
Secs 4, 5, 8 & 9.

Thence run

S 89° 44' W. on a true
line bet Secs 5 & 8 with
same va.

T23 S. R 26 E

Chains

39.95

Deposited a marked stone 12 ins. in the ground for $\frac{1}{4}$ Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 54 feet dist and raised a mound of earth $1\frac{1}{2}$ ft. high $3\frac{1}{2}$ ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked $\frac{1}{4}$ S. on A

79.91

The cor to Secs 5.6.7 & 8
 Surface level
 Soil mostly 2nd rate
 Good grass
 Scattering Mesquite

West on a random
 line bet Secs 6 & 7

@ $N 12^{\circ} 45' E$

40.00

Set temporary $\frac{1}{4}$ Sec cor

80.30

Intersect the W way of A

923 S. R. 2. 6E

Chains

20 links N of cor to Secs
1.6.7 and 12 previously
described by me.

Thence run

N 89° 51' E on a true
line bet Secs 6 and 7
with same Va.

40.30

Deposited a marked stone 12 ins. in dia.
ground for $\frac{1}{2}$ Sec. Cor. dug pits 18 x 18 x 12 ins.
6 and 7 of stone 5 $\frac{1}{2}$ feet dist and raised
a mound of earth 1 $\frac{1}{2}$ ft. high 3 $\frac{1}{2}$ ft. base over
it. In 6 pit drove a stake 2 ft. long 2 ins.
sq. 12 ins. in the ground marked $\frac{1}{2}$ S. on N
face.

80.30

The cor to Secs 5, 6, 7 & 8
Surface level
Soil mostly 2nd rate
Good grass
Scattering mesquite

T23 SR 26E

Chains

North on a random
line bet Secs 5 & 6

QVA 12045-6

40.00

Set temporary $1/4$ Sec cor

80.10

Intersect the N. side of Tpu
19 links E. of cor to Secs 5, 6, 31 & 32

which is a mound of earth
and pits in S.E. put a stake
marked T22 S. 32 on N.E.

R26E S5 on S.E., T23 S. 86 on

S.W. and S 31 on N.W. face

with 5 notches on E and

1 notch on W. edges.

Thence I run

80° 8' E on a true line

bet Secs 5 & 6 with same Va

723 S. R. 26 E

chains

40. 10

Deposited a marked stone 12 ins. in the ground for 4 Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 5 1/2 feet dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on W face.

40. 10

The cor to Sec 5, 6, 7 & 8

Surface level

Soil mostly 2nd rate

Scattering mesquite

I carefully examined the adjustments of my solar transit to day particularly the latitude and reversing apparatus and found them correct
Jan 23rd 1883

86 88

General Description

Char

40.0

80.10

The Surface in this township is mostly level the soil 2nd rate land is covered with a good growth of grass and considerable underbrush more or less scattering.

The Tp. is watered by the White river which at the time of survey had considerable water but is dry in the summer.

There is a house and corral in the S.W. 1/4 of Sec 4

For final notes see Book No 15

BOOK 997

U. S. Surveyor General's Office,

Tucson, Arizona, May 11 - 1885

The foregoing Field Notes of the Survey of the

subdivisional lines
 of T. 23 S. R. 26 E.

Of the Gila and Salt River Base and Meridian, Arizona, executed by Lewis Wolfley
 Deputy Surveyor, under his contract of the 11th
 day of November, 1884, having been
 critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe
 are hereby approved.

Royal A. Johnson
 Surveyor General.