

index  
slatted  
compared  
indexed

4  
BOOK 998  
No. 998

+

# Field Notes

BOOK 998

OF THE SURVEY OF THE

## SUBDIVISION LINES

-OF- No. 998

Township 24 S Range 25 E

Gila and Salt River Base and Meridian

### ARIZONA.

By Lewis Wolfley D. S.

under contract dated Nov 11<sup>th</sup> 1884

Survey commenced Jan 19<sup>th</sup> 1885

Survey completed Jan 22<sup>nd</sup> 1885.

998

2

BOOK 998

Township 24 S. R. 25 E

G and S R M

6	67	5	53	4	41	3	31	2	22	1
65	63		51		40		30		20	
7	61	8	49	9	38	10	28	11	19	12
60	58		46		36		27		17	
18	56	17	45	16	35	15	25	14	15	13
4	55	6	43	7	33	9	23	10	13	12
19	20		21		22		23		24	
			Mexico							
30	29		28		27		26		25	
31	32		33		34		35		36	

For preliminary oaths and description of instrument see Book No 1

No. 998

T24 S R 25 E

## Chains

Beginning at the  
 cor to Secs 13, 18, 19  
 and 24, T24 S. R25 E  
 and 26 E. which is a  
 granite rock 12x5 ins  
 above the ground.

marked with 3 notches  
 on <sup>W</sup> and S edges. Suts  
 and mound of stone  
 of required size.

Run W. on  
 a random line through  
 the Tp

Q9 120 34 E

Setting temporary "4  
 and sec cor every 40 +  
 80 chs. and at 5 miles

1924 S. R. 25 E

chains

78.90 chs I intersect the  
 W. bdy of Twp. 14 links  
 N of cor to Secs 13, 18  
 19 and 24 924 S. R. 25  
 E. which is a granite  
 stone  $12 \times 8$  ins. above  
 the ground marked  
 with 3 notches on N  
 and S. edges, pits  
 and mound of  
 stone of required size.

From which cor  
 run  $N 89^{\circ} 59' E$  on  
 a true line bet Secs  
 18 & 19

$N 912^{\circ} 34' E$

T24 SR 25E

Chain

38.90

Set Quartz stone, 12 x 9 x 6 ins., 9 ins. in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$  on N face, dug pits 18 x 18 x 12 ins. E and W of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high.  $3\frac{1}{2}$  ft. base. alongside.

40.75 cross road bears N+S

64.00 Mexican Ranch from this point bears S 2 chs. dist.

68.00 cross Dry Wash courses

72.25 " " " " S.E

74.00 " " " " " "

78.90 Set a granite stone 12 x 12 x 8 ins, 9 ins. in the ground for Cor, to Secs, 17, 18, 19 &amp; 20 marked

with 3 notches on S. and 5 notches on E. edges dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. alongside.

Surface level mesa  
grass fair

T 24 S. R 25 E

Chains

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

N 89° 59' E on a true  
 line bet Secs 17 + 20  
 @ 12° 34' E

13.00 Enter Valley  
 21.00 Cross Road bears N.W.  
 and S.E

38.00 Leave Valley and ascend  
 slope at an angle of 4°

40.00 Set a Lava stone, 11 x 9 x 7 ins. 8 ins.  
 in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on N  
 face, dug pits 18 x 18 x 12 ins. E and W  
 of stone 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth  
 1 $\frac{1}{2}$  ft. high, 3 $\frac{1}{2}$  ft. base alongside.

42.00 Top of ridge bears  
 N and S. and descend

T24SR25E

Chains

at an angle of  $5^{\circ}$ 

76.00

Foot of slope

80.00

Set a Lava stone  $14 \times 7 \times 6$  ins., 8 ins. in the ground for Cor. to Secs. 16 17 20 & 21 marked with 3 notches on S. and 4 notches on E. edges. dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high, 4 ft. base, alongside.

Surface level

Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate

Grass fair

Scattering brush

489 598 on a true line bet Secs  
16 and 21

of a  $12^{\circ} 32' E$ 

ascend gradually

T 24 SR 25 E

## Chains

40.00 Set a Lava stone, 12 x 6 x 6 ins. 8 ins. in the ground for  $\frac{1}{2}$  Sec, Cor, marked  $\frac{1}{2}$  on N face, dug pits 18 x 18 x 12 ins. E and W of stone 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high. 3 $\frac{1}{2}$  ft. base. alongside.

80.00 Set a Lava stone 11 x 7 x 6 ins, 7 ins. in the ground for Cor, to Secs, 15, 16, 21, 22 marked with 3 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 $\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high. 4 $\frac{1}{2}$  ft. base. alongside.

Surface level  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
Grass fair  
Scattering brush



T24SR25E

Chains

N 89° 59' E on a  
true line bet Secs 15 & 22

W 12° 34' E

Descend slope at an  
angle of 4°

40.00

Set a Lava stone, 13 x 9 x 6 ins., 10 ins.  
in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on N  
face, dug pits 18 x 18 x 12 ins. E and W  
of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  
 $1\frac{1}{2}$  ft. high,  $3\frac{1}{2}$  ft. base, alongside.

46.50

Cross Road bears N.W. + S.E.

69.00

" Dry Wash course E  
and descend gradually

80.00

Set a Lava stone, 16 x 8 x 4 ins., 12 ins. in  
the ground for Cor, to Secs, 14, 15, 22 & 23 marked  
with 3 notch ~~on~~ S. and 2 notch ~~on~~ E. edges.  
dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft.  
dist. and raised a mound of earth 2 ft. high,  
 $4\frac{1}{2}$  ft. base, alongside.

T24 SR 25E

Chains

Surface level

Soll 3<sup>rd</sup> to 4<sup>th</sup> rate

West of Dry Wash stony

Grass fair

Scattering brush

N 89° 59' E, on a true  
line bet Secs 14 & 23

Or a 12° 30' E

Ascend slope at an  
angle of 5°

40.00

Set a Lava stone, 14 x 11 x 6 ins., 9 ins.

in the ground for  $\frac{1}{4}$  Sec, Cor, marked  $\frac{1}{4}$  on N

Each, dug pits 18 x 18 x 12 ins. E and W

of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth $1\frac{1}{2}$  ft. high,  $2\frac{1}{2}$  ft. base, alongside.

T24 SR 25-E

Chain

55.00 Top of hill and descend  
slope at an angle of  
4°

55.00 Foot of slope and  
ascend gradually

80.00 Set a lime stone 22x  
14x 8 ins 6 ins on  
the ground for cor  
to Sec 13, 14, 23 & 24  
marked with 3 notches  
on S and 1 notch on  
E edges, and raised  
a mound of stone  
alongside.

Surface rolling  
Soil 3<sup>rd</sup> rate and stony  
Grass fair

924 SR 258

Chains

Scattering Cats claw  
brush

---

N 89° 59' E. on a  
true line bet Secs 13 & 24  
Q 9 12° 24' E

40.00

Set a Volcanic stone  
13x7x6 ins 9 ins in  
the ground for 1/4  
Sec cor marked 1/4  
on N. face and  
raised a mound of  
stone alongside.

68.00

cross Dry Wash course  
N. E

T 24 S R 25 E

Chain

80.00 The cor to Secs 13, 18, 19 & 24  
T 24 S. R. 25 & 26 E from  
whence I started

East 1/2 mile level

West 1/2 mile rolling

Dense brush 40chs

Soil 3<sup>rd</sup> rate

Grass fair

From the cor to  
Secs 13, 14, 23 and 24  
previously set by me  
I run S. on a random  
line bet Secs 23 and 24  
Q 12° 34' E

T24 SR 25E

Chamis

at 7.50 I arrive at  
 a point 75 links  
 W. of closing cor  
 to Secs 23 and 24  
 on International bdy.  
 which is a Granite  
 rock 10x8 ins above  
 the ground, marked  
 C.C. faces with 1  
 notch on E and 5  
 notches on W. edges  
 mound of stone and  
 pits of required size.  
 Hence I run  
 W 50° 54' W. on a true  
 line bet Secs 23 + 24  
 with same Pa.

924 SR 25 E

Chains

7.50

The cor to Secs 13, 14, 23 & 24  
 Surface rolling  
 Soil 2<sup>nd</sup> rate  
 Grass fair  
 Dense brush

N bet Secs 13 &amp; 14

QVa 12034 E

34.75

A small frame house  
 belonging to Mr. Herring  
 1 chain E of line

36.00

Cross Drif wash course E  
 " Road bears E & W.

T24 SR 25E

Chains

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 54 feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high 3 $\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W Sec.

50.00

Set a drill stone 14 x 6 x 6 ins. 10 ins. in the ground for Cor. to Secs. 13, 14, 11 + 12 marked with 4 notches S. and 1 notch / on E. edges dug pits 18 x 18 x 12 ins. in each Sec. 54 ft. dist. and raised a mound of earth 2 ft. high 4 $\frac{1}{2}$  ft. base. alongside.

Surface rolling  
Soil 2<sup>nd</sup> rate  
Grass fair  
Dense catclaw  
& sage-bush 40 chs



T24 S R 25 E

Chains

Cast on a random  
line bet Secs 12 + 13

Wa  $12^{\circ} 34' E$

40.00 Set temporary 1/4 Sec cor

79.60 Intersect the E. edge of 5 ft.

15 links N. of Cor to

Secs 7, 12, 13 + 18 which

is a mound of earth

and pits in S.E. pit

a stake marked.

T24 S. S 7 on N.E

R 26 E S 18 on S.E

R 25 E S 13 on S.W.

and S 12 on N.W. faces

with 4 notches on S and

2 notches on W. edges.

Thence I run

724 SR 25<sup>th</sup>E

Chamis

N 89° 54' W. on a  
true line bet Secs 12  
and 13 with same Va.

29.80

Cross Dry Wash course N.

39.80

Deposited a marked stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug a 18 x 18 x 1' pit  
E and W of stone  $5\frac{1}{2}$  feet distance  
a mound of earth 1 $\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base  
ft. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  E. on N

79.60

The cor to Secs 11, 12, 13 & 14  
Surface level mesa  
Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate  
Grass fair  
A Devil brush

924 SR 25E

Chains

North bet Secs 11 & 12  
(9/12 034E)Mesa gradually descends  
to N

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{2}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 54 feet dist and raised a mound of earth 14 ft. high 34 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. dia. 12 ins. in the ground marked  $\frac{1}{2}$  S. on W.

80.00

Set a Quartz stone 3 x 7 x 7 ins, 9 ins. in the ground for Cor. to Secs. 12, 11 & 12 marked with 5 notches on S. and 1 notch on E. edges. dug pits 18 x 18 x 12 ins. in each Sec., 54 ft. dist. and raised a mound of earth 2 ft. high 44 ft. base. alongside.

Mesa gradually ascends to S.  
Grass fair

924 SR 25E

Chains

Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate  
 Druce catclaw + sagebrush

East on a random  
 line bet Secs 1 and 12  
 @ 12° 34E

40.00

79'30

Set temporary 1/4 Sec cor  
 Intersect the E. bdy.  
 of Twp. 24 links N. of  
 Cor to secs 1, 6, 7 and 12  
 which is a Lime stone  
 12x4 ins above the  
 ground marked with  
 1 notch on N and 5  
 notches on S edges  
 pits and mound of  
 required size.

924 SR 25-E

Chains

Thence Iron

N 89° 50' W. on a true  
line bet Secs 1 and 12  
with same W.

39.65

Deposited a marked stone 12 ins. in dia.  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins  
E and W of stone  $\frac{1}{4}$  feet dist and raised  
a mound of earth 1 $\frac{1}{2}$  ft. high 34 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

45.15

Cross Road bears N + S

79.30

The cor to Secs 1, 2, 11 + 12

Surface rolling

Soil 2<sup>nd</sup> + 3<sup>rd</sup> rate

Grass good

Dense cat's claw mesquite  
+ sage brush

T24 SR 25 E

Chains

North on a random  
line bet Secs 1 & 2

V9 12° 34 E

40.00 Set temporary 1/4 Sec cor

80.30 Intersect the N. bdy  
of Tpk. 25 links E  
of Cor to Secs 1, 2, 35  
and 36 which is a  
lime stone 12 x 6 ins.  
above the ground,  
marked with 1 notch  
on E. and 5 notches  
on W. edges mound  
and pits of required size.  
Hence I run  
S0° 11 E on a true  
line bet Secs 1 and 2

T24 SR25E

Chains

with same etc.

40.30

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  ft. dist and raised a mound of earth 1 $\frac{1}{2}$  ft. high at ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W

80.30

The cor to Secs 1, 2, 11 & 12  
Surface rolling  
Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate  
Grass good  
Dense catclaw Mesquite  
and Sage-bush

✓

From the cor to Secs 14, 15, 22 and 23 previously set. by me.

T24 SR 25E

Chains

1 run S. on a  
random line bet Secs  
22 and 23

at  $12^{\circ}24'E$

at 7.80 chs. arrive at  
a point 90 links W.  
of closing cor to Secs  
22 + 23 which is a  
Granite rock 10x10 ins  
above the ground.

marked C. C. with  
2 notches on E and  
4 notches on W. edge  
mound of stone and  
bits of required size.

Thence 1 run  
at  $6^{\circ}27'W.$  on a true.



924 S R 25 E

Chains

line bet Secs 22 and 23  
with same Va.

7.80

The cor to Secs 14, 15, 22 + 23  
Surface mountainous  
Soil 3<sup>1</sup>/<sub>4</sub> rate + stony  
Grass fair

North bet Secs 14 + 15  
Va 12<sup>0</sup>34 E

6.00

Cross Dry Wash course S. E

10.00

" Road bears N. Wt S E

33.00

" Dry Wash course S. E

40.00

Set a Quartz stone 12x7  
x6 ins P ins in the ground  
for 1/4 Sec cor marked  
1/4 on W. face and

P24 SR25E

chains

raised a mound  
of stone alongside  
Pits impracticable

58.00

ascend slope at an  
angle of  $50^{\circ}$

73.00

Top of ridge bears SE  
& N. W

80.00

Set a Line. Stone  $14 \times 10$   
 $\times 5$  ins. 10 ins. in the  
ground for Cor to Secs  
10, 11, 14 & 15 marked  
with 4 notches on S  
and 2 notches on E  
edges. and raised a  
mound of stone alongside  
Pits impracticable.

T24 SR 25E

chains

Surface mountainous  
 Soil 3<sup>rd</sup> rate + stony.  
 Grass fair

---

Cast on a random  
 line bet Secs 11 + 14

Wa 12° 34' E

40.00 Set temporary 1/4 Sec cor

80.12 Intersect the N + S line  
 15 links N. of cor to Secs  
 11, 12, 13 + 14.

Thence I run

N 89° 54' W. on a true  
 line bet Secs 11 and 14  
 with same Wa.

924 SR 25E

Chains

40.06

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone  $\frac{1}{2}$  ft. dist and raised a mound of earth 1  $\frac{1}{2}$  ft. high 24 ft. base over it. In E pit drove a stake 2 ft. long 2 in. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

80.12

The cor to Secs 10, 11, 14 &amp; 15

2000 Surface Mountainous

60.12. .. level

Soil 3<sup>rd</sup> & 4<sup>th</sup> rate

Grass fair

Dense brush

North bet Secs 10 &amp; 11

Wa 12034E

Over rolling hill  
descends to S.E

Q 24 S R 25 E

Chains

38.50

Cross Dry Wash course S. E

40.00

Set a Quartz stone  $12 \times 8 \times 7$  ins 9 ins in the ground for  $\frac{1}{4}$  Sec cor. marked  $\frac{1}{4}$  on W. face and raised a mound of stone along side. Pits impracticable

80.00

Set a Limestone stone  $14 \times 10 \times 5$  ins. 10 ins. in the ground for cor to Secs 2, 3, 10 & 11 marked with 5 notches on S and 2 notches on E. edges and raised a mound of stone alongside. Pits impracticable

Surface mountainous + stony  
Soil  $3^{\text{rd}}$  +  $4^{\text{th}}$  rate

30

BOOK 998

T24 S R 25 E

Trains

Grass fair  
 scattering under brush

Cast on a random  
 line bet Secs 2 and 11  
 Va  $12^{\circ}34'E$

40.00

Set temporary

79.90

Intersect the N+S  
 line 10 links S. of cor  
 to Secs 1, 2, 11 & 12

Thence I run  
 $89^{\circ}56'W$ . on a true  
 line bet Secs 2 and 11  
 with same Va.

524 SR 25E

Chains

39.95

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 54 feet dist and raised a mound of earth 14 ft. high 34 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

face

55.93

Cross Dry Wash course S.E

79.90

The cor to Secs 2, 3, 10 &amp; 11

Surface level

Soil 2<sup>nd</sup>/<sub>11</sub> + 3<sup>rd</sup>/<sub>11</sub> rate

Grass good.

Dense brush

North on a random line bet Secs 2 + 3

Q 12° 34 E

40.00

Set temporary  $\frac{1}{4}$  Sec cor

T24 S R 25 E

## Chains

80.10 Intersect the N. ldy.  
of Twp. 40 links W. of cor  
to Secs 2, 3, 34 + 35  
which is a Granite  
rock 12x10 ins above  
the ground, marked  
with 2 notches on E  
and 4 notches on W  
edges, and mound  
of stone alongside.

Thence Run  
S 0° 17' W. on a true  
line bet. Secs. 2 + 3,  
with same Va.

40.10 Set a Quartz stone  
13x6x4 ins 9 ins in  
the ground for



No. 998

924 SR 25E

Chains

"4 Sec cor marked "4 on  
W. face and raised a  
mound of stone along side  
Pits impracticable

42.60 Cross Dry Wash course S.E

80.10 - The cor to Secs 2, 3, 10 & 11

Surface Mountainous  
Soil 3<sup>rd</sup> and 4<sup>th</sup> rate  
Grass good  
Dense brush

From the cor to Secs  
15/16, 21 and 22 previously  
Set by me I run some random  
lines Secs 21 and 22.

9/12 '34 E

724 S. R 26-E

Chains

At 8.00 chs I arrive  
at a point 110 links  
W. of closing cor to  
Secs 21 and 22 on  
International bdy. which  
is a Limestone 10x5 ins.  
above the ground marked  
C.C. faces with 3 notches  
on E and W. edges and  
marked and fits of  
required size.

Hence I run

$87^{\circ}58'$  W. on a  
true line bet Secs 21  
and 22 with same  $\frac{1}{4}$  in.

8.00 The cor to Secs 15, 16  
21 and 22

T 24 S R 25 E

Chains

Surface Mountainous  
Soil 4<sup>th</sup> rate

Grass fair

Scattering Mesquite + Sage

North bet Secs 15 + 16

W 12° 34' E

- 40.00 Set a line stone 11 x 9 x 5  
ins 7 ins in the ground  
for  $\frac{1}{4}$  Sec cor marked "4"  
on W. face and raised  
a mound of stone  
alongside. Pits impracticable
- 80.00 Set a Quartz stone 13 x 13 x 7  
ins 9 ins in the ground  
for cor to Secs 9, 10, 15 + 16

924 SR 25<sup>8</sup>

Chains

marked with 4 notches  
 on Sand. 3 notches on  
 E edges and raised  
 a mound of stone  
 alongside file impracticable  
 Surface mountainous  
 Soil 4<sup>th</sup> rate  
 Grass fair  
 Scattering brush

Cast on a random  
 line bet Secs 10 & 15  
 On 12° 34' E

40.00 Set temporary 1/4 Sec cor  
 80.20 Intersect the N & S line  
 10 links N. of cor to

D24 SR25E

Chains

Secs 10, 11, 14 + 15,

thence run

$N 89^{\circ} 56' W$  on a true  
line bet. Secs 10 + 15 with  
same  $\theta$ .

6.20 Ascend slope at an angle  
of  $12^{\circ}$

40.10 Set a Limestone  $14 \times 6 \times 6$  ins  
9 ins in the ground  
for '14 Sec cor marked  
14 on N. face and raised  
a mound of stone along  
side. Pits impracticable

44.20 Top of slope and descend  
at an angle of  $15^{\circ}$

80.20 The cor to Secs 9, 10, 15 + 16  
Surface Mountainous

P24 S R 25 E

Chains

Soil 4<sup>th</sup> rate and tony  
Grass fair

---

North bet Secs 9 &amp; 10

Qa 12° 34' E

ascend slope at an  
angle of 4°

27.00 Cross Dry Wash course E

31.00 " " " " S.E

40.00 after making the  
correct allowance I  
set a Lime stone 19x14  
x7 ins 12 ins in the  
ground for 114 Sec cor  
marked 114 on W.  
face and raised a

T24 SR 25E

Chains

mound of stone alongside  
Pits impracticable

80.00 Set a Lime stone 18x6x5  
14 in in the ground  
for cor to Secs 3, 4, 9 and 10  
marked with 5 notches  
on S and 3 notches on  
E edges and raised a  
mound of stone alongside.  
Pits impracticable  
Surface mountainous  
Soil 3<sup>rd</sup> rate + rocky  
Grass fair  
Scattering Mesquite + Sagebrush

T24 SR 25E

Chains

East on a random  
line bet Secs 3 and 10  
Va  $12^{\circ} 34' E$

40.00 Set temporary  $\frac{1}{4}$  Sec cor  
80.70 Intersect the N + S line  
28 links S. of cor to  
Secs 2, 3, 10 + 11.

Thence I run  
 $89^{\circ} 48' W.$  on a true  
line bet Secs 3 and 10  
with same Va.

40.35 Set a Quartz stone  $2\frac{1}{2} \times$   
 $1\frac{1}{2} \times 4$  ins  $1\frac{1}{2}$  ins. in the  
ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  on our N. face  
and raised a mound  
of stone alongside.



924 SR 25-E

Chains

Pits impracticable  
and ascend slope at  
an angle of  $15^{\circ}$

47.70 Top of ridge bears N+S  
and descend at an angle  
of  $20^{\circ}$

80.70 The cor to Secs 3, 4, 9 + 10  
Land mountainous  
Soil 4<sup>th</sup> rate + rocky  
Grass fair

North on a random  
line bet Secs 3 + 4

Q 12034 E

40.00 Set temporary  $\frac{1}{4}$  Sec cor

80.75 Intersect the N. bdy. of the

524 SR 258

Chain

44 links E. of cor  
to Secs 3. 4. 33 + 34.

which is a sand  
stone 10x8 ins. above  
the ground marked  
with 3 notches on E  
and W. edges.

mound of stone alongside.

Thence I run

80° 19' E. on a true  
line bet Secs 3 + 4  
with same W.

40.75 Set a Quartz stone  
16x9x4 ins 11 ins in  
the ground for  $\frac{1}{4}$  Sec  
cor marked  $\frac{1}{4}$  on W. face  
and raised a mound

924 SR 25E

Chains

of stone alongside.

55.70 Descend slope at an  
angle of  $15^{\circ}$ 

St. 75 The cor to Secs 3. 4. 9+10

Surface mountainous

Soil 4<sup>th</sup> rate + stony

Grass fair

Scattered Mesquite

Sage brush + Crotilla

From the cor to Secs  
16. 17. 20. and 21. previously  
set by me. I run S. on  
a random line bet Secs  
20 and 21

Va 12034'E

524 SR 25E

Chains

at 7.80 chs. Larrie  
 ara point 1.25 chs  
 W. of closing cor to  
 Secs 20 and 21. on  
 International bdy.  
 which is a 2 line stone  
 10x6 ins. above the  
 ground. marked CC  
 faces with 4 notches  
 on E end 2 notches  
 on W. edges mound  
 of stone alongside.

Thence from  
 48056' W. on a  
 true line bet Secs 20  
 and 21 with same wa

7.80

The cor to Secs 16. &amp; 7. 20 &amp; 21

T24 SR 25E

Chains

Surface Mountainous  
Soil 4<sup>th</sup> rate

Grass fair

Dense Scotillo Mesquite  
and Sage brush

North bet Secs 16 &amp; 17

T24 SR 25E

- 40.00 Set a Granite stone  
14x8x7 ins 10 ins in the  
ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  on W. face  
and raised a mound  
of stone alongside
- 80.00 Set a Granite stone 13x9  
x6 ins 10 ins in the

T 24 S R 25 E

chains

ground for cor to  
 Secs. 9, 16 + 17 marked  
 with 4 notches on  
 Sand E. edges and  
 raised a mound of  
 stone alongside

Surface Mountainous  
 Soil 4<sup>th</sup> rate

Grass fair  
 Dense Ccotillo Mesqr  
 and Sage. bush.

East on a random  
 line bet Secs 9 + 16  
 Pa 12° 12' E

40.00 Set temporary "4 Sec

T24 SR 25E

Chain

Cor

80.30 Intersect the N + S line  
at cor to Secs 9, 10, 15 + 16.

Thence run

West, on a true  
line bet Secs 9 and 16  
with same Pa.

40.15 Set a 2 line stone 12 x  
9 x 7 ins. 8 ins. in the  
ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  on N. face  
and raised a mound  
of stone alongside, and  
ascend slope at an  
angle of  $12^\circ$

53.00 Top of ridge and descend  
slope at an angle of  $13^\circ$

924 SR 25 E

Chains

80.30

The cor to Secs 8, 9, 16 & 17

Surface Mountainous

Soil 4<sup>th</sup> rate

Grass fair

Dense Ocotillo Mesquite

& Sage brush

---

Jan 21<sup>st</sup> 1885

I carefully examined  
the adjustments of  
my solar transit  
today particularly the  
latitude and revolving  
apparatus and found  
them correct

Jan 21<sup>st</sup> 1885



T 24 S R 25 E

Chains

North bet Secs 8 + 9

On  $12^{\circ}33'E$ ascend slope at an  
angle of  $15^{\circ}$ 

40.00

after making the  
correct allowance I  
set a Granite rock  $13 \times 8$   
 $\times 5$  ins  $8$  ins. in the  
ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  on N face  
and raised a mound  
of stone alongside  
Pits infractible

50.00

Top of ridge bears  $E 30^{\circ} W$   
and descend slope at an

D24 SR 25E

Chains

angle of  $18^{\circ}$ 

70.00 Cross Dry Wash course  
S.E. and ascend, slope  
at an angle  $12^{\circ}$

80.00 after making the  
correct allowance I set  
a Line stone  $16 \times 12 \times 5$   
ins. in the  
ground for cor. to  
Secs 4, 5, 8 and 9  
marked with 5 notches  
on S and 4 notches  
on E. edges. and  
raised a mound of  
stone alongside  
Pits impracticable

T24 SR 25E

Chain

Surface mountainous  
 Soil 4<sup>th</sup> rate and rocky  
 Grass fair  
 Dense Mesquite Acotillo  
 and Sage-bush

East on a random line  
 bet Secs 4 & 9

Q 12° 34 E

40.00

Set temporary 1/4 Sec cor

80.20

Intersect the N + S line  
 at cor to Secs 3, 4, 9 & 10  
 then ed I run

West. on a true line

bet Secs 4 and 9 with same va

38.45

Cross trail bears N and S

T24 SR 25E

chanis

and ascend slope  
at an angle of  $6^{\circ}$ 

38.70

Cross Dry Wash courses

40.10

Set a line stone  $17 \times 6 \times 5$  ins 12 ins in the ground for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  on N. face and raised a mound of stone alongside.

80.20

The cor to Secs 4, 5, 8 + 9

Surface mountainous

Soil  $4^{\text{th}}$  rateGrass fair  
Scattering brush

T24 SR 25E

Chains

North on a random  
line bet Secs 4+5Va  $12^{\circ}34'E$ 

40.00 Set temporary "4 Sec cor

80.35 Intersect the N. ldy of Twp. 25-  
links E of cor to Secs 4, 5, 32+33  
which is a Granite stone 8x6 inabove the ground marked  
with 4 notches on E and 2  
notches on W. edges fits  
and mound of earth of required size.

Thence I run

 $S0^{\circ}11'E$  on a true line bet  
secs 4 and 5 with same Va.  
and ascend slope at an  
angle of  $13^{\circ}$ 20.35 Top of  $12^{\circ}$  slope.

24 SR 25E

- |        |  |
|--------|--|
| Chains |  |
| 25.35  | Cross Dry Wash course E  |
| 40.35  | Set a Limestone<br>12 x 8 x 6 ins 8 ins.<br>in the ground for<br>1/4 Sec cor marked<br>1/4 on W. face and raised<br>a mound of stone<br>alongside. |
| 69.35  | Descend slope at an<br>angle of 15°  |
| 80.35  | The cont to Secs 4, 5, 8 & 9<br>Surface mountainous<br>Soil 4 <sup>th</sup> rate<br>Grass fair   |

T24SR25E

Chains

From the cor to Secs.  
17, 18, 19 and 20 previously  
set by me. I run S. on  
a random line bet Secs  
19 and 20

Ka 12° 34' E

at 7.80 chs I arrive at  
a point 1.25 chs W. of  
closing cor to Secs 19+20  
on International bdy.  
which is a Granite stone  
10x8 ins above the ground  
marked C.C. faces with  
5 notches on E and 1 notch  
on W. edges. pits and  
mound of earth of required  
size

924 SR 25E

Charris

Thence I run  
 N8° 56' W on a  
 true line bet Secs  
 19 and 20 with same ga.

7.80

The cor to Secs 17, 18, 19 + 20

Surface mountainous  
 Soil 4<sup>th</sup> rate and rocky

Grass fair

Dense Mesquite +

Opotillo brush

North bet Secs 17 + 18

Ca 12° 34 E

ascend gradually



924 SR 25 E

chains

40.00

Deposited a marked stone 12 ins. in ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 94 feet dist and raised a mound of earth 1 1/2 ft. high 1 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Set a Quartz stone 14 x 8 x 7 ins 9 ins in the ground for cor to Secs 7, 8, 17 & 18 marked with 4 notches on S. and 5 notches on E edges. and raised a mound of stone alongside.

Pits unfracturable  
Surface mountainous  
Soil 4th rate  
Grass fair

T24 SR 25E

chains

Dense mesquite  
ocotillo and Sagebrush

Cast on a random  
line bet Secs 8+17

Ca 12°32'E

40.00 Set temporary 1/4 Sec cor

79.30 Intersect the T+ S  
line at cor to Secs  
8, 9, 17 and 16.

Thence I run

West on a true  
line bet Secs 8+17 with  
same Ca.

39.65. Set a Lime stone 9x10  
x6 ins 16 ins in the

924 SR 25E

Chains

ground for 1/4 Sec cor  
marked 1/4 on face and  
raised a mound of stone  
alongside Pitts impracticable

48.30 Cross Dry Wash course  
S.W. and ascend slope  
at an angle of 4°

50.30 Top of slope and descend  
at an angle of 4°

68.30 Cross Dry Wash course S.  
and ascend slope at an  
angle 4°

76.30 Top of ridge bears N  
and S. and descend  
slope at an angle of 5°

79.30 The cor to Secs 7, 8, 17 & 18  
Surface Mountainous

T24 S. R25 E.

Charris

Soil 4<sup>th</sup> rate + rocky  
 Grass fair  
 Dense Mesquite ocotillo  
 and Sage brush

West on a random  
 line bet Secs 7 and 18  
 T<sub>12</sub> 12° 12' E

40.00

Set temporary 1/4 Sec cor

79.60

Intersect the N. W. cor. of  
 T<sub>12</sub> 20 links S of cor to  
 Secs 7, 12, 13 and 18 which  
 is a Granite stone 12  
 x 6 ins above the ground  
 marked with 4 notches  
 on S and 2 notches on N.

T24 S. R 25 E

chain edges pits and mound  
of earth of required size.  
Thence I run

S 89° 57' E on a true  
line bet Secs 7 and 18  
with same Va.

23.60 Cross Road bears N + S  
and ascend gradually

35.60 Top of slope and descend  
at an angle of 4°

39.60 after making the correct  
allowance I set a

Quartz stone 12 x 9 x 5 ins  
8 ins. in the ground  
for 1/4 Sec cor marked  
1/4 on N. face and  
raised a mound of  
stone alongside

## P24 SR 25E

Chains

- Pits impracticable
- 43.60 cross Dry Wash course N.E
- 47.10 " " " " S
- 57.60 ascend slope at an angle of  $6^{\circ}$
- 67.60 Top of slope and descend at an angle of  $6^{\circ}$
- 73.60 Foot of slope.
- 79.60 The cor to Secs 7, 8, 17 & 18  
Surface mountainous  
Soil 2<sup>nd</sup> and 3<sup>rd</sup> rate  
Grass fair  
Scattering brush

North bet. Sec. 7 + 8  
C/A 12° 34' E

924 S R 25 E

chains

ascend slope at an  
angle of  $6^{\circ}$ 

40.00 Set a Granite stone  $18 \times 6 \times 6$   
ins. 12 ins. in the  
ground for  $\frac{1}{4}$  Sec cor  
marked  $\frac{1}{4}$  on W. face  
and raised a mound  
of stone alongside.

Pits impracticable

41.30 Top of ridge bears E + W  
and descend slope at  
an angle of  $4^{\circ}$

72.00 Foot of ridge and ascend  
slope at an angle of  $7^{\circ}$

80.00 Set a Granite stone  $18 \times 12$   
 $\times 6$  ins 12 ins in the  
ground for cor to Sec

924 SR 25E

chains

5, 6, 7 and 8. marked  
with 5 notches on S.  
and E edges. and  
raised a mound of  
stone alongside.

Pits impracticable  
Surface mountainous  
Soil 4<sup>th</sup> rate + rocky  
Dense Mesquite ocotillo brush

East on a random  
line bet Secs 5 & 8  
Va 12° 34' E

40.00 Set temporary 1/4 Sec cor

79.90 Intersect the N & S line  
at cor. to Secs 4, 5, 8 and 9



T24 S R 25E

Chains

Thence from

W. on a true line bet  
Secs 5 + 8 with same  $\odot$  Va.30.90 Descend slope at an  
angle of  $5^{\circ}$ 39.95 after making the  
correct allowance I set  
a Lime stone  $12 \times 8 \times 7$   
ins 8 ins in the ground  
for "4 Sec cor marked" 4 on  
W face and raised a  
mound of stone alongside.57.90 ascend a slope at an  
angle of  $4^{\circ}$ 70.90 Top of slope and descend  
at an angle of  $6^{\circ}$

T24 S R 25E

Chains

79.90

The cor to Secs 5, 6, 7  
and 8Surface mountainous  
Soil 4<sup>th</sup> rate + rocky

Grass fair

Dense Mesquite + acotillo

West. on a random  
line bet Secs 6 & 7V<sub>A</sub> 12° 34' E

40.00

Set temporary 1/4 Sec cor

79.80

Intersect the W. bdy.  
of T<sub>24</sub> 25 miles N. of  
Cor to Secs 1, 6, 7 and 12  
which is a Granite  
stone 15 x 6 ins. above the

924 SR 25 E

Chains

ground marked with  
5 notches on S and 1  
notch on N. edges. and  
mound of stone alongside.

thence I run

N 89° 49' E. on a true  
line bet Secs 6 and 7 with  
same Pa. and ascend  
gradually.

26.80 Top of slope and descend  
at an angle of 40

37.80 Cross Dry Wash course N.  
and ascend

39.80 after making the correct  
allowance I set a Granite  
stone 17x10x6 ins 12 ins. in  
the ground for 1/4 Sec cor

T24 SR 25E

Charris

marked  $\frac{1}{4}$  on N. face  
and raised a mound  
of stone alongside.

61.80 Top of ridge ridge bears  
E. N. and Descend  
slope at an angle of  $7^{\circ}$

79.80 The cor to Secs 5, 6, 7 & 8  
Surface 40 chs mts  
" 39.80 level

Grass fair

Soil  $2^{\text{nd}}$   $\frac{1}{4}$  +  $3^{\text{rd}}$   $\frac{1}{4}$  rate

North on a random  
line bet bet Secs 5 & 6

$\frac{1}{4}$   $120^{\circ} 34'$  East

40.00 Set temporary  $\frac{1}{4}$  Sec cor

924 SR 25 E

Chains

80. 18 Intersect the N. bdy of  
Twp. 30 links E. of cor to  
secs 5, 6, 31 and 32.  
which is a Granitestone  
10x6 ins above the ground  
marked with 5 notches  
on E and 1 notch on W.  
edges mound of stone  
alongside.

Thence I run

$80^{\circ} 13' E$ , on a true line  
bet Secs 5 and 6 with  
same Sta.

6. 80 Cross Dry Wash course E

9. 18 Leave Valley and ascend  
slope

32. 18 Top of ridge bears S.E. + N.W.

T 24 S R 25 E

chain

and descend

40.18

Set a Lime stone  
 12 x 9 x 8 ins 7 ins  
 in the ground for  
 $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$   
 on W. face and raised  
 a mound of stone  
 alongside.

45.68

Cross Dry Wash course A.E

80.05

ascend slope at an  
 angle of  $4^{\circ}$

80.18

The cor. to Secs 5, 6, 7 and 8  
 Surface 71 chs Mountainous  
 Soil 2 to 3 $\frac{1}{2}$  ft  
 Grass fair  
 Scattering brush.

T 24 SR 25E

Chairs

I carefully examined  
the adjustments of my  
solar transit to day  
particularly the latitude  
and reversing apparatus  
and found them correct  
Jan 22<sup>nd</sup> 1885

## General Description

This township takes in the south part of the mule mountains and hills. The grass is excellent Black Bunch and gramma grass.

Two settlers are located in the Tpi. Hearing is Sec 13 near the boundary.

There are a number of prospecting holes and a considerable amount of quartz. though no discovered mines. The improvements are hardly worth noticing two ranches



are located in it.  
For final oaths  
see Book No. 15.

## U. S. Surveyor General's Office,

Tucson, Arizona, May 11 1885

The foregoing Field Notes of the Survey of the

subdivision lines of  
T<sub>24</sub> S. R<sub>25</sub> E.

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by Lewis Wolfley

Deputy Surveyor, under his contract of the 11<sup>th</sup>

day of November, 1884

having been critically examined and the necessary corrections and explanations made, the said Field Notes and the surveys they describe

are hereby approved

Raphael Johnson  
Surveyor General.