

*Labels attached
Completed
Indexed*

3

No. 999

Field Notes

OF THE SURVEY OF THE

BOOK 999

-OF-

Township *24 S.* Range *26 E*

Gila and Salt River Base and Meridian

ARIZONA. *No. 999*

By *Lewis Wolfley* D.S.

Under contract dated *Nov 11th* 1884

Survey commenced *Jan 16th* 1885

Survey completed *Jan 19th* 1885

999

BOOK 999

Township 24.S. R. 26.E.

N and S. R. M.

6	80	5	63	4	57	3	38	2	26	1	
78		76		61		49		37		24	
7	74	8	59	9	47	10	36	11	22	12	
71		69		57		45		33		20	
18	67	17	53	16	43	15	31	14	17	13	
4	66	6	54	8	41	10	29	12	16	14	
19		20		21		22		23		24	
			<i>Mexico</i>								
30		29		28		27		26		25	
31		32		33		34		35		36	

For preliminary cathres see Book No. 1 and description of instrument

No. 999

BOOK 999

3

Subdivision T_p 24 S. R. 26 E.

Beginning at the cor
to Secs 13, 18, 19, 24
T_p 24 S. R. 26 + 27 E
which is a mound &
pits and a stake in
S.E. pit marked T_p 24
S. 18 on N.E. R. 27 E
S. 19 on S.E. R. 26 E S. 24
on S. W. and S. 13 on
N.W. faces with 3 notches
on N and S edges.

I run W on a random
line through the T_p

N_A 12° 34' E

Setting Temporary 1/4 and
section Cors every 40 and
80 chains Intersect the
Cor to Secs 13, 18, 19 and 24

Subdivision T_p 24 S, R 26 E.

Cham

T_p 24 S R 25 and 26
E at 5 m. 79 ch. 5 links
N, which cor is a granite
stone 12 x 5 ins above ground
marked with 3 notches
on N and S edges pits
and mound of stone
alongside.

From which Cor
I run East on
a true line bet sec
18. and 19 with same
ma

39.00

Set a Limestone 9 x 8 x 8
ins 6 ins in the ground
for 14 Sec cor marked
1/4 on N face dug pits

Subdivision T_p 24 S, R 26 E.

Chains

18x18x12 ins E and W
of stone 5½ ft dist. and
raised a mound of
earth 1½ ft high 3½ ft
base alongside

79.00

Set a Quartz stone
12 x 8 x 7 ins 8 ins in
the ground for cor
to see 17, 18, 19
and 20 marked
with 5 notches on E
and 3 on S edges
and raised a mound
of stone alongside
Pits, intractable
Surface level mesa
Dense mesquite ^{Soil 2nd and 3rd mts} large brush on

Subdivision T₂₄ S. R 26 E.

~~run~~
East on a true line
between Sec 17 and 20
Va. $12^{\circ} 34' E$

46.00

Deposited a marked
stone 12 ins in the
ground for 1/4 Sec Cor
dug pits 18 x 18 x 12 ins
E and W of Cor. $5\frac{1}{2}$
ft. dist. and raised a
mound of earth $1\frac{1}{2}$ ft
high $3\frac{1}{2}$ ft base over
it in E pit drove a
stake 2 ft long 2 ins
sq. 12 ins. in the
ground marked 1/4 S
on N face

Subdivision Tp 24 S. R 26 E.

Chamis

80.00

Set a Limestone $14 \times 9 \times 7$
ins 10 ins in the ground
for cor to Secs 16, 17, 20
and 21 marked with.

4 notches on E. and 3
notches on S. edges dug
pits $18 \times 18 \times 12$ ins in
each sec $5\frac{1}{2}$ ft. dist
and raised a mound
of earth 2 ft $4\frac{1}{2}$ ft
base alongside
Surface level mesa
dense mesquite & Sage brush
Grass fair
Soil 2 rate

~~~~~



Subdivision T<sub>4</sub> S. R 26 E

Chains

East on a true line  
bet Secs 16 and 21.

Pa.  $12^{\circ} 34' E$

40.00

Set a volcanic stone  
10 x 7 x 7 ins. 7 ins. in  
the ground for 1/4 Sec Cor  
marked 44 on N face  
dug pit 18 x 18 x 12 ins.  
East W of stone 5 1/2 ft.  
dist. and raised a  
mound of earth 1 1/2 ft  
high 3 1/2 ft base alongside

80.00

Set a post 4 ft long  
4 ins square with  
marked stone 12 ins  
in the ground for  
Cor to Secs 15, 16, 21 and

Subdivision T<sub>p</sub> 24 S. R 26 E

Chain

22 marked T<sub>p</sub> 24 S. S.  
 15 on N<sup>o</sup> R. 26 E S. 22  
 on S<sup>o</sup> Sec 21 on SW  
 Sec 16 on N W faces.  
 with 3 notches on E and  
 S. edges dug pits 18 x 18  
 12 ins. in each sec 5<sup>th</sup>  
 ft dist and raised a  
 mound of earth 2 ft  
 high 4<sup>th</sup> ft base around  
 post.

Mesa gradually descends  
 to E

Grass Scattering  
 Dense mesquite + Cateclaw  
 + Sage. brush  
 Soil 3<sup>rd</sup> rate

Subdivision T<sub>24</sub> S. R 26 C.

Chamie

Cast on a true line  
bet secs 15 and 22

N  $12^{\circ} 34' E$

4000

Deposited a marked  
stone 12 ins. in the  
ground for  $1/4$  Sec Cor  
dug pits  $18 \times 18 \times 12$   
ins E and W of Cor  
 $5\frac{1}{2}$  ft dist and raised  
a mound of earth  $1\frac{1}{2}$   
ft high  $3\frac{1}{2}$  ft base  
over it in E pit drove  
a stake 2 ft long  
2 ins square  $1\frac{1}{2}$  in  
in the ground



Subdivision T<sub>24</sub>S. R<sub>26</sub>E

Chains

marked 14 S. on N. face  
 50.00 Set a post 4 ft long  
 4 ins square with  
 marked stone 12 ins  
 in the ground for  
 Cor to Sec 14, 15, 22  
 and 23 marked T<sub>24</sub>S  
 Sec 14 on N<sup>6</sup> R<sub>26</sub>E. Sec  
 23 on S<sup>E</sup> Sec 22 on  
 S<sup>W</sup> Sec 15 on N<sup>W</sup>  
 face with 2 notches on  
 E. and 3 notches on  
 S. edges dug pits 18 x 18  
 x 12 ins in each sec 5 1/2 ft  
 dist and raised a mound  
 of earth 2 ft high 4 1/2 ft  
 base around post

Subdivision T<sub>p</sub> 24 S. R 26 E

Chambers

Surface level mesa  
 Grass scattering  
 Scattering brush  
 Soil 3<sup>rd</sup> rate

East on a true line  
 bet sec 14 and 23

QA 12°34'E

4000

Deposited a marked  
 stone 12 in in the  
 ground for 1/4 sec cor  
 dug pit 18 x 18 x 12 in  
 E and W of cor 5 1/2 ft  
 dist and raised a  
 mound of earth 1 1/2 ft  
 high 3 1/2 ft base over it

Subdivision T<sub>p</sub> 24 S. R 26 E

Claims

in E pit drove a stake  
 2 ft long 2 ins sq.  
 12 ins in the ground  
 marked 14 S on N. face  
 80.00 Set a post 4 ft long  
 4 ins sq. with mowed  
 stone 12 ins in the  
 ground for cor to sec  
 13, 14, 23 and 24 marked  
 T<sub>p</sub> 24 S. Sec 13 on NE  
 R 26 E Sec 24 on SE  
 Sec 23 on S.W. Sec 14  
 on N.W. faces with 1  
 notch on E and 3 notch  
 on S edges dug pits 18x18  
 x12 ins in each sec 5/2  
 ft dist. and raised a



Subdivision T<sub>4</sub> S. R. 26. E.

Shum

mound of earth 2 ft  
high 4<sup>1</sup>/<sub>2</sub> ft base  
around post  
Level mesa  
Grass scattering  
scattering brush  
Soil 3<sup>rd</sup> rate

East between sec 13 and  
24 on a true line

Qu 12°34' E

40.00 Deposited a marked  
stone 12 in in the  
ground for 1/4 Sec cor  
dug pit 18 x 18 x 12 in.  
E end W of cor 5 1/2 ft

Subdivision T<sub>24</sub>S. R 26 E

Chain

dist and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base over it in E pit drove a stake 2 ft long 2 ins square 12 ins in the ground marked 4 S on N face.

5000 The cor to Secs 13, 18, 19, and 24 T<sub>24</sub>S. R<sub>26</sub>E from which I started

mesa decends slightly to East

Grass Scattering

Scattering, Cats Claw

mesquite + Sage brush

Soil  $3\frac{1}{2}$  rate

~~~~~

Subdivision T_p 24 S. R 26E

Chains

From the cor to Secs 13, 14, 23 & 24
 I run
 S on a random ^{line} bet sec
 23 and 24 previously established by
 me Va 12° 34' E

at 6.75 ch. I arrive at a
 point 80 links W of. Chain
 cor to sec 23 & 24 which is a
 limestone S x 7 ins above
 ground marked CC
 with 1 notch on E and 5
 notches on W edges marked
 and pits of required size

Thence I run at 6° 48' W
 on a true line between sec
 23 and 24 with same
 Va

6.75 The cor to Secs 13: 14

Subdivision T_p 24 S. R. 26 E

Chama

23 and 24.

Mesa descends
slightly to EGrass scattering
scattering Cateclaw
mesquite - + sage brush
Soil 3rd/₄ rate

From the cor to Secs
13, 14, 23, and 24 previously
set by me I run it
between Sec 13 and 14
of a 12° 34' E.

24, 25 † Road from Mt. Vairo to
Shattucks bears E and W
4000 Depicted a marked

Subdivision 24 S. R 26 E.

stone 12 ins. in the
ground for 44 Sec Cor
dug pits 18x18x12 in
N and S. of Cor 5 1/2 ft
dist and raised a
mound of earth 1 1/2 ft high
3 1/2 ft base over it in
N pit drove a stake
2 ft long 2 ins square
12 ins. in the ground
1/4 S on W face

80.00 Set a post 4 ft long
4 ins square with
marked stone 12 ins.
in the ground for
cor to Secs 11, 12,
13 and 14 marked

Subdivision 24 S, R, 26, E.

Tr 24 S. Sec 12 on NE
 R 26 E Sec 13 on SE
 Sec 14 on SW Sec 11
 on NW face with
 4 notch on S and ^{1 notch on} E edges
 Aug pits 18 x 18 x 12 in
 in each sec 5 1/2 ft
 dist and raised a
 mound of earth 2 ft
 high 4 1/2 ft base around
 post

Slightly rolling mesa
 Scattering catsclaw
 Mesquite & Sage brush
 Soil 3rd rate

~~~~~



Subdivision T<sub>p</sub> 24 S, R 26 E.

Chain

East on a random line  
bet sees 12 and 13

Pa.  $12^{\circ}34' E$

40.00

Set Temporary 44 see Cor

80.20

Intersect the E Body  
of T<sub>p</sub> 10 look N of Cor  
to sees 7, 12, 13, and 18  
which is a mound and  
pits in S.E. put a  
stake marked T<sub>p</sub> 24 S,  
S 7 on N.E., R 27 E, S. 18 on  
S.E., R 26 E S. 13 on SW  
and S 12 on NW faces  
with 4 notches on S and  
2 notches on N edges  
Thence I run

N  $89^{\circ}56' W$  on a true line

## Subdivision Tp 24 S, R 26 E

~~Chambers~~

between secs 12 and 13  
with same QA

40.10 deposited a marked  
stone 12 ins in the  
ground for 1/4 sec cor  
dug pit 18 x 18 x 12 in  
E and W of cor 5 1/2 ft  
dist and raised a mound  
of earth 1 1/2 ft high 3 1/2 ft  
base over it. drove a stake  
in E pit 2 ft long 2  
ins square marked  
14 S on N face

80.20 The Cor to Secs 11, 12,  
13 and 14.

Surface Level Mesa  
Grass fair

Subdivision T<sub>p</sub> 24 S. R 26 E

Chains

Thin brush

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

~~~~~

North bel sec 11 and 12

QA 12° 34' E

40.00

Deposited a marked stone
12 ins in the ground
for 1/4 Sec cor dug pits 18 x
18 x 12 ins N and S of cor
5 1/2 ft dist and raised
a mound of earth 1/2
ft high 3 1/2 ft base over
it in N pit drove
a stake 2 ft long 2 in
square 12 ins in the
ground marked 1/4 S on

Subdivision T₂₄S. R₂₆E

Chains

W face

\$0.00

Set a post 4 ft long 4
 in square with marked
 stone 12 in in the
 ground for cor to Secs
 12, 11 and 12 marked
 T₂₄S Sec 1 on NE
 R₂₆E Sec 12 on SE
 Sec 11 on SW Sec 2
 on NW faces with
 5 notches on S and 1 notch
 on E edges dug pits 18
 x 18 x 12 in in each sec
 5 1/2 ft dist and raised
 a mound of earth 2 ft
 high 4 1/2 ft base around
 posts

Subdivision Tp 24 S. R 26 E

Chain

Surface Level Mesa
 Grass fair
 Thin Brush
 Soil 2nd 3rd rate

~~~~~

Cast on a random line  
 bet sec 1 and 12

of a 12° 34' E

40.00 Set Temporary 1/4 sec Cor

80.05 Intersect E Body of Tp  
 5 1/2 mi N. of Cor to Sec  
 16. 7 and 12 which is  
 mound and put a  
 stake in S.E. pit  
 marked T 24 S. S. 6 on NE  
 R 27 E S. 7 on SE R 26 E.

Subdivision T<sub>p</sub> 24 S. R 26 E

beams

Sec 12 on S W. and S. 1 on  
N W faces with 5 notches  
on S and 1 notch on N  
edges.

Thence I run N 89° 58' W  
on a true line bet sec  
1 and 12 with same Va.

40.03

deposited a marked stone  
12 ins in the ground  
for 4<sup>th</sup> Sec cor aug pts  
18 x 18 x 12 ins E and W  
of cor 5 1/2 ft dist  
and raised a mound  
of earth 6 1/2 ft high  
3 1/2 ft base over it  
in E pt drove a stake  
2 ft long 2 ins sq.



Subdivision T<sub>14</sub> S. R 26 E

Chains

12 in in the ground  
marked 114 S on N face

80.05 The Cor to Secs 1, 2, 11,  
and 12

Surface level mesa

Grass fair

no brush

Soil good rate

North on a random  
line between Secs 1 and 2  
T<sub>14</sub> S. R 26 E

40.00 Set temporary 114 Sec cor

80.05 Intersect N Body of T<sub>14</sub>  
15 miles W of cor to Secs  
1, 2, 35 and 36 which is

Subdivision Tp 24 S. R 26 E.

Chain

a mound and pits  
and a stake in S.E.  
pit marked T 23 S. S 36.  
on N.E. R 26 E. S 1 on S.E.  
T 24 S. S 2 on S.W. and  
S 35. on N.W. face with  
1 notch on E and 5  
notches on W edges

Thence Iron  
S.  $0^{\circ} 6' W$  on a true line  
between sec 1 and 2  
with some  $Qa$

40.05 Deposited a marked  
stone 12 in in the  
ground for 44 S cor  
dug pits 18 x 12 in N. and  
S. of cor 5  $\frac{1}{2}$  ft dist and

Subdivision #24 S. R 26 E

raised a mound of earth  
 1 1/2 ft high 3 1/2 ft base  
 over it in N pit drove  
 a stake 2 ft long 2  
 ins sq. 12 ins in the  
 ground for marked 44 S  
 on W face

80.05 The cor to Secs 1, 2, 11 and  
 12

Surface level mesa

Grass fair

no brush

Soil 2<sup>nd</sup> rate

I carefully examined the  
 adjustments of my solar  
 transit - today particularly  
 the latitude and reversing



# Subdivision Tp 24 S. R 26 E

apparatus and found them  
to be correct  
Jan 17.<sup>th</sup> 1885

From the cor to Secs 14, 15  
22 + 23, previously set by me  
run <sup>from random line</sup> S. between Sec 22  
and 23

va 12° 34' E

at 7.00 hrs  
I arrive at a point  
95 links west  
of <sup>clear</sup> cor to Secs 22 + 23 which  
is a limestone 10 x 8 mi  
above the ground for  
closing cor to Secs 22 and

# Subdivision Tr 24 S. R 26 E

Chain

23 marked CC with  
2 notches on E and 4  
notches on W edges  
pins and mound of required  
size

hence I run

N 7° 29' W on a true line  
bet sees 22 + 23 with  
same  $\frac{1}{4}$

7:00 Cor to sees 14, 15, 22  
and 23

area slightly rolling

Grass scattering

scattering brush

Soil  $\frac{3}{4}$  to  $\frac{4}{4}$  ft.  $\frac{1}{2}$  to  $\frac{1}{4}$  ft.

~~~~~

Subdivision T₂₄S, R 26E

Chain

North between sec 14
and 15

QA 12° 34' E

22.00 Cross road from Main Drain
to Shalluck's bears E and W

40.00 Depicted a marked stone
12 in in the ground for
1/4 sec cor Aug puts 18x
18x12 in S and S of cor
5 1/2 ft dist and raised
a mound of earth 1/2 ft
high 3 1/2 ft base over
it drove a stake in
it pit 2 ft long 2 in
square 12 in in the
ground marked 1/4 S
on W face

Subdivision T_p 24 S. R 26 E

Cham

So. 100

Set a post 4 ft long
 4 in square with marked
 stone 12 in in the ground
 for cor to sec 10. 11. 14
 and 15 marked T_p 24 S
 Sec 11 on N E R 26 E Sec
 14 on S. E Sec 15 on S. W
 Sec 10 on N W faces with
 4 notches on South and
 2 on E edges Aug pit
 18 x 18 x 12 in in each
 sec 5-1/2 ft dist and
 raised a mound of earth
 around post

mesu slightly rolling
 Scattering brush
 Grass poor

BOOK 999 83
Subdivision T₂₄S. R₂₆E

Chain

Soil 3rd to 4th rate

~~~~~

East on a random line  
bet<sup>sec</sup> 11 and 14

QA 12° 34' E

40.00 set temporary 1/4 sec cor

80.00 intersect N and S line  
10 links N of cor to sec  
11, 12, 13 and 14.

Thence I run

A 89° 56' W on a true line  
bet sec 11 and 14 with  
same bar

40.00 Definitd a marked  
stone 12 in in the  
ground for 1/4 sec cor

Subdivision T<sub>24</sub>S. R 26E

Cham

dug pits 18 x 18 x 12 in  
 E and W of cor 5 1/2 ft.  
 dist and raised a mound  
 of earth 4 1/2 ft high 3 1/2 ft.  
 base over it in E pit drove  
 a stake 2 ft long 2 in  
 square 12 in in the  
 ground marked N 4 S on  
 N face

80.00 The cor to secs 10, 11, 14  
 and 15

Surface Level mesa  
 Grass fair  
 thin brush

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate



Subdivision T<sub>p</sub> 24 S. R 26 E

Chain

North between 10 &amp; 11

Va 92° 34' E

40.00

Deposited a marked stone 12 ins in the ground for 4 sec cor aug pit 18 x 18 x 12 ins N and S of cor 5 1/2 ft dist and raised a mound of earth 1 1/2 ft high 3 1/2 ft base over it drove a stake in N pit 2 ft long 2 in square

12 ins in the ground marked N.S. on W. face

80.00

Set a post 4 ft long 4 in square with marked stone 12 ins in the ground

Submission T<sub>p</sub> 24 S. R 26 E

chain

for cor to Secs 2, 3  
 10 and 11 marked T<sub>24</sub> S  
 Sec 2 on NE R 26 E Sec  
 11 on SE Sec 10 on SW  
 Sec 3 on NW faces with  
 5 notches on S and 2 on  
 E edges dug pits 18x18  
 x 12 in in each see 5 1/2  
 ft dirt and raised a  
 mound of earth 2 ft high  
 4 1/2 ft base around post  
 Surface Level Mesa  
 Grass fair  
 Thin brush  
 Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

Subdivision T<sub>p</sub> 24 S. R 26 E

Chains

East on a random line  
bet secs 2 and 11Va  $12^{\circ} 34' E$ 40.00 Set temporary 1/4 sec  
cor80.10 Intersect the N and S  
line & links<sup>S</sup> of cor to  
secs 1, 2, 11 and 12

Thence I run

S  $89^{\circ} 57' N$  on a true line  
bet secs 2 and 11 with  
same Va.40.05 Deposited a marked  
stone 12 ins in the  
ground for 1/4 sec cor  
any pin 18x18x12 ins  
E and W of cor 5 1/2 ft



Subdivision T<sub>24</sub> S<sub>1</sub> R<sub>26</sub> E

Chassis

dist and raised a mound  
of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$   
ft base over it in E  
stake drove a stake  
2 ft long 2 in sq  
12 in in the ground  
marked "4 S on N face

80.10

The cor to Secs 2, 3, 10  
and 11

Surface Level mesa  
grass fair  
no brush

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

North on a random  
line between Sec 2 and 3

Subdivision T<sub>24</sub>S. R 26E

chain

Pa 12° 34'E

40.00

80.15

Set temporary 44 sec cor  
 intersected the N bdy  
 of T<sub>5</sub> line E of cor  
 to sees 2, 3, 34, and  
 35 which is a mound  
 and pit and a stake  
 above in S.E. pit marked  
 T<sub>23</sub>S. S<sub>35</sub> on N.E.  
 R 26E S<sub>2</sub> on S.E.

T<sub>24</sub>S. S<sub>3</sub> on SW and  
 sec 34 on NW face  
 with 2 notches on

E and 4 on Wedge

Thence I run

S. 0.2° E. on a true line  
 bet see 2 and 3 with same

Subdivision T<sub>p</sub> 24. S. R 26E

Cham

Qu.

40.15

Deposited a marked  
stone 12 ins in the  
ground for 44 sec cor dug  
pit 18 x 18 x 12 ins S and  
S of line 5 1/2 ft dist and  
raised a mound of each  
1 1/2 ft high 3 1/2 ft base  
over it in S pit drove  
a stake 2 ft long  
2 ins sq 12 ins in  
the ground marked  
44 S on W face

80.15

The cor to secs 2, 3,

10 and 11

Surface Seal Mesa  
Grass fair



41

Subdivision T<sub>24</sub> S. R 26 E

Cham

Scattering Catalpa  
& sage brush  
Soil  $\frac{2}{4}$  <sup>mu</sup> to  $\frac{3}{4}$  <sup>ru</sup> rate

From the cor to  
Section 15-16

21 and 22 previously  
set by me I run S. on  
a random line  
on between Secs 21 and  
22

va 12° 34' E

at 7.10 hrs I arrive

at a point

90 links W of closing cor to  
Sec 21 and 22 which is a  
limestone 9x7 ins above

Subdivision Tr 24 R 26E

Chemin

ground  
 marked CC with  
 3 notches on E and W  
 edges mounds and  
 pits of required size

Thence I run

N.  $6^{\circ}58'$  W. on a true line  
 bet secs 21 and 22  
 with some QA

7.10

Cor to Secs 15-16

21 and 22

<sup>Surface level</sup>  
 Dense mesquite Sage  
 and catclaw

Grass fair

Soil 3  $\frac{1}{2}$  rate

Subdivision T<sub>24</sub>S-R 26E

Cham

North between 15 and  
16N  $12^{\circ} 34' E$ 

40.00

Deposited a marked  
stone 12 in in the  
ground for 44 Sec cor  
dug pits 18x18x12 in.  
N and S of line 5 1/2  
ft dist and raised  
a mound of earth  
1 1/2 ft high 8 1/2 ft  
base over it in N  
pit - drove a stake  
2 ft long 2 in  
sq 12 in in the  
ground marked 44  
S on W face



44

Subdivision T<sub>p</sub> 24 S. R 26 E

Chain

8000

Set a post 4 ft long  
 4 in square with milled  
 stone 12 in in the  
 ground for cor to Secs  
 9, 10, 15 and 16 marked  
 T<sub>p</sub> 24 S Sec 10 on NE  
 R 26 E Sec 15 on SE  
 Sec 16 on SW Sec 9 on NW  
 faces with 4 notches on  
 ends and 3 notches on  
 E edges. Dig pits 18 x 18 x  
 12 in in each sec 5 1/2 ft  
 dist and raised a mound  
 of each 2 ft high 4 1/2 ft  
 base around post  
 surface level

Dense mosq sage & catclaw

Subdivision T<sub>24</sub>S. R 26E

Chamain Soil 3<sup>rd</sup> rate

East bet Secs 10 and  
15

VA 12° 34'E

Over level Mesa

40.00 Set Temporary 44 Sec  
Cor

7990 Intersect the N and  
S line 5 links N of  
Cor to Secs 10, 11, 14  
and 15.

Thence I run  
N 89° 58' W on a true  
line bet sec 10 & 15  
with same VA

39.95 Deposited a marked

Subdivision Tr 24 S R 26 E.

chain

<sup>stone</sup>  
 12 ins in the ground  
 for 1/4 sec cor, dug  
 18 x 18 x 12 ins E and W  
 of cor 5 1/2 ft dist  
 and raised a mound  
 of earth 1 1/2 ft high  
 3 1/2 ft base over it  
 in E pit drove a stake  
 2 ft long 2 ins sq  
 12 ins in the ground  
 marked 14 S on N face  
 7990 the cor to sec 9.10.

15 and 16

Level mesa

Grass fair

Thin brush

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate



Subdivision T<sub>24</sub> S. R 26 E

chains

North bet Sec 9 and  
10QA 12<sup>o</sup>34E

40.00

Deposited a marked  
stone 12 in. in the  
ground for "4 Sec  
Cor dug pits 18x18x  
12 in. N and S of  
Cor  $5\frac{1}{2}$  ft dist.  
and raised a mound  
of earth  $1\frac{1}{2}$  ft high  
 $3\frac{1}{2}$  ft base over it  
in N pit drove a  
stake 2 ft long 2  
in square 12 in. in  
the ground marked  
"4 S on W face

Subdivision Tp. 24 S, R. 26 E.

Chains

\$0.00

Set a post 4 ft long  
 4 in sq. with marked  
 stone 12 in in the  
 ground for cor to  
 Sec 3, 4, 9 and 10  
 marked Tp 24 S Sec 3  
 on NE R 26 E Sec 10  
 on SE Sec 9 on SW Sec  
 4 on NW faces with  
 5 notches on S and  
 3 notches on E edges  
 dug pits 18 x 18 x 12 in  
 in each sec 5 1/2 ft  
 dist and raised a  
 mound of earth 2 ft  
 high 4 1/2 ft base around  
 post.

Subdivision T<sub>24</sub>S, R<sub>26</sub>E

Chain

Surface Level Mesu.

Grass fair

Thin brush

Soil 2<sup>nd</sup> to 3<sup>rd</sup> row

~~~~~

E on a random
line between sec
3 and 10

Pa 17°34'E

40.00 Set Temporary 1/4 sec
cor

79.95 Intersect the N and
S line 10 links S of
cor to Section 2, 3
10 and 11

Thence I run

Subdivision T_p 24 S. R 26 E.

Chain

589° 56' W on a true
line bet 3 and 10
with some ~~pa~~

- 39.97 Deposited a marked
stone 12 in in the
ground for 44 Sec Cor
Dig pit 18 x 18 x 12
in E and W of cor
5 $\frac{1}{2}$ ft dist, and
raised a mound
of earth 1 $\frac{1}{2}$ ft high
3 $\frac{1}{2}$ ft base over it in
E pit drove a stake 2 ft
long 2 in square
12 in in the ground
marked 44 S on N face
- 79.95 The cor to Secs 3, 4, 9 and

Subdivision T_p 24 S. R 26 E

Claims

10

Surface Level mesu
Grass fair
no brush

Soil 2nd to 3rd rate

~~~~~

It on a random line  
bet Secs 3 & 4

Qu 12°34'E

4000 Set Temporary 1/4 Sec Cor

79.90 Set the N Body of  
T<sub>p</sub> 15 E line of cor to  
Secs 3, 4, 33 & 34  
which is a post  
marked T 23 S. 5, 34 on NE  
R 26 E 8.3 on S.E.

Subdivision T<sub>14</sub>S R<sub>26</sub>E

Chain

T<sub>14</sub>S. S<sub>4</sub> on SW and  
 S<sub>33</sub> on NW faces  
 with 3 notches on E and  
 Wedges pits and  
 mounds of required  
 size

thence I run 30°  
 S 0° 6' E on a true  
 line for sec 3 and 4  
 with same Sta.

39.90

Deposited a marked  
 stone 12 in in the  
 ground for 1/4 sec  
 cor dug pits 18 x 18 x  
 12 in N and S of cor  
 5 1/2 ft dia, and raised  
 a mound of earth 1 1/2 ft

7.



Subdivision T<sub>p</sub> 24 S. R 26 E

Change

high 3 $\frac{1}{2}$  ft base over  
 in in N<sup>W</sup> 1/4 drove  
 a stake 2 ft long 2-  
 in square 12 in in  
 the ground around  
 114 S on W face

79.90 The Cor to Secs 3, 4,  
 9 and 10

Level Mesa

Gross fair

Little Brush

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

From the cor to Secs  
 16, 17, 20 and 21 Previously set  
 by me I run S on a

824

Subdivision T<sub>p</sub>. 24 S. R 26 E

drawn

random line bet secs 20  
and 21

QA 12° 34' E.

at 7.15<sup>che</sup> I arrive at a point

1.15 che. W of

Corner C. to S. 20<sup>and 21</sup> which is  
a limestone 7 x 7 ins above  
ground

marked  
CC with 4 notches on E  
and 2 notches on Wedge  
pits and mound of  
required size

Thence I run

N. 8° 45' W. on a true line  
bet secs 20 and 21 with  
same QA

Subdivision T<sub>24</sub> S<sub>R</sub> 26<sub>E</sub>

Cham.

7.15 The cor to Secs 16, 17, 20  
and 21

Dense mixed sage brush

Surface level

Grass fair

Soil 2<sup>nd</sup> to 3<sup>rd</sup> rate

~~~~~

North bet Secs 16 and
17

QA 12° 34' E

4000

Deposited a marked
stone 12 ins in the ground
for 1/4 S. cor dug pits
18x18x12 ins N and S of
cor. 5 1/2 ft. dist and
raised a mound of earth

Subdivision Tp 24, S. R 26 E

Chanis

1 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
 over it in a pit drove
 a stake 2 ft long 2 ins
 square 12 ins in the
 ground marked 14 S on
 W face

80.00

Set a Quartz stone
 11 x 7 x 7 ins 8 ins in
 the ground for cor to
 sec 8, 9, 16, 17 marked
 with 4 ^{not in} on S and edges
 dug pits 18 x 18 x 12 ins
 in each sec. 5 $\frac{1}{2}$ ft dist
 and raised a mound
 of earth 2 ft high 4 $\frac{1}{2}$
 ft base alongside
^{Surface level}
 dense moist sage brush

Subdivision T₄S₄R₂₆E

Claim

40 chs)

Scattering brush 40 chs)

Grass fair

Soil 2nd to 3rd rate

East on a random
line bet secs 9 & 16

QA 12° 34' E

4000

Set Temporary 1/4 Sec
cor

8010

Intersect the N and S line
15 links N of Cor to sec
9, 10, 15, and 16

Thence I run

at 89° 54' W on a true
line bet secs 9, and 16
with 2nd QA

Subdivision T₁₄ S₁ R₂₆ E

Chain

40.05

Deposited a marked
stone 12 ins in the ground
for $\frac{1}{4}$ Sec cor day pits
18x18x12 ins E and W of
cor 5 $\frac{1}{2}$ ft dist and
raised a mound of earth
 $\frac{1}{2}$ ft high 3 $\frac{1}{2}$ ft base
over it in E pit drove
a stake 2 ft long 2 ins
sq 12 ins in the ground
marked $\frac{1}{4}$ S on its face

80.10

The cor to sec Sq. 16
and 17

Surface level Mesa

Grass fair

thin brush

Soil 2nd to 3rd rate

Subdivision T₁₄ S₁ R 26 E

Chains

Jan'y. 18. 1855

North between Secs
8 and 9

9a 12°34' E

40.00

Deposited a marked
stone 12 ins in the
ground for $\frac{1}{4}$ Sec cor
dug pit 18x18x12 ins

N and S of Cor $5\frac{1}{2}$ dist
and raised a mound

of earth $1\frac{1}{2}$ ft high
 $3\frac{1}{2}$ ft base over it.

in N pit drove a stake 2 ft
long 2 ins sq. 12 ins
in the ground marked

Subdivision T₂₄S, R 26E

Corners

80.00

$\frac{1}{4}$ S on W face
 Set a post 4 ft
 long 4 ins square
 with marked stone 12
 ins in the ground for
 cor to sec 4, 5, 8 and 9
 marked T₂₄S Sec 4 on
 N.E., R 26E Sec 9 on SE
 Sec 8 on S.W. Sec 5 on NW
 faces with 5 notches
 on S and 4 notches on
 E edges dug pits 18x18
 x 12 ins in each sec 5^{1/2} ft
 dist and raised a mound
 of earth $1\frac{1}{2}$ ft high $3\frac{1}{2}$
 ft. base around post

Subdivision T_p 24 S R. 26 E

Chassis

Surface Level Mesa

Grass fair

thin brush

Soil 2nd/₁₁ to 3rd/₁₁ rate

East on a random
line between Sec 4 and
9

PA 12° 34' E

40.00 Set Temporary 1/4 sec Cor
80.10 Inter. the N and S line
15 links N of Cor to Secs
3, 4, 9 and 10

Thence I run
N 89° 54' W on a
true line bet Secs 4 and 9

Subdivision Tr 24 S, R 26 E

Chain

with some va.

40.05 Deposited a marked stone
 12 in in the ground
 for 14 Sec cor (dug hole
 18x18x12 in. E and W of
 cor 5-1/2 ft dist, and
 raised a mound of
 earth 1/2 ft high 3 1/2 ft
 base over it in E put
 drove a stake 2 ft long
 2 in sq. 12 in in
 the ground marked 48
 on N face

80.10 The Cor to Secs 4, 5, 8.
 and 9
 Surface Level mensu
 grass fair

Subdivision T₂₄ S. R 26 E

chain

Thin Brush

Soil 2nd " to 3rd " rate

~~~~~

North on a random  
line bet Secs 4 and 5

TA 12034<sup>10</sup>E

40.00  
79.95

Set Temporary 1/4 sec  
Intersect the N Bdy  
of T<sub>10</sub> 1/4 links E of cor  
to Secs 4, 5, 32 and 33  
which is a mound  
and pits with a stake  
in S.E. pit marked  
T<sub>23</sub> S. Sec 33 on N.E.  
R. 26 E. S 4 on S.E. T<sub>24</sub> S  
S. 5 on S.W. and S 32. on N.W.

Subdivision T<sub>1</sub>R 24 S. R 26E

Chamie

faces with 4 notches on  
E and 2 notches on W  
edges

Thence I run  
50° 4' E on a true line  
bet Sec 4 and 5 with  
same Pa

39.95-

Deposited a marked  
stone 12 in in the ground  
for 1/4 Sec Cor dug pit  
18 x 18 x 12 in N and S of  
cor 5-1/2 ft dist and  
raised a mound of earth  
1/2 ft high 3 1/2 ft base  
over it in N put down  
a stake 2 ft long 2  
in or 2 in in the



Subdivision T<sub>24</sub>S<sub>1</sub>R<sub>26</sub>E

Chain

ground marked 1/4 S  
on surface79.95 The cor to Secs 4, 5, 8  
and 9Surface Level mesa  
Grass fair  
Thin brushSoil 2<sup>nd</sup> to 3<sup>rd</sup> row

I carefully examined and  
tested my transit - in all  
its adjustments and  
found them correct

## Subdivision Tp 24 S. R 26 E

Chain

From the Cor to Sec  
 17, 18, 19 and 20 <sup>the corner est by me</sup> from  
 S on a random line  
 between Sec 19 and 20  
 a 7.00 ch I arrive at a  
 point 1 chain W of Closing  
 Cor to Sec 19 and 20  
 which is a Limestone  
 12 x 6 in above ground

marked CC  
 with 5 notches on E and  
 1 notch on W edge plus  
 and mounds of required  
 size

Thence I run  
 N 7° 09' W. on a

Subdivision T<sub>24</sub>S R<sub>26</sub>E

Chains

true line bet secs 19 and  
20 with same Va

7.00

the cor to secs 17, 18, 19 & 20

Surface level.

Dense Mesquites Sage brush

Grass fair

Soil 2<sup>nd</sup> rate

North bet sec 17 and 18

Va 12° 34' E

40.00

Deposited a marked  
stone 12 in in the  
ground for 1/4 S cor

Dug pit 18 x 18 x 12 in

N and S. of cor 5 1/2 ft  
Dist and raised a mound



Subdivision T<sub>4</sub> S. R 26 E

Chains

of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft  
base over it in a pit  
drive a stake 2 ft long  
2 ins sq 12 ins in the  
ground marked 14 S on

N. face

80.00 Set a post 4 ft long  
4 in square with marked  
stone 12 ins in the  
ground for Cor to Secs  
7, 8, 17 and 18 marked  
T<sub>4</sub> S. Sec 8 on N.E.  
R 26, E Sec 17 on S.E.  
Sec 18 on S.W. Sec 7 on  
N.W. faces with 4  
notches on S and 5 notches  
on East edge Aug pits

Subdivision Tp 24, S R. 26 E

Chain

18 x 18 x 12 ins in each sec  
 5 1/2 ft dist. on raised  
 a mound of each 2 ft  
 high 4 1/2 ft base around post

Surface level mesa  
 dense mesquites sage brush  
 for 40 chain

Scattering brush 40 ch  
 grass fair

Soil 2 nd rate

East on a random line  
 between <sup>sec</sup> 8 and 17

9A 12° 34' E

40.00

Set Temporary 1/4 Sec Cor

7990

Inter. the N and S line  
 10 links N of cor to sec

Subdivision T<sub>1</sub> 24 S. R 26 E

Comm.

S. 9. 16. and 17.

Thence I run  
 N. 89° 56' W, on a true line  
 bet secs 8 and 17 with  
 some 90

39.95

Deposited a marked stone  
 12 in in the ground  
 for  $\frac{1}{4}$  sec Cor dug  
 pit 18 x 18 x 12 in E  
 and W of Cor 5 $\frac{1}{2}$  ft  
 dist and raised a  
 mound of earth 1 $\frac{1}{2}$  ft  
 high 3 $\frac{1}{2}$  ft base over  
 it in E pit drove a  
 stake 2 ft long 2 in  
 sq. 12 in in the  
 ground marked  $\frac{1}{4}$  S.



Subdivision T<sub>4</sub>S. R 26 E

cham

N face.

79.90

the cor to secs 7, 8, 17  
and 18

Surface level mesa

cross fair

thin brush

soil 3<sup>rd</sup> rate

~~~~~

^{on a continuation of}
West. ~~Set~~ Sec 7 and 18

QA 12° 34' E

over level mesa

40.00

Set Temporary 44 Sec Cor

79.00

Intersect the W Bdy 15
links N of Cor to secs
7, 12, 13 and 18 which
is a mound and fair

Subdivision T₂₄S. R 26E.

Chain

in S.E. put a stake
marked T₂₄S. S 7
on N.E. R 26 E S 18 on S.E.
R 25 E. S 13 on S W and

Sec 12 on N W corner
with 4 notches on S and
2 notches on N edge

Thence from

N 89° 54' E, on a true line
bet sec 7 and 18 with
same cu.

13.00

we raise house bed of this
point about 30 chains dist.

139.00

Deposited a marked
stone 12 in in the
ground for 1/4 Sec cor
-day put 18x18x12 in

Subdivision Tp. 24 S. R. 26 E

Claim

End W of Cor 5 1/2 ft
 dist and raised a
 mound of earth 1 1/2
 ft high 3 1/2 ft base
 over it. in. I put
 down a stake 2 ft
 long 2 in eye 1/2 in
 in the ground marked
 1/4 S on N face

79.00 Cor to Secs 7, 8, 17 and
 18

A Lime Stone mountain
 300 to 400 ft high occupies
 most of Sec 7
 surface rolling
 grass good
 soil 3 1/2 in rate

Subdivision Tp. 24 S. R. 26 E

Chain

North between sec

7 and 8

VA 12° 34' E

40.00

deposited a marked
stone 12 in in the
ground for 1/4 sec cor
dug pits 18 x 18 x 12 in
N and S. of line 5 1/2
ft dist and raised a
mound of earth 1 1/2 ft
high 3 1/2 ft base over it
in N pit drove a
stake 2 ft long 2
in sq 12 in in the
ground marked 1/4 S
on W face

Subdivision T_p 24 S. R 26 E

Chain

80.00

Set a post 4 ft long
 4 ins sq with marked
 stone 12 ins in the
 ground for cor to sec
 5, 6, 7 and 8 marked
 T_p 24 S. Secs 5 on N
 E R 26 E Sec 8 on
 S.E. Sec 7 on S W Sec
 6 on N W corner with
 5 notches on S and E
 edges dug pits 18 x 18 x 12
 ins in each sec 5th ft
 dist and raised a
 mound of earth 2 ft high
 4th ft base around post.
 Surface level mesa
 Grass good

76

Subdivision T₂₄ S₁R 26E

Cham

Sense Sage mesquite Catclaw
Soil 3rd rate

~~~~~

East on a random  
line bet secs 5 and  
8

4000  
80.00

Set temporary 1/4 sec cor  
Intersect N and S  
line 5 lines N of cor  
to secs 4, 5 & 9 and 9  
thence I run  
N 89° 58' W. on a  
true line between sec  
5 and 8 with same  
ova

40.00 Deposited a marked



## Subdivision Tr 24 S. R 26 E

Chenar

stone 12 in in the ground  
 for  $\frac{1}{4}$  sec cor dug pit 18 x 18  
 x 12 in E and W of cor  
 5  $\frac{1}{2}$  ft dist and raised a  
 mound of earth 1  $\frac{1}{2}$  ft  
 high 3  $\frac{1}{2}$  ft base  
 over it and drove a  
 stake in E pit 2 ft long  
 2 in sq 12 in in the  
 ground marked "48  
 on N face

80.00

the cor to Secs 5-6,  
 7 and 8

Surface Level Mesu

Grass fair

Dense mesquite Catclaw &  
 sage Soil 3  $\frac{1}{2}$  rate

78

BOOK 999

Subdivision T<sub>p</sub> 24 S R 26 E

Chain

West on a random line  
bet sec 6 and 7

QA 12° 34' E

40.00 Set Temporary 1/4 sec cor

79.70 Intersect W Body of T<sub>p</sub>,  
25 links N of cor to  
secs 1, 6, 7 and 12 which  
is a limestone 12 x 4  
in above ground  
marked with 1 notch on  
N and 5 notches on S edge  
fits and mound of  
required eyeThence I run  
N 89° 49' E on a true line  
bet secs 6 and 7 with  
QA.

## Subdivision Tpr 248 R26E

Chains

39.70

Deposited a marked stone  
12 ins in the ground  
for 1/4 Sec Cor Aug pit  
18 x 18 x 12 ins E and W  
of cor 5-1/2 ft dist and  
raised a mound of  
earth 1/2 ft high 3 1/2 ft  
base over it, in E  
pit drove a stake 2  
ft long 2 ins sq 12 in  
in the ground marked  
448 on N face.

5-3.70

Cross sand ridge  
bear N E and S W  
and descend at an  
angle of 5°



80

BOOK 999

Subdivision T<sub>1</sub>R<sub>24</sub>S<sub>1</sub>R<sub>26</sub>E

Cham

61.70 ascend slope at an angle  
of 5°

79.70 The cor to secs 5-  
6, 7, and 8

Surface rolling in mountain  
S of line

Grass good

Dense catclaw & mesquite

Soil 3<sup>rd</sup> rate

It on a random  
line bet secs 5 and  
6

va 12° 34' E

Subdivision T<sub>p</sub> 24 S. R 26 E

Cham

- 40.00 Set Temporary 14 sec cor  
 79.80 Intersect N Bdy of  
 T<sub>p</sub> 20 lmk E of cor to  
 Secs 5, 6, 31 and 32  
 which is a mound  
 and put a post  
 in the mound marked  
 T<sub>p</sub> 23 S. 5 32 on NE  
 R 26 E S 5 on SE  
 T<sub>p</sub> 24 S. S 6 on SW and  
 S 31 on NW faces with  
 5 notches on E and 1  
 notch on W edge  
 thence run  
 S 0° 40' E on a true line  
 bet section 5 and 6  
 with same va

Subdivision T<sub>24</sub> S. R 26 E

Chum

39.80

Deposited a marked stone 12 ins in the ground for  $\frac{1}{4}$  Sec Cor dug pits 18 x 18 x 12 in. N and S. of cor  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft high  $3\frac{1}{2}$  ft base. over in in N pit drove a stake 2 ft long 2 ins square, marked <sup>12 ins in both corners</sup> 44 S on W. face

79.80

The Cor to Secs 5, 6, 7, and 8

Surface rolling

Soil 3<sup>rd</sup> rate

Grass fair

Jan 19<sup>th</sup> 1885



General Description

The Surface of this township is mostly level descends gradually to the E. Water is found in the W. part at a few feet below the surface.

The soil is mostly 2<sup>nd</sup> rate  
Grazing good

Mr. McVair's house and improvements are in Sec 18.

For final oaths see BOOK  
10015.

U. S. Surveyor General's Office,

Tucson, Arizona, *May* 11 1885

The foregoing Field Notes of the Survey of the

*subdivisional lines*  
*of T<sub>1</sub> 24 S. R 26 E*

Of the Gila and Salt River Base and Meridian, Arizona, execu-

ted by *Beris Wolfley*

Deputy Surveyor, under his contract of the *11<sup>th</sup>*

day of *November*, 1884 having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved

*Royce Johnson*  
 Surveyor General.