

Field  
Notes  
under  
No. 1000

+

BOOK 1000

No. 1000

# Field Notes

OF THE SURVEY OF **BOOK 1000**

**SUBDIVISION LINES**

- OF -

No. 1000

Township 24<sup>S</sup> Range 27<sup>E</sup>

Gila and Salt River Base and Meridian

**ARIZONA.**

By Lewis Wolfley D. S.

under contract dated Nov 11<sup>th</sup> 1884

Survey commenced Jan 13<sup>th</sup> 1885

Survey completed Jan 15<sup>th</sup> 1885

1000

Survey made with  
Roches Patent improved  
Solar compass with  
Telescopic attachments  
carefully tested on the  
Meridian at Tucson and  
found to be in perfect  
adjustment and Young  
& Sons Solar Transit  
also adjusted on the  
Tucson Meridian

Township 24 S. R. 27 E

BOOK 1000

Grand S. R. M

6	57	5	46	4	38	3	29	2	20	1
<del>56</del>		<del>54</del>		<del>45</del>		<del>36</del>		<del>28</del>		<del>19</del>
7	53	8	44	9	35	10	26	11	17	12
<del>52</del>		<del>50</del>		<del>42</del>		<del>34</del>		<del>25</del>		<del>16</del>
18	49	17	41	16	32	15	23	14	13	13
<del>4</del>	<del>48</del>	<del>5</del>	<del>40</del>	6	<del>37</del>	8	<del>22</del>	<del>10</del>	<del>12</del>	<del>11</del>
19		20	Mexico				21	22	23	24
30		29		28		27		26		25
31		32		33		34		35		36

ken  
 ll  
 f  
 l  
 —  
 then  
 B  
 to  
 the  
 asin  
 7  
 7  
 us  
 24  
 4



Norman S. Frost do  
 solemnly swear that  
 will well and truly  
 perform the duties of  
 my office according  
 to the instructions given  
 and to the best of  
 my skill and ability

Norman S. Frost

Subscribed & sworn to before me  
 13<sup>th</sup> day of July 1885.

Lewis Wolfley  
 Notary Public



ker  
 ll  
 f  
 e  
 ition  
 K  
 to  
 the  
 ason  
 7  
 5  
 was  
 d  
 24  
 -8

## Preliminary Oaths of Assistants

We H. D. Cole and James Walker  
 solemnly swear that we will well  
 and faithfully execute the duties of  
 Chain Carriers; that we will level  
 the Chain over even and uneven  
 ground, and plumb the tally lines, without  
 kicking or dropping the same; that  
 we will report the true distances to  
 all notable objects, and the true lengths  
 of all lines that we orient in measure-  
 ment, to the best of our skill and ability  
 and in accordance with the instructions  
 given us in the Survey of the  
 subdivision line of Twp 22. 23. and 24  
 S. R 25 E Twp 19 20. 21. 22. 23. 24  
 S. Ranges 26 & 27 E

1E

BOOK 1000

Territory of Arizona

H. H. Cole Chairman  
J. P. Walker Chairman

Subscribed and sworn to before  
me this 15<sup>th</sup> day of July 1885.

Lewis Wolfley  
Notary Public





We Hiram Perkins and  
 Henry Crawford do solemnly  
 swear that we will well and  
 truly perform the duties of Marker  
 and Monied Man in establishing  
 of Corners and other duties accord-  
 ing to instructions given us and  
 to the best of our skill and ability,  
 in the Survey of the Subdivision  
 Sec 22, 23, and 24 S R 25 E  
 Tps 19, 20 21, 22, 23, 24 Ranges  
 26 and 27 E

County of Arizona  
 H Perkins  
 H Crawford

Subscribed and sworn to before me  
 this 13<sup>th</sup> day of Jan'y 1885  
 Lewis Volney  
 Notary Public

15

BOOK 1000

I, Frank Alley do solemnly swear that I will well and truly perform the duties of Notary according to instructions given me as to the best of my skill and ability

Frank Alley

sworn to and subscribed before me

this 13 day of July 1885.

Lewis Wolfley  
Notary Public





14

Preliminary paths of Assistants

BOOK 1000

We Jas. McAntou, and Will  
Smith, do solemnly swear  
that we will well and faith-  
fully perform the duties of  
chain carriers; that we will  
throw the chain over iron  
pins and secure ground,  
and plumb the tally pins,  
either by shaking or dropping  
the same; that we will report  
the distance to all notable  
facts, and the true lengths  
all lines that we assist  
in measuring, to the best  
of our skill and ability and  
in accordance with in-  
structions given us in the  
order of the Subdivision  
line of Tps 22, 23, 24 S. Range  
25 E. P. 19, 20, 21, 22, 23, and 24.

11  
Br.  
Ranger 26 & 27E

BOOK 1000

Territory of Arizona

Jas. McAnten Chairman  
W. D. Keith Chairman  
?

Subscribed & sworn to before me  
this 13<sup>th</sup> day of July 1885.

Lewis Wolfley  
Notary Public



We W. H. Tiffany and Henry  
 Cong do solemnly swear  
 that we will well and <sup>truly</sup>  
 perform the duties of Messrs  
 and recorders in the  
 establishment of corners and  
 and other duties according to in-  
 structions given us and to the  
 best of our skill and ability  
 in the survey of the  
 Subdivision lines

of Twp 2, 23, and 24 S

Ranges 25 E Twp 9, 20, 21, 22, 23  
 and 24 S Ranges 26 E 27 E

Territory of Arizona  
 W. H. Tiffany  
 Henry Cong

Subscribed & sworn to before me this 13<sup>th</sup>  
 day of July 1885.

Lowes Volney  
 Notary Public




I, W. R. Sher do solemnly swear that I will well and truly perform the duties of Notary Public according to instructions given me and to the best of my skill and ability.

Wilson R. Sher

Subscribed & sworn to before me this 13<sup>th</sup> day of July 1885.

Lewis Wolfley  
Notary Public



T24 S. R 27E

chain Beginning at the corners  
to Sections 13, 18, 19 + 24

T24 S. R 27 + 28E which is a  
Granite stone 12 x 10 ins  
above the ground marked  
with 3 notches on N + S edges  
and pits in each Sec 5 1/2 ft.  
dist. and a mound of earth  
alongside.

Run West on a  
random line through the  
setting temporary N + S  
corners at every 40 and 80 chains  
and intersect the cor to Secs  
13, 18, 19 + 24, T24 S. R 26 + 27E  
at 5 miles 79.90 Chs. 54 links  
& which cor is a mound of  
earth and stake in S.E. pit  
marked T24 S. R 18 on N.E

T24 S. R 27E

Chains

R27E S19 on S.E

R26E. S24 on S.W and  
S13 on N.W. faces with  
3 notches on N & S edges

Hence I run

N89°56'E. on a true  
line bet. Secs. 18 + 19

Ra 12°17'E

39.90

Set a post 3 ft. long 3 ins. diam with marked  
stone, 12 ins, in the ground for  $\frac{1}{4}$  Sec. Cor.  
marked  $\frac{1}{4}$  S. on N face, dug pits 18 x 18 x 12  
ins. E and W of post 5  $\frac{1}{2}$  ft. dist. and raised  
a mound of earth 1  $\frac{1}{2}$  ft. high. 3  $\frac{1}{2}$  ft. base, around  
post.

79.90

Set a Quartz stone 10 x 8 x 5  
ins 7 ins in the ground  
for cor to Secs 17, 18, 19 & 20  
marked with 3 notches  
on S and 5 notches on E



chain

edges dug pits 18x18x12 ins  
in each Secs 5 1/2 ft. dist.  
and raised a mound of  
earth 2 ft. high 4 1/2 ft base  
alongside

Grass fair  
Scattering Sage & Catsclaw  
bush  
Soil 3<sup>rd</sup> rate

N 89° 56' E. on a true  
line bet Secs 17 + 20

Q 120 17' E

40.00

Deposited & marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone 1/2 feet dist and raised  
a mound of earth 1 1/2 ft. high 3 1/2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked 1/4 S. on N face

T24 S, R27 E

Chains  
80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 16, 17, 20 & 21 marked T. 24 S. 16 on N. E. R. 27 E S. 21 on S. E. S. 20 on S. 17, and S. 17 on N. W. face, with 3 notch  $\text{E}$  on S, and 4 notch  $\text{E}$  on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 ft. base. around post.

Steep slopes to the E  
Grass floor  
Thick Cateclaw and  
Sage & Mesquite in places  
Soil 4<sup>th</sup> rate

N 89° 56' E. on a true line  
bet Secs 16 & 21

W 12° 20' E

724 S. R 27E

Chairs

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

$\text{E}$  and  $\text{W}$  of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In  $\text{E}$  pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on  $\text{N}$  face.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 15, 16, 21 & 22 marked T. 24 S. 15 on N. E. R. 27E S. 22 on S. E, S, 21 on S, W. and S, 16 on N, W, face, with 3 notch  $\text{E}$  on S, and 3 notch  $\text{E}$  on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high.  $4\frac{1}{2}$  ft. base. around post.

Level mesa

Grass fair

Sage Catclaw. greasewood  
bushSoil 3 $\frac{1}{2}$ % rate



Chains

1890 56 E. on a true line  
bet Secs 15 & 22

Wa 12022 E

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E. and W. of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

73.00

Cross road to Shattucks  
house and descend over meadow

74.50

Cross White river 15 miles  
wide course S.E

T24 S. R27E

Chains  
80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor, to Secs, 14, 15, 22 & 23 marked T. 24 S. 14 on N. E. R. 27E S. 23 on S. E, S, 22 on S. W. and S, 15 on N. W. face, with 3 notch ~~S~~ on S. and 2 notch ~~es~~ on E. edges, dug pits 18 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high, 4 1/2 ft. base. around post.

Mesa slopes towards  
White river

Grass fair

Dense low Sage brush  
and catsclaw the entire site

Soil 3<sup>rd</sup> rate

In the river valley grass fair  
and Soil 2<sup>nd</sup> rate

chains

N89°56'E on a true line  
bet Secs. 14 & 23.

Wa 12°16'E

Enter White river Valley.  
Leave Valley

22.00

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{4}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

47.25

80.00

cross road to Montross br. N to S

Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins, in the ground for Cor, to Secs,  
13, 14, 23 & 24 marked T. 24 S. 13 on  
N. E. R. 27 E S. 24 on S. E, S, 23 on  
S, W, and S, 14 on N, W, face, with 3 notch  
es on S, and 1 notch on E. edges, dug  
pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth 2 ft, high  $4\frac{1}{2}$  ft.  
base, around post.



924 S. R 27 E

Chains

Valley Soil 2<sup>nd</sup> rateMesa .. 3<sup>rd</sup> rateScattering Calceolus & Sage  
bush. on the Mesa.

Grass fair

At 89° 56' E. on a true line  
bet Secs 13 & 24,

Va 12 193 E

40.00

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone  $\frac{1}{4}$  feet dist and raised  
a mound of earth 1 $\frac{1}{4}$  ft. high  $\frac{3}{4}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

T24 S. R 27 E

Chain  
80.00The cor to Secs 13, 18, 19 & 24  
T24 S R 27 + 28 E.

Level mesa.

Soil 3<sup>rd</sup> rateScattering Catsclaw  
and Sage brush.From the cor to Secs  
13, 14, 23 + 24, recently  
established by me from S  
on a random line

NW 2° 16' E

at 5.75 chs. I arrive at a  
point 33 links E. of closing  
cor to Secs 23 + 24 on  
International bdy. which  
is a Lime stone 10 x 5 in

T24 S. R 27 E

Pg. 14  
DOES NOT  
EXIST

Chains

above the ground marked  
C. 6 with 1 notch on E. and  
5 notches on Wedges pits and  
mound of earth.

Thence I run

$N 3^{\circ} 16' E$ . on a true line  
bet Secs 23 + 24. with same var.

5.75 The cor to Secs 13, 14, 23 + 24

Surface level mesa

Soil 3<sup>rd</sup> rate

Grass fair

Scattering catsclaw +

Sage brush

---

North bet Secs 13 + 14

 $N 12^{\circ} 16' E$



T 24 S. R 27 E

Chamis

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor dug pits 18 x 18 x 12 ins.

N and S of stone  $3\frac{1}{2}$  ft. dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W Sec.

80.00

Set a Quartz stone 13 x 11 x 7 ins 9 ins in the ground for cor to Secs 11, 12, 13 + 14. marked with 4 notches on S and 1 notch on E edges. dug pits 18 x 18 x 12 ins in each Sec  $5\frac{1}{2}$  ft. dist and raised a mound of earth 2 ft high  $4\frac{1}{2}$  ft. base alongside  
 Grass scattering  
 Soil 3<sup>rd</sup> + 4<sup>th</sup> rate  
 Scattering Cateclaw + Sage

T 24 S. R 27 E

Chamie

bush

Cast on a random line  
bet Secs 12 + 13

Va. 12° 16'

Over Level Mesa

40.00

Set temporary  $\frac{1}{4}$  Sec cor

80.00

Intersect the E. bay. of Twp.  
at 5 links N. of Cor to Sec  
7, 12, 13 + 18 which is a granite  
rock 9x8 ins. above the ground  
marked with 2 notches on  
on N and 4 notches on S edges  
put in each Sec, 5 $\frac{1}{2}$  ft  
and mound of <sup>earth</sup> alongside

Thence I run

N 89° 58' W. on a true

T 24 S. R 27 E

Chains

line bet Secs 12 + 13  
 with same W.

40.00

Deposited & marked stone 12 ins. in the  
 ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
 E and W of stone  $\frac{1}{4}$  feet dist and raised  
 a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over  
 it. In E pit drove a stake 2 ft. long 2 ins.  
 dia. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

80.00

The cor to Secs 11, 12, 13 + 14

Level Mesa

Soil 3<sup>rd</sup> to 4<sup>th</sup> rate

Grass poor

Dense Sage brush  
 and cats claw

North bet Secs 11 + 12  
 N 12° 16' E



T24 S. R27E

chains

5.25 Cross Dry Wash course SW

6.80 " Trail bears N.E + S.W.

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  feet dist. and raised a mound of earth 1 $\frac{1}{2}$  ft. high  $4\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

80.00

Set a post 4 ft. long 4 ins. square, with marked stone 12 ins. in the ground for Cor. to Secs. 112 11 & 12 marked T 24 S. 1 on N. and 276 S. 12 on S. E, S. 11 on S. West 3, 2 on N, W, face, with 5 notch on S. and 1 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base around post,

Mesa level

Soil 3<sup>rd</sup> rate

Grass fair

Scattering cats claw + Sage brush

924 SR 27E

Chavis

---

Cast on a random line  
bet Secs 1 & 12

of a  $12^{\circ}16'E$ 

Over level Mesa

40:00

80:15

Set temporary 1/4 Sec cor  
Intersect the E. bdy. of the  
Twp. 24 links S of cor to Secs  
16.7 & 12 which is a Volcanic  
rock  $10 \times 8$  ins above the ground  
marked with 1 notch on N  
and 5 notches on S. edges  
pits in each Sec  $5\frac{1}{2}$  ft. dist  
and mound of earth  
alongside.

Thence from

$S89^{\circ}58'W$ . on a true line  
bet Secs 1 & 12 with same Va.

924 S. R 27 E

Chains  
40.07

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
E and W of stone  $\frac{1}{4}$  feet dist and raised  
a mound of earth 1  $\frac{1}{4}$  ft. high  $\frac{3}{8}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N  
face.

80.15

The cor to Secs 1, 2, 11 &amp; 12

Surface level Mesa

Grass fair

Soil 3<sup>rd</sup> rateScattering catsclaws Sage  
brush

---

North on a random bet  
Sec. 1 and 2

Va 12° 16 E

Over level Mesa

40.00

Set temporary  $\frac{1}{4}$  Sec cor



T24 S. R 27E

Chains

79.00

79.85

Water Tank 2 chs W of line  
Intersect the N. bdy of Tp  
at 12 links E. of Cor To Secs  
1.2, 35 & 36. which is a  
mound of <sup>earth</sup> and pits in each  
sec with stake in S.E. pit  
marked. T23S. S36 on N.E  
R27E S1 on S.E., T24S S2 on  
S.W. and S35 on N.W. faces  
with 1 notch on E and 5  
notches on W. edges.

Hence I run

S<sup>00</sup>5<sup>E</sup> on a true line  
bet Secs 1 & 2 with same va.

39.85

Deposited a marked stone 12 ins. in the  
ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.  
N and S of stone 5/4 feet dist. and placed  
a mound of earth 1 1/4 ft. high 3/4 ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked 1 S. on W face

924 S. R 27E

Chains

79.85- The cor to Secs 1, 2, 11 & 12  
 Surface level mesa  
 Soil 3<sup>rd</sup> rate  
 Grass fair  
 catclaw + Sage brush

---

From the cor to Secs 14, 15, 22  
 and 23, previously established by  
 me. Run S. on a random  
 line bet. Secs. 22 + 23

Wa 12' 22"E

4.00 Cross White river 15-links wide  
 course S.E

51.48 Intersect the International by  
 at 13 links E. of closing cor  
 to Secs 22 + 23 which is a  
 Limestone 10x5 ins above

T24 S. R 27 E

Chains

the ground marked  
C.C. with 2 notches on E  
and 4 notches on W. edges  
fits and mound of required  
size.

Thence I run

N 10° 29' E. on a true  
line bet Secs 22 + 23 with same data.

5.48

The cor to Secs 14, 15, 22 + 23

Surface level mesa

Soil 3<sup>rd</sup> rate

Grass fair

Cats claw + Sage-brush

North bet Secs 14 + 15

W 12° 22' E

Through White river Valley



924 S. R 27E

Chains

- 157.00 Leave Valley
- 40.00 Set a Volcanic stone 10x10x6  
ins 6 ins in the ground  
for  $\frac{1}{4}$  Sec cor marked  $\frac{1}{4}$  on  
W. face dug pits N+S  
of stone  $5\frac{1}{2}$  ft. dist. and  
raised a mound of earth  
 $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base  
alongside.
- 42.40 Cross road bears S.E. & N.W.
- 80.00 Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins. in the ground for Cor, to Sees,  
10. 11. 14 & 15 - marked T. 24 S. 11 on  
N. 1. R 27E S. 14 on S. E. S, 15 - on  
S. 1. 10 on N, W, face, with 4 notch  
es on S, and 2 notch es on E. edges, dug  
pits 13 x 13 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.  
and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft.  
base. around post.

T24 S. R 27E

Chanis

Rolling mesa N of valley  
Soil 2<sup>nd</sup> + 3<sup>rd</sup> rate  
Grass fair  
Scattered cats claw  
Sage brush

East on a random line  
bet Secs 11 + 14.

$\text{N} 12^{\circ} 16' \text{E}$

37.50

Cross road to Fronteras  
bears N + S

40.00

Set temporary 1/4 Sec cor  
Intersect the N + S. line

79.55

12 links N. of cor to Secs  
11, 12, 13 + 14

Hence I run

$\text{N} 89^{\circ} 55' \text{W.}$  on a true line

924 S. R 27E

Chamis

bet Secs 11+14 with same Va.

39.92

Deposited & marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dig pits 18 x 18 x 12 ins.E  $\frac{1}{2}$  mi W of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth 14 ft. high  $5\frac{1}{2}$  ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

79.85

The cor to Secs 10, 11, 14 &amp; 15

Rolling Mesa

Soil 3<sup>rd</sup> rate

Grass fair

Scattering Cats claw +

Sage brush

North bet Secs 10 + 11

Va 12° 22' E



T 24 S, R 27 E

Chains  
 40.00

Deposited & marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N. & S of stone 5 1/2 feet dist and raised a mound of earth 1 1/2 ft. high 3 1/2 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face.

69.80

Cross Trail bears E & W.  
 Water Tank 1 chain E

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 2, 3, 10 & 11 marked T 24 S. 2 on N. E. S. 27 E S. 11 on S. E. S. 10 on S. W. and S. 3 on N. W. face, with 5" notch ee on S. and 2 notch ee on E. edges, dug pits 18 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth 2 ft. high 4 1/2 ft. base. ground post.

Rolling mesa  
 Soil 3<sup>rd</sup> rate  
 Grass poor  
 Scattering Catsclaw &

T24 S. R 27E

Chain

Sage brush

---

East. on a random line  
bet Secs 2 + 11

Va 12° 22' E

Over rolling mesa

40.00 Set temporary 1/4 Sec cor

57.40 Cross Fronteras road bears  
N.E + S.W

80.10 Intersect the N + S line 5 links  
N. of cor to Secs 1, 2, 11 + 12.

Hence from

N 89° 58' W. on a true line bet  
Secs 2 + 11 with same Va.

T24 S. R 27 E

chains  
40.05

Deposited & marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 5  $\frac{1}{2}$  feet dist and raised a mound of earth 1  $\frac{1}{4}$  ft. high 3  $\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

80.10

The cor to Secs 2, 3, 10 & 11

Rolling mesa

Soil 3<sup>rd</sup> rate

Cats claw. & Sage brush

Grass poor

North on a random line bet Secs 2 & 3.

$\nabla$  a 120 22 E.

40.00

Set temporary  $\frac{1}{4}$  Sec cor

80.16

Intersect the N. line of Tpi. 30 links W. of cor. to Secs



924 S. R 27E

Chains

213, 34 and 35 which is a mound  
and pits in each sec in S.E  
pit a stake 2 ft. long

2 ins sq marked. Tp 238  
S35 on N.E.R 27E S 32 on S.E  
Tp 245. S30 on S.W and S34 on  
N.W. faces with 2 notches  
on E and 4 notches on Wedges

Truence Iron

S0° 13' W. on a true line  
bet Secs 2+3 with same Va.

40.16

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins

N and S of stone  $\frac{1}{2}$  feet apart and raised  
a mound of earth 14 ft. high 12 ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S on W

Level mesa  
Soil 3<sup>rd</sup> rate

T24 S. R 27E

Chains

Scattering brush  
 Catsclaw + Sage  
Grass fair

From the cor to Secs  
 15-16. 21+22 Previously set  
 by me I run S. on a  
 random line bet Secs 21+22  
 WA 12° 25' E

5185

Intersect the International  
 bdy. at 21 links W. of  
 closing cor to Secs 21+22  
 which is a Limestone  
 12x8 ins. above the ground  
 marked C.C. with 3 notches  
 on E & W. edges. Pits and  
 mound of required size.

T24 S. R 27 E

Chains

Thence from  
 N1° 57' W. on a true line  
 bet Secs 21+22 with same Va.  
 57.85 The cor to Secs 15, 16, 21+22

Level mesa

Soil 3<sup>rd</sup> + 4<sup>th</sup> rate

Grass fair

Sage cats claw + grease  
 wood wood brush

From the cor to Secs  
 15, 16, 21+22 previously set  
 by me. From N. bet Secs  
 15+16.

Va 12° 25' E

21.25

Cross Dry Wash course E



Chains

40.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{2}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone  $5\frac{1}{2}$  ft. dist. and raised a mound of earth  $1\frac{1}{2}$  ft. high  $2\frac{1}{2}$  ft. over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{2}$  S. on W face.

58.75

Cross road to A. S. Smith  
Beare E + W

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 9, 10, 15 + 16 marked T. 24 S. 10 on N. E. R. 27. E S. 15 on S. E. S. 16 on S. W. and S. 9 on N. W. face, with 4 notches on S. and 3 notches on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist. and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base. around post.

Surface level mesa  
Soil 2 and rate  
Grass fair  
Scattering Catsclaw

724 S. R 27E

BOOK 1000

Chains

and Sage brush

East on a random line bet  
Secs 10 + 15

$\text{Va } 20^{\circ} 22' \text{E}$

40.00

Set temporary  $\frac{1}{4}$  Sec cor

48.00

a S. Smith house 2 chains  
S. of this point cross road  
betw N + S

55.10

Cross White river 10 links wide  
course S.

79.80

Intersect the N + S line 13  
links S. of cor to Secs 10 + 11 + 14 + 15

Hence run

$S 89^{\circ} 57' \text{W}$  on a true line  
bet Secs 10 + 15 with same  $\text{Va}$ .

T24 S. R 27E

Chamis  
39.90

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth 1 $\frac{1}{4}$  ft high  $3\frac{1}{2}$  ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N face.

79.80

The cor to Secs 9, 10, 15 & 16  
Mesa slightly rolling  
descending to E  
Soil 3<sup>rd</sup> rate  
Grass fair

40.00

North bet Secs 9 & 10  
Wa 12<sup>0</sup> 25<sup>0</sup> E

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 14 feet dist and raised a mound of earth 1 $\frac{1}{4}$  ft. high  $3\frac{1}{2}$  ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W face



T24 S. R27E

Chains

80.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs. 3, 4, 9 + 10 marked T24S S. 3 on N. E. R. 27E S. 10 on S. E. S. 9 on S. W. and S. 4 on N. W. face, with 5 notch ~~es~~ on S, and 3 notch ~~es~~ in E. edges, dug pits 13 x 13 x 12 ins. in each Sec., 5 1/2 ft. dist. and raised a mound of earth, 2 ft. high, 4 1/2 ft. base. around post.

Wasa descending to E  
 Grass fair  
 Soil 3<sup>rd</sup> rate  
 Sage Catsclaw +  
 grease wood brush

East on a random line  
 bet Secs 3 + 10.

4.00

57.50

Enter White river Valley  
 cross road to Erie Cattle Co.

T24 S. R27E

Chains

ranch and to Fronteras  
bears N + S.

40.00

Set temporary 1/4 Sec cor

57.80

cross White river course S.E

79.90

Intersect the N+S line  
18 links N. of cor to Secs  
2, 3, 10 + 11.

Thence from

N 89° 52' W. on a true  
line bet Secs 3 + 10 with  
same M.

39.95

Deposited a marked stone 12 ins. in the  
ground for 1/4 Sec. Cor. dug pit 18 x 18 x 12 ins.  
E and W of stone 3/4 ft. and raised  
a mound of earth 14 ft. high 2 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked 1/4 S. on N  
face.

79.90

The cor to Secs 3, 4, 9 + 10  
mesa slightly rolling

524 S. R 27 E

Chains

and descends to W

Soil 3<sup>rd</sup> rate

Grass fair

Scattering catsclaw &amp;

Sage brush

North on a random line  
bet Secs 3 & 4

Wa 12025 E

20.00

Enter White river Valley

35.50

Cross road from Eric Cattle  
company ranch to Tombstone  
bears N.W. + S.E

40.00

Set temporary 1/4 Sec cor

44.15

Cross White river 40 links  
Wide course S.E



T 24 S. R 27 E

Chains

24.00

Cross Dry Wash. course S.W

35.00

Leave Valley

40.60

Intersect the N. bdy of Tp  
30 links W. of the Cor to Secs  
3. 4. 33 + 34 which is a  
mound of earth <sup>with</sup> pits a  
stake in S.E. pit marked  
T 23 S. S. 34 on N.E. R 27 E  
S 30 on S.E. T 24 S. S 4 on S.W.  
and S 33 on N.W. faces  
with 3 notches on E + W. edges.

Thence from

S 80° 13' W. on a true line  
bet Secs 3 + 4 with corner Va.

40.60

Deposited & marked stone 12 ins. in the  
ground for 1 Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 54 ft. dist and raised  
a mound of earth 1 1/2 ft. high on N. base over  
it. In N. pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked S. on W. face

924 S. R 27 E

chains

.60

The cor to Secs 3, 4, 9 + 10

Soil 2<sup>nd</sup> rate in the Valley" 3<sup>rd</sup> " " on " Mesa

From the cor to Secs 16, 17, 20  
+ 21 previously established by me  
Iron S. bet Secs 20 + 21

N 12° 17' E

.75

Intersect the International  
by 30 links W. of Closing Cor  
to Secs 20 + 21 which is a  
Quartz rock 12 x 6 ins above  
the ground. marked C.C. with  
4 notches on E. and 2 notches  
on W. edges. fits and mound  
of required size.

Thence Iron

T 24 S. R 27 E

Chains

N 2° 34' W. on a true line bet Secs 20 + 21 with same Va.

6. 75-

The Cor to Secs 16. 17. 20 + 22

Surface level Mesa

Soil 3<sup>rd</sup> rate

Grass Scattering

Scattering cactaw

and Sage brush

North bet Secs 16 + 17

Va 12° 25' E

2. 0 0

Cross Dry Wash course E

40. 00

Deposited & marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins.

North of stone 5 1/4 feet dist and raised a mound of earth 1 1/4 ft. high 3 1/4 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. dia. 12 ins. in the ground marked 1/4 S. on W face



T24 S. R 27E

Chamis

0.00

Set a post 4 ft. long 4 ins. square, with marker stone, 12 ins. in the ground for Cor. to Secs. 8, 9, 16 & 17 marked T. 24 S. 9 on N. E. R. 27E S. 16 on S. E. S. 17 on S. W. and S. 8 on N. W. face, with 4 notch es on S, and 4 notch es on E. edges, and pits 18 x 18 x 12 ins. in each Sec. 5 1/2 ft. high and raised a mound of earth 2 ft. high 4 1/2 ft. base. around post.

Surface level mesa

Soil 3<sup>rd</sup> rate

Dense catsclaw &amp; Sage bush

East on a random line bet  
Secs 9 & 16

V<sub>a</sub> 2° 25' E

+0.00 Set temporary 1/4 Sec cor

-0.00 Intersect the N &amp; S line at cor

T24 S. R 27E

Chains

to Secs 9, 10, 15 + 16,

Thence I run  
W. on a true line bet  
Secs 9 + 16 with same Va.

40.00

Deposited a marked stone 12 ins in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone  $5\frac{1}{4}$  feet dist and raised  
a mound of earth  $1\frac{1}{4}$  ft. high  $3\frac{1}{4}$  ft. base over

it. In E pit drove a stake 2 ft. long 2 ins.

sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

face.

80.00

The cor to Secs 8, 9, 16 + 17

Surface level mesa

Soil 3<sup>rd</sup> rate

Grass poor

Dense sage catsclaw

and greasewood brush

---

T24 S. R 27 E

Chain

North bet Secs 8 & 9

W.  $120^{\circ} 17' E$

10.00

Deposited a marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

N  $\frac{1}{4}$  S of stone  $5\frac{1}{2}$  feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high  $3\frac{1}{2}$  ft. base over it.

In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W

face.

20.00

Set a post 4 ft. long 4 ins. square, with marked stone, 12 ins. in the ground for Cor. to Secs,

4, 5, 8 & 9 marked T. 24 S S. 4 on N. E. R. 27 E S. 9 on S. E, S, 8 on S, W. and S, 5 on N. W. face, with 5 notch

on S, and 4 notch on E. edges, dug pits 18 x 18 x 12 ins. in each Sec.,  $5\frac{1}{2}$  ft. dist.

and raised a mound of earth 2 ft. high  $4\frac{1}{2}$  ft. base around post.

See around post.

Surface level mesa

Soil 3<sup>rd</sup> rate

Grass fair

Very little brush



T 24 S. R 27 E

Chain

East on a random line  
bet Secs 4 & 9.

$N 12^{\circ} 25' E$ .

Over level Mesa

40.00

79.98

Set temporary  $\frac{1}{4}$  Sec cor  
Intersect the N + S line  
10 links S. of the cor to Secs  
3, 4, 9 + 10.

Thence from

$S 89^{\circ} 56' W$ . on a true  
line bet Secs 4 & 9 with same  $N$ .

39.99

Deposited & marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

E and W of stone 54 feet dist and raised  
a mound of earth 14 ft. high 34 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. or W  
face.

T24 S. R 27E

Chain

79.98

The cor to Secs 4, 5, 8 + 9.

Surface level mesa

Soil 3<sup>rd</sup> rate

Grass poor

Scattering sage + cats claw  
bush

North on a random line  
bet Secs 4 + 5.

of a 12° 17' E.

40.00

Set temporary 1/4 Sec cor

80.10

Intersect the N. bdy. of T<sub>10</sub>  
10 links W. of the cor to Secs  
4, 5, 32 + 33. which is a  
mound and put a stake  
in S.E. put marked T23S.  
S33 on N.E. R27E. S4 on S.E

724 S. R 27 E

chains

724 S. S5 on S W and  
S 32 on N. W. faces with  
4 notches on E. and 2  
notches on W. edges.

Thence I run

S 0° 4' W. on a true line  
bet Secs 4 + 5 with same va.

40.10

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.  
N and S of stone  $5\frac{1}{2}$  feet dist and raised  
a mound of earth  $1\frac{1}{2}$  ft. high  $5\frac{1}{2}$  ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on W  
face.

80.10

The cor. to Secs 4, 5, 8 + 9

Surface level mesa

Soil 3<sup>rd</sup> rate

Grass poor

Scattering Catsclaw + Sage brush



724 S. R 27E

BOOK

1000

48

Chain

From the cor to Secs 17, 18, 19  
+ 20 previously set by me  
from S. on a random line  
of a 12° 25' E

6.60

at 6.60 chs arrive at the  
closing cor to Secs 19 + 20  
on International bdy.  
which is a Quartz stone  
16 x 8 ins above the ground  
marked C.C. with 5 notches  
on E and 1 notch on W. Wedges  
fits and mound of required  
size.

Thence from N. on a  
true line bet Secs. 19 + 20  
with same Va.

T24 S. R 27 E

Chains  
6.60

The cor to Secs 17, 18, 19 & 20  
Surface level mesa  
Soil 3<sup>rd</sup> rate  
Grass fair  
Dense catclaw + Sage brush

---

North bet Secs 17 & 18  
Va 12° 17' E

35.40  
40.00

cross Dry Wash course E

Deposited & marked stone 12 ins. in the ground for  $\frac{1}{4}$  Sec. Cor. dug pits 18 x 18 x 12 ins.

N and S of stone 4 feet dist and raised a mound of earth  $1\frac{1}{2}$  ft. high 3 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on *W* face.

T24 S. R 27 E

Chains  
80.00

Set a post 4 ft long 4 ins. square, with marking  
stone 12 in. in the ground for Cor, to Secs,  
7, 8, 17 + 18 marked T. 3/4 S. 8 on  
N. E. C. 278 S. 17 on S. E. S. 18 on  
S. W. C. S. 7 on N. W. face, with 4 notch  
es on S. and 5 notch es on E. edges, dig  
pits 12 in. 12 x 12 ins. in each Sec., 5 1/2 ft. deep  
and cover with a mound of earth 2 ft. high 1 1/2 ft.  
wide around post.

Surface level Mesa  
Soil 3<sup>rd</sup> rate  
Grass fair  
Cats claw. Sage + Mesquite brush

East on a random line  
bet Secs 8 + 17

Q/a 12° 17' E

40.00

Set temporary 1/4 Sec cor



T24 S. R 27E

Chairs

79.80

Entered the N + S line  
12 links N. of Cor to Secs  
8, 9, 16 & 17.

Hence I run

N 89° 55' W. on a true line  
bet Secs 8 & 17 with same Va.

39.95

Deposited a marked stone 12 ins. in the  
ground for  $\frac{1}{4}$  Sec. Cor. dug pit 18 x 18 x 12 ins.

E and W of stone 54 ft dist and raised  
a mound of earth 14 ft. high 24 ft. base over  
it. In E pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked  $\frac{1}{4}$  S. on N

face.

79.80

The Cor to Secs 7, 8, 17 & 18

Surface level Mesa.

Soil 2<sup>nd</sup> & 3<sup>rd</sup> rate

Grass fair

No. brush

BOOK 1000  
1000

924 S. R 27E

Chains

West on a random line bet  
Secs 7 + 18

Wa 12°17'E

40.00 Set temporary 1/4 Sec cor

79.95 Intersect the W. lay of T<sub>h</sub> 35 lmd  
N. of cor to Secs 7, 12, 13 + 18 which is  
a mound + pits and stake in  
S.E. pit marked. 924 S. S 7 on  
N.E. R 27E S 18. on S.E. R 26E  
S 13 on S.W. and S 12 on N.W.  
faces with 4 notches on S. and  
2 notches on W. ridges

Thence run

N 89°45'E. on a true line  
bet Secs 7 + 18 with same Wa

924 S. R 27E

Chain  
39.95

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins. E and W of stone 3/4 ft. dist and raised a mound of earth 14 ft. high 14 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on N face.

79.95

The cor to Secs 7, 8, 17 & 18  
Surface level mesa  
Soil 3 1/2% rate  
Grass fair  
cats claw Sage & mesquite brush

40.00

N bet Secs 7 & 8  
Ta 12 1/2 7' E

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pits 18 x 18 x 12 ins. N and S of stone 3/4 ft. dist and raised a mound of earth 14 ft. high 14 ft. base over it. In N pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on W face



T24 S. R 27E

Chamis  
0.00

Set a post 4 ft. long 4 ins. square, with marked  
stone, 12 ins. in the ground for Cor. to Secs.  
5, 6, 7 & 8 marked T. 24 S. 5 on  
N. E. R. 27E S. 8 on S. E. S. 7 on  
S, W. and S. 6 on N. W. face, with 5 notches  
on S. and 5 notches on E. edges, dug  
pits 12 x 18 x 12 ins. in each Sec., 5 1/2 ft. dist  
and raised a mound of earth 2 ft. high 4 1/2 ft.  
around post.

Surface level mesa  
Soil 3<sup>rd</sup> rate  
Grass fair  
Very little brush

East on a random line bet  
Secs 5 & 8

Q/a 12° 17 E

40.00

Set temporary 1/4 Sec cor

chain  
79.92

Intersect the N + S line  
11 links S. of cor to Secs 4, 5  
8 + 9.

Thence Iron

S 89° 55' W. on a true  
line bet Secs 5 + 8 with same Pa.

39.96

Deposited & marked stone 12 ins. in the  
ground for E Sec. Cor. dug pit 18 x 18 x 12 ins.  
E W of stone 54 feet dist. a raised  
bank of earth 1 1/2 ft. high on ft. base over  
E pit drove a stake 2 ft. long 2 ins.  
in the ground marked 1/2 S. on N

79.92

The cor to Secs 5, 6, 7 + 8  
Surface level mesa  
Soil 3 1/2% rate  
Grass poor  
Scattering Cateclaw + large brush

T 24 S. R 27 E

Main

West on a random line  
bet Secs 6 + 7

Va 12° 17' E

40.00  
80.10

Set temporary 1/4 Sec cor  
Intersect the W. bdy. of Tp  
20 links N. of cor to Secs  
1.6. 7 + 12 which is a mound  
and pits in S.E. put a  
stake marked T 24 S. S 6 on  
N.E. R 27 E. S. 7 on S.E  
R 26 E. S. 12 on S.W. and S 1  
on N.W. faces with 5 notches  
on S and 1 notch on N edges.

Thence run

N 89° 51' E. on a true line  
bet Secs 6 + 7 with same Va.



T24 S. R 27 E

Chavis

40.10

Deposited a marked stone 12 ins. in the ground for 1/4 Sec. Cor. dug pit 18 x 18 x 12 ins. E and W of stone 2 1/2 feet dist and raised a mound of earth 2 1/2 ft. high 2 1/2 ft. base over it. In E pit drove a stake 2 ft. long 2 ins. sq. 12 ins. in the ground marked 1/4 S. on N

80.10

The cor. to Secs 5, 6, 7 & 8  
 Surface level mesa  
 Soil 3<sup>rd</sup> rate  
 Grass fair  
 Scattering Mesquite cats claw  
 and Sage brush

North on a random line  
 bet Secs 5, 7 & 6

Wa 12° 17' E

40.00

Set temporary 1/4 Sec cor

524 SR 27E

ains  
1.00

Intersect the N. bdy. of T<sub>p</sub>  
15 links E. of cor to Secs 5, 6, 31 & 32  
which is a mound and  
sets a stake in S.E. pit  
marked T23 S. S32 on N.E  
R 27E. S5 on S.E T24 S. S6  
on S. W. and 31 on N.W.  
faces with 5 notches on E  
and 1 notch on W edges

Thence from

S0° 6' E. on a true line  
bet Secs 5 & 6 with same Pa

40.00

Deposited a marked stone 12 ins. in the  
ground for Sec. Cor. dug pits 18 x 18 x 12 ins.  
N and S of stone 1/4 feet dist and raised  
a mound of earth 1/4 ft. high 1/4 ft. base over  
it. In N pit drove a stake 2 ft. long 2 ins.  
sq. 12 ins. in the ground marked 1/4 S. on W  
face.

59  
BOOK 1000  
T24S. R 27E

Chains

\$0.00

The cor to Secs 5-6-7+8  
Surface level mesa  
Soil 3<sup>rd</sup> rate  
Grass fair  
Scattering Cateclaw and  
Sage brush

---

I carefully examined the  
adjustments of my solar  
transit to day particularly  
the latitude and reversing  
apparatus and found them  
correct

---



724 S. R 27E

## General Description

Laine

This township ascends gradually from the White river which flows through the center of the Tp.

The township is a fair grazing country.

The soil is poor. Water is found in the Valley only in the wet season.

A S. Smith has a house and corral in the N.W. 1/4 of Sec 15.

For final outth see  
Book No. 15

924 S. R 27E

U. S. Surveyor General's Office,

Tucson, Arizona, May 11 - 1885

The foregoing Field Notes of the Survey of the

subdivisional  
lines of Twp 24 S. R  
27 E -

BOOK 1000

of the Gila and Salt River Base and Meridian, Arizona, execu-

ed by Lewis Wolfley  
Deputy Surveyor, under his contract of the 11<sup>th</sup>

day of November, 1884 having been

critically examined and the necessary corrections and explana-

tions made, the said Field Notes and the surveys they describe

are hereby approved

Royal A. Johnson  
Surveyor General.