

1003

BOOK 1003

1003

F I E L D N O T E S
O F T H E S U R V E Y O F T H E
L I N E S U B D I V I D I N G

T. 2 N., R. 1 W. into 40 Acre
Tracts.

Colorado River Base and
Meridian, and

(Township 9 North, Range 20 West,)

(Gila and Salt River Base and
Meridian,)

ARIZONA.


By Chandler Robbins, D. S., under
Contract dated May 26, 1875.

Survey commenced Jan. 2, 1876

Survey completed Jan. 12, 1876.

Township 2 N. Range 1 W.

Gila and Salt River Meridian.



No. 1003

Subdivision of Section 36
East in a random line through
S. 1/2.

Va 14° E -

- 20.00 Set temp 1/16 Sec. Cor.
- 40.00 Set temp 1/16 Sec cor
- 60.00 Set temp 1/16 Sec cor
- 80.00 Instst N + S. line at 1/16 Sec cor
from which cor I ran west on a
true line.
- 20.00 Deposited a marked Stone. Set a Mes-
quite post 4 ft long 2. in. Square 12.
in. in earth marked 1/16 on N. Side dug
spits N + S - 18 in Square 12 in. deep.
Raised a mound of earth 4 1/2 ft. in
diam + 2. ft. high for 1/16 Sec. Cor.
- 40.00 Deposited a marked Stone. Set a Mesquite
post 4. ft long 2. in. Square 12. in. in earth
marked 1/16 on N. Side. dug spits N. + S 18
in Square 12. in. deep. Raised a mound

Township, 2. N. Range, 1. W. of.

Chambers

of earth $4\frac{1}{2}$ ft. in diam + 2 ft high
for $\frac{1}{16}$ Sec. cor.

60.00 Deposited a marked stone. Set a post
4 ft long 2 in square 12 in. in earth
marked $\frac{7}{16}$ on N side. dug pits N + S 18 in
square 12 in deep raised a mound of
earth $4\frac{1}{2}$ ft in diam + 2 ft high for
 $\frac{1}{16}$ Sec. cor

80.00 the $\frac{1}{16}$ sec. cor.
Land level Soil 1st rate
Mesquite, Arrowweed, Palo Verde, and
Creosote bushes

Went in a random line through Centre
of Sec 36

Var 141° E.

20.00 Set temp $\frac{1}{16}$ Sec cor
40.00 Set temp $\frac{1}{4}$ Sec cor
60.00 Set temp $\frac{1}{16}$ Sec cor

Colorado River Meridian

Claims

- 80.10 Intersect at $\frac{1}{4}$ Sec cor from which
cor. I ran east on a true line
- 20.02 Deposited a marked Stone. Set a post
4 ft long 2 in square 12 in. in earth
marked $\frac{1}{16}$ on N side dug pits N & S.
18 in square 12 in deep raised a
mound of earth $\frac{1}{2}$ ft. in diam + 2
feet high for $\frac{1}{16}$ Sec cor
- 40.05 Deposited a marked Stone. Set a post
4 ft long 2 in square in 12 in in earth
marked $\frac{1}{16}$ on N side. dug pits N
& S. 18 in square 12 in deep. raised
a mound of earth $\frac{1}{2}$ ft in diam
& 2 ft high for $\frac{1}{16}$ Sec cor
- 60.07 Deposited a marked Stone Set a post
4 ft long 2 in square 12 in. in earth
marked $\frac{1}{16}$ on N. side dug pits N
& S. 18 in square 12 in deep. raised a
mound of earth $\frac{1}{2}$ ft in diam + 2
feet high for $\frac{1}{16}$ Sec cor

Township 2. N. Range 1 W. of.

Chains

8010 The $\frac{1}{4}$ Sec. cor. Land line Sec 1 st.
rule. Mesquite, Arrowwood, & Crassto bushes
on 2^d $\frac{1}{2}$ mile

East on a random line through
 $N \frac{1}{2}$ of Sec 36

Run 14 $\frac{1}{2}$ E.

14.00 Intersect Road. Come N.E. + S.W.

20.00 Set temp $\frac{1}{16}$ Sec cor

40.00 Set temp $\frac{1}{16}$ Sec. cor

60.00 Set temp $\frac{1}{16}$ Sec cor

8010 Intersect at $\frac{1}{16}$ Sec cor

From which cor. I ran west
on a true line

2002 Deposited a Marked Stone Set a
Mesquite post 4 ft long 2 in square
12 in in earth marked $\frac{1}{16}$ on N
Side. dug pits N + S. 18 in square

Colorado. River, Meridian

Stations

- 12 in deep. raised a mound of earth $4\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{16}$ Sec cor
- 40.05 Deposited a marked Stone. Set a Mesquite post 4 ft long 2 in Square 12 in in earth marked $\frac{1}{16}$ on N Side dug pits N + S. 18 in Square 12 in deep. raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec cor
- 60.07 Deposited a marked Stone Set a Willow post 4 ft long 2 in. Square 12 in. in. earth marked $\frac{1}{16}$ on N Side dug pits N. + S. 18 in Square 12 in deep. raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec cor
- 80.10 Intersect - at the $\frac{1}{16}$ Sec cor
Lana level. Soil 1st rate
Willow, Cottonwood, Mesquit Amaranth +

Township 2. N. Range 1. W. of.

Chassis

Subdivision of Section 25 met on a
random line through S $\frac{1}{2}$

Va 14° E

- 20.00 Set temp $\frac{1}{16}$ Sec. cor.
 28.04 Road N.E. + S.W.
 40.00 Set temp $\frac{1}{16}$ Sec. Cor
 52.00 Irrigating Canal. Corner S.
 60.00 Set temp $\frac{1}{16}$ Sec. cor
 70.00 Dry Slough Corner S. 100 Lk's wide
 80.16 Intersect with 10 Links N. of ~~X~~ ^{$\frac{1}{16}$} Sec cor. which
 cor. I ran N 89° 43' E on a true line
- 20.04 Deposited a marked Stone, set a
 Mesquit post 4 ft long 2 in. diam.
 12 in. in earth marked $\frac{1}{16}$ on N side
 dug pits N. + S. 18 in. square 12 in
 deep, raised a mound of earth $4\frac{1}{2}$
 ft. in diam. + 2 ft high for $\frac{1}{16}$ Sec
 cor.
- 40.08 Deposited a marked Stone, set a Mesquit

Colorado River Meridian

Spain

Post 4 ft. long 2 in square 12 in. in earth
marked $\frac{1}{16}$ on N. side. dug pits N. + S 18 in
square 12 in. deep. raised a mound of
earth $\frac{1}{2}$ ft. in diam. + 2 ft. high for $\frac{1}{16}$
See Cor

60, 12

Deposited a marked stone. Set a Mesquite post
4 ft. long 2 in square 12 in. in earth marked
 $\frac{1}{16}$ on N. side. dug pits N. + S. 18 in. square
12 in. deep. raised a mound of earth $\frac{1}{2}$ ft.
in diam + 2 ft. high for $\frac{1}{16}$ See Cor

8016

The $\frac{1}{16}$. See Cor. Land level Soil 1st
rate. Mesquite Arrowweed, willow + Cotton
wood on last $\frac{1}{2}$ mile

East on a random line through
of Sec 25

Va. 14" E

12,50

Dry Slough 80 Lks wide Course, S.

20.00

Set tenth $\frac{1}{16}$ See Cor

2510

Irrigating Canal Course, S.

Township 2. N. Range, 1. W. of.

Chambers

- 40.00 Set temp $\frac{1}{4}$ sec. cor.
- 60.00 Set temp $\frac{1}{16}$ sec. cor.
- 80.12 Entered N + S. line s. Lks N. of
 $\frac{1}{4}$ sec. cor. from which cor I run
N. $89^{\circ}57'$ W. on a true line
- 20.03 Deposited a Marked Stone, Set a willow post
4 ft long, 2 in. Square, 12 in. in earth marked
 $\frac{1}{16}$ on N. Side dug pits N + S. 18 in Square
12 in. deep. raised a mound of earth $4\frac{1}{2}$
ft. in diam + 2 ft high for $\frac{1}{16}$ sec cor
- 40.06 Deposited a Marked Stone, Set a Mesquit
post, 4 ft long, 2 in. Square, 12 in. in earth
marked $\frac{1}{4}$. & . . . on N. Side, dug pits, N.
+ S. 18 in. Square, 12 in. deep. raised a
mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high
for $\frac{1}{4}$ sec. cor.
- 60.09 Deposited a Marked Stone, Set a Mesquit
post 4 ft long, 2 in. Square, 12 in. in earth
marked $\frac{1}{16}$ on N. Side dug pits N + S. 18 in
Square, 12 in. deep. raised a mound

Colorado River Meridian.

Chamie

of earth $4\frac{1}{2}$ ft. in diam + 2 ft high for
 $\frac{1}{16}$ Sec. Cor.

80,12 The $\frac{1}{4}$ Sec. cor

Land low. Soil 1st rate. Mesquite, Arrow weed,
 + Willow on Nth $\frac{1}{2}$ Mile

Must on a random line through cr. $\frac{1}{2}$
 of Sec 25.

Va $14^{\circ} E$

20.00 Set. temp. $\frac{1}{16}$ Sec. cor.

40.00 Set temp $\frac{1}{16}$ Sec. cor

44.00 Irrigating Canal Course, S.

60.00 Set temp $\frac{1}{16}$ Sec. cor.

70.72 Dry Slough 120 Lks. wide Course, S.

80,20 Intersected N. + S. line 24 Lks S. of $\frac{1}{16}$
 Sec. cor. from which course I ran $S 89^{\circ} 50'$
 E. on a true line

2005 Deposited a marked Stone, Set. a. Pillow
 post 4 ft long, 2 in. square 12 in. in diam
 marked $\frac{1}{16}$ on N Side, dug pits N. & S.

Township 2. N. Range 1, W. of

Chains

18 in. Square, 12 in deep, raised a mound
of earth $4\frac{1}{2}$ ft in diam + 2. ft high
for $\frac{1}{16}$ Sec Cor

4010 Deposited a marked Stone, Set a Mosquito
past, 4 ft long, 2. in. Square 12 in. in earth
marked $\frac{1}{16}$ on N. Side, dug pits N + S. 18
in. Square, 12 in. deep, raised a mound
of earth $4\frac{1}{2}$ ft. in diam + 2. ft
high for $\frac{1}{16}$ Sec. Cor.

6015 Deposit a marked Stone, Set a
Mosquito Past, 4 ft long, 2. in. Square
12 in. in earth, marked $\frac{1}{16}$ on N.
Side, dug pits N. + S. 18. in. Square
12 in deep, raised a mound of earth
 $4\frac{1}{2}$ ft. in diam + 2. ft high for $\frac{1}{16}$
Sec. Cor

80,20 The $\frac{1}{16}$ Sec. cor. Land level Soil
1. et. rate, Mosquit + Arrowweed on
2. d $\frac{1}{2}$ mile

Colorado, Rivis. Meridian

Lamas

Subdivision of Section 24, East on a
random line through S $\frac{1}{2}$
W $\frac{1}{4}$ 14° E.

- 20.00 Set-temp $\frac{1}{16}$ Sec. cor.
21.00 Irrigating Canal
40.00 Set-temp $\frac{1}{16}$ Sec. cor
60.00 Set-temp $\frac{1}{16}$ Sec. cor
80.06 Intersect. E. boundary 21. Lks. N. $\frac{1}{16}$ Sec. cor. from
which cor. I ran N. 89° 51' W. on a true line
- 20.01 Deposited a marked Stone, Set a Mesquite
post, 4 ft long 2. in square 12 in. in length
marked $\frac{1}{16}$ on N. Side. dug pits, N. + S.
18. in square 12 in. deep, raised a mound
of earth $\frac{1}{2}$ ft. in diam + 2. ft. high for
 $\frac{1}{16}$ Sec. cor
- 40.03 Deposited a marked Stone, Set a Mesquite
post, 4 ft long 2. in. square 12 in. in
length, marked $\frac{1}{16}$ on N. Side. dug pits
N. + S. 18 in square 12 in. deep, raised a
mound of earth $\frac{1}{2}$ ft. in diam + 2. ft

Township, 2. N., Range, 1. W. of.

Lehman

- 60.04 High for $\frac{1}{16}$ Sec. cor
 Deposited a marked Stone, Set a Cottonwood
 post 4 ft. long 2. in square 12 in. in earth
 marked $\frac{1}{16}$ on N. Side, dug pits N. + S 18 in
 square 12 in deep, raised a mound of earth
 $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec. cor.
- 80.06 The $\frac{1}{16}$ Sec. cor. Land Rolling serie.
 Sandy 3rd rate Mesquite + Arrowweed

Traced on a random line through
 Centre of Sec 24

Va 14° E.

- 20.00 Set temp $\frac{1}{16}$ Sec. cor.
- 40.00 Set temp $\frac{1}{4}$ Sec. cor
- 53.00 Irrigating Canal corner S.
- 60.00 Set temp $\frac{1}{16}$ Sec. cor
- 79.92 Intersect N + S line 40 Lts. S. of $\frac{1}{4}$ Sec. cor.
 which Cor. I ran S. 89° 43' N. on a true line
- 19.98 Deposited a marked Stone, Set a Mesquite
 post 4 ft long 2. in. square 12 in. in earth

Colorado, Riv. Meridian.

Census

marked $\frac{1}{16}$ on N. side, dug pits N+S 18 in.
 Square 12 in. deep raised a mound of
 earth $4\frac{1}{2}$ ft. in diam + 2 ft high for
 $\frac{1}{16}$ Sec. cor

39.96 Deposited a marked Stone, set a Mercury
 post 4 ft. long 2 in. square 12 in. in
 length marked $\frac{1}{4}$ on N side, dug pits N.
 + S. 18 in. square 12 in. deep, raised a
 mound of earth $4\frac{1}{2}$ ft. in diam + 2 ft
 high for $\frac{1}{4}$ Sec cor

59.94 Deposited a marked Stone, set a Mercury
 post 4 ft. long 2 in. square 12 in. in length
 marked $\frac{1}{16}$ on N. side, dug pits N+S.
 18 in. square 12 in. deep, raised a mound
 of earth $4\frac{1}{2}$ ft in diam. + 2 ft high
 for $\frac{1}{16}$ Sec cor

79.92 Interval N+S. line 40 Lks. S. of $\frac{1}{4}$ Sec. cor.
 Land rolling, soil, sandy 3^d rate

Township, 2, N. Range 1, W. of,

Cahoon's

East on a random line through N. 1/2
of Sec 24

Va 14° E.

- 20.00 Set temp 1/16 Sec. cor
- 32.20 Irrigating Canal Course S.W.
- 40.00 Set temp 1/16 Sec. cor
- 60.00 Set temp 1/16 Sec. cor
- 79.80 Intersect. E. boundary 40. Lk's N. of 1/16 Sec. Cor. firm
which course I run N. 89° 43' west
- 19.95 Deposited a marked Stone, Set a Mosquito
post - 4 ft long 2 in square, 12 in. in earth
marked 1/16 on N. side, dug spits N. + S. 18 in.
square 12 in. deep, raised a mound of
earth 1/2 ft. in diam + 2 ft. high for 1/16 sec. cor.
- 39.90 Deposited a marked Stone, Set a Mosquito
post - 4 ft long 2 in. square, 12 in. in earth
marked 1/16 on N. side, dug spits N. + S. 18 in.
square 12 in deep, raised a mound of
earth 1/2 ft. in diam. + 2 ft high for
1/16 Sec. cor.

Colorado River Meridian

Claims

- 59.85 Departed a marked stone, Set a. Moquette
 post 4 ft. long 2 in. square, 12 in. in earth
 marked $\frac{1}{16}$ on N. side, dug pit's N. & S.
 18 in square, 12 in. deep, raised a
 mound of earth $4\frac{1}{2}$ ft. in diam + 2 ft.
 high for $\frac{1}{16}$ sec cor
- 79.80 The $\frac{1}{16}$ sec. cor.
 Land rolling, soil sandy 3^d rate

Subdivision of Section 13
 met on a random line through $S\frac{1}{2}$
 Va 14° E.

- 20.00 Set temp $\frac{1}{16}$ sec. cor.
- 40.00 Set temp $\frac{1}{16}$ sec. cor.
- 48.50 Irrigating Canal. Corund, S.
- 60.00 Set temp $\frac{1}{16}$ sec. cor.
- 79.80 Intersect. N. & S. line 241 N. of $\frac{1}{16}$ sec. cor.
 from which Cor. I ran N. $89^{\circ}50'$ E on a
 true line

Township, 2. N. Range, 1 W. of

Chain

- 19.95 Deposited a marked Stone, set a Mesquite post - 4 ft. long, 2 in. square, 12 in. in Earth marked $\frac{1}{16}$ on N. S. side, dug pits N + S, 18 in. square, 12 in. deep, raised a mound of earth $\frac{1}{2}$ ft. in diam + 2 ft. high for $\frac{1}{16}$ Sec. cor.
- 39.90 Deposited a marked Stone, set a Mesquite post - 4 ft. long, 2 in. square, 12 in. in earth marked $\frac{1}{16}$ on N. S. side, dug pits N + S, 18 in. square, 12 in. deep, raised a mound of earth $\frac{1}{2}$ ft. in diam, + 2 ft. high for $\frac{1}{16}$ Sec. cor.
- 59.85 Deposited a marked Stone, set a Mesquite post - 4 ft. long, 2 in. square, 12 in. in earth marked $\frac{1}{16}$ - on N. side, dug pits N + S, 18 in. square, 12 in. deep, raised a mound of earth, $\frac{1}{2}$ ft. in diam + 2 ft. high for $\frac{1}{16}$ Sec. cor.
- 79.80 The $\frac{1}{16}$ Sec. cor. Land rolling, soil sandy, 2^d rule, Mesquite & Weeds

Colorado, Riv. Meridian

Mans

East on a random line through Centre,
of Sec 13-

Pa 14° E.

20.00 Set temp $\frac{1}{16}$ Sec. cor.

40.00 Set temp $\frac{1}{4}$ Sec. cor.

60.00 Set temp $\frac{1}{16}$ Sec. cor

64.00 Irrigating Canal Corner, S.

79.44 Intersect at $\frac{1}{4}$ Sec. cor. From which, cor
I ran, W, on a true line

1986 Deposited a marked Stone, set a Willow
post, 4 ft long, 2 in. Square, 12 in. in earth
marked $\frac{1}{16}$ on N. side, dug pits N + S. 18 in.
Square 12 in deep, raised a mound of Earth
 $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec. cor.

39.72 Deposited a marked Stone, set a Willow
post, 4 ft long, 2 in. Square 12 in. in
earth marked $\frac{1}{4}$ on N. side dug pits
N + S. 18 in Square 12 in deep, raised a
mound of Earth $4\frac{1}{2}$ ft in diam + 2 ft
high for $\frac{1}{4}$ Sec cor

Chain

Township 2, N. Range 1 St. of

- 5958 Deposited a Marked Stone, set a Mesquite post 4 ft long 2 in square, 12 in. in diam marked $\frac{1}{16}$ on N. Side, dug pits N + S. 18 in. Square 12 in deep, raised a mound of Earth $4\frac{1}{2}$ ft in diam, + 2 ft high for $\frac{1}{16}$ Sec. Cor.
- 7944 The $\frac{1}{16}$ Sec. cor. Land Cor. Soil 1st rate Mesquite, arrowweed, willow + Cottonwood
- July 2^d 1876

Subdivision of Section 13
 West on a random line through N. $\frac{1}{2}$
 Va. 14° E.

- 1680 Irrigating Canal Cross. S.
- 20.00 Set temp $\frac{1}{16}$ Sec. Cor.
- 40.00 Set temp $\frac{1}{16}$ Sec. Cor
- 60.00 Set temp $\frac{1}{16}$ Sec. Cor
- 79.80 Intersect. N. + S line 36 lks S. of $\frac{1}{16}$ Sec cor
 from which cor I run S. 89° 45' E. on a true line

Colorado River Meridian

Chambers

- 1982 Deposited a marked stone, set a post 4 ft long 2 in square 12 in in earth marked $\frac{1}{16}$, on N. side, dug pits N. + S. 18 in square 12 in deep, raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec cor.
- 39.65 Deposited a marked stone, set a mesquite post 4 ft long 2 in square 12 in in earth marked $\frac{1}{16}$, on N. side, dug pits N. + S. 18 in square 12 in deep, raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec cor.
- 59.47 Deposited a marked stone, set a mesquite post 4 ft long 2 in square 12 in in earth marked $\frac{1}{16}$, on N. side, dug pits N. + S. 18 in square 12 in deep, raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec cor.

Township 2. N. Range 1. W. of
Chewis

79.30 Set $\frac{1}{16}$ Sec. Cor.
Land level. Soil sandy.
2^d rate Arrowweed. Willow &
Mesquite.

Subdivision of Section 12
East on a Yandron line through
 $8\frac{1}{2}$

Va $14^{\circ} E$

20.00 Set temp $\frac{1}{16}$ Sec. Cor.
40.00 Set temp $\frac{1}{16}$ Sec. Cor
60.00 Set temp $\frac{1}{16}$ Sec. Cor
79.20 Intersects E. boundary 40. Ch's S. of $\frac{1}{16}$ Sec. cor
from which Cor 9 ran S. $89^{\circ} 43'$ W. on a
true line
19.80 Deposited a marked Stone, Set a Willow
post - 4 ft - long 2. in. square 12 in. in earth
marked $\frac{1}{16}$. on N. Side. dug pits N + S.

Colorado River, Meridian

Charris

18. in Square 12 in deep, raised a mound of Earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec. cor.

39.60

Deposited a marked Stone, Set a Cottonwood post 4 ft long 2 in Square 12 in. in earth marked $\frac{1}{16}$ on N. Side, dug, spots N. + S.

18. in. Square 12 in. deep raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec cor

59.40

Deposited a marked Stone Set a Willow post 4 ft long 2. in Square 12. in. in earth marked $\frac{1}{16}$ on N. Side, dug, spots N. + S.

18 in. Square 12 in deep, raised a mound of earth $4\frac{1}{2}$ ft in diam + 2. ft high for $\frac{1}{16}$ Sec. Cor.

79.20

The $\frac{1}{16}$ Sec. Cor, Land level soil Sandy 2^d rate. Arrowweed, Willow Mesquits + Cotton wood

Township 2. N. Range, 1. W. of

Met on a random line through
Centre of Sec 12

W 14° E.

- 20.00 Set temp $\frac{1}{16}$ Sec. cor.
- 40.00 Set temp $\frac{1}{4}$ Sec cor
- 60.00 Set temp $\frac{1}{16}$ Sec. cor
7916. Intersect N + S. line 36 Lks N. of $\frac{1}{4}$ Sec. cor
from which Cor I run N. $89^{\circ}45' E$ on
a true line
- 19.79 Deposited a marked Stone Set a Cottonwood
post 4 ft long 2 in. Square 12 in, in earth
marked $\frac{1}{16}$, on N. Side, dug pits N + S.
18. in Square 12. in. deep, raised a mound
of Earth $4\frac{1}{2}$ ft. in diam + 2. ft. high
for $\frac{1}{16}$ Sec. Cor.
- 3958 Deposited a marked Stone. Set a Willow
post 4 ft long 2. in. Square 12 in, in
earth marked $\frac{1}{4}$ on N. Side. dug pits
N. + S. 18. in. Square 12 in. deep, raised
a mound of Earth $4\frac{1}{2}$ ft. in diam

Colorado. River Meridian

Lohanis

+ 2 ft high for $\frac{1}{4}$ Sec, cov.

5937

Deposited a marked Stone, Set a Willow
 post 4 ft long 2 in square 12 in, in
 Earth. Marked $\frac{1}{16}$ on N. Side, dug pits
 N. + S. 18 in square, 12 in deep, raised
 a mound of Earth $4\frac{1}{2}$ ft in diam
 + 2 ft high for $\frac{1}{16}$ Sec east

79.16

The $\frac{1}{4}$, Sec, cov. Land level, Soil
 Sandy 2^d rate. Arrowweed, willow,
 Mesquite + Cottonwood

Subdivision of Section 12

West-through N. $\frac{1}{2}$ on true line
 $\text{W } 14^{\circ} \text{ E.}$

20.00

Deposited marked Stone Set a Cottonwood
 post 4 ft long 2 in square 12 in, in
 Earth. Marked $\frac{1}{16}$ on N. Side dug pits
 N + S. 18 in square 12 in deep raised a
 Mound of Earth $4\frac{1}{2}$ in diam + 2 ft

Township 2. N. Range 1. W. of

Cramer

Lynch Div $\frac{1}{16}$ Sec. Cor.

40,00

Deposited a marked Stone, Set a Willow post 4 ft. long 2 in Square 12 in, in earth marked $\frac{1}{16}$ on N. Side dug pits N. & S. 18 in Square 12 in deep raised a mound of Earth $4\frac{1}{2}$ ft. in diam + 2 ft. high for $\frac{1}{16}$ Sec Cor

56,40 Bank of River S. S. W.

Left bank of Colorado River, come South, about 20.00 Chs wide, deep Swift-Current-and low banks, Deposited marked Stone, Set Willow post 4 ft long 2 in Square 12 in, in earth marked N.E. on N. Side, dug pits N. & S. 18 in Square, 12 in deep and raised mound of earth $4\frac{1}{2}$ ft. in diam, 2 ft high for Meander corner

Land, level, Soil. Sandy 2^d rate

Arrow weed, Willow, Mesquite & Cottonwood

Colorado, Rio Rio Meridiano

Chamiso

Subdivision of Section 1

Mud on a true line through S/2

Va. 14° E.

14.00

Bank of Rio. Course, S. S. W. 30.00 Chs.
wide. deep swift Current and low banks
Deposited marked Stone set willow post
4 ft long, 2 in square, 12 in in length
marked M.C. on N. side dug post N. & S 18 in
square, 12 in deep and raised mound of
earth 4 1/2 ft in diam, 2 ft high for
Meridm. corner

Land level, Soil sandy, 1st rate. Willows
Arrow weed, Mesquite, and Cottonwood.

Subdivision of Section 1

Mud through Centre on a true line

Va 14° E.

3.22

Bank of Rio. Course S. S. W. 30.00 Chs
wide. deep swift Current and low banks

26.

BOOK 1003

Township 2. N. Range 1. W. of

Chains

Deposited marked stone, set willow post
 4 ft long, 2 in. square 12 in. in earth
 marked M.C. or N. Side dug pits N. + S.
 18 in square 12 in deep, and raised
 mound of earth $4\frac{1}{2}$ ft in diam 2 ft
 high. For McCarden Corners
 Land level. Soil 1st rate. Willow
 Arrowweed, + Cottonwood

Jan 3^d 1876

Submission of Section 35-

Met on a random line through S. $\frac{1}{2}$ W
 Va 14th E.

11.00	Road C. N.E + S.W.
20.00	Set temp $\frac{1}{16}$ Sec. cor
40.00	Set temp $\frac{1}{16}$ Sec. cor
60.00	Set temp $\frac{1}{16}$ Sec. cor
64.60	Dry Slough 60 Lks. wide N.E. + S.W.
80.00	Intersect - N + S. line at $\frac{1}{16}$ Sec. cor.

Colorado River Meridian.

Mamie

from which, Cor. I ran E. on a true
line

20.00 Deposited a marked Stone, Set a Mesquite
post 4 ft. long, 2 in. Square, 12 in. in diam
marked $\frac{1}{16}$ in. N. Side, dug pits N. & S.
18. in Square, 12 in. deep, raised a
mound of Earth, $4\frac{1}{2}$ ft. in diam + 2 ft
high for $\frac{1}{16}$ Sec. cor

40.00 Deposited a marked Stone, Set a Mesquite
post 4 ft. long 2 in. Square, 12 in. in
Earth. Marked $\frac{1}{16}$ in N. Side, dug pits
N. & S. 18. in. Square, 12 in. deep, raised
a mound of Earth, $4\frac{1}{2}$ ft. in diam + 2 ft
high for $\frac{1}{16}$ Sec. cor

60.00 Deposited a marked Stone, Set a Mesquite
post 4 ft long 2 in Square 12 in in
Earth marked $\frac{1}{16}$ in N. Side, dug pits
N. & S. 18. in Square 12 in deep, raised
a mound of Earth $4\frac{1}{2}$ ft. in diam + 2 ft
high for $\frac{1}{16}$ Sec - Cor

28.

BOOK 1003

Township 2. N. Range 1. W. of
Chains

80.00 The $\frac{1}{16}$ Sec. Cor, Locus, level, Soil
1st rate. Mesquite, Arrowweed + Willows

Subdivisions of Section 35
East on a random line through center
Va 14° E.

20.00 Set temp $\frac{1}{16}$ Sec. cor

40.00 Set temp $\frac{1}{4}$ Sec. Cor

41.10 Dry Slough Come N.E + S.W.

60.00 Set temp $\frac{1}{16}$ Sec Cor

78.60 Road. Come N.E + S.W.

79.92 Intersect - N + S, line 12 Lts. N. of $\frac{1}{4}$ Sec. cor
from which Cor I. run N. $89^{\circ} 55'$ W. on a
true line.

19.98 Depainted a marked Stone, set a. Willow
post - 4 ft. long 2. in Square, 12 in. in length
marked $\frac{1}{16}$ on N. Side. dug. pits N + S. 18 in
Square, 12 in deep, raised a mound of
Earth $4\frac{1}{2}$ ft. in diam + 2. ft high

Colorado River Meridian

Chambers

- for $\frac{1}{16}$ Sec. Cor
- 3996 Departed a marked Stone, Set a Millard
post 4 ft. long 2 in. Square 12 in. in earth
marked $\frac{1}{4}$ in. N. Side, dug pits N. & S.
18 in. Square 12 in. deep, raised a
mound of Earth $4\frac{1}{2}$ ft. in diam + 2 ft
high for $\frac{1}{4}$ Sec. cor
- 59.94 Departed a marked Stone, Set a Willow
post 4 ft. long, 2 in. Square 12 in. in
earth marked $\frac{1}{16}$ in. N. Side, dug
pits N. & S. 18 in. Square, 12 in. deep,
raised a mound of Earth $4\frac{1}{2}$ ft. in
diam + 2 ft high for $\frac{1}{16}$ Sec. cor.
- 79.92 The $\frac{1}{4}$ Sec. Cor. Land bet. Sec
1st rate Mesquite, Arrowweed & Willow

Township, 2, N., Range, 1, W. of

Chain

Subdivision of Section 35
 met on a random line through N. 1/2
 Va 14° E

1320 Dry Slough, course N.E. + S.W.

2000 Set temp 1/6 Sec cor

40.00 Set temp 1/6 Sec. cor

60.00 Set temp 1/6 Sec. cor

79.92 Intersect N. + S. line at 1/6 Sec cor,
 from which cor. I ran E. on a true line

19.98 Deposited a marked Stone, Set. a. Willard
 post: 4 ft long 2 in. square 12 in. in earth
 marked 1/6, on N. Side, dug pits N. + S.
 18 in. square, 12 in. deep, raised a mound
 of Earth 4 1/2 ft. in diam. + 2 ft high
 for 1/6 sec. cor.

39.97 Deposited a marked Stone, Set. a. Willard
 post: 4 ft long 2 in. square 12 in. in
 earth. Marked 1/6, on N. Side, dug pits
 N. + S. 18 in. square, 12 in. deep, raised
 mound of Earth 4 1/2 ft. in diam for 1/6 sec. cor

Colorado River, Meridian

Spain's

- 59.95 Deposited a marked Stone, Set. a Mesquite post 4 ft long 2 in. Square 12 in. in earth marked $\frac{1}{16}$ in N. Side, dug pits N + S. 18 in square 12 in deep. raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec cor
- 79.92 The $\frac{1}{16}$ Sec. cor. Land covered, some 1st rate, Mesquite, Willow, Cottonwood + Arrowweed

Subdivision of Section 26

Put on a random line through S $\frac{1}{2}$
 Va 14° E

- 20.00 Set temp $\frac{1}{16}$ Sec. cor
- 44.00 Set temp $\frac{1}{16}$ Sec. cor
- 60.00 Set temp $\frac{1}{16}$ Sec. cor
- 80.32 Entered N + S. line at $\frac{1}{16}$ Sec cor
 from which cor I ran, E. on a true line.

Township, 2. N. Range 1 W. of

Chamis

- 2008 Deposited a marked Stone, Set a Mesquite post 4 ft long 2 in Square 12 in, in earth marked $\frac{1}{16}$ on N. Side, dug pits N+S. 18 in Square 12 in deep, raised a mound of Earth $4\frac{1}{2}$ ft. in diam + 2 ft high. for $\frac{1}{16}$ Sec Cor
- 4016 Deposited a marked Stone, Set a Mesquite post 4 ft long 2 in Square 12 in, in earth marked $\frac{1}{16}$ on N. Side, dug pits N+S. 18 in. Square 12 in deep, raised a mound of Earth $4\frac{1}{2}$ ft in diam. + 2 ft high for $\frac{1}{16}$ Sec. cor.
- 6024 Deposited a marked Stone, Set a Mesquite post 4 ft long 2 in. Square 12 in, in earth marked $\frac{1}{16}$ on N. Side, dug pits N+S. 18 in. Square 12 in deep, raised a mound of earth $4\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{16}$ Sec Cor
- 8032 The $\frac{1}{16}$ Sec Cor. Lard Ceed, Suis 1st rate. Mesquite, Arrowweed, and Willow

Colorado River, Meridian

Main

Subdivision Section 26

East on a random line through Centre
to 14° E

- 00.00 Set temp $\frac{1}{16}$ sec cor
- 00.00 Set temp $\frac{1}{4}$ Sec cor
- 00.00 Set temp $\frac{1}{16}$ Sec cor
- 8020 Intersect N. + S. line 12. lks. S. of $\frac{1}{4}$ Sec cor
from which cor I run, S. $89^{\circ}55'$ W. on a
true line
- 00.05 Deposited a marked stone, set, a. Mesquite
post 4 ft. long 2 in square, 12 in. in Earth
marked $\frac{1}{16}$ on N. Side, dug pits N. + S. 18 in
square, 12 in deep, raised a mound of
earth $4\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{16}$
Sec. cor
- 40.10 Deposited a marked stone set, a. Mesquite
post 4 ft long 2. in square, 12 in. in Earth
marked $\frac{1}{4}$ on, N. Side, dug, pits N + S.
18 in. square 12 in deep, raised a mound
of earth $4\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{4}$ Sec. cor

Township 2. N. Range 1. E. of

Corners

- 6015 Deposited a Marked Stone, Set a Mesquite post 4 ft long, 2 in. square 12 in. in length marked $\frac{1}{16}$ in. N. side, dug pits N. + S. 18 in square 12 in deep, raised a mound of earth $\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{16}$ Sec Cor
- 8020 The $\frac{1}{4}$ Sec Cor. Land Cor, Soil 1st rate. Mesquite Arrowweed and Willow

Went on a random line through
N. $\frac{1}{2}$ of Section 26

Var. 14° E.

- 20.00 Set temp $\frac{1}{16}$ Sec. cor.
- 40.00 Set temp $\frac{1}{16}$ Sec. cor
- 60.00 Set temp $\frac{1}{16}$, Sec cor
- 8014 Entered N. + S. line 16 Lks. N. of $\frac{1}{16}$ sec. cor.
from which Cor. I ran N. $89^{\circ} 53'$ E.
on a true line

Colorado River Meridian

Cham's

- 2003 Deposited a marked Stone. Set a mound
past 4 ft long 2 in Square 12 in in earth
marked $\frac{1}{16}$ in. N. Side. dug pits N+S, 18 in
Square 12 in deep, raised a mound of
earth $\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ sec. cor.
- 4007 Deposited a marked Stone. Set a mound
past 4 ft long 2 in Square 12 in in earth
marked $\frac{1}{16}$ on N. Side. dug pits, N+S, 18 in
Square 12 in deep, raised a mound
of earth $\frac{1}{2}$ ft in diam + 2 ft high.
for $\frac{1}{16}$ Sec. cor.
- 6010 Deposited a marked Stone Set a mound
past 4 ft long 2 in Square, 12 in in
earth marked $\frac{1}{16}$ on N. Side. dug pits
N+S, 18 in Square 12 in deep, raised
a mound of earth $\frac{1}{2}$ ft in diam
& 2 ft high for $\frac{1}{16}$ Sec. cor.
- 8014 The $\frac{1}{16}$ Sec. cor. Land level. Soil
of salt Mesquite Arroyos. Well
and Cottonwood

36,
BOOK 1003

Township 2. N. Range 1. W. of

Lehans

Subdivision of Section 28
East on a random line through S. 1/2
Va. 14° E

20.00 Set temp 1/16 sec. cov
40.00 Set temp 1/16 sec. cov
60.00 Set temp 1/16 sec. cov
70.55 Dry Slough 150 Lks wide Corner N. + S.
80.76 Intersect N. + S. line 96 Lks. S. of 1/16. Sec. cov.
from which Cov I run S. 89° 19' W.
on a true line

20.19 Deposited a marked Stone, Set a Cottonwood
post 4 ft long 2 in Square 12 in. in earth
marked 1/16 on N. Side dug pits N. + S. 18 in
Square 12 in deep, run a worm
of earth 4 1/2 ft in diam. + 2 ft high
for 1/16 sec cov

40.38 Deposited a marked Stone, Set w. Maypole
post 4 ft long 2 in Square 12 in. in earth
marked 1/16 on N. Side, dug pits N. + S.
18 in Square 12 in deep, run a w

Colorado River Meridian

Muns

mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec. cor.

60,57

Deposited a marked stone set a mile or past 4 ft long 2 in square 12 in, in center marked $\frac{1}{16}$ on N. Side, dug pits N. + S.

18 in square, 12 in deep, Mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec. cor.

80,76

The $\frac{1}{16}$ Sec. cor. Land level, Sage 1st rate Mesquite, Arrowweed, Cottonwood + willow

West on a random line through
Center of Section 23

va. 14° E

14,00 Slough, course N. + S.
20,00 Set-temple $\frac{1}{16}$ Sec. cor.
40,00 Set-temple $\frac{1}{4}$ Sec cor
60,00 Set-temple $\frac{1}{16}$ Sec cor

Township 2, N., Range 1, W. of
 Chains

80.50 Intersect No 3, line 88 Lks. N. of 1/4 Sec. cor.
 from which Cor I ran N. 89° 23' E. on a
 true line

20.12 Deposited a marked Stone, Set a Mesquite
 post, 4 ft long, 2, in Square 12, in, in earth
 marked 1/16 on N. Side, dug, pits N. + S.
 18, in Square 12 in deep, raised a
 mound of Earth 4 1/2 ft. in diam. + 2 ft
 high for 1/16 Sec. cor.

40.25 Deposited a marked Stone, Set a
 Mesquite post 4 ft long, 2 in Square
 12, in in earth marked 1/4, C. on N.
 Side, dug, pits N. + S. 18, in Square
 12, in deep, raised a mound of earth
 4 1/2 ft. in diam + 2 ft high for
 1/4 Sec cor

60.37 Deposited a marked Stone, Set a Willow
 post 4, ft long, 2 in Square 12, in in
 earth marked 1/16 on N. Side dug
 pits N. + S. 18 in Square 12, in deep

Colorado. Rio Meridian

Lhamis

raised a mound of Earth $4\frac{1}{2}$ ft
in diam + 2. ft high for $\frac{1}{16}$ sec cor.
80,50 The $\frac{1}{4}$ sec. cor. Land rolling, Soil
sandy 3^d rate. Mesquite Arrowweed
Willow + Cottonwood

Jan. 11 - 1876

East on a random line through $\frac{1}{16}$
of Section 28.

Vw 14° E.

- 20,00 Set temp $\frac{1}{16}$ sec, cor.
40,00 Set temp $\frac{1}{16}$ sec cor
50,12 Dry Slough 100. Lks wide corner N. + S.
60,00 Set temp $\frac{1}{16}$ sec, cor.
80,60 Intersect N. + S. line, 24 Lks. S. of $\frac{1}{16}$ sec, cor.
from which cor I ran, S. $89^{\circ} 50'$ W
on a true line.
- 20,15 Depressed a marked stone, Set a millard
spal - 4 ft long 2. in square 12. in. in earth
marked $\frac{1}{16}$ on N. side, dug pits N. + S.

Township, 2. N. Range, 1. W. of

Chemin

18. in square 12 in. deep, raised a mound of Earth $4\frac{1}{2}$ ft. in diam + 2 ft. high for $\frac{1}{16}$ sec. cov

40.30

Deposited a marked stone, set a Mesquite post, 4 ft. long, 2 in square 12 in. in earth. Marked $\frac{1}{16}$ m. N. side, dug pits N. + S. 18 in. square 12 in deep raised a mound of Earth $4\frac{1}{2}$ ft. in diam + 2 ft. high for $\frac{1}{16}$ sec. cov.

60.45

Deposited a marked stone, set a Mesquite post, 4 ft. long, 2 in square 12 in. in earth marked $\frac{1}{16}$ m. N. side dug pits N. + S. 18 in square 12 in deep, raised a mound of earth $4\frac{1}{2}$ ft. in diam + 2 ft. high for $\frac{1}{16}$ sec cov

80.60

The $\frac{1}{16}$ sec cov, Land Oiling, Soil sandy, 3^d rule, Mesquite Arrowweed, willow + Cottonwood

Colorado. River Meridian

Census

Subdivision of Section 14
East on a random line through S $\frac{1}{2}$
Va 14° E.

- 20.00 Set-temple $\frac{1}{16}$ sec. cor.
- 40.00 Set-temple $\frac{1}{16}$ sec. cor
- 57.50 Slough. Corner S. 50 Lks wide
- 60.00 Set-temple $\frac{1}{16}$ sec. cor
- 80.40 Intersect N. & S. line 18 Lks. W. of $\frac{1}{16}$ sec. cor
from which Cor. I ran N. 89° 53' W
- 2010 Deposited a marked stone Set a willow
post, 4 ft long 2 in square 12 in. in
earth marked $\frac{1}{16}$ on N. side dug pits
N. & S. 18 in square 12 in. deep, raised
a mound of earth $4\frac{1}{2}$ ft in diam
& 2 ft high for $\frac{1}{16}$ sec. cor.
- 40.20 Deposited a marked stone Set a
willow post, 4 ft long 2 in square
12 in in earth marked $\frac{1}{16}$ on N.
side. dug pits N. & S. 18 in square
12 in deep. raised a mound of

Township 2. N. Range 1 W. of

Shaw's

- earth $4\frac{1}{2}$ ft in diam + 2 ft high
for $\frac{1}{16}$ Sec. cov.
- 60.30 Deposited a marked stone, set a
Cottonwood post, 4 ft long 2 in square
12 in in earth marked $\frac{1}{16}$ in. N. side, dug
potholes N. + S. 18 in square 12 in deep
raised a mound of earth $4\frac{1}{2}$ ft in
diam + 2 ft high for $\frac{1}{16}$ Sec cov
- 80.40 The $\frac{1}{16}$ Sec cov Land level down
1st pole, Willow Cottonwood + arrowweed

Went on a random line through
Centre of Section 14,

Val 14° E

- 20.00 Set temp $\frac{1}{16}$ Sec. cov.
- 35.84 Dry Slough: 70.1 ks wide Course, S.
- 40.00 Set temp $\frac{1}{4}$ Sec cov
- 60.00 Set temp $\frac{1}{16}$ Sec cov
- 80.44 Intersect - N + S. line 28.2 ks, S. of $\frac{1}{4}$ Sec cov

Colorado River Meridian

Census

from which cor I ran $S. 89^{\circ} 48' E.$
on a true line.

2011 Deposited a marked stone, set a willow
post-4 ft long 2, in square 12 in, in earth
marked $\frac{1}{16}$ in, N. side dug pits N. + S.
18. in square 12 in deep, raised a mound
of earth $4\frac{1}{2}$ ft in diam + 2 ft high
for $\frac{1}{16}$ sec cor

4822 Deposited a marked stone, set a
willow post-4 ft long 2, in square
12, in in earth marked $\frac{1}{4}$ C. on N.
side dug pits N. + S. 18 in square 12 in
deep, raised a mound of earth $4\frac{1}{2}$
ft in diam + 2 ft high for $\frac{1}{4}$ sec cor

6033 Deposited a marked stone set a
willow post-4 ft long 2 in square
12, in, in earth marked $\frac{1}{16}$ on N. side
dug pits N. + S. 18 in square 12 in
deep, raised a mound of earth $4\frac{1}{2}$
ft in diam + 2 ft high for $\frac{1}{16}$ sec cor

Township 2. N. Range. 1. W. of

Crum

8044 The $\frac{1}{4}$ Sec cor Linn Co. 8 or
1st rate. Willow Cottonwood + Arrowwood

East on a random line through $\frac{1}{2}$
of Section 14.

W. 14° E

- 20,00 Set temp $\frac{1}{16}$ Sec. cor.
36,40 Dry Slough Course, S. 60 Lks wide
40,00 Set temp $\frac{1}{16}$ Sec cor
60,00 Set temp $\frac{1}{16}$ Sec. cor.
8042 Intersect N + S. line 24 Lks N. of $\frac{1}{16}$ Sec. cor.
from which Cor. I. run N. $89^{\circ} 50'$ W.
on a true line
20,10 Deposited a marked stone. Set a well
post 4 ft long 2 in square 12 in in
earth marked $\frac{1}{16}$ m. N. Side. dug pits
N. + S. 18 in. Square 12 in deep. raised
a mound of earth $4\frac{1}{2}$ ft in diam
+ 2 ft high for $\frac{1}{16}$ sec cor

Colorado River Meridian

Chains

40,21 Deposited a marked stone, set a
 willow post, 4 ft long 2 in square
 12 in in earth marked $\frac{1}{16}$ on N. side
 dug pits N + S. 18 in square 12 in
 deep, raised a mound of earth
 4 1/2 ft in diam + 2 ft high for
 $\frac{1}{16}$ sec. cor

60,31 Deposited a marked stone set a
 cotton wood post 4 ft long 2 in,
 square 12 in, in earth marked $\frac{1}{16}$
 on N side dug, pits N + S. 18 in square
 12 in deep, raised a mound of earth
 4 1/2 ft in diam + 2 ft high for
 $\frac{1}{16}$ sec cor

80,42 The $\frac{1}{16}$ Sec cor, Lima, level soil
 1st rate. Mesquite, willow + Arrowweed

46.

BOOK 1003

Township 2. N. Range 1. W. of

Chamis

Subdivision of Section 11

Met in a true line through S. 1/2

1/2 sec. 10. V. 14° E

20.00

Deposited a marked stone set a

Cotton wood post 4 ft long 2 in square

12 in. in earth marked 1/16 on N. side

dug pits N + S. 18 in square 12 in

deep, raised a mound of earth 1/2

ft. in diam + 2 ft high for 1/16 sec. cor

37.00

Left bank of Colorado River, corner S.W.

about 30.00 chs wide, deep swift current

and low banks, Deposited marked stone

set willow post 4 ft long, 2 in square

12 in. in earth. marked N.C. on N. side

dug pits N + S. 18 in square 12 in

deep and raised mound of earth

1/2 ft in diam 2 ft high for

Meander corner.

Land level, soil sandy 2nd rate

Willow, Mesquite, Cotton wood + Arrowweed

Colorado River, Mendocino

Mt. on a true line through center
of Section 11.

Va 14° E.

7.80

Left Bank of Colorado River, corner S.W.
about 30.00 Chs wide, deep swift current
and low banks. Deposited marked stone
Set willow post 4 ft long 2 in square
12 in. in earth marked M.C. on N. side
dig pits N. + S. 18 in square 12 in deep
and raised mound of earth 4 1/2 ft
in diam 2 ft high for 100 yards corner

Land level soil sandy 2^a rate
Miscs cottonwood + Mesquite

Subdivision of Section 11

Mt. on true line through N. 1/2

Va 14° E

6.40

Left Bank of Colorado River about

h
Township 2. N. Range 1, W. of

Chain's

30.00 Chs wide. Course, W. Marked
Cottonwood Tree 3. I. D. N.C. deep
Swift Current and low banks. Deposited
marked Stone set willow post 4 ft
long 2 in square. 12 in. in earth
Marked N.C. on N. side dug pits.
N. + S. 18 in square. 12 in. deep and
filled mound of earth. 4 1/2 ft. in.
Chain. 2 ft high for second course

Land level. Soil sandy. 2^d run

North through the center on a
true line. Section 11

va 14° E

17.02

Left Bank of Colorado River
About 30.00 Chain wide. Course, W.
Marked willow tree 2 1/2 I. D. deep
Swift Current and low banks

Colorado River Meridian

Mans

Deposited marked stone set willow
 post - 4 ft long 2 in square
 12 in. in earth. Marked M. Cor. N.
 Side dug pits N + S. 18 in square
 12 in deep and raised mound
 of earth 4 1/2 ft in diam 2 ft
 high for Meander Corner.
 Land level soil sandy 2^d rate
 July 5 - 1876

Subdivision of Section 34
 East on a random line through S 1/2
 N 14° E

20.00	Set Corn 1/16 Sec. cor
40.00	Set Corn 1/16 Sec. cor
60.00	Set Corn 1/16 Sec. cor
80.00	Intersect N + S. line at 1/16 Sec. cor, from which Cor I ran W. on a true line
20.00	Deposited a marked Stone, Set willow post - 4 ft long, 2 in square, 12 in. in

Township 2, N. Range 1, W. of

Lohman

earth marked $\frac{1}{16}$ on N. Side dug pits
N+S, 18 in Square, 12 in deep raised
a mound of Earth $4\frac{1}{2}$ feet in diam
+ 2 ft high for $\frac{1}{16}$ Sec. Cor.

40.00

Deposited a marked Stone, Set a
Mesquite post 4 ft long 2 in Square
12 in. in earth marked $\frac{1}{16}$ on N. Side
dug pits N+S, 18 in. Square 12 in
deep, raised a mound of Earth
 $4\frac{1}{2}$ ft in diam + 2 ft high for
 $\frac{1}{16}$ Sec Cor

60.00

Deposited a marked Stone, Set a
Mesquite post, 4 ft, long 2 in.
Square, 12 in. in earth marked $\frac{1}{16}$ on
N. Side. dug pits N+S, 18 in Square
12 in deep, raised a mound of
Earth $4\frac{1}{2}$ ft. in diam + 2 ft. high
for $\frac{1}{16}$ Sec. Cor.

80.00

The $\frac{1}{16}$ Sec. Cor, Land loc. Soil
1st rate, Mesquite, arrowweed + willow

Colorado. River. Meridian.

Chamis

Went on a random line through
Centre of Section 34

Va 14° E.

- 20.00 Set temp $\frac{1}{16}$ Sec. cov.
- 40.00 Set temp. $\frac{1}{4}$ Sec, cov.
- 60.00 Set temp $\frac{1}{16}$ Sec cov
- 80.04 Intersect N. + S. line at $\frac{1}{4}$ Sec cor
from which Cov. I ran, E. on a
true line
- 20.01 Deposited a marked Stone, Set a wooden
post - 4 ft long 2 in Square, 12 in, in
earth marked $\frac{1}{16}$ on N. Side, dug pits
N. + S. 18. in Square 12. in deep, raised
a mound of Earth $4\frac{1}{2}$ ft in diam
+ 2 ft high for $\frac{1}{16}$ Sec, Cov.
- 40.02 Deposited a marked Stone, Set a wooden
post - 4 ft long, 2 in. Square, 12 in, in
earth marked $\frac{1}{4}$ C. on N. Side, dug pits
N. + S 18. in Square 12 in deep, raised
a mound of earth $4\frac{1}{2}$ ft in diam

Township. 2, N. Range, 1, W. of

Chavis

60,03

+ 2 ft high for $\frac{1}{4}$ Sec cor
 Deposited a marked Stone, Set a
 Cottonwood post 4 ft long 2 in
 square, 12 in in earth marked
 $\frac{1}{16}$ m. N. Side. Aug. pits N+S.
 18 in square 12 in deep, raised a
 mound of Earth $4\frac{1}{2}$ ft in diam
 + 2 ft high for $\frac{1}{16}$ Sec. cor.

80,04

The $\frac{1}{4}$ Sec cor. Land level, Soil
 1st rate. Mesquite Arrowweed
 + Willow

East on a random line through
 N. $\frac{1}{2}$ of Section 34

wa 14° E

20,00

Set temp $\frac{1}{16}$ Sec. cor

40,00

Set temp $\frac{1}{16}$ Sec. cor

60,00

Set temp $\frac{1}{16}$ Sec. cor

80,06

Revised N+S. line 12, Lks. S. of $\frac{1}{16}$ sec. cor.

Colorado River Meridian

Spanish

from which cor I ran, S. 89° 55' W.
on a true line

20.01 Deposited a marked Stone, Set a Mesquite post-4 ft long, 2 in Square 12 in, in earth marked 1/16 on N. Side, dug pits N. + S. 18. in Square 12 in. deep, raised a mound of earth 4 1/2 ft. in diam + 2 ft high for 1/16 Sec. cor.

40.02 Deposited a marked Stone Set, a Mesquite post-4 ft long 2 in Square 12 in, in earth, marked 1/16 on N. Side dug pits N. + S. 18. in Square 12 in deep, raised a mound of Earth 4 1/2 ft in diam + 2 ft high for 1/16 Sec. cor

60.03 Deposited a marked Stone, Set a Mesquite post-4 ft long, 2 in Square 12. in. in earth marked 1/16 on N. Side dug pits N. + S. 18 in Square 12. in deep raised a mound of Earth 4 1/2 ft in diam + 2 ft high for 1/16 Sec. cor.

37.

BOOK 1003

8006 The 1/16 Sec Cov. Land Cont. Soil
1st rate. Mesquite Arrowweed.
Millet + Cotton wood

Subdivision of Section 27
 East on a random line through $3\frac{1}{2}$
 W 14° E

- 20,00 Set temp $\frac{1}{16}$ Sec. cor
 40,00 Set temp $\frac{1}{16}$ Sec. cor
 60,00 Set temp $\frac{1}{16}$ Sec. cor
 80,82 Induced or + S. line 16 LK's N. of $\frac{1}{16}$ Sec. cor, from which cor I ran. N. $89^{\circ} 53'$ W on a true line.
- 2008 Deposited a marked stone, Set a Newgate post-4 ft long, 2 in square, 12 in. in earth marked $\frac{1}{16}$ on N. Side dug pits N + S, 18 in square 12 in deep, raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec cor
- 40,16 Deposited a marked stone, Set a Newgate post-4 ft long 2 in square, 12 in. in earth marked $\frac{1}{16}$ on N. Side. dug pits N + S, 18 in square 12 in deep, raised a mound of earth $4\frac{1}{2}$ ft in diam

Township 2. N. Range 1. W. of

Chains

60214

+ 2 ft high for $\frac{1}{16}$ Sec cor
 Departed a marked Stone, set a
 Mesquite post 4 ft long, 2 in
 square 12 in. in earth marked
 $\frac{1}{16}$ N. N. side, dug pits N + S. 18 in
 square, 12 in deep, raised a
 mound of earth $4\frac{1}{2}$ ft in diam
 + 2 ft high for $\frac{1}{16}$ Sec. cor

8032

The $\frac{1}{16}$ Sec. cor. Lark line, Soil
 1st-rate, Mesquite Willow + Cottonwood

Went on a random line through
 center of Section 27

W 14° E.

20.00

Set temp $\frac{1}{16}$ Sec. cor.

40.00

Set temp $\frac{1}{4}$ Sec. cor.

60.00

Set temp $\frac{1}{16}$ Sec cor

80.20

Intersect N. + S. line 12. Lks, S. of $\frac{1}{4}$ Sec. cor
 from which cor I run S. 89° 52' E on a
 true line

Colorado River Meridian

Stations

- 20.05 Deposited a marked Stone. Set a Mesquite post 4 ft long $2\frac{1}{2}$ in. Square. 12 in. in diam marked $\frac{1}{16}$ on N. Side, dug pits N+S. 18 in Square. 12 in deep, raised a mound of earth $4\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{16}$ Sec. Cor.
- 40.10 Deposited a marked Stone. Set a Mesquite post 4 ft. long 2 in Square 12. in. in earth marked $\frac{1}{4}$ C. on N. Side, dug pits N+S. 18 in Square. 12 in deep raised a mound of earth $4\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{4}$ Sec Cor
- 60.15 Deposited a marked Stone. Set a Mesquite post 4 ft. long $2\frac{1}{4}$ in Square 12. in. in earth marked $\frac{1}{16}$ on N. Side dug. pits N+S. 18. in Square 12 in deep. raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec. Cor.
- 80.20 The $\frac{1}{4}$ Sec. Cor. Land line said 1st full Mesquite Arrowweed + willow

Township 2, N. Range 1, W. of

Chamis

Met on a random line
through $N\frac{1}{2}$ Section 27.

W 14° E.

- 20.00 Set temp $\frac{1}{16}$ Sec cor
- 40.00 Set temp $\frac{1}{16}$ Sec. cor
- 60.00 Set temp $\frac{1}{16}$ Sec. cor
- 80.14 Intersect N+S. line at $\frac{1}{16}$ Sec. cor.
from which cor. I ran, E. on a
true line
- 2003 Deposited a marked Stone. Set a
Mesquite post $2\frac{3}{4}$ in Square 12 in. in
earth marked $\frac{1}{16}$ on N. Side. dug
N+S. 18 in Square 12 in deep, raised
a mound of Earth $\frac{1}{2}$ ft in diam
+ 2 ft high for $\frac{1}{16}$ Sec. cor.
- 40.07 Deposited a marked Stone. Set a
Mesquite post - 2. in Square, 12 in. in
Earth marked $\frac{1}{16}$ on N. Side. dug
post, N+S 18 in Square 12 in deep
raised a mound of Earth $\frac{1}{2}$ ft. in

Colorado, River, Meridian.

Chum's

- Co. 10
 80,14
 20 ft high for $\frac{1}{16}$ sec. cor.
 Deposited a marked Stone. Set a
 Willow post $2\frac{1}{4}$ in square, 12. in. in
 earth marked $\frac{1}{16}$ on N. side, dug
 pits N. + S. 18. in square 12. in deep
 raised a mound of earth $4\frac{1}{2}$ ft in
 diam + 2 ft high for $\frac{1}{16}$ sec cor
 The $\frac{1}{16}$ sec. cor. Land, land. Saw
 1st rate, Mesquite, Arrowweed + Willows

Subdivision of Section 22
 East on a random line through $3\frac{1}{2}$
 N 14° E.

- 20,00 Set temp $\frac{1}{16}$ sec cor
 40,00 Set temp $\frac{1}{16}$ sec. cor.
 60,00 Set temp $\frac{1}{16}$ 3ic. cor
 80,12 Intersect N + S. line at $\frac{1}{16}$ sec. cor.
 from which cor. I run W. on a
 true line

Township, T. N. Range 1: W. of

Chains

2003 Deposited a marked Stone, Set a Willow post 4 ft long 2 1/2 in Square 12 in in earth marked 1/16 on N. Side dug pits N + S. 18 in Square 12 in Deep, raised a mound of earth 4 1/2 ft in diam + 2 ft high for 1/16 Sec cor

4006 Deposited a marked Stone, Set a Mesquite post 4 ft long 2 in Square 12 in in earth marked 1/16 on N. Side, dug pits N + S. 18 in. Square 12 in Deep, raised a mound of Earth 4 1/2 ft in diam + 2 ft high for 1/16 Sec cor

6009 Deposited a marked Stone, Set a Mesquite post 4 ft long 2 in. Square 12 in in earth marked 1/16 on N. Side, dug pits N + S. 18 in. Square 12 in Deep raised a mound of earth 4 1/2 ft in diam + 2 ft high for 1/16 Sec cor

Colorado River Meridian

Chamie

80.12 The $\frac{1}{16}$ Sec. cov. Land level, said 1^{st} grade
Mesquite, Milvina, Arrowweed.

Went on a random line through
Centre of Section 22.

Va 14° E.

20.00 Set temp $\frac{1}{16}$ Sec. cov.

30.00 Small pond, 20 Lks wide Corns, etc.

40.00 Set temp $\frac{1}{4}$ Sec. cov.

60.00 Set temp $\frac{1}{16}$ Sec. cov.

80.26 Intersect cr. + S. line 8 Lks South of $\frac{1}{16}$ sec. cov
from which Cor. I ran, S. $89^{\circ}57'$ E on a
true line

20.06 Deposited a marked stone. Set a Mesquite
post 4 ft long, $2\frac{1}{4}$ in square 12 in. in length
marked $\frac{1}{16}$ on N. Side, dug pits N + S.
18. in square 12 in. deep, raised a
mound of earth $\frac{1}{2}$ ft in diam + 2 ft
high for $\frac{1}{16}$ Sec. cov

Township, 2. N. Range 1. W. of

Chamco

49.13

Deposited a marked Stone, Set a
Mesquite post 4 ft long, 2 in Square
12 in in earth marked $\frac{1}{4}$ C. on N. Side
dug pits N. + S. 18 in Square 12 in deep
raised a mound of earth $\frac{1}{2}$ ft in
diam + 2 ft high for $\frac{1}{4}$ Sec. cor

60.19

Deposited a marked Stone, Set a
Willow post 4 ft long 2 in Square
12 in in earth marked $\frac{1}{6}$ on N. Side
dug pits N + S. 18 in Square 12 in
deep. raised a mound of Earth $\frac{1}{2}$
ft in diam + 2 ft high for $\frac{1}{6}$ Sec. cor

80.26

The $\frac{1}{6}$ Sec. Cor. Land, and Soil
1st rate Mesquite, Willow + Cottonwood

East on a random line through
 $\frac{1}{2}$ of Section 22

Va 14th E

20.00

Set-ump. $\frac{1}{6}$ Sec. Cor

Colorado, River, Meridian

Stamps

- 40.00 Set tank $\frac{1}{16}$ Sec cov
- 60.00 Set tank $\frac{1}{16}$ Sec. cov
- 8016 Intersect N. + S. line 24 Lks. S.
of $\frac{1}{16}$ Sec. cov. from which Cov. S
ran. S. 89° 50' W. on a true line
- 2004 Deposited a marked Stone, Set a Mesquite
post 4 ft long $2\frac{1}{2}$ in. square 12 in. in
earth marked $\frac{1}{16}$ on N. Side, dug pits
N. + S. 18 in. square 12 in deep, raised
a mound of earth $4\frac{1}{2}$ ft. in diam
+ 2 ft high for $\frac{1}{16}$ Sec. cov.
- 10,08 Deposited a marked Stone, Set a Mesquite
post 4 ft long 2 in square 12 in in
earth marked $\frac{1}{16}$ on N. Side, dug pits
N. + S. 18 in square 12 in deep, raised a
mound of earth $4\frac{1}{2}$ ft. in diam + 2 ft
high for $\frac{1}{16}$ Sec. cov.
- 50.12 Deposited a marked Stone, Set a Mesquite
post 4 ft long $2\frac{1}{4}$ in square 12 in in earth
marked $\frac{1}{16}$ on N. Side, dug pits N. + S.

Township 2. N. Range 1. W. of.

Chain

18. in Square 12. in deep, runed
a mound of Earth $4\frac{1}{2}$ ft. in diam
+ 2 ft high for $\frac{1}{16}$ Sec. cor.

80.16 The $\frac{1}{16}$ Sec. cor Land cont. Saw
1st. row. Mesquite. Willow. Arrowweed
& Cottonwood Jan 6th 1870

Subdivision of Section 15
East on a random line through S. $\frac{1}{2}$
Va 14° E.

20.00 Set temp. $\frac{1}{16}$ Sec. cor

40.00 Set temp $\frac{1}{16}$ Sec. cor

60.00 Set temp $\frac{1}{16}$ Sec. cor

80.20 Distance N + S. line 18 fks. N. of $\frac{1}{16}$ Sec. cor.
from which cor. I run N. $89^{\circ} 52'$ W.
on a true line

2005 Deposited a marked stone. Set a marked
post - 4 ft long $2\frac{1}{2}$ in Square, 12 in. in
earth - marked $\frac{1}{16}$ on N. Side day, puts

Colorado River Meridian

Mammals

N. + S. 18. in. Square. 12 in deep. raised
a mound of Earth $4\frac{1}{2}$ ft. in diam
+ 2 ft. high for $\frac{1}{16}$ sec. cor.

4010 Deposited a marked Stone, Set at
Willow post $2\frac{1}{4}$ in Square. 12 in. in
Earth marked $\frac{1}{16}$ on N. Side dug pits
N. + S. 18. in Square 12 in. deep.

Raised a mound of earth $4\frac{1}{2}$ ft.
in diam + 2 ft. high for $\frac{1}{16}$ sec. cor.

60.15 Deposited a marked Stone, Set at
Willow post 4 ft long 2 in Square
12. in. in Earth marked $\frac{1}{16}$ on N. Side
dug pits N. + S. 18. in. Square 12 in
deep. raised a mound of Earth
 $4\frac{1}{2}$ ft. in diam + 2 ft. high for
 $\frac{1}{16}$ Sec cor

80.20 The $\frac{1}{16}$ Sec. Cor. Land level. Soil
1st calc Mesquite Willow + Cottonwood

Township 2. N. Range 1. W. of

Maine

East on a random line
through Centre of Section 15
W. 41° E.

- 20.00 Set temp $\frac{1}{16}$ Sec. cov
- 40.00 Set temp $\frac{1}{4}$ Sec. cov
- 60.00 Set temp $\frac{1}{16}$ Sec. cov
- 80.08 Dubious N. + S. line b. l. k. South of
 $\frac{1}{4}$ Sec. cov. from which Cov. D.
runs 89° 58' W. on a true line
- 20.02 Deposited a marked Stone Set a Willow
post 4 ft long $2\frac{1}{2}$ in Square 12 in. in
earth marked $\frac{1}{16}$ on N. side, dug pits
N. + S. 18 in. Square 12 in deep, runed
a mound of earth $4\frac{1}{2}$ ft. in diam
+ 2 ft high for $\frac{1}{16}$ Sec. cov.
- 40.04 Deposited a marked Stone, Set a
Willow post 4 ft long $2\frac{1}{4}$ in Square
12 in. in earth marked $\frac{1}{4}$ C. on N.
side, dug pits N. + S. 18 in Square 12 in
deep, runed a mound of earth $4\frac{1}{2}$ ft

Colorado River Meridian.

Main

50.06

in claim + 2 ft. high for $\frac{1}{4}$ Sec. cor.
 Departed a marked stone, set a Milers
 post, 4 ft. long 2 in square 12 in. in
 earth marked $\frac{1}{16}$ on N. side, dug pits
 N + S. 18 in. square 12 in deep, ran
 a mound of earth $4\frac{1}{2}$ ft. in claim
 + 2 ft high for $\frac{1}{16}$ Sec. cor

50.08

The $\frac{1}{4}$ Sec. Cor, Land line, Soil
 1st rule. Mesquite Milers + Arroyos

East on a random line through
 N/2 of Section 15
 Va 14° E.

20.00

Set temp $\frac{1}{16}$ Sec. cor

10.00

Set temp $\frac{1}{16}$ Sec. cor

00.00

Set temp $\frac{1}{16}$ Sec. cor

00.00

Intersect N + S. line at $\frac{1}{16}$ Sec. cor,
 from which cor I ran, W. on a
 true line

Township, 2, N. Range, 1 W. of
Main

- 20,00 Deposited a marked Stone, Set a
Willow post 4 ft long 2, in Square
12 in, in earth, marked $\frac{1}{16}$ on N.
Side dug pits N+S, 18, in, Square
12 in deep, raised a mound of
earth $4\frac{1}{2}$ ft. in diam + 2 ft
high for $\frac{1}{16}$ Sec. cor.
- 40,00 Deposited a marked Stone, Set a
Willow post 4 ft long 2, in, Square
12 in, in earth marked $\frac{1}{16}$ on N.
Side dug, pits N+S, 18, in deep, raised
a mound of earth $4\frac{1}{2}$ ft. in diam
+ 2 ft high for $\frac{1}{16}$ Sec cor
- 60,00 Deposited a marked Stone Set a
Willow post $2\frac{1}{4}$, in, Square, 12, in, in
earth marked $\frac{1}{16}$ on N, Side, dug
pits, N, + S, 18, in, Square, 12 in deep
raised a mound of earth $4\frac{1}{2}$ ft
in diam + 2 ft high for $\frac{1}{16}$ Sec. cor.

Colorado River, Meridian

Chains

80.00 The 1/16 sec cor. Land level
 Soil 1st rate, Willow Cottonwood
 Mesquite and Arrowweed

Subdivision of Section 10
 N. through W. 1/2 on a true line
 Va 14° E,

10073 Left bank of Colorado River, Course
 W. about 60 chs wide, Depressed a
 marked Stone. Set willow post-
 4 ft long, in square 12. in. in earth
 marked N.E. on N. Side dug pits E + W;
 18 in square 12. in deep and marked
 Monna of earth 1 1/2 ft in diam
 2 ft high for Meridian, Course
 Land level soil sandy 2^d rate
 Willow bushes.

So.

BOOK

1003

Township 2, N. Range 1, W. of

Chamiz

North, through Centre, on a true
line, of Section 10

Va 141° E,

11,27

Left Bank of Colorado River, Crossed
W. about 60 Chs. wide. Deposited a
marked Stone set a Cottonwood post
4 ft. long, 2 in. square, 12 in. in length
marked M.C. on N. side, dug pits E. & W.
18 in. square 12 in. deep and raised mound
of earth $4\frac{1}{2}$ ft. in diam 2 ft. high
for Meander Corner.

Land level, Soil 1st rate, mixed bushes

North on a true line, through E $\frac{1}{2}$
of Section 10

Va. 141° E,

11,26

Left-Bank of Colorado River Crossed
W. about 60, 60 Chs wide, deep swift
current, and low banks. Deposited a

Colorado, Riv. Meridian

Mans

Marked Stone, Set willow post 4 ft
 long 2, in. Square 12, in. in earth, marked
 M.C. on W side dug pits E + W, 18, in.
 Square 12, in. deep and raised mound
 of earth $4\frac{1}{2}$ ft in diam 2 ft high
 for Meander corner
 Lane line, Side 1st rate. Meadow
 bushes + cottonwood

Subdivision of Section 33
 East on a random line through $3\frac{1}{2}$
 W 14° E

20.00 Set trap $\frac{1}{16}$ Sec cor
 40.00 Set trap $\frac{1}{16}$ Sec, cor
 60.00 Set trap $\frac{1}{16}$ Sec, cor.
 80.00 Interest N. + S. line 22 Lks, N. of
 $\frac{1}{16}$ Sec cor, from which cor. I
 ran N. $89^{\circ} 51'$ W, on a true line
 20.00 Deposited a Marked Stone, Set a willow

Township 2. N. Range 1. W. of

Chama

4601

Spast 4 ft long 2. in square 12. in
in earth marked $\frac{1}{16}$ on N. Side, dug
pits, N. + S. 18. in square 12. in deep
raised a mound of Earth $\frac{1}{2}$ ft
in diam + 2 ft high for $\frac{1}{16}$ Sec. cor.

Deposited a marked Stone Set. a
Mellow Spast 4 ft long 2. in square
12. in. in earth marked $\frac{1}{16}$ on N.
Side, dug pits, N. + S. 18. in square
12. in deep, raised a mound of
Earth $\frac{1}{2}$ ft. in diam + 2 ft high
for $\frac{1}{16}$ Sec. cor

6001

Deposited a marked Stone, Set. a
Mellow Spast 2 in. square 12. in. in
earth marked $\frac{1}{16}$ on N. Side, dug
pits, N. + S. 18. in. square 12. in. deep
raised a mound of Earth $\frac{1}{2}$ ft
in diam + 2 ft high for $\frac{1}{16}$ Sec. cor.

8002

The $\frac{1}{16}$ Sec cor Land, rolling
Soil sandy, 2^a rate,

Colorado, Rivis, Meridian

Mans

East on a random line through
Centre of Section 33

Va 14° E.

- 20.00 Set-temple $\frac{1}{16}$ Sec. cor
- 40.00 Set-temple $\frac{1}{4}$ Sec. cor
- 60.00 Set-temple $\frac{1}{16}$ Sec. cor
- 80.06 Instrument N. + S. line, 6 Lks. S. of $\frac{1}{16}$ Sec. cor
from which Co. J. run S. 89° 58' W. on
a true line
- 20.01 Deposited a marked stone, Set a Willow
post $\frac{1}{2}$ ft. long in Square 12, in. in earth marked
 $\frac{1}{16}$ on N. Side, dug pits N. + S. 18 in Square
12, in. deep, raised a mound of earth
 $4\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{16}$ Sec. cor
- 40.03 Deposited a marked stone, Set a Cottonwood
post $\frac{1}{2}$ ft. long, 2 in Square, 12 in. in earth
marked $\frac{1}{4}$ C. on N. Side, dug pits N. + S.
18 in Square, 12, in deep, raised a
mound of Earth $4\frac{1}{2}$ ft. in diam + 2 ft
high for $\frac{1}{4}$ Sec. cor,

74.

BOOK

1003

Township 2. N. Range 1 W. of

Chambers

- 60.04 Deposited a marked Stone, Set a Cat^hwood
post 4 ft long 2 in square 12 in in
earth marked $\frac{1}{16}$ on N. Side, dug pits
N + S. 18 in square 12 in deep, raised
a mound of earth $4\frac{1}{2}$ ft in diam
& 2 ft high for $\frac{1}{16}$ Sec. cor.
- 80.06 The $\frac{1}{4}$ Sec cor, Land rolling
Soil sandy 3^d rate

East on a random line through
Section 33

Va 14° E.

- 20.00 Set-temple $\frac{1}{16}$ Sec. cor
- 40.00 Set-temple $\frac{1}{16}$ Sec. cor
- 60.00 Set-temple $\frac{1}{16}$ Sec. cor
- 79.90 Intersect N + S. line 18 Lks S. of
 $\frac{1}{16}$ Sec. cor, from which cor I. run
S. 89° 54' W. on a true line
- 19.97 Deposited a marked Stone, Set a

Colorado River, Meridian

Opening

Mesquite post 4 ft long 2 in square
12 in. in earth marked $\frac{1}{16}$ on N. Side, dug
pits N. + S. 18 in. square 12 in deep, raised
a mound of earth $4\frac{1}{2}$ ft in diam + 2
ft high for $\frac{1}{16}$ Sec. cor

39.95

Deposited a marked Stone, Set a
Mesquite post 2 in square 12 in. in
earth marked $\frac{1}{16}$ on N. Side, dug
pits N + S, 18 in square 12 in deep,
raised a mound of earth $4\frac{1}{2}$ ft in
diam + 2 ft high for $\frac{1}{16}$ Sec. cor

39.92

Deposited a marked Stone, Set
a Mesquite post 4 ft long 2 in
square 12 in. in earth marked
 $\frac{1}{16}$ on N. Side, dug pits N, +, S 18 in.
square 12 in. deep, raised a mound
of earth $4\frac{1}{2}$ ft. in diam + 2 ft high
for $\frac{1}{16}$ Sec. cor.

39.90

The $\frac{1}{16}$ Sec. cor. Land level
Soil 2^d rate. light growth of
Mesquite

76.

BOOK

1003

Township 2, N, Range 1, W, of

Chaska

Subdivision of Section 28
 West on a Random line through $8\frac{1}{2}$
 W 14° E.

- 20.00 Set-ump $\frac{1}{16}$ Sec. cor.
 40.00 Set-ump $\frac{1}{16}$ Sec. cor
 60.00 Set-ump $\frac{1}{16}$ Sec. cor
 79.92 Intersect N. & S. line 10.2 Ls. N. of $\frac{1}{16}$ sec. cor
 from which cor I ran N. $89^{\circ} 56'$ E. on
 a true line
- 19.98 Deposited a marked Stone, Set a mound
 post-4 ft. long 2 in square 12 in. in
 earth marked $\frac{1}{16}$ on N. Side, dug pits
 N. & S. 18 in square, 12 in deep, raised
 a mound of earth $4\frac{1}{2}$ ft in diam
 & 2 ft high for $\frac{1}{16}$ Sec. cor.
- 39.96 Deposited a marked Stone, Set. w
 Mosquito post-4 ft long $2\frac{1}{2}$ in square
 12. in. in earth marked $\frac{1}{16}$ on N. Side
 dug pits N. & S. 18 in square 12. in
 deep, raised a mound of earth $4\frac{1}{2}$ ft.

Colorado. Riv. Meridian

Stations

- 59.94 in diam + 2 ft. high for $\frac{1}{16}$ sec. cor
 Deposited a marked Stone Set. a
 Willow post, 4 ft long 2 in. square
 12 in. in earth marked $\frac{1}{16}$ sec
 N. Side dug pits N. + S. 18 in square
 12. in deep, raised a mound of
 earth $4\frac{1}{2}$ ft in diam + 2 ft high
 for $\frac{1}{16}$ sec. cor.
- 79.92 The $\frac{1}{16}$ sec. cor. Lined. loc. Soil
 1st rate. Mesquite. Arrowweed,
 Cotton wood. + Willow

East on a random line through
 Centre of Section 28

Va. $14^{\circ}E$

- 20.00 Set-temple $\frac{1}{16}$ sec. cor.
 40.00 Set-temple $\frac{1}{14}$ sec. cor.
 60.00 Set-temple $\frac{1}{16}$ sec. cor
 80.00 Interval N + S. line 16 Lks. S. of $\frac{1}{16}$ sec. cor

Cohens

Township 2, N. Range 1. W. of

from which Cor 9 run S. 89° 53' W.
on a true line

20.00

Deposited a marked Stone, Set a
Mesquite post 4 ft long 2 in square
12. in. in earth marked $\frac{1}{16}$ on N. Side
dug pits N + S. 18. in square, 12 in
deep, raised a mound of earth $4\frac{1}{2}$
ft in diam + 2 ft high for $\frac{1}{16}$ Sec. cor

40.00

Deposited a marked Stone Set a
Mesquite post 4 ft long 2 in square
12. in. in earth marked $\frac{1}{4}$ C. on N.
Side, dug pits N + S. 18. in. square
12. in deep, raised a mound of earth
 $4\frac{1}{2}$ ft in diam + 2 ft high for
 $\frac{1}{4}$ Sec. cor

60.00

Deposited a marked Stone, Set a
Willow post 4 ft long 2. in square
12. in. in earth marked $\frac{1}{16}$ in. N.
Side, dug pits N + S. 18 in square
12 in deep, raised a mound of

Colorado River Meridian

Latham's

Carth $4\frac{1}{2}$ ft in diam + 2 ft high
for $\frac{1}{16}$ Sec. Cor.

80.00 The $\frac{1}{4}$ Sec. cor. Land loc. Soil
1st - 2nd. Mesquite. Arrowweed
meadow + Cotton wood.
July 7, 1876

Met on a random line through
 $n:\frac{1}{2}$ of Section 28

Va $14^{\circ} 8'$.

20.00 Set temp $\frac{1}{16}$ Sec cor

40.00 Set temp $\frac{1}{16}$ Sec. cor

60.00 Set temp $\frac{1}{16}$ Sec. cor

80.80 Intersect vt + S. line 60.24 S. of $\frac{1}{16}$ Sec cor
from which cor I ran $S. 89^{\circ} 35'$ East on
a true line.

20.20 Deposited a marked Stone Set a Cottonwood
post - 4 ft long 2 in Square 12 in in Earth
marked $\frac{1}{16}$ on N. Side. dug pits N. + S
18. in. Square 12. in deep. raised a

Township 2, N. Range, 1. W. of

Chambers

mound of earth $4\frac{1}{2}$ ft. in diam + 2 ft
high for $\frac{1}{16}$ Sec. cor

40.40

Deposited a marked Stone Set a
Willow post 4 ft long 2 in Square 12 in
in earth marked $\frac{1}{16}$ on N. Side dug
pits N + S, 18 in Square 12 in deep.

raised a mound of earth $4\frac{1}{2}$ ft. in
diam + 2 ft high for $\frac{1}{16}$ Sec. cor

60.60

Deposited a marked Stone, Set a
Mesquite post 4 ft long 2 in Square
12 in, in earth marked $\frac{1}{16}$ on N.

Side, dug pits N. + S, 18 in Square
12 in deep, raised a mound of
earth $4\frac{1}{2}$ ft. in diam. + 2 ft. high
for $\frac{1}{16}$ Sec. cor

8080

The $\frac{1}{16}$ Sec cor, Land level, Soil
1st rule, Cottonwood Arrowweed
& Mesquite

Colorado River Meridian

Chumie

Subdivision of Section 21
East on a random line through $3\frac{1}{2}$
Va 14° E.

17,50

Slough 75 Lks wide Course, S.

20,00

Set temp $\frac{1}{16}$ Sec, cor.

40,00

Set temp $\frac{1}{18}$ Sec, cor

60,00

Set temp $\frac{1}{16}$ Sec, cor

8020

Intersect N + S. line at $\frac{1}{16}$ Sec cor
from which Cor. I ran west on
a true line

20,05

Deposited a marked Stone, Set a Willow
post 4 ft long 2 in square 12. in in
earth marked $\frac{1}{16}$ on N. side, dug pits
N + S. 18 in. square, 12 in deep, raised
a mound of earth $4\frac{1}{2}$ ft in diam
+ 2 ft high for $\frac{1}{16}$ Sec, cor.

44,10

Deposited a marked Stone, Set a
Cottonwood post 4 ft long 2 in square
12. in. in earth marked $\frac{1}{16}$ on N.
side, dug pits N + S. 18. in square

Township 2, N. Range 1, W. of

Cham's

12. in. deep, raised a mound of earth
4 1/2 ft. in diam + 2 ft. high for
1/16 Sec cor

10.15 Depicted a marked Stone, Set a
post 4 ft. long, 2 in. Square, 12. in. in
earth marked 1/16 on N. Side, dug
pits N + S. 18. in. Square 12. in. deep
raised a mound of earth 4 1/2 ft. in
diam + 2 ft. high for 1/16 Sec. cor.

80.20 The 1/16 Sec. Cor. Land, rolling, Soil
Sandy 2^d rate, Willow Cottonwood +
Mesquite.

East on a random line through Corner
of Section 21.

N. 14° E.

10.50 Slough Corner S. 70 Lks wide

20.00 Set-tamp 1/16 Sec. cor.

26.00 Enter Field N + S. about 12 Ch. long

Colorado River Meridian

Spain

- 30.00 leave the field
- 30.60 Slough comes S. 70 Lks wide
- 40.00 Set trap $\frac{1}{4}$ Sec cor
- 60.00 Set trap $\frac{1}{16}$ Sec. cor
- 80.24 Intersect N. + S. line at $\frac{1}{4}$ Sec cor, from which cor I run west on a true line
- 20.06 Deposited a marked Stone, Set a muller post - 4 ft long 2 in. square 12 in. in earth marked $\frac{1}{16}$ on N. Side, dug pits N + S. 18 in. square 12 in. deep, raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec. cor.
- 40.12 Deposited a marked Stone Set a Cotton wood post - 4 ft long 2 in square 12 in. in earth marked $\frac{1}{4}$ C. on N. Side, dug pits N + S. 18 in square 12 in deep, raised a mound of earth $4\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{4}$ Sec cor

84.

BOOK 7003

Township, 2, N. Range 1, W. of

Chamie

6018 Deposited a marked Stone, Set a Cottonwood post-4 ft long 2 in square 12 in. in earth marked $\frac{1}{16}$ on N. side dug pits N. + S. 18. in square 12 in. deep, raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec. cor.

8024 The $\frac{1}{16}$ Sec cor. Land low Soil sandy 2^d rate. Cottonwood Willow + arrowweed

Subdivision of Section 16
West on a true line through, S $\frac{1}{2}$
N 14° E.

20,00 Deposited a marked Stone, Set a Willow post-2. in square 12. in in earth marked $\frac{1}{16}$ on N. side. dug pits N + S. 18. in. square 12 in deep raised a mound of Earth $4\frac{1}{2}$ ft

Subdivision of Section 21

E. on a random line through N. $1/2$
 W 14° E.

- 1813 Slough Course S. 84. Lks wide
 2000 Set temp $1/6$ sec, ev.
 2768 Slough Course S. 50. Lks. wide
 4000 Set temp $1/6$ sec, ev.
 6000 Set temp $1/6$ sec, ev.
 6148 Slough Course N. 40. Lks. wide
 8012 Distanced N. + S. line. 10. Lks. N. of.
 $1/6$ sec. ev. from which, ev. I.
 ran N. $89^{\circ} 56'$ W. on a true line
 2003 Depicted a marked Stone, set a
 Willow post, 4 ft long 2 in. Square
 12 in. in diam. Marked $1/6$ on N.
 Side. Aug. pits. N. + S. 18 in Square
 12 in deep raised a mound of
 earth $4\frac{1}{2}$ ft in diam + 2 ft high
 for $1/6$ sec, ev.

Township 2. N. Range 1. W. of

- 8006 Deposited a marked Stone, set a Cottonwood post, 4 ft. long 2 in. Square 12 in. in earth marked $\frac{1}{16}$ on N. Side, dug pits N + S 18 in. Square 12 in. deep, raised a mound of earth 4 $\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ sec. cor.
- 8009 Deposited a marked Stone, set a Cottonwood post, 4 ft. long 2 in. Square 12 in. in earth, marked $\frac{1}{16}$ on N. Side, dug pits N + S, 18 in. sq across 12 in. deep, raised a mound of earth 4 $\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ sec. cor.
- 8012 The $\frac{1}{16}$ sec. cor. Land here, Soil Sandy 2^d rate, Cottonwood Willow + Arrow weed

Colorado River Meridian

Chains

40.00

in chain + 2 ft high for 1/16 section
 Left Bank of Colorado River, corner
 west about 30.00 chains wide. Dep-
 osited a marked Stone Set Cottonwood
 post 4 ft long 2 in square 12 in in
 earth marked N.C. on N. side, dug
 pits N + S, 18 in square 12 in deep
 raised a mound of earth 1/2 ft
 in chain + 2 ft high for Meridian
 corner, Land level and distance 2^d mile
 willow bushes

West through Centre, on a true
 line, Section 16

Va 14° E,

20.00

Deposited a marked Stone Set, a
 Cottonwood post 4 ft long 2 in square
 12 in, in earth marked 1/16 on N side
 dug pits N + S, 18 in square 12 in

Township 2. N. Range 1. W. of

Chain

deep, raised a mound of earth
4 1/2 ft in diam + 2 ft high for
1/16 Sec. cor

2950

Left-Bank of Colorado River
about 40.00 Chain wide, Course, S.
Deposited a marked Stone Set a
Cotton wood post-4 ft long 2 in. square
12 in. in earth marked N.E.C. on N. side
Aug pits N + S. 18 in. square 12 in
deep raised a mound of earth
4 1/2 ft in diam + 2 ft high for
Meander Corn. Land low and
Sandy, 2^d rate. Willows bushes

Nest on a tree limb through 1/16 Sec. 16
ru 14° E.

20.00

Deposited a marked Stone Set a
Cottonwood post-4 ft long 2 in square
12 in. in earth marked 1/16 on N Side

Manis

Subdivision of Section 16
North on a true line through V. 1/2
Va 14° E.

14.00

Left Bank of Colorado River, Course
West, about 30.00 chs wide, Deposited a
marked stone, set a willow post 4 ft
long 2 in square, 12 in in earth marked
N.C. on W. side, dug pits N. + S. 18 in square
12 in deep, raised a mound of earth 1/2 ft
in diam + 2 ft high for Alexander Combs
Land Line, Soil Sandy 2^d rate
Willow bushes

Subdivision of Section 32
East on a random line through S. 1/2
Va 14° E.

20.00

Set temp 1/16 sec. em.

33.50

Strough, Course, S. width 80. Lks wide

Colorado River Meridian

70 20.

BOOK 1003

Chain's

Dug pits N+S. 18 in, 8 square 12 in
Deep, raised a mound of Earth
4 1/2 ft. in diam + 2 ft high
for 1/16 Sec. cor

24.86

Left Bank of Colorado River
Course S, about 4000 Chs wide
Deposited a Marked Stone, set a
Mile post 2 in 8 square 12 in, in
Earth Marked M.C. on N. Side, dug
pits N+S. 18 in, 8 square 12 in deep
raised a mound of Earth 4 1/2 ft
in diam + 2 ft high for Meridian
Corn

Subdivision of Section 32

East on a random line through S/2
Va 14° E.

20.00

Set trap 1/16 Sec. cor.

33.50

Strigher, Course S. width 80. Lks wide

Township 2. N. Range 1. W. of

Claims

- 40,00 Set Corner $\frac{1}{16}$ Sec. Cor.
- 60,00 Set corner $\frac{1}{16}$ Sec. Cor
- 80,18 Intersect N + S. line 10. L. Ws. S of $\frac{1}{16}$ Sec. Cor.
from which Cor I ran S. $89^{\circ}54'$ W. on a
true line
- 20,04 Deposited a marked Stone, Set a Willow
post 4 ft long 2 in Square 12 in. in earth
marked $\frac{1}{16}$ on N. Side dug pits N + S. 18. in
Square. 12 in. deep, raised a mound of
Earth $4\frac{1}{2}$ ft in diam + 2 ft high
for $\frac{1}{16}$ Sec. Cor.
- 40,09 Deposited a marked Stone, Set a Willow
post 4 ft long 2 in Square 12 in. in
earth marked $\frac{1}{16}$ on N. Side. dug pits
N + S. 18. in. Square 12. in deep, raised
a mound of Earth $4\frac{1}{2}$ ft in diam
+ 2 ft high for $\frac{1}{16}$ Sec. Cor
- 60,13 Deposited a marked Stone, Set a
Willow post 4 ft long. 2 in Square
12. in. in earth marked $\frac{1}{16}$ on N.

Colorado River Meridian

Chain

50.18 Side, dug pits N + S, 18 in, Square 12 in deep, raised a mound of Earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec. cor. The $\frac{1}{16}$ Sec. Cor., Land Area, Soil 1st rate, Mesquite, Milcoed + Arrowweed

East on a random line through Centre of Section 32
 Va 14° E.

- 20.00 Set-temple $\frac{1}{16}$ Sec. cor
 40.00 Set-temple $\frac{1}{4}$ Sec. cor
 56.85 Slough 60 Lks wide Corner S.W.
 60.00 Set-temple $\frac{1}{16}$ Sec. cor
 80.12 Intersect N + S. line at $\frac{1}{4}$ Sec. cor, from which cor I ran W. on a true line
 2003 Deposited a marked Stone, Set a Mesquite post $2\frac{3}{4}$ in. Square 12 in.

Township 2, N. Range, 1, W. of

Claims

- in earth marked $\frac{1}{16}$ on N. Side.
 dug pits N + S. 18 in. Square 12 in
 deep. raised a mound of Earth $\frac{1}{2}$
 ft. in diam + 2 ft. high for $\frac{1}{16}$ Sec. cor.
- 4006 Deposited a marked Stone. Set a
 Willow post 4 ft. long 2 in Square
 12 in. in earth marked $\frac{1}{4}$ c. on N.
 Side. dug pits N + S. 18 in Square 12 in
 deep. raised a mound of Earth $\frac{1}{2}$
 ft. in diam + 2 ft. high for $\frac{1}{4}$ Sec. cor.
- 6009 Deposited a marked Stone. Set a Willow
 post 4 ft. long 2 in Square 12 in. in
 earth marked $\frac{1}{16}$ on N. Side. dug
 pits N + S. 18 in. Square 12 in. deep.
 raised a mound of Earth $\frac{1}{2}$ ft.
 in diam + 2 ft. high for $\frac{1}{16}$ Sec. cor.
- 80.12 The $\frac{1}{4}$ Sec. cor. Land level
 Soil 1st rate. Mesquits Amaranth
 + Willow

July 9th 1876

Colorado River, Meridiano

Chains

East on a random line through
N. 1/2 of Section 32

Run 14° E.

- .50 Enter field corner N + S.
- 6.50 Leave the same
- 20.00 Set temp 1/16 Sec. cor.
- 40.00 Set temp 1/16 Sec. cor.
- 60.00 Set temp 1/16 Sec. cor.
- 6010 Slough course S.W. 80 Lks wide
- 8012 Intersect N + S. line 11 Lks. S. 1/16 Sec. cor.
from which Cor. I ran. S 89° 56' W. on a
true line
- 20.08 Deposited a marked stone. Set a Willard
chisel 4 ft long 2 in square 12 in. in Earth
marked 1/16 on N. side. Aug. 1880 N + S.
18 in square 12 in. deep, raised on
mound of earth 4 1/2 ft. in diam + 2 ft.
high for 1/16 Sec. cor.
- 4006 Deposited a marked stone Set a mound

Township 2. N. Range 1. W. of

Chambers

- 6009 post-4 ft long 2. in Square 12. in. in earth marked $\frac{1}{16}$ on N. side. dug pits N. + S. 18. in Square 12 in deep. raised a mound of earth $\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec. cor. Deposited a marked Stone Set. a Mesquite post $\frac{1}{2}$ ft long 2. in Square 12. in. in Earth marked $\frac{1}{16}$ on N. Side. dug pits N + S. 18. in Square 12 in. deep. raised a mound of earth $\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ Sec. cor.
- 8012 The $\frac{1}{16}$ Sec. cor. Land cont. Soil 1/2 mile Mesquite Willow + Arrowweed

Subdivision of Section 29
 West on a random line through S. 1/2
 Va 14° E

- 20.00 Set temp $\frac{1}{16}$ Sec. cor.
 40.00 Set temp $\frac{1}{16}$ Sec. cor.

Colorado River Meridian

Munis

- 00.00 Set trap $\frac{1}{16}$ Sec cor
- 79.90 Intersect N+S. line at $\frac{1}{16}$ Sec. cor.
from which cor I ran, E. on a true
line
- 19.97 Deposited a marked Stone Set a Cottonwood
post 4 ft long 2 in Square 12 in. in
Earth marked $\frac{1}{16}$ on N. Side, dug pits
N+S. 18, 18, in Square, 12 in deep raised
a mound of earth $4\frac{1}{2}$ ft in diam
+ 2 ft high for $\frac{1}{16}$ Sec. cor
- 39.95 Deposited a marked Stone Set, a
Willow post 4 ft long 2, in Square
12, in. in earth, marked $\frac{1}{16}$ on N,
Side, dug pits N+S. 18 in. Square
12 in deep, raised a mound of
earth $4\frac{1}{2}$ ft in diam + 2 ft
high for $\frac{1}{16}$ Sec. cor
- 59.92 Deposited a marked Stone Set a
Willow post 4 ft long 2 in Square
12, in. in. earth marked $\frac{1}{16}$ on, N,

Township 2. N. Range 1. W. of

Cham's

Side dug pits N + S. 18 in square
12 in deep, raised a mound of
earth $4\frac{1}{2}$ ft in diam + 2 ft high
for $\frac{1}{16}$ Sec. cor.

79.90 The $\frac{1}{16}$ Sec Cor. Land Univ. Soil
1st rate Willow, Cottonwood & Mesquite
and Arrowweed

East on a random line through
Centre of Section 29

Va 14° E.

20.00 Set-temple $\frac{1}{16}$ Sec. cor.
40.00 Set-temple $\frac{1}{4}$ Sec. cor.
60.00 Set-temple $\frac{1}{16}$ Sec cor
79.98 Intersect N + S. line, 4 Lks. S. of
 $\frac{1}{4}$ Sec. cor. from which Cor I run
 $3.89^{\circ} 59'$ W. on a true line
19.99 Deposited a marked Stone Set. a
Cottonwood, post 4 ft long 2 in. Square

Colorado, Rivier Meridiano

Cahuilla

3999

12 in. in earth marked $\frac{1}{16}$ on N. Side
 dug pits N+S. 18 in square 12 in deep
 raised a mound of Earth $4\frac{1}{2}$ ft in
 diam + 2 ft high for $\frac{1}{16}$ sec. cov.
 Deposited a marked Stone, Set. a
 Willow post 4 ft long 2 in. square

12 in. in earth marked $\frac{1}{4}$ c. on N.
 Side, dug pits N+S. 18 in square
 12 in. deep, raised a mound of
 earth $4\frac{1}{2}$ ft in diam + 2 ft
 high for $\frac{1}{4}$ sec cov

5998

Deposited a marked Stone, Set. a
 Willow post 4 ft long 2 in. square
 12 in. in earth marked $\frac{1}{16}$ on N.

Side, dug pits N+S. 18 in square
 12 in deep, raised a mound of
 Earth $4\frac{1}{2}$ ft in diam + 2 ft high
 for $\frac{1}{16}$ sec cov

7998

The $\frac{1}{4}$ sec cov. Land level, Soil Sandy
 2^d rule. Cotton wood, willow, Mesquite +
 Arrowweed

Township 2. N. Range 1. W. of

Census

Met on a rounded line through
N $\frac{1}{2}$ of Sec. 29.

Va 14 $^{\circ}$ E,

- 20.00 Set-temple $\frac{1}{16}$ Sec. cor.
- 40.00 Set-temple $\frac{1}{16}$ Sec. cor
- 60.00 Set-temple $\frac{1}{16}$ Sec. cor
- 79.92 Intersect N+S. line. 6 LK's N. of $\frac{1}{16}$ sec. cor
from which cor. I run N. 89 $^{\circ}$ 58' E. on
a true line
- 19.98 Depastted a marked Stone, Set a
Cottonwood post-4 ft-long 2 in Square
12 in. in earth marked $\frac{1}{16}$ on N side
dug pits N+S. 18 in Square 12 in deep.
raised a mound of earth $4\frac{1}{2}$ ft. in
diam + 2 ft high for $\frac{1}{16}$ Sec. cor.
- 29.96 Depastted a marked Stone Set w
Cottonwood post-4 ft-long 2 in Square
12 in. in earth marked $\frac{1}{16}$ on N.
Side. dug pits N+S. 18 in Square
12 in deep, raised a mound of

Colorado, Riv. Meridian

Mans

earth $4\frac{1}{2}$ ft in diam + 2 ft high
for $\frac{1}{16}$ Sec. cor.

59.94

Deposited a marked Stone set at
Mile 4 post 4 ft long 2 in Square
12 in. in earth marked $\frac{1}{16}$ on N side
dug pits N + S. 18. in Square 12. in
deep. raised a mound of earth
 $4\frac{1}{2}$ ft in diam + 2 ft high
for $\frac{1}{16}$ Sec. Cor.

79.92

This $\frac{1}{16}$ Sec. cor. Land class. Soil
1st rate. Mesquite Cottonwood
Arrowweed + Milow

Subdivision of Section 20
East on a random line through $S\frac{1}{2}$
W 14⁰ E.

20.00

Set-temple $\frac{1}{16}$ Sec cor

40.00

Set-temple $\frac{1}{16}$ Sec. cor.

60.00

Set-temple $\frac{1}{16}$ Sec. cor

Township 2, N. Range 1 W. of

Chambers

- 79.70 : Entered N. + S. line. 18 I. K's S. of
 1/16 Sec cor. from which cor S. run
 S. 89° 53' W. on a true line
- 1992 Deposited a marked Stone, Set a
 Willow post 4 ft long 2 in Square
 12 in. in earth marked 1/16 on N. side
 dug pits N + S. 18 in. Square 12 in
 deep. raised a mound of earth
 4 1/2 ft. in diam + 2 ft high for
 1/16 Sec cor
- 34.85 Deposited a marked Stone, Set a Willow
 post 4 ft long 2 in Square 12 in. in
 earth marked 1/16 on N. side dug pits
 N. + S. 18 in. Square 12 in deep
 raised a mound of Earth 4 1/2 ft.
 in diam + 2 ft high for 1/16 sec. cor
- 59.77 Deposited a marked Stone. Set a
 Nois quite post 2 1/2 in Square

Colorado. River Meridian

Chains

12. in. in earth marked 1/16 on N. Side, aug pits N + S. 18 in. Square 12 in deep, raised a mound of earth 1/2 ft in diam + 2 ft high for 1/16 Sec cor

79.70

The 1/16 sec. cor, Land Co. So. 2^a rule. Mesquite Cottonwood, willow + Arrowweed

East on a random line through Centre

va 14° E.

20.00

Set-temple 1/16 Sec. cor.

40.00

Set-temple 1/16 Sec cor

60.00

Set-temple 1/16 Sec. cor

80.26

Distance N + S. line 16 Lks. N. of 1/16 Sec cor. from which cor I ran N. 89° 53' W. on a true line

Township, 2, N., Range, 1, W., of

Chamis

- 2006 Deposited a marked Stone, Set w. No. 9 pits
 just 4 ft long 2 in Square 12 in. in earth
 marked $\frac{1}{16}$ on N. Side dug pits N+S.
 18 in. Square 12 in. deep. raised a
 mound of earth $4\frac{1}{2}$ ft in diam + 2 ft
 high for $\frac{1}{16}$ sec. cor.
- 4018 Deposited a marked Stone, Set w
 No. 9 pits just 4 ft long 2 in Square
 12 in. in earth marked $\frac{1}{4}$ c. on N.
 Side dug pits N+S. 18 in Square, 12 in
 deep. raised a mound of earth $4\frac{1}{2}$
 ft in diam + 2 ft high for $\frac{1}{4}$ sec. cor.
- 6019 Deposited a marked Stone, Set w
 No. 9 pits just 4 ft long 2 in Square
 12 in. in earth marked $\frac{1}{16}$ on N.
 Side, dug pits N+S. 18 in. Square
 12 in. deep. raised a mound
 of earth $4\frac{1}{2}$ ft in diam + 2 ft high
 for $\frac{1}{4}$ sec. cor.

Colorado River Mendocino

Munis

80.26 The $\frac{1}{4}$ Sec. cor. Lard low, Soil
Sandy 2^d rate. Mesquite, Cottonwood
willow + Arrowweed

East on a random line through N. $\frac{1}{2}$
of Section 20

Va 14° E,

20.00 Set temp $\frac{1}{16}$ Sec, cor,

31.00 Corn Field Corner N. + S. about 10 chs
long

34.00 Have the same

40.00 Set temp $\frac{1}{16}$ sec, cor,

43.80 Enter Field Corner N. + S about 16 chs long

50.00 Leave Field Corner N. + S.

60.00 Set temp $\frac{1}{16}$ Sec cor

80.22 Entered N. + S. line 20 Gls. N. of
 $\frac{1}{16}$ Sec cor. from which cor. D.
Run N. 84° 52' W. on a true line

Township 2. N. Range 1. W. of

Chambers

- 20.05 Deposited a Marked Stone Set a Cottonwood post - 4 ft long 2 in square 12 in. in earth marked $\frac{1}{16}$ on N. side dug pits N+S. 18 in square 12 in deep. raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high. for $\frac{1}{16}$ sec. cor.
- 40.11 Deposited a marked Stone Set a Cottonwood post - 4 ft long 2 in square 12 in. in earth marked $\frac{1}{16}$ on N. side dug pits N+S. 18 in. square 12 in. deep raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ sec. cor
- 60.16 Deposited a Marked Stone. Set a Willow post - 4 ft long 2 in square 12. in. in earth marked $\frac{1}{16}$ on N. side, dug pits N+S. 18. in square 12 in deep, raised a mound of earth $4\frac{1}{2}$ ft in diam + 2 ft high for $\frac{1}{16}$ sec. cor

Colorado. Rivis. Meridian.

Crows

81.22

The $\frac{1}{16}$ Sec cor, Sand level
Soil, sandy. 2^d rate Cottonwood
Millet + Arrowweed

Subdiv. in of Section 17
E, on a true line through $5\frac{1}{2}$

Va 14° E.

20.00

Deposited a marked Stone, Set a
Willow post 4 ft long 2 in Square
12 in. in earth marked $\frac{1}{16}$ on N. Side
dug pits N. + S. 18 in. Square 12. in deep.
raised a mound of Earth $4\frac{1}{2}$ ft. in diam.
+ 2 ft high for $\frac{1}{16}$ Sec. cor. Thence N.
on a true line

5.80

Left Bank of Colorado Rivis, Crows
W. about 30.00 Chs wide, Deposited a
marked Stone. Set a Willow post 4 ft
long 2. in Square 12. in. in earth marked
N.C. on W. Side. dug pits N + S. 18. in.

Township 21. N. Range 1. W. of

Cahoon's

Square, 12 in deep, raised a mound
of earth $4\frac{1}{2}$ ft in diam + 2 ft high
for Meander Corner. Land Co. Co.

Soil Sandy 2^d rate, willow bushes

40.00

Deposited a marked Stone, a post 4 ft long
2 in Square 12 in, in earth marked $\frac{1}{16}$
on N. side dug pits N. + S 18 in, Square
12 in, deep, raised a mound of earth
 $4\frac{1}{2}$ ft. in diam, + 2 ft high for $\frac{1}{16}$
see cor. Stone, N. on a true line

41.10

Left Bank of Colorado River
Come N.W. about 30.00 chs wide, Deposited
a marked Stone. Set a willow post
4 ft. long 2 in Square 12 in, in earth
marked N.C. on W. side dug pits N + S.

18 in Square 12 in deep, raised a mound
of earth $4\frac{1}{2}$ ft in diam + 2 ft high for
Meander Corner. Land Co. Co. Soil
Sandy 2^d rate, willow bushes

54.37

Left Bank of Colorado, River Come

Colorado River Meridian

Charris

N.W. about 30,00 Chs wide, Deposited, a
 marked Stone, Set, a willow post 4 ft
 long 2 in square, 12 in in earth, marked
 N.E. on N. Side, dug pits N + S. 18 in square
 12 in deep, raised a mound of earth 4 1/2
 ft in diam + 2 ft high for McCandoo
 Corner, Land line side Sandy 2nd rate
 Cotton wood + willow

Subdivision of Section 31

W. on a random line through S/2

Va 14° E

- 20,00 Set temp 1/16 Sec, cor.
 40,00 Set temp 1/16 Sec, cor
 42,00 Field corner N.E. + S.W.
 49,00 Leave same N.E. + S.W.
 60,00 Set temp 1/16 Sec, cor.
 7962 Entrance W. boundary 34 Chs South of
 1/16 Sec, cor. from which cor. I run

Township 2. N. Range 1. W. of

Cham's

- 19.62 $589^{\circ}46'8$ on a true line
 Deposited a marked Stone Set a Willow
 post-4 ft-long 2 in Square 12 in, in earth
 marked $\frac{1}{16}$ on N. Side, dug pits N+S.
 18. in Square 12 in deep raised a
 mound of earth $4\frac{1}{2}$ ft in diam
 + 2 ft high for $\frac{1}{16}$ Sec. cor.
- 39.62 Deposited a marked Stone Set a Cotton-
 wood post-4 ft-long 2 in Square 12. in.
 in earth marked $\frac{1}{16}$ on N. Side
 dug pits N+S. 18 in Square 12 in.
 deep raised a mound of earth $4\frac{1}{2}$ ft
 in diam + 2. ft. high for $\frac{1}{16}$ Sec. cor.
- 59.62 Deposited a marked Stone, Set a
 Cotton wood post-4 ft-long 2 in.
 Square 12 in, in earth marked $\frac{1}{16}$ on
 N. Side, dug pits N+S 18. in Square
 12. in, deep, raised a mound of
 Earth $4\frac{1}{2}$ ft, in diam + 2 ft high
 for $\frac{1}{16}$ Sec. cor.

Colorado River Meridians

Chas's

7962

The 1/4 Sec 16, Tuna Creek, Soc's
1st rate, bottom. Hemp, arrowweed
Cottonwood, willow & Mesquite
July 10, 1876

Subdivision of Section 31

N. through the Centre on a random line
 Va 14° E.

- 20.00 Set temp $\frac{1}{16}$ Sec. cor
- 40.00 Set temp $\frac{1}{4}$ Sec. cor
- 60.00 Set temp $\frac{1}{16}$ Sec. cor
- 79.60 Intersect W. boundary 24 Lks. N. of $\frac{1}{4}$ Sec. cor.
 from which Cor. 9. ran N. $89^{\circ} 53'$, E. on
 a true line
- 19.60 Deposited a marked Stone, Set a Mesquite
 post - 4 ft long 2. in Square 12 in. in
 length marked $\frac{1}{16}$ on N. Side, dug pits
 N. + S 18. in Square 12 in. deep, raised
 a mound of Earth $\frac{1}{2}$ ft in diam
 + 2 ft high for $\frac{1}{16}$ Sec. cor.
- 39.60 Deposited a marked Stone, Set a Cotton-
 wood post - 4 ft long 2. in Square
 12 in. in length marked $\frac{1}{4}$ C. on N.
 Side, dug pits N. + S 18. in. Square
 12 in. deep, raised a mound of Earth

Township 2, N, Range 1, W, of

Chain

4 1/2 ft. in diam. + 2 ft. high for
1/4 Sec. Cor.

59.60

Deposited a marked Stone, Set a
Cottonwood Stake 4 ft. long 2. in Square
12 in. in earth marked 1/16 on N. Side
dug pits N + S. 18. in Square 12. in
deep, raised a mound of Earth 4 1/2
ft. in diam + 2 ft. high for 1/16 Sec. Cor.

79.60

The 1/4 Sec. Cor. Keemp. Arrowweed
Cottonwood, willow + Mesquite, Linn
Circ Dug 1st rate, bottom.

Met on a random line through drip
of Section 31

On 14th E.

20.00

Set temp 1/16 Sec Cor

40.00

Set temp 1/16 Sec, Cor.

60.00

Set temp 1/16 Sec Cor

79.48

Intersect W. boundary 48 Lks S. of 1/16

Colorado. River. Meridians

Coburn's

Sec. cor. from which Cor I ran
S. 89° 40' E. on a true line

1948

Deposited a marked Stone, Set a
Mesquite post 4 ft long 2 in Square
12 in. in earth marked $\frac{1}{16}$ on N. Side
dug pits N+S. 18 in. Square 12 in
deep, raised a mound of earth $4\frac{1}{2}$ ft
in diam + 2 ft high for $\frac{1}{16}$ Sec. cor.

3948

Deposited a marked Stone Set a
Mesquite post 4 ft long 2 in
Square 12 in. in earth marked $\frac{1}{16}$
on N. Side dug pits N+S. 18 in
Square 12. in deep, raised a mound
of earth $4\frac{1}{2}$ ft. in diam + 2 ft high
for $\frac{1}{16}$ Sec cor

5948

Deposited a marked Stone, Set a
Mesquite post 4 ft long 2 in Square
12 in. in earth marked $\frac{1}{16}$ on N. Side
dug pits N+S. 18 in Square 12 in
deep, raised a mound of Earth

Township 2. N. Range 1 W. of.

Claims

4 1/2 ft in diam + 2 ft high
for 1/16 Sec cor

7948 The 1/16 Sec cor, Land line. Soil
1/2rd race bottom, Keweenaw. Arrowweed
Willow & Mesquite

Subdivision of Section 30
Met on a random line through S 1/2
Va 14th E.

20.00 Set timber 1/16 Sec cor

40.00 Set timber 1/16 Sec cor

60.00 Set timber 1/16 Sec cor

7940 Intersect W. boundary 60 Lks S of
1/16 Sec. cor. from which cor. D.
ran S. 89° 35' E on a true line

19.40 Deposited a marked Stone Set a
Mesquite post 2 1/2 ft long 2 in square
12 in in diam marked 1/16 on N.
Side dug pits 18 in. S. 18 in. S. ground

Colorado River Mendocino

Lekunin

12 in deep, raised a mound of Earth 4 1/2 ft in diam + 2 ft high for 1/16 Sec. cov.

3940

Deposited a marked Stone Set, a. Mesquite post 4 ft long 2 in Square 12 in, in Earth marked 1/16 in. N. Side, Aug pits N+S, 18 in Square 12 in, deep, raised a mound of Earth 4 1/2 ft, in diam + 2 ft high for 1/16 Sec. cov

5940

Deposited a marked Stone Set, a. Mesquite post 4 ft long 2 in Square, 12 in, in Earth marked 1/16 in. N. Side Aug pits N+S, 18 in Square, 12 in, deep, raised a mound of Earth 4 1/2 ft in diam. + 2 ft high for 1/16 Sec cov

7940

The 1/16 Sec cov. Land low 2 ft above bottom. Wild ~~Yucca~~ Arrowweed Willow + Mesquite

Township 2. N. Range 1. W. of

Section

Met on a random line
through Centre of Section 30
Va 14, E.

- 2000 Set timber $\frac{1}{16}$ Sec. cor.
- 4000 Set timber $\frac{1}{4}$ Sec. cor
- 6000 Set timber $\frac{1}{16}$ Sec. cor
- 6480 Slough. Course, S.W. 60 Sko woods
- 7932 Intersect W. boundary 58 Sko S. of
 $\frac{1}{4}$ Sec. cor. from which Cor. S.
run S. $89^{\circ} 38' E.$ on a true line
- 1932 Deposited a marked Stone, Set a flagstone
post 4 ft long 2 in Square, 12 in. in
earth marked $\frac{1}{16}$ on, N. Side dug pits
N. + S. 18 in Square 12 in deep
raised a mound of Earth $4\frac{1}{2}$ ft
in diam. + 2 ft high for $\frac{1}{16}$ Sec. cor
- 3932 Deposited a marked Stone Set a
willow post 4 ft long 2 in Square
12 in. in Earth marked $\frac{1}{4}$ c. on, N.
Side, dug pits N + S, 18 in Square

Colorado. Rio Meridiano

Llama

12 in. deep, raised a mound of Earth $4\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{4}$ Sec cor

59.32 Deposited a marked Stone, Set. a. Mesquite post 4 ft long 2 in square 12 in. in Earth marked $\frac{1}{16}$ on N.

Sides dug pits N. + S. 18 in square 12 in deep, raised a mound of Earth $4\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{16}$ Sec cor

79.32 The $\frac{1}{4}$ Sec. Cor. Llama, level 2^a rail bottom. Mied Keenly announced Mesquite + willow

Must on a run down line through $N\frac{1}{2}$ of Section 30

Jan 14⁰⁸

20.00 Set-ump $\frac{1}{16}$ Sec. cor

40.00 Set-ump $\frac{1}{16}$ Sec. cor

Township 2 N. Range 1 W. of

Chambers

- 58.00 Slough, course S. E. 60. Lks wide
- 60.00 Set-ump 1/16 Sec. cor.
- 79.18 Entered, W. boundary 62 Lks S. of 1/16 Sec. cor. from which cor. I ran, S. 89°34' E. on a true line
- 19.18 Deposited a Marked Stone, Set a Mesquite post 4 ft long 2 in Square 12 in. in earth marked 1/16 on N. Side dug pits N + S. 18 in Square, 12 in deep, raised a mound of Earth 4 1/2 ft in diam + 2 ft high for 1/16 Sec. cor.
- 39.18 Deposited a marked Stone Set a Mesquite post 4 ft long 2 in Square 12 in. in earth marked 1/16 on N. Side dug pits N + S. 18 in Square 12 in deep, raised a mound of Earth 4 1/2 ft in diam + 2 ft high for 1/16 Sec. cor

Salrado River Meridians

Chumie

- 59.18 Deposited a marked Stone, Set a willow post-4 ft-long 2 in Square 12 in, in earth marked $\frac{1}{16}$ on N. Side, dug pits N+S. 18. in. Square 12. in deep, raised a mound of earth $4\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{16}$ Sec, cor.
- 79.18 The $\frac{1}{16}$ Sec, cor. Land level, Soil 1st rate bottom, Neesmp. Arroyo wood Cottonwood, willow + Mesquite.

Subdivision of Section 19

Wet in a random line through s/p
NW 14° E.

- 20.00 Set temp $\frac{1}{16}$ Sec, cor.
- 40.00 Set temp $\frac{1}{16}$ Sec, cor.
- 41.50 Slough comes, S.W. 60 Lks. wide.
- 60.00 Set temp $\frac{1}{16}$ Sec, cor
- 79.28 Intersect. W. boundary 64 Lks. S. of.

Township 2. N. Range 1. W. of

Chain

1928 $\frac{1}{16}$ Sec, cor, from which cor. D.
 ran. S. $89^{\circ}33'$ East - on a true line
 Deposited a marked Stone, Set a
 Mesquite post, 4 ft long 2 in square
 12 in. in earth marked $\frac{1}{16}$ on N.
 Side. dug pits N + S. 18 in square
 12 in deep, raised a mound of
 earth $\frac{1}{2}$ ft in diam + 2 ft high
 for $\frac{1}{16}$ Sec, cor.

3928 Deposited a Marked Stone set at
 Mesquite post, 4 ft long 2 in.
 square, 12 in. in earth marked
 $\frac{1}{16}$ on N. Side, dug pits N. + S.
 18 in. square 12 in deep, raised
 a mound of earth $\frac{1}{2}$ ft in
 diam + 2 ft high for $\frac{1}{16}$ Sec, cor.

5928 Deposited a marked Stone set at
 Mesquite post 4 ft long 2 in square
 12 in. in earth marked $\frac{1}{16}$ on N.

BOOK 1003

Colorado River Meridian

Chambers

Side dug pits N + S, 18 in. square
12 in. deep, raised a mound of
earth 4 1/2 ft. in diam, + 2 ft high
for 1/16 Sec. cor.

7928 The 1/16 Sec. cor. Land Level Soil
1st rule shows growth of Arrowweed
& willow bushes, a few Cottonwoods
& Mesquites

Met on a Standard line through
Centre of Section 19
R. 14, E

20.00 Set temp 1/16 sec. cor.

45.00 Set temp 1/4 sec. cor.

46.72 Slough corner S, 80 Lks wide

60.00 Set temp 1/16 sec. cor.

7918 Entered W. boundary 69 Lks S,
of 1/4 Sec. cor. from which, cor
S. 89.31' E on a true line

Township 2, S. Range 1 W. of

Chenoweth

19.18

Deposited a marked Stone Set a Mesquite post, 4 ft long 2 in. Square, 12 in. in Earth marked $\frac{1}{16}$ on N. Side, dug pits N + S, 18 in Square 12 in. deep, raised a mound of Earth $4\frac{1}{2}$ ft in diam. + 2 ft high for $\frac{1}{16}$ sec. ev.

39.18

Deposited a marked Stone Set a Willow post 4 ft long 2 in Square, 12 in. in Earth marked $\frac{1}{16}$ on N. Side, dug pits N + S, 18 in. Square 12 in. deep, raised a mound of Earth $4\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{16}$ sec. ev.

59.18

Deposited a marked Stone Set a Willow post 4 ft long 2 in Square 12 in. in Earth marked $\frac{1}{16}$ on N. Side, dug pits N + S, 18 in. Square 12 in. deep, raised a mound of Earth $4\frac{1}{2}$ ft. in

Colorado River, Meridian

Meridian

7918

drain + 2 ft high for 1/16 Sec. cor
The 1/4 Sec. cor. Land level
Soil 1st rate, dense growth of
arrowweed + willow bushes, a
few Cottonwoods + Sycamores

Went on a random line through
1/2 of Section 19 N 14° E.

20.00

Set temp 1/16 Sec. cor

40.00

Set temp 1/16 Sec. cor.

55.50

Slough corner S.W. 60 2 1/2 w. side

60.00

Set temp 1/16 Sec. cor. at
corner of Section 19 in
1905, 1906

7924

Intersect. W. boundary 72 1/2 N. S
of 1/16 Sec. cor. from which on I
ran S, 89° 31' East on a true line

19.24

Deposited a marked stone set a

Township 2. N. Range 1. W. of

Chamis

Mesquite post - 4 ft long 2 in square
12 in. in earth marked $\frac{1}{16}$ on N. Side
dug pits N + S 18 in square 12 in
deep. raised a mound of earth
 $4\frac{1}{2}$ ft in diam + 2 ft high for
 $\frac{1}{16}$ Sec. Cor. from which a cotton wood
tree 16. in. in diam bears S. 2° E. 7. 2 k's
dist

3924 Deposited a marked Stone Set a
Mesquite post 4 ft long 2 in.
square 12 in. in earth marked
 $\frac{1}{16}$ on N. Side, dug pits N + S.
18 in. square 12 in deep, raised
a mound of earth $4\frac{1}{2}$ ft. in
diam + 2 ft high for $\frac{1}{16}$ sec. cor

5924 Deposited a marked Stone Set, a
Mellow post - 4 ft long 2 in
square 12 in. in earth marked
 $\frac{1}{16}$ on N. Side, dug pits N + S,
18 in. square 12 in deep, raised

Colorado River Meridian

7924 a mound of earth $4\frac{1}{2}$ ft. in diam + 2 ft. high for $\frac{1}{16}$ Sec. cor. The $\frac{1}{16}$ Sec. cor. Land line said 1st rate, dense growth of Arrowweed + willow bushes, a few Cottonwoods + Mesquites

Subdivision of Section 18
N. on a true line through $7\frac{1}{2}$

Var 14° E.

20,00 ~~Set $\frac{1}{16}$ Sec. cor.~~ Deposited a marked stone, Set a. Milano post 4 ft. long 2 in. square 12 in. in diam. marked $\frac{1}{16}$ on N. side dug pits N + S. 18 in. square 12 in. deep, raised a mound of earth $4\frac{1}{2}$ ft. in diam. 2 ft. high for $\frac{1}{16}$ Sec. cor.

25,50 Left-Bank of Colorado River, Corner S. W. about 30,00 chs wide, Deposited

Township 2. N. Range 1 W. of

Chambers

a marked Stone, Set a willow post
4 ft long 2 in Square 12 in in earth
marked N.C. on N. Side, dug pits N. + S.
18 in Square 12 in deep, raised a
mound of earth 1/2 ft in diam
+ 2 ft high for Meander corners.
Land level soil 1st rate

N. on a true line through Corner
of Section 18

Pa 14° E.

2000

Set 1/16 Sec. cor.

Deposited a marked Stone, Set a
Mesquite post 4 ft long 2 in Square
12 in in earth marked 1/16 on N.
Side, dug pits N. + S. 18 in. Square
12 in deep, raised a mound of
Earth 1/2 ft in diam, + 2 ft high
for 1/16 Sec. Cor.

Colorado River Meridian

Chamie

4000

Set $\frac{1}{4}$ Sec. cor. Deposited, a
 Marked Stone, Set a. Willow post
 4. ft long 2. in Square, 12 in. in
 earth Marked $\frac{1}{4}$ C. on N. Side, dug
 pits N+S. 18. in. Square 12 in. deep.
 raised a mound of earth $\frac{1}{2}$ ft
 in diam. + 2 ft high for $\frac{1}{4}$ Sec. cor

5817

Left Bank of Colorado River, Corred
 S. about 35,00 Chs. wide, Deposited a
 Marked Stone, Set a willow post 4. ft
 long 2. in. Square 12. in. in earth, marked
 N.C. on N. Side, dug pits N+S. 18 in.
 Square 12. in deep, raised a mound
 of earth $\frac{1}{2}$ ft in diam + 2. ft
 high for, Meandro Corner. Land
 level, Soil, Sandy 2^a salt willow
 bushes.

Township 2, N. Range 1, W. of

Cehans

Run a true line through E $\frac{1}{2}$ of Section 18

VW 14° E.

20,00

Set $\frac{1}{16}$ Sec. cor. Deposited a marked Stone. Set a willow post 4 ft long 2 in. Square 12 in. in earth. Marked $\frac{1}{16}$ on N. Side dug pits N + S. 18 in. Square 12 in. deep. raised a mound of earth $4\frac{1}{2}$ ft. in diam. + 2 ft high for $\frac{1}{16}$ Sec. cor.

40,00

Set $\frac{1}{16}$ Sec cor. Deposited a marked Stone. Set a willow post 4 ft long 2 in. Square 12 in. in earth marked $\frac{1}{16}$ on N. Side. dug pits N + S. 18 in. Square 12 in. deep. raised a mound of earth $4\frac{1}{2}$ ft. in diam + 2 ft high for $\frac{1}{16}$ Sec. cor.

48,40

Left Bank of Colorado River
Course. N.W. about 30,00 Chs wide

Colorado River. Meridian

Deposited a marked Stone. Set a
 Willow post 4 ft long, 2 in square
 12 in. in earth marked N.C. on N,
 Side. dug pits N+S. 18 in square
 12 in deep. raised a mound of
 earth $\frac{1}{2}$ ft in diam + 2 ft
 high for Meridian corner.
 Sand level. Soil Sandy 2nd row
 Mesquite + Willow bushes

July 11, 1876

Township 2 N. R. 1. W. of
Meanders of Left Bank of Colorado

Courses	Distances	Remarks
		Begin at the corner to fractional Sections 1 and 6, on the East boundary of the Township, and on the left and S. W. Bank of the river, and run thence down stream with the meander of the left bank of said river in T ¹ / ₄ sec. 1
S 20° W.	8.70	Va. 14° E. To meander cor. on the line through center of sec.
S 19½° W.	21.10	To meander cor. on the line through S ½ of sec.
S 26¼° W.	18.00	
S 86° W.	25.00	
S. 61¼° W.	4.64	To the cor. to T ¹ / ₄ sec. 1 & 12; thence in Sec. 12.
S 28° W.	10.00	
S 22° W.	12.40	To meander cor. on the line through

the Colorado River Meridian

River, through the townships

Bearing	Distance	Remarks
		N. $\frac{1}{2}$ of sec.
S. 22° W	7.00	
S. 59 $\frac{1}{2}$ ° W	12.62	To the cor. to $\frac{1}{4}$ ac. sec. 11 + 12;
West	10.50	thence in Sec. 11
S. 48° W	10.44	To meander cor. on the line, through center of sec.
S. 55° W	18.00	
S. 49° W	10.50	
S. 67 $\frac{1}{2}$ ° W	7.32	To Meander cor. on the line, running W. through S. $\frac{1}{2}$ of sec.
S. 48° W	4.44	To Meander cor. on the line running N. through center of sec.
S. 86° W	11.00	At 8.50 chs., dry slough course S.
N. 89° W	9.20	To Meander cor. on line, through West $\frac{1}{2}$ of sec.
S. 84 $\frac{1}{2}$ ° W	10.00	
S. 75 $\frac{1}{4}$ ° W	10.52	To the cor. to $\frac{1}{4}$ ac. sec. 10 + 11 thence in Sec. 10
S. 88° W	18.00	

Township 2, N, R. 1 W of
Meanders of Left Bank of Colorado

Courses	Distances	
S. $67\frac{1}{2}^{\circ}$ W.	2.30	To meander cor. on the line through East $\frac{1}{2}$ of Sec.
West	20.07	To meander cor. on the line through center of Sec.
West.	20.02	To meander cor. on the line through West $\frac{1}{2}$ of Sec.
N. 82° W.	6.00	
S. 66° W.	15.26	To the cor. to face Sec. 9 and 10 thence through Sec. 9.
S. 79° W.	15.00	
S. $53\frac{1}{4}^{\circ}$ W.	3.20	To the cor. to face Sec. 9 and 16. thence through Sec. 16
S. $53\frac{1}{4}^{\circ}$ W.	6.00	
S. $16\frac{1}{2}^{\circ}$ W.	10.00	
S. $5\frac{3}{4}^{\circ}$ W.	6.90	To the meander cor. on the line, through N $\frac{1}{2}$ of Sec.
S. $5\frac{3}{4}^{\circ}$ W.	11.50	
S. $14\frac{1}{2}^{\circ}$ W.	8.00	
S. 61° W.	1.80	To the meander cor. ^{on the line} through

The Colorado River Meridian

River, through the township.

Course	Distance	
		center of sec. running West
S. 23° W	13.00	
S. 34° W	9.73	To meander cor. on the line running North through center of sec.
S. 51½° W	5.50	3.60 ch. slough 600 wide, South
S. 76¼° W	9.00	
S. 86¼° W	6.94	To meander cor. on the line through
S. 86¼° W	2.00	West ½ of sec.
N. 79° W	12.00	
N. 75° W	6.86	To the cor. to frac. sec. 16 and 17 thence through Sec. 17.
S. 79¼° W	10.00	
N. 80½° W	6.00	
N. 73° W	10.45	To meander cor. on the line, running East. in S½ of sec.
N. 73° W	9.50	
N. 77¼° W	5.66	To meander cor. on the line, running North in center of sec.
N. 74° W	15.00	

Township 2 N. R. 1 W. of the
Meanders of the Left Bank of

Course	Distance	
S. 66 $\frac{3}{4}$ ° W.	6.23	To meander cor. on the line running North, through N. $\frac{1}{2}$ of Sec.
S. 66 $\frac{3}{4}$ ° W.	1.50	
N. 84 $\frac{1}{2}$ ° W.	4.00	
N. 45° W.	16.00	
N. 52° W.	4.33	To the cor. to frac. secs. 17 and 18, thence in Sec. 18.
N. 41° W.	7.00	
N. 78 $\frac{1}{4}$ ° W.	15.72	To meander cor. on the line running North through E. $\frac{1}{2}$ of sec.
N. 50 $\frac{1}{2}$ ° W.	8.00	
N. 63 $\frac{1}{2}$ ° W.	7.00	
N. 78 $\frac{1}{4}$ ° W.	7.75	To meander cor. on the line, running North, through center of sec.
West	3.50	
S. 56° W.	7.00	
S. 32° W.	6.00	
South	14.00	
S. 33° W.	10.00	

Colorado River Meridian

Colorado River, through the townships

Bearings	Distances	
$56^{\circ}14'N$	2.44	To Meander cor, on the line, running North through $1\frac{1}{2}$ of Sec.
$40^{\circ}12'N$	13.00	
$36^{\circ}4'N$	14.00	
$31^{\circ}W$	5.23	To cor, to Secs. 13, 18, 19 and 24 The land along the left bank of the Colorado River is level, soil sandy 2^{nd} cate, all subject to inundation. Timber is chiefly an under growth of willows with scattering cottonwoods.

Jan 12, 1875

BOOK 1003

U. S. Surveyor General's Office,

TUCSON, ARIZONA, May 12, 1876.*The foregoing Field Notes of the Survey of the**Subdivision Lines of
Township 2 N.
Range 1 W.**Colorado*
Of the ~~Gila and Salt~~ River Base and Meridian, Arizona, execu-
ted by Chaulev Robbins,*Deputy Surveyor, under his contract of the* 26th
day of May, 187⁶, *having been*
critically examined and the necessary corrections and explana-
tions made, the said Field Notes and the surveys they describe
*are hereby approved.*John Mason
Surveyor General.